

---

# NAME INDEX

---

**A**

ABB Resource Recovery Systems, 621  
 Air and Waste Management Association, 652  
 Allen, L., 154  
 Alley, F. C., 669, 949  
 Alpert, G., 765  
 Amadas Industries, 547, 554, 578, 696  
 American Conference of Governmental  
 Industrial Hygienists, 949  
 American Public Works Association, 245  
 American Ref-Fuel, Inc., 621  
 American Society for Testing and Materials,  
 69, 749, 765  
 Amling, W., 538  
 Andoh, N. Y., 668  
 Anex, R., 153  
 Apotheker, S., 765  
 Arbuckle, J. G., 817  
 Ashbrook Simon-Hartley, 315  
 Atlas Systems Corp., 582

**B**

Bagchi, A., 538  
 Barnes, K. K., 539  
 Bartley, D. A., 668, 670, 765  
 Barton, J. R., 609  
 Basta, N., 765  
 Bellandi, R., 817  
 Bergen County Utilities Authority, 191, 245  
 Bircher, K. G., 668  
 Black, J. W., 668  
 Boettcher, R. A., 608  
 Bohn, H., 538  
 Bohn, R., 538

Bomberger, D. C., 157  
 Bosch, G., 715  
 Boughton, 758  
 Bouwer, E. J., 122  
 Bowerman, F. R., 489  
 Braam, B. C., 608  
 Brenniman, G. R., 766  
 Brown, L., 360  
 Brown and Caldwell Consulting Engineers,  
 59, 668, 765  
 Brunner, C. L., 668  
 Brunner, D. R., 538  
 Buckman, H. O., 798  
 Bumb, R. R., 668  
 Burns, R. G., 715  
 Burton, F. L., 122, 157, 540, 716  
 Bye, J., 766

**C**

California Air Resources Board, 669  
 California Department of Health Services, 8  
 California Glass Recycling Corporation, 765  
 California Integrated Waste Management  
 Board, 157, 408, 410, 414, 758, 813,  
 904  
 California State Water Pollution Control  
 Board, 540  
 California Waste Management Board, 538  
 Carruth, D., 67  
 Cassidy, J. J., 539  
 Cecchi, F., 715  
 Chandler, J. A., 98  
 Chang, D. P. Y., 122, 539, 944  
 Charnes, A., 245  
 Cherry, J. A., 539

Chilton, C. H., 670  
 Chisholm, K. A., 668  
 Christensen, T. H., 538  
 Chynoweth, D. P., 715  
 Clancy, J., 715  
 Clarke, M. J., 669  
 Clemant, R. E., 669  
 Code of Federal Regulations, 817  
 Cointreau, S. J., 67  
 Combustion Engineering, Inc., 624  
 Connell, D. W., 122  
 Cooper, C. D., 669, 949  
 Cope, F., 538  
 Corey, R. C., 670  
 Cornwell, D. A., 817  
 Cossu, R., 538  
 Council on Plastics and Packaging in the  
 Environment, 732, 766  
 County of Los Angeles, Department of  
 County Engineer, Los Angeles, 412,  
 538  
 County Sanitation Districts of Los Angeles  
 County, 292, 411, 412, 413, 482,  
 772  
 Crawford, J. F., 538  
 Crawford, M., 949  
 Creators Syndicate, Inc., 4  
 Criddle, C. S., 122  
 Cross, F., 669, 670  
 Cross, F. L., 669  
 Cunningham, N. F., 608  
 Czuczwa, J. M., 669

**D**

Dallavale, J. M., 323, 608  
 Dalmijn, W. L., 608  
 Daniel, D. E., 539  
 Danielson, J. A., 949  
 Davis, D. A., 669  
 Davis, M. L., 817  
 Davis, S. N., 98, 538  
 DeGeare, T. V., 539  
 de Grassi, D., 766  
 Dempster Dumpster Systems, 198, 207  
 DeWiest, R. J. M., 98, 538  
 Dhargalkar, P. H., 669  
 Diaz, L. F., 323, 609  
 Dings Co., Magnetic Group, 263, 567  
 Division of Solid Waste Management,  
 Sacramento County, California, 904  
 Donahue, R. L., 798

Donovan, C. T., 766  
 Dowson, 630  
 Doyle, T., 360  
 Drobny, N. L., 36, 608, 669

**E**

Earl, F. K., 715  
 Ebara Corporation, 669  
 Edminster, T. W., 539  
 Ehrig, H. J., 538  
 Eiceman, G. A., 669  
 Eliassen, R., 22, 98  
 Emcon Associates, 539  
 Endahl, R. B., 323, 608  
 Engineering-Science, Inc., 538  
 Envirothene, Inc., 766  
 Everett, J. W., 608

**F**

Fair, G. M., 929  
 Farquhar, G. J., 539  
 Feindler, K. S., 669  
 Fenn, D. G., 539  
 Fernandes, J. H., 669  
 Finstein, M., 191  
 Fisher, T. F., 669  
 Flower, F. B., 780, 798  
 Force, J., 766  
 Fouhy, K., 765  
 Franklin, M., 68, 157  
 Franklin, W., 68, 157  
 Franklin Associates Limited, 67  
 Franzini, J. B., 539  
 Freeman, H. M., 68, 157  
 Frevert, R. K., 539  
 Fricilli, P. W., 669  
 Fryberg, D., 539

**G**

General Electric Company, 669  
 Geol, W. P., 539  
 Geyer, J. C., 929  
 Gilges, K., 765  
 Gilman, E. F., 798  
 Golden, B., 360  
 Golueke, C. G., 715  
 Gorman, P. G., 669

Goss, J. R., 670  
 Gossett, J. M., 98  
 Gotaas, H. B., 323, 715  
 Government Refuse Collection Disposal  
 Association, 540  
 Greeley, S. A., 22, 67, 323  
 Green, D. W., 68, 540  
 Grey, J., 349  
 Gunnerson, G. G., 67

## H

Hallenbeck, W. H., 766  
 Ham, R. K., 539, 608  
 Hanks, T. G., 22, 191  
 Hanley, K. J., 539  
 Hansen, V. E., 539  
 Hardenbergh, W. A., 8  
 Hardy, S., 715  
 Harrison, B., 670  
 Hart, Johnny, 4  
 Harwood, R. F., 98  
 Hasselriis, F., 67, 98, 323, 608, 670  
 Hatheway, A. W., 539  
 Haug, R. T., 323, 539, 715  
 Healy, R., 670  
 Heasman, L. A., 540  
 Hegberg, B. A., 766  
 H. J. Heinz Company Foundation, 846  
 Hemphill, T., 766  
 Henderson, S. M., 323, 608  
 Hering, R., 22, 67, 323  
 Herrera, T. A., 122, 539, 944  
 Hesketh, H. E., 669  
 Higgins, I. J., 715  
 Higginson, A. E., 360  
 Hill, R. M., 608  
 Hites, R. A., 669  
 Hjelmfelt, A. T., Jr., 539  
 Hogan, E. L., 798  
 Holland, K. T., 715  
 Hollender, H. I., 608  
 Holmes, J. R., 360, 540  
 Holusha, J., 766  
 Hoover, S. R., 715  
 Houk, V. N., 640, 670  
 Howard, P. H., 122  
 Hughes, D. E., 715  
 Huित्रic, R. L., 539  
 Hull, H. E., 36, 608, 669  
 Huls, J. M., 67  
 Hurst, B. E., 670

## I

Ingraham, J. L., 716  
 Institute for Local Self-Reliance, 846  
 Institute of Scrap Recycling Industries,  
 741, 766  
 Ishii, Y., 668  
 Israelsen, O. W., 539

## J

James, M. T., 98  
 Jewell, W. J., 98, 705, 715, 716  
 Jones, B. B., 22, 539  
 Jones, J. L., 668, 670

## K

Kaiser, E. R., 98  
 Kaplan, R. S., 766  
 Karasek, F. W., 669  
 Karpinski, G., 538  
 Kasbohm, M. L., 669  
 Kayhanian, M., 715  
 Keller, D. J., 538  
 Kerton, D., 872  
 Kinetics Technology International,  
 757  
 King, P. H., 532  
 Kircher, K. G., 668  
 Kirkpatrick, S. D., 670  
 Kisker, J. V. L., 670  
 Kjeldsen, P., 538  
 Klee, A. J., 67  
 Klein, G., 245  
 Kleinan, J. H., 670  
 Knapp, J. S., 715  
 Koerner, R. M., 539  
 Kohler, M. A., 539  
 Kreith, F., 22, 36, 68, 157  
 Kruse, C. W., 245

## L

Lagrang, R., 715  
 Lang, R. J., 122, 539, 540, 944  
 Lawless, P. A., 670  
 Leone, I. A., 780, 798  
 Lewis, R., 157  
 Liebman, J. C., 245

Lindenauer, K., 715  
 Linsley, R. K., 539  
 Lohof, A., 766  
 Lyman, W. J., 122  
 Lynch, G. E., 904  
 Lyon, T. L., 798

**M**

Mackay, K. M., 539  
 Maloney, J. O., 540  
 Mantell, C. L., 67, 98  
 Markus, M., 669  
 Mata-Alvarez, J., 715  
 Mathias, S. L., 539  
 Matthews, C. W., 608  
 Maxfield, P. L., 904  
 Mayfran International and Waste  
 Management Inc., 580  
 McAneny, C. C., 539  
 McAtee, W. L., 539  
 McCarty, P. L., 122, 715  
 McTigue, W. R., Jr., 122  
 Mead, B. E., 540  
 Meissner, H. G., 670  
 Mercury Refining Company, 763  
 Merz, R. C., 539  
 Michaels, M., 872  
 Miller, C. C., 439, 539  
 Miller, G. J., 122  
 Miller, R. W., 798  
 Moody, L. F., 949  
 Morbark Industries, Inc., 547  
 Moshiri, G. A., 539  
 Mueller Associates, 766  
 Municipality of Metropolitan Toronto,  
 Department of Public Works,  
 340

**N**

National Association for Plastic Container  
 Recovery, 248  
 National Solid Waste Management  
 Association, 35  
 Neissen, W. R., 67, 98, 157  
 Ness, H., 766  
 New Jersey Department of Environmental  
 Protection, 800, 811  
 New, R., 609  
 Nixon, H. E., 949

**O**

O'Brien and Gere Engineers, Inc., 36  
 O'Leary, P., 669, 670  
 Office of Technology Assessment, 36  
 Ogden Martin Systems, Inc., 620, 621, 664  
 Orning, A. A., 670  
 Ortiz-Canavate, J., 670  
 Owen, F., 22, 539  
 Oxford Energy Company, 759  
 Ozvacic, V., 670

**P**

Pacey, J., 538  
 Painter, P. R., 716  
 Paper Stock Institute of America, 766  
 Papworth, M. C., 670  
 Parker, A., 540  
 Parsons, H. de B., 22, 66, 323  
 Paulhus, J. H., 539  
 Peirce, J. J., 608  
 Perry, R. H., 68, 540, 670  
 Perry, R. L., 323, 608  
 Pfeffer, J. T., 540  
 Phifer, R. W., 122  
 Philadelphia Regional Port Authority, 581  
 Phillips Petroleum, 756  
 Pillsbury, H., 766  
 Plastics World, 766  
 Pohland, F. G., 540, 715  
 Porges, N., 715  
 Porteous, A., 122  
 Porter, J. W., 670  
 Powell, J., 766  
 Procter & Gamble Co., 731

**Q**

Quon, J. E., 245

**R**

Radding, S. B., 668, 670  
 Raksit, S., 539  
 Rambush, N. E., 670  
 Rankin, S., 670  
 Reed, T. B., 670  
 Reehl, W. F., 122  
 Reinfeld, N. V., 360

Reinhardt, J. J., 608  
 Rennie, C., 766  
 Renter, P., 154  
 Research-Cottrell, Air Pollution Control  
 Division, 648  
 Research-Cottrell, Inc., 642  
 Reuter Recycling of Florida, 688  
 Reutlinger, N., 766  
 Ricci, L. J., 715  
 Rich, L. G., 715  
 Rimer, A. E., 323, 609  
 Rivero, J. R., 669  
 Roberts, P. V., 539  
 Robertson, J. M., 98  
 Robinson, W. D., 323  
 Roethel, F. J., 670  
 Romeo, E. J., 609  
 Rosenblatt, D. H., 122  
 Rovers, F. A., 539

## S

Salvato, J. A., 98, 540  
 Savage, G. M., 323, 609  
 Schickluna, J. C., 798  
 Schindler Waggon AG, Prattein, 335  
 Schroeder, E. D., 157, 540  
 Schroeder, P. R., 540  
 Schur, D. A., 245  
 Schwab, G. O., 539  
 Scott, C. D., 711  
 Scroggs, J., 471  
 SCS Engineers, Inc., 540  
 Seldman, J. M., 67  
 Seike, S. E., 22, 67, 157, 766, 846  
 Shanley, A., 765  
 Shaub, W. M., 670  
 Shoesmith, J. G., 715  
 Shuster, K. A., 245  
 Sikora, M. B., 766  
 Skov, N. A., 670  
 Smith, K. T., 67  
 Smith, P. G., 538  
 Society of the Plastics Industry, 729  
 Solid Waste Association of North America,  
 35, 836  
 Sorbo, N. W., 670  
 Speece, R. E., 716  
 Spencer, R., 766  
 Spicher, R. G., 122, 539  
 SSI Shredding Systems Inc., 259, 332, 547,  
 688

Stafford, D. A., 715  
 Stahl, J. F., 540  
 Stallard, W. M., 539  
 Stanier, R. Y., 716  
 Stark, F. J., III, 766  
 State Water Resources Control Board,  
 540  
 Steel Can Recycling Institute, 766  
 Stegmann, P., 538  
 Stein, L., 538  
 Stephenson, R. L., 949  
 Stewart, W., Jr., 360  
 Stiegler, L. C., 539, 540  
 Stone, R., 539  
 Street, R. L., 915, 916  
 Stringham, G. E., 539  
 Strom, P., 191  
 Sullivan, J. F., 609  
 Sunnyvale, City of, 122  
 Sutcliffe, W., 155  
 SYUSA, Buenos Aires, Argentina, 801

## T

Tchobanoglous, G., 67, 98, 122, 157, 245,  
 539, 540, 668, 669, 670, 715, 716,  
 765, 944  
 Testin, R. F., 36, 608, 669  
 Theisen, H., 98, 904  
 Traverso, P. G., 715  
 Triple/S Dynamics Systems, Inc., 261, 553,  
 561, 562  
 Truitt, M. M., 245  
 Tsang, W., 670  
 Turner, J. H., 670

## U

Union Carbide Corp., 634  
 U.S. Army Corps of Engineers, 24, 540  
 U.S. Bureau of Mines, 24  
 U.S. Conference of Mayors, 846  
 U.S. Department of Agriculture, 307  
 U.S. Environmental Protection Agency, 15,  
 22, 25, 34, 36, 67, 100, 101, 106, 122,  
 157, 191, 245, 323, 360, 670, 693, 745,  
 749, 751, 757, 758, 759, 760, 762, 766,  
 775, 798, 799, 806, 809, 810, 811, 817,  
 846, 872, 904  
 U.S. Public Health Service, 5, 24  
 Universal Vibrating Screen Company, 552

University of California, 245  
Ushio, S., 765

## V

Valdes, A., 157  
Van der Valk, H. J. L., 608  
Vansoset, J. M., 98  
Velz, C. J., 929  
Vennard, J. K., 915, 916  
Vesilind, P. A., 323, 609, 669, 670  
Vigil, S. A., 668, 669, 670, 765  
Vincenz, J., 8  
Vogel, T. M., 122  
Vogel, W. R., 360

## W

Wadden, R. A., 766  
Wagner, T. P., 36, 122, 817  
Walker, W. H., 609  
Walsh, O., 669, 670  
Waste Management Inc., 466  
Water Pollution Control Federation and  
American Society of Civil Engineers  
(Joint Committee of), 540  
Water Science and Technology Board, 817  
Waugh, A. E., 929

Webber, N. B., 916  
Wenson, S. J., 245  
Wentz, C. A., 817  
Wheelabrator Environmental Systems, Inc.,  
296  
Wheeler, P. A., 609  
Wheelis, M. L., 716  
White, C. W., 670  
Wiles, C. C., 323  
Wilkie, W. G., 540  
Williams Crusher and Pulverizer Co., 740  
Wilson, D. C., 67, 98  
Wilson, D. G., 323  
Wilson, G. B., 716  
Winkler, P. F., 98  
Wright, T. D., 540  
Wujcik, J. W., 716

## Y

Young, H. D., 929  
Young, P. J., 540

## Z

Zandi, I., 323  
Zaror, C., 715  
Zevey, J. A., 670

---

# SUBJECT INDEX

---

## A

Abandoned waste disposal sites, 800–816

(See also Waste disposal sites,  
inactive/abandoned)

Acid gases:

from combustion, 639

controls for, 646

Actinomycetes, 675

Activity chart for project planning,

892

Aerated static pile composting, 307

(See also Composting, aerobic)

Aerobic biological transformations,

677–678

Aerobic composting, 302–317

(See also Composting, aerobic)

Aerobic metabolism, 673

Aerobic stabilization, 302–303

Aesthetic considerations:

in composting, 316

in landfill disposal, 481–482

Agency, collection:

private, 850

public, 850

Agricultural wastes:

sources of, 41, 45

typical unit generation rates for, 137

Air:

density of, 383

Henry's law constant, 938

requirements for combustion, 293–294,

612–618

solubility in water, computation of,

939

Air classification:

application of, 261, 559–560

definition of, 261

equipment for, 261–262, 559–560

selection of, 563–565

theory of, 562–563

Air classifier, 261

Air emissions from combustion:

acid gases, 639

carbon monoxide (CO), 637

dioxins and furans, 639–641

metals, 638–639

nitrogen oxides (NO<sub>x</sub>), 636

particulate matter (pm), 637

sulfur dioxide (SO<sub>2</sub>), 637

Air pollution controls for combustion:

combustion controls, 649–650

for dioxins and furans, 649

dry scrubbers, 646

electrostatic gravel bed filter, 644

electrostatic precipitator, 642–643

fabric filter, 643–644

regulations, 650–652

removal efficiency, 641–642

selective catalytic reduction, 644–645

selective noncatalytic reduction, 644–645

source separation, 646

wet scrubbers, 646

Air separation (see Air classification)

Alternatives in waste management planning:

definition of, 881

evaluation of, 881–883

administration and management, 883

economic analysis, 882

impact assessment, 883

performance, 881

Aluminum:

quantities of, in MSW, 49

recovery of, 721–722

recycling of, 60, 721–723

specifications for recycling, 722–723

- Ammonia (NH<sub>3</sub>):**  
 density of, 383  
 Henry's law constant, 938  
 in landfill gas, 382  
 solubility in water, computation of, 939
- Anaerobic biological transformations,** 679–684
- Anaerobic composting** (*see* Anaerobic digestion, high-solids)
- Anaerobic decomposition in landfills,** 382–392
- Anaerobic digestion, high-solids:**  
 biochemical pathways, 680  
 conversion reactions, 680–682  
 process description, 701  
 process design considerations, 702  
 process microbiology, 679, 702
- Anaerobic digestion, low-solids:**  
 biochemical pathways, 680  
 conversion reactions, 680–682  
 process description, 697  
 process design considerations, 700  
 process microbiology, 679, 700
- Anaerobic digestion technologies,** 705–710  
 combined anaerobic/aerobic, 705  
 under development and evolving, 705–710  
 high-solids, 701  
 low-solids, 697
- Anaerobic metabolism,** 679–684
- Apartments, waste collection from,** 194–197  
 waste chutes for, 167–169
- Area method of sanitary landfilling,** 374
- Arithmetic probability paper, use of,** 135, 927
- Ashes:**  
 from combustion, 652–654  
 sources of, 44, 652–654  
 specific weight of, 70–71
- At-site time:**  
 definition of, 213  
 use in computations, 213
- Autotrophic microorganisms,** 672
- Auxiliary fuel:**  
 for landfill gas flares, 775  
 for modular combustion unit, 635
- B**
- Backyard carry collection service** (*see* Solid wastes, storage at the source)
- Bacteria:**  
 aerobic, 673–674  
 anaerobic, 673–674, 679–680  
   acid formers, 680  
   methane formers, 680  
 autotrophic, 672  
 chemotrophic, 672  
 composition of, 675  
 description of, 675  
 dimensions of, 675  
 facultative, 673  
 heterotrophic, 672  
 metabolism, types of, 673–674  
 nutritional requirements: carbon and energy sources, 672  
   growth factors, 672  
   temperature growth ranges, 676
- Bacterial metabolism:**  
 aerobic, 673  
 anaerobic, 673  
 facultative, 673  
 fermentative, 673  
 respiratory, 673
- Balers:**  
 used at MRFs, 92, 264, 572  
 used at the source, 571, 724  
 used at transfer stations, 332
- Barges for transport of solid wastes,** 351
- Barriers for control of landfill gas:**  
 impermeable, 404, 405  
 perimeter, 403, 405  
 sorptive, 404
- Batch feeding of MSW combustors,** 635
- Batteries:**  
 household: mercury content, 638–639  
   quantities of in MSW, 139, 148  
   recycling of, 763  
   regulations, 763  
   types of, 763  
 lead-acid processing, 761  
   quantities of, in MSW, 139  
   recycling of 761–762  
   regulations, 762
- Belt conveyors,** 578–580
- Biodegradable volatile solids (BVS):**  
 application of, 388–392, 423, 703  
 definition of, 88  
 of selected organic waste components, 88
- Biological transformations of organic waste:**  
 by aerobic processes, 94, 677–678  
 by anaerobic processes, 679–680  
 by combined processes, 705, 708–709
- Birds, control of, at landfills,** 482



- Boilers, combustion:  
 efficiency of, 660–663  
 waste heat, 624–625  
 water-walled, 624
- Bomb calorimeter, 83
- Bonds, financing, 797, 832, 852
- Budgeting for planning (*see* Plans, solid waste management)
- Bulk specific weight:  
 definition of, 515  
 of solid waste components, 588
- Bulky wastes, definition of, 43
- Buy-back centers, 252–253
- Buyer, recovered materials and conversion products, 838  
 (*See also specific materials listings*)
- BVS (*see* Biodegradable volatile solids)
- C**
- Calcium carbonate equilibrium, 941–942
- California MSW combustion guidelines, 654
- Can crusher, 264
- Carbonate equilibrium, 941–942
- Carbon content of solid waste components, 78–81
- Carbon dioxide (CO<sub>2</sub>):  
 density of, 383  
 in digester gas, 701–702  
 Henry's law constant, 938  
 in landfill gas, 382  
 solubility in water, computation of, 939
- Carbon monoxide (CO):  
 from combustion process, 637  
 controls for, 649–650  
 density of, 383  
 Henry's law constant, 938  
 in landfill gas, 382  
 solubility in water, computation of, 939
- Carbon-nitrogen ratio:  
 in aerobic composting, 686–691  
 in anaerobic digestion, 702, 704  
 of waste materials, table of, 689
- Cardboard:  
 baling, 264, 570–572, 577  
 biodegradability of, 88  
 quantities in MSW, 49, 137–138  
 separation of, 276–279, 589–591  
 (*See also Paper*)
- Case studies:  
 in collection, 852–855  
 in disposal, 869–871  
 in energy recovery, 861–864  
 in plan development, 890–904  
 in recycling—materials recovery, 839–844  
 in recycling—source separation, 833–834  
 in source reduction, 825–828
- Cation exchange capacity (CEC):  
 of clays, 428  
 definition of, 428  
 of soils, 779–780
- Cell, landfill:  
 definition of, 362–363  
 dimensions, 368
- Cell carbon, 672
- Chemical transformation of waste materials:  
 by biochemical processes, 711  
 by combustion with heat recovery, 615–618  
 by gasification, 631  
 by hydrolysis, 711–712  
 by pyrolysis, 627–628
- Chute, solid waste, 167–169  
 for high-rise apartments, 167  
 typical discharge rates, 168
- Clamshell:  
 mobile, 331  
 stationary, 338
- Class designation for landfills, 371
- Clean Air Act, 650–652
- Closure of landfills, 769–797  
 (*See also Landfill closure*)
- Co-disposal:  
 definition of, 372  
 of treatment plant sludges, 44
- Coefficient:  
 of diffusion: application of, 395–400  
 values of, for methane and carbon dioxide, 397  
 of kurtosis, definition of, 923  
 of permeability: for clays, 428  
 for soils, 425  
 of skewness, definition of, 923  
 of variation, definition of, 922
- Collection:  
 agencies, 850  
 case study in, 852–855  
 crew size and working conditions, 195  
 definition of, 12, 193  
 equipment, 204–210  
 inventory and data accumulation, 822–824  
 management issues and concerns, 849–852

- Collection agencies:
  - private, 850
  - public, 850
- Collection crews:
  - efficiency of, 849
  - size of, 195, 852
  - workloads for, 852
- Collection routes, 228
  - layout of, 228–237
    - for hauled container system, 229–230
    - for stationary container system, 230–231
  - schedules for, 237
- Collection service:
  - commercial-industrial sources, 197–199
  - residential sources:
    - low-rise detached dwellings, 194
    - medium- and high-rise apartments, 196
  - wastes separated for recycling, 199–204
- Collection systems:
  - alternative techniques of analysis, 237–238
  - definition of terms, 210
    - at-site, 213
    - haul, 212
    - off-route, 213
    - pickup, 211–212
  - equipment: cost data for, 932
    - for hauled container, 205–208
    - for mechanization, 851
    - for stationary container, 208–210
  - hauled container systems: container
    - utilization factor, 215
    - time per trip, 213–218
  - haul speed and time, 214
  - labor requirements for, 208–210, 215
    - hauled container, 208
    - manually loaded stationary container, 210
    - mechanically loaded stationary container, 210
  - stationary container systems: with manually
    - loaded vehicle, 205, 223–228
    - with mechanically loaded vehicle, 205, 218–223
  - types of, 193–204
    - hauled container, 204
    - stationary container, 204,
- Collection vehicles:
  - cost data for, 932
  - for hauled container systems:
    - hoist trucks, 205–206
    - tilt-frame, 205–206
    - truck-tractor, 206–207
    - typical data on, 206
  - for stationary container systems:
    - manually loaded compactors, 209
    - mechanically loaded compactors, 208–209
    - typical data, on 206
  - for wastes separated at the source, 199–201
- Combustion:
  - air requirements for, 294–295, 611–615
  - application of, 291–302
  - ash handling, 655
  - chambers, 618–623
  - combustion products, 293–294
  - composition of gases, 294, 612–615
  - computations, 294–295, 611–615
  - definition of, 93
  - fluidized bed, 294, 612–615, 622–623
  - grates, 293, 619, 621
  - heat recovery systems, 623–625
  - heat-released, computation of, 615–618
  - mass-fired, 291–302, 619–621
  - process description, 291–295, 611–613
  - RDF-fired, 619–621
  - reactions, 293–294, 612
  - selection criteria, 625–627
  - solid residuals, 652–655
  - unaccounted heat losses, 615
  - wastewater discharges, 655–657
- Commercial collection service, 197
- Commercial and demolition wastes:
  - sources of, 41
  - unit generation rates of, 138
  - (*See also* Solid wastes)
- Community involvement in disposal site
  - selection, 866
- Community problem-solving cycle:
  - normal sequence in, 875
  - role of feedback in, 874
- Compaction:
  - applications of: in collection vehicles, 208
    - at commercial establishments, 177, 199, 572
    - at high-rise apartments, 186–187
    - at transfer stations, 332–335
  - theory of, 574–575
- Compaction ratio:
  - for collection vehicles, 215
  - for stationary compactors, 574
- Compactors:
  - classification of, by pressure, 570
  - equipment for, 570–573
  - selection of equipment for, 184–187, 576–577

- Component separation, 90
  - (*See also* Manual sorting; Mechanical sorting of waste materials)
- Composition of solid wastes (*see* Solid wastes, chemical composition of)
- Compost filter, 442
- Composting, aerobic, 302-317, 684-697
  - application of, 308-314
  - co-composting with sludge, 312
  - comparison of processes, 684, 689
  - design considerations, 686-697
    - blending and seeding, 686
    - carbon-nitrogen ratio, 686, 688-691
    - degree of decomposition, 695
    - heat evolution, 303-305
    - heavy metal toxicity, 317
    - land requirements, 695
    - mixing/turning, 306-307, 691
    - moisture content, 691
    - odor, control of, 316, 695
    - oxygen consumption rate, 693
    - oxygen requirements, 693-694
    - particle size, 686
    - pathogens, control of, 317, 691-692
    - pH, 695
    - processing for market, 696
    - temperatures, 305
  - environmental concerns, 314, 316
  - home, backyard, 188
  - implementation issues, 314-317, 844-845
  - methods of: aerated static pile, 307-308, 697-698
    - in-vessel, 308-309, 313-314, 697-698
    - windrow, 306-307, 697-698
  - process description, 303-306, 684-685
  - process microbiology, 677-679, 685
  - process selection, 697
  - product quality, 317
  - public health issues, 317
  - yard waste composting, 188, 309-312
- Composting, anaerobic (*see* Anaerobic digestion, high-solids)
- Comprehensive plans, preparation of, 873-904
- Construction wastes:
  - processing of, 287-288
  - quantities of, in MSW, 48, 137-138
  - recycling of, 63, 287-288, 749-752
  - sources of, 41, 44
  - specifications for recycling, 752
  - types of, 751-752
- Container liners, 173
- Container utilization factor:
  - definition of, 215
  - use in computations, 215
- Containers used for solid wastes:
  - application of, 164-165
  - onsite storage locations, 165
  - types of: commercial, 170
    - low-rise dwellings, 162-163
    - medium- and high-rise apartments, 165-169
  - typical data on, 161, 163, 172, 205
- Contours, landfill:
  - in completed landfill, 770
  - use of, in estimating landfill capacity, 472-473, 494
- Contractual arrangements:
  - franchise, 851
  - limited permits, 851
  - unlimited permits, 851
- Convenience transfer station at landfills, 328, 335, 472
- Conversion factors (U.S. customary units to metric units), 913
- Conversion of solid wastes (*see* Transformation of solid waste materials)
- Conveyors:
  - belt, 265-267, 578-580
  - pneumatic, 267-269, 580-581
- Cost data:
  - adjustment of: current cost, 935
  - future cost, 935
  - for equipment used in waste management systems, 931-934
  - indexes for, 935
- Cost estimating for materials recovery and transformation facilities, 936
- Cost indexes, 935
- Cover materials for sanitary landfills:
  - final cover, 452
  - general features of, 453-457
  - intermediate cover, 448-452
- Cranes, combustion, 292-293, 296, 620
- Crew (*see* Collection crews)
- Cubing equipment, 572-573
- Curb collection service:
  - for commingled wastes, 195-197
  - for source-separated wastes, 200-204
- Cyclone separator, 261-262, 268

**D**

- Darcy's law:  
 application of, 395, 425–428  
   gas movement, 395  
   leachate movement, 425–428  
 definition of, 425
- Data analysis, procedures for, 917–929
- Decision process in solid waste management, 879–880  
 important events, 880  
 requirements for, 879
- Decomposition (*see* Transformation of solid waste materials)
- Demolition wastes:  
 definition of, 44  
 sources of, 138  
 (*See also* Construction wastes)
- Densification:  
 application of, 570–577  
 definition of, 262–264  
 equipment for, 264, 570–573  
 (*See also* Compaction)
- Densified refuse-derived fuel (dRDF), 572–573  
 (*See also* Refuse-derived fuel)
- Density:  
 of landfill gases, 383  
 of solid wastes (*see* Specific weight)
- Density separation, 261, 559–565  
 design criteria, 563  
 performance characteristics, 562–563  
 selection of equipment, 563–565
- Destructive distillation (*see* Pyrolysis)
- Digestion, anaerobic, 701–704  
 high-solids, 701–704  
 low-solids, 697–700  
 (*See also individual listings*)
- Dioxins and furans, 639  
 from combustion process, 639–641  
 controls for, 649–650
- Direct discharge transfer station (*see* Transfer station, types of)
- Disc screen, 259–260, 553–554
- Disposable container:  
 types of, 172–173  
 use of, 172–173, 174
- Disposal, solid waste:  
 case studies in, 869  
 definition of, 14  
 early methods of, 8  
 management issues and concerns, 865  
 modern methods of, 15  
 (*See also* Landfill, sanitary)
- Disposal of combustion residuals, 655
- Distribution coefficient, soil:  
 application of, 429–430  
 definition of, 429
- Diversion studies, solid waste:  
 conduct of, 149–152  
 objectives of, 149
- Diversion of wastes from landfills, 819–845  
 (*See also* Solid wastes, diversion of wastes from landfills)
- Drainage facilities for landfills:  
 types of, 448, 449  
 use of, 447, 773
- dRDF (*see* Densified refuse-derived fuel)
- Drop-off centers, 251–253
- Drum screen, 259–260, 552–553, 555–558
- Dry scrubber, 292, 293
- Dust, control of:  
 at landfills, 482, 484–485  
 at transfer stations, 354

**E**

- Eddy current separation, 567–568
- Education programs, public, 831, 866
- Efficiency factors:  
 for boilers, 660–663  
 for combustor/boiler, 661–662  
 for electric generator, 661  
 for gasification reactors, 661  
 for gas-turbine generator, 662  
 for pyrolysis reactors, 661  
 for steam turbine-generator, 661  
 for turbines, 661
- EIS (*see* Environmental Impact Statement)
- Electrostatic precipitator, 642–643
- Electrostatic separation, 567
- Energy:  
 calculation of energy content for MSW, 85  
 content of individual waste materials, 78, 84  
 recovery of, from solid wastes, 657–666
- Energy balance calculations:  
 for combustion process, 616–618  
 for gasifier engine-generator plant, 663–664  
 for steam boiler turbine generator plant, 665–666

- Energy recovery from transformation products:
  - cogeneration systems, 658–659
  - efficiency factors for, 661–662
  - process heat rate: definition of, 659–660
  - typical values for, 660
  - systems for: gas turbine–generator, 657–658
  - steam turbine–generator, 657–658, 664–666
  - as a system management option, 855–864
  - typical flow diagrams for, 658–659
- Environmental Impact Statement (EIS), 25, 889
- Environmental quality monitoring:
  - at combustion facilities, 636–657
  - at landfills: air quality monitoring, 465
  - groundwater monitoring, 464
  - vadose zone, 460
  - at transfer stations, 354
- Equipment cost data, 931–936
  - adjustment of: current cost, 935
  - future cost, 935
  - for equipment used in waste management systems, 931–934
- Equipment selection (*see individual equipment entries*)
- Excess air combustion, 612–615

## F

- Fabric filter, 643–644
- Federal laws affecting solid waste management:
  - Clean Air Act, 650–652
  - National Environmental Policy Act, 24
  - Resources Recovery Act, 25
  - Solid Waste Disposal Act, 1965, 24
- Fencing for sanitary landfills, 489
- Ferrous metal:
  - quantities of, in MSW, 49
  - recovery of, 262–263, 565–569
  - recycling of, 60, 739–741
  - specifications for recycling, 740–741
- Field capacity (FC):
  - application of, 509, 523
  - definition of, 73
  - for soils, 457
  - for wastes in landfill, 424
- Filter fabric, 643–644
- Final cover for sanitary landfill (*see Landfill cover*)
- Financing methods, 797
- Firing methods for MSW combustors, 291–302, 619–621
- Flammable waste, 100, 104
- Flare, landfill gas:
  - candlestick type, 402, 404
  - ground effects type, 413–415
- Flies, breeding of, 90
- Flotation separation, 561
- Flow diagrams:
  - for anaerobic conversion of solid wastes to gas, 699, 708–709
  - for disposal of sludge and solid wastes, 623
  - for energy recovery, 623, 629, 634, 658, 659, 665
  - for materials recovery facilities, 276, 278, 281, 284, 286, 287, 589, 592, 597, 600, 604
  - for production of compost, 304, 315
- Fluidized-bed combustion, 622–623
- Fly ash from MSW combustion, 654
- Food wastes:
  - biodegradability of, 88
  - definition of, 49
  - grinders, 182–183
  - moisture content of, 70
  - quantities of, in MSW, 49, 138
  - sources of, 48–50
  - specific weight of, 70
- Forced draft fan, 293
- Forklift, 269, 582
- Franchise waste collection, 851
- Frequency distribution, example of, 919
- Front-end loader, 269, 582
- Fuels, auxiliary, 775
- Functional elements of solid waste management, 10–15
  - application of, 10
  - definition of, 10
  - description of individual elements, 10–15
  - collection, 12
  - disposal, 14
  - generation, 10
  - separation, processing, and transformation, 14
  - source handling, separation, storage, and processing, 12
  - transfer and transport, 14
  - (*See also specific entries*)
- Fungi, 675

Furans, 639-641

(See also Dioxins and furans)

Furnace, 293

## G

Garbage grinders, 182

Gaseous emissions, control of, 636-641

(See also Air emissions from combustion)

Gases:

combustion of, 293-294, 612-615

composition of landfill gas, 382

control of movement in landfills: by active methods, 406-413

by passive methods, 402-406

density of common, 383

from digestion, anaerobic, 701-702

formation of, in landfills, 384-394

gasification, 631

Henry's law constant for landfill gases, 938

low-Btu gas, 631

movement in landfills, 394-402

pyrolysis, 627-628

solubility in water, computation of, 939

Gas flares, landfill, 402, 404, 413-415

Gasification:

air emissions, 633

definition of, 94, 611-612, 630

efficiency of, 661

energy output, 662-664

fluidized bed, 635

historical developments, 630

horizontal fixed bed (modular combustion unit), 634-635

low-Btu gas, 631

Purox process, 633-634

theory, 631

vertical fixed bed, 631-634

Gas temperatures in MSW combustors, 612-615, 644-645

Gas turbine, 416, 657-658, 663

Generation of solid wastes (see Solid wastes, generation of)

Geomembrane liner, 432-436

applications of, 434, 454

performance tests for, 433

Geonet, 431, 435, 454

Geosynthetic clay liner (GCL), 433

Geotextile, 431, 435, 454

Glass:

crusher, 258

quantities of, in MSW, 49

recycling of, 60, 736-738

specifications for, 737-738

Glossary of terms, 905-912

Governmental agencies, 32-34

federal: Interstate Commerce Commission, 33

U.S. Army Corps of Engineers, 8, 33

U.S. Department of Health, Education, and Welfare, 33

U.S. Department of Labor, 45

U.S. Department of Transportation, 33

U.S. Environmental Protection Agency, 33

(See also Legislation affecting solid wastes)

state, 28-33

California, 28

New Jersey, 30

Graphical methods of statistical analysis, 134-135, 927-929

Grates for MSW combustors, 293, 619, 621

Gravel trenches for control of landfill gases, 403, 405

Grinding of food waste, 182

Ground effect gas flare, 413-415

Groundwater:

increase in hardness due to landfill gases, 397

monitoring, 462, 464, 467

## H

Hammermills:

description of, 545

horizontal shaft, 545-547

vertical shaft, 545

Handsorting, 266-267, 579-580

(See also Manual sorting)

Haul, definition of, 212

Hauled container collection systems:

definition of, 214

types of: hoist-truck, 205-206

tilt-frame container, 205-206

trash-trailer, 206-207

Haul time:

definition of, 214

for hauled container system, 213-218

for stationary container system, 213-218

use in computations, 213-218

- Hazardous wastes:**  
 load inspection at landfills, 488–489  
 quantities of, in MSW, 147  
 (See also Household hazardous wastes)
- Health and safety** (see Public health and safety)
- Heat rate for power plants, 660**
- Heavy media separation, 561–562**
- Heavy metal toxicity, 317**  
 (See also Composting, aerobic)
- Henry's law, 937–939, 941**  
 constants for various gases, 938, 942  
 definition of, 937–938  
 unitless form of, 938
- Hierarchy of integrated solid waste management, 15–17**  
 disposal, 16  
 source reduction, 16  
 recycling, 16  
 waste transformation, 16
- High-solids anaerobic digestion, 701–704**  
 (See also Anaerobic digestion, high-solids)
- Hoist-truck collection vehicle, 205–206**
- Hospital wastes, 41**
- Household hazardous wastes:**  
 characteristics of, 99  
 carcinogenicity, 100  
 corrosivity, 100  
 ignitability, 100  
 reactivity, 100  
 toxicity, 100  
 typical hazardous compounds, 103  
 collection of, 120  
 definition of, 100–103  
 disposal of, 111  
 generation of, 104, 107–109, 120  
 identification of, 110  
 onsite storage of, 119  
 planning for, 830, 832  
 processing of, 111  
 quantity of, 147–149  
 regulations, 101  
 transformation of: biological, 117–119  
     chemical, 116–117  
     physical, 113–116  
 (See also Solid wastes)
- Humus, compost, 308–314, 684, 705**  
 (See also Composting, aerobic)
- Hydraulic transport systems, 351**
- Hydrogen (H<sub>2</sub>):**  
 density of, 383  
 Henry's law constant, 938  
 in landfill gas, 382  
 in low-Btu gas from gasification, 631  
 in pyrolysis gases, 628  
 solubility in water, computation of, 939
- Hydrogen sulfide (H<sub>2</sub>S):**  
 density of, 383  
 generation, 89  
 Henry's law constant, 938  
 in landfill gas, 382  
 solubility in water, computation of, 939
- Hydrolysis, acid, 712**
- Hydropulping, 190**
- I**
- Induced draft fan, 293**
- Industrial wastes:**  
 quantities of, 137  
 sources of, 41, 46
- Infiltration potential for leachate, 431**
- Institutional wastes:**  
 sources of, 41, 43  
 unit generation rates of, 138
- Integrated solid waste management (ISWM):**  
 definition of, 15  
 future challenges and opportunities, 20  
 hierarchy of, 15–17  
 legislation, 23–32  
 management issues, 18  
 operations, 18  
 planning for, 17
- Interceptor trenches for control of landfill gas, 403, 405**
- Internal combustion engine, 416, 658–659**
- In-vessel composting, 308–309, 313–314, 697–698** (See also Composting, aerobic)
- ISWM** (see Integrated solid waste management)
- J**
- Jurisdictional constraints in collection, 850**
- K**
- Kitchen food waste grinders:**  
 impact of, of waste quantities, 53  
 use of, 182–183

## L

- Labor-management relations**, 852
- Labor organizations**, 852
- Labor requirements for collection**:
- with hauled container systems, 208, 213–218
  - with stationary container systems, 210, 218–228
- Landfill, sanitary**:
- classification of, 371
  - closure and postclosure care, 490–491  
(*See also* Landfill closure)
  - definition of, 362
  - early history of, 8
  - environmental quality monitoring, 460–467
    - air quality monitoring, 465
    - groundwater monitoring, 464
    - vadose zone, 460
  - layout and preliminary design, 468–484
    - aesthetic design considerations, 481
    - environmental monitoring facilities, 480
    - equipment requirements, 482–484
    - estimation of landfill capacity, 472
    - evaluation of local geology and geohydrology, 478
    - gas control facilities, selection of, 480
    - general layout, 468
    - important design factors, 469
    - landfill cover configuration, selection of, 480
    - leachate management facilities, selection of, 478
    - need for convenience transfer station, 472
    - surface drainage facilities, 480
    - types of waste, 468
  - management issues and concerns, 865–869
  - operation, 485–491
    - load inspection for hazardous waste, 488
    - operating records, 488
    - operating schedules, 485
    - public health and safety, 489
    - site safety and security, 489
    - waste-filling plan, 486
  - process computations, 491–531
  - regulations, federal, 371, 868
  - settlement of, 458–459
  - siting considerations, 377–381
    - available land area, 378
    - case study of, 869–871
    - haul distance, 377
    - location restrictions, 377
    - site access, 379
    - soil conditions and topography, 379
    - ultimate use for completed site, 381
  - structural characteristics, 457
  - surface water management, 447–456
    - final cover layers, 452–454
    - intermediate cover layers, 448
    - surface water control systems, 447
  - types of, 372–373
    - for commingled MSW, 372
    - for individual waste constituents, 373
    - for shredded wastes, 372
  - venting, 402–406
- Landfill closure**, 769–797
- development of closure plan, 769–771
  - environmental monitoring systems, 776
  - final cover design, 771
  - landfill gases, control of, 774
  - leachate, control and treatment of, 775
  - surface water and drainage control systems, 773
- legal framework**, 796–797
- financing of postclosure maintenance, 797
  - legal issues, 796
  - liability for postclosure maintenance, 797
- long-term postclosure care**, 790–796
- environmental monitoring systems, 795
  - infrastructure maintenance, 792
  - routine inspections, 792
- revegetation of closed landfill sites**, 778–790
- design considerations for revegetation, 788
  - determination of site conditions, 781
  - factors that limit growth of vegetation, 778
  - improving site conditions, 783
  - plant selection, 785
  - preparing the site, 784
  - use of mulches on closed landfills, 784
- Landfill cover**:
- final: functions of, 452
    - general features of, 453
    - long-term performance of, 454
    - typical designs for, 453–454
  - intermediate: functions of, 448
  - materials for, 448, 450–451



- Landfill gas, 381–417**  
 composition and characteristics, 382  
 principal gas constituents, 382  
 trace gas constituents, 383  
 control of movement, 402–413  
 by active methods, 406–413  
 by passive methods, 402–406  
 flares for: candlestick type, 402, 404  
 ground effect, 413–415  
 generation of, 384–394  
 principal constituents, 384  
 sources of trace gases, 383  
 variation in gas production, 392  
 management of, 417  
 energy recovery systems, 416  
 flaring of landfill gas, 313  
 gas purification and recovery, 417  
 movement of, 394–402  
 condensate in gas recovery systems, 411  
 horizontal extraction wells, 411  
 perimeter air injection wells, 409  
 perimeter gas extraction, 406  
 perimeter gas extraction trenches, 409  
 principal landfill gases, 396  
 trace gases, 398  
 vertical extraction wells, 409  
 passive control, 402  
 impermeable barriers, 404  
 perimeter barrier trench, 403  
 perimeter interceptor trenches, 403  
 pressure relief vents, 402  
 use of sorptive barriers, 404  
 solubility of, in water, 937–939
- Landfilling methods, 374–377**  
 area, 374, 375  
 canyon/depression, 374, 375  
 excavated cell/trench, 374, 375
- Landfill method, the, 362–371**  
 concerns with landfilling, 370  
 federal and state regulations, 371, 868  
 landfilling process, the, 362
- Landfills, abandoned/inactive (see Waste disposal sites, abandoned/inactive)**
- Land requirements for landfilling, 378, 492–496**
- Leachate:**  
 collection systems 436–440  
 design of leachate collection facilities, 437  
 leachate holding facilities, 437  
 liner system, selection of, 436, 439  
 composition of, 417  
 sampling parameters, 419  
 trace compounds, 420  
 variations in composition, 418  
 control of, 431  
 construction of clay liners, 436  
 liner systems for MSW, 431  
 liner systems for monofills, 435  
 fate of constituents in subsurface migration:  
 heavy metals, 428  
 trace organics, 429  
 generation of, in landfills, 421–424  
 landfill field capacity, 423  
 preparation of landfill water balance, 424  
 water balance components, 421  
 management options, 440–446  
 evaporation, 442  
 recycling, 441  
 treatment, 442–446  
 movement of, in unlined landfills, 424  
 breakthrough time, 427  
 Darcy's law, 425  
 estimation of vertical seepage, 425  
 hydraulic equivalency, 427  
 sampling parameters for, 419  
 storage ponds/basins, 442
- Leachate treatment processes, 444, 445**
- Legislation affecting solid wastes:**  
 beverage container deposit laws, 143  
 Comprehensive Environmental Response, Compensation, and Liability Act (1980), 26  
 future trends, 35  
 impact on states, 28  
 California, 29  
 New Jersey, 30  
 National Environmental Policy Act (1969), 24  
 Public Utility Regulation and Policy Act (1981), 26  
 Resource Conservation and Recovery Act (1976, 1978, 1980, 1982, 1984, 1986, 1988), 25–26  
 Resources Recovery Act (1970), 25  
 Solid Waste Disposal Act (1965), 24  
 (See also Governmental agencies)
- Liners, landfill:**  
 clay materials, 436  
 functions of: for gas control, 431  
 for leachate control, 431  
 materials for: clay, 431  
 geomembrane, 431–433  
 geosynthetic clay liner, 433

- Liners, landfill (*continued*)  
 synthetic membrane, 436  
 typical designs of, 434
- Load-count analysis for estimating waste quantities, 129
- Load inspection at landfills, 488-489
- Log normal probability paper, use of, 135, 928
- M**
- Magnetic separation, 262-263, 565-569  
 application of, 565-567  
 definition of, 262, 565  
 equipment for, 262-263, 566  
 selection of equipment for, 568-569
- Manual sorting:  
 description of, 266-267, 579-580  
 in early 1900s, 266  
 in 1920s in Europe, 285  
 requirements for, 285
- Market outlets for recovered materials, 581
- Mass balance analysis (*see* Materials balance, use of)
- Materials balance, use of:  
 in combustion computations, 616-618  
 in design of materials recovery facilities, 275-277, 586-587  
 in determination of waste generation rates, 130-134  
 in development of contaminant transport equations, 394-402, 428-431  
 for estimating leachate production, 421-424  
 for estimating surface percolation and runoff, 523
- Materials recovery:  
 application of technologies for, 836  
 case study of, 839, 844  
 legal aspects of, 825  
 market demands for, 837, 839  
 political aspects of, 719, 839  
 typical recovery rates:  
 for source-separated waste, 584, 830  
 for mechanically-separated waste, 600
- Materials recovery facility (MRF):  
 for commingled construction and demolition wastes, 287  
 for commingled MSW, 272-274, 283-285, 591-604  
 definition of, 247  
 design of, 270-277, 583-588  
 economics of, 291  
 environmental emissions of, 289  
 operational issues of, 289-291  
 planning and design process of, 288-289  
 for preparation of feedstock from commingled MSW, 285  
 public health and safety of, 290-291  
 selection of equipment for, 605  
 for source-separated materials, 271-272, 277-281, 589-591  
 for source-separated yard wastes, 281-285
- Materials recovery/transfer facility (MR/TF), 247
- Materials specifications (*see* individual materials listing)
- Mean, definition of, 921
- Measurement of waste quantities (*see* Waste quantities, methods of estimation of)
- Mechanical size reduction, 92  
 (*See also* Size reduction, mechanical)
- Mechanically loaded vehicles, 208
- Mechanical sorting of waste materials:  
 air classification, 261-262, 559-565  
 application of, 543-544  
 eddy current separation, 567-568  
 electrostatic separation, 567  
 flotation, 561  
 heavy media separation, 561-562  
 magnetic separation, 262-263, 565-569  
 screening, 258-260, 552-558  
 (*See also* specific entries)
- Mechanical volume reduction, 91  
 (*See also* Compaction; Densification)
- Median, definition of, 921
- Membrane, synthetic:  
 for control of gas movement in landfills, 433  
 for leachate control in landfills, 433
- Metabolism, microbial, 673-674
- Metals:  
 recovery of ferrous metals, 262-263, 565-569, 738-741  
 recovery of nonferrous metals, 567-568, 742-743  
 (*See also* Eddy current separation; Magnetic separation)
- Methane (CH<sub>4</sub>):  
 density of, 383  
 Henry's law constant, 938  
 in landfill gas, 382  
 solubility in water, computation of, 939
- Methanol production from methane, 712
- Metric conversion factors, 913

- Microorganisms:**  
 actinomycetes, 675  
 bacteria, 675  
 classification of, 674  
 fungi, 675  
 temperature ranges for, 676  
 thermal destruction of, 692  
 yeast, 675
- Milling of solid wastes:**  
 definition of, 255  
 before landfilling, 547  
 (*See also* Size reduction, mechanical)
- Mode, definition of, 921**
- Moisture content:**  
 in compost, 691  
 in solid wastes, 71  
 definition of, 71  
 estimation of, 72  
 field capacity, 73  
 typical data on, 71
- Monitoring, environmental quality:**  
 at combustion facilities, 636–657  
 at landfills:  
 air quality monitoring, 465  
 groundwater monitoring, 464  
 vadose zone, 460  
 at transfer stations, 354
- Motor vehicle transport, 343**
- Movable waste-handling equipment, 269, 582**
- Moving-floor unloading mechanism, 348**
- MRF (*see* Materials recovery facility)**
- MR/TF, 247**
- MSW (*see* Municipal solid waste)**
- MSW combustors:**  
 energy recovery, 297  
 firing methods, 291–302, 619–621  
 fluidized bed, 622–623  
 grates, 293, 619, 621  
 implementation issues, 301–302  
 mass-fired, 291–293, 295, 619–621, 662, 664  
 performance considerations, 662, 665–666  
 RDF-fired, 295–298, 619–621, 662, 664  
 volume reduction from, 299–300  
 (*See also* Combustion)
- Municipal solid wastes (MSW):**  
 biological properties, 87–90  
 chemical properties, 76–87  
 composition of:  
 field determination of, 58–59  
 residential and commercial, 41–48  
 definition of, 40  
 distribution of components, 48–58  
 future changes in composition, 64  
 generation rates of, 137–146  
 physical properties, 69–76  
 quantities of recovered materials, 146–147  
 sources of, 41  
 types of materials recovered from, 59–64  
 variation in distribution, 56  
 (*See also* Solid wastes)
- N**
- Name index, 951**
- Negative sort, 272**
- Neutron soil moisture probe, 461, 463**
- Newspaper recovery (*see* Paper, recycling of)**
- Nitrogen (N<sub>2</sub>):**  
 in combustion, 294, 612–615  
 density of, 383  
 Henry's law constant, 938  
 in landfill gas, 382  
 in low-Btu gas from gasification, 631  
 in pyrolysis gases, 627–628  
 solubility in water, computation of, 939
- Nitrogen oxides (NO<sub>x</sub>):**  
 from combustion process, 636  
 controls for, 644–645, 649–650
- Nonferrous metals:**  
 quantities of, in MSW, 49, 138  
 recovery of, 567–568  
 recycling of, 742  
 specifications for recycling, 743
- O**
- Octanol:water, distribution coefficient:**  
 application of, 430  
 values of, for selected organic compounds, 944
- Odor:**  
 in composting operations, 316  
 development of, 89  
 filters for control of: compost, 307–308  
 soil, 442–443  
 in landfill gas, 381–417
- Off-route time:**  
 definition of, 213  
 use in computations, 217–218

- Oil, waste:  
 disposition of, 755  
 recycling of, 755-758  
 reprocessing of, 756  
 specifications/regulations, 757-758
- Oil from pyrolysis, 627-628
- Operating area, sanitary landfill, 468
- Operating plan for sanitary landfill, 485-489
- Ordinances (*see* Regulations)
- Organic fraction of MSW:  
 recycling of, 747-750  
 specifications for, 747, 749-750  
 use for the production of:  
 biomass fuel, 572-573  
 compost, 591-604, 747  
 methane, 747  
 organic compounds, 747, 749  
 refuse-derived fuel, 272-274, 283-285,  
 591-604, 749
- Organism, pathogenic:  
 control of, in compost, 691  
 EPA requirements for compost, 693  
 temperatures required for thermal  
 destruction of, 692
- Overfire air, 293
- Overhead wires for bird control, 482
- Oxygen (O<sub>2</sub>):  
 density of, 383  
 Henry's law constant, 938  
 in landfill gas, 382  
 solubility in water, computation of,  
 939
- P**
- Paper:  
 baled, overseas shipping of, 581  
 biodegradability of, 88  
 processing, 273-279, 589-591  
 quantities of, in MSW, 49, 138  
 recycling of, 60, 723-728  
 specifications for, 726-728  
 types of, 723-724  
 uses of, 725
- Particle size distribution:  
 in air emissions, 637-638  
 of individual waste components, 73-75  
 of shredded waste components, 257, 548
- Particulate matter:  
 from combustion process, 637-638  
 control of, 642-644  
 size classification, 637-638
- Pathogenic organisms:  
 control of, in compost, 691  
 EPA requirements for compost, 693  
 temperatures required for thermal  
 destruction of, 692
- Peaking factors for solid waste quantities,  
 141
- Pelleting equipment, 572-573
- Permanent wilting percentage (PWP), 457
- Permeability, coefficient of:  
 for clays, 428  
 for compacted wastes, 76  
 definition of, 76  
 for soils, 425
- Permits for facilities, 888-890
- pH:  
 lowering of groundwater, 397  
 optimum for bacterial growth, 676  
 optimum for composting, 695
- Physical composition of solid waste:  
 individual components, 70  
 moisture content, 71  
 specific weight, 70-71  
 typical data on, 70, 74-75
- Physical properties:  
 of VOCs, 399, 944  
 of water, 915
- Physical transformation of waste materials,  
 90-92
- Pickup service (*see* Collection service)
- Planning:  
 decision process, 879-880  
 important events in, 880  
 requirements for, 879  
 important considerations in planning  
 process: emerging concepts and  
 technologies, 876  
 framework for activities, 874  
 planning levels, 876  
 time periods, 875  
 methodology for planning studies:  
 organization of work effort, 877  
 planning steps, 877-879  
 programs and plans, types of, 877  
 public information programs, 884  
 for solid waste management, 873
- Plans, solid waste management:  
 acceptance of, 884-885  
 budgeting for, 881  
 case study for plan development, 890-904  
 objectives of, 880  
 preparation of, 880-885  
 uses of, 885

Plant heat rate (*see* Process heat rate)

Plants:

- factors limiting growth of, 778–781
- revegetation of landfills with, 778–790
- selection of, 785–787

Plastic bags, 171–174

Plastics:

- classification of, 42
- markets for, 718
- numerical code for, 42, 729
- processing, 733–735
- quantities, in municipal wastes, 49, 138
- recycling of, 60, 728–735
- trends in use, 67

Pneumatic conveyors, 267–269, 580–581

Political aspects:

- in disposal site selection, 885
- in plan development, 879–880

Pollutants:

- from combustion processes, 636–641
- from landfills:
  - gases, 371, 460–467
  - leachate, 371, 460–467

Polymer membrane:

- for control of gas movement in landfills, 431–432
- for leachate control in landfills, 431–432

Postclosure care of landfill (*see* Landfill closure)

Power requirements:

- for power production facilities, 664–665
- for shredding, 549

Precipitator, electrostatic, 642–643

Primary combustion chamber, 634–635

Probability paper:

- arithmetic, 927
- description of, 927
- logarithmic, 928
- use of, 928–929

Problem-solving cycle, community, 875

- normal sequence, 875
- role of feedback, 875

Process heat rate:

- definition of, 660
- typical values for, 660

Processing (*see* Materials recovery facility)

Program and plan selection, 883–884

- community support, 883

- compatibility with community goals, 884

Programs, solid waste management:

- definition of, 877
- development of, 877–879
- uses of, 877

Proximate analysis:

- tests for, 77
- of waste components, 78

Public acceptance:

- of landfills, 802
- of waste storage containers, 831

Public health and safety:

- in collection, 849
- in composting, 317
- in landfill operations, 489
- in MRFs, 290–291
- in transfer station operations, 354

Public information programs, 802, 831

Public participation in solid waste management, 866

- communication programs, 831
- incentive programs, 831
- information programs, 831

Pulverizing (*see* Size reduction, mechanical)

Pyrolysis:

- cellulose conversion reaction, 627
- conversion products, 627–628
  - char, 628
  - energy content of, 628
  - gases, 627–628
  - oils and tars, 627–628
- definition of, 93, 612, 628
- operational problems, 628–629
- process description, 627
- product yields, 628
- (*See also* Gasification)

## R

Railroad transport of wastes, 350–351

RDF (*see* Refuse-derived fuel)

Reactors:

- fluidized bed, 622–623, 628–629
- gasification, 631–636

Recovery of materials and transformation products:

- products from biological transformations:
  - by anaerobic digestion, 680–682
  - by composting, 308–314
  - by other biological processes, 680
- products from chemical transformations:
  - by combustion with heat recovery, 657–666
  - by gasification, 631
  - by pyrolysis, 627–628

Recovery of materials and transformation products (*continued*)  
 energy from transformation products:  
 efficiency factors for, 660–663  
 gas turbine-generator, systems for, 657–658  
 process heat rate, 659–660  
 steam turbine-generator, systems for, 657–658, 663–666  
 typical flow diagrams for, 658–659  
 materials: for energy or fuel production, 249  
 for land reclamation, 249  
 market demands for, 837–839  
 methods of (*see* Component separation)  
 for reuse as raw materials, 249  
 specifications for recovered materials, 250  
 (*See also individual entries*)

Recycling of waste materials:  
 aluminum cans, 720–723  
 batteries, 760–763  
 cardboard, 724  
 construction and demolition wastes, 749–752  
 ferrous metal, 739–741  
 glass, 735–738  
 organic fraction of MSW, 747–750  
 paper, 723–728  
 plastics, 42, 728–735  
 tires, 758–760  
 waste oil, 754–758  
 yard wastes, 743–746  
 (*See also individual entries*)

Reduction, source (*see* Source reduction)

Refractory linings for MSW combustors, 624–625

Refuse (*see* Solid wastes)

Refuse-derived fuel (RDF):  
 definition of, 749  
 flow diagram for production of, 286–287  
 production of, 272–274, 283–285, 591–604, 749  
 specifications for, 750  
 storage of, 582  
 use in: combustion, 618–623, 662, 665  
 gasification, 631–632  
 pyrolysis, 628–629

Regulations:  
 for disposal, 28–29, 33  
 for inactive and abandoned landfills, 33, 810

for transfer stations, 28–29  
 for transportation, 33

Residential dwellings:  
 collection service, types of, 194–196  
 onsite activities: handling, 160–164  
 processing, 181–190  
 storage, 165, 170–181  
 (*See also specific dwellings*)

Residential wastes:  
 peaking factors for, 141  
 seasonal variation in generating rates, 56  
 sources of, 41  
 unit generation rates of, 138

Residues:  
 computation of quantities of, 299–300, 653  
 definition of, 652–654  
 from MSW combustion, characteristics of, 652–654  
 sources of, 652–655

Resource recovery (*see* Recovery of materials and transformation products)

Reuse, 248–250

Rotary screen (*see* Trommel screen)

Routes, waste hauling:  
 scheduling of, 237  
 for transfer vehicles, 354–357  
 for waste collection, 228–237

Routing, collection system, 228–237

Runoff coefficients, 457

Rural solid waste management, 335

## S

Safety hazards (*see* Public health and safety)

Sanitary landfill (*see* Landfill, sanitary)

Scales (*see* Weighing facilities)

Schedules:  
 for collection routes, 237  
 for implementation of plans, 884–885  
 for plan review and update, 885

Screening:  
 applications of, 261, 287–288, 552, 696  
 definition of, 258  
 design criteria, 556–558  
 equipment for, 258–260  
 selection of equipment for, 558  
 theory of, 554–556

Scrubbers:  
 dry, 292, 293, 296, 646, 648  
 wet, 646–647

- Sea gulls in landfills, control of, 482
- Seasonal variations:  
   in waste composition, 56, 141  
   in waste quantities, 141, 144
- Secondary combustion chamber (*see* Combustion)
- Seepage from landfills, estimation of, 425-428
- Separation of solid wastes (*see* Sorting of waste materials)
- Setout collection service, 195
- Setout-setback collection service, 195
- Settlement in landfills, 457-459
- Sewage sludge:  
   co-disposal with solid wastes, 709  
   disposal in landfills, 372
- Shear shredder, 255-258, 545-548  
 (*See also* Size reduction, mechanical)
- Shipping of bale paper overseas, 581
- Shredding (*see* Size reduction, mechanical)
- Site selection:  
   case study for landfill, 869-871  
   for materials processing facilities, 289  
   for sanitary landfills, 377-381, 865-869  
   for transfer stations, 354-355
- Size reduction, mechanical:  
   application of, 255-258  
   definition of, 254-255  
   mechanical equipment for, 545  
     design criteria for, 549-550  
     performance characteristics, 545-549  
     safety issues, 551  
     selection of equipment for, 551
- Size separation, 552-558  
 (*See also* Screening)
- Soil distribution coefficient, 429
- Soils borings:  
   typical example of, 479  
   use in landfill design, 479
- Solid waste chute, 167-169
- Solid waste collection systems (*see* Collection; Collection systems)
- Solid waste management:  
   definition of, 7  
   evolution of, 3  
   functional elements, 10-15  
   historical development, 7-9  
   implementation of options, 847-871  
 (*See also* Integrated solid waste management)
- Solid waste management planning, 17, 873  
   definition of, 873
- definition of terms: alternatives, 881  
   functional element, 10  
   plans, 877  
   program, 877  
   system, 10  
 (*See also specific entries*)
- preparation of comprehensive plans, 878-879  
   objectives and goals, 874  
   overlapping responsibilities, 881  
   regional management problems, 881
- Solid waste materials, classification of, 49
- Solid wastes:  
   biodegradability of selected organic components, 88  
   biological composition, 87-90  
   characterization and diversion studies, 149-152  
   chemical composition of, 76-87  
     energy content, 84  
     inert residue, 84  
     proximate analysis, 78  
     typical data on, 84-87  
     ultimate analysis, 80  
   combustion of (*see* Combustion)  
   commercial hazardous wastes, 105-110  
   definition of, 3  
   disposal (*see* Landfill, sanitary)  
   diversion of wastes from landfill:  
     composting, 844-845  
     data base for, 822-824  
     materials recovery, 834-839  
     source reduction, 824-828  
     source separation, 828-834  
   generation of wastes:  
     determination of, 126-134  
     expressions for unit rates, as collected, 140  
     expressions for unit rates, as generated, 138  
     factors affecting generation rates, 142-146  
     future challenges and opportunities, 20  
     measure of quantities, 126-134  
     statistical analysis of, 134  
     technological advances, effects of, 7  
     in a technological society, 5-7  
     typical data on, 137-146  
   handling and separation at the source:  
     at commercial and industrial facilities, 170  
     at residential dwellings, 160-169

- Solid wastes (*continued*)
- household hazardous wastes, 103–105
    - definition of, 104
    - distribution of, 106
    - management of, 119
    - quantity of, 110, 147–149
    - significance in MSW, 110–113
    - transformation of, 113–119
  - monthly and seasonal variations, 56, 144
  - physical composition, 69–76
    - density, 70
    - individual components, 70
    - moisture content, 71
    - specific weight, 69
    - typical data on, 70, 74–75
  - processing at the source, 182–190
  - projections for the future, 13
  - quantities of: estimated per capita, 137
    - estimated total for U.S., 13
    - measures and methods, 126–134
  - shredding of, 254–258, 545–551
  - sources of, 40–41
    - agricultural, 41, 45
    - commercial, 40–43
    - construction and demolition, 41, 44
    - industrial, 41, 45–46
    - institutional, 41, 43
    - municipal, 41
    - municipal services, 41, 44
    - residential, 40–43
    - treatment plants, 41, 44
 (*See also specific entries*)
  - storage at the source: container locations, 180–181
    - public health and aesthetics, 181
    - types of containers, 171–180
  - transformations, 90–97
  - types of, 40
    - agricultural, 45
    - hazardous, 43, 99–120
    - industrial, 46–47
    - municipal, 45
- Solubility of landfill gases in water, 937–939
- Sorting of waste materials:
- manual: application of, 543–544
    - at the source, 159–170
    - belts, 265–268, 579–580
  - mechanical: air classification, 261–262
    - application of, 543–544
    - eddy current separation, 567–568
    - electrostatic separation, 567
    - flotation, 561
    - heavy media separation, 561–562
    - magnetic separation, 262–263, 565–569
    - screening, 258–260, 552–558
- Source reduction:
- case study of, 825–828
  - element of ISWM hierarchy, 16
  - impact on waste transformation, 317–320
  - opportunities for, 142–143
- Source separation: 833–834
- case study of, at commercial facilities, 176
  - at residential dwellings, 160–169
  - at the source of generation, 254, 828–834
- Special wastes:
- definition of, 42, 48
  - unit generation rates of, 138
- Specific weight:
- definition of, 69
  - of landfill gases, 383
  - of solid wastes: individual components, 70–71
    - wastes from various sources, 70
- Specifications for materials (*see individual entries*)
- Stack, 647
- Stack effluents, 650–652
- Standard deviation, definition of, 922
- Static pile composting, aerated, 307  
(*See also Composting, aerobic*)
- Stationary compactors:
- application of, 205
  - description of, 205–208
- Stationary container collection systems:
- analysis of, 208–210
  - applications for, 208–210
  - definition of, 208
  - types of: with manually loaded vehicles, 204
    - with mechanically loaded vehicles, 204
- Statistical analysis of data:
- graphical presentation of data, 917–921
    - frequency distributions, 919
    - time series, 917
  - graphical analysis of field data, 927–929
    - probability paper, 927
    - probability paper, use of, 928
  - skewed distribution:
    - definition of, 923
    - geometric mean, 926
    - geometric standard deviation, 926
  - statistical measures, 921–926
    - coefficient of kurtosis, 923
    - coefficient of skewness, 923



- coefficient of variation, 922
- frequency distribution, 919
- mean, 921
- of measured waste quantities, 134
- median, 921
- mode, 921
- standard deviation, 922
- Steam:
  - production from solid wastes, 624–625, 660–663
  - turbine, 657–658, 663
- Steel cans, 739–741  
(*See also* Ferrous metal)
- Stoichiometric combustion, 294–295, 611–612
- Stoner, 560–562  
(*See also* Density separation)
- Storage:
  - basins for: leachate, 442
  - stormwater runoff, 447, 450
  - bins for storage of RDF, 582
  - containers, for overseas shipping, 581–582
  - at MRFs, 269–270, 582
  - onsite, 170
    - commercial, 176, 181
    - medium- and high-rise apartments, 175
    - residential, 171–175, 180
- Storage pits for MSW combustors, 291–293
- Stormwater storage basins at landfills, 447, 450
- Suction cup lysimeter, 460–465
- Supplementary fuel, 635
- Surface water drainage facilities at landfills:
  - types of, 448, 449
  - use of, 447, 770, 773
- Synthetic geomembrane:
  - characteristics of, 443
  - for control of gas movement in landfills, 431
  - for control of leachate in landfills, 431
  - use of, in landfill liners, 431–434
- Systems (*see* Solid waste management)

## T

- Temperature:
  - for anaerobic digestion, 681
  - for composting, 687
  - ranges for microorganisms, 676
- Terms, glossary of, 905–912
- Textiles, quantities in municipal wastes, 49, 138
- Thermal destruction of pathogenic organisms, 691–692
- Thermal processing, 611–613
- Tilt-frame:
  - collection vehicle, 205–207
  - container, 205
- Time series, definition of, 917
- Tin cans (*see* Ferrous metal)
- Tipping, controlled (*see* Landfill, sanitary)
- Tires:
  - quantity disposed of in U.S., 758
  - recycling of, 758–760
  - specifications/regulations for, 760
- Toxic chemical wastes (*see* Household hazardous wastes)
- Trace organic compounds:
  - in landfill gas, 383
  - physical properties of selected, 399, 944
- Transfer station, convenience type at landfills, 328, 335, 472
- Transfer stations:
  - classification by size, 328
  - design considerations: capacity, 353
  - equipment, 353
  - sanitation, 354
  - location of, 354–357
    - factors to consider in siting, 355
    - method of analysis for, 355–357
  - types of, 328–343
    - combination, 329, 340
    - direct discharge, 328–336
    - storage load, 336–343
- Transfer and transport:
  - containers for:
    - types of, 329
    - typical data on, 329–342
  - definition of, 14, 325
  - need for, 325–327
    - excessive haul distances, 325–326
    - remote disposal sites, 327
  - trailers for, 343–350
    - typical data on, 346
    - unloading methods, 344–350
- Transformation of household hazardous waste:
  - biological, 117–119
  - chemical, 116–117
  - physical, 113–116
- Transformation of solid waste materials:
  - by biological means, 302–303, 677–684
  - by chemical means, 292–293, 710–712
  - by physical means, 627–628

## Transformation of solid waste materials

*(continued)*

- products produced: from combustion, 293
- from compost, 302, 696
- from energy, 297–299
- from methane, 699, 703
- from methanol, 712
- organic acids, 711
- other, 711

## Transport methods and means, 343–350

- motor vehicles, 343
  - compactors, 349–350
  - trailers and semitrailers, 343–350
- pneumatic, hydraulic, and others, 351
- water, 351

## Transport trailers:

- typical data on, 343–350
- unloading methods, 344–350

## Trash-trailers, 206–208

## Traveling grate stoker, 292–293

## Treatment plant wastes:

- codisposal with MSW, 372, 709
- sources of, 41
- unit generation rates of, 138

## Trench method of sanitary landfilling, 374

## Trommel screen, 259–260, 552–553, 555–558

## Tub grinder:

- applications of, 283, 745, 753
- description of, 258

## Turbine:

- gas, 416, 657–658, 663
- steam, 657–658, 663

**U**

## Ultimate analysis:

- definition of, 77
- of MSW combustible components, 81

## Underfire air, 293

## Unit operations for separation and processing of waste materials, 255–256, 543–544

- densification, 262, 570
- density separation, 261, 559
- magnetic and electric field separation, 262, 565
- size reduction, 255, 544
- size separation, 258, 522
- types of, table of, 256

## Unit solid waste generation rates:

- for MSW components, 138–140
- for selected industrial and agricultural wastes, 140

## Unloading area:

- for MSW combustors, 291–293
- for landfills, 468–470
- for transfer stations, 329–341

## Unloading operations at disposal site:

- collection vehicle, 349
- load checking for hazardous wastes, 488–489
- transfer trailer, 376
- trash-trailer, 363
- using tipping ramps, 349

**V**

## Vacuum systems:

- for waste collection, 169
- for waste transport, 351–352

## Vados zone:

- definition of, 464
- monitoring at landfills, 460–464
- gases, 464
- liquids, 460

## Vapor pressure of water:

- in SI units, 916
- in U.S. customary units, 915

## Vegetation, landfill, 778–790

- design considerations for revegetation, 788

## factors that limit growth, 778

- high soil compaction, 781
- high soil temperature, 781
- low cation exchange capacity, 779
- low nutrient status, 779
- low oxygen supply, 779
- low soil moisture, 781
- low water-holding capacity, 781
- poor soil structure, 781
- root toxicity, 779

## plant selection, 786

- factors in the selection of woody plants, 787

## native versus nonnative species, 786

## use of grasses for revegetation, 787

## Vehicles:

- collection: for hauled container systems, 205–207
- for stationary container systems, 209
- typical data on, 206
- (*See also* Collection vehicles)
- transfer and transport:
  - trailers, 346
  - typical data on, 343–352

- Venting of landfill gases, 402–406
    - objectives, 402
    - types of vents, 402–404
  - Vertical seepage of leachate, estimation of, 425–428
  - Vibrating screens, 258–259
  - VOCs (*see* Volatile organic compounds)
  - Volatile organic compounds (VOCs):
    - physical properties of selected, 399, 944
    - in landfill gas, 383–384, 393
    - movement of, in landfills, 398
    - sources of, in landfills, 393
  - Volatile solids (VS):
    - application of, 88
    - definition of, 77–78, 88
  - Volume reduction:
    - by compaction, 570–575
    - definition of, 91
    - by mechanical size reduction, 92, 255–258, 544–551
    - by MSW combustion, 299–300 (*See also specific entries*)
- W**
- Waste allocation problem:
    - definition of, 356
    - solution of, 355–357
  - Waste characterization and diversion studies:
    - conduct of, 149–152
    - objectives of, 149
  - Waste chutes, 167–169
  - Waste collection systems (*see* Collection; Collection systems)
  - Waste combustion gases (*see* Air emissions from combustion)
  - Waste composition (*see* Solid wastes, composition)
  - Waste disposal:
    - case studies in, 869
    - definition of, 14
    - early methods of, 8
    - management issues and concerns, 865
    - modern methods of, 15
  - Waste disposal sites, abandoned/inactive:
    - impact of, 800–802
    - remediation, 810–816
      - hazardous waste landfill, 810
      - other designated waste landfill, 811
    - site designation, 803–809
      - environmental testing, 803–806
      - legal classification, 806–809
    - site identification, 800
  - Waste diversion from landfill, 819–845 (*See also* Solid wastes, diversion of wastes from landfills)
  - Waste generation:
    - total for United States, 137
    - unit per capita rate, 138 (*See also* Solid wastes, generation of wastes)
  - Waste heat recovery, 624–625
  - Waste management at the source:
    - handling and separation, 159
    - storage, 170
    - processing, 181
  - Waste oil:
    - disposition of, 755
    - recycling of, 755–758
    - reprocessing, 756
    - re-refining, 756–757
    - specifications/regulations for, 757–758
  - Waste, specific weight of:
    - individual components, 70–71
    - wastes from various sources, 71
  - Waste quantities:
    - methods of estimation of:
      - low-count analysis, 129
      - mass-balance analysis, 130–134
      - weight-volume analysis, 130
    - peaking factors for, 141
    - seasonal variation in, 56
    - statistical analysis of quantity measurements, 134–137
    - totals for United States, 137 (*See also* Solid wastes)
  - Waste storage facilities, 581–582
  - Waste transformation (*see* Transformation of household hazardous waste; Transformation of solid waste materials)
  - Wastes (*see* Solid wastes)
  - Wastewater treatment plant sludge, 41
  - Water balance analysis:
    - for estimating leachate production, 421–424
    - for estimating surface percolation and runoff, 523
    - preparation of, 424
  - Water, physical properties of, 915
  - Water transport, 351

**Weighing facilities:**

- at combustion facilities, 292
- at landfills, 470
- at MRFs, 269–270
- at transfer stations, 333–334, 353
- for wastes characterization, 58–59

**Weight-volume analysis for waste quantities, 130**

**Well vent for landfill, 403**

**Wet pulping, 190**

**Wet scrubber, 646–674**

**Windrow composting, 306**

(*See also* Composting, aerobic)

**Wood:**

- quantities of, in municipal wastes, 49
- recycling of, 60, 752–753
- specifications for recycling, 754

**Wood Grinders:**

- shear shredder, 258–259
- tub grinder, 258, 282–283

**Y**

**Yard wastes:**

- biodegradability of, 88
- processing of, 281–283
- sources of, 41, 49
- specifications for recycling, 745–746
- use as intermediate cover, 745
- use for the production of: biomass fuel, 743–744
- compost, 591–604, 747
- mulch, 744, 747

**Yeasts, 675**