

Subject Index

- Accreditation, 9–12, 14, 16–18, 21, 23–26, 28, 87, 88, 224, 243, 263, 264, 276, 291, 295, 300, 302, 306, 339
- Accuracy, 2, 4, 74, 84, 86, 91, 99, 116, 117, 122, 124, 129, 132, 170, 196, 197, 200, 251, 312, 320, 339, 340, 343, 345, 347, 348, 349
- Activity coefficient, 111
- Alpha-spectrometry, 234
- American Society for Testing and Materials (ASTM), 248–250, 269, 274
- Analyte, *See also* Measurand, 31, 36, 108, 109, 190, 191, 245, 249, 252, 256, 263, 269, 271, 280, 281, 285, 290, 307, 310
- Analytical results
comparability, 2, 91, 274
- Artefact, 73, 240
- Atomic absorption spectroscopy (AAS), 140, 168–170
- Average, 4, 36, 37, 39, 42, 47, 50, 52–58, 68, 76, 81, 82, 91, 93, 117, 142, 153, 154, 201–203, 205, 226, 227, 254, 268, 269, 271, 280, 298, 333, 334, 344, 348, 349
- Bias, 41–46, 48, 49, 52, 59, 88, 89, 91, 93, 94, 96, 119, 123, 146, 158, 159, 162, 163, 166, 167, 170, 171, 188, 190, 191, 193, 194, 255, 257–259, 267–273, 300–302, 305
between-groups, 46, 52
between-results, 43, 54, 57, 58
laboratory, 48, 81
method, 48
run, 48
- Birge factor, 58, 62–67, 69, 70
- Bootstrap resampling, 121, 147
- Bouguer-Lambert-Beer law, 123
- Box plot, 185, 186, 335
- Calibrant, *See also* Calibrator, 191, 238
- Calibration
curve, 33, 108, 109, 247, 248, 250, 331
error, 49
multi-point, 100, 101
standard, 33, 49, 100, 109, 140, 141, 247
standard addition method, 168
- Calibrator, *See also* Calibrant, 75, 76, 78–82, 93–95, 238
- Cause-and-effect diagram, 99, 101, 102, 121–123
- Central limit theorem, 137, 142
- Certification, 9, 17, 18, 22, 24, 29, 47, 60, 71, 129, 192, 238, 242, 267, 270, 290, 292, 297, 326, 352
- Certification procedure, 192
- Certified reference material (CRM), 16, 26, 29, 238
- Chebyshev polynomial, 182, 187
- Clinical chemistry, 84, 86, 98, 293, 296
- Clinical Laboratory Standards Institute (CLSI), 87, 96, 163
- Coefficient of variation, 3, 4, 209
- Collaborative study, 53, 328
- Collaborative trials, 167
- Comité Consultatif pour la Quantité de Matière (CCQM), 105, 146, 147, 149–152, 155, 157–159, 162, 164, 262
- Commutability, 95, 167, 178, 179, 245
- Comparability, 2, 4, 10, 77, 91, 99, 111, 124, 235, 242, 244, 246, 257, 264, 266–274, 286, 289–297, 301, 303, 304, 306, 329, 337
local, 271
- Concentration
interval, 88
range, 167, 173, 175, 177–179, 229, 231, 299
- Consensus value, 60, 146, 254, 298

- Co-Operation on International
Traceability in Analytical Chemistry
(CITAC), 96, 99, 105, 118, 120, 121,
125, 145, 179, 181, 187, 188, 194, 244,
274
- Correlation
coefficient, 50, 61, 108
Pearson coefficient, 120, 187
within-group, 47
- Counting efficiency, 342, 345
- Covariance matrix, 109, 120, 144
- Coverage factor (k), 90, 117, 137, 248,
309, 325
- Coverage interval, 134, 135, 138–140,
142, 143
- Data
analytical, 2
baseline, 1
comparability, 2
consistent, 62–67, 69
empirical, 88, 95, 183
homoscedastic, 66
inconsistent, 65, 68, 70
method performance, 47, 48, 60
pooled, 46, 47
- Differentiation
spatial, 1
- Dilution factor, 195, 197
- Discrepancy
intrinsic, 313–315
- Distribution
empirical, 119, 122, 181, 182, 186, 273
Gaussian, 136
marginal, 152
monomodal, 182
normal, 103, 104, 120, 121, 182, 183,
186
Poisson, 182
rectangular, 45, 117, 141, 142, 185,
217, 248
triangular, 116
Weibull, 182
- Ecosystem, 1
exposure, 1, 2
- EN/ISO 15189, 87, 96
EN/ISO 17511, 93, 97
EN/ISO 18153, 93, 97
- Environment
management policies, 1
monitoring, 1, 2, 4, 5, 225, 235, 242,
277, 280, 306, 312
quality standards, 1
- Environmental monitoring, 1, 2, 4, 5,
225, 235, 242, 277, 280, 306, 312
- Equipment
qualification, 239
- Equivalence, 137, 264, 291–293, 295,
300, 303, 306, 338
- Error, 31, 43, 44, 48–50, 52, 90, 91, 115,
120, 122, 129, 163, 182, 197–199, 209,
248, 269, 270, 272, 273, 298, 300, 301,
305, 352
systematic residual, 49
total allowable (TE), 89, 301
- Euclidean score distance ($D_{p,q}$), 160
- EURACHEM, 31, 39, 87, 96, 99, 105,
118, 120, 121, 125, 145, 163, 167, 179,
181, 187, 188, 194, 244, 247, 262, 274,
303, 305
- European Community (EC), 106
- Experimental design, 53
- External quality assessment scheme
(EQAS), 290–303
- Fitness for purpose
material, 3
method, 4
- Food control, 235, 291
- Gamma-spectrometry, 227, 234
- Genotoxicity, 204, 209, 213, 215
- Glass electrode, 111
- Good Laboratory Practice (GLP), 9–14
- Guide to the expression of uncertainty in
measurement (GUM), 41, 42, 45, 47–
50, 53, 60, 87, 88, 95, 118, 119, 134–
138, 140–144, 150, 181, 309, 327
- Harned cell, 99, 111
- Homogeneity
bulk, 3
isotopic, 77, 78
- IAEA Network of Analytical
Laboratories for the Measurement of
Environmental Radioactivity
(ALMERA), 225, 257, 262, 281, 286

- Imprecision, 88, 89, 91, 300–302, 305
- Inductively coupled plasma-atomic emission spectrometry (ICP-AES), 188, 189, 192, 194
- In-house method validation, 167
- Institute for Reference Materials and Measurements (IRMM), 105, 130, 132, 150, 235, 242, 244, 291, 295, 296, 304, 321
- Interferences
isobaric, 74
- Interlaboratory comparison, 2, 4, 5, 7, 41, 60, 87, 94–96, 104, 124, 164, 262, 263, 277, 280, 282–284, 286, 292, 296, 304, 306, 307, 311, 327
- Interlaboratory study, 51, 62, 146, 153, 254, 329
- International Accreditation Forum (IAF), 17, 18, 21, 23
- International Atomic Energy Agency (IAEA), 76, 77, 81–83, 150, 167, 168, 173, 225, 229, 234, 251, 252, 255–257, 259, 262, 281, 286, 303, 318–320, 323, 325, 327, 345
- International Federation of Clinical Chemistry and Laboratory Medicine (IFCC), 93–96, 118, 134, 145, 241, 291, 297, 304, 311
- International Laboratory Accreditation Cooperation (ILAC), 17, 18, 21, 23, 134, 145, 243, 274, 291, 304, 306, 311
- International System of Units (SI), 3, 71, 92, 107, 166, 216, 240–242, 289, 290, 292, 295, 306, 308
- International Union of Pure and Applied Chemistry (IUPAC), 10, 15, 23, 29, 83, 87, 89, 95, 96, 98, 99, 104, 107, 113, 115, 117, 118, 127, 129, 130, 134, 145, 187, 217, 223, 255, 274, 285, 311, 312
- International vocabulary of basic and general terms in metrology (VIM), 29, 91, 95, 110, 134, 166, 179, 238
- ISO 14000, 22
- ISO 15711, 241, 245
- ISO 17025, 7, 10, 15, 87, 96, 166, 179, 224, 243, 247, 263, 291, 293, 303, 307, 327, 339
- ISO 5725, 48, 71, 229, 262, 298, 304, 332–334, 338
- ISO 9001, 7
- ISO Committee on Reference Materials (REMCO), 237, 244, 292, 304
- ISO Guide 31, 238, 239, 241, 242, 246
- ISO Guide 33, 244, 246
- ISO Guide 34, 7, 8, 243, 246
- ISO Guide 35, 3, 7, 50, 71, 242, 246, 252, 254, 262, 274, 282, 287
- ISO Guide 43, 2
- Isotopic composition, 76–78, 81, 127–132, 240
reference, 131, 132
- Italian Laboratories Accreditation System (SINAL), 247
- Italian National Environmental Protection Agency (APAT), 1–8, 201, 204, 276–287, 303, 328–331, 333, 338
- Joint Committee for Traceability in Laboratory Medicine (JCTLM), 291
- Joint Committee on Guides in Metrology (JCGM), 134–136, 138, 145
- Kernel density, 152
- Key comparison, 41, 55, 60, 71, 105, 131, 147, 149, 150, 243, 262
- Key comparison (KC), 147–149, 154–157, 159
database (KCDB), 243
- Laboratory medicine, 86, 88, 91, 93, 241, 242, 289, 291–294, 300, 305
- Laboratory performance, 254, 277, 296, 302, 312, 324, 326, 327, 349
- Laboratory standard
internal, 78, 79, 81, 82
- Latin Hypercube sampling (LHS), 184–186
- Least squares method
linear, 112, 113
weighted, 108
- LJUNGSKILE code, 182, 185
- Location metrics, 153, 160
- Mandel
h plot, 335
k plot, 336
- Mandel-Paule weighting, 156
- Mass spectrometry (MS), 74, 83, 91, 297
- Material property, 4

Mean

grand, 46, 47, 51–53, 209
 weighted, 42, 43, 45, 58, 65

Measurand, *See also* Analyte, 4, 108,

119, 144, 146–148, 158–160, 239–241,
 277, 281, 290, 292, 310

Measurement, 1–3, 5–7, 10, 16, 18, 21,

22, 29–32, 36–38, 41–45, 47–53, 56–
 61, 70, 71, 73–77, 80–83, 85–91, 93–
 96, 98–104, 106, 111–129, 130, 134–
 137, 144, 146–149, 151, 158, 159, 162,
 163, 166, 167, 180, 181, 183, 184, 186,
 188–194, 198, 201, 216, 217, 225–227,
 233, 235–242, 244–247, 251, 252,
 254–257, 262, 264, 269, 274, 276,
 288–291, 295, 296, 299, 302–304, 306,
 309, 312, 320, 344

capability, 18, 306

gross alpha, 234, 340, 343, 345

gross beta, 340, 343

pH, 7, 33, 75, 79, 98–105, 111, 112,
 114–116, 118, 149, 159, 186, 205, 343

procedure, 5, 71, 85, 86, 88, 95, 114,
 166, 235–237, 240, 244, 252, 255, 291,
 292, 302, 306

scale

conventional, 73

δ , 75

pH, 75

relative, 75

trueness, 91

Median, 36, 37, 59, 60, 154–157, 162,

164, 182, 186, 229, 231, 232, 271–273,
 308, 309

Method

multi residual, 328, 329

multi-step, 245

performance characteristics, 48, 235

semi-quantitative, 84

standardized, 2, 308

Metrological level, 95, 104, 241, 245

Metrology, 6, 7, 16, 17, 21, 23–25, 27,

28, 37, 41, 48, 99, 104, 121, 127, 131,
 135, 144, 147, 164, 166, 179, 181, 186,
 235, 237, 242, 243, 290, 318–320, 326

Micronucleus (MN), 204, 205

test, 204, 205, 213–215

Microscope scoring, 204

Mixture model probability density

function, 147

Monte Carlo method (MCM), 138, 139,
 143, 145

Multilateral trading system (MTS), 17

Multivariate data analysis, 146

Mutual recognition arrangement (CIPM
 MRA), 22, 131, 147, 149, 243

National institute of metrology (NMI), 2

National Institute of Standards and
 Technology (NIST), 47, 57, 71, 72, 98,
 150, 163, 164, 168–170, 173, 176, 194,
 244, 264, 269, 291

Nernst equation, 114

Neutron activation analysis (NAA), 216,
 217, 222, 223, 297, 318

k_0 -based, 216, 217, 222

Null hypothesis, 267–274

Organisation for Economic Co-operation
 and Development (OECD), 10–13, 15

Persistent organic pollutants (POPs), 106

Pilot study, 147, 149

Precision, 1, 9, 32, 48, 71, 73, 74, 83, 84,
 87, 88, 91, 146, 251, 252, 254, 256,
 258, 262, 304, 329, 339, 345, 348
 intermediate, 167, 170

Principle of maximum entropy, 138

Probability

coverage, 135, 137–139

distribution

rectangular, 44

density function (PDF), 137–140, 144,
 151, 152, 157–159

Proficiency testing (PT), 5, 16, 87, 251–
 255, 259, 262–264, 266–274, 277,
 281–293, 294–298, 301–303, 306–309,
 318, 319, 326, 327

scheme, 2, 10, 96, 99, 276, 277, 304,
 306, 308, 327

u-scores, 251

z-score, 309–311

z-scores, 251, 256, 299, 301

Property

qualitative, 236

value assignment, 4, 252

Quality, 2, 9, 11–14, 18, 19, 21, 22, 25–
 28, 30, 39, 83, 86, 96, 111, 164, 234,
 238, 286, 290, 291

- ambient, 201
- assessment, 30, 293, 303
- infrastructure, 18, 19, 21, 28
- Quality assessment
 - external (EQA), 87, 93, 292
- Quality assurance, 1, 6, 30, 31, 48, 224, 237, 242, 245, 276, 277, 280, 306, 339
- Quality control, 2, 3, 7, 10, 30, 47, 48, 60, 61, 76, 81, 236, 237, 238, 239, 244, 276, 280, 294, 307, 311, 339
 - material, 3
- Quality management
 - system, 17, 243, 294, 295
- Quality system, 9–11, 14, 307
- Quantity, 27, 28, 41, 48, 59, 76, 86, 88, 89, 91, 98, 99, 117, 118, 136, 139–141, 145, 166, 236, 240, 290, 320, 324–327
 - input, 62, 87, 113, 135, 136, 138, 139, 142, 144
- Quenching, 340–342, 345
- Radiochemical analysis, 347
- Radionuclide, 225, 233, 258, 323, 324, 347, 352
- Readability, 141
- Recovery, 33, 34, 37, 71, 188, 190, 191, 194, 336, 338, 343, 345
- Reference
 - distribution, 314
 - laboratory, 2, 5, 7, 241, 282, 291, 298, 328
 - measurement system, 241, 242
 - method, 91, 95, 191, 192, 240–242, 290, 296, 297, 328
 - point, 3, 132, 235, 240
 - temperature, 3
 - value, 147, 158–162
- Reference kilogram standard, 144
- Reference material (RM)
 - European (ERM), 167, 168, 173, 244
 - in-house (IHRM), 263, 264, 270
 - matrix, 2, 3, 7, 83, 194, 237, 276, 286
 - NIST (SRM), 168, 169, 244, 264, 269, 272
 - primary, 75, 79
 - value assignment, 50, 51
- Regression line, 101, 113
- Relative standard deviation (RSD), 31, 35, 36, 168–171, 207, 209, 211
- Reliability, 10, 11, 101, 164, 234, 246, 270, 273, 274, 289–291, 308, 339
- Repeatability conditions, 4
- Reproducibility, 9, 48, 80–82, 85, 91, 128, 167, 201, 202, 204, 207, 209, 210, 212, 213, 227, 254, 255, 329, 336
 - long-term, 81
- Resolution, 102, 108, 116, 117, 141, 248
- Result
 - combined, 42, 152, 157, 159
 - correlated, 45
- Round-robin studies, 103, 104
- Sample, 2, 277, 286
 - matrix, 31
 - pre-treatment, 6, 171, 178, 189, 190
 - representativeness, 190, 202, 209, 227
 - size, 74, 267, 273
- Sampling, 3, 6, 10, 22, 28, 31, 32, 37, 87, 139, 154, 156, 170, 181, 182, 184, 185, 188–190, 193, 202, 203, 225, 226, 228, 239, 276, 280, 284, 286
 - location representativeness, 202
- Sensitivity, 62, 89, 116, 127, 154, 192, 193, 196, 198, 199, 234
 - coefficient, 62, 116
 - quotient, 89
- Speciation, 181, 185, 186
- Specific activity, 224, 226–232
- Stability
 - study, 3, 307
 - test, 3, 282
- Stable isotope amount ratios, 73
- Standard deviation (SD), 4, 31, 32, 44–46, 48, 50–56, 60, 61, 63, 82, 103, 104, 115, 117, 120, 121, 136, 138, 142, 151, 154–157, 168, 171, 182, 188, 191–194, 207, 209, 211, 226, 227, 248, 255, 257, 262–264, 266–269, 282, 283, 285, 286, 296, 298, 299, 301, 309, 312, 317, 345, 347–349, 351
 - interlaboratory, 249, 270
 - intermediate-precision, 48
 - population, 270
 - repeatability, 48, 49
 - reproducibility, 48, 336
 - robust, 4, 257, 262, 284, 285, 298, 299, 308, 310
- Standardization, 18, 21, 23–25, 235, 240, 320, 321

- Statistical control, 3, 276
- Statistics
- analysis of variance (ANOVA), 3, 4, 44, 46–48, 50, 51, 53, 55–58, 62–68, 207, 208, 254
 - Bayesian methods, 313
 - chi-squared technique, 55–57
 - Cochran test, 332, 337
 - F-test, 52
 - Grubbs test, 332, 334
 - Kolmogorov-Smirnov test, 103
 - Kruskal-Wallis Rank test, 207
 - kurtosis, 229, 231
 - outlier elimination, 51
 - robust, 5, 283, 294, 298
 - robust techniques, 60
 - Shapiro-Wilk test, 332
 - Shorth (τ), 154, 158
 - significance test, 44, 52
 - skewness, 229, 231
 - t-test, *See also* Student test (t), 273, 332–334, 337
 - variance
 - excess, 47, 54–58
 - experimental, 52, 53
 - Welch-Satterthwaite formula, 137, 140
- Stipulated numerical tolerance (δ), 143
- Stratification, 184
- Taylor expansion, 144
- Technical barriers to trade (TBT), 16, 19
- Temperature standards, 127, 128, 130, 132
- Threshold, 90, 123, 159, 201, 224
- Titration, 111, 112, 114, 116, 117, 124
- Traceability, 2, 6, 7, 12, 16, 22, 24, 29, 30, 37, 71, 73, 75, 76, 79, 80, 92, 93, 97–99, 104, 106, 107, 109, 111, 166, 167, 238–241, 252, 263, 264, 271, 289–293, 295, 297, 302, 303
- chain, 7, 73, 75, 76, 79, 80, 92, 99, 104, 106, 107, 109, 240, 241, 289
 - concept, 6
 - metrological, 16, 29, 98, 238, 240–243, 252, 254, 290
 - product, 16
 - verification, 166
- Triple point of water, 127
- Trueness, 71, 84, 87, 90–92, 95, 239, 245, 251, 252, 254, 256, 262, 292, 304
- Uncertainty
- amended, 43, 44, 58
 - bottom-up approach, 167
 - budget, 43, 60, 61, 87, 88, 95, 113, 127, 171, 173, 176, 178, 179, 181
 - calibration, 49, 112
 - combined, 42, 43, 45, 49, 61, 73, 80, 81, 89, 108, 109, 113, 114, 136, 170, 171, 174, 178, 191, 217, 222, 225, 229, 230, 232, 251, 263, 267, 318, 324, 326
 - partial, 217, 218, 222, 223
 - contribution, 4, 44, 48, 58, 60, 61, 80, 104, 115, 117, 118, 120, 141, 242
 - counting, 204, 207, 209, 210
 - estimate, 41, 44, 50, 70, 121, 147, 296, 308, 313
 - evaluation
 - component-by-component, 247
 - type A, 49, 121, 136, 137, 140
 - type B, 49, 121, 122, 124, 136, 137, 189
 - excess, 44
 - expanded, 4, 50, 102, 135, 137, 142, 248, 263, 309
 - framework (GUF), 142, 143
 - intrinsic, 216–218, 222
 - measurement, 16, 29–32, 37, 38, 41, 42, 48, 53, 61, 76, 81, 86, 88, 90, 95, 98, 100, 101, 103, 104, 119, 120, 123–125, 130, 146, 163, 180, 181, 186, 188, 194, 216, 217, 239, 242, 255–257, 269, 290, 295, 299, 309
 - mutual, 136
 - overall, 111, 113, 116, 117, 128, 216, 321
 - propagation, 42, 61, 217, 218, 223, 324, 325
 - routine, 77
 - sample, 30–32, 37
 - sampling, 31, 32
 - standard, 42, 44, 45, 53, 55, 56, 60, 62, 63, 65, 102, 107, 109, 113, 120, 136, 138, 140, 144, 191, 193, 217, 227, 248, 252, 309
 - relative, 116–118, 217, 226, 227, 324
 - top-down approach, 167
- United Nations Environment Programme (UNEP), 106

United Nations Industrial Development Organization (UNIDO), 16, 17, 19–29
Trade Capacity Building Initiative, 16

US Food and Drug Administration (FDA), 10

UV-VIS absorption spectroscopy, 122, 123

Value

assigned, 4, 100, 252, 255, 263, 264, 273, 277, 281, 284, 285, 295, 296, 298, 299, 301, 302, 308–310, 312, 315
consensus, 5, 6, 60, 146, 252, 254, 263, 271, 282, 283, 298, 308
critical, 272, 309, 311, 323
mean, 4, 5, 42, 45, 54, 55, 59, 61, 119, 168, 182, 193, 283, 284

property, 51, 238, 239, 242, 252–255, 257, 259, 262–264, 267, 282
true, 4, 31, 35–37, 39, 91, 93, 95, 103, 150, 151, 153, 252, 314, 320, 339

Variance, 3, 4, 44–47, 52–59, 64, 66, 89, 109, 120, 144, 159, 182, 188, 200, 225, 267, 332, 337

Variation

between-groups, 46, 52
biological, 89, 297, 301
run-to-run, 194
within-group, 46, 52

Weighting function, 57, 147, 155, 164, 225

Whole method performance, 48

World Trade Organization (WTO), 16, 19, 23, 26, 28, 29