

Index

A

- Anderson and Hauck's non-central t-test, 503–504
- Anderson statistic, 400–402
- A-Not A test, *see also* Sensory difference tests
 - monadic design, 479
 - mixed design, 480
 - paired design, 481
 - replicated monadic design, 529–531
 - replicated mixed design, 547–549
- Area under ROC curve and *R*-index, 624
 - difference testing, 627–629
 - estimating, 625–627
 - linking with *d'*, 630–632
 - similarity testing, 629–630
- Adjusted mean
 - for augmented balanced incomplete block design, 184
 - for balanced incomplete block design, 175
- Aliases, 240
- Analysis of variance, 77
 - assumptions, 80
 - cross balanced design, 91
 - F* ratio in, 78
 - nested balanced design, 93
 - one-way, 78
 - two-way, 80

B

- Beta-binomial (BB) model
 - distribution, 515–517
 - estimation, 517–520
 - goodness of fit test, 520–522
 - tests, 522–531
- Binary data, 351
- Binomial test, 351–353
- Bradley-Harmon model, 461–466
- Balanced incomplete block design, 169
 - augmented with control, 182
 - doubly, 187
 - interblock analysis, 177
 - intraplock analysis, 171
 - parameters of, 170
- Blinding, *see also* Experimental design
 - definition of, 182

C

- Categorical data
 - methods for, 414–438
- Chi-square test
 - for 2×2 table, 354–355
 - for goodness of fit, 418–422, 520–521
 - for independence, 422–426
 - for homogeneity, 426–428
- Cochran's Q test, 361–364
- Cochran-Mantel-Haenszel test (CMH), 367–369
- Complete balanced paired comparison designs
 - balanced incomplete block, 563–564
 - monofold Latin square, 560–562
- Contingency table
 - a*×*b*×*c* contingency table, 438–448
 - combining 2×2 contingency table, 364–369
 - under cluster sampling, 547–549
 - r*×*c* contingency table, 422–433
 - r*×*r* contingency table, 433–438
 - 1×*k* contingency table, 418
 - 2×2 contingency table, 354–361
- Corrected beta-binomial (CBB) model, 532
 - distribution, 532
 - estimation, 533–536
 - tests, 536–540
- Category width, 43
- Combining intra- and interblock, 177
- Comparisonwise error rate, 98
- Composite complete-incomplete block design, 194
- Composite design
 - axial point in, 277
 - center point in, 275
 - design matrix of, 277–278
 - fractional factorial in, 282, 285
 - number of design points in, 276
- Composite rotatable design, 292
 - blocking for, 294–296
- Confidence interval, 9, 340, 621
 - curvilinear, 342
 - for difference between means, 115
 - for proportion, 467
 - for ratings, 591
 - for regression coefficient, 340
 - for scale values, 605
 - straight-line, 343

- Confounding, *see* Factorial experiment
- Contingency table, *see also* Categorical data
- Contour map, *see* Response surface plot
- Cosmetic studies
 - baseline measurement, 693
 - cosmetic rating scales, 690–691
 - cross-over design, 688, 701
 - parallel design, 688, 698
 - self-controlled design, 688, 691
- Cross balanced design, 91–92
- Cross-over design, *see also* Experimental design
 - carryover effect in, 143, 146
 - direct effect in, 145–146
- Cumulative distribution function, 7, 46

D

- d'*, *see also* Thurstonian discriminial distance *d'*
- Degree of difference, 459, 460, 461, 463, 467, 486
 - method, 632–633, 639
 - standardized, 487
- Delta method, 615
- Dirichlet-multinomial (DM) model, 540
 - distribution, 540–541
 - estimation, 541–544
 - goodness of fit test, 544–545
 - tests, 545–552
- Duo-trio test, *see also* Sensory difference tests
- Dual pair protocol, 632
- Durbin test, 403–404
- Degrees of freedom, 7
- Dependent variable, 247, 332
- Design matrix
 - orthogonal, 261–262
- Descriptive Analysis (DA), 641
- Designs, classifications and models of
 - paired comparison, 560, 563–564, 571, 582
- Discriminative difference test, *see* Sensory difference test
- Distribution
 - χ^2 , 7
 - F*, 7
 - lognormal, 318
 - normal, 4, 317
 - shelf life, 311

Distribution (*Continued*)
 standard normal, 5, 7, 46
 t , 7
 Weibull, 320
 Dot notation, 3

E

Edwards' method of successive interval,
 38
 Estimator, 8
 point, 8
 unbiased, 8
 Expected mean square, 83
 for fixed-effects model, 84
 for random-effects model, 86
 Expected value, 8
 Experimental design, 16
 balanced incomplete block, 169
 cross-over, 142
 completely randomized, 121
 composite complete-incomplete, 194
 definition of, 16
 group comparison, 113
 Latin square, 131
 local control in, 17
 paired comparison, 115
 randomized complete block, 124
 Experimental significance, 16
 Experimental unit, 17, 124
 Experimentwise error rate, 98
 Expiration date, *see also* Shelf life

F

Fisher's exact test, 355, 428–430
 Forced-choice methods, 486
 comparisons, 486–491
 Friedman rank sum test, 395–397
 Factorial experiment
 blocking in, 235
 confounding in, 234
 contrast, 207, 218
 defining effect in, 234
 design matrix in, 210
 fractional, 237
 interaction effect in, 211–212
 linear effect, 216, 218
 main effect in, 209, 213
 $p \times q$ and $p \times q \times k$, 225
 quadratic effect in, 216, 218
 treatment combination, 213
 2^n , 206
 3^n , 216

Fechner's law, *see* Psychophysical law
 Fixed-effects model, 81
 Fractional factorial, *see also* Factorial
 experiment
 aliases in, 240
 construction of, 240, 242
 defining equation in, 240

G

Generalization of McNemar's test,
 508–510
 Generalized A-Not A test, 479
 Generalized Fisher's exact test, 428–430
 Goodness of fit test, 418–422,
 520–522, 544–545
 Green's area theorem, 630
 Gridgeman two-stage model, 467–471
 Gridgeman two-stage model, 467
 Guilford's method, *see* Scaling of
 categories

H

Hypergeometric distribution, 356
 Hazard function, 312
 cumulative, 317, 320
 Hazard plotting, 314
 censored time in, 314
 failure time in, 314
 hazard graph paper for, 314–316
 Hazard rate, 313
 Home-use consumer test, 643
 Hypothesis
 alternative, 9
 in fixed-effects model, 82
 in group comparison, 114
 in paired comparison, 118
 in random-effects model, 82
 null, 9
 one-sided, 10
 testing of, 9
 two-sided, 10

I

Incomplete balanced paired
 comparison designs
 linked paired comparison designs,
 565–566
 partially balanced incomplete block
 designs
 Intersection-union tests (IUT), 499
 Independent variable, 248, 332
 Interval estimate, 8

Interval scale, *see* Scale
 In-house consumer test, 642

J

Jonckheere-Terpstra test, 392–394
 Just-about-right rating scale, 645

K

kappa coefficient (κ), *see also* Measures
 of agreement, 437–438
 Kendall coefficient of concordance,
 411–414
 estimation, 411
 related to the Spearman rank
 correction coefficient, 412
 test, 412
 Kruskal-Wallis H test, 389–392
 Kurtosis, 52

L

Likelihood ratio chi-square statistic
 (G^2), 417–418
 Likelihood ratio test, 463, 523–524,
 583–584
 Lurking variable, 439
 Lack of fit estimation, 271
 Latin square, *see also* Experimental
 design
 partially replicated, 138
 randomizing, 135
 replicating, 134
 Local control, *see* Experimental design
 Lognormal distribution,
see Distribution

M

Mann-Whitney U statistic, 386–389,
 625
 McNemar test, 359–361
 Measure of association,
 for 2×2 contingency table, 369–370
 for $r \times c$ contingency table, 430–433
 for ranking data, 404–414
 Measures of agreement, 437–438
 Methods with response bias, 491
 comparisons, 491–495
 Midrank, 371, 380, 412
 Modified triangle test, *see also* Sensory
 difference tests
 Bradley-Harmon model, 461–466
 Gridgeman two-stage model, 467–471

- Morrissey least squares formulation, 598
- Multidimensional contingency tables, 438–448
 conditional independence, 442, 447–448
 joint independence, 441, 445–446
 mutual independence, 441, 444–445
 pairwise (marginal) independence, 442, 446–447
 test for independence, 441–448
- Multinomial distribution, 423, 427, 540, 541, 544
- Mean
 grand, 3
 population, 2
 sample, 2
 sensation scale, 44
- Mixed-effects model, 82
- Model I, *see* Fixed-effects model
- Model II, *see* Random-effects model
- Multiple comparison test
 choice of, 105–107
 Duncan's, 103
 Dunnett's, 100
 least significant difference, 99
 Tukey's Studentized range, 101
- N**
- Nonparametric methods, 351
- Nested balanced design, 93–94
- Nominal scale, *see* Scale
- Normal curve, 5
- Normal deviate, 43
- Normal distribution,
see also Distribution
 probability density function of, 4
- Normal probability paper, 40, 45
- O**
- Odds ratio, 369–370
- Overdispersion, 516
- Ordinal scale, *see* Scale
- P**
- Paired comparison designs
 completely balanced, 559–564
 incomplete balanced, 564–571
- Paired comparison models, 571–607
 Bradley–Terry model, 582–596
 choice of models, 605–607
 Scheffé model, 571–582
 Thurstone–Mosteller model, 596–605
- Paired t-test for similarity, 506–507
- Paradox of discriminatory non-discriminators, 607
- Partially balanced incomplete block designs
 cyclic designs, 570–571
 square designs, 568–570
 triangular designs, 568
- Pearson chi-square statistic (χ^2), 415–417
- Pearson's coefficient of mean square contingency, ϕ^2 , 430
- Pearson's contingency coefficient, C , 431
- Pearson's product-moment correlation, *see also* Correlation coefficient
- Permutation tests, 429
- Powers and sample sizes for difference tests, 487–495
 for forced-choice methods, 487–491
 for methods with response bias, 491–495
- Product multinomial model, 427
- Proportion of correct responses, 607
- Proportion reduction in error (PRE) measures
 $\lambda_{C/R}$, 432
 $\lambda_{R/C}$, 432
 λ , 432
- Psychometric functions, 608–613
- Parameter
 population, 1–2
- Perceptual mapping
 Factor analysis, 660
 Principal component analysis, 674
- Physical continuum, 26
- Planning test program, 19
- Point estimate, 8
- Point estimator, *see* Estimator
- Polynomial regression, 706
 SAS INTERPOL, 706–707
- Preference mapping
 external, 679
 internal, 679, 682
- Power of the test, *see* Type II error
- Probability density function, 4, 318
- Psychological continuum, 26
- Psychophysical law
 Fechner's, 27
 Stevens' power law, 28
 Weber's, 27
- Q**
- Questionnaire design, 653–654
- R**
- Ranks
 methods based on, 370–414
- Ratings, 386, 503, 569, 582, 612, 626
 replicated, 541
- Receiver operating characteristic (ROC) curve, 624
- Replicated difference tests
 using paired comparison method, 522–526
 using forced-choice methods, 536–538
 using A-Not A and same-different methods, 529–531
- Replicated preference tests,
 based on beta-binomial model, 522–529
 Ferris' k -visit model, 515, 556
 with "no preference" option, 545–547
- Replicated similarity test
 using paired comparison method, 526–529
 using A-Not A and same-different methods, 529–531
 using forced-choice methods, 539–540
- Random
 sample, 1
 sampling, 1
 variable, 4
- Random-effects model, 81
- Randomization, *see also* Experimental design for completely randomized design, 121
 for group comparison, 113
 for paired comparison, 115
 for randomized complete block, 124
- Randomized complete block design,
see also Experimental design
- Ratio scale, *see* Scale
- Regression analysis, 331
 confidence interval in, 340
 index of determination in, 334
 nonlinear, 345
 shelf life estimation by, 339
- Replication, *see* Experimental design

- Response surface design
 composite, 275
 design matrix in, 260, 262
 first-order model for, 248
 fitted response function in, 249
 general concepts in, 247
 lack of fit in, 248
 normal equation for, 256
 rotatable, 274
 second-order model for, 248
 2^2 factorial, 259
 3^2 factorial, 268
- Response surface plot
 construction of, 251
 for first-order model, 249
 of hill or basin, 250
 optimal responses in, 253
 saddle-shaped, 249
 stationary points in, 254
- ROC curve and R-index, 624–625, 627, 629–630
- Rotatable design, *see also* Response surface design
 design matrix of, 286, 289
 hexagon, 286
 octagon, 286
 pentagon, 286
- S**
- Same-different area theorem and R_{sd} , 632–635
 estimation of R_{sd} , 633–635
 linking R_{sd} with d' , 633, 635
 linking R_{sd} with R-index, 633–635
- Same-different test, *see also* Sensory difference tests
- Sensory difference tests, 455–496
 A-Not A test, 478–484
 conventional triangle test, 455–459
 comparisons of, 485–495
 degree of difference method, 632–633
 duo-trio test, 471–473
 modified triangle test, 459–471
 pair difference test (2-AFC), 473–476
 same-different test, 484–485
 three-alternative forced-choice test (3-AFC), 477–478
 using R-index, 627–629
 using R_{sd} , 632–633
- Sensory similarity (equivalence) tests, 496–514
 for continuous data, 503–505
 for correlated data, 506–510
 using forced-choice methods, 497–498
 using paired comparison method, 498–500
 using A-Not-A and same-different methods, 501–503
 using R-index, 629–630
- Sign test, 371–375
- Signal detection theory (SDT), 608
- Simpson's paradox, 439–440
- Spearman rank correlation coefficient, 404–411
 estimation, 405
 test, 406
- Sample size estimation, 107
 adjusted category, 52
 construction of, 37
 for confidence interval, 109
 for dichotomous responses, 110
 hedonic, 32
 intensity rating, 34
 interval, 30–31
 nominal, 30–31
 ordinal, 30–31
 physical, 44
 psychological, 38
 ranking, 35
 ratio, 30–31
- Scale
 structured, 35
 unstructured, 35
- Scaling of categories, 46
- Selection of panel members, 57
 quality control chart for, 69
 rating scale, 64
 sequential analysis for, 64
- Sensory data
 distribution of, 50
 psychophysical aspect of, 25
 response surface analysis for, 304
 statistical properties of, 52
 transformation of, 55
- Sequential analysis
 region of acceptance in, 65
 region of indecision in, 65
 region of rejection in, 65
- Shelf life, 311
 estimation of, 325–326
 experiment, 312
 models, 316–323
- Signal-to-noise ratio (SNR), 646
- Significance level, *see* Type I error
- Skewness, 51
- Standard deviation, 5
 pooled, 114
- Standard error
 for augmented balanced incomplete block design, 184
 for balanced incomplete block design, 175
 for cross-over design, 148
 for composite complete-incomplete block design, 198
 for doubly balanced incomplete block design, 188
 for partially replicated Latin square design, 140
 for randomized complete block design, 127
 of mean, 9
- Standardized score, 5
- Standard normal distribution, *see also* Distribution probabilities associated with, 5
- Statistical decision rule, 10
- Statistical inference, 1
- Statistical sensory testing, 25
- Statistical test, 10
- Statistics, 2
- Stevens' power law, *see* Psychophysical law
- T**
- Tarone's Z statistic, 521–522
- Taylor-series expansion, *see also* Delta method
- Testing marginal homogeneity for ordered categories, 437
- Testing marginal homogeneity, 435–436
- Testing symmetry, 434–435
- Tests for d' , 621–624
- Three-alternative forced-choice test (3-AFC), *see also* Sensory difference tests
- Thurstone, Louis Leon, 608
- Thurstonian discriminial distance d' , 607–624
 confidence intervals and tests, 621–624
 estimation of d' , 609–614, 631, 633
 tables of d 's and variances of d 's, 616–618, 631–632
 variance of d' , 614–621, 631, 635

Thurstonian scaling, 559
 area measure, 625, 635
 distance measure, 625, 635
 Ties, 371, 376, 380, 386, 395, 405, 411,
 546, 628
 Trapezoidal rule, 624, 630
 Triangle test, *see also* Sensory difference
 tests
 Two one-sided tests (TOST), 504–505
 Two-stage triangle test, *see also* Modified
 triangle test
 Thurstone's law of comparative
 judgment, 29
 Type I error, 10
 Type II error, 10, 14

U

Underdispersion, 516
 Union-intersection tests (UIT), 499
 Unbiased estimator, *see* Estimator

V

Variance of d'
 estimation, 614–620, 631, 633
 tables, 616–618, 632
 Variance
 population, 2
 sample, 2
 Variance component, 82
 estimation of, 88

W

Wilcoxon rank sum test, 378–386
 Wilcoxon signed rank test, 375–378
 Weber's law, *see* Psychophysical law
 Weibull distribution, 320
 Word meaning experiment, 39

Y

Yates' continuity correction, 417
 Yule-Simpson paradox,
 see also Simpson's paradox
 Yates' continuity correction, 337

Z

Z test, 353–354