

Index

2^2 factorial design, 208
 2^3 factorial design, 6, 215
 2^4 factorial design, 7
 2^k factorial, 5, 20, 227
 2^{k-1} fractional factorial design, 290
 2^{k-2} fractional factorial design, 302
 2^{k-p} fractional factorial design, 309
 3^2 factorial, 167
 3^k factorial, 360

A

Addition of axial runs to a 2^k factorial, 260
 Additivity of the randomized complete block model, 132
 Adequate precision, 97
 Adjusted R^2 statistic, 97, 403
 Alias matrix, 319
 Aliases, 291, 318, 327
 Alternate fraction, 292, 304
 Alternative hypothesis, 35
 Analysis of covariance, 15, 590, 599, 600, 602
 Analysis of variance (ANOVA), 63, 66, 124
 Analysis of variance method for estimating variance components, 507, 512
 ANOVA computations, 67, 71
 ANOVA for a blocked design, 124
 ANOVA for a factorial, 170, 171, 186
 Antagonistic blending, 469
 A-optimal design, 452
 Approximate F -tests, 525
 Axial check blends, 471

B

Balanced incomplete block design (BIBD), 148
 Balanced nested design, 543
 Bartlett's test for equality of variance, 79
 Basic design, 293, 303
 Best-guess experiments, 4
 Blocking, 12, 13, 121, 123, 138, 145, 148, 198, 200, 273, 281, 301, 313, 446, 590
 Blocking and noise reduction, 52
 Blocking in fractional factorials, 313

Blocking in response surface designs, 446
 Blocks orthogonal to treatments, 134
 Box plot, 25, 62
 Box-Behnken design, 442
 Box-Cox method, 578

C

Canonical analysis, 428, 432
 Canonical form of the second-order model, 428
 Cause-and-effect diagrams, 16
 Center points in the 2^k factorial design, 257
 Center points in the central composite design, 442
 Center points in the face-centered cube, 443
 Central composite design, 260, 361, 428, 440, 442, 443
 Central limit theorem, 31
 Characterizing a process, 9
 Chi-square distribution, 31
 Cochran's theorem, 69
 Coded design variables, 212, 261
 Coefficient of variation, 97
 Combined array design, 490, 493
 Comparative experiments, 23
 Complete confounding, 285
 Completely randomized design (CRD), 34, 61, 167, 208
 Components of interaction, 362
 Components of interaction in the 3^k factorial, 362, 364, 368
 Computer experiments, 459
 Computer generated designs, 450, 472, also see optimal designs
 Conditional inference chart, 238
 Confidence coefficient, 44, 73
 Confidence interval, 34, 44, 88, 406, 531, 533, 537, 586
 Confidence intervals on variance components, 531, 533, 537
 Confirmation experiments, 19, 300, 302
 Confounding, 275
 Confounding in the 2^k factorial, 275, 282, 284
 Confounding in the 3^k factorial, 368
 Constraints on mixture components, 471
 Contour plot, 215
 Contrasts, 87, 90, 218
 Control treatment, 96

Controllable factors, 15
 Coordinate exchange algorithm, 453
 Covariate, 590
 Critical region for a test, 35
 Crossed array design, 488, 490, 499
 Crossed factors, 162, also see factorial experiments
 Crossover designs, 146
 Cuboidal region of interest, 443

D

Data snooping, 90
 Defining contrast, 277, 369
 Defining relation for a fractional factorial, 291, 303, 374
 Degrees of freedom, 30
 Design generator, 291, 303
 Design projection, 233, 294, 312
 Design resolution, 293, 309
 Desirability function, 437
 Desirable features of a design, 439
 Dispersion effects, 107, 245, 307
D-optimal design, 254, 380, 452, 456, 472, 490, 500, 501
 Dot diagram, 24
 Dunnett's test, 96

E

Effects model, 64
 Eigenvalues, 428, 434
 Empirical models, 2, 18, 84
 Equiradial designs, 444
 Estimating missing data, 589
 Estimation, 29
 Evolutional operation (EVOP), 476
 Expected mean squares, 511, 522
 Expected value operator, 27
 Experiment, 1
 Experimental error, 25
 Experimentation in engineering design, 8, 10
 Experimenter, 3
 Extra sum of squares method, 404

F

Face-centered cube, 443
 Factorial experiment, 4, 162, 166, 185, 190, 198
 Factorial split-plot designs, 562
F-distribution, 33
 First-order model, 215, 418, 419, 424
 Fisher LSD test, 94
 Fitting response curves and surfaces in a factorial, 190
 Fixed factor, 64
 Fold over of a resolution IV design, 339
 Fold over of resolution III designs, 322, 325
 Follow-up testing, 19, 300, also see confirmation testing
 Fraction of design space plots, 445
 Fractional factorial design, 7, 289, 360

Fractional factorial split-plot designs, 563, 567
 Fundamental ANOVA identity, 66

G

Gaussian process model, 461, 464
 General factorial experiment, 185
 Generalized interaction, 283, 372
 Generalized linear models, 580
 Geometric notation for the 2^k factorial, 216
G-optimal design, 254, 452
 Graeco-Latin squares, 145
 Graphical comparison of means, 86
 Guidelines for designing experiments, 14

H

Half-normal probability plot of effects in the 2^k factorial, 236
 Hat matrix, 409
 Hierarchy principle, 192
 Histogram, 25
 Hybrid designs, 445
 Hypothesis testing, 24, 34, 35

I

Immediacy and sequentiality in industrial experiments, 20
 Incomplete block designs, 148
 Independence assumption, 77
 Inferences about variances, 53, 54
 Influence diagnostics, 411
 Influential observations, 410, 411
 Inner array design, 488
 Interaction plot, 163
 Interaction, 4, 162, 209
 Interblock analysis of a BIBD, 154
 Interclass correlation coefficient, 510
 Intra-block analysis of a BIBD, 154
I-optimal design, 255, 453, 458, 501

K

Kruskal-Wallis test, 112

L

Lack of fit tests, 412
 Latin hypercube design, 461
 Latin square design, 138, 200, 375
 Least squares normal equations, 391
 Lenth's method, 237
 Likelihood function, 535
 Linear blending, 469
 Linear predictor, 581
 Linear regression models, 389
 Link function, 581
 Location effects, 107, 245, 307

Log link, 581
 Logistic regression, 582
 Logit link, 581

M

Main effects, 5, 162, 209
 Maximum entropy designs, 461
 Maximum likelihood estimation of variance components, 535
 Mean, 27
 Mean squares, 67
 Means model, 64
 Measurement systems capability, 512, 517
 Mechanistic models, 2
 Metamodels, 459
 Method of least squares, 109, 390
 Method of moments, 508, 512
 Method of steepest ascent, 215, 419
 Method of unweighted means, 589
 Minimal resolution IV designs, 335
 Minimum aberration designs, 310
 Minimum run resolution V designs, 346
 Minimum variance estimator, 29
 Missing values in a randomized block design, 134
 Mixed level fractional factorials, 378, 382
 Mixed model ANOVA, 515
 Mixture component axes, 470
 Mixture experiments, 466, 471
 Mixture models, 468, 469
 Model adequacy checking, 75, 128, 131, 177, 213
 Modified large-sample method, 533
 Modified Levene test for equality of variance, 80
 Multiple comparisons after ANOVA, 85, 128, 173
 Multiple response optimization, 435

N

Nested and factorial factors, 553
 Nested factor, 542
 No-interaction assumption in a factorial, 181
 Nonconstant variance, 78
 Nongeometric designs, 326
 Nonlinear programming, 437
 Nonparametric methods in ANOVA, 112
 Nonregular designs, 328, 338
 Normal distribution, 30
 Normal probability plot, 39
 Normal probability plot of effects in a 2^k factorial, 230
 Normal probability plot of residuals, 75
 Nuisance factors, 15, 121
 Null hypothesis, 35

O

One-factor-at-a-time (OFAT) experiments, 4
 One-half fraction, 7, 290
 One-quarter fraction, 302

One-sample t -test, 47
 One-sample Z -test, 46
 Operating characteristic (OC) curves, 41, 101, 180, 520
 Optimal designs, 252, 380, 450, 452, 456, 453, 472, 500
 Optimizing a process, 9, 14, 417, 419, 425, 435
 Orthogonal blocking, 446
 Orthogonal contrasts, 90
 Orthogonal design, 210, 212, 398, 440
 Orthogonal first-order designs, 440
 Orthogonal Latin squares, 145, 362
 Outer array design, 488
 Outliers in unreplicated designs, 241
 Overparameterized model, 110

P

Paired comparison design, 48, 51
 Paired t -test, 50
 Partial aliasing, 327
 Partial confounding, 279, 285
 Partial fold over, 343
 Path of steepest ascent, 419, 420, 422, 424
 Phase in EVOP, 471
 Plackett-Burman designs, 326
 Point exchange algorithm, 453
 Pooling mean squares, 525
 Power family of transformations, 578
 Power of a test, 35
 Prediction interval on a future observation, 302, 407
 Pre-experimental planning, 17
 Preplanned comparisons, 90
 PRESS statistic, 97, 409, 411
 Principal block, 277, 369
 Principal fraction, 292
 Probability distributions, 26
 Process robustness studies, 486
 Product formulation, 11
 Projectivity of a design, 328
 Proportional data, 587
 Pseudocomponents, 471
 P -value, 38

Q

Quadratic effects, 257
 Qualitative factors, 84, 207, 261
 Quantitative factors, 84, 164, 207, 257

R

R^2 statistic, 97
 Random effects, 505
 Random factor, 64
 Random samples, 28, 64
 Randomization, 12
 Randomized block design, 51
 Randomized complete block design (RCBD), 121

- Rank transformation, 114
 Regression models, 84, 190, 193, 212, 221, 388, 580
 Regressor variables, 388
 Regular designs, 328
 Repeated measures, 607
 Replication, 5, 12
 Replication of Latin squares, 143
 Replication versus repeat measurements, 13
 Residual plots, 77, 83
 Residuals, 75, 213, 392
 Resolution III design, 293, 320, 322, 326
 Resolution IV design, 293, 335, 339
 Resolution V design, 293, 345
 Response model, 493
 Response surface methods, 417
 Response surface plot, 164, 193, 214, 221
 Response variables, 2
 Restricted (residual) maximum likelihood (REML), 536
 Restricted mixed model, 516
 Restriction on randomization, 123, 125, 139
 Rising ridge, 434
 Robust parameter design, 20, 486, 493
 Robust process, 1, 486
 Robust product, 8, 487
 Rotatability, 441
R-student, 411
 Rules for expected mean squares, 522
- S**
- Saddle point, 426
 Sample, 26, 28
 Sampling distributions, 28, 30
 Saturated designs, 320
 Scaled prediction variance, 445
 Scatter diagram, 62
 Scheffé's test for comparing all contrasts, 91
 Scientific (engineering) method, 2
 Screening experiment, 9, 14, 207
 Second-order model, 257, 418, 425
 Sequential experimentation, 14, 21, 300, 339, 361, 419, 440, 461
 Setting data aside, 589
 Significance level, 35
 Simplex centroid designs, 468
 Simplex lattice designs, 467
 Single degree of freedom test for interaction, 185
 Single replicate of a design, 182
 Single replicate of a factorial design, 229
 Small composite designs, 444
 Space filling designs, 461
 Sparsity of effects principle, 230
 Sphere-packing design, 461, 464
 Spherical central composite design, 442
 Split-plot design, 557, 562
 Split-split-plot designs, 567
 Staggered nested designs, 550
- Standard Latin square, 142
 Standard normal distribution, 31
 Standard order, 211, 227
 Standardized residuals, 77
 Stationary point on a response surface 425
 Stationary ridge, 434
 Statistic, 28
 Strategy of experimentation, 3
 Strip-split-plot designs, 570
 Studentized residuals, 409
 Subplot, 558
 Subplot error, 558
 Supersaturated designs, 347
 Synergistic blending, 469
- T**
- t*-distribution, 33
 Technology commercialization, 1
 Test for quadratic curvature, 257
 Test statistic, 35
 Testing significance of regression, 401
 Tests on contrasts, 87, 88
 Three-factor factorial example, 185
 Transformations, 78, 82, 114, 243, 578
 Transmission of error, 493
 Treatments, 23, 63
 Tukey's test, 93
 Two-sample *t*-test, 36, 45
 Two-sample *Z*-test, 46
 Two-stage nested design, 542, 543
 Type I error, 35
 Type II error, 35
- U**
- Unbalanced data in ANOVA, 74
 Unbalanced data, 587
 Unbiased estimator, 29
 Uncontrollable (noise) factors, 15
 Uniform designs, 461
 Unreplicated 2^k factorial designs, 229
 Unrestricted mixed model, 518, 519
- V**
- Variance, 27
 Variance components, 506, 507, 511, 549
 Variance dispersion graphs, 445
 Variance of a contrast, 226
 Variance of an effect, 226
 Variance operator, 27
 Variance stabilization by transformation, 78
V-optimal design, 452
- W**
- Whole plot, 558
 Whole-plot error, 558