

# Index

## Aberration:

- astigmatism, 807
  - coma, 807
  - chromatic, 807
  - distortion, 807–808
  - in lenses, 807–808
  - spherical, 807
- Absolute pressure, 344
- Absolute temperature, 406
- Absolute thermodynamic temperature scale, 477–479, 480
- Absolute zero, 406
- Absorption, electromagnetic waves, 763–764
- Absorption of radiation, 461–463
- Absorption spectrum, 921, 926
- Accelerated reference frame, 129
- Acceleration, 36–39
- angular, 265–267
  - average, 36
  - calculus and, 42–48
  - centripetal, 74, 121, 267
  - constant, 39–41, 102–107
  - constant motion at, 62–67
  - definition, 37
  - due to gravity, 48, 252, 312, 314,–315
  - graphs and, 41–42
  - instantaneous, 37
  - kinematic equations, linear, 265
  - negative, 117
  - of particle, and electric field, 506, 517
  - radial, 74, 75, 267
  - radially inward, 121, 122, 267
  - rotational, 265
  - standard, due to gravity, 99
  - tangential, 267
  - units, 92
  - vector, 57–62
- AC circuit, 710–730
- basic characteristics, 710–713
  - phasors, 719–724
  - power factor, 726
  - power, 725–728
  - rms values, 724–725
  - series RLC arrangement, 713–719, 721–724
  - transformers, 729–730
- Accommodation, in focusing, 798
- Acoustics, 389–391
- Acoustic spectrum, 390
- Action-reaction force, 97, 98
- Adiabatic process, 414–415, 438–439, 470
- AC generator, emf for, 711
- Allowed energy, 924–927
- Allowed radius, 923–924
- Alpha particles, nuclear scattering, 917–920
- Alternating current, 583, 710 (*see also* AC circuit)
- Ammeter, 583
- circuit symbol, 606
  - in dc circuits, 606–608
- Ampère (unit), 496, 583
- Ampère, André M., 583
- Ampère's law:
  - general form, 737–741
  - magnetic fields, 652–656, 737–741, 745
- Ampèrian current, 659
- Amplitude, 223
- angular, 282
- Anderson, C. D., 895
- Angle of deviation, ray optics, 783
- Angle of incidence:
  - lens maker's formula, 805–806
  - ray optics, 775–778, 782–784
- Angle of reflection, ray optics, 775–778, 784–785
- Angle of refraction:
  - critical, 784–785

- ray optics, 775–776, 782–783
- Angular acceleration, 265
- instantaneous, 266
- Angular amplitude, 282
- Angular displacement, 256
- Angular frequency, 223, 282
- electrical free oscillation, 700
  - series RLC circuit, 728
- Angular magnification:
  - astronomical telescope, 802–803
  - in microscope, 804
- Angular momentum, 247, 289–304
- conservation law, 297–302
  - constant, of particle, 294–297
  - of particle, 289–291
  - particle, 299
  - of rigid body, 291–293
  - spin, 292–293
  - torque and, 293–294, 298
  - as vector quantity, 303
- Angular speed, 75–76
- charged particle, 626
- Angular velocity, 246, 247
- definition, 256
  - precession, 303
  - as vector, 256
- Antinodes, 376–377
- displacement, 389
  - pressure, 387, 388
- Antineutron, 500
- Antiparticle, 499, 895
- Antiproton, 499
- Antiquark, 500
- Apex angle, prism, 783
- Aphelion, 318
- Apparent depth, immersed object, 783
- Approximate calculations, 14
- Archimedes, 349–351
- Archimedes' principle, 349–351
- Area rule, Kepler's, 317, 318–320
- Astigmatism, 807
- Astronomical telescope:
  - diffraction effects, 848–849
  - lens arrangement, 801–803
- Atom (*see also* Atomic structure):
  - electric charge, 492
  - size, 917
  - structure, 917–941
- Atomic energy, 207
- Atomic mass, 411
- Atomic mass unit, 90
- Atomic nuclear forces, 491
- Atomic properties, expansion and, 408–409
- Atomic structure, 917–941
- allowed radius, 923–924
  - Bohr radius, 923
  - Bohr theory, 921–927
  - energy, 921–927
  - hydrogen spectrum, 920–921
  - nuclear scattering, 917–920
  - Pauli exclusion principle, 933–937
  - quantum numbers, 927–933
  - quantum theory, 917–941
- Atomic vibrations, 409
- Attractive force, point charges, 497
- Avogadro's number, 420, 486
- Balmer series, 921, 926
- Bar (unit), 344
- Barometer, 346–347
- Baseline geodesy, 779
- Baseline interferometry, 849
- Battery:
  - dc circuit, 598–611
  - internal resistance, 600
- Beat frequency, 395
- Beats, 394–395
- Bell, Alexander Graham, 391, 667
- Bernoulli, Daniel, 354
- Bernoulli equation, 354–358
- Bernoulli's theorem, 354–358
- Binding energy, 327, 879
- of atoms, 925
  - of deuteron, 890–891
  - of electron, 891
- Binocular lens arrangement, 802
- Biot, J. B., 644
- Biot-Savart law, 647–650, 652
- Blackbody, 462
- radiation, 887
- Black holes, 311, 329
- Blood pressure, 343
- Bohr, Niels, 903, 921
- Bohr formula, 924
- Bohr radius, 923
- Bohr theory:
  - of hydrogen, 921–927
  - postulates, 927
- Boltzmann constant, 425, 486
- Boundary conditions, 378
- Bound orbits, 326–327
- Bound systems, 879
- Boyle's law, 411
- Bradley, James, 760
- Bragg, W. L., 852
- Bragg plane, 851–852
- Bragg relation, 852–853
- Brahe, Tycho, 316
- Breaking strength, 64–65
- Bremsstrahlung, 891–892, 900
- collision, 891
- Bright-line spectrum, 920–921
- British thermal unit, 428, 451
- Brownian motion, 122
- Bubble chamber, 622, 895–896
- Buoyancy principle, 349–351
- Calorie, 428, 451
- Calorimetry, 452
- Camera lens, 798
- Capacitance, 560–574
- capacitors in parallel, 566–567
  - capacitors in series, 565–566
  - coaxial capacitor, 563
  - definition, 560–561
  - electric field and, 571–572
  - equation, 561
  - LC circuit, 697–702
  - RC circuit, 589–591
  - series RLC circuit, 713–719
  - of Van de Graaff generation, 570
- Capacitive reactance:
  - audio amplifier, 718
  - definition, 715
- Capacitor, 560–563
- in ac circuit, 712
  - characteristics, 690
  - charging, 561, 569–571
  - circuits, 564–567
  - circuit symbol, 561
  - coaxial, 563
  - dielectric, 568–569
  - electric potential energy, 569–571
  - energy, 569–571
  - free charge on, 573
  - paper, 568
  - in parallel, 564, 566–567
  - parallel-plate, 561–562, 568, 569, 571, 572–574, 761
  - plates for, 560
  - polarization, 572–574
  - potential, 560–561
  - in series, 564–566
  - work done in charging, 569–570
- Carnot, N. S., 474–475, 476
- Carnot cycle, 475, 476–479
- and thermodynamic temperature scale, 476–479, 480
- Carnot engine, 475, 484
- Cathode ray tube, 518
- Cavendish, Henry, 315, 526
- Cavendish experiment, 315–316
- Celsius temperature scale, 402–404
- Center of gravity, 252–253

- and center of mass, 161, 256–257
- definition, 161
- Center of mass, 245, 252
  - acceleration, 165–167
  - and center of gravity, 161, 256–257
  - definition, 155–157, 161
  - external forces, 166
  - kinetic energy, 216, 276
  - locating, 157–161
  - of rigid body, 245–246
  - velocity, 161–163
- Center-of-mass reference frame, 163–165, 210, 873–875
  - energy and, 215–217
- Center of symmetry, 157
- Central force, 295–297, 320
  - electric force as, 495, 496, 539
- Centrifugal force, 123, 126–131
- Centripetal acceleration, 72, 121, 267
- Centripetal force, 123
- cgs system, 107, 173
- Charge carriers, 583
- Charge conservation, 499, 500, 564, 609–610
- Charge distributions, 495, 512–533
- Charged objects, 491–494
- Charged particle:
  - angular speed, 166
  - energy, 875–878
  - frequency, 626
  - and generation of electromagnetic waves, 757–759
  - interactions between, 666
  - kinetic energy, 629–630
  - momentum, 626, 629–630
  - mass, 629–630
  - path, in magnetic field, 625–626
  - period, 626
  - in quantum theory, 886–911
  - in special relativity, 875
  - speed, 628, 629, 875–878
  - in uniform magnetic field, 625–630
- Charging by induction, 493–494
- Charles, J. A. C., law of, 411
- Chemical energy, 208
  - conversion to thermal energy, 471
- Chemical equilibrium, 470
- Chemical force in electrochemical cell, 599
- Chemical properties and quantum theory, 933–937
- Chromatic aberration, 807
- Clausius, R., 474, 476
- Coaxial capacitor, 563
- Coaxial conductor, 693–694
- Coefficients:
  - of area expansion, 407
  - of kinetic friction, 117, 118 (table)
  - linear, of thermal expansion, 406–607
  - of static friction, 117 (table), 118 (table)
  - of volume expansion 407–408
- Coherent sources of waves, 829–830
- Collision, 209–215
  - elastic, 209, 210–21
  - inelastic, 209–210, 212–215
  - molecular, 422–423, 432
  - wave, 368–369
  - between nuclei, forces in 491
- Coma, 807
- Complementarity principle, 902–903
- Components:
  - vector, 9–10
  - vector addition of 10–12
  - vector constant acceleration, 67
  - vector displacement, 67
  - vector velocity, 67
- Compressional waves, 364, 365, 385–387
- Compressive stress, 342
- Compton, Arthur H., 894, 900
- Compton collision, 893
- Compton effect, 892–894, 900–901
- Compton wavelength, 893–894
- Concave-convex lens, 794
- Condensations, 387, 455
- Condensed matter, 341
- Conductance, 586
- Conducting surface:
  - arbitrary shape, 527–530
  - electric field, 525–530
  - spherical, 524–525, 527
- Conduction:
  - electrical, 457
  - thermal, 456–458
- Conduction electrons:
  - forces on, 671, 672–674
  - in photoelectric effect, 887
- Conductivity ratio, 492
- Conductor:
  - current-carrying:
    - magnetic field from, 651, 653–656
    - magnetic force between, 646–647, 648
    - magnetic force on, 630–633
  - cylindrical coaxial, 655–656
  - electric field, 503, 525–530
  - electric potential, 552–554
  - electrons in, 492
  - electrostatic effects, 493
  - examples of, 492
  - grounding, 494
  - induced emf, 669–675
  - loops, 667–671, 672–674, 675–680
  - metallic, and resistivity, 588
  - resistance, 591–592
  - resistivity, 587–588
  - straight, and magnetic field, 644–647, 650, 653
- Confined particle, 908–911, 929
- Conical pendulum, 124
- Conjugate points, in lenses, 798
- Conservative forces, 171, 184–185, 195
  - electric force as, 496
  - and energy conservation, 204–206
  - requirement, 540
- Conservation law:
  - angular momentum, 297–302
  - charge, 499, 500, 564, 609–610
  - classical, 499
  - energy, 195, 197, 204–209, 322, 541–542, 545, 564, 585, 600, 601–602, 609, 610, 896, 901
  - mass, 91
  - mass-energy, 876–880
  - momentum, 874–875, 901
- Continuity, equation, 353–354, 356
- Continuous charge, 495, 512–533
  - electric field, 512–519, 522–530
  - electric flux, 519–525
  - Gauss's law, 521–525, 533
- Contracted length, 871
- Convection, 457
- Convex lenses, 794, 805
- Copernican cosmology, 316
- Corner reflector, 778
- Cosmic radiation, 624
- Coulomb, C. A. de, 495
- Coulomb constant, 495–496, 521
- Coulomb force:
  - atomic, 920, 921
  - between charged particles, 660
  - as conservative force, 539–541
  - definition, 495
  - electric flux and, 521–522
  - superposition principle and, 497
- Coulomb's law, 495–498, 652
  - definition, 495
  - electric field, 501–503
  - electromagnetic induction, 678
- Critical angle of refraction, 784–785
- Cross product:
  - direction, 247–248
  - distributive law for, 249
  - magnitude, 247–249
  - unit vectors and, 249
  - vector, 247
- zero, 249
- Current loop:
  - magnetic field at center, 649–650
  - magnetic field from, 653–654
  - magnetic torque on, 633–637
- Current rule, for dc circuits, 610
- Current-voltage-impedance relation, 715–716, 722, 726
- Cylindrical waves, 393–394
- Cyclotron, 627–628
- Cyclotron frequency, 626
- Damped oscillations, 236–237
- Damping, 223
- Dark-line spectrum, 921
- DC circuits, 598–611
  - emf, 598–601
  - instruments for measurements, 606–609
  - Kirchhoff's rules, 609–611
  - measurements, 606–609
  - multiloop, 609–611
  - resistors in parallel, 604–606
  - resistors in series, 603–604
  - single-loop, 601–603
- de Broglie, Louis, 897
- de Broglie relation for wavelength, 897
- de Broglie wavelength, 922
- Decay:
  - atoms, 937–941
  - probability of, 938
  - unstable particles, 491
- Deformation, torsion, 282–284
- Degenerate state of electron, 934
- Density, 271, 344 (table)
  - of earth, 316
  - of gas, 344
  - of liquids, 344–345
  - of solids, 344–345
  - of water, 345
- Detector loop, 667–668
- Deuteron, 890–891
- Diamagnetism, 681–682
- Dielectric constant, 567–569
- Dielectrics, 560–574
  - behavior, in electric field, 572–574
  - electric charge and, 492
  - electrostatic effects, 493
  - microscopic properties, 572–574
  - nonpolar, 573–574
  - polarized, 573
- Dielectric strength:
  - air, 554
  - insulating material, 568–569
- Diffraction:
  - effects for lenses, 807
  - grating, 855–856
    - interference of waves, 826–829
    - wavelength measurements, 783
  - strong, 852
  - of waves, 773, 841–856
    - definition, 841
    - double-slit, 846–847
    - Fraunhofer, 845, 853–855
    - Fresnel, 845
    - multiple point sources, 841–844, 853–855
    - and intensity zero, 842–847, 853–857
    - resolution, 847–850
    - single slit, 844–846, 853–855
    - by x-rays, 850–853, 897–898
    - patterns, 842–847, 856
- Diffusion, thermal, 426
- Dimensionless constant, 232, 233
- Dirac, P. A. M., 895
- Direct current, 583 (*also see* DC circuits)
- Disorder:
  - entropy and, 485–487
  - and second law of thermodynamics, 439–442
  - and time, 485
- Dispersion, 366
  - of waves, 781

- Displacement:
  - angular, 256
  - definition, 5
  - electric potential and, 540
  - longitudinal, 385–387
  - measuring, by using interference of waves, 834–835
  - transverse, 385, 387
  - vector, 5–9, 61
  - vector components, 67
  - and velocity-time curve, 35–36
- Displacement antinode, 387, 389
- Displacement current, 739
- Displacement node, 387, 388
- Dissipative circuit elements, 585–586
- Distributive law, and cross products, 249
- Doppler, Christian J., 395, 396
- Doppler effect, 395–397
- Doppler shift, 396, 761–762
- Dot product, 179–180, 249
  - commutative law, 179
  - distributive law, 179–180
  - unit vectors and, 180–181
- Double-slit diffraction, 846–847
- Double-slit interference, 824–825, 846–847
- Drift velocity:
  - charged particle, 630–631
  - electrons, 583–584, 592
- Dynamics, 29
  - link to kinematics, 96
  - rotational, 265–284
  - of simple harmonic motion, 224–228
- Earth: density, 316
  - gravitational attraction, 314–315
  - mass, 316
  - radius, 316
  - tides, 316
- Eddy currents, 680–681
- Efficiency, thermal, 473, 484
- Einstein, Albert, 122, 296, 331, 333, 430, 431, 673, 860, 923
  - mass-energy relation, 329
  - theory of relativity, general, 122, 311, 319, 331, 333, 431, 860–861
  - theory of relativity, special, 430, 673, 860–881
- Einstein relation, 876
- Elastic collisions, 209, 210–212
- Elastic waves, 364–365, 385–387
- Electrical conduction, 457
- Electric charges:
  - on atom, 492
  - capacitance and, 560–568
  - characteristics, 498–501
  - conservation, 499, 500, 564, 609–610
  - continuous, 495, 512–533
- Electric charge:
  - conservation of, 499, 500, 564, 609–610
  - Coulomb's law for, 495–498, 501–503, 652, 678
  - definition, 491–492, 500–501
  - detection of, 493
  - discreteness, 501
  - electric potential and, 539–554
  - on electron, 492, 498, 500
  - electrostatic effects, 493
  - field for, 501–507
  - field lines for, 505–507
  - fundamental particles, 492
  - like, 492
  - magnetic force and, 492
  - magnitude, 498
  - in motion, 492, 582
  - on neutron, 492
  - on nonmetallic objects, 492
  - point, 491–508 (*see also* Point charge)
  - on proton, 492
  - quantization of, 500–501, 887
  - RC circuit, 590
  - at rest, 491–508
  - separation, 493
  - unlike, 492
- Electric circuits:
  - ac (*see also* AC circuits)
    - capacitors, 564–567
    - in parallel, 566–567
    - in series, 565–566
  - dc (*see also* DC circuits)
    - energy of inductor and, 696–697
    - LC arrangement, 697–702
    - LR arrangement, 694–696
    - Ohm's law and, 585–586
    - open, 600
    - oscillations, 697–702
    - RC arrangement, 589–591
    - resistance, 586
    - self-inductance, 689–694
    - short, 600
  - Electric conductance, 586
  - Electric current, 582–592
    - alternating, 583
    - definition, 582
    - density vector, 583–584, 592
    - director, 583
    - direction (conventional), 582–583
    - energy conservation and, 585
    - equation, 582
    - induced, 667–671, 675–677
    - instantaneous, in series RLC circuit, 714–716, 721–722
    - magnetic field and, 630–636, 647–650, 653–655
    - magnetic force and, 646–647
    - measurement, 583, 606–608, 634–635
    - Oersted effect, 643–646
    - peak value, in series RLC circuit, 716, 718
    - RC circuit, 589–591
    - rms value, 724
    - sinusoidally varying, 710–711
  - Electric dipole:
    - compared with magnetic dipole, 635–637
    - definition, 530
    - in electric field, 530–531
    - equipotential lines for, 548
    - field lines, 506–507
    - moment:
      - dielectrics and, 573–574
      - equation, 530
      - permanent, 531
    - oscillating, 757–759
    - fields, 757–759
      - as generator of electromagnetic waves, 757–759
      - radiation pattern, 759
    - potential energy, 531
    - torque on, 530
- Electric field, 501–505
  - between two charges, 504–505
  - capacitance and, 571–572
  - from changing magnetic flux, 677–580
  - charged conductors and, 525–530, 591–592
  - compared with magnetic field, 619
  - conservative, 678
  - from continuous line of charge, 512–515
  - critical value, 554
  - definition, 503
  - in diffraction, 842, 853–855
  - direction, 503–504
  - disturbances, 504
  - effect on dielectrics, 572–574
  - effect on electron, 517–519
  - electric dipole and, 530–531
  - for electric-dipole oscillator, 757–759
  - electromagnetic waves and, 751, 752, 754–755, 756, 816–824
  - energy density, 571–572, 754–755
  - equation, 503
  - equipotential surface and, 548–549
  - from flat sheet of continuous charge, 512, 515–516
  - fringing, 517
  - induced, 677–680
    - for infinite uniform line of charge, 514
    - for interior of conducting surface, 526
    - loops, 522
    - magnitude, 503, 505–506
    - Maxwell's equations and, 737–749
    - nonconservative, 678
    - normal component, 516
    - for photon, 899–902
    - for point charge, 503–505, 513, 540, 545
    - rectangular components, 551
    - representation, 505–507
    - for short wire, 589
    - from single point charge, 512–513
    - for spherical shell of charge, 524–526
    - from static charges, 678
    - strength, 503
    - surface-charge density and, 527–529
    - transverse component, 514
    - uniform, 516–521, 549–552, 628–630
    - from uniformly charged infinite sheet, 523–524
    - of uniformly charged infinite wire, 522–523
    - for uniformly charged ring, 451–452
- Electric-field lines, 505–507, 622, 651
  - continuity, 506
  - density, 506
  - electric flux and, 520, 522
  - equipotential lines and, 548
  - properties, 506
- Electric-field vector, 550
- Electric flux, 519–525, 531–533, 651
  - in creating magnetic field, 739–740
  - definition, 520
  - dot product, 519
  - equation, 520
  - electromagnetic waves and, 747
  - for point charge, 521
  - signs for, 520, 522
  - zero, 522
- Electric force, 295, 314, 619, 621
  - between nonmetallic objects, 492
  - compared with gravitational force, 496–497, 539, 546
  - electric field and, 501–505
  - electric-field lines and, 506
  - equation, 495
  - like charges, 497
  - properties, 495
  - qualitative features, 491–494
  - ratio of, to gravitational force, 501
  - per unit positive charge, 502
  - work done by, 539–551
  - zero, 492
- Electric-force constant, 495–496
- Electric generator, 601
  - definition, 671
  - induced emf, 671
- Electric load, 585
- Electric oscillation(s), 689–705
  - angular frequency, 700
  - frequency, 700
  - LC circuit, 697–702
  - radio receiver, 700–701
  - series RLC circuit, 713–719, 721–724
- Electric oscillator:
  - analogy with mechanical oscillator, 702–704
  - for generating electromagnetic waves, 777
- Electric permittivity:
  - of dielectric, 568
  - of vacuum, 496, 521
- Electric polarization, 572–574
- Electric potential, 539–554
  - conductors and, 552–554
  - definition, 541–543
  - equation, 542
  - gradient, 550
  - for point charges, 543–545
  - for sheet of charge, 451

- signs for, 544
- Electric potential difference, 541–543
  - capacitor, 560
  - capacitors in parallel, 567
  - capacitors in series, 565
  - circuit, 585
  - circuits, 598–611
  - emf and, 601–603
  - Hall effect and, 632–633
  - instantaneous, in series *RLC* circuit, 721–722
  - measurement, 606–608
  - moving conductor, 674–775
  - short wire, 589
  - signs for, 602
- Electric potential drop, 549
  - electric circuit, 564, 711
  - instantaneous, in series *RLC* circuit, 722
  - peak, in series *RLC* circuit, 724
- Electric potential energy, 541–543, 545–547
  - charged capacitors, 569–571
  - electric dipole, 531, 636
  - more than two charges, 546–547
  - signs for, 546
  - two charges, 545–546
  - Van de Graaff generator, 570
- Electric potential increase, 549
  - circuit, 586
- Electric power:
  - definition, 585
  - single-loop dc circuit, 601–609
  - time-average, 725, 726–727
- Electric shielding and conducting shell, 527–528, 530
- Electrochemical cell, 599
- Electrolyte as conductor, 492
- Electromagnetic energy, 207, 208, 461–462
- Electromagnetic field, 318
- Electromagnetic force, 310, 491, 901
- Electromagnetic induction, 666–682
  - definition, 667
  - diamagnetism and, 681–682
  - eddy currents and, 680–681
  - effects, 601
  - emf and, 667–675
  - Faraday's law, 669, 671–672, 677–680, 737, 740, 744–745
  - induced current and, 667–671
  - induced electric field and, 677–680
  - Lenz's law, 675–577
- Electromagnetic interaction, 318–319
- Electromagnetic power, 461–462
- Electromagnetic radiation, 207, 208, 461–462
- Electromagnetic spectrum, 752–754
- Electromagnetic waves, 319, 751–768
  - absorption, 763–764
  - basic properties, 751
  - diffraction effects, 841–856
  - electric field and, 751, 752, 754–755, 756
  - electromagnetic spectrum and, 752–754
  - energy density, 754–755, 756
  - frequency, 752, 759
  - generation, 757–759, 841–844
  - intensity, 75–756
    - and diffraction effects, 842–847, 853–856
    - in quantum theory, 899–900
  - interference and, 816–835
  - linear momentum, 762, 765
  - magnetic field and, 751, 752, 754–755, 756
  - from Maxwell's equations, 745–749
  - path difference, 818–824
  - phase differences in, 818, 820–824, 830–834
  - polarization, 752, 759, 765–768, Poynting vectors and, 756–757
  - quantization, 887
  - in quantum theory, 886–911
  - radiation force, 762–764
  - radiation pressure, 762, 764–765
  - ray optics and, 772–785
    - reflection of, 764
    - representation, 752
    - sinusoidal, 752–754
    - in special relativity, 860–861
    - speed, 749, 751
    - speed of light and, 759–762
    - time-average intensity for, 817–820, 822–832
    - transverse, 751
    - wavelength, 752
    - wave number, 752
- Electromagnetism, 491, 643–646, 666
  - definition, 501
  - electromagnetic waves and, 751–768
  - Maxwell's equations, 737–749
  - speed of light and, 759–762
- Electron:
  - atomic structure and, 921–937
  - charge on, 492, 498, 500
  - complementarity principle and, 903
  - in conductors, 492
  - in dielectric materials, 492
  - drift speed, 583–584
  - effects on, in electric field, 517–519
  - energy levels, 934
  - ground-state energy, 910
  - kinetic energy, 519, 547
  - magnetic force on, 645–646
  - orbits, 682, 922–937
  - positron and, 499, 895–897
  - in semiconductors, 493
  - thermal speed, 583–584
  - uncertainty principle and, 903–908
  - velocity in electric field, 518
  - as wave, 904
    - zero-point energy, 911
- Electron beam, 518
- Electron configuration, 934–937
- Electron-positron pair, 499, 895–897
- Electrons, 314, 319, 380
  - free, and thermal conduction, 457
- Electron spin, 659–660, 932–933
  - magnetic moment, 659
  - orientation, 934
- Electron state, 930, 931
- Electron volt (unit), 173, 546–547
- Electrostatic effects, 493
- Electroscope, 493, 527
- Electrostatics, 492
- Elementary particles, 871
- Elliptically polarized wave, 766
- EMF, 598–601
  - ac circuit, 711
  - back EMF, 689, 691
  - comparison of, 606, 608–609
  - dc circuit, 601–603
  - induced (*see* Induced emf)
  - instantaneous, in series *RLC* circuit, 714–715, 721
  - as phasor, 719
  - signs for, 602
- Emission, of radiation, 461–462
- Emission spectrum, 920, 926
- Emissivity, 461–462
- Energy, 171
  - atomic, 207
  - binding, 327, 879, 925
  - and center-of-mass reference frame, 215–217
  - charged capacitor, 569–571
  - chemical, 208
  - chemical, conversion to thermal energy, 471
  - convertibility, 469–471
  - density, electric, 571–572, 697
  - electric (*see* Electric potential energy)
  - electromagnetic, 207, 208, 461–482
  - excitation, 925
  - heat, 207, 208 (*see also* Thermal energy)
  - hydrogen atom, 921–927
    - ground state, 910
    - inductor, 696–697
    - internal, 427–428
    - internal as state function, 434
    - invisible, 428
    - kinetic (*see* Kinetic energy)
    - in *LC* circuit, 700
    - mass, law of, 207
    - nonmechanical, 206–207, 208
    - nuclear, 207, 208
    - photon, 887–888, 890, 891–893,
    - potential (*see* Potential energy)
    - quantization of, 910
    - in quantum theory, 887–897, 909–911
    - relativistic, 875–878
    - rest, 875–878
    - of rolling object, 276–277
    - thermal (*see* Thermal energy)
    - transfer, 428–429
    - unit, 188
    - zero-point, 911
- Energy conservation:
  - electric circuits, 564, 600, 601–602, 609–610
  - electric current, 585
  - electric potential, 541–542, 545
  - pair annihilation, 896
  - in quantum electrodynamics, 901
- Energy density:
  - electric field, 571–572, 754–755
  - electromagnetic waves, 754–755
  - magnetic field, 697, 754–755, 756
- Energy-level diagram, 910, 924, 925–926
- Energy levels for electron, 934
- Entropy, 479–483
  - change, 481–483
  - and disorder, 485–487
  - and probability, 486–487
  - and second law of thermodynamics, 483–487
  - and time, 483, 485
- Equation(s):
  - of continuity, 353, 356
  - of state of ideal gas, 412, (*see also* General gas law)
  - in physics, 296
- Equilibrium:
  - chemical, 470
  - mechanical, 470
  - rigid body, 244–259
  - rotational, 253–255, 283
  - static, 17, 97, 253–254
  - thermal, 401–402, 439–442, 470
  - thermodynamic, 470
  - translational, 253, 283
- Equinoxes, precession, 316
- Equipotential surfaces, 547–549
- Equivalence, principle of, 331–333
- Equivalent force constant, 381
- Equivalent time-average force, 145
- Escape from bound orbit, speed for, 327–238
- Ether as medium for propagating light, 861
- Euclid, 351
- Exchange force, 660
- Excitation energy of atoms, 925
- Excited state of atoms, 925
- External forces, 148–150
- Eye, as lens, 798, 801
- Eyepiece:
  - astronomical telescope, 801
  - microscope, 804
- Fahrenheit temperature scale, 402–403
- Farad (unit), 561
- Faraday, Michael, 410, 526, 561, 667, 743
  - law of electromagnetic induction, 669, 671–672, 677–680, 737, 740, 744–745
- Fermi, Enrico, 870–871, 920
- Fermi-Dirac statistics, 871

- Fermi energy, 871  
 Fermilab, 871  
 Fermi surface, 871  
 Field concept, 501–505  
 Field theory, 900  
 First law of thermodynamics:  
   macroscopic interpretation, 434–435  
   microscopic interpretation, 429–434  
 Fixed points in thermometry, 402  
 Fizeau, A. H. L., 760  
 Fluids:  
   definition, 341–342  
   mass flux, 353  
   mechanics, 341–358  
   motion, 351–353  
   nonviscous, 352  
   pressure within, 342–344  
   volume flux, 353–354  
 Flux linkage, 669, 691  
 Focal length:  
   in basic lens equation, 796–798  
   converging thin lens, 792–795, 798  
   definition, 794  
   diverging lens, 800, 801  
 Focal plane, converging lens, 795  
 Focal point, 794  
 Focus, principal, 794  
 Force(s), 86, 144–145  
   action-reaction, 97, 98  
   central, 295–297, 320  
   centrifugal, 123, 125–131  
   centripetal, 123  
   components, 203–204  
   conservative, 171, 184–185, 195, 201,  
     203–206  
   definition, 91–94  
   electric, 295, 314  
   electromagnetic, 310  
   energy-dissipating, 202  
   external, 148–150  
   friction, 98, 115–121, 202, 207  
   fundamental, 310  
   gravitational (*see* Gravitational force;  
     Gravity)  
   inertial, 126–131  
   interaction, 202–203, 310  
   internal, 148  
   line of action, 250  
   moment arm, 250  
   net, 95  
   nonconservative 201–202, 206–209  
   nuclear, 314  
   pseudo, 127  
   radial, 121  
   radially outward, 127  
   resistive, 131–133  
   restoring, 224  
     linear, 131  
     of spring, 195  
     superposition principle, 96  
     unbalanced, 95  
     units, 17, 93, 107–108  
     vectors, 16–22  
     zero, 18  
 Force center, 295  
 Force constant, 231  
 Force diagram, 102  
 Force ratios, 314  
 Forced oscillations, 237–238  
 Foucault, J. B. L., 782  
 Fourier coefficients, 233  
 Fourier theorem, 233–236  
 Franklin, Benjamin, 500, 526  
 Fraunhofer, J., 826  
 Fraunhofer diffraction, 845, 853–855  
 Free-body diagram, 102  
 Free charge on capacitor, 573  
 Free electron in conductors, 492, 591–592  
 Freely falling bodies, 48–51  
 Frequency, 223  
   angular, 223, 282, 700, 728  
   beat, 395  
   charged particle, 626  
   electric oscillation, 700  
   electromagnetic waves, 752, 759  
   fundamental, 378–380, 389–390  
   photoemission, 888  
   radial, 223  
   radiation, in photoelectric  
     effect, 887–891  
   resonance, 716–717, 718, 727–728  
   resonant, 380  
   spectrum, 234–235  
   wave, 373, 779–781, 887  
 Fresnel diffraction, 845  
 Friction, 98, 114–121, 202, 207  
   kinetic 115–117  
   kinetic coefficient, 116, 117 (table)  
   static, 117–121  
   coefficient, 117 (table), 118  
 Fundamental interaction forces, 491  
 Fundamental magnetic interaction, 646  
 Fundamental particles, 492  
 Fusion, 455  
   specific heat of, 453  
 Galilei, Galileo, 87, 98, 104, 231, 351  
 Galilean telescope, 804  
 Galvani, Luigi, 599  
 Galvanometer:  
   circuit symbol, 607  
   in dc circuits, 607–609  
   magnetic torque and, 634–635  
 Gamma rays, 754  
 Gamma-ray microscope, 903  
 Gas:  
   ideal (*see* Ideal gas)  
   kinetic theory, 419, 525, 431  
     basic assumptions, 422–423  
     temperature interpretation, 425–427  
   macroscopic properties, 412  
   mass density, 424  
   specific volume, 412  
   work done by, 413–414  
   work done on, 413  
 Gas constant, universal, 411  
 Gas thermometer, constant-volume,  
   404–406  
 Gauge pressure, 344  
 Gaussian surface:  
   closed, 519, 521  
   cylindrical, 523  
   electric flux and, 519–533  
   magnetism and, 651  
   shape, in uniform electric field, 520–521  
   spherical, 521, 524  
 Gauss's law, 519, 521–525, 526  
   electric fields, 737, 744  
   electricity, 651, 652  
   magnetic fields, 737, 744  
   magnetism, 651  
   proof, 531–533  
 Gay-Lussac, J. L., law of, 411  
 General-gas law, 410–411, 425, 470  
 Goddard, Robert H., 145  
 Gravitation, 99, 310–355 (*see also* Gravity)  
   universal law of, 310, 311–314, 318  
 Gravitational acceleration, 312, 314–315  
 Gravitational constant, universal, 311  
 Gravitational field, 318–319  
   effect on particle motion, 517  
 Gravitational force, 195, 491  
   centrality, 311  
   compared with electric force, 496–497,  
     539, 546  
   conservation, 312  
   law, 330  
   magnitude, 311  
   on planet  
   ratio of, to electric force, 501  
 Gravitational mass, 329–331, 496  
 Gravitational potential, 196–200, 321–326  
 Gravitational waves, 319  
 Gravity, 98, 310–335  
   acceleration due to, 48, 252, 312, 314–315  
   all-pervasiveness, 310  
   center of, 252–253  
   center of, and center of mass, 256–257  
   center of, definition, 161  
   Newton's theory of, 431  
   universal law, 310, 311–314  
 Grounding, 494  
 Ground state of atoms, 924, 934, 935  
 Ground-state energy, 8910  
 Gyration, radius, 271  
 Gyroscope, 299  
 Hall effect, 632–633  
 Hall potential difference, 632  
 Harmonics, 378–380, 389–390  
 Heat, 207, 208, 428–429  
   caloric theory, 410  
   specific, 450–452  
   specific for diatomic molecules, 438 (table)  
   specific, of ideal gas, 436–439  
   as thermal energy transfer, 429–434  
   of transformation, 452–455  
   vibratory theory, 410  
 Heat current, 457  
 Heat engine, 471–472  
   irreversible, 474–76  
   reversible, 474–476  
   and second law of thermodynamics,  
     469–487  
   thermal efficiency, 473, 484  
 Heat pump, 472–476  
 Heisenberg, Werner, 901, 903  
   uncertainty principle, 903–908  
 Helium electron configuration, 935  
 Helium-neon laser, 939–940  
 Henry, Joseph, 667, 691  
 Hertz, Heinrich, 701, 887  
 High-frequency oscillator, 701–702  
 High-pass filter, 713  
 Hill, H. A., 526  
 Holes in semiconductors, 633  
 Hooke, Robert, 122, 185, 834  
 Hooke's law, 122, 185, 365  
   rotational form, 283  
 Huygens, C., 392  
 Huygens's principle, 392  
   and reflected plane wave fronts, 777  
 Huygens wavelets, 392  
 Hydraulic press, 347  
 Hydrogen 328  
   absorption spectrum, 921, 926  
   as diatomic molecule, 426  
   electron configuration, 934  
   emission spectrum, 920, 926  
   ground state, 924  
   ionization, 427  
   energy, 924–925  
   specific heat, 438  
   spectrum, 920–921, 926  
   wave functions, 928–930  
   wavelengths in spectrum of, 925  
   wave-mechanical analysis, 929–930  
 Ice point, 402, 405–406  
 Ideal gas:  
   density, 421  
   internal energy, 471  
   low-density, 422–423  
   pressure, computing, 423–425  
   specific heats, 436–439  
   thermal properties, macroscopic view,  
     401–414  
   thermal properties, microscopic view,  
     419–444  
 Ideal particle, 889  
 Ideal wave, 889  
 Image:  
   real, 795–798, 804, 809

- retinal, 802–803, 804, 849–850
- virtual, 798–799, 800, 801, 804, 809
- Image distance, 796–798
- Impedance, 715–716, 718, 722–723
- Impulse, 144
  - definition, 145
  - and momentum, 144–147
  - units, 146
- Impulse-momentum theorem, 144, 367
- Incoherent sources of waves, 829–830
- Index of refraction, 775, 779–781
  - relative, 780–781, 804–807
  - vacuum, 780
- Induced charge on capacitor, 573
- Induced emf, 667–671
  - electric field and, 677–680
  - electric generator, 671
  - inductor, 691
  - moving conductor, 671–675
  - multiturn coil, 689–690
  - mutual inductor, 705
  - solenoid, 670
- Inductance, 689–705
  - coaxial conductor, 693–694
  - coil, 692, 695–696
  - definition, 691
  - electric oscillations and, 697–704
  - energy and, 696–699
  - LC circuit, 697–702
  - LR circuit, 694–696
  - mutual, 704–705
  - self-, 689–694
  - series RLC circuit, 713–719
  - transmission line, 718
- Inductive reactance, 715
- Inductor:
  - ac circuit, 712, 726–727
  - characteristics, 690–691
  - circuit symbol, 690
  - current carrying, 694–696, 697
  - definition, 690
  - energy, 696–697
  - flux linkage, 691
  - induced emf for, 691
  - magnetic-energy density, 697
  - mutual, 704–705
- Inertia, 367
  - computing, 271–275
  - law, 87
  - moment of, 268–269
- Inertial force, 126–131, 331–332
- Inertial frame, 87, 122, 126, 332–333, 873–875
- Inertial mass, 88, 329–331
- Infrared radiation, 752
- Insulating materials:
  - dielectric strength of, 568–569
  - electric charge and, 492
- Insulator, thermal, 458, 459–461
- Intensity:
  - electromagnetic waves, 755–756, 842–847, 853–856, 899–900
  - light, 767, 768
  - time-average, 817–820, 822–832
  - wave, 392–394, 755
- Intensity zero in diffraction, 842–847, 853–856
- Interaction forces, 202–203, 310
- Interference fringes, 824–825
- Interference, wave, 368–369
  - constructive, 368, 374, 387
  - definition, 817
  - diffraction grating, 828
  - two point sources, 818–824, 829
  - destructive, 368, 373, 374, 387
  - destructive, 368, 373, 374, 387
  - definition, 817
  - Two point sources, 819, 822
- Interference of waves, 816–835
  - from coherent sources, 829–830
  - constructive, 817–835
  - destructive, 817, 819, 822
  - diffraction effects, 841–856
  - in diffraction grating, 826–829
  - from incoherent sources, 829–830
  - Michelson interferometer and, 834–835
  - phase change, 830–832
  - in quantum theory, 902
  - reflection and, 830–832
  - super position and, 816–818
  - thin films, 832–834
  - from two point sources, 818–824
  - Young's experiment, 824–825
- Interference peaks, 827–828, 854, 856
- Interferometer, 834
- Internal energy, 427–428
  - as state function, 434
- Internal forces, 148
- Internal reflection (total), 784–785
- International System of Units, 90
- Inverse-square force, electric force as, 496, 539
- Ionization energy of hydrogen atom, 924–925
- Isobaric process, 414, 437
- Isolated system, 207
- Isothermal process, 414–415
  - reversibility, 470
- Isovolumetric process, 414, 437
- Joule, J., 428, 455
- Joule experiment, 455–456
- Joule heating, 586
- Kelvin, Lord 473, 477
- Kelvin temperature scale, 403, 405–406, 477, 478
- Kepler, Johannes, 316
  - laws of planetary motion, 316–321
- Kinematics, 29
  - for constant acceleration, 41
  - link to dynamics, 96
  - rotational, 265–267
  - of simple harmonic motion, 223–224
  - two dimensional, 56
- Kinetic energy, 171–189
  - of center of mass, 215–216
  - change, 174–175
  - charged particle, 629–630
  - for charges, 546–547
  - in collisions, 209–215
  - confined particle, 909–911
  - definition, 171–173
  - disordered, 449–450
  - electron, 519, 547
  - free electrons, 591
  - molecular, 425
    - and absolute temperature, 426
    - average, 444
    - most probable, 444
  - of moving object, 176
  - orbiting electron, 921–922
  - ordered, 449–450
  - photon, 888
  - recoil, 927
  - relativistic, 875–878
  - rotational, 268–271, 426, 438, 449
  - as scalar, 172
  - translational, 425–426, 438, 449
  - units, 173
  - vibrational, 426, 438, 449
- Kinetic-energy selector, 629
- Kinetic-frictional force, 116
- Kinetic theory of gases, 419, 425, 431
  - basic assumptions, 422–423
  - temperature interpretation, 425–427
- Kirchhoff's rule:
  - first, 610
  - second, 610
- Laboratory reference frame, 215
  - in special relativity, 873–875
- Lasers, 829–830, 937–941
- Lateral magnification in lenses, 797
- Latitude effect of earth's magnetic field, 624
- Lattice spacing in crystalline
  - solid, 852
- Lavoisier, Antoine, 410
- Law(s):
  - Ampère's, 652–656, 737–741, 745
  - of angular momentum, 297–302
  - Biot-Savart, 647–650, 652
  - Boyle's, 411
  - charge conservation, 499, 500, 564, 609–610
  - of J. A. C. Charles, 411
  - classical conservation, 499
  - Coulomb's, 495–498, 501–503, 652, 678
  - electromagnetic induction, 669, 671–672, 677–680, 737, 740, 744–745
  - energy conservation, 195, 197, 204–209, 322, 541–542, 545, 564, 585, 600, 601–602, 609–610, 896, 901
  - Faraday's, 669, 671–672, 677–680, 737, 740, 744–745
  - Gauss's, 519, 521–525, 526, 531–533, 651, 652, 737, 744
  - of J. L. Gay-Lussac, 411
  - general gas, 410–411, 470
  - of gravitational force, 330
  - Hooke's, 122, 365
    - rotational form, 283
  - of inertia, 87
  - Kepler's, of planetary motion, 316–321
  - Lenz's, 675–677, 681–682
  - of Malus, 767
  - mass conservation, 91, 874–875
  - mass-energy conservation, 876–880
  - momentum conservation, 874–875, 901
  - Newton's, 85–108, 115–133, 430
    - applying, 102–107
    - first, 85, 86–87, 429–435
    - second, 85, 95–97
    - second, rotational form 277–281
    - third, 85, 97–99
  - Ohm's, 585–586, 592
  - of physics, universality, 310
  - Snell's, 775, 777, 781–783, 805–806
  - of thermodynamics, first, 429–435
  - of thermodynamics, second, 439–442, 473–474
    - entropy and, 483–485
    - and heat engines, 469–487
    - macroscopic formulations, 487
    - microscopic formulation, 487
  - of thermodynamics, zeroth, 402
  - of universal gravitation, 310, 311–314, 318
  - of vector addition, 6-7
    - associative, 7, 8
    - commutative, 7-8
- Lawrence, E. O., 627
- LC circuit, 697–702
- Lebedev, P. N., 762
- Leibnitz, Gottfried Wilhelm von, 122
- Length:
  - contracted, 871
  - proper, 871
- Lenses:
  - aberrations in, 807–808
  - astronomical telescope, 801–803
  - camera, 798
  - coated, 834
  - combinations of, 801–804
  - concave-convex, converging, 794
  - conjugate points for, 798
  - converging, 792–799, 801–807, 809
  - diffraction effects, 807
  - diverging, 779–801, 810
  - double convex, converging, 794, 805
  - equation, 797, 800, 806
  - focal length, 792–795, 800
  - focal point, 794
  - Galilean telescope 804

- lens maker's formula, 804-807
- microscope, 803-804
- objective, 801, 804
- plano-convex, converging, 794, 805
- radius of curvature, 804-807
- real image and, 795-798
- spherical mirrors and, 808-810
- with spherical surfaces, 793-807
- thin, 792-810
- virtual image and, 798-799, 800
- Lens maker's formula, 804-807
- Lens power, 798
- Lenz, H. F. E., 676
- Lenz's law:
  - diamagnetism, 681-682
  - electromagnetic induction, 675-677
- Light (*see also* Visible light):
  - as electric field, 504
  - intensity, 767, 768
  - monochromatic, in quantum theory, 888-889
  - propagation of, 861
  - ray optics for, 772-785
  - speed of, 759-762
  - unpolarized, 766-767, 768
  - as wave phenomenon, 772-774
- Light pipe, 785
- Like charges:
  - Columb's law and, 495
  - electric-field lines for, 506-507
  - electric force between, 497
  - interactions between, 492
- Linear acceleration, 265
- Linear charge density, 513-515
- Linearly polarized wave, 766
- Linear momentum of electromagnetic waves, 762, 765
- Line of charge, 512-515
- Line source, 393
- Line spectrum, 920-921
- Liquids:
  - thermal energy, 450
  - thermal properties, 448-450
- Livingston, M. S., 627
- Lloyd, H., 831
- Longitudinal waves, 364, 365, 385-387
- Loop of conductor, 667-671, 672-674, 675-680, 689-690, 737-740
- Loop rule for dc circuits, 610
- Loops, 376-377
  - current-carrying, 676-677
- Lorentz, H. E., 628, 880
  - force relation, 628
  - transformations, 880-881
- Low-pass filter, 713
- Low-speed physics versus relativistic physics, 862, 864-865, 880
- LR circuit, 694-696
- Lyman series, 926
- Magnet(s):
  - behavior of, 636
  - magnetic field for, 651, 658
  - permanent, 660
- Magnetic dipoles, 651
  - moment, 635-637
- Magnetic domains, 660
- Magnetic effect, 619
- Magnetic-energy density, 697, 754-755, 756
- Magnetic field, 619
  - Ampere's law, 652-656
  - Biot-Savart law, 647-650
  - from capacitor plates, 740-741
  - center of circular current loop, 649-650
  - from changing electric flux, 739-740
  - compared with electric field, 619
  - from current element, 647-650
  - cylindrical coaxial conductor, 655-656
  - definition, 620-621
  - direction, 621
  - earth, 624
  - effect on moving charge, 619-637
  - electric-dipole oscillator, 757-759
  - electric field and, 501
  - electromagnetic waves and, 751, 752, 754-755, 756
  - energy density, 754-755
  - energy in inductor, 697
  - intensity, 622
  - from long, straight conductor, 644-647, 650
  - magnitude, 621, 624
  - Maxwell's equations and, 737-749
  - Oersted effect and, 643-646
  - from one moving charge, 643-660
  - solenoid, 656-658
  - sources, 643-660
  - in special relativity, 875
  - uniform, 623, 625-630
  - velocity dependence, 625
- Magnetic-field lines, 622-625
  - induction and, 668, 671
  - symbols, 623
- Magnetic flux, 622-625
  - definition, 623
  - in detector loop, 668-669
  - electric field and, 677-680
  - electromagnetic waves and, 746
  - Gauss's law and, 651
  - from moving conductor, 671
- Magnetic-flux density, 622, 623
- Magnetic force, 619-637
  - between charged particles, 666
  - between current-carrying conductors, 646-647, 648
  - characteristics, 620-621
  - on current loop, 634
  - definition, 620-621
  - direction, 620
  - electric charges in motion and, 492
  - on electron, 645-646
  - Hall effect and, 632-633
  - magnitude, 620
- Magnetic induction, 622
- Magnetic-interaction constant, 644
- Magnetic materials, 658-660
- Magnetic monopoles, 651
- Magnetic potential energy, 636
- Magnetic torque, 633-637
- Magnetism and electron spin, 659-660
- Magnifying power of astronomical telescope, 802-803
- Malus, E. L., 767
- Mass, 86, 87-91
  - atomic, 411
  - atomic unit, 90
  - center (*see* Center of mass)
  - charged particle, 629-630
  - conservation law, 874-875
  - conservation law, 91, 354
  - definition, 87-90, 99-100
  - of earth, 316
  - gravitational, 329-331
  - inertial, 88, 329-331
  - ratio, 89
  - relativistic, 874-875, 877
  - rest, 138, 875, 876-877, 878-879, 894
  - scalar additivity, 90-91
  - standard, 90
  - units, 88, 90, 92, 107-108
- Mass-conservation principle, 91, 354
- Mass conservation and special relativity, 874-875
- Mass-energy, conservation of in special relativity, 876-880
- Mass energy, law, 207
- Mass-energy relation, 329
- Mass flux, 353
- Mass points, 157
  - reduction to, 159-160
- Mass ratios, 314
- Mass spectrometer, 630
- Matter waves in quantum theory, 897-899
- Maxwell, James Clerk, 443, 737, 742-743, 745
  - demon, 742-743
  - speed distribution, 443
- Maxwell's equations:
  - electric and magnetic fields, 737, 741-745
  - electromagnetic waves, 745-749
  - in quantum theory, 901-902
  - ray optics, 776
- Mechanical equilibrium, 470
- Mechanical oscillator, analogy with electric oscillator, 702-704
- Mechanical waves, 363-382, 385-398
- Mechanics:
  - fluid, 341-358
  - Newtonian, 423
  - Classical, 85-86
  - and wave mechanics, 906
- Metals, as electrical conductors, 457
- Metastable state of atoms, 937
- Michelson, A. A., 760, 835, 861
  - interferometer, 834-835
- Michelson-Morley experiment, 861
- Microscope lens arrangement, 803-804
- Microwaves, 752, 767
- Microwave oscillator, 702
- mks system, 107
- Moderator, in nuclear reactor, 211-212
- Molecules:
  - collisions, 422-423, 432
  - diameter, 420
  - diatomic, 438
  - as hard spheres, 422
  - monatomic, 438
  - as point masses, 422
  - properties, 420-422
  - random motion, 422, 424
  - size, 420-422
  - speed, 425
  - distribution, 442-444
- Moment of inertia, 268-269
  - computations, 271-275
- Momentum, 137-150
  - angular, 922, (*see* Angular momentum)
  - charged particle, 626, 629-630
  - confined particles, 909
  - conservation of, 874-875, 901
  - conservation law, 137, 138-144, 161
  - definition, 137-138
  - of electron-positron pair, 895, 896
  - external forces and, 149
  - general proof, 147-150
  - impulse, 144-147
  - linear, 138
  - measuring, 875
  - photon, 892-894, 927
  - proton, 626-627, 877
  - relativistic, 138, 873-875, 877
  - units, 138
  - zero, frame, 163
- Momentum conservation:
  - principle, 137, 138-144, 161
  - quantum electrodynamics, 901
  - special relativity, 874-875
- Momentum selector, 629
- Monochromatic radiation, 761, 937-941
- Morley, E. W., 861
- Motion:
  - Brownian, 122
  - circular, uniform, 73-75, 121-126
  - at constant acceleration, 62-67
  - irrotational, 352
  - nonsteady, 352
  - periodic, 233-236
  - in plane, 56-79
  - projectile, 68-73
  - rectilinear, 29-51
  - rotational, 277, 352 (*see also* Rotation)
  - simple harmonic, 222-239
  - steady, 352

- translational, 277
- Multiloop circuits, 609-611
- Muon in relativity experiments, 868-869
- Musical tones, 389
- Mutual inductance, 704-705
- Near-sightedness and lenses, 798
- Neutral Intermediate Vector Boson, (neutrino), 923
- Neutron(s), 380
  - and antineutron, 500
  - charge on, 492
  - thermal, 898
  - wavelength, 898-899
- Newton (unit), 17, 93, 311
- Newton, Isaac, 86, 122-123, 296, 310, 311, 312, 316, 320, 333, 772, 834
- Newtonian mechanics, 423
- Newton's laws, 85-108, 115-133, 197, 430
  - applying, 102-107
  - first, 85, 86-87
  - second, 85, 95-97, 172
    - for rotation, 277-281
  - third, 85, 97-99
- Newton's rings, 123, 834
- Newton's theory of gravity, 321
- Nodes, 376-377
  - displacement, 387-388
  - in interference of waves, 817, 822
  - pressure, 389
- Nonconservative forces, 201-202, 206-209
- Noninertial frame, 129, 331
- Nonmagnetic materials, 659
- Nonpolar dielectrics, 573-574
- Nonpolar molecule, 531, 573-574
- Nonradiative transitions, 938
- n*-type semiconductor, 633
- Nuclear energy, 207, 208
- Nuclear explosion, first, 870
- Nuclear fission, 471
- Nuclear force, 314, 492, 919
- Nuclear reactor, 211-212
- Nuclear scattering, 917-920
- Nucleus, 492, 918
- Null instrument, 608
- Object distance in lens equation, 796-798, 800
- Objective lens, 801, 804
- Orbital rule, Kepler's 317-318
- Orbits, bound, 326-327
  - radius, 326
- Observation angle:
  - diffraction, 842-846, 847-856
  - interference of waves, 818-820, 822-824, 827-829
- Oersted, H. C., 643
- Oersted effect, 643-646
- Ohm, George S., 586
- Ohm's law, 585-586, 592
- Open circuit, 600
- Optical fiber, 785
- Optical path length, 833-834
- Optical pumping, 830
- Optical reversibility principle, 774
- Optical system design, 776
- Optics (*see* Ray optics)
- Orbital angular-momentum component of electron, 931-932
- Orbital angular-momentum number, 930, 931
- Orbital magnetic quantum number, 931-932
- Orbiting satellite, 779
- Oscillations:
  - damped, 236-237
  - electric (*see* Electric oscillations)
  - forced, 237-238
  - small, 229
- Oscillator, simple harmonic, 364, 367
- Pair annihilation, 896-897, 901
- Pair production, 895-896, 901
- Parabolic reflector as transmitter and receiver, 774
- Parallel-axis theorem, 271-273
  - proof
- Parallel capacitors, 54, 566-567
- Parallel-plate capacitor, 561-562, 568, 569, 571, 572-574, 761
- Parallel resistors, 604-606
- Paramagnetic materials, 659-660
- Paraxial rays, 795, 796, 800, 805
- Particle(s):
  - acceleration, in electric field, 517
  - angular momentum, 289-291
    - constant, 294-297
  - confined, 908-911, 929
  - electrically charged, 318-319
  - meaning, 29-30
  - motion, in gravitational field, 517
  - wave character, 897-902
- Particle-antiparticle pairs, 499
- Pascal, Blaise, 347
- Pascal's principle, 347
- Path difference:
  - diffraction, 842-844, 852, 856
  - electromagnetic waves, 818-824
- Pauli, Wolfgang, 923, 934
- Pauli exclusion principle, 933-937
- Pendulum:
  - ballistic, 213-214
  - physical, 281-282
  - simple, 230-233
  - torsion, 282-284
- Perfect gas, 409 (*see also* Ideal gas)
- Period, 75, 124, 223, 233
  - charged particle, 626
  - electric oscillation, 700
  - oscillating, 282
  - of waves, 373
- Periodic motion, 233-236
- Periodic rule, Kepler's, 320-321
- Periodic table and Pauli exclusion principle, 933-937
- Permanent magnet, 660, 680-681
- Permeability of free space, 644
- Permittivity of free space, 521
- Perpetual-motion machine, 476
- Phase:
  - of oscillation, 373
  - shift, 374
  - speed, 373
- Phase angle in series RLC circuit, 715, 717, 718, 722-723
- Phase constant, 225, 282
  - in ac circuit, 711
- Phase difference:
  - electromagnetic waves:
    - diffraction, 842-844, 848-850, 853-855
    - interference, 818, 820-824, 830-834
  - LC circuit, 700
  - series RLC circuit, 717
- Phasors, 719-724
- Photodisintegration, 890
- Photoelectric effect, 887-891, 900
- Photoelectrons, 887-891
- Photoemission, 888-889
- Photon(s), 208, 329:
  - absorption, 937-941
  - electric charge and, 499
  - electric field, 899-902
  - emission, 887-890, 925-927, 937-941
  - energy, 887-888, 890, 891-893, 897, 927
  - momentum, 892-894, 927
  - in photoelectric effect, 887-891
  - speed, 888
  - wavelength, 890-891, 893-894, 925
- Photon multiplication, 938, 939
- Photovoltaic cell, 601
- $\pi$  meson, 499, 500
- Pion, 500
- Pitch, musical, 390
- Planck, Max, 673, 887
- Planck's constant, 887-888
- Plane of charge, 16
- Plane source, 393
- Planets:
  - gravitational force on, 320
  - motion, Kepler's laws of, 316-321
  - Newton's study of, 313
- Plane wave fronts:
  - lenses and, 793, 801
  - reflection and, 777
- Plane waves, 393-394
- Plano-convex lens, 794, 805, 834
- Plasma, 341
- Plate tectonics, 779
- Point charge(s), electric, 491-508 (*see also* Electric charge)
  - Coulomb's law and, 495-498
  - as electric dipole, 530-531
  - electric field between, 504-505
  - electric field for, 503-507, 512-513, 540, 545
  - electric-field lines for, 505-507
  - electric flux for, 521
  - electric force between, 495-498, 539-540
  - electric force for, 495
  - electric potential for, 543-545
  - electric potential energy for, 545-547
  - equipotential surfaces for, 547-549
  - Gauss's law and, 521, 531-532
  - magnitude, 498-501
  - total energy, 547
  - work done in moving, 51, 542-544
- Point image, 778
- Point mass, 161
- Point source(s), 393-394
  - diffraction effects and, 841-844, 853-855
  - interference in waves from, 818-824
  - for measuring small shifts in position, 779
- Point weight, 161
- Polar dielectronics, 574
- Polarization:
  - of electromagnetic waves, 765-768
  - law of Malus and, 767
  - by scattering, 767-768
  - types, 765-766
- Polarization charge on capacitor, 573
- Polar molecule, 531, 573-574
- Polaroid material, 767, 768
- Positron, 331, 499, 895-897
- Positronium, 896
- Potential energy, 194-217
  - change, 195-196, 322
  - conversion to thermal energy, 471
  - definition, 194-196
  - disordered, 459
  - electric (*see* Electric Potential Energy)
  - function, 202-204
  - gravitational, 196-200, 321-326
  - intermolecular, 449
  - nuclear, conversion to thermal energy, 471
  - ordered, 449
  - properties, 201-204
  - spring, 200-201, 202
- Potentiometer, 606, 608-609
- Power, 187-189
  - average value, in ac circuit, 726
  - definition, 187
  - in electric circuit, 585
  - electromagnetic, 461-462
  - inductor, 696
  - instantaneous, 188
  - in ac circuit, 725-728
  - in loop of conductor, 673-674
  - radio antenna, 821
  - time-average in circuit, 725, 726-727
  - units, 188
- Power factor, 726
- Poynting, J. H., 756
- Poynting, vector, 756
- Precession, 302-304
  - angular velocity, 303
  - of equinoxes, 316
- Pressure:
  - absolute, 344



- atmospheric, 343-344, 347-349
- blood, 343
- of gas, in thermometry, 404-405
- gauge, 344
- measuring, 346-347
- relative, 344
- static, variation with elevation, 345-349
- unit, 343
- Pressure antinode, 387, 388
- Pressure node, 389
- Primary of transformer, 729
- Principal focus for lenses, 794, 800
- Principal quantum number, 930
- Principle of equivalence, 331-333
- Principle of indeterminacy, 903
- Prism:
  - dispersion of visible light and, 783
  - in refraction, 782-783, 792-795
- Prism spectrometer, 783
- Probability:
  - decay of atoms and, 938
  - in molecular distribution, 440-442, 486-487
  - wave function and, 899-902, 906, 909
- Process, 412
- adiabatic, 414-415, 438-439, 470
- irreversible, 470-471
- isobaric, 414, 437
- isothermal, 414-415, 470
- isovolumetric, 414, 437
- reversible, 470-471
- Projectile motion, 68-73
- Propagation speed of wave, 755
- Proper length in special relativity, 871
- Proper time, 868
- Proportionality constant, 116, 311, 316
- Proton(s), 314, 319, 331, 380
  - antiproton and, 499
  - atomic structure and, 920-921
  - charge, 492
  - colliding, 214-215
  - cyclotron frequency, 626-628
  - momentum, 626-627, 877
  - path in magnetic field, 877-878
- p*-type semiconductor, 633
- Pulsar, 319
- Quanta, 887
- Quantization, 886-887
  - charge, 500-501, 887
  - energy, 924
- Quantization rule, 922
- Quantum electrodynamics, 900-901
- Quantum jump, 925
- Quantum mechanics, 901
- Quantum number, 909
  - for atomic structure, 927-937
  - orbital angular-momentum, 930-931
  - orbital magnetic, 931-932
  - principal, 930
  - spin magnetic, 932-933, 934
- Quantum-state changes, 937-941
- Quantum theory, 122, 363, 380, 422, 431, 673, 886-911
  - of atomic structure, 917-941
  - Bohr's model, 921-927
  - bremsstrahlung effect, 891-892
  - chemical properties and, 933-937
  - complementarity principle, 902-903
  - Compton effect, 892-894
  - for confined particle, 908-911
  - electromagnetism and, 649
  - energy, 887-897, 909-911
  - of hydrogen atom, 921-927
  - matter waves, 897-899
  - pair annihilation, 896-897
  - pair production, 895-896
  - Pauli exclusion principle, 933-937
  - photoelectric effect, 887-891
  - uncertainty principle, 903-908
  - wavefunction, 899-902, 904-905, 908-909
  - work function, 888
- x-ray production and, 891-892
- Quark, 500
- Quasar as point source, 779
- Radial acceleration, 74, 75, 267
- Radial frequency, 223
- Radiation:
  - coherent, 938
  - electromagnetic, 461-463
  - force of electromagnetic waves, 762-764
  - pressure of electromagnetic waves, 762, 764-765
  - and thermal energy transfer, 461-463
- Radio antenna:
  - as electromagnetic wave generator, 756-757
  - interference of waves and, 821
- Radio astronomy, 319
- Radio interferometry, 779
- Radio receiver, electric oscillator in, 700-701
- Radiotelescope and diffraction effects, 849
- Radio transmitter, photon emission, 889
- Radio waves, 752, 816-835
- Radius:
  - of curvature of lenses, 804-807
  - of earth, 316
  - of gyration, 271
  - orbital, 326
  - vector, 57
- Ray(s), 391
  - deviation, through lenses, 792-810
  - paraxial, 795, 796, 800, 805
- Rayleigh, Lord, 849
- Rayleigh's criterion for resolution, 849-850
- Ray optics:
  - diffraction effects, 841-856
  - electromagnetic waves of small wave-length, 772-785
  - interference, 816-835
  - reciprocity principle, 774-775
  - reflection, 775-779, 784-785
  - refraction, 775-777, 779-783
  - Snell's law, 775, 777, 781-783
  - thin lenses and, 792-810
  - wave optics and, 772-774, 906
- Ray tracing:
  - astronomical telescope, 801-803
  - converging lenses, 795-799
  - diverging lenses, 800-801
  - real image, 795-798
  - spherical mirror, 809-810
  - virtual image, 798-799, 800
- RC circuit, 589-591
- Reactance, 715
  - capacitive, 715
  - inductive, 715
  - in series RLC circuit, 714-715
- Real image, 795-798, 804, 809
- Reciprocity principle, for ray optics, 774, 775, 794
- Recoil kinetic energy of atom, 927
- Red shifts, gravitational, 311
- Reference frames in special relativity, 862-865, 866-875, 878-879, 880-881
- Reflection:
  - definition, 775
  - diffuse, 776
  - electromagnetic waves, 764
  - interference of waves and, 830-832
  - internal, 784-785
  - plane wave fronts, 777
  - rules of, 775-777
  - Snell's law, 775, 777
  - specular, 776
  - spherical wave fronts, 777-778
  - of waves, 367-371, 387
- Reflection-transmission grating, 826
- Reflection-transmission ratio, 776
- Refraction:
  - definition, 775
  - index of, 775, 779-781
  - lenses, 792-795, 804-807
  - rules of, 775-777, 781-783
  - Snell's law, 775, 777, 781-783
  - through nonparallel-face plate, 782-783, 792-795
  - through parallel-face plate, 782, 792
  - through prism, 782-783, 792-795
  - through window glass, 782
- Refractive index:
  - lenses, 804-807
  - relative, 780-781, 804-807
  - thin-film interference, 833-834
- Relative pressure, 344
- Relative velocity rule, 164
- Relativistic dynamics, 877
- Relativistic energy, 875-878, 893
- Relativistic kinetic energy, 875-878
- Relativistic mass, 874-875, 877, 897
- Relativistic momentum, 873-875, 877, 897
- Relativistic space, 869-873
- Relativistic speed, 877
- Relativistic time, 865-871
- Relativistic transformations:
  - space and time, 880
  - velocity, 861-865, 874, 881
- Relativity, 860-861
  - electromagnetism and, 649
  - general theory, 122, 311, 319, 331, 333, 431
  - quantum theory and, 886-911
  - of simultaneity, 880-881
  - special (see Special relativity)
- Repulsion of like charges, 492
- Repulsive force for point charges, 497
- Resistance, 582-592
  - comparison, with Wheatstone bridge, 606, 608
  - equation, 586
  - inductor, 695-696
  - infinite, in dc circuit, 600
  - LR circuit, 694-696
  - measurement, 608
  - microscopic view, 591-592
  - Ohm's law, 585-586
  - open circuit, 600
  - parallel resistors in dc circuits, 604-606
  - RC circuit, 589-591
  - series resistors, 603-606
  - series RLC circuit, 713-719
  - short circuit, 600
  - shunt, 607
  - temperature coefficient of, 588
  - thermal, 459-461
- Resistance thermometer, 403, 404, 588
- Resistivity, 587-589
- Resistor(s):
  - ac circuits, 711, 727
  - circuit symbol, 586
  - dc circuits, 598-611
  - in parallel in dc circuits, 604-606
  - in series in dc circuits, 603-604
- Resolution:
  - diffraction and, 847-850
  - in photography, 849-850
  - Rayleigh's criterion for, 849-850
- Resonance, 238, 380
- Resonance frequency in series RLC circuits, 716-717, 718, 727-728
- Rest energy, 876-878
- Rest mass, 875, 876-877, 878-879, 894
- Restoring force, 224
- Rest time, 868
- Resultant electric force, 501-505
- Retinal image:
  - astronomical telescope, 802-803
  - microscope, 804
  - resolution and, 849-850
- Rheostat circuit, 586
- Right-hand rule:
  - current, 653
  - magnetic-dipole moment, 636
  - magnetic field, 621, 644

- Rigid body:**  
angular momentum, 291-293  
center of gravity, 256-257  
center of mass, 245, 252, 256-257  
definition, 244  
equilibrium, 244-259  
rotational, 253-255  
static, 253-254  
translational, 253  
moment of inertia, 268  
pendulums with, 281-284  
rotating, 265-284  
work done on, 269-271
- RMS value:**  
current, 724  
voltage, 724
- Roemer, Ole, 760**
- Rogers, Eric M., 333**
- Rolling object, energy of, 276-277**
- Röntgen, Wilhelm C., 673, 891**
- Root-mean-square speed, 424, 442, 443**
- Rotating reference, 129**
- Rotating vector (see Phasor)**
- Rotation:**  
axis, 245-246, 250  
equilibrium, 253-255, 283  
Hooke's law for, 283  
Newton's law for, 277-281  
pure, 245  
time rate, 247
- Rotational dynamics, 265-284**
- Rotational kinematics, 265-267**
- Rotational kinetic energy, 268-271**
- Rubbia, Carlo, 758**
- Rumford, Count, 410**
- Rutherford, Ernest, 918**
- Rutherford scattering, 917-920**
- Rydberg constant, 925**
- Satellite:**  
communications, 321  
geosynchronous, 321  
stationary, 321
- Savart, F., 644**
- Sawtooth wave, 234-235**  
from RC circuit, 591
- Scalar additivity of mass, 90-91**
- Scalar equation, 495**
- Scalar product, 179-180**
- Scalars, 5**  
multiplication of vectors, 7, 9
- Scattering:**  
in Compton effect, 892-894  
nuclear, 917-920  
polarization and, 767-768  
Rutherford's experiments, 917-918  
of x-rays, 894
- Schrödinger, Erwin, 901**
- Schrödinger equation:**  
for particle, 929  
in quantum theory, 901-902
- Second law of thermodynamics, 439-442, 473-474**  
entropy and, 483-485  
and heat engines, 469-487  
macroscopic formulation, 487  
microscopic formulation, 487
- Self-inductance, 689-694**
- Semi-conductor(s), 493**  
electric charge and, 493  
Hall effect and, 633  
resistivity and, 588
- Series capacitors, 564-566**
- Series resistors, 603-604**
- Shear stress, 342**
- Short circuit, 600**
- Shunt, 607**
- Simple harmonic motion, 222-239**  
definition, 22  
dynamics, 223-224  
energetics, 228-229  
kinematics, 223-224
- Simple harmonic oscillator, 364, 367**  
in LC circuit, 699-700
- Single-loop dc circuits, 601-603**
- Single-slit diffraction, 844-846, 853-855**
- Sinusoidal variation in ac circuit, 710-722, 725-728**
- Snell, W., 775**
- Snell's Law:**  
in lens maker's formula, 805-806  
reflection and refraction of rays, 775, 777, 781-783
- Solenoid:**  
induced electric field, 678-680  
induced emf, 670  
magnetic field, 656-658
- Solidification, 455**
- Solids:**  
arrangement of atoms in, 492  
thermal energy, 449-450  
thermal properties, 448-463  
as thermal systems, 448-450
- Sound waves, 389-391**  
speed of, 861
- Source charges, 501-503**
- Source phase difference for electromagnetic waves, 818, 820**
- Space contraction in special relativity, 869-873, 881**
- Space quantization, 932**
- Special relativity, 673, 860-881**  
bound systems, 879  
constancy of speed of light and, 860-861  
dynamics, 877  
energy, 875-878  
first postulate, 860  
Lorentz transformations, 880-881  
mass-energy conservation, 876-880  
momentum, 873-875  
muon experiments, 868-869  
reference frames, 862-865, 866-875, 878-879, 880-881  
rest energy, 876-878  
rest mass, 875, 876-877  
rest time, 868  
second postulate, 873  
space, 869-873, 881  
time, 865-869, 881  
twin paradox, 869  
velocity transformations, 861-865, 874, 881  
unbound systems, 878-879
- Specific heat(s), 450-452**  
for diatomic molecules, 438  
of fusion, 453  
of ideal gas, 436-439  
latent, 453  
molar, 436-437, 451  
of transformation, 453, 454  
of vaporization, 453
- Spectroscopy, 920**
- Spectrum:**  
absorption, 921, 926  
Balmer series, 921, 926  
bright-line, 920-921  
dark-line, 921  
electromagnetic, 752-754  
emission, 920-926  
frequency, 234-235  
hydrogen, 920-921, 925-926  
line, 920-921  
Lyman series, 926
- Specular reflection, 776**
- Speed, 58, 61**  
angular, 75-76  
escape, 327-328  
of light, 3  
constancy of, 761, 860-861  
Doppler effect 761-762  
electromagnetic waves and, 759-762  
measurement, 760-761, 861  
molecular, 425, 442-444
- phase, 373  
relative to observer in motion, 861-865  
resistive force proportional to, 131-133  
root-mean-square, 424, 442, 443  
special relativity theory and, 860-881  
standard meter and, 760  
wave, 373, 799-780  
on string, 366-368
- Spherical aberration, 807**
- Spherical mirrors, 808-810**  
concave, 808-810  
convex, 810
- Spherical shell of charge:**  
electric field, 524-525  
electric potential, 553-554
- Spherical shells:**  
gravitational effect, 333-335  
gravitational force on, 313-314  
gravitational potential energy between, 323
- Spherical wave front:**  
lenses and, 794, 800  
reflection of, 777-778
- Spherical waves, 393-394**
- Spin angular momentum, 292-293**
- Spin magnetic quantum number, 932-933, 934**
- Spontaneous emission of photon, 937**
- Spring:**  
constant, 186  
force, 185-187  
as heat engine, 472  
motion of, 702-703  
potential energy, 200-201, 202  
work done by, 185-187
- Square wave, 233-234**
- Standing waves, 375-380, 387-389**  
creation, 377-378
- State function, 429, 434, 435**  
internal energy as, 434, 435
- State of gas:**  
changes in, 412-415  
equation of, 412
- States:**  
molecular, 440-442  
transformations in, 452-455
- State variable, 428, 434, 435**
- Static charges and Coulomb's law, 496**
- Static pressure, variation with elevation, 345-349**
- Statistical mechanics, 122**
- Steam point, 402, 405-406**
- Stefan-Boltzmann law, 641**
- Stellar aberration, 760**
- Stimulated absorption of photon, 937**
- Stimulated emission of photon, 937-938**
- Strange (quark), 500**
- Streamline flow, 351-353**
- Stress:**  
compressive, 342  
shear, 342
- Strong diffraction, 852**
- Strong interaction, 919**
- Strong nuclear force, 491**
- Sublimation, 455**
- Superconductors:**  
magnetic field and, 657-658  
resistivity and, 588-589
- Superposition, 367-368, 373-374, 387-388**
- Superposition principle:**  
for coulomb force, 497  
for electric field, 515, 522  
for forces, 96, 366  
interference of waves and, 816-818  
for magnetic field, 621
- Surface charge, 526**  
density, 515-516, 523, 527-529, 541
- Surface integral for electric flux, 520**
- Tangential acceleration, 267**
- Telescope:**  
astronomical, 801-803

- Galilean, 804
  - Temperature, 401
    - absolute, 406, 477
    - and internal energy, 427
    - mechanical interpretation, 425
    - and molecular kinetic energy, 426, 444
  - absolute zero
  - Celsius, 402–404
  - Fahrenheit, 402–403
  - Kelvin, 402, 405–406, 477, 478
  - kinetic-theory interpretation, 425–427
  - and specific heat, 451
  - Temperature coefficient of resistance, 588
  - Temperature gradient, 458
  - Tension, 1207, 124
  - Tesla (unit), 621
  - Test charge, 501–503, 541–542
  - Thermal coefficient of resistivity, 588
  - Thermal conduction, 456–458
  - Thermal conductivity, 458
  - Thermal diffusion, 426
  - Thermal energy, 207, 208, 429
    - conversion to work, 471
    - dissipated in moving conductor, 675
    - of liquids, 450
    - from potential energy, 471
    - of solids, 449–450
    - transfer through radiation, 461–463
  - Thermal equilibrium, 401–402, 439–442
  - Thermal expansion:
    - area coefficient of, 407
    - and atomic properties, 408–409
    - linear coefficient of, 406–409
    - volume coefficient of, 407–408
  - Thermal insulator, 458, 459–461
  - Therman neutron, 898
  - Thermal resistance, 459–461
  - Thermal speed of electrons, 583–584, 592
  - Thermocouple, 403, 404, 600
  - Thermodynamic equilibrium, 470
  - Thermodynamic temperature scale,
    - absolute, 477–479, 480
  - Thermodynamics:
    - first law:
      - macroscopic interpretation, 434–435
      - microscopic interpretation, 429–434
    - second law, 439–442, 473–474
      - entropy and, 483–485
      - and heat engines, 469–487
      - macroscopic formulation, 487
      - microscopic formulation, 487
    - zeroth law, 402
  - Thermometers, 401
    - calibrating, 402, 404
    - gas, constant-volume, 404–406, 411
    - liquid-in-glass, 402, 404
    - resistance, 403, 404
    - types, 404
  - Thin films, 832–834
  - Thompson, Benjamin, 410
  - Thomson, J. J., 630
  - Threshold frequency for photoemission, 888
  - Tides, 316
  - Time:
    - directionality, 442
    - fundamental unit, 3
    - proper, 868
    - rest, 868
    - in special relativity, 865–872
  - Time average of energy density, electromagnetic field, 755
  - Time-average intensity for electromagnetic waves, 817–820, 822–832
  - Time-average power for electric circuit, 725, 726–727
  - Time constant:
    - LR circuit, 695
    - RC circuit, 590
  - Time dilation, 865–869, 881
  - Tonal quality, 390
  - Top, precession of, 302–304
  - Toroid inductance, 692–693
  - Torque, 247, 249–252
    - and angular momentum, 293–294, 298
    - definition, 250
    - direction, 250–251
    - electric dipole, 530
    - magnetic, 633–635
    - magnitude, 250–251, 252
    - pure, 252
    - sense, 250–251
    - zero, 251, 253
  - Torricelli, Evangelista, 344
  - Torricelli's theorem, 358
  - Torsional wave, 364–365
  - Torsion constant, 283
  - Torsion deformation, 282–284
  - Torsion pendulum, 282–284
  - Transformations, 452–455
    - specific heats of, 454, 454
  - Transformer:
    - ac circuits, 729–730
    - circuit symbol, 729
    - definition, 729
    - as mutual inductor, 704
    - step-down, 730
    - step-up, 730
  - Transistor radio:
    - current and resistance, 586
    - energy and energy costs, 601
  - Transitions in electron energy levels,
    - 924–927, 930–932, 934–936, 938–940
  - Translation, 245–246, 253
  - Translational equilibrium, 283
  - Transmission diffraction grating, 826
  - Transverse component of electric field, 514
  - Transverse wave(s), 364, 365
    - electromagnetic, 751
  - Triple point, 405–406, 477
  - Tsiolkovsky, Konstantin F., 145
  - Twin paradox, 869
  - Ultraviolet radiation, 752
  - Unbound system, 878–879
  - Uncertainty:
    - particle energy, 904
    - particle momentum, 903–904, 906–907
    - particle location, 903–904, 906
    - time interval, 904
  - Uncertainty principle, 903–908
  - Unified atomic mass unit, 877
  - Uniform charge, 512–533
  - Uniform circular motion, 121–126
    - in magnetic field, 625
  - Uniform electric field, 516–519, 628–630
    - electric flux, 520–521
    - field lines and equipotential, 549–552
  - Uniformly charged sheets, electric field
    - from, 516–517, 523–524
  - Uniformly charged wire, electric
    - field for, 522–523
  - Uniform magnetic field, 623, 625–630
  - Unit vector, 249
  - Universal gas constant, 411
  - Universal gravitational constant, 311
  - Unlike charges:
    - electric-field lines, 506–507
    - interactions between, 492
  - Unpolarized light, 766–767, 768
  - Vacuum, 344
    - as perfect insulator, 492
  - Valence and charge quantization, 501
  - Van de Graaff generator, 493, 570
  - Van der Meer, Simon, 758
  - Vaporization, 455
    - specific heat of, 453
  - Variable resistor circuit symbol, 586
  - Vector equation for electric force, 495
  - Vectors, 5–23
    - acceleration, 57–62
    - constant, 67
    - addition laws, 6–8
    - vector units and, 15–16
  - algebra, 7
  - associative law, 7, 8
  - change, 8
  - commutative law, 7–8
  - components, 9–10
  - current-density, 584–585, 592
  - definition, 6
  - displacement, 5–9, 58, 61
    - components, 67
  - equality, 7
  - equation, 96
  - force, 16–22
  - instantaneous, 59
  - multiplication, 7, 9, 179–180
  - negative, 7
  - product, 247–249
    - dot, 179–180
    - scalar, 179–180
  - radius, 57
  - subtraction, 7, 8
  - in three dimensions, 12–15
  - unit, 15–16, 249
    - and dot product, 180–181
  - velocity, 57–62
    - components, 67
    - instantaneous, 58–59
- Velocity:
  - angular, 127, 246, 247, 253, 256, 265–266
  - definition, 256
  - precession, 303
  - as vector, 256
  - average, 32–33
  - of center of mass, 161–163
  - constant, 30–32
    - horizontal, 62
  - electron, in electric field, 518
  - falling object, 703–704
  - field, 352–353
  - final, 60, 93
  - instantaneous, 34, 37, 93
  - linear, 253
  - negative, 31
  - positive, 31
  - relative, 77–79, 164
  - terminal, constant, 131
  - vectors, 57–62, 67
  - units, 31
  - zero, 31
- Velocity selector, 629
- Velocity transformations in special relativity, 861–865, 874, 881
- Vibratory theory of heat, 410
- Virtual image:
  - converging lenses, 798–799, 801, 804, 809
  - definition, 799
  - diverging lens, 800
  - ray optics, 778
- Visible light, 752, 766–767 (*see also* Light)
  - diffraction, 844–850
  - dispersion in prism, 783
  - generated by laser, 937–941
  - interference analysis, 816–835
  - ray optics, 772–785
  - sources, 829–830
  - wave length, 781, 825
- Volta, Alessandro, 542, 599
- Voltage-current plots, 585–586
- Voltage divider in dc circuits, 609
- Voltmeter in dc circuits, 606–608
- Volume flux, 353–354
- Von Guericke, Otto, 348
- Water:
  - density, 408, 420
  - expansion properties, 408
  - ice point, 402, 405–406
  - molar specific heat, 451
  - steam point, 402, 405–406
  - triple point, 405–406, 477
- Wave fronts, 391–392
- Wavelength, 364–365, 372
- Wave mechanics, 363, 380

- Wave number, 371, 372
- Wave(s):
- basic properties, 363–366
  - behavior, 772–774
  - collision, 368–369
  - compressional, 364, 365, 385–387
  - cylindrical, 393–394
  - diffraction, 841–856
    - effects, 773
  - dispersion, 781
  - elastic, 364–365, 385–387
  - electromagnetic, 319
  - frequency, 373, 779–781
  - gravitational, 319
  - intensity, 392–394, 755
  - interference, 368–369, 373–374, 816–835, 902
  - inversion, 369–371
  - longitudinal, 364, 365, 385–387
  - mechanical, 363–381, 385–398
  - period, 373
  - periodic traveling, 364
  - plane, 393–394
  - power, 380–381
  - propagation speed, 755
  - ray optics, 772–785
  - reciprocity principle, 774–775
  - reflection, 369–371, 775–779, 784–785
  - refraction, 775–777, 779–783
  - sawtooth, 233–234
  - sinusoidal, 364–365
    - electromagnetic, 752–754
    - traveling, 364–365
  - sound, 389–391, 861
  - speed, 373, 779–780
    - on string, 366–368
  - spherical, 393–394
  - square, 234–235
  - standing, 375–380, 387–389
    - creation, 377–378
  - superposition, 368–369, 373–374
  - torsional, 364–365
  - transverse, 364, 365
  - wavelengths, 772–774, 781
- Wave front(s):
- plane, 777, 793, 801
  - in ray optics, 772–785
  - spherical, 777–778, 794, 800
- Wave function:
- electron, 929, 930
  - hydrogen, 929–930
  - quantum theory, 899–902, 904–905, 908–909
- Wavelength:
- de Broglie relation, 897
  - electromagnetic waves, 752
  - in hydrogen spectrum, 925
  - neutron, 898–899
  - photon, 890–891, 893–984, 925
  - point sources, 818–824
  - visible light, 781, 825
- Wave mechanics, 901, 906
- Wave number for electromagnetic waves, 752
- Wave optics and ray optics, 906
- Wave packet, 904
- Weak interaction force, 491
- Weber, W., 624
- Weight, 99–102, 252, 254
  - definition, 99
  - unit, 90
  - vector, 99
- Weight density, 345
- Wheatstone, C., 608
- Wheatstone bridge, 606, 608
- Work, 171–189
  - charging capacitors, 569–570
  - in coil by magnetic field, 636
  - computing, 176
  - conversion to heat, 472
  - definition, 173–175
  - and displacement, 175–177
  - done by gas, 413–414
  - done on gas, 413
  - electric current, 585
  - electric force between two point charges, 539–540
  - as energy transfer, 429–434
  - by gravity, 181–184
  - loop of conductor, 673
  - moving a charge, 541, 542–544
  - negative, 175
  - positive, 175
  - properties, 175–179
  - as scalar, 175
  - by spring, 185–187
  - units, 175, 251
  - zero, 175
- Work-energy theorem, 175, 195, 197, 270, 354
- Work function, 888
- X-rays, 752–753
  - diffraction effects, 897–898
  - discovery, 673, 891
  - X-ray diffraction, 850–853
  - X-ray production, 891–892
  - Young, Thomas, 410, 824
    - interference experiment, 824–825
  - Zeeman effect, 932
- Zero, absolute, 406
- Zero-momentum reference frame, 210
- Zero-point energy, 911

*Credits (Continued from copyright page)*

Researchers (bottom) Courtesy of the National Zoological Park / The Smithsonian Institution. **Figure 4-10:** PSSC Physics, 2nd edition, 1965; D. C. Heath and Company with Educational Development Center, Inc., Newton, MA. **Figure 4-14:** Ira Kirschenbaum / Stock, Boston. **Figure 6-6:** Courtesy of James L. Horton, Robert Marston and Associates, Inc. **Figure 6-13(b):** Museum of Modern Art Film Stills Archive. **Figure 6-38:** Dan Helms / Duomo Photography. **Figure 7-5:** Courtesy of NASA. **Figure 8-9:** Alexander Calder. *Dots and Dashes*. 1959. Pained sheet metal and wire. 60 inches wide. Collection of Howard and Jean Lipman. Photograph by Jerry L. Thompson, N.Y., courtesy of the Whitney Museum of American Art. **Figure 8-16:** Photo by Carlin / The Picture Cube. **Figure 8-17:** Courtesy of Dr. Harold Edgerton, MIT, Cambridge, MA. **Figure 9-5:** Dan Helms / Duomo Photography. **Figure 10-20:** Courtesy of CERN. From *CERN Courier*, Vol. 23, no. 9, November 1983 p. 374. **Figure 14-13:** Courtesy of Sperry Corp. **Figure 14-14:** (left) Paul Sutton / Duomo Photography; (right) Adam J. Stolman / Duomo Photography. **Figure 14-15:** Courtesy of Dr. Harold Edgerton, MIT, Cambridge, MA. **Figure 16-19:** Courtesy of Deutsches Museum. **Figure 20-1:** Princeton Gamma Tech; photo courtesy of Tom Adams. **Figure 20-2:** Courtesy of Field Emission Laboratory, The Pennsylvania State University. **Figure 23-2:** Courtesy of MIT Museum Massachusetts Institute of Technology. **Figure 26-4:** Allyn and Bacon file photo. **Figure 28-2:** Burndy Library. **Figure 29-2:** Fermi National Accelerator Laboratory. **Figure 30-1:** Educational Development Center. **Figure 30-18:** Fermi National Accelerator Laboratory. **Figure 30-22:** After photo by R. W. de Blois in D. Halliday and R. Resnick, *Fundamentals of Physics*. New York: John Wiley, 1981. Pages 742, 743: The Institution of Electrical Engineers, London. **Figure 36-10:** Educational Development Center. **Figure 36-19:** Bell Laboratories. **Figure 38-6:** Educational Development Center. **Figure 38-10:** Addison-Wesley Publishing Company. **Page 826:** Ewing Galloway, New York. **Page 827:** Young, Thomas. *A Course of Lectures on Natural Philosophy and the Mechanical Arts*. London: Taylor and Walton, 1845. Courtesy of AIP Niels Bohr Library. **Figure 38-18b:** Bausch and Lomb. **Figures 39-5, 39-7:** Addison-Wesley Publishing Company. **Figure 39-8:** Allyn and Bacon file photo. **Figures 39-9b, 39-10c:** M. Cagnet, M. Francon, J. C. Thrier, *Atlas of Optical Phenomena*. Berlin: Springer, 1962. Courtesy of Springer-Verlag, Heidelberg. **Figure 39-11:** Dan McCoy/Rainbow. **Figure 39-15b:** Eastman Kodak Company. **Figure 41-8:** G. D. Rochester and J. G. Wilson, *Cloud Chamber Photographs of The Cosmic Radiation*. Pergamon Press, 1952. **Figure 41-10:** Courtesy RCA Laboratories. **Figure 42-8c:** John R. Van Wazer and Ilyas Absar, *Electron Densities in Molecules and Molecular Orbitals*. New York: Academic Press, 1975.