

# INDEX

---

- Absolute viscosity, definition, 1.226
- Absorbance, conversion to percent  
absorption, 3.31
- Absorption bands, ultraviolet spectroscopy,  
2.55
- Absorption edges, 3.130
- Absorption energies, X-ray, 3.133
- Absorption frequencies:  
infrared, 3.3  
near infrared, 3.26
- Absorption spectroscopy, infrared (*see* Infrared  
absorption spectroscopy)
- Acetals, infrared absorption, 3.20
- Acid anhydrides, infrared absorption, 3.3
- Acid-base indicators, 2.677
- Acid-base titration, standards, 4.137
- Acidity, measurement of, 1.306
- Acids:  
concentrations for general use, 4.161  
inorganic, naming, 1.9  
inorganic, salts and functional derivatives, 1.11
- Acid value:  
fats and oils, 2.808  
waxes, 2.810
- Actinium series of the elements, radioactivity,  
1.137
- Activity coefficients:  
definition, 1.299  
ions in water at 25°C, 1.300, 1.301  
ternary electrolytes, 1.299  
quaternary electrolytes, 1.299
- Addition compounds, inorganic compounds,  
1.13
- Air, specific gravity at various  
temperatures, 1.92
- Alcohols:  
melting points of derivatives, 2.254  
nomenclature, 2.24
- Alcohol-water freezing mixtures,  
2.460, 2.461
- Aldehydes, infrared absorption, 3.13
- Alkanes, straight chain:  
infrared absorption, 2.4  
nomenclature, 2.4
- Alkenes, infrared absorption, 3.16
- Alkyl halides:  
density, 2.255  
aldehydes, 3.13
- Amides, infrared absorption, 3.8, 3.14
- Amidines, infrared absorption, 3.16
- Amines:  
infrared absorption, 3.8  
melting points of derivatives, 2.254
- Amino acids:  
acid-base properties, 2.48  
definition, 2.47  
formula, 2.47, 2.267  
molecular weight, 2.267  
nomenclature, 2.47  
pKa, 2.267, 4.157  
structure, 2.267
- Amino sugars, 2.51
- Ammine complexes, formation constants,  
4.152
- Ammonia, liquid, vapor pressure, 1.223
- Ammonium ions, infrared absorption, 3.8
- Amylopectin, 2.53
- Amylose, 2.52
- Analytical weights, tolerance, 4.134
- Anions, nomenclature, 1.8
- Antifreeze solutions, composition, 2.461
- Approximate effective ionic radii in aqueous  
solution, 1.151
- Approximate pH value of solutions, calculation,  
1.350
- Argon-ion laser plasma lines, 3.53
- Aromatic compounds:  
infrared absorption, 3.19  
Raman spectroscopy, 3.48
- Asphalt, thermal conductivity, 1.128, 1.232
- Atomic absorption spectroscopy, 3.64
- Atomic and group refractions, 2.288

- Atomic emission spectroscopy, 3.64
- Atomic fluorescence spectroscopy, 3.64
- Atomic numbers of the elements, 1.4, 1.97, 1.121, 1.124
- Atomic radii:
  - elements, 1.151
  - inorganic compounds, 1.151
- Atomic weights of the elements, 1.121
- Atoms, covalent radii, 1.158
- Auto-ignition temperature, 2.351, 2.426
- Azeotropic mixtures, 2.434
  - alcohols, 2.435
  - aldehydes, 2.436
  - amines, 2.436
  - binary, 2.439
  - binary azeotropes containing organic acids, 2.439
  - binary azeotropes containing water, 2.435
  - esters, 2.436
  - ethers, 2.438
  - halogenated hydrocarbons, 2.436
  - hydrocarbons, 2.438
  - inorganic acids, 2.435
  - ketones, 2.438
  - nitriles, 2.439
  - organic acids, 2.435
  - ternary-azeotropic mixtures, 2.454
- Azo compounds, infrared absorption, 3.17
  
- Barometer-temperature correction, 4.48
- Barometric conversion, 4.47
- Barometric correction for gravity, 4.53
- Barometric correction to sea level, 4.54
- Barometric latitude-gravity, 4.51
- Barometry, 4.47
- Bases, concentrations for general use, 4.161
- Benzene and heteroaromatics, ultraviolet absorption, 3.59
- Benzene derivatives, ultraviolet absorption, 3.59
- Binary azeotropes containing:
  - acetamido, 2.451
  - acetic acid, 2.440
  - acetone, 2.451
  - allyl alcohol, 2.448
  - aniline, 2.452
  - benzene, 2.453
  - benzyl alcohol, 2.448
  - bis(2-hydroxyethyl) ether, 2.453
  - 1-butanol, 2.446
  - 2-butanone, 2.451
  - 2-butoxyethanol, 2.449
  - butyric acid, 2.441
  - iso*-butyric acid, 2.442
  - cyclohexanol, 2.447
  - 1,2-ethanediol, 2.449
  - 1,2-ethanediol monoacetate, 2.450
  - ethanol, 2.443
  - 2-ethoxyethanol, 2.449
  - formic acid, 2.439
  - methanol, 2.443
  - 3-methyl-1-butanol, 2.447
  - 2-methyl-2-propanol, 2.446
  - phenol, 2.448
  - 1-propanol, 2.444
  - 2-propanol, 2.445
  - propionic acid, 2.441
  - pyridine, 2.452
  - thiophene, 2.453
- Boiling point, 2.296
  - alkyl halides, 2.255
  - carboxylic acids, 2.256
  - elements, 1.18, 1.124
  - inorganic compounds, 1.16, 1.18
  - organic compounds, 2.65, 2.297, 2.352
  - organic compounds at selected pressures, 2.315
  - organic solvents, 2.348
  - petroleum products, 2.811
  - water at various pressures, 1.93, 1.94
- Bond dipole moments, 1.171, 2.468
  - inorganic compounds, 1.173
- Bond dissociation energies:
  - elements and inorganic compounds, 1.160
  - organic compounds, 2.467
- Bond lengths:
  - between elements, 1.159
  - carbon and other elements, 2.466
  - carbon-carbon, 2.464, 2.465
  - carbon halogen, 2.464
  - carbon-nitrogen, 2.465
  - carbon-oxygen, 2.465
  - carbon selenium, 2.466
  - carbon-silicon, 2.466
  - carbon sulfur, 2.466
  - inorganic compounds, 1.150
  - organic compounds, 2.464
- Bond strengths, inorganic compounds, 1.150
- Bonds, spatial orientation of common hybrid, 1.175
- Boron-11 chemical shifts, 3.99
- Boron compounds, infrared absorption, 3.23
- Brines, freezing point, 2.463
- Buffer solutions, 1.301
  - composition of standard solutions, 1.304
  - National Bureau of Standards reference pH solutions, 1.303
  - non-standard, 1.307
  - values of biological and other buffers for control purposes, 1.308
- Burettes, tolerances for, 4.159

- Calculation of concentrations of species present at a given pH, 1.351
- Carbohydrates, 2.48
  - stereochemistry, 2.51
  - structures, 2.49
- Carbon-13 chemical shifts, 3.87
- Carbon-13 chemical shifts of deuterated solvents, 3.98
- Carbon-carbon bond lengths, 2.464, 2.465
- Carbon-carbon spin coupling constants, 3.96
- Carbon-fluorine spin coupling constants, 3.97
- Carbon halogen bond lengths, 2.464
- Carbon-hydrogen spin coupling constants, 3.95
- Carbon-nitrogen bond lengths, 2.465
- Carbon-oxygen bond lengths, 2.465
- Carbon selenium bond lengths, 2.466
- Carbon-silicon bond lengths, 2.466
- Carbon spin coupling constants with various nuclei, 3.95
- Carbon sulfur bond lengths, 2.466
- Carboxylate ions, infrared absorption, 3.14
- Carbonyl compounds:
  - infrared absorption, 3.12
  - raman spectroscopy, 3.44
- Carboxylic acids (*See also* Fatty acids):
  - boiling point, 2.256
  - formula, 2.55, 2.256
  - infrared absorption, 3.14
  - melting point, 2.256
  - nomenclature, 2.30
  - solubility in water, 2.256
- Cations, nomenclature, 1.8
- Cellulose, 2.53
- Change of state (*see* Thermodynamic functions)
- Chemicals:
  - reactive and incompatible, 4.173
  - refrigerated storage, 4.179
- Chemical symbols of the elements, 1.97, 1.124
- Chirality, 2.43
- Chromatography:
  - behavior of solutes, 4.90
  - ion exchange, 4.95
  - ion exchange resins, 4.97
  - solvents, 4.84
  - supercritical fluids, 4.94
- Cleaning solutions for fritted glassware, 4.132
- Coal, thermal conductivity, 1.232
- Color, inorganic compounds, 1.64
- Common hybrid bonds, spatial orientation, 1.175
- Complex inorganic ions, stability constants, 1.343
- Compressibility, water at various temperatures, 1.95
- Compressibility factor, critical:
  - elements, 1.233
  - inorganic compounds, 1.233
  - organic compounds, 2.592
- Computation of volume, 4.159
- Conductance:
  - conductivity of very pure water, 1.417
  - equivalent conductance of hydrogen and hydroxyl ions, 1.418
  - equivalent conductivity of electrolytes in aqueous solution, 1.412
  - limiting equivalent ionic conductance in aqueous solutions, 1.408
  - limiting equivalent ionic conductance in aqueous solutions, 2.699
  - properties of liquids, 1.407
  - standard solutions for calibrating conductivity vessels, 1.411
- Conductivity:
  - elements, 1.128
  - organic compounds, 2.698
  - water, very pure, 1.417
- Conductivity vessels, standard solutions for calibrating 1.411
- Constant humidity, solutions for, 4.76
- Constants, Debye-Hückel equation, 1.300
- Conversion factors, 4.8
- Cooling mixtures, 4.73
- Coordination compounds, naming, 1.11
- Copper vs. copper nickel alloy thermocouple, 4.192
- Covalent radii, 1.151
  - atoms, 1.158
  - inorganic compounds, 1.151
  - octahedral covalent radii for CN = 6, 1.158
- Critical compressibility factor, elements, 1.233
  - inorganic compounds, 1.233
  - organic compounds, 2.593
- Critical density, organic compounds, 2.593
- Critical pressure:
  - elements, 1.233
  - inorganic compounds, 1.233
  - organic compounds, 2.593
- Critical properties:
  - elements, 1.233
  - inorganic compounds, 1.233
  - lydersen's increments, 2.607
  - organic compounds, 2.593
- Critical temperature:
  - elements, 1.233
  - inorganic compounds, 1.233
  - organic compounds, 2.593
- Critical volume:
  - elements, 1.233
  - inorganic compounds, 1.233

- Critical volume (*Cont.*):  
 organic compounds, 2.593  
 veterer group contributions, 2.608
- Cryoscopic constants, 4.74
- Crystal lattice, types, 1.176
- Crystal structure, 1.177
- Crystals, X-ray spectroscopy, 3.138
- Crystal symmetry, inorganic compounds, 1.64
- Cubical coefficients of thermal expansion, 4.160
- Cyclopropane, triple point, 1.90
- Dative (coordination) bonds, 1.172
- Debye-Hückel equation, constants, 1.300
- Demasking agents, 4.156
- Density, 4.41  
 alkyl halides, 2.255  
 elements, 1.124  
 fats, 2.808  
 inorganic compounds, 1.16  
 mercury, 1.91  
 natural and synthetic rubber, 2.776  
 oils, 2.808  
 organic compounds, 2.65, 2.289  
 petroleum products, 2.811  
 polymers, 2.740, 2.777, 2.780  
 water, 1.91  
 waxes, 2.810
- Deuterium oxide, vapor pressure, 1.225
- Dielectric constant, 1.173  
 inorganic compounds, 1.173  
 organic compounds, 2.470  
 water at various temperatures, 1.95
- Dielectric loss factor, 1.172
- Dienes, ultraviolet absorption, 3.57
- Dienones, ultraviolet absorption, 3.58, 3.57
- Dipole moments:  
 bonds, 1.171, 2.468  
 groups, 1.172, 2.468  
 molecules, 1.173, 2.470
- Disaccharides, 2.48  
 components, 2.52
- Dissociation constants, inorganic acids, 1.330
- Dissociation energies, bonds, 1.160
- DNA, 2.56
- Double bonds, cumulated:  
 infrared absorption, 3.10  
 Raman spectroscopy, 3.43
- Double bonds, miscellaneous:  
 infrared absorption, 3.16  
 Raman spectroscopy, 3.46
- Drying agents, 4.75
- Dynamic viscosity, 2.270
- Ebullioscopic constants, 4.81
- EDTA complexes, formation constants, 4.152
- Effective ionic radii, elements, 1.151
- Electrode potentials:  
 elements and their compounds, 1.380  
 half-wave potentials of inorganic materials, 1.397  
 half-wave potentials of organic materials, 2.687  
 organic compounds, 2.687  
 overpotentials for common electrode reactions, 1.396  
 reference electrodes as a function of temperature, 1.404  
 water-organic solvent mixtures, 1.404  
 selected half-reactions at 25°C, 1.383  
 standard electrode potentials for aqueous solutions, 1.401
- Electrode reactions, overpotentials, 1.396
- Electron affinity:  
 elements, 1.146  
 molecules, 1.146  
 radicals, 1.148
- Electron arrangements of the elements, 1.97
- Electronegativity values, elements, 1.145
- Electrolytes, equivalent conductivity in aqueous solution, 1.412
- Elements, 1.96  
 approximate effective ionic radii in aqueous solution, 1.151  
 atomic numbers, 1.97, 1.121  
 atomic weight, 1.122  
 atomic radii, 1.151  
 boiling point, 1.18, 1.124  
 bond lengths between, 1.159  
 chemical symbols, 1.97, 1.124  
 conductivity, 1.128  
 definition, 1.96  
 effective atomic radii, 1.151  
 electrode potentials, 1.380  
 electron affinity, 1.146  
 electron arrangements, 1.97  
 electronegativity, 1.145  
 energy levels, 1.96  
 enthalpy of formation, 1.237  
 entropy, 1.237  
 formula, 1.18  
 formula weight, 1.18  
 Gibbs energy of formation, 1.237  
 groups, 1.121  
 heat capacity, 1.237  
 heat of fusion, 1.280  
 heat of sublimation, 1.280  
 heat of vaporization, 1.280  
 ionization energy, 1.138

- main energy levels, 1.96, 1.99
- masking agents, 4.153
- melting point, 1.18, 1.124
- nuclear properties, 3.77
- oxidation states, 1.124
- periodic table, 1.121
- periods, 1.121
- physical properties, 1.18, 1.124
- precipitation of, 4.130
- radioactivity, 1.135, 1.136, 1.137
- resistivity, 1.128
- solubility, 1.18
- specific heat, 1.280
- specific heat capacity, 1.124
- sublimation points, 1.124
- thermal conductivity, 1.128 1.231
- vapor pressure, 1.201
- work functions, 1.132
- Element sequence, naming inorganic compounds, 1.5
- Emission energies, X-ray, 3.135
- Energy levels, elements, 1.96
- Energy of formation:
  - elements, 1.237
  - inorganic compounds, 1.237
- Enones, ultraviolet absorption, 3.58
- Enthalpy of formation (*see* Heat of formation)
- Enthalpy of fusion (*see* Heat of fusion)
- Enthalpy of sublimation (*see* Heat of sublimation)
- Enthalpy of vaporization (*see* Heat of vaporization)
- Entropies:
  - elements, 1.237
  - inorganic compounds, 1.237
- Epoxides, infrared absorption, 3.20
- Equilibrium constant:
  - definition, 1.310, 2.620
  - pK values for proton transfer reactions, 2.676
  - pKa values of organic materials in water, 2.620
  - organic material is aqueous solution at various temperatures, 2.670
- Equivalent conductance of hydrogen and hydroxyl ions, 1.418
- Equivalent conductivity of electrolytes in aqueous solution, 1.412
- Esters:
  - infrared absorption, 3.12
  - Raman spectroscopy, 3.45
- Ethers:
  - infrared spectroscopy, 3.20
  - Raman spectroscopy, 3.51
- Eutectic mixtures, 1.418
- Explosive limits, (*see* Flammability and flammability limits)
- Fats, oils and waxes, 2.807
  - properties, 2.808
- Fatty acids, (*See also* Carboxylic acids):
  - formula, 2.55
  - nomenclature, 2.30
- Filters, membran, 4.133
- Fixed points, thermocouples, 4.182
- Fixed points, thermometry, 4.182
- Flammability:
  - auto-ignition temperature, 2.351, 2.426
  - flash point, 2.351
  - ignition temperature, 2.351
  - limits of inorganic compounds in air, 1.96
  - limits of petroleum products in air, 2.811
  - lower flammability limits, 2.351, 2.426
  - organic compounds, 2.351
  - upper flammability limits, 2.351, 2.426
- Flammability limits, 2.351
  - organic compounds, 2.426
- Flash point:
  - organic compounds, 2.65, 2.352
  - petroleum products, 2.811
- Fluidity, definition, 2.271
- Fluorescence spectroscopy, 3.60
  - quantum yield values, 3.63
- Fluorescent indicators, 2.682
- Fluorine-19 chemical shifts, 3.105, 3.106
- Fluorine-19 to fluorine-19 spin coupling constants, 3.106
- Fluxes, 4.133
- Formation constants:
  - ammine complexes, 4.152
  - EDTA complexes, formation constants, 4.152
  - inorganic ligands, 1.358
  - metal complexes, 1.357
  - organic ligands, 1.363
- Formula weight:
  - elements, 1.18
  - inorganic compounds, 1.18
  - organic compounds, 2.65
- Freezing point:
  - lowering, 4.74
  - magnesium chloride brines, 2.463
  - sodium chloride brines, 2.463
- Freezing mixtures, 2.460, 2.461, 2.463
- Freezing temperature (*see* Melting point)
- Fritted glassware:
  - cleaning solutions, 4.132
  - porosity, 4.134
- Functional compounds, organic, nomenclature, 2.18
- Fused polycyclic aromatic hydrocarbons:
  - boiling point, 2.257
  - formula, 2.257

- Fused polycyclic aromatic hydrocarbons (*Cont.*):  
 molecular weight, 2.257  
 melting point, 2.257  
 nomenclature, 2.10, 2.257  
 structure, 2.257
- Fusion, heat of (*see* Heat of fusion)
- Gases:  
 conversion of volume to STP, 4.61  
 molar equivalent of various temperatures and pressures, 4.70  
 physical chemistry equations, 4.67  
 solubility in water, 1.311  
 thermal conductivity as a function of temperature, 2.506  
 TLV concentration limits, 4.165  
 Van der Waal's constants, 2.609
- Gas permeability constants for polymers and rubber, 2.801
- Gibbs energy of formation:  
 elements, 1.237  
 inorganic compounds, 1.237
- Glycerol:  
 aqueous solutions, relative density, 2.287  
 aqueous solutions, surface tension, 2.287
- Glycerol-water freezing mixtures, 2.462
- Glycol-water freezing mixtures, 2.462
- Gravimetric factors, 4.104, 4.135
- Group dipole moments, 1.172
- Groups, organic:  
 nomenclature, 2.19, 2.20, 2.23
- Halogen compounds, infrared absorption, 3.24
- Hammett and Taft substituent constants, 2.703
- Hammett equation, values for, 2.707
- Hammett sigma constants, 2.709
- Hansen solubility parameters:  
 organic liquids, 2.269  
 polymers, 2.805
- Heat capacity:  
 elements, 1.237  
 inorganic compounds, 1.237  
 organic compounds, 2.515  
 polymers, 2.785
- Heating baths, substances for, 4.83
- Heating temperatures for precipitates, 4.135
- Heat of formation, organic compounds, 2.495, 2.515
- Heat of fusion:  
 elements, 1.280  
 inorganic compounds, 1.280  
 organic compounds, 2.561
- Heat of sublimation:  
 elements, 1.280  
 inorganic compounds, 1.280  
 organic compounds, 2.561
- Heat of vaporization:  
 elements, 1.280  
 inorganic compounds, 1.280  
 organic compounds, 2.561
- Heteroaromatics, ultraviolet absorption, 3.59
- Heterocyclic systems:  
 nomenclature, 2.13  
 suffixes, 2.13  
 trivial names, 2.14, 2.17
- 1-Hexene, triple point, 1.90
- Hildebrand solubility parameters:  
 organic liquids, 2.268  
 polymers, 2.804
- Humidity:  
 constant, solutions for, 4.76  
 relative, 4.77, 4.79
- Hybrid bonds, spatial orientation, 1.175
- Hydrocarbons, fused polycyclic aromatic:  
 boiling point, 2.257  
 formula, 2.257  
 molecular weight, 2.257  
 melting point, 2.257  
 nomenclature, 2.10, 2.257  
 structure, 2.257
- Hydrocarbons, saturated:  
 infrared absorption, 3.3  
 Raman spectroscopy, 3.38
- Hydrogen, equivalent conductance, 1.418
- Hydrometers, 4.41  
 conversion between, 4.45
- Hydroxyl compounds:  
 infrared absorption, 3.6  
 Raman spectroscopy, 3.41
- Hydroxyl ions:  
 equivalent conductance, 1.418
- Ice, vapor pressure, 1.222
- ICP spectroscopy, (*see* Induction coupled plasma spectroscopy)
- Ignition temperature (ignition point):  
 definition, 2.351  
 organic compounds, 2.352  
 petroleum products, 2.811
- Imides, infrared absorption 3.15
- Imines, infrared absorption, 3.8, 3.16
- Incompatible chemicals, 4.173
- Indicators:  
 acid-base, 2.677  
 fluorescent, 2.682

- metal ion, 4.151
- mixed, 2.680
- oxidation-reduction, 2.684
- pH determination, 2.686
- Induction coupled plasma spectroscopy, 3.64
- Infrared absorption spectroscopy, 3.3
  - acetals, 3.20
  - acid anhydrides, 3.12
  - aldehydes, 3.13
  - alkane residues attached to miscellaneous atoms, 3.4
  - alkenes, 3.16
  - amides, 3.14
  - aromatic compounds, 3.19
  - atoms bonded to hydrogen by a single bond, 3.3
  - azo compounds, 3.17
  - boron compounds, 3.23
  - carboxylate ions, 3.14
  - carbonyl bonds, 3.12
  - carboxylic acids, 3.14
  - double bonds, cumulated, 3.10
  - double bonds, miscellaneous, 3.16
  - epoxies, 3.20
  - esters and lactones, 3.12
  - halogen compounds, 3.24
  - inorganic ions, 3.26
  - ketals, 3.20
  - ketones, 3.13
  - hydroxyl compounds, 3.6
  - imides, 3.15
  - inorganic ions, 3.26
  - near infrared, 3.26
  - N-H bonds (amines, imines, ammonium ions, amides), 3.8
  - nitro compounds, absorption, 3.17
  - phosphorus compounds, 3.21
  - phthalanes, 3.20
  - sulfates, 3.21
  - sulfonamides, 3.21
  - sulfones, 3.21
  - sulfoxides, 3.21
  - sulfur compounds, 3.21
  - thiocarbonyls, 3.21
  - thioesters and acids, 3.15
  - thiols, 3.21
  - thiosulfonates, 3.21
  - transmission characteristics of selected solvents, 3.29
  - transmitting materials, 3.28
  - transmittance-absorbance conversion, 3.33
  - triple bonds, 3.9
  - urea and derivatives, 3.15
  - urethanes, 3.15
  - values of absorbance for percent absorption, 3.31
  - wave number—wavelength conversion, 3.36
- Inorganic acids, 1.9
  - dissociation constants, 1.330
  - naming, 1.9
  - trivial names, 1.9, 1.10
  - salts and functional derivatives, 1.10, 1.11
- Inorganic addition compounds, 1.13
- Inorganic anions:
  - limiting equivalent ionic conductance in aqueous solutions, 1.409
  - inorganic cations, 1.408
- Inorganic cations, 1.8
  - limiting equivalent ionic conductance in aqueous solutions, 1.408
- Inorganic compounds:
  - boiling point, 1.18
  - color, crystal symmetry, and refractive index, 1.64
  - electrode potentials, 1.380
  - enthalpy of formation, 1.237
  - entropy, 1.237
  - flammability limits, 1.96
  - formula, 1.4, 1.18
  - formula weight, 1.18
  - Gibbs energy of formation, 1.237
  - half wave potentials, 1.397
  - heat capacity, 1.237
  - heat of fusion, 1.280
  - heat of sublimation, 1.280
  - heat of vaporization, 1.280
  - melting point, 1.18
  - naming, 1.5
  - nomenclature, 1.3, 1.5
  - physical constants, 1.18
  - physical properties, 1.16
  - proton-transfer reactions, 1.350
  - saturated solutions, 1.343
  - solubility, 1.18, 1.310
  - solubility of inorganic compounds in water, 1.311
  - solubility of metal salts of organic acids in water, 1.311
  - solubility product constants, 1.331
  - solubility rules, 4.161
  - specific heat, 1.280
  - surface tension, 1.226
  - synonyms and mineral names, 1.13
  - thermodynamic functions, 1.237
  - vapor pressures, 1.203, 1.212
  - viscosity, 1.226
  - writing formulas, 1.4
- Inorganic coordination compounds, 1.11
- Inorganic ions, infrared absorption, 3.23
- Inorganic ligands, formation constants with metal complexes, 1.358

- Inorganic materials in water:
  - half-wave potentials of inorganic materials, 1.397
  - proton transfer reactions of at 25°C, 1.352
- Interplanar spacing, X-ray spectroscopy, 3.138
- Iodine value:
  - fats and oils, 2.808
  - waxes, 2.810
- Ion exchange chromatography, 4.95
- Ion exchange resins, 4.97
- Ionic charge, 1.4
- Ionic conductance, limiting equivalent in aqueous solutions, 1.408
- Ionic radii:
  - approximate effective, in aqueous solution at 25°C, 1.157
  - inorganic compounds, 1.151
- Ionization energy:
  - elements, 1.138
  - molecular species, 1.141, 2.495
  - radical species, 1.141, 2.495
- Ions, activity coefficients in water at 25°C, 1.300, 1.301
- Interfacial tension of polymers in the liquid phase, 2.783
- Iron vs. copper-nickel alloy thermocouple, 4.187
- Isotopic abundances of the elements:
  - mass spectrometry, 3.115
  - natural, 1.132
  
- Ketals, infrared absorption, 3.20
- Ketones:
  - infrared absorption, 3.13
  - melting points of derivatives, 2.254
- Kinematic viscosity, definition, 1.226, 2.271
  
- Lactones, infrared absorption, 3.12
- Lattice, crystal types, 1.176
- Lengths between elements, bond, 1.159
- Limiting equivalent ionic conductance in aqueous solutions:
  - inorganic anions, 1.409
  - inorganic cations, 1.408
  - organic anions, 1.410
  - organic cations, 1.410
- Linear free energy relationships, 2.702
- Liquid ammonia, vapor pressure, 1.223
- Liquid semi-conductors:
  - conductance and conductivity, 1.407
  - properties, 1.407
- Loss tangent, 1.172
- Lydersen's critical property increments, 2.607
  
- Magnesium chloride brines, freezing point, 2.463
- Main energy levels of the elements, 1.96, 1.99
- Masking agents for:
  - anions, 4.155
  - elements, 4.153
  - neutral molecules, 4.155
- Mass absorption coefficients, X-ray spectroscopy, 3.140
- Mass number, 1.4
  - elements, 1.132
- Mass spectrometry, 3.111
  - isotopic abundances of the elements, 3.115
- McReynolds' constants, 4.83, 4.86
- Mechanical properties:
  - natural and synthetic rubber, 2.776
  - polymers, 2.740
- Metal ion indicators, 4.151
- Melting point:
  - carboxylic acids, 2.256
  - derivatives of organic compounds, 2.54
  - elements, 1.18, 1.124
  - inorganic compounds, 1.16
  - lowering, 4.74
  - organic compounds, 2.65
  - paraffins, 2.255
  - polymers, 2.740
  - waxes, 2.810
- Melting points of derivatives of organic compounds:
  - alcohols, 2.254
  - aldehydes, 2.254
  - amines, 2.254
  - ketones, 2.254
  - phenols, 2.254
- Membrane filters, 4.133
- Mercury:
  - density, 1.91
  - vapor pressure, 1.220
- Metal complexes, formation constants, 1.357, 1.358, 1.363
- Metal salts of organic acids, solubility in water, 1.311
- Methane, triple point, 1.90
- Micropipets, tolerances for, 4.158
- Minerals:
  - names, 1.13
  - refractive index, 1.86
- Mixed indicators, 2.680
- Molar refraction, 2.288
- Molecular geometry, definition, 1.174
- Molecular weight, elevation of the boiling point, 4.81
- Molecular weight of petroleum products, 2.811

- Molecules, inorganic:  
 dielectric constant, 1.173  
 dipole moments, 1.173  
 electron affinity, 1.146  
 ionization energy, 1.141
- Molten salts:  
 properties, 1.88
- Monosaccharides, 2.48  
 classification, 2.49
- Monosubstituted benzenes, nuclear magnetic resonance spectroscopy, 3.84
- Naming, (*see* Nomenclature)
- Naphthalene:  
 thermal conductivity, 1.232
- National Bureau of Standards reference pH buffer solutions, 1.303
- Naturally occurring isotopes:  
 Mass spectrometry, 3.115  
 Relative abundances, 1.132
- Neptunium series of the elements, radioactivity, 1.135,
- Nickel-chromium alloy vs. nickel aluminum alloy thermocouple, 4.188
- Nickel-chromium silicon alloy vs. nickel silicon magnesium alloy thermocouple, 4.189
- Nitro compounds, infrared absorption, 3.17
- Nitrogen-15 and nitrogen-14 chemical shifts, 3.100, 3.103
- Nitrogen-15 to proton spin coupling constants, 3.104
- Nitrogen-15 to carbon-13 spin coupling constants, 3.104
- Nitrogen-15 to fluorine-19 spin coupling constants, 3.104
- Nitrogen ring systems:  
 nomenclature, 2.14
- Nitrogen-oxygen ring systems, nomenclature, 2.14
- Nomenclature:  
 anions, 1.8  
 cations, 1.8  
 coordination compounds, 1.11  
 element sequence, 1.5  
 inorganic compounds, 1.4  
 organic compounds, 2.4  
 organic radicals, 2.57  
 synonyms and mineral names, 1.13
- Non-standard buffer solutions, 1.307
- Nuclear magnetic resonance spectroscopy, 3.76  
 boron-11 chemical shifts, 3.99  
 carbon-13 chemical shifts, 3.87  
 carbon-13 chemical shifts of deuterated solvents, 3.98  
 carbon-carbon spin coupling constants, 3.96  
 carbon-fluorine spin coupling constants, 3.97  
 carbon-hydrogen spin coupling constants, 3.95  
 carbon spin coupling constants with various nuclei, 3.95  
 fluorine-19 chemical shifts, 3.105, 3.106  
 fluorine-19 to fluorine-19 spin coupling constants, 3.106  
 nitrogen-15 and nitrogen-14 chemical shifts, 3.100, 3.103  
 nitrogen-15 to carbon-13 spin coupling constants, 3.104  
 nitrogen-15 to fluorine-19 spin coupling constants, 3.104  
 nitrogen-15 to proton spin coupling constants, 3.104  
 nuclear properties of the elements, 3.77  
 monosubstituted benzenes, 3.84  
 phosphorus-31 chemical shifts, 3.107  
 phosphorus-31 spin coupling constants, 3.110  
 proton chemical shifts, 3.80  
 protons attached to double bonds, 3.83  
 proto in deuterated solvents, 3.86  
 proton spin coupling constants, 3.85  
 reference compounds, 3.86  
 silicon-29 chemical shifts, 3.106
- Nuclear properties of the elements, 3.77
- Nuclides, natural abundance, cross-section, radiation, 1.177
- Number of atoms, 1.4
- Numerical, prefixes, 4.3
- 1-Octene, triple point, 1.90
- Oils, 2.807  
 properties, 2.808
- Oligosaccharides, 2.48
- Optical activity, 2.43
- Organic acids, solubility of metal salts in water, 1.311
- Organic anions, limiting equivalent ionic conductance in aqueous solutions, 1.410
- Organic cations, limiting equivalent ionic conductance in aqueous solutions, 1.410
- Organic compounds:  
 auto-ignition temperature, 2.426  
 boiling point, 2.19, 2.297, 2.352  
 boiling points at selected pressures, 2.315  
 bond dissociation energies, 2.467  
 bond lengths, 2.464  
 characteristic groups, 2.19, 2.20  
 chirality, 2.43  
 conductivity, 2.698  
 density, 2.19, 2.289, 2.294  
 dielectric constants, 2.470

- Organic compounds (*Cont.*):  
 dipole moments, 2.468, 2.470  
 electrode potentials, 2.687  
 energy of formation, 2.515  
 enthalpies, 2.515  
 entropies, 2.515  
 equilibrium constants, 2.620, 2.670, 2.676  
 flammability properties, 2.351  
 flash point, 2.19, 2.352  
 formula weight, 2.19  
 half-wave potentials of organic materials, 2.687  
 Hansen solubility parameters, 2.269, 2.805  
 heat capacity, 2.515  
 heat of formation, 2.495, 2.515  
 heat of fusion, 2.561  
 heat of sublimation, 2.561  
 heat of vaporization, 2.561  
 hildebrand solubility parameters, 2.268, 2.804  
 ignition temperature (ignition point), 2.352  
 ionization energy, 2.495  
 lower flammability limits, 2.426  
 melting point, 2.19  
 nomenclature, 2.4  
 optical activity, 2.43  
 physical properties, 2.64  
 proton transfer reactions, 2.676  
 radicofunctional, 2.23  
 refractive index, 2.19, 2.289, 2.294, 2.807  
 saturated solutions, 1.343  
 solubility, 2.19  
 stereochemistry, 2.38  
 surface tension, 2.272  
 thermal conductivity, 2.509  
 upper flammability limits, 2.426  
 vapor pressure, 2.297  
 viscosity, 2.272
- Organic groups, nomenclature, 2.19, 2.20, 2.23
- Organic ions, limiting equivalent ionic conductance in aqueous solutions, 2.699
- Organic ligands, formation constants with metal complexes, 1.363
- Organic liquids:  
 hansen solubility parameters, 2.268  
 hildebrand solubility parameters, 2.268
- Organic radicals, nomenclature, 2.57
- Organic semi-conductors, 2.700
- Organic solvents, (*See also* Solvents):  
 boiling points, 2.348  
 chromatographic use, 4.84  
 infrared transmission, 3.29  
 refractive index and density, 2.294  
 supercritical fluids, 4.94  
 ultraviolet absorption, 3.57, 3.58
- Overpotentials for common electrode reactions, 1.396
- Oxidation-reduction indicators, 2.684
- Oxidation states of the elements, 1.124
- Oximes, infrared absorption, 3.16
- Oxygen ring systems, nomenclature, 2.14
- Paraffin wax, thermal conductivity, 1.232
- Paraffins:  
 boiling points, 2.350  
 melting points, 2.255
- Periodic table, 1.121
- Periods of the elements, 1.121
- Permittivity (*see* Dielectric constant)
- Petroleum products, physical properties, 2.811
- pH:  
 Approximate pH value of solutions, calculation, 1.350  
 calculation of concentrations of species present at a given pH, 1.351  
 measurement, blood and biological media, 1.301  
 reference values of acidity measurement, 1.306  
 values for buffer solutions, 1.307
- pH determination indicators, 2.686
- Pipet capacity, tolerances for, 4.158
- pKa values of organic materials in water, 2.620
- pK values for proton transfer reactions, 2.676
- Phenols:  
 melting points of derivatives, 2.254  
 nomenclature, 2.24
- Phosphorous acids, formula, 2.35
- Phosphorus-31 chemical shifts, 3.107
- Phosphorus-31 spin coupling constants, 3.110
- Phosphorus-containing compounds:  
 infrared absorption, 3.21  
 nomenclature, 2.35
- Phthalanes, infrared absorption, 3.20
- Physical constants, 4.4  
 elements, 1.18  
 inorganic compounds, 1.18
- Physical properties:  
 elements, 1.18, 1.124  
 inorganic compounds, 1.16, 1.18  
 natural and synthetic rubber, 2.776  
 organic compounds, 2.64  
 polymers, 2.740  
 waxes, 2.810
- Plastics, 2.739  
 Properties, 2.740
- Platinum rhodium alloy vs. platinum thermocouple, 4.190, 4.191
- Polycyclic aromatic hydrocarbons:  
 boiling point, 2.257  
 formula, 2.257

- melting point, 2.257
- molecular weight, 2.257
- nomenclature, 2.10, 2.257
- structure, 2.257
- Polymers, 2.709
  - chemical name, 2.778
  - density, 2.740, 2.777
  - density at various temperatures, 2.780
  - electrical properties, 2.740
  - gas permeability constants, 2.801
  - heat capacities, 2.786
  - hildebrand solubility parameters, 2.804
  - interfacial tension, liquid phase, 2.783
  - mechanical properties, 2.740
  - names and structures, 2.730
  - physical properties, 2.740
  - refractive indices, 2.807
  - resistance to chemicals, 2.800
  - surface tension, 2.782
  - thermal conductivity, 2.794, 2.798, 2.799
  - thermal expansion coefficients, 2.784
  - trade names, 2.777
- Polysaccharides, 2.48, 2.52
- Porosity of fritted glassware, 4.134
- Precipitates, heating temperatures, 4.135
- Precipitation of the elements, reagents for, 4.130
- Precipitation, standard solutions, 4.149
- Prefixes:
  - numerical, 4.3
  - SI, 4.3
- Pressure conversion, 4.58
- Pressure, critical:
  - elements, 1.233
  - inorganic compounds, 1.233
- Propene, triple point, 1.90
- Properties, critical:
  - elements, 1.233
  - inorganic compounds, 1.233
- Proton chemical shifts, 3.80
- Protons attached to double bonds, 3.83
- Protons in deuterated solvents, 3.86
- Proton spin coupling constants, 3.85
- Proton-transfer reactions, 1.350
  - inorganic materials in water at 25°C, 1.352
- Purines, in DNA, 2.56
- Pyrimidines, in DNA, 2.56
  
- Quaternary electrolytes, activity coefficient, 1.299
- Quantum yield values, Fluorescence spectroscopy, 3.60
  
- Radicals:
  - electron affinity, 1.146
  - ionization energy, 1.141
- Radioactivity:
  - actinium series, 1.137
  - neptunium series, 1.135
  - thorium series, 1.136
  - uranium series, 1.137
- Raman spectroscopy, 3.37
  - aromatic compounds, 3.48
  - carbonyl compounds, 3.44
  - double bonds, cumulated, 3.43
  - double bonds, miscellaneous, 3.46
  - ethers, 3.51
  - halogen compounds, 3.52
  - heterocyclic rings, 3.53
  - N-H bonds, 3.41
  - saturated compounds, 3.38
  - single bonds, 3.38
  - sulfur compounds, 3.50
  - triple bonds, 3.42
- Reactive chemicals, 4.173
- Redox equations, 4.145
- Reference electrodes as a function of temperature, 1.404
- Reference buffer solutions, 1.301
- Reference compounds, nuclear magnetic resonance spectroscopy, 3.86
- Refractive index:
  - atomic and group refractions, 2.288
  - definition, 1.17, 2.287
  - fats and oils, 2.808
  - inorganic compounds, 1.17, 1.64
  - minerals, 1.86
  - organic compounds, 2.65, 2.287, 2.294
  - polymers, 2.807
  - water at various temperatures, 1.95
  - waxes, 2.810
- Refrigerated storage chemicals, 4.179
- Relative abundances:
  - naturally occurring isotopes, 1.132
- Relative density, glycerol, aqueous solutions, relative density, 2.287
  - sucrose, aqueous solutions, 2.287
- Relative humidity, 4.77, 4.79
- Relative permittivity (*see* Dielectric constant)
- Resistivity, elements 1.128
- Reynolds number, definition, 2.271
- RNA, 2.56
- Rubber, natural and synthetic:
  - gas permeability constants, 2.801
  - mechanical properties, 2.776
  - physical properties, 2.776
  - resistance to chemicals, 2.800

- Salts and functional derivatives of inorganic acids, naming, 1.11
- Saponification value:
  - fats and oils, 2.808
  - waxes, 2.810
- Saturated solutions, inorganic and organic compounds, 1.343
- Screens, (*see* Sieves and screens)
- Selected half-reactions at 25°C, electrode potentials, 1.383
- Semi-conductors, organic, 2.700
- Separation methods, 4.83
- Sieves and screens, 4.180
- Silicon-29 chemical shifts, 3.106
- Single bonds, infrared absorption, 3.3
- SI prefixes, 4.3
- Sodium chloride brines, freezing point, 2.463
- Solidification point, fats and oils, 2.808
- Solubility:
  - carboxylic acids in water, 2.256
  - elements, 1.18
  - inorganic compounds, 1.18
- Solubility and equilibrium contacts, 1.310
- Solubility of gases in water, 1.311
- Solubility of inorganic compounds in water, 1.311
- Solubility of metal salts of organic acids in water, 1.311
- Solubility parameters:
  - group contributions, 2.270
  - hansen, 2.269, 2.805
  - hildebrand, 2.268, 2.804
- Solubility product constants:
  - complex inorganic ions, 1.342
  - inorganic compounds, 1.331
- Solubility rules for inorganic compounds, 4.161
- Solutes, behavior in chromatography, 4.90
- Solutions, standard stock, 4.163
- Solvents, refractive index and density, 2.294
- Spatial orientation of common hybrid bonds, 1.175
- Specific gravity, (*see* Density):
  - air at various temperatures, 1.92
- Specific heat:
  - elements, 1.280
  - inorganic compounds, 1.280
  - organic compounds, 2.561
- Specific refraction:
  - definition, 2.287
- Spectroscopy, infrared absorption, (*see* Infrared absorption spectroscopy)
- Stability constants, complex inorganic ions, 1.343
- Standard buffer solutions, 1.303
- Standard electrode potentials for aqueous solutions, 1.401
- Standard reference values of pH for the measurement of acidity, 1.306
- Standards, for acid-base titration, 4.137
- Standard solutions for calibrating conductivity vessels, 1.411
- Standard solutions for precipitation, 4.149
- Standard stock solutions, 4.163
- Starch, 2.52
- Steam correction for thermometers, 4.182
- Stereochemistry, 2.38
- Structure:
  - crystal, 177
- Sublimation, heat of (*see* Heat of sublimation)
- Sublimation points, elements, 1.124
- Succinonitrile, triple point, 1.90
- Sucrose:
  - aqueous solutions, relative density, 2.287
  - aqueous solutions, surface tension, 2.287
- Suffixes for heterocyclic systems, 2.13
- Sulfates, infrared absorption, 3.21
- Sulfonamides, infrared absorption, 3.21
- Sulfonates, infrared absorption, 3.21
- Sulfones, infrared absorption, 3.21
- Sulfoxides, infrared absorption, 3.21
- Sulfur compounds, infrared absorption, 3.21
- Sulfur ring systems, nomenclature, 2.14
- Supercritical fluids, 4.94
- Surface tension:
  - definition, 2.271
  - inorganic compounds, 1.226
  - organic compounds, 2.272
  - polymers, liquid phase, 2.782
  - water at various temperatures, 1.95
- Synonyms, inorganic compounds, 1.13
- Target elements, X-ray spectroscopy, 3.138
- Temperature conversion, 4.28
- Temperature, critical:
  - elements, 1.233
  - inorganic compounds, 1.233
- Ternary electrolytes, activity coefficient, 1.299
- Ternary azeotropes containing:
  - allyl alcohol, 2.455
  - 1-butanol, 2.455
  - 2-butanol, 2.455
  - ethanol, 2.454
  - methanol, 2.454
  - 3-methyl-1-butanol, 2.455
  - 2-methyl-1-propanol, 2.455
  - 2-methyl-2-propanol, 2.455
  - 1-propanol, 2.454
  - 2-propanol, 2.454
- Ternary azeotropes containing water, 2.456
- Terpenes, formula, 2.54

- Thermal conductivity:**  
 asphalt, 1.232  
 coal, 1.232  
 elements, 1.231  
 gases, as a function of temperature, 2.506  
 naphthalene, 1.232  
 organic compounds, 2.509  
 paraffin (wax), 1.232  
 polymers, 2.794, 2.798, 2.799  
 various solids, 1.232  
**Thermal expansion coefficients of polymers, 2.784**  
**Thermal expansion, cubical coefficients, 4.160**  
**Thermal properties, 1.418**  
**Thermocouples, 4.182**  
 copper vs. copper nickel alloy, 4.192  
 iron vs. copper-nickel alloy, 4.187  
 nickel-chromium alloy vs. nickel aluminum alloy, 4.188  
 nickel-chromium silicon alloy vs. nickel silicon magnesium alloy, 4.189  
 platinum rhodium alloy vs. platinum, 4.190, 4.191  
**Thermocouples, fixed points, 4.184**  
**Thermodynamic functions:**  
 inorganic compounds, 1.237,  
 organic compounds, 2.512  
**Thermometers, stem correction, 4.182**  
**Thermometry, 4.180**  
**Thiocarbonyl compounds, infrared absorption, 3.21**  
**Thioesters and acids, infrared absorption, 3.15**  
**Thiols, infrared absorption, 3.21**  
**Thiosulfonates, infrared absorption, 3.21**  
**Thorium series of the elements:**  
 radioactivity 1.136,  
**Titrimetric factors, 4.138**  
**TLV concentration limits for gases and vapors, 4.165**  
**Tolerances for:**  
 analytical weights, 4.134  
 burettes, 4.159  
 micropipets, 4.158  
 pipet capacity, 4.158  
 volumetric flasks, 4.158  
**Transition temperatures, 1.418**  
**Transmission characteristics of selected solvents, 3.29**  
**Transmittance-absorbance conversion, infrared spectroscopy, 3.33**  
**Transmitting materials, infrared absorption, 3.28**  
**Triple bonds:**  
 infrared absorption, 3.9  
 raman spectroscopy, 3.42  
**Triple points:**  
 cyclopropane, 1.90  
 1-hexene, 1.90  
 inorganic compounds, 1.90  
 methane, 1.90  
 1-octene, 1.90  
 propene, 1.10  
**Ultraviolet spectroscopy, 3.54**  
 absorption bands for representative chromophores, 3.55  
 benzene and heteroaromatics, 3.59  
 benzene derivatives, 3.59  
 cutoffs for spectrograde solvents, 3.57  
 dienes, 3.57  
 enones and dienones, 3.58  
 solvent correction, 3.58  
 Woodward-Fieser rules, 3.57  
**Ununbium, 1.120**  
**Ununhexium, 1.120**  
**Ununoctium, 1.120**  
**Ununnilium, 1.119**  
**Ununquadium, 1.120**  
**Unununium, 1.120**  
**Uranium series of the elements, radioactivity, 1.137**  
**Urea and derivatives, infrared absorption, 3.15**  
**Urethanes, infrared absorption, 3.15**  
**Uronic acids, 2.51**  
  
**Values of absorbance for percent absorption, 3.31**  
**Van der Waal's constants for gases, 2.609**  
**Vaporization, heat of (see Heat of vaporization)**  
**Vapor pressure, 1.199, 2.296**  
 ammonia, liquid, 1.223  
 definition, 1.199  
 deuterium oxide, 1.225  
 equations, 1.199  
 ice, 1.222  
 inorganic compounds, 1.212  
 inorganic compounds up to 1 atmosphere, 1.203  
 liquid ammonia, 1.223  
 mercury, 1.220  
 organic compounds, 2.297  
 selected elements at different temperatures, 1.201  
 various inorganic compounds, 1.212  
 water, 1.224  
**Vapor pressure equations, 1.199**  
**Vapors, TLV concentration limits, 4.165**  
**Viscosity, 4.66**  
 absolute, definition, 1.226  
 conversion of scales, 4.66  
 dynamic, 2.270  
 glycerol solutions, aqueous, 2.287  
 inorganic compounds, 1.226  
 kinematic, definition, 1.226, 2.271

- Viscosity (*Cont.*):  
  organic compounds, 2.272  
  sucrose solutions, aqueous solutions, 2.287  
  water, 1.95
- Volume:  
  computation, 4.159  
  conversion to STP, 4.61
- Volume, critical:  
  elements, 1.233  
  inorganic compounds, 1.233
- Volumetric factors, 4.138
- Volumetric flasks, tolerances for, 4.158
- Water:  
  boiling point at various pressures, 1.93, 1.94  
  compressibility at various temperatures, 1.95  
  critical properties, 1.236  
  density, 1.91  
  dielectric constant, 1.95  
  refractive index at various temperatures, 1.95  
  solubility of gases in, 1.311  
  surface tension, 1.95  
  vapor pressure, 1.224  
  viscosity at various temperatures, 1.95
- Water-alcohol freezing mixtures,  
  2.460, 2.461
- Water-glycerol freezing mixtures, 2.462
- Water-glycol freezing mixtures, 2.462
- Water-organic solvent mixtures, electrode potentials, 404
- Water vapor in saturated air, 4.80
- Wavelengths of absorption edges, 3.130
- Wave number, conversion to wavelength, 3.36
- Wax, thermal conductivity, 1.232
- Waxes, 2.807  
  physical properties, 2.810
- Weight, conversion from air to vacuum, 4.59
- Work functions of the elements, 1.132
- Writing formulas:  
  element sequence, 1.5  
  inorganic compounds, 1.4  
  placement of atoms in a formula, 1.4
- X-ray absorption energies, 3.133
- X-ray emission energies, X-ray, 3.135
- X-ray emission spectra, 3.128
- X-ray spectroscopy, 3.126  
  crystals, 3.138  
  filters for target elements, 3.138  
  interplanar spacing, 3.138  
  mass absorption coefficients, 3.140