

# *Subject Index*

Note: Figures are indicated by *italic page numbers*, Tables by **bold page numbers**

- AAS, *see* atomic absorption spectrometry
- accelerated solvent extraction (ASE), 49, 79–80, **97**, 226, *see also* high pressure solvent extraction
- accuracy, green analytical chemistry and, 4, **4**, 64, 286
- advanced oxidation technologies (AOTs), 294
- AES, *see* Auger electron spectroscopy
- alternative solvents, 47
- for green electroanalysis, 199, 209–212
- green organic solvents, 55
- analytical laboratory wastes, 287, 295–6
- degradation, 293–6
- biodegradation, 295–6
- chemical oxidation, 294
- photocatalytic, 294–5
- thermal, 294
- on-line decontamination, 286–298
- passivation, 296–8
- recycling, 287–293
- analytical methods,
- clean, 14, 29,
- downsizing of, 83–90, 107–138, 186, 203
- environmentally friendly, 3, 191
- greening, 7, 10, 11
- greenness of, 46, 58, 64, 77
- miniaturization, 107–138
- strategies for greening, 8
- APCI, *see* atmospheric pressure chemical ionization
- APPI, *see* atmospheric pressure photoionization
- arc optical emission, 30–1
- ASE, *see* pressurized solvent extraction
- atmospheric pressure chemical ionization (APCI), 272–3
- atmospheric pressure glow discharge (AP–GD) source, 37
- atmospheric pressure photoionization (APPI), 273
- atomic absorption spectrometry (AAS), 72, 91, 233, 236
- ATR, *see* attenuated total reflectance
- attenuated total reflectance (ATR), 26–7
- Auger electron spectroscopy (AES), 35
- automation
- advantages of, 4, 5, 7
- future trends, 164
- solid phase microextraction, 128, 230, 273
- for waste passivation, 296
- batch injection analysis (BIA), 205–6, 206
- BIA, *see* batch injection analysis

- biodegradation, 291, 295–6, 295  
biopolymers, 218  
bioreactor, 266, 295, 295  
biosensors, 251–270  
    autonomous biosensor wireless networks, 268–270  
    classes and fundamentals, 252–8  
    electrochemical transduction, 252–4  
    mass-sensitive sensors, 257–8  
    optical transducers, 254–7  
    for environmental monitoring, 258–268  
    enzyme biosensors, 258–261  
    immunosensors, 261–2  
    nuclear receptors, 264  
    nucleic acid and biosensors, 262–4  
    whole-cell biosensors, 264–8  
blister pack, measurements through, 19–22, 20, 22  
bottles, non-invasive measurements on, 19, 21–3  
calibration, in laser ablation, 32  
capillary electrophoresis, 179–185  
    chiral analysis, 181  
    column, 180  
    flat sheet and, 91  
    green alternative, 179–181, 180  
    microsystems, 137, 187, 208–9  
    portable instruments, 181–5, 184–5  
    solid-phase extraction, 123  
    solid-phase microextraction, 128  
    solvent replacement, 57  
carbon dioxide photodegradation to, 294  
    for SFE, 78, 91, 243–4, 246  
CCD, *see* charge coupled device  
certified reference materials (CMRs), 30, 32  
    fish muscle, 162  
charge coupled device (CCD), 23, 31  
chelating agents, 56, 234, 236, 297  
chemical oxygen demand (COD), 72, 203–4  
chemicals, replacement in flow methodologies, 153  
    reuse in flow-based systems, 156  
chemometrics, 9, 10  
    direct methods, 39  
    vibrational spectroscopy, 25, 28  
cloud point extraction (CPE), flow analysis, 98, 153, 162  
    sample preparation, 94–5, 97  
    sequential injection analysis, 162 steps, 95  
COD, *see* chemical oxygen demand  
computer screen photo-assisted technique (CSPT), 194  
contactless conductivity detection, 183–4, 191  
CPE, *see* cloud point extraction  
CRMs, *see* certified reference materials  
CSPT, *see* computer screen photo-assisted technique  
DART, *see* direct analysis in real time  
degradation, biodegradation, 295–6  
    chemical oxidation, 294  
    photocatalytic, 294–5  
    thermal, 294  
    wastes, 293–6  
derivatization  
    chemical, 7, 8, 154  
    greener reagents, 56–8  
    *in situ*, 78, 118, 238, 273  
DESI, *see* desorption electrospray ionization  
desorption electrospray ionization (DESI), 29, 29  
    analysis of solids, 37–8  
    detection of organic pollutants, 273  
dialysis, 265  
dielectric constant, 49, 50, 66, 70, 80, 210, 245, 271

- digital microfluidics (DMF), 186–9  
diode array detector, 229, 247  
direct analysis, 14  
  alkanes by DESI, 273  
  chemometrics, 39  
  elemental analysis, 31  
  in real time (DART), 272–3  
  molecular analysis, 24–8  
    nuclear magnetic resonance, 24  
    vibrational spectroscopy, 25–8  
  non-invasive methods, 21  
  solids, 23–4, 29, 31, 35, 64  
  without sample damage, 14, 23–8, 38  
  without using reagents, 29–38  
arc optical emission  
  spectrometry, 30–1  
desorption electrospray  
  ionization, 37–8  
  electrothermal atomic  
    absorption spectrometry  
    (ETAAS), 29–30  
  glow discharge, 34–7  
  laser ablation (LA), 31–3, 33  
  laser-induced breakdown  
    spectroscopy, 33–4  
  spark optical emission  
    spectrometry, 29–30  
  X-ray techniques, 23  
direct sampling, 34, 85  
  solid, 29–30  
dispersive liquid-liquid micro-  
  extraction (DLLME), 89–90  
  coupled with GF-AAS, 234  
  coupled with SPE, 234  
  hyphenation with LSE, 235  
  ionic liquids applied in, 235  
  liquid phase microextraction  
    techniques, 87  
  literature about, 87, 234  
  microextraction techniques in  
    sample preparation, 89–90, 97,  
    112, 115  
  sample preparation, 89–90  
  sequential injection, 234  
    in solvent-based miniaturized  
    extraction techniques, 118  
    solvent-reduced techniques, 226,  
    226, 233–5  
DLLME, *see* dispersive liquid-liquid  
  micro-extraction  
DMF, *see* digital microfluidics  
DNA  
  amplification, 263  
  analysis, 188  
  biosensors, 216, 218, 252, 259,  
    262–4  
  immobilization, 218  
  preservation methods, 59  
droplet microfluidics, 186–9  
dry-ash(ing), 28–9, 76  
ecological paradigm, 2  
EHS, *see* environmental, health and  
  safety  
electrochemical biosensors,  
  environmental applications,  
    215–6  
  green analysis, 214–220  
  microsystems-based  
    biosensors, 218–220  
  natural biopolymers, 218  
  using liquid ionics, 216–8  
electrochemical sensors, 202–9  
  flow injection analysis, 203–7  
  green analysis, 202–9  
  microsystems, 207–9  
electrode materials, 212–4  
  hybrid nanocomposites, 213  
  metal nanoparticles, 212–3  
  oxide nanoparticles, 213–4  
  polymers, 214  
  solid amalgams, 214  
electrospray ionization (ESI), 272–3  
electrothermal atomic absorption  
  spectrometry (ETAAS), 29–30,  
  68, 75  
electrowetting-on-dielectric  
  (EWOD), 188  
emulsification, 94, 98–9  
  ultrasonic, 98–9, 234

- environmental, health and safety (EHS), 51
- environmental protection agency (EPA), 3, 7, 45, 133, 170
  - priority PAHs, 134, 238, 247
  - triad approach, 13
- enzyme(s),
  - based immunoassays, 249, **250**
  - biosensors, 253, 258–261
  - electrodes, 253, 260, 263
  - immobilization, 155, 216, 260
  - recycling, 292
  - sample treatment, 73
  - sensors, 212, 215–8, 260
  - waste biodegradation, 295
- EPA, *see* environmental protection agency
- ESI, *see* electrospray ionization
- ETAAS, *see* electrothermal atomic absorption spectrometry
- EWOD, *see* electrowetting-on-dielectric
- FAAS, *see* flame atomic absorption spectrometry
- FAC, *see* field analytical chemistry
- field analytical chemistry (FAC), 182
  - instruments, 182
- flame atomic absorption spectrometry (FAAS), 29, 162
- flow analysis
  - green analytical chemistry, 144–164
  - minimization of reagent consumption, 155–163
  - reduction of waste generation, 149–152, 155–163, **158–9**
  - replacement of hazardous chemicals, 152–5
  - reuse of chemicals, 155
  - waste treatment, 164
- flow systems
  - description, 145–9
  - flow injection analysis, 145, 146
  - minimization of waste, 158–9
  - monosegmented flow analysis, 147, 148
  - multicommotation approach, 147–9, 148
  - multipumping, 149, 149
  - multisyringe, 149
  - segmented flow analysis, 145, 146
  - sequential injection analysis, 145–6, 147
- GD, *see* glow discharge
- GF-AAS, *see* graphite furnace atomic absorption spectrometry
- glow discharge (GD), 29, 34–7
  - radiofrequency powered sources, 36–7
- glow discharge optical emission spectrometry (GD-OES), 34–7,
- graphite furnace atomic absorption spectrometry (GF-AAS), 29–30
  - coupled with DLLME, 234
  - solid sampling, 29–30
- green analytical chemistry,
  - concept of, 4, 64
  - cost of, 10–1, 11
  - flow analysis, 144–164
  - priorities of, 8
  - publication on, 6
  - strategies for, 5, 7, 9–10, 9
- green analytical separation methods, 168–195
- green chemistry, 3
  - concept of, 3, 286
  - principles of, 7–9, 8, 44, 56, 63, 87, 99, 170, 202, 213
- green chromatography, 169–185
  - gas-phase separations, 169–171
  - liquid-phase separations, 171–185
    - capillary electrophoresis, 179–185
    - HPLC-methods, 171–5
    - supercritical fluid chromatography, 175–7

- green electroanalysis, 199–220
  - alternative solvents, 209–212
  - ionic liquids, 209–210
  - supercritical fluids, 211–2
- electrochemical biosensors, 214–220
- environmental applications, 215–6
- microsystems-based
  - biosensors, 218–220
  - natural biopolymers, 218
  - using liquid ionics, 216–8
- electrochemical sensors, 202–9
  - flow injection analysis, 203–7
  - microsystems, 207–9
- future trends, 220
- new electrode materials, 212–4
  - hybrid nanocomposites, 213
  - metal nanoparticles, 212–3
  - oxide nanoparticles, 213–4
  - polymers, 214
  - solid amalgams, 214
- stripping voltammetric, 200–2
- green pictograms, 6, 6
- green solvents, **8**, 45–8
  - for electroanalysis, 220
  - ionic liquids as, 69
  - organic, 51–5
  - for sample preparation, 225
- green terminology, 5
- greener,
  - HPLC, 178
  - methods, 4, 8, 46, 71, 94, 107, 209, 225
  - reagents, 56–60
  - solvents, 46–55, 231
- greening separation and detection techniques, 247–273
- greenness,
  - criteria, 64, **76**
  - measure of, 46
- greenness criteria of Green Chemistry Institute, 64
- greenness profiles, 64, 65, 75,
- greenness related issues, **76**, **96**, 99
- hazardous
  - chemicals, **8**, 45, 59, 82, 154, 160, 203, 247
  - compounds, 294
  - reagents, 9, 32, 46
  - solvents and reagents
    - replacement, 44–60, **153**
    - waste, 45, 57, 64, 69, 93, 203, 287
- hazards, 29, 51, 59, 213, 243, 268
- health, 46, 51, 52, **52**, 58, 183
  - hazards, 29
  - human, 2, 6, 45, 58, 240
- high-performance liquid chromatography (HPLC),
  - amount of solvent, 45
  - electrochemical detection, 210, 214
  - green organic solvents, 51–5
  - green separation, 168, 171–5
  - preparative, 178
  - reversed-phase, 169, 172, 177, 288
  - solid phase microextraction, 238
  - solvent recycling, **291**
  - stir bar sorptive extraction, 238
- high pressure solvent extraction (HPSE), 79, *see also* pressurized liquid extraction
- HILIC, *see* hydrophilic interaction chromatography
- hollow fibre, 91, *see also* liquid phase microextraction
  - membranes, 91, 232
  - microextraction, **112**, 116–8, 232
- HPLC, *see* high-performance liquid chromatography
- HPSE, *see* high pressure solvent extraction
- hydrophilic interaction chromatography (HILIC), 172–3
- ICP-MS, *see* inductively coupled plasma-mass spectrometry
- ICP-OES, *see* inductively coupled plasma-optical emission spectrometry

- inductively coupled plasma-mass spectrometry (ICP-MS), 29, 30–2, **33**, 36
- inductively coupled plasma-optical emission spectrometry (ICP-OES), 29, 30–1, 68, 72
- subcritical water with, 246
- immobilized reagents, 156–7
- immunochemical techniques, 247–251
- chemiluminescent magnetic immunoassays, 251
- enzyme-based immunoassays, 249
- flow-injection immunoassays, 251
- fluorescence polarization immunoassays, 249–251
- in-field, 14, 93, 125
- in situ* derivatization, 78, 118, 238, 273
- internal reflection, *see also* attenuated total reflectance
- ionic liquids, 69, 178, 199
- applied in DLLME, 235
- for green electroanalysis, 209–210
- greener solvents, 48–9
- room-temperature, 210, 216–8, 235–6
- killer application, 189–191
- LA, *see* laser ablation
- lab-on-a-chip, 161, 185, 191–2, 207, 209, 219, *see also* micro-total analysis systems
- lab-on-valve (LOV), 136, 141, **159**, 162, 204, 205
- laser ablation, 29, 31–3
- applications, **33**
- calibration, 32
- direct analysis, 31–3, **33**
- sampling, 32
- laser induced breakdown spectrometry (LIBS), 29, **33**
- analysis of solids, 33–4
- open-path, 34,
- Raman, 34, 35
- stand-off, 34
- leaching, 30, 136
- LED, *see* light-emitting diode
- LIBS, *see* laser induced breakdown spectrometry
- light-emitting diode (LED), 184
- detector in CE, 191
- infrared, 155
- photometer based on, 161–4
- liquid chromatography (LC), *see also* high-performance liquid chromatography
- liquid-phase microextraction, 233
- miniaturization, 109
- nano, 172
- recycling solvents, 288–291, 290, **291**
- reversed phase, 288
- solid-phase extraction (SPE-LC), 119–123, **121**
- liquid phase microextraction (LPME)
- application, **114**, 234
- automation, 90
- hollow fibre (HF-LPME), 84, 88–9, **97**, 232
- sample preparation, 87–90
- solvent-reduced techniques, 226
- liquid-solid extraction (LSE), 77, 235
- LOV, *see* lab-on-valve
- LPME, *see* liquid phase microextraction
- LSE, *see* liquid-solid extraction
- MAD, *see* microwave-assisted digestion
- MAE, *see* microwave-assisted extraction
- MALDI, *see* matrix-assisted laser-desorption ionization
- MAME, *see* microwave-assisted micellar extraction
- matrix-assisted laser-desorption ionization (MALDI), 49, 273
- mechanization of analytical methods, 5

- membrane-based extraction
  - methods, 90–4
- method(s) of analysis
  - greening, 3,
  - non-invasive, 19–23
    - NIR spectroscopy, 19–22, 20
    - Raman spectroscopy, 19, 21–3, 22
  - side effects, 9
- MEUF, *see* micellar enhanced ultrafiltration
- micellar enhanced ultrafiltration (MEUF), 94, 297
- microextraction,
  - dispersive liquid-liquid, 118, 233–5
    - coupled with GF-AAS, 234
    - coupled with SPE, 234
    - hyphenation with LSE, 235
    - ionic liquids applied in, 235
    - liquid phase techniques, 87
    - literature, 87, 234
  - in sample preparation, 89–90, **97, 112, 115**
  - sequential injection, 234
  - in solvent-based miniaturized extraction techniques, 118
  - solvent-reduced techniques, 226, 226, 233–5
- hollow fibre-protected, 116–8
- liquid-phase, 231–3, 87–90
  - application, **114**, 234
  - automation, 90
  - hollow fibre (HF-LPME), 84, 88–9, **97**, 232
  - sample preparation, 87–90
  - solvent-reduced techniques, 226
- multicommutation, 151
- in packed syringe, 238–240
- single-drop, 112–6
  - applications, **114**, 234
  - characteristics, **97**, 113
  - direct, 84, 88, 113
  - dynamic, 116, 234
  - headspace (HS-SDME), 84, 88, 116
- sample preparation, 87–8
  - solvent extraction
    - techniques, 112–5
    - solvent reduced techniques, 231
  - solid-phase, 124–9, 227–230
    - applications, 228
    - automation, 128, 230, 273
    - characteristics, **97**
    - derivatization, 125, 128
    - device, 84, 124
    - direct, 84, 85
    - fibres, **127**, 228–230
    - headspace (HS-SPME), 84, 85
    - in-tube, 124, 230–1
    - membrane protected, 85
    - passive samplers, 241
    - sample preparation methods, 83–5, 84
    - selectivity, 125–6
    - solvent-reduced techniques, 226–230, 226
    - working modes, 85, 125
  - techniques, 83–90, 112–8
  - thin film, 231
- microfluidic(s)
  - capillary electrophoresis, 189
  - continuous-flow, 186, 191
  - devices, 93
  - digital, 186–9
  - droplet, 186–9
  - electrochemical, 207–9, 208–9
  - flow-systems, 162
  - non-instrumental, 190, 191–5
  - paper-based, 192–4
  - protein chip based sensors, 219
- microspectroscopy, Raman, 27
- micro-TAS, *see* micro-total analytical systems
- micro-total analytical systems ( $\mu$ -TAS), 10, 136–8, 190, 207, 273
  - capillary electrophoresis, 208
- microwave-assisted
  - digestion (MAD), 67, 77
    - compared with ultrasound, 72–3, 99
  - focused, 67, 69

- Kjeldahl system, 69
  - on-line, 68
  - reagents for, 67
- extraction (MAE), 44, 69–70, **96**, 133–4, 287
  - advantages, 70
  - dynamic, 135
  - focused (FMAE), 70, **96**
  - miniaturized, 134–5
  - parameters, 69
  - pressurized (PMAE), 70, **96**
- hidrolysis (MAH), 69
- micellar extraction (MAME), 94, **97**, 98
  - for sample preparation, 65–70
    - applications, 66
    - digestion, 66–9
    - extraction, 69–70
- microwave-induced plasma (MIP),
  - for optical emission spectrometry (MIP-OES), 30
  - techniques, 30
- mid infrared, 25–6, 28, 288, 292
- miniaturization
  - alternative for GAC, 107–110
  - analytical methods, 107–138
  - analytical micro-systems, 136–8
  - analytical techniques for treatment of liquid samples, 110–139
  - analytical techniques for treatment of solid samples, 130–6
  - enhanced fluid/solvent extraction techniques, 133–6
    - microwave-assisted extraction, 134–5
    - pressurized liquid extraction, 133–4
    - ultrasonic-assisted extraction, 135–6
  - lab-on-a-valve, 136–7
- matrix solid-phase dispersion, 130–3
- separation methods, 185–195
  - challenges, 195
  - continuous-flow microfluidics, 186
  - digital microfluidics, 186–9
  - droplet microfluidics, 186–9
  - non-instrumental microfluidics devices, 191–5
- solvent-based extraction
  - techniques, 110–8
  - dispersive liquid-liquid microextraction, 118
  - hollow fibre-protected microextraction, 116–8
  - in-vial liquid-liquid extraction, 111–2
  - microextraction techniques, 112–8
  - single-drop microextraction, 112–6
- sorption-based extraction
  - techniques, 118–129
  - solid-phase extraction, 119–124
  - solid-phase microextraction, 124–9
  - stir bar sorptive extraction, 129
- MIP, *see* microwave-induced plasma *or* molecularly imprinted polymer
- MIR, *see* mid infrared
- modified electrode, 17, 202, 202, 204, 206, 208, 210, 260
- molecularly imprinted polymer (MIP), 229, 237
- monosegmented flow analysis (MSFA), 147, *see also* flow analysis
  - automation, 151
  - manifold, 148
  - microextraction, 151, **152**
  - reagent consumption, 152
  - sequential injection (SIMSFA), 204
- MSFA, *see* monosegmented flow analysis
- multicommuration
  - approach, 4, 147–8, 148, 157–160
  - microextraction, 151
  - minimization of wastes, **158–9**
  - reagent consumption, 152
  - sample dilution, 160

- multipumping, 149, 149
  - flow systems, 160–1
- multisyringe
  - flow systems, 149, 151
  - minimization reagents, 161–2
- nanocomposite, 211, 213
  - hybrid, 213
- nanoparticles, 211, 257
  - for biomolecule immobilization, 217
  - functionalization, 217
  - gold, 210, 213, 217, 249, 260, 263
  - magnetic, 217
  - metal, 212–3, 256, 260
  - oxide, 213–4
  - platinum, 213, 258
- national environmental methods index (NEMI), 6, 45–6, 64
- near infrared spectroscopy (NIR),
  - direct analysis without sample damage, 26–7.
  - non-invasive measurements, 19–22, 20
- NEMI, *see* national environmental methods index
- NIR, *see* near infrared spectroscopy
- NMR, *see* nuclear magnetic resonance spectroscopy
- non-biological techniques, 270–3
  - detection techniques, 272–3
  - separation techniques, 270–2
- non-destructive
  - direct determinations, 20
  - elemental analysis, 24
  - laser ablation techniques, 32
  - measurements, 19
  - total internal reflection
    - fluorescence (TIRF), 254
- non-invasive
  - measurements, 14, 19
  - methods of analysis, 8, 9, 10, 19–23
  - NIR spectroscopy, 19–22, 20
  - Raman spectroscopy, 19, 21–3, 22
- nuclear magnetic resonance (NMR) spectroscopy,
  - mobile analysers, 24
  - molecular analysis, 24–5, 38
- on-line analysis, 14, 45
- on-line decontamination of wastes, 8, 286–298
  - degradation, 293–6
    - biodegradation, 295–6
    - chemical oxidation, 294
    - photocatalytic, 294–5
    - thermal, 294
  - passivation, 296–8
  - recycling, 287–293
- on-line detoxification of wastes, 5, 5
- on-line digestion, 68
- on-line monitoring, 50, 202
- on-line solvent recycling, 155, 156
- on-line treatment of wastes, 7, 10
- operator(s) safety, 4–7, 9, 9
- organic pollutants,
  - determination in the environment, 224–274
  - future trends, 273–4
  - green analytical methodologies, 224–5
  - greening separation and detection techniques, 247–273
    - autonomous biosensor wireless networks, 268–270
    - biosensors, 251–270
    - chemiluminescent magnetic immunoassays, 251
    - electrochemical transduction, 252–4
    - enzyme-based immunoassays, 249
    - enzyme biosensors, 258–261
    - flow-injection immunoassays, 251
    - fluorescence polarization immunoassays, 249–251
    - immunochemical techniques, 247–251
    - immunosensors, 261–2

- mass-sensitive sensors, 257–8
- non-biological techniques, 270–3
- nuclear receptors, 264
- nucleic acid and
  - biosensors, 262–4
- optical transducers, 254–7
- whole-cell biosensors, 264–8
- sample preparation, 226–247
  - dispersive liquid-liquid microextraction, 233–5
  - immunoaffinity chromatography, 246–7
  - in-tube extraction, 230–1
  - ionic liquids for green extraction, 235–6
  - liquid-phase microextraction, 231–3
  - microextraction in packed syringe, 238–240
  - passive sampling, 240–3
  - solid-phase microextraction, 227–230
  - solvent-reduced techniques, 226–247
  - stir bar sorptive extraction, 236–8
  - subcritical water extraction, 244–6
  - supercritical fluid extraction, 243–4
  - thin-film extraction, 231
- passivation,
  - electrode, 208
  - metal ion, 297
  - micelle-based, 297
  - on-line, 9, 10,
  - wastes, 4, 5, 7, 10, 287, 296–8,
- PAT, *see* process analytical technology
- PBT, *see* persistent, bioaccumulative and toxic
- PDMS, *see* polydimethylsiloxane
- persistent, bioaccumulative and toxic (PBT), 6, 45–6, 64
- photocatalytic degradation, 294–5
- pictogram,
  - green, 6, 6
  - NEMI, 6
  - SWOT, 6
- PMAE, *see* pressurized microwave-assisted extraction
- POC, *see* point of care
- POCIS, *see* polar organic chemical integrative sampler
- point of care (POC), 182, 185, 192, 194
- polar organic chemical integrative sampler (POCIS), 241–2
- polydimethylsiloxane (PDMS), 85, 93, 119, 126, 127, 129, 186
  - electrochemical, 219
  - microfluidics, 209
  - pumps, 193
  - solid phase microextraction, 86–7, 228
  - stir-bar sorptive extraction, 86–7, 236–7
  - thin film microextraction, 231
- polymers,
  - analysis, 37
  - coating, 87
  - conducting, 217
  - electrode material, 214, 199
  - extraction membranes, 91
  - liquid, 47
  - molecular imprinted (MIPs), 119
  - non-instrumental microfluidics, 192
  - polyurethane (PU) foams, 236–7
  - stir-bar sorptive extraction, 236–7
- portable
  - amperometric biosensor, 219
  - analysers, 31
  - capillary electrophoresis, 181–5, 184–5
  - gas chromatograph, 93, 183
  - instruments, 37–8, 109, 191
  - multiarray optical biosensor, 267
  - NIR spectrometer, 20

- portable (*continued*)  
Raman, 27  
real-time field, 34  
XRF instrument, 24
- preservation methods, 58, 60
- preservatives, 58–9
- pressurized hot solvent extraction (PHSE), 79
- pressurized liquid extraction (PLE), 44, 79, 97, 133, 226  
sample preparation, 79–81
- pressurized microwave-assisted extraction (PMAE), 70, 96
- pressurized solvent extraction (PSE), 49, 287
- process analytical technology (PAT), 20, 28
- PSE, *see* pressurized solvent extraction
- purge and trap, 226–7, 226
- radiofrequency powered glow discharge source (RF-GD), 36–7
- Raman instruments, 27
- Raman-LIBS, 34, 35
- Raman microspectroscopy, 27
- Raman scattering, 17, 25
- Raman sensor, 23
- Raman spectroscopy, 19, 21–8, 22  
direct analysis without sample damage, 26–7
- Rayleigh scattering, 257
- REACH, 242
- refrigerated sorptive extraction (RSE), 238
- remote sensing, 8, 9, 9, 14–9, 14, 38–9  
satellite, 15, 16  
techniques, 17, 18
- reversed-phase HPLC, 169, 172, 177, 288
- RF-GD, *see* radiofrequency powered glow discharge source
- room temperature ionic liquids (RTILs), 210, 216–8
- RP-HPLC, *see* reversed-phase
- RSE, *see* refrigerated sorptive extraction
- RTILs, *see* room temperature ionic liquids
- sample preparation  
dry-ash(ing), 28–9, 76  
green methods, 63–99  
greening, 63–5  
greenness indicator, 65  
membrane-based extraction, 90–4  
microextraction techniques, 83–90  
dispersive liquid-liquid, 89–90  
hollow fibre liquid-phase, 88–9  
liquid-phase microextraction, 87–90  
single-drop, 87–8  
solid-phase microextraction, 83–5  
stir-bar, 86–7  
microwave-assisted, 65–6  
digestion, 66–9  
extraction, 69–70  
pressurized liquid extraction, 79–81  
solid-phase extraction, 81–3  
solvent-reduced techniques, 226–247  
dispersive liquid-liquid microextraction, 233–5  
immunoaffinity chromatography, 246–7  
in-tube extraction, 230–1  
ionic liquids for green extraction, 235–6  
liquid-phase microextraction, 231–3  
microextraction, 227–230  
microextraction in packed syringe, 238–240  
passive sampling, 240–3

- stir-bar sorptive extraction, 236–8
- subcritical water extraction, 244–6
- supercritical fluid extraction, 243–4
- thin-film extraction, 231
- supercritical fluid extraction, 75–9
- surfactant-based methods, 94–9
- ultrasound-assisted, 70–2
  - digestion, 72–3
  - extraction, 73–5
- sampling
  - direct, 34, 68, 85
  - frequency, 10, 39, 145, 147–150, 155
  - headspace, 112
  - in-field, 14, 93, 125
  - in laser ablation, 32
  - passive, 231, 240–3
  - problems, 9
  - slurry, 30, 75
  - solid, 29, 33, 68
  - in vivo*, 230
- SBME, *see* stir bar microextraction
- SBSE, *see* stir bar sorptive extraction
- screening methods, 28, 249, 256, 286
- secondary ion mass spectrometry (SIMS), 35–7
- secondary neutral mass spectrometry (SNMS), 35
- separation methods
  - green analytical, 168–195
- sequential injection (SI), 136
- sequential injection analysis (SIA), 4, 10
  - dispersive liquid-liquid micro-extraction, 234
  - electrochemical sensors, 204, 205
  - flow systems, 146–7
  - manifold, 147
  - reagent consumption, 152, 161–2
  - waste generation, 152, 158, 161–2
- SDME, *see* single-drop microextraction
- microextraction
  - segmented flow analysis (SFA), *see* flow analysis
- sensors,
  - autonomous biosensor wireless networks, 268–270
  - biosensors, 251–270
    - classes and fundamentals, 252–8
    - electrochemical transduction, 252–4
    - for environmental monitoring, 258–268
    - enzyme biosensors, 258–261
    - immunosensors, 261–2
    - nuclear receptors, 264
    - nucleic acid and biosensors, 262–4
    - optical transducers, 254–7
    - whole-cell biosensors, 264–8
  - electrochemical, 202–9
    - flow injection analysis, 203–7
    - green analysis, 202–9
    - microsystems, 207–9
  - enzyme, 212, 215–8, 260
  - green electroanalysis, 202–9
  - immunosensors, 261–2
  - mass-sensitive, 257–8
  - protein chip based, 219
  - Raman sensor, 23
- SFA, segmented flow analysis, *see* flow analysis
- SFC, *see* supercritical fluid chromatography
- SFE, *see* supercritical fluid extraction
- SIMS, *see* Secondary ion mass spectrometry
- single-drop microextraction (SDME),
  - applications, 114, 234
  - characteristics, 97, 113
  - direct, 84, 88, 113
  - dynamic, 116, 234
  - headspace (HS-SDME), 84, 88, 116
  - sample preparation, 87–8
  - solvent microextraction techniques, 112–5
  - solvent reduced techniques, 231

- SNMS, *see* Secondary neutral mass spectrometry
- solid amalgam electrodes (SAE), 214
- solid phase extraction (SPE),  
 automation, 82  
 characteristics, 97  
 compared with LLE, 81, 95  
 gas chromatography (SPE-GC), 119, 123  
 liquid chromatography (SPE-LC), 119–123, **121**  
 miniaturized, 119–124  
 on-line, 119, *121*, **121**, 122, 135  
 procedure, 82, 234  
 sample preparation, 81–3
- solid phase microextraction (SPME)  
 applications, 228  
 automation, 128, 230, 273  
 characteristics, **97**  
 derivatization, 125, 128  
 device, 84, *124*  
 direct, 84, 85  
 fibres, **127**, 228–230  
 headspace (HS-SPME), 84, 85  
 in-tube, 124, 230–1  
 membrane protected, 85  
 microextraction techniques, 83–5  
 passive samplers, 241  
 sample preparation methods, 83–5, *84*  
 selectivity, 125–6  
 solvent-reduced techniques, 226–230, 226  
 working modes, 85, *125*
- solid sampling, 29, **33**
- solvatochromic parameters, 47
- solvent(s)  
 alternative for electroanalysis, 209–212  
 energy demand, 52, **53**  
 environmental effects, 52, **53**  
 green, **8**, 45–8, 99, 220, 225  
 greener, 46–55, 231  
 hazardous, replacement, 44–60  
 recycling, 287–293, *290*  
 replacement, **54**  
 selection guide, 52, 54, **54**
- sonication, 10, *see also*  
 ultrasound-assisted  
 compared with ASE, 79  
 for leaching, 136  
 potential for miniaturized, 135  
 probe, 72–4
- soxhlet extraction, 74  
 compared with other techniques, 70, 74, 79, **96**
- spark optical emission, 30–1, 35
- SPE, *see* solid phase extraction
- SPME, *see* solid phase microextraction
- stir bar microextraction, 86–7, *see also* stir bar sorptive extraction
- stir bar sorptive extraction (SBSE),  
 characteristics, **97**  
 coating, 237  
 headspace (HS-SBSE), 86, 236  
*in situ* derivatization, 238  
 miniaturized treatment of liquid samples, 129  
 on-line, 238  
 PDMS-coated, 86, 129  
 polydimethylsiloxane, 86–7, 236–7  
 sample preparation, 81, 84, 86–7, 226, 236–8
- strengths-weaknesses-opportunities-threats (SWOT), 6, 6
- stripping voltammetry,  
 anodic, 68, 200–1, 204, 208  
 cathodic, 200  
 green, for trace analysis, 200–2  
 lab-on-valve, 204  
 miniaturized, 208  
 SIA, 204  
 square-wave anodic, 200–1, 205–6
- subcritical water extraction (SWE)  
 adsorptive (AdSV), 201,  
 advantages, 80  
 characteristics, **97**  
 comparison with other techniques, **97**, 226

- concentration/extraction step for, 80
- miniaturized treatment of samples, 133–4
- organic pollutants determination, 226–7, 244–6
- pressurized liquid extraction, 79–81
- sample preparation, 79–81
- supercritical fluid chromatography (SFC)
  - chiral separations, 48, 176
  - columns, 176
  - preparative, 178
  - solvating power, 176, 177
- supercritical fluid extraction (SFE)
  - advantages, 78
  - amount of solvent, 74
  - automated, 78
  - carbon dioxide for, 78, **91**, 243–4, 246
  - comparison with other techniques, **96**, 226
  - green solvents for, 47–8
  - organic pollutants analysis, 243–4
  - for sample preparation, 75–9
- supercritical fluids, 75, 175–6, 243
  - alternative solvents for electroanalysis, 211–2
  - greener solvents, 47–8
  - references to, 75
- surfactant-based sample preparation methods, 94–9
  - emulsification, 98–9
  - extraction, 94–8
- SWE, *see* subcritical water extraction
- SWOT, *see* strengths-weaknesses-opportunities-threats
- TAS, *see* micro-total analytical systems
- t-channel geometry, 187
- teledetection systems, 14–9
- thin film microextraction, 231
- time of flight mass (TOF), 37, 195
- TIRF, *see* total internal reflection fluorescence
- TOF, *see* time of flight mass
- total internal reflection fluorescence (TIRF), 254, **261**, 262
- toxic release inventory (TRI), PBT in, 45
- TRI, *see* toxic release inventory
- ultrasonic bath, **96**, 135,
- ultrasonic emulsification, 98–9
- ultrasonic probe, 72–4, 135,
- ultrasound-assisted,
  - continuous extraction, 74
  - digestion, 72–3
  - for electrochemical biosensors, 216
  - emulsification, 98–9
  - emulsification-microextraction (USAEME), 234
  - energy consumption, 99
  - extraction (UAE), 73–5, **77**, **96**, 98, 135–6
  - matrix solid-phase dispersion (UA-MSPD), 135
  - micellar extraction (USME), 94, 98,
  - sample preparation, 70–5
    - miniaturized, 135–6
  - for wastes degradation, 294
- vibrational spectroscopy,
  - chemometrics, 25, 28
  - mid infrared, 25–6, 28, 288, 292
  - near infrared, 19–22, 26–7
  - Raman, 19, 21–8, 22
- waste minimization, 156, 160, 163
- waste treatment in flow analysis, 163
- wastes
  - degradation of, 293–6
  - generation of, 3, 39, 92, 94
  - minimization of, 5, 29
  - passivation of, 4, 5, 7, 10, 287, 296–8

## water

dielectric constant, 49, 50,  
271

greener solvent, 49–51

world-to-chip, 189–191, 195

## X-ray

direct analysis, 23–4, 38

*in situ* analysis, 182

microprobe, 34

techniques for elemental  
analysis, 23–4

X-ray fluorescence (XRF), 23, 34

energy dispersive (ED-XRF), 23

total reflecting (TXRF), 68

wavelength dispersive

(WD-XRF), 23

XRF, *see also* X-ray fluorescence