

# *Subject Index*

- acceptor number 18
- acetic acid 20
  - pharmaceutical industry use 13
- acetone 9, 20
  - physical properties 45
  - polarity 19
- acetonitrile 7, 20
  - hafnium chloride conversion 31
  - pharmaceutical industry use 13
- acylases 57
- aerosol solvent extraction system (ASES) 192
- alcohols 100–4
  - aerobic oxidation 55
  - oxydehydrogenation 177
- aldol reaction, enantioselective 38
- aldoxime dehydratase 57
- alkanes 113–14
- N-alkylation reactions 40, 57
- alternative solvents
  - need for 1–3
  - pharmaceutical industry 12–14
- amidases 57
- amiocapronitrile, hydrolysis-cyclization 89
- ammonium cation 119
- ammonium lactate 104
- amphiphilic solvents 145
- analytical chemistry
  - fluorous 150–2
  - near-critical water 84–6
  - supercritical water 84–6
- anions 119
- apolar 16
- aprotic 17
- aqueous biphasic reactive extraction 179–81
- aqueous biphasic systems 172–3
- aspartic acid 98
- asymmetric aldol reaction 52
- asymmetric dihydroxylation 175
- asymmetric hydrogenation 78, 175
- asymmetric Michael addition 52
- Baeyer-Villiger reaction 161
- ball mills 24, 31, 33, 35
- Baylis-Hillman reaction 31, 52
- benzaldehyde 25
- benzene 2, 13
- Biginelli condensation 30
  - poly(ethyleneglycols) 176
- BINAP ligand 153, 155
- Bingel reaction 32, 33
- biocatalysis 207
  - fluorous solvents 161–2
  - in RTILs 131–2
  - supercritical carbon dioxide 82
  - water 57–8
- biocatalytic ammonolysis 128
- biodiesel 99, 105–8
  - advantages 106
  - monomers polymerized in 107
  - synthesis 105
- bioethanol 9, 99
- biofuels 99
- biomass feedstocks 99
  - ionic liquids and eutectic mixtures prepared from 114–15

- biorefineries 97
- bio-solvents 97–8
- biphasic systems 46–9
  - 1-butanol 3
  - 2-butanone 3
  - 1-butyl-3-methylimidazolium 36
  - butyl acrylate 107
  - tert*-butyl methyl ester 2
  
- calix[4]resorcinarenes 25, 26
- Cannizzaro reaction 34
- capillary electrophoresis 86
- $\epsilon$ -caprolactam 205
- carbon dioxide 3, 9
  - copolymerization 197
  - critical density 69
  - critical point 69
  - expanded liquids *see* gas expanded liquids
  - fixation 58–60
  - hydrogenation 78
  - as solvent 210–14
  - supercritical 46, 71–84
    - advantages 72
    - chemical synthesis 76–82
    - disadvantages 72
    - extraction 74–6
    - materials synthesis 82–4
    - solubility 71–4
- ortho*-carboranes 29
- case studies 204–17
- catalysis 54–6
  - enantioselective 36–9
  - fluorous biphasic 153–62
  - gold 32–3, 34
  - heterogeneous 79–80
  - phase transfer 48, 49, 55, 206
  - platinum 32, 34
  - thermomorphic biphasic 201–2
- catalytic asymmetric transfer hydrogenation 52
- cations 119
- cellulose 134
  - hydrolysis 57
- chemical synthesis
  - biodiesel 105
  - near-critical/supercritical water 86–9
    - in RTILs 126–36
    - supercritical carbon dioxide 76–82
      - biocatalysis 82
      - biphasic carbon dioxide-aqueous/carbon dioxide-ionic liquid systems 80–2
      - heterogeneous catalytic reactions 79–80
      - water 51–60
    - chiral imidinium carbamates 121
    - chitin 25, 134
    - chitosan 25
    - chloroform 3
    - choline chloride 120
    - Claisen rearrangement 53
    - Claisen-Schmidt condensations 87
    - Clariant process 208
    - coffee, decaffeination 210–11
    - combinatorial chemistry 164–7
    - computer-aided solvent selection 4
    - CORTERRA PTT 97
    - crude oil prices 100
    - cyanation 57–8
    - cyclopentyl methyl ether 108, 109
  
  - deep eutectic solvents 123
  - dehydrogenase 132
  - depressurization of expanded liquid organic solution (DELOS) 192
  - diastereoselective sulfur oxidation 78
  - dichloromethane 2, 3, 12
    - alternatives to 14
    - hafnium chloride conversion 31
    - pharmaceutical industry use 12, 13
    - physical properties 111
    - solvent properties 108
  - dielectric constant 18
  - Diels-Alder reactions 21, 30, 37, 128
    - fluorous 152
    - near-critical/supercritical water 88
    - poly(ethyleneglycols) 175
    - supercritical carbon dioxide 76–7, 78
      - water 51, 53
  - dienes, oxydehydrogenation 177
  - diethyl ether 13, 108
  - Difasol process 215

- dihydropyrimidinones 29–30  
dimethylamine 13  
*N,N*-dimethylformamide 13  
dimethyl sulfoxide 199–200  
dioxane 7  
dipolar 16  
dipole moment 18  
dispersive forces 18  
dithiocarbamates 36  
donor number 18
- E-factors 10, 12  
    chemical industry 13  
enantioselective catalysis 36–9  
enhanced oil recovery 191–2, 211  
environmental, health and safety 4–5  
enzymes 57–8, 82  
    *see also individual enzymes*  
epoxidation 128  
essential oils, steam distillation 49–51  
esterase 132  
esters 103–8  
    biodiesel 99, 105–8  
    industrial uses 104  
ethane  
    critical density 69  
    critical point 69  
ethanol 2, 3, 12, 16, 20, 100, 102  
    critical density 69  
    critical point 69  
    pharmaceutical industry use 13  
    physical properties 45  
    polarity 19  
    solvent properties 101  
ethers, alternatives to 14  
1-ethyl-3-imidazolium ethylsulfate 124  
ethyl acetate 2, 3, 14  
    pharmaceutical industry use 13  
    polarity 19  
ethyl benzoate, hydrolysis 88  
ethylene  
    critical density 69  
    critical point 69  
2-ethylhexyl lactate 104  
ethyl lactate 2, 3, 101  
    industrial uses 104  
ethyl-*t*-butyl ether 124  
eutectic mixtures 114–15, 118–42  
    solubility of metal oxides 124  
    *see also* room temperature ionic liquids  
evaporation rate 105  
extraction  
    fluorous solvents 150–2  
    near-critical/supercritical water 84–6  
    RTILs 123–5  
    solvent 75  
    supercritical carbon dioxide 74–6  
    water 49–51  
Exxon process 193
- fatty acid esters 101  
    industrial uses 104  
Fischer indole synthesis 88  
Fischer-Tropsch reaction 99  
flash point 13  
fluoroform  
    critical density 69  
    critical point 69  
fluorophobic effect 152  
fluoropolymers  
    amorphous 73  
    synthesis 82–3  
fluorous biphasic catalysis 153–62  
    continuous 160–2  
fluorous biphasic system 143  
fluorous reactions 152–3  
fluorous reverse phase silica gel 165  
fluorous rhodium complexes 157  
fluorous solvents 11, 12, 143–69  
    amphiphilic solvents 145  
    biological chemistry and biocatalysis 161–2  
    catalysts and reagents 149–50  
    combinatorial chemistry 164–7  
    extractions 150–2  
    Kamlet-Taft parameters 146  
    miscibility 145–9  
    partition coefficients 147  
    physical data 144  
    polarity data 145–9  
    reverse-phase silica gel 145  
    solubility 145–9  
    triphasic reactions 145

- formaldehyde 7  
Friedel-Crafts alkylation 48, 128, 129, 161  
fullerene cycloaddition 33  
fumaric acid 98  
2,5-furandicarboxylic acid 98
- $\beta$ -galactosidase 132  
gas antisolvent (GAS) 192  
gas expanded liquids 189–93  
  advantages 189  
  applications 191–3  
  classes of 189  
  solvent properties 190–1  
gas sensors 137  
Gibbs energy of solution 15  
*Ginkgo biloba*, extraction 85  
glutamic acid 98  
glycerol 100–4, 123  
  solvent properties 101  
glycerol carbonate 103, 104  
  industrial uses 104  
gold catalysts 32–3, 34, 166–7  
  recycling 157–8  
gold nanoparticles 62  
graphitic carbon nanostructures 25  
green metrics 4–14  
Grignard reactions 54  
Grignard reagents 127  
Grubb's ruthenium carbene complex  
  154, 155
- hafnium chloride conversions 30, 31  
halogens 9  
Heck reaction 31, 32, 128  
Henry reaction 78  
heptane 2, 3, 14  
  pharmaceutical industry use 13  
heterogeneous catalysis 79–80  
hexane 2, 3  
  polarity 19, 122  
Hildebrand's solubility parameter 16  
homoallylic amines 175  
homocoupling 78  
hydrocarbons, selective oxidation 89  
hydroformylation 128  
  homogeneous 194  
  hydrogenation 128  
    asymmetric 78  
    carbon dioxide 78  
    heterogeneous 194  
    homogeneous 194  
    supercritical water 89  
hydrogen bond acceptors 20  
hydrogen bond donors 20  
hydrophobic 45  
hydrothermal synthesis 89–90  
3-hydroxybutyrolactone 98  
hydroxy nitrile lyases 57  
3-hydroxypropionic acid 98  
 $\beta$ -hydroxy sulfides, synthesis 57
- imidazolium cation 119  
imidazolinium chlorides 35  
indole-benzoquinone coupling 53  
inorganic synthesis 25–7  
ionic liquids 35, 114–15  
  chiral 130–1  
  miscibility 122  
  polarities 122  
  preparation 120–1  
  room temperature *see* room  
    temperature ionic liquids
- Ionikylation 215  
iridium 59  
isoamyl lactate 104  
isopropanol 3  
itaconic acid 98
- Jacobsen's catalyst 129
- Kamlet-Taft parameters 18, 19  
  fluorous solvents 146  
  gas expanded liquids 190  
kauri-butanol value 105–7  
Knoevenagel condensations 31, 40  
Krytox 148  
Kururay process 208
- lanthanide triflates 47  
latex 60  
laurel leaves, extraction 85  
levulinic acid 98

- Lewis acids 47, 54, 76  
  fluorous systems 157
- life cycle assessment 5–12
- lignins 180
- lignocellulose 134
- lime peel, extraction 85
- limonene 101  
  advantageous properties 112  
  physical properties 111  
  polymers prepared in 112  
  uses 111–13
- lipase 132
- liquid mirrors 137
- liquid polymers 170–87  
  poly(ethyleneglycols) *see*  
  poly(ethyleneglycols)  
  poly(propyleneglycols) *see*  
  poly(propyleneglycols)
- lithium bromide 33
- malic acid 98
- Mannich reaction 176
- materials synthesis 25–7  
  near-critical/supercritical water 89–90  
  poly(ethyleneglycols) 181–2  
  supercritical carbon dioxide 82–4  
  water 60–3
- mechanochemistry 24
- Meerwein-Ponndorf-Verley reaction 34
- metallocene-methylaluminoxane 113
- metallo-squares 27
- metal-mediated reactions 54–6
- methane  
  critical density 69  
  critical point 69
- methanol 3, 20, 100, 102  
  pharmaceutical industry use 13  
  polarity 19, 122  
  solvent properties 101
- 2-MeTHF 3
- methylene chloride 2
- methyl methacrylate 107, 133
- N*-methyl pyrrolidin-2-one 13
- methyl soyate 105  
  market applications 106
- 2-methyltetrahydrofuran 108–9  
  solvent properties 108
- micellar structures 60
- Michael additions 29, 37  
  asymmetric 52  
  chiral ionic liquids 130  
  Lewis acid catalysed 55  
  poly(ethyleneglycols) 174, 176
- microwave assisted reactions 39, 40  
  chemical synthesis 56–7, 88  
  steam distillation 49–51
- miscibility  
  fluorous solvents 145–9  
  RTILs 122
- Mitsunobu reaction 152, 155
- Morinda citrifolia*, extraction 85
- MTBE 14
- nanomaterials 84
- nanoparticles 84  
  palladium 184
- near-critical water 20–1, 84–91  
  chemical synthesis 86–9  
  extraction and analytical chemistry  
  84–6  
  materials synthesis 89–90
- nitroalkene synthesis 40
- nitromethane, hafnium chloride  
  conversion 31
- non-polar 16–17
- olefin metathesis 154
- oligosaccharide synthesis 165
- oregano, extraction 85
- organic acids 7
- organic-aqueous tunable solvents 58
- organic synthesis 27–39  
  enantioselective catalysis 36–9  
  microwave assisted reactions 39, 40  
  photoreactions 39, 41  
  poly(ethyleneglycols) 174–9
- oxidation 29  
  gas expanded liquids 194
- palladium 56  
  nanoparticles 184
- palladium complexes 79
- particles from gas-saturated solution  
  (PGSS) 192

- Passerini reaction 52
- PEG-1000 3
- pentane 13
  - alternatives to 14
- peppermint extraction 85
- perchloroethylene 2, 83
- precipitation with compressed
  - antisolvent 84
- perfluorodecaline 144
- perfluorohexane 144
- perfluoro(methyl cyclohexane) 144
- perfluorooctane 144
- perfluoropolyether 144
- perfluorotributylamine 144
- peroxidase 132
- pharmaceutical industry 12–14
- phase diagrams 69
- phase separation, thermally induced 212
- phase transfer catalysis 48, 49, 55, 206
- phenylacetylene, hydration 88
- phosphines
  - fluorous 160
  - water soluble 47
- phosphonium cation 119
- photoaddition 29
- photocyclization 41
- photodimerization 41
- photopolymerization 41
- photoreactions 39, 41
- piperidinium cation 119
- piperylene sulfonate 199
- piperylene sulfone 201
- plant oils 109–13
- platinum catalysis 32, 34
- polarity 16–19
  - fluorous solvents 145–9
  - switchable solvents 193–7
  - water 19, 122
- polychlorinated biphenyls 150
- poly(dimethylsiloxane) 74
  - as reaction solvent 182–5
- poly(ether-carbonate) copolymer 74
- polyethylene cracking 134
- poly(ethyleneglycol) dimethyl ether 177
- poly(ethyleneglycols) 56, 170
  - properties of 170–3
  - as reaction solvent 173–82
  - aqueous biphasic reactive extraction 179–81
  - materials synthesis 181–2
  - organic synthesis 174–9
  - structure 171
- polymerization
  - gas expanded liquids 194
  - ring-closing metathesis 156
  - ring-opening metathesis 112
- polymers
  - liquid 170–87
  - processing/synthesis
    - limonene 112
    - RTILs 132–3
- polymethylmethacrylate 83
- polymethylphenylsilane 113
- poly(propyleneglycols) 170
  - as non-volatile reaction media 173–4
  - structure 171
- polysilanes 113
- polystyrene 83
- poly(tetrafluoroethylene) 74
- precipitation with compressed
  - antisolvent (PCA) 192
- precipitation of particles from reverse emulsions (PPRE) 192
- preferred solvents 14
- propanol 20
  - pharmaceutical industry use 13
- protease 132
- protic 17
- pyridine 13, 20
- pyridinium cation 119
- pyrrolidinium cation 119
  
- quinoxalines, synthesis in tap water 54
  
- rearrangement reactions 40
- reduction 29
- Reichardt's dye 17, 18, 145
- renewable solvents 97–117
  - alcohols (including glycerol) 100–4
  - alkanes 113–14
  - biomass feedstocks 99
  - esters 103–8

- ionic liquids and eutectic mixtures 114–15
- 2-methyltetrahydrofuran 108–9
- terpenes and plant oils 109–13
- two-platform concept 99
- resorcinol 25
- Rhodia process 208
- rhodium 59
- Rhodococcus rhodochrous* 208
- Rhone-Poulenc hydroformylation process 54
- ring-closing metathesis polymerization in fluorous systems 156
- ring-opening metathesis polymerization 112
- room temperature ionic liquids 4, 35, 115, 118–42
  - anions 119
  - biocatalysis in 131–2
  - cations 119
  - chiral imidinium carbamates 121
  - electrochemistry 125–6
  - extractions using 123–5
  - imidazolium-based, physical properties 119
  - industrial applications 214–15
  - miscibility 122
  - polymer synthesis/processing 132–6
  - synthesis in 126–36
  - unconventional uses 136–7
- RTILs *see* room temperature ionic liquids
- Ruhrchemie-Rhône-Poulenc process 206–7
- ruthenium 59
  
- St John's wort, extraction 85
- salt effect 46
- savory, extraction 85
- silicones 73
- silver nanoparticles 63
- silver nanorods 182, 183
- sodium borohydride 35
- sodium bromide 59
- sodium dodecylsulfate 61
- solution enhanced dispersion by supercritical fluids (SEDS) 192
- solvation power 16
- solvatochromism 17
- solvent extraction 75
- solvent-free conditions 1, 23–43
  - inorganic and materials synthesis 25–7
  - organic synthesis 27–39
- solvent power 105
- solvents
  - advantages and disadvantages 11
  - applications 9
  - properties 14–20
  - selection 14
- Sonogashira reactions
  - fluorous solvents 159
  - poly(ethyleneglycols) 175
- sorbitol 98, 114
- Sorona 97
- stabilizers 83
- steam distillation 49–51
  - advantages 75
  - disadvantages 75
- styrene 107
  - palladium-catalysed oxidation 178
  - polymerization in switchable solvent 196
- Styrodur 212
- succinic acid 98
- sulfide oxidation 37–8, 177
- sulfoxides, synthesis 57
- supercritical carbon dioxide 71–84
  - resist removal (SCORR) process 213
- supercritical fluid chromatography 74
- supercritical fluid extraction, carbon dioxide 74–6
- supercritical fluids 68–96
  - advantages of 70
  - boiling curve 68
  - carbon dioxide 71–84
  - compressibility 70
  - critical density 69
  - critical point 68, 69
  - density 70
  - diffusivity 70
  - triple point 68
  - viscosity 70
  - see also individual fluids*

- supercritical water 84–91  
  chemical synthesis 86–9  
  extraction and analytical chemistry 84–6  
  industrial processes 208–9  
  materials synthesis 89–90  
  oxidation 90–1  
superheated water 20–1  
surfactants, switchable 197–9  
Suzuki reactions 31  
  cross-coupling  
    supercritical carbon dioxide 78  
    water 57  
  fluorous 159  
  palladium catalysed 56  
  poly(ethyleneglycols) 175  
switchable polarity solvents 193, 195–7  
switchable solvent systems 188–203  
  gas expanded liquids 189–93, 194, 195  
  thermomorphic biphasic catalysis 201–2  
switchable surfactants 197–9  
switchable volatility solvents 199–201  
syngas 99  
synthesis *see* chemical synthesis
- talampanol 207  
Teflon 83, 143  
TEMPO catalyst, fluororous 160  
terpenes 109–13  
tetrabutylammonium bromide 59  
tetrahydrofuran 3, 12, 20, 108  
  hafnium chloride conversion 31  
  pharmaceutical industry use 13  
  polarity 19  
thermally induced phase separation 212  
thermomorphic biphasic catalysis 201–2  
Tischenko reaction 34  
toluene 2, 3, 12, 14  
  pharmaceutical industry use 13  
  physical properties 111  
  polarity 19  
*p*-toluenesulfonic acid 25  
total reducing sugars 136  
transition metal catalysts 61  
transportation fuels 123  
triethylamine 33  
 $\alpha, \alpha, \alpha$ -trifluorotoluene 144  
trimethylcyclohexanone 213  
Triton X-100 62  
tunable solvent systems 188–203  
turnover numbers 46  
turpentine 109–10  
  physical properties 111  
undesirable solvents 14  
UNICARB process 212  
urea 120  
usable solvents 14  
 $\gamma$ -valerolactone 101, 105  
vinyl acetate 107  
volatile organic compounds 1, 3  
  life cycle assessment 5–12  
  miscibility 122  
  near-critical water extraction 85  
  polarities 122  
  *see also individual solvents*
- Wacker reaction 177, 178  
waste treatment, supercritical water  
  oxidation 90–1  
water 2, 3, 9, 20, 44–67  
  biphasic systems 46–9  
  chemical synthesis 51–60  
    biocatalysis 57–8  
    carbon dioxide fixation 58–60  
    metal-mediated and catalysed  
      reactions 54–6  
    microwave assisted reactions 56–7  
  critical density 69  
  critical point 69  
  deionized 54  
  extraction 49–51  
  hafnium chloride conversion 31  
  high temperature, superheated or  
    near critical 20–1  
  materials synthesis 60–3  
  near-critical 20–1, 84–91  
  physical properties 45  
  polarity 19, 122  
  as solvent 206–9  
    advantages 46  
    supercritical 84–91  
Wittig reactions 48



xenon

critical density 69

critical point 69

xylitol 98, 114

ynones, synthesis of 56

ytterbium triflate 54

*Zygosaccharomyces rouxii* 207