

Index

- a**
- Abbe's equation 224
 - absorbance of light 15
 - absorption spectroscopy 7–9
 - absorption spectrum, of fluorophore
 - MR121 11
 - acceptor absorbance 148, 149, 158, 159, 161
 - acousto-optic tunable filters (AOTFs) 89
 - acyl azides 64
 - adenosine triphosphate binding 67
 - Aequorea Victoria* 76
 - Alexa derivatives 43
 - Alexa dyes 40
 - Alexa Fluor 594, 65
 - aliphatic amines 62
 - allophycocyanin 33
 - alternating laser excitation (ALEX) 160, 161
 - ambiphilic polymers 55
 - amine alkylation 64
 - Ångstrom-scale structural 260
 - Anthozoa* species 78
 - antibunching 122–124
 - antisense oligonucleotides 71
 - AOTFs. *see* acousto-optic tunable filters (AOTFs)
 - arginine-rich peptides 71
 - aromatic amines 62, 64
 - aromatic amino acids 31
 - molecular structures 32
 - ATP-hydrolysis 263
 - ATTO dyes 40, 234
 - autocorrelation functions 118
 - autofluorescence 50, 51, 79, 87
 - autofluorescent impurities 87
 - automated DNA sequencing 35
 - avalanchephotodiodes 87
 - aziridines 65, 67
- b**
- back-rotation operator 130
 - bathochromic shift 1, 2
 - biarsenical fluorophores 73, 80
 - biliprotein photosensors 34
 - bioconjugation chemistry 68
 - biologically compatible NCs 76
 - biotin/streptavidin binding 80
 - on paramagnetic beads 214
 - biotinylated biomolecules 55
 - assembling of water soluble quantum dots carrying streptavidin layer 55
 - bis-functional cysteine reactive fluorophores 67
 - Bodipy dyes 48
 - Boltzmann-distribution 15
 - bovine serum albumine (BSA) layer 247
 - B-phycoerythrin 34
 - breast cancer 213
 - bungarotoxin 74
- c**
- carbodiimide 62
 - carbopyronin dyes 47, 87
 - carborhodamine dyes 47
 - carboxamides 61
 - carboxylate-containing fluorophore 62
 - CdSe nanocrystals 52
 - absorption and emission spectra of 54
 - charge-coupled device (CCD) 220
 - chlorophyll *a* fluorescence 33
 - cholesterol oxidase
 - kinetics of 249
 - single-turnover study of 250, 255
 - colloidal nanocrystals 53
 - colocalization methods 220
 - complementary fluorophore–maleimide 68
 - confocal fluorescence microscopy 87

- conformational dynamics 259, 260
 conjugated system 3
 coumarin dyes 38
 cross-correlation function 118
Curvularia verruculosa bromoperoxidase 253
 cyanine derivatives
 – molecular structures of 44
 – spectroscopic characteristics 45
 cyanine dyes 5, 43, 46
 – molecular oxygen 89
 – π -electron cloud 3
 – resonance hybrid, limiting structures of 3
 cyanobacteria 33
 Cy3B
 – exhibits fluorescence quantum yield 46
 – *cis-trans* isomerization 46
 Cy5 dye molecules 46
 cysteine 65, 67, 73
- d**
 degree of labeling (DOL) 232
 deuterium 36
 D-galactal inhibitor 248
 dielectric relaxation 21
 7-diethylaminocoumarin-3-acetic acid 38
 dihydrorhodamine, oxidation of 251
 dimethylcadmium (Me₂Cd) 54
 direct stochastic reconstruction microscopy (dSTORM) 234–237
 dithiofluorescein 37
 dithiothreitol (DTT) 65, 90
 DLS. *see* dynamic light scattering (DLS)
 DNA sequencing
 – single molecule 260–263
 donor excitation 88, 158, 159
 double-strand DNA (ds-DNA)
 – hydrolysis of 254
 DRONPA molecules 79
 dual-focus FCS 111–122
 dynamic light scattering (DLS) 103
 dynamic saturation optical microscopy (DSOM) 225
- e**
 electromagnetic spectrum 1–3
 electronic polarization 20
 electron microscopy (EM) 73
 electron transfer (ET) 254
 ELISA. *see* enzyme-linked immunosorbent assay (ELISA)
 enzymatic activity 260
 – biochemical principles of 242, 243
 – conformational dynamics 258–260
 – fluctuations 259
 – fluorescence intensity time traces, data analysis of
 – – autocorrelation analysis 267
 – – threshold method 266–267
 – individual 243
 – single-enzyme mechanisms, shedding light on
 – – MM-model 263
 – – molecular motor enzymes on actin filaments 263
 – – phospholipid bilayers, lipase-catalyzed hydrolysis of 263–265
 – single-enzyme studies
 – – classical Michaelis–Menten model 255–259
 – – single enzyme assays 244–248
 – – single-turnover experiments 248–255
 – single-molecule DNA sequencing 260–263
 – single-turnover sensitivity 260
 – waiting times, 2D-correlation plot of 259
 enzyme-catalyzed reactions 242
 enzyme kinetics 263
 enzyme-linked immunosorbent assay (ELISA) 212
 enzyme populations, heterogeneities 241
 eosin 37
 epidermal growth factor (EGF) 69
 equilibrium constant 12
Escherichia coli dihydrofolate reductase (eDHFR) fusion proteins 74
 ethylenediamine 65
 eukaryotic algae 33
 Euler angles 125, 126
 excitation 25, 27, 28
 – coefficient 10
 – fluorophores 147
 excited state energy transfer 147–183
 γ -exonuclease
 – time-resolved activity study of 256
- f**
 femtoliter chambers
 – β -D-galactosidase activity, wide-field image of 247
 – fabrication process of 246
 – loading of 247
 FLAsH fluorophores 80
 flavin adenine dinucleotide (FAD) 31–33
 flavin cofactors 32
 flavin mononucleotide (FMN) 32, 33
 flavoenzymes 32
 flavoproteins 32

- FLCS. *see* fluorescence lifetime correlation spectroscopy (FLCS)
- flow cytometry 51
- fluctuating enzyme model 257
- fluorescein 36, 40
- fluorescein isocyanate 36
- fluorescein labeled polycationic β -heptaarginines 72
- fluorescence
- of 7-aminocoumarins 38
 - anisotropy 27–29, 67, 156
 - and competing processes 17–20
 - DNA-hairpin 211
 - efficiency 36, 37, 42, 43
 - of infrared dyes 43
 - of xanthene dyes 41
 - emission 1, 14, 20, 24, 28, 86, 197, 204, 223, 226, 228, 230, 234
 - impurities 43
 - intensity 3, 23, 33, 71, 79, 93, 96, 104, 110, 175, 177, 197, 212, 225, 247, 262, 266
 - intermittencies complicate fluorescence imaging 88
 - lifetime of xanthene derivatives 48
 - markers
 - in DNA sequencing 40
 - in immunoassays 40
 - probes 71
 - proteins 79
 - limitations 79
 - quantum yields 40, 86
 - carbopyronin derivatives exhibiting 48
 - Cy3B exhibiting 46
 - FLAsH 73
 - of flavins 32
 - fluorescein derivatives 37
 - and lifetime 22–27
 - organic dyes 36
 - phycobiliproteins 34
 - for tryptophan 31
 - various red-absorbing and emitting dyes 47
 - various xanthene derivatives in 42
 - quenching 37
 - of dye labeled to 3'-end 211
 - efficiency 39
 - interactions by Trp residue 206, 207
 - intramolecular 198
 - of long-lifetime fluorescence probes 205
 - of MR121 208
 - by PET 189–192
 - of rhodamine 209
 - synthesis of peptide epitopes based on 212
 - signal fluctuations 93
 - transients of ATTO647N labeled double-stranded DNA immobilized in 90
- fluorescence correlation spectroscopy (FCS) 34, 93–143
- advantages 98
 - autocorrelation function 94
 - calculation 100, 101
 - data acquisition and evaluation 99–103
 - detected fluorescence intensity 94
 - dual-focus 111–122
 - fluorescence fluctuations, concentration dependence of 96
 - for measuring diffusion coefficients 103
 - optical set-up, for FCS measurements 99
 - physical meaning of autocorrelation 94
 - second-order correlation function 94
 - single-focus 104–111
 - software correlation algorithm, visualization 101–103
 - temporal decay of $g(\tau)$ 95
 - typical anatomy of 97
- fluorescence emission 1, 226
- fluorescence fluctuation spectroscopy (FFS) 93
- fluorescence imaging, super-resolution 219–237
- multi-photon microscopy 221–223
 - optical microscopy, diffraction barrier of 219, 220
 - single-molecule based photoswitching microscopy methods 226–229
 - principles of 229–236
 - stimulated emission depletion (STED) 223–225
 - structured illumination microscopy 221–223
 - temporal resolution of 236, 237
- fluorescence imaging with one nanometer accuracy (FIONA) 226
- fluorescence *in vivo* hybridization (FIVH) 69
- fluorescence labeling
- in living cells 69–80
 - efficient fluorescence quenching via PET 80
 - fluorescence image of 3T3 mouse fibroblast cells treated with 72
 - fluorescence *in vivo* hybridization (FIVH) 69
 - fluorescence signals observed in pipette 70
 - gene detection experiments in living cells 71
 - to improve maturation properties and reducing aggregation 78

- label proteins *in vivo* 76, 77
- microinjection technique 69, 70
- photobleaching of natural/artificial fluorophores 76
- purification of proteins Strep-tag strategies 74
- strategy of protein labeling in 75
- tetracycline–biarsenical system 73, 74
- use of TMP-eDHFR 74
- *in vitro* 61–69
- fluorescence lifetime correlation spectroscopy (FLCS) 100, 135–143
- brightness ratio 141
- covariance matrix 138
- cross-correlation (CCF) functions 137, 138, 140
- Cy5-labeled protein streptavidin, measurements 141
- ACFs and CCFs 142
- measured TCSPC curve 142
- dye–protein complex, four-state model for 139
- eigenvalues 141
- fluorescence decay-specific auto-(ACF) function 137, 138, 140
- intensity signal I_j 137
- fluorescence microscopes 219, 254
- confocal 262
- wide-field 244
- fluorescence photoactivation localization microscopy (FPALM) 228
- fluorescence quenching 212
- fluorescence resonance energy transfer (FRET) 37, 51, 77, 85, 147, 154, 189, 254, 260
- acceptor fluorophore for 68
- applications (*see* FRET-based molecular biosensors)
- depolarization
- advantage of depolarization measurements over 157
- fluorescence anisotropy (A), decrease in 156
- homo-FRET and FRET-induced 154, 156, 157
- polarization anisotropy 157
- types of FRET transitions 155
- efficiency 88
- mechanism, and mathematical formalism 148
- electronic coupling, promoting energy transfer 143
- factor γ detector correction factor 150
- Förster radius R_0 149, 151
- FRET efficiency E 149–151, 153
- orientation factor k^2 149
- rate (k_{FRET}) 148
- single-molecule observation of 168
- hairpin ribozyme dynamics, and activity 179, 180
- light-harvesting systems 168–180
- protein (un)foldings and dynamics 180–183
- spin rules 154
- fluorescence signal, on excitation intensity 221
- fluorescence spectroscopy 12
- fluorophores 1
- single-molecule 200
- fluorescent labels 35, 51
- oligonucleotides 70
- fluorophore-NHS ester 65
- fluorophore–quencher system
- electron transfer (ET) studies of 260
- fluorophores 1, 27, 28
- classes 38–49
- coupling reactions to amino/thiol groups 68
- dimerization 9–12
- emission of 226
- energy differences 3
- exhibiting high triplet quantum yield 88
- light, absorption of 3
- modifications 64
- Onsager radius of 21
- photochemical stability of 3
- polymethine dyes 3
- to protein molar ratios 67
- reaction of sulfonyl chloride modified 64
- two-dimensional diffusion coefficient of the 78
- Förster mechanism 154
- Förster type energy transfer 148
- Franck–Condon principle 12–15
- FRET. *see* fluorescence resonance energy transfer (FRET)
- FRET-based molecular biosensors 162–168
- ECFP-EYFP cameleon 164
- first order polyphenylene dendrimer 166
- anisotropy decay curves 165
- fitting parameters of anisotropy decay curves 166, 167
- for probing enteroviral infection 164
- for probing methyltransferase activity 163
- functional xanthene derivatives, for biological labeling 43

g

- β-galactosidase molecules 69
- gas constant 29
- Gaussian distributions 115, 266
- Gaussian fit 230
- glucose oxidase 89
- glutathione 89, 90
- glycine 61
- green fluorescent protein (GFP) 35, 76, 77
- like fluorescent protein DRONPA 79
- ground-state depletion followed by individual molecule return (GSDIM) 228

h

- H-aggregates 10
- haptin–fluorophore conjugates 74
- HeLa cells 71
- helium:neon laser 34
- hexamethyldisilathiane 54
- highest occupied molecular orbital (HOMO) 2
- histidine 65
- hole-burning 17
- homobifunctional rhodamine derivatives 67
- horseradish peroxidase, catalytic cycle of 251
- human O⁶-alkylguanine-DNAalkyltransferase (hAGT) 74
- hybridization 71
- hybrid systems 73
- hydrolysis of 6-hydroxyfluoran-β-D-galactose (6HFG) 244
- p-hydroxybenzylideneimidazolinone 76
- N-hydroxysulfosuccinimide 62

i

- immunofluorescence 36, 51
- fluorescein isocyanate 36
- limitations 72
- immunofluorescent labeling of cancermarkers 55
- immunolabeling 71
- individual enzymes, single-turnover counting in 255
- inelastic scattering 43
- interferometric arrangement
- alignment of 228
- operating principle of 229
- in vitro* fluorescence labeling 61–69
- in vivo* fluorescence labeling 76
- iodoacetamides 65
- isocyanate 36
- isomerization 34

- *cis-trans* isomerization 44, 121
- isobestic points 10
- isothiocyanates 36, 64

j

- J-type aggregates 10

l

- Lambert–Beer law 7, 8
- laser-induced fluorescence 34
- lens-based microscope 219
- light
- blurred spot 219
- emission 15
- intensity 8
- scattering 9
- linkers 61, 64
- lipolytic enzymes 264
- live cell applications 225
- live-cell imaging 237
- live cell super-resolution imaging 228
- living cell 77, 79
- lowest unoccupied molecular orbital (LUMO) 2
- lysine 62, 64, 67

m

- magic angle 28
- maleic anhydride 65
- maleimide reactions 65
- mammalian cells
- AGT deficient cell lines 74
- cytoskeletal network of
- – super-resolution imaging 235
- microtubular network of 222
- nuclear periphery of 221
- protein labeling 275
- maximum likelihood estimator (MLE) 27
- β-mercaptoethanol 65, 89
- β-mercaptoethylamine 46, 89, 90
- mesomeric forms of coumarin 38
- mesomeric structures of xanthene dyes 40
- metal ion chelating nitrilotriacetate 74
- methionine 67
- 7-methylguanosine 32
- 7-methylinosine 32
- Michaelis–Menten model 242, 243
- micropipettes 70
- Moiré fringes 221
- molar extinction coefficients
- of cyanine derivatives 44
- molecular motor enzymes 263
- molecular optical switches 227
- molecular oxygen 89

- molecule detection function (MDF) 99, 129, 140
 - monoexponential MLE-algorithm 27
 - monomeric photoactivatable PA-GFPs 79
 - multichromophoric dendrimers 51
 - multichromophoric labels 49–51
 - multiexponential anisotropy decays 28
 - multi-photon absorption
 - of semiconductor quantum dots 222
 - multi-photon microscopy 212
 - myosin 67
 - myosin, single-turnover study of 249
 - myosin enzymes 263
- n**
- nanocrystals (NCs) 52–56, 76
 - biocompatibility 55
 - CdSe 52
 - colloidal 53
 - hydrophobic 55
 - semiconductor 52
 - light-emitting 76
 - water-soluble 56
 - nanodots 56
 - nanometer resolution 220
 - natural fluorophores 31–35
 - near-infrared (NIR) dyes for bioanalytical applications 43
 - near-infrared fluorescence 43
 - N*-hydroxysuccinimide (NHS) esters 62
 - nicotinamide adenine dinucleotide (NADH) 31, 32
 - Ni-NTA-functionalized fluorophores 74
 - NPH1 gene 35
 - nucleic acids 31
 - nucleotides 31
 - Nyquist–Shannon sampling theorem 230, 231
- o**
- O⁶-alkylguanine-DNAalkyltransferase 74
 - O⁶-benzylguanine (BG) derivative 74
 - β-oligoarginines 71
 - oligonucleotides 64
 - one-photon excitation (OPE) 39
 - optical microscopy, diffraction barrier for 220
 - organic dye-based FRET pairs 152
 - organic fluorescent dyes 35
 - organic fluorophores 35, 71, 74, 232
 - orientational polarization 21
 - oxazine dyes 12, 38
 - Atto655 122
 - DNA-hairpins 211
 - molecular structures 45
 - MR121 and ATTO655 exhibit 204
 - Trp 205
 - with tryptophan 12
 - oxygen-scavenging system 89
- p**
- 1-palmitoyl-2-oleoyl-sn-glycero-3-phosphocholine (POPC)
 - enzymatic digestion of 264
 - n*-paraffins 15
 - Pauli's exclusion principle 4
 - *ad hoc* invocation of 4
 - p53-autoantibodies
 - detection 212
 - peptide-based PET biosensor 213
 - π-bonds 1
 - pectiniidae 79
 - π-electrons 3
 - distribution in chromophore 40
 - electronic structure 4
 - peptidomimetics 71
 - perylene dyes perylenetetracarboxydiimide (PDI) 49
 - perylenetetracarboxydiimide (PDI) 48
 - phenolphthalein 36
 - phenylalanine 31
 - phenyl rings 36
 - phosphate-buffered saline (PBS) 46
 - phospholipid layers
 - hydrolysis of 265
 - photoactivated localization microscopy (PALM) 228
 - photobleached fluorophores 74
 - photobleaching 40, 78, 88, 89
 - of common organic fluorophores 86
 - photophysical model 86
 - fluorescence recovery after 78
 - of natural or artificial fluorophores 76
 - photochemical decomposition 1
 - photodestruction 88
 - photoinduced electron transfer (PET) 37, 39, 80, 85, 189–214
 - based quenching method
 - sensitivity of 212
 - single-molecule sensitive fluorescence sensors 199–202
 - photoionization 88
 - photolabeling 79
 - photoluminescence lifetimes 56
 - photoluminescence quantum yields 54
 - photon absorption 55
 - photon antibunching 97
 - photons 27
 - photooxidation 88, 89

- photoswitchable fluorophores 228
 photoswitching process 228, 237
 – microscopy, single-molecule based 226–229
 phycobiliproteins 33, 51
 – spectroscopic characteristics 34
 phycobilisomes 33
 phycocyanins 33
 phycocyanobilin 33
 phycoerythrins 33
 phycoerythrobilin chromophores 33
 phytochromes 34
 phytofluors 34
 4Pi microscopy 221
 Planck relationship 5
 point-spread function (PSF) 219
 polydimethylsiloxane (PDMS) 246
 polymethine dyes 3, 43
 polypeptides 64
 poly(vinyl alcohol) (PVA) 79, 232
 probability density function (pdf)
 – stretched exponential 258
 – of waiting times 257, 258
 proteases/nucleases, detection of
 – PET-quenched probes 214
 protein-coding DNA 69
 protein–dye complex 130
 protein–protein interactions 28
 proteins 31, 34, 79
 – ¹⁵N-spin relaxation 259
 proteolytic degradation 71
 pseudobase 48
 pseudoisocyanine (PIC) 9
 puromycin 69
 pyronin 46
 pyronin chromophore 46
- q**
- quantum dots (QDs) 53
 quantum dot triexciton imaging (QDTI) 222
 – using QDot655 223
- r**
- Raman scattering 43, 87
 Rayleigh scattering 43, 87
 recombinant proteins 69
 red-absorbing fluorophores 43
 red-absorbing organic fluorophores 79
 red-absorbing xanthene derivatives 48
 red fluorescent proteins (RFPs) 77
 red-shift 21
 – absorption spectrum 191
 – energy trapping 154
 – excitation energy 170
 – fluorescent protein DsRed 78
 reducing and oxidizing system (ROXS) 90, 91, 233
 refractive index 21
 resonance energy transfer (RET) dyes 31, 51
 rhodamine 101, 41
 rhodamine B 41
 rhodamine derivative JA 22, 48
 rhodamine dyes 12, 38, 42, 46
 – enzyme action 245
 – molecular structures 41
 – *o*-carboxyl group 42
 – photobleaching yield of 39
 riboflavin 32
 rosamines 42
 rotational diffusion 125–135
 – back-rotation Ω 130
 – coefficient
 – on ellipsoid eccentricity, dependence 135
 – and hydrodynamic radius 125
 – for oblate ellipsoid of rotation with 134
 – correlation functions for globular protein 132, 133
 – depolarization effects 131
 – eigenfunctions 128
 – of angular momentum operator 127
 – Euler angles 126, 128
 – and fluorescence lifetime 129
 – Green's function 129
 – molecule detection function (MDF) 129, 130
 – orthogonal emission polarizations 131
 – spherical harmonics $Y_{lm}(\beta, \alpha)$ 130
 – Stokes–Einstein–Debye equation 125
 – Wigner's rotation matrices 127
- s**
- Scheibe-type aggregates 10
 Schroedinger equation 4
 σ -electrons 1
 Shpol'ski effect 15
 signal-to-noise ratios (SNR) 50, 266
 single α -chymotrypsin enzyme, spontaneous deactivation of 253
 single-enzyme activity 241
 single-enzymes assays
 – capillary electrophoresis 245, 246
 – electrophoretic assays of 245
 – femtoliter chambers 246, 247
 – femtoliter wells etched, in optical fiber bundles 247, 248
 – water-in-oil emulsions 244, 245

- without single-turnover sensitivity 248
 - single-focus FCS 104–111
 - single-molecule based photoswitching methods 229
 - single-molecule DNA sequencing
 - scheme of 261
 - single-molecule enzymology 267
 - single-molecule fluorescence microscopy 263
 - single molecule fluorescence spectroscopy (SMFS) 31, 79, 85, 86, 90, 213, 244
 - of oligonucleotides labeled with 90
 - single molecule real time (SMRT) sequencing
 - of oligonucleotides labeled 90
 - principle of 262
 - selection criteria for fluorophores 22
 - *in vivo* reporter 78
 - single-molecule sensitive optical techniques 87
 - single-molecule spectroscopy (SMS) 16
 - single-molecule techniques 85, 183
 - single pair fluorescence resonance energy transfer (sp-FRET) 46
 - experimental approach 157
 - alternating-laser excitation (ALEX) 160, 161
 - single-laser excitation 157–160
 - singlephoton avalanche diode (SPAD) 98
 - single-turnover experiments
 - BCECF-AM, CALB-catalyzed hydrolysis of 252
 - β -D-galactosidase 252
 - kinetic scheme, ON-OFF representation of 251
 - single-turnover resolved activity 268
 - single-turnover time resolution 241
 - small organic fluorophores 28, 90
 - solid-phase peptide synthesis 68
 - solvatochromism 20, 21
 - solvent polarity 21
 - solvent relaxation 20
 - spectroscopic characteristics 193
 - for ATTO 725 and 4 ns for ATTO 590 or JA 22 47
 - cyanine derivatives 45
 - depending on coupling position 68
 - fluorescent protein 78
 - GFP variant 77
 - photoswitchable proteins 79
 - prominent phycobiliproteins 34
 - red-absorbing and emitting dyes 47
 - xanthene derivatives 42
 - spectroscopic transition strengths 5–7
 - spin-orbit coupling 37
 - spin quantum numbers 4
 - stimulated emission depletion (STED) microscopy 223
 - principle of 224
 - stimulated emission 225
 - stochastic optical reconstruction microscopy (STORM) 228
 - Stokes–Einstein relationship 103
 - Stokes shift 14, 20, 21, 36, 38, 47, 48, 86, 87
 - chromophore 48
 - coumarin derivatives 38
 - electron distribution changes 20
 - fluorescein dyes 10, 40
 - fluorescence spectroscopy 86
 - fluorophores 51
 - microspheres exhibit 51
 - solvent polarity 21
 - streptavidin 55
 - streptolysin O (SLO) 70
 - structured illumination microscopy (SIM) 222
 - principle of 221
 - saturated 222
 - three-dimensional 222
 - N*-succinimidyl esters 36
 - sulfonamides 61
 - sulfo-NHS esters 62
 - sulfonyl chloride 64
 - super-resolution optical fluctuation imaging (SOFI) 225
 - symmetrical cyanine dyes 5
 - synthetic oligonucleotides 61
- t**
- tandem dyes 51
 - TAT protein 71
 - terrylenediimide (TDI)
 - basic molecular structures of 49
 - derivatives 49
 - excitation energy, transfer 172
 - tetracysteine–biarsenical system 73
 - tetrafluorophenyl (TFP) esters 64
 - tetramethyl rhodamine (TMR) 260
 - Texas red 74
 - thioether 65
 - thiol coupling reactions 66
 - thiol functional group 64
 - thiol-reactive fluorophore 65
 - thiophosgene 64
 - thioureas 61
 - threshold method 266–267
 - autocorrelation 267
 - fluorescence intensity 266
 - trace analysis 266

- time-correlated single-photon counting (TCSPC) 27, 137
- time-resolved fluorescence anisotropy 28
- time-tagged time-resolved (TTTR) 137
- total internal reflection (TIR) technique 249
- trimethoprim (TMP) derivatives 74
- tri-*n*-octylphosphine oxide (TOPO) 54
- tri-*n*-octylphosphine selenide $[(C_8H_{17})_3PSe]$ 54
- triphenylmethane 48
- Trolox 91
- true single molecule sequencing (tSMS) 261
- tryptophan/tyrosine residues, intrinsic fluorescence of 31
- two-photon excitation (TPE) 39, 40
- tyrosine 31
- u**
- urokinase plasminogen activator (uPA) 212
- v**
- van der Waals interactions 241
- vitamin B₂ 32
- w**
- water-in-oil emulsions
– individual enzymes, studying 244
- water-soluble carbodiimide EDC 62
- water-soluble nanocrystals 56
- wavefunctions 4
- wide-field fluorescence microscopy 247
- x**
- xanthene chromophores 40, 43
- xanthene derivatives, exhibiting higher photostability 88
- xanthene dyes 40, 41, 44
- Xenopus laevis* 76
- y**
- yellow fluorescent protein (YFP) 78
– fusion proteins 77
- z**
- zero-mode waveguides (ZMWs) 261
– bound polymerase enzyme 262
- zero-phonon line 16
- zero-phonon transitions 15