

INDEX

- Abbreviations (list), xv
 Aberration, chromatic, 130
 Absolute error, 29
 Absorbance
 definition of, 160, 161
 effect of stray radiation on, 165, 166
 Absorbance ratioing technique, 603
 Absorption
 of alpha particles, 398
 of beta particles, 398, 400
 of gamma radiation, 399
 of X rays, 116, 117
 Absorption edge, of X rays, 344–346, 363, 365
 Absorption filters, 122
 Absorption flame spectrometry. *See* Atomic absorption spectroscopy
 Absorption spectra, and molecular structure:
 in infrared, 288–292
 in ultraviolet-visible, 184–186
 Absorptivity
 definition of, 161
 effect of slit width upon, 163
 Abundance, natural isotopic (table), 403, 492
 ac arc, as spectroscopic source, 263
 Accelerating systems in mass spectrometry, 469, 477
 Accuracy
 definition of, 30
 and instrument calibration, 32
 spectrophotometric, 164–166
 Acetaldehyde, vibrations and characteristic frequencies, 287
 Acetylene flames, 231–234
 Acid-base equilibria and ultraviolet/visible absorbance, 164
 Acid-base indicators, dissociation constant (table), 872
 Acids, conductometric titration of, 755
 dissociation constants (table), 872
 thermometric titration of, 779
 Acrylonitrile, NMR spectrum of, 447
 ac spark, as spectroscopic source, 264
 Activation analysis, neutron, 407–413
- Active filters (tuned amplifiers)
 circuit, 47
 noise reduction with, 19
 Activity
 of ions, 682
 of radionuclides, 401, 408
 ac voltammetry, 715–717
 Addition evaluation method, 688
 Adjusted retention time (or volume), 516
 Adsorbents
 for adsorption chromatography, 617
 for gas-solid chromatography, 567
 Adsorption chromatography, 514, 615, 617–622
 Adsorption processes, 617–622
 Aerosols, production of, 227, 269
 Affinity chromatography, 615, 650–652
 Affinity ligands, 651
 Agarose supports, 651
 Air-acetylene flame, 231–234
 Air-hydrogen flame, 231
 Air-propane flame, 231
 Alkali flame ionization detector, 555
 Alkali metals, ionization of, in flames, 232
 Alkaline earth metals, ionization of, in flames, 232
 Alkyl hydrocarbon bonded-phase supports, 623
 Alkyl quaternary amines as counterions in ion-pair chromatography, 629–631
 Alkyl sulfonates as counterions in ion-pair chromatography, 629–631
 Alpha particles
 counting, 398
 properties of, 398
 Alternating-current arc sources, 263
 Alternating-current voltammetry, 715–717
 Alumina
 adsorbent, 617, 619
 solvent strength parameters on (table), 619
- American Society for Testing Materials. *See* ASTM
 Aminoalkyl bonded-phase supports, 624
 Ammonia, formation constants for metal complexes (table), 874
 Ammonia gas-sensing electrode, 686
 Amperometric detectors for liquid column chromatography, 604
 Amperometric titrations, 726–728
 Amperostat, 47
 Amplifiers
 current, 46
 lock-in, 19
 operational, 42–45
 sample-and-hold, 77
 track-and-hold, 78
 tuned, 19, 46
 Analog-to-digital converters
 counter converters, 73
 dual slope, 75
 successive approximation, 73
 voltage-to-frequency, 75
 Analysis time
 optimization in liquid column chromatography, 582
 and resolution in chromatography, 529, 566
 Analytical chemistry, common techniques of (table), 860–865
 Analytical curve, as calibration technique, 32
 Analytical methods
 definition of, 1
 factors affecting, 4, 11
 summary of techniques (table), 860–865
 Analytical problems
 and chemometrics, 36
 definition of, 3
 table, 5
 types of, 1
 Analyzers, automatic elemental, 821–824
 Analyzer systems in mass spectrometers, 476–486
 Analyzing crystals for X rays, 349–351

- AND function, 51
- Angular dispersion, 127, 136
- Angular momentum, spin, 423
- Anion exchangers, 633–635
- Anisotropy, in NMR spectroscopy, 441
- Annealing temperatures, from thermal analysis, 771
- Annihilation radiation, 399
- Anodic stripping voltammetry, 719–721
- Answers to problems, 829–859
- Antimony(V), electrolytic reduction of, 738
- Anti-Stokes Raman lines, 109, 110, 322, 323
- Apodizing functions in Fourier transformations, 304
- Apparent color temperature, 120
- Applications, principle, of analytical techniques (table), 860–865
- Applications software, 83
- Arcs as spectroscopic sources
alternating-current, 263
direct-current, 262
mercury, 294
xenon, 206
- Area, surface, of column packings, 616
- Area and quantity, correlation of, 530–534
- Area normalization evaluation method, 533
- Argon-krypton laser, 113
- Argon plasma, as spectroscopic source, 266
- Arithmetic-logic unit, 63
- Ashing cycle in graphite furnace analyzers, 237
- Assembly language, computer, 82
- Astigmatic image, 131
- ASTM X-ray powder diffraction card, 378, 379
- Asymmetrical peaks in chromatography, 520
- Asymmetry factor of chromatographic peak, 520
- Atmosphere, effect in thermal analysis, 766
- Atomic absorption smart spectrophotometer, 88
- Atomic absorption spectroscopy
applications of, 254
chemical vaporization, 239
comparison with atomic spectroscopic methods (table), 876
comparison with FES and ICP, 255, 282
detection limits (table), 226
electrothermal, 234–239
excitation sources (table), 224
flames, combustion, 225–227
instrumentation, 227–243
interferences in, 250–254
quantitative methods, 245
summary of technique (table), 864
- Atomic concentration in flames, distribution patterns, 233
- Atomic emission spectrometers, 273–277
- Atomic emission spectroscopy, 224, 260–284
applications, 281
comparison of methods (table), 261, 876
excitation sources (table), 224
instrumentation, 260–281
interferences in, 250–254
summary of technique (table), 864
- Atomic energy levels, 100–102
- Atomic fluorescence spectrometer, 249
- Atomic fluorescence spectrometry, 249, 282
comparison with atomic spectroscopic methods (table), 876
- Atomic term diagram, 101
- Atomization
chemical vaporization, 239
electrothermal, 234
flame, 229–234
- Atomizers, 229
- Attenuated total reflectance (ATR). *See* Internal reflectance
- Auger emission spectroscopy
instrumentation for, 383–386
principles of, 340, 341, 381
quantitative analysis by, 385
scanning Auger microprobe, 385
sensitivity of, 381
- Auger microprobe, 382, 384
- Auger spectra, 382
- AutoAnalyzer, 816
- Automated devices, definition of, 786
- Automated laboratory analyzers, 811
development of, 786
- Automatic titrators, 694
- Automation of instrumentation
industrial analyzers, 789
strategies in, 787
- Axial diffusion in chromatography, 527
- Backflushing, in gas-solid chromatography, 567
- Background
in atomic absorption spectrometry, 250–253
in electrothermal atomization, 239
in flame emission spectrometry, 243
in radiochemical measurements, 404, 411
- Ball-and-disk integrator, 530
- Band asymmetry, 520
- Band broadening in chromatography, 525–529, 587
- Bandpass, optical, 121, 123, 130, 135
- Bandwidth. *See also* Dispersion; Passband
in atomic absorption spectrometry, 246
in chromatography, 518, 525–529, 587, 588
effect of frequency and noise, 16
of filters, ultraviolet-visible, 122–124
of monochromators, ultraviolet-visible, 130
- Barn, definition of, 408
- Baseline correction methods, 314, 315, 533
- Baseline resolution, 522–525
- Baseline width, 518, 522
- Base peak in mass spectrometry, 494
- Bases. *See* Acids
- BASIC computer language, high-level, 82
interfacing, 80
- Batch automated analysis, 787
industrial, 789
laboratory, 812
- Bates-Guggenheim convention. *See* pH, operational definition of
- Beer's law
chemical deviations from, 162, 163
definition of, 160, 161
instrumental deviations from, 162, 163
real deviations from, 162
- Bending vibrations, infrared, 108
- Berg-Barrett method for crystal topography, 380
- Beta particles
energy of (table), 403
energy-range relationship, 400
properties of, 398
- Beta scintillation counter, 416
- Beta value in gas chromatography, 517
- Binary coded decimal counter, 55
- Binary data, 87
- Binary solvent mixtures, 620
- Biocatalytic membrane electrode, 687
- Blaze angle, 133, 134
- Blaze wavelength, 134
- Bleeding from gas chromatographic columns, 541
- Blood urea nitrogen analysis, 814
- Bode plot, 44
- Boltzmann distribution
in atomic spectroscopy, 242
in nuclear magnetic resonance, 425
- Bond angle and proton coupling, 446
- Bonded-phase chromatography, 622–626
- Bonded stationary phases, 548, 622–624

- Boric acid, thermometric titration curve, 779
- Bouguer's law, 160
- Boxcar averaging, 22
table, 26
- Boxcar integration, 20
- Bragg equation, 349, 350
- Bremsstrahlung radiation, 356
- Bridge
conductance, 750–752
salt, 673
Wheatstone, 750–752
- Broad band NMR spectrometer, 437
- Bromine
coulometric generation of, 746
X-ray edge and emission lines, 344, 346, 364
- Buffers, potential, 734
- Bulk properties, continuous analysis of, 791
- Buses, computer, 66, 67
- Butyl alcohols, mass spectral data (table), 498
- Cadmium
Auger MNN spectrum, 382
X-ray energy-level diagram, 117
- Calcium oxalate monohydrate, thermogravimetric curve, 769
- Calcium selective-ion electrode, 685
- Calibrated sample loop and valve, 542
- Calibration methods
addition, 688
analytical curve, 32, 240
comparison of, 35
decremental, 688
internal standard, 34, 263
isotopic dilution, 35, 413
standard addition, 33, 253
subtraction, 688
- Californium-252 plasma desorption time-of-flight mass spectrometer, 483
- Calomel reference electrode, 672
- Calorimetry, differential scanning, 762–767, 770–774
- Candela, 144, 145
- Capacitive current, in voltammetry, 702–704, 717
- Capacitive effects in conductance cells, 751
- Capacity factor, 517, 523
- Capillary columns in gas chromatography, 546–548, 560
- Capture cross section of nuclei, 408
table of values, 403
- Carbon dioxide gas-sensing electrode, 687
- Carbon electrodes, spectroscopic, 262
- Carbon-hydrogen-nitrogen analyzer, 821
- Carbon rod atomizer, 236
- Carbon tetrachloride, Raman spectrum of, 109, 110
- Carbon-13 chemical shifts (table), 444
- Carrier gases, in gas chromatography, 561
- Carriers, in radiochemistry, 409
- Cathode surfaces, of phototubes, 142
- Cathodic stripping voltammetry, 721
- Cation exchangers, 633–635
- Cation-responsive glass electrodes, 683
- Cell constant in conductance, 749
- Cell electromotive force, 658, 671
- Cells
cleaning of optical, 140, 168, 169
conductivity, 749
electrolytic, 733, 735
flow-through, 307, 308
for infrared spectrometry, 307–309
liquid lens effect, 602
mini-, for infrared, 309
tapered optical, 602
thickness measurement of, 307, 310, 311
for ultraviolet-visible spectrometry, 140
variable-path length, 308, 309
- Centrifugal analyzers, 820
- Cerenkov radiation, 416
- Cerium(IV), coulometric generation, of, 743
- Channel electron multiplier, 487, 488
- Channel electron multiplier array, 487, 488
- Characterization of samples from retention behavior, 534–537
- Charge-coupled devices, 148
- Charge-transfer electrodes, 660
- Charging current in voltammetry, 702–704
- Chelating resins, 633, 640
- Chelating site groups in ion-selective electrodes, 685
- CHEMFRET, microsensor, 805
- Chemical durability of glass electrodes, 680
- Chemical ionization source, 470–472, 475
- Chemical reaction coupled with nernstian electron transfer, 707
- Chemical shifts
in Auger spectra, 382
of carbon-13, 444
of ESCA spectra, 387
of protons, 439–443, 453, 454
- Chemical vaporization for atomic absorption spectrometry, 239
- Chemometrics, 35
- Chiral bonded-phase supports, 624
- Chloride ion, formation constants of metal complexes (table), 874
- Chloroform, Raman spectrum, 110, 334
- Christiansen effect detector, 606
- Chromatic aberration, 130
- Chromatographic behavior of solutes, 514–518
- Chromatographic columns,
construction, 545–548, 597–599
- Chromatographic methods
classification, 513
summary of techniques (table), 860–863
- Chromatography
adsorption, 617–622
affinity, 650–652
bonded-phase, 622–626
exclusion, 644–650
gas-liquid, 540–566
gas-solid, 566–569
general principles, 513–537, 580–591
ion, 641–644
ion-exchange, 633–641
ion-exclusion, 649
ion-pair, 629–633
normal-phase liquid-liquid, 625
reverse-phase, 626–629
- Chromatography–infrared spectroscopy coupled, 572–574
- Chromatography–mass spectrometry coupled, 569–572
- Chromophores
electronic absorption bands, 184
table, 185
in resonance Raman spectroscopy, 323, 324, 335, 336
- Chronoamperometry, 709, 718
- Circle cell, 313
- Citrate, formation constants of metal complexes (table), 874
- Clausius-Clapeyron equation, 562
- Clinical analyzers
AutoAnalyzer, 816
centrifugal, 820
discrete, 813
dry reagent, 814
flow injection, 819
- Closed-loop process control, 810
- Coatings, thin film, 747
- Coherent anti-Stokes Raman spectroscopy, 324, 336
- Coincidence correction, 406
- Collimators for X-ray beams, 348
- Colorimetry. *See* Photometry; Spectrophotometry; Ultraviolet-visible
- Color measurements of solids, 184
- Colthup chart of infrared absorption bands, 290–291
- Column bleed, 548
- Column calibration, in exclusion chromatography, 648
- Column efficiency, in chromatography, 518–525, 581
- Column matrices
for adsorption chromatography, 616

- Column matrices (*continued*)
 for affinity chromatography, 651
 for bonded-phase chromatography, 622–624
 for exclusion chromatography, 644
 for gas-liquid chromatography, 543–548
 for gas-solid chromatography, 567
 for ion chromatography, 641
 in ion-exchange chromatography, 633–636
 for ion-pair chromatography, 630
 for liquid column chromatography, 622–624, 627
 for reverse-phase chromatography, 627
- Column operation in liquid column chromatography
 to achieve preselected plate number, 583
 to achieve preselected retention time, 580, 582
- Column oven, in gas chromatography, 548
- Column packings. *See* Column matrices
- Column permeability. *See* Specific column resistance
- Columns
 in gas chromatography, 545–548
 in liquid column chromatography, 597–600
- Column switching
 in gas-solid chromatography, 567–569
 in process gas chromatography, 807
- Column temperature in gas chromatography, 562–565
- Combination pH/reference electrode, 680, 681
- Combination vibrations, infrared, 108
- Comparative method of activation analysis, 410
- Compensating spectrofluorometer, 204, 212, 213
- Compilers, computer, 84
- Complexation
 effect on electrode potentials, 658, 661, 668
 effect on overpotential, 661
 in ion-exchange chromatography, 638–640
- Complex ions, determination of composition by photometric titrations, 181
 formation constants for metal (table), 874
- Compressibility factor (j), 516
- Compton continuum, 410
- Compton edge, 410
- Compton effect, 399
- Computer instrument configurations, 60–62
- Computer organization
 hardware, 63
 software, 81
- Computing integrator, 531, 533
- Concentration distribution ratio, 637
- Concentration error
 minimum, with shot noise, 168
 relative, in spectrophotometry, 167, 168, 174–176
- Concentration gradient, 663, 665
- Conductance
 definition of, 748
 electrolytic, instrumentation for, 749–754
 equivalent, 748
 ionic, 748
 measurement of, 749–754
 specific, 748
 temperature effect on, 749
- Conductance cells, 749
- Conductive solids nebulizer, 271
- Conductivity, electrolytic, 748. *See also* Conductance
- Conductivity bridge, 750–752
- Conductivity detector, electrolytic, 558
- Conductivity meters, 750–754
- Conductometric titrations, 755
- Confidence limit
 definition of, 31
 table of values, 405
- Constant-current coulometry, 741–747
- Constant-pressure pumps, 595
- Continuous automatic analysis, 787
 based on bulk properties, 791
 industrial, 789
- Continuous-flow analyzers, 816
- Continuous variation method, 181
- Continuous-wave NMR spectrometer, 431–437
- Continuum, X-ray, 342, 343
- Control charts, 32
- Controlled-potential coulometry, 737–741
- Controlled-potential electroseparations, 732–735
- Convection in voltammetry, 663
- Convective mixing in chromatography, 528
- Cooley-Tukey transform algorithm, 304, 430
- Copper(II)/copper oxidation-reduction system, 660
- Copper(II) current-potential curves, 659
- Core-electron binding energies, 386
- Correlation charts. *See* Molecular structure
- Cottrell equation, 666, 710
- Coulograms, 738
- Coulombs, evaluation of number, 739
- Coulometric methods, 737–747
- Coulometric titrations
 primary, 741
 secondary, 742–747
- Coulometric titrator, 744
- Counter converters, ADC, 73
- Counter electrode
 in spectroscopy, 262
 in voltammetry, 702
- Counterions, in ion-pair chromatography, 630
- Counters, digital, 53–55
- Counting of background, 404
- Counting statistics, 402–406
- Coupled columns, 598
- Coupling constants of protons, 443–447
- CPU function in computers, 64
- Crossed-coil NMR probe units, 433
- Cross polarization in NMR, 439
- Cross section, capture, of nuclei, 408
 table of values, 403
- Cryogenic superconducting solenoids, 432
- Crystals, analyzing in X-ray spectrometry, 349–351
- Crystal scintillators, 355–357
- Crystal topography, 380, 381
- CU function in computers, 64
- Cumulative formation constants for metal complexes (table), 874
- Curie, definition, 401
- Curie principle in pyrolysis, 543
- Current
 capacitative or charging, 702–704
 diffusion, 666–668
 factors governing in electrochemistry, 738–740
 limiting, in voltammetry, 704
- Current amplifier circuit, 46
- Current density, effect on overpotential, 662
- Current-potential relationships, 659–662, 705–708, 732, 743
- Current-sampled (Tast) voltammetry, 707–709
- Current-time relationship in coulometry, 738–740
- Current-voltage relationships. *See* Current-potential relationships
- Curved crystal focusing X-ray spectrometer, 368, 369
- Curve stripping, 217
- Cutoff and cut-on filters, 122
- Cuvettes, geometry of, 602. *See also* Cells
 infrared window material, 307–309
 tapered, 602
 thickness measurement, 307, 310, 311
 for ultraviolet-visible spectrometry, 140
- Cyanide ion, formation constants of metal complexes (table), 874
- Cyclic potential sweep voltammetry, 713–715

- Cyclic voltammetry, 713–715, 722
- Cyclohexane, three-dimensional mass spectrum of, 504
- Cyclotron frequency, characteristic, 499
- Cylindrical mirror analyzer, 384
- Czerny-Turner mount, 245, 276
- Damping, of pulsations from pumps, 595
- Dark current, 145
- Data
acquisition with hybrid systems, 78
compiler representation of, 86
LIMS, 92
- dc arc, as spectroscopic source, 262
- dc voltammetry, 704–709, 721
- Deactivation
of gas chromatographic supports, 546
of silica and alumina surfaces, 620
- Dead-stop end point method, 728
- Dead time, of nuclear and X-ray detectors, 353–356, 402
- Deaeration of solutions, 701
- Debye-Hückel expression, 676
- Decay, radioactive, 398, 401
- Decay schemes of radionuclides, 402
- Decoder, digital, 56
interfacing of, 70
- Decoupling of NMR signals, 435, 447–449
- Decremental evaluation method, 688
- Deflection-type refractometer, 605
- Deformation vibrations, infrared, 107
- Degenerate vibrational mode, 107
- Densitometer, 279
- Depletion region in semiconductor detectors, 357
- Depolarization ratio in Raman spectroscopy, 333, 334
- Derivative formation, 169, 544, 589–591
- Derivative spectrophotometry, 177, 178
- Derivative titration curves, 693
- Derivatization methods, 544, 589–591
- Deshielding zones, NMR spectroscopy, 441
- Detection limit
in atomic spectroscopies (tables), 226, 876
of chromatographic detectors, 600, 603
definition of, 15
- Detectors. *See also* Electrodes
electrochemical, 604
electron multiplier for ion beams, 486
infrared, 295–299
of nuclear radiation, 351–359, 402, 414–417
photographic, 327
for ultraviolet-visible region, 141–148, 601–603
for X rays, 351–359
- Deuterium discharge lamp, 119, 251
- Diagnostic structural analysis. *See* Molecular structure
- Diamagnetic shielding. *See* Shielding
- Diatomaceous earth supports, 546
- Diatomic molecule, energy-level diagram, 104
- Dichroic filter, 125
- Diethyldisulfide, Raman spectrum, 331
- Difference spectrophotometry, 176, 177
- Differential conductivity meters, 752
- Differential detector mode in chromatography, 560
- Differential pulse voltammetry, 710–712, 722
- Differential refractometers, 605, 608
- Differential scanning calorimetry
instrumentation for, 763
introduction, 762
methods for, 770
pressure variations, 766
quantitative data from, 766
- Differential spectroscopy, 173–176
- Differential thermal analysis
analysis of curves, 771
instrumentation for, 765
introduction, 763
methods, 770
- Diffraction, X-ray, 340, 341, 372–381
- Diffusion, mass transfer by, 663–668
- Diffusion coefficient, 664
- Diffusion current, 666–668
factors affecting, 704–707
measurement of, 707, 708
- Diffusion layer, 665
- Digital-to-analog conversion, 71–73
- Dilution correction for linear titration methods, 180, 756
- Diodes, 40
- Direct conductance measurements, 754
- Direct-current arc sources, 262
- Direct-current plasma sources, 268
- Direct-current plasma spectroscopy
comparison with atomic absorption spectrometry, 283
comparison with atomic spectroscopic methods (table), 876
- Direct-injection enthalpimetry
instrumentation for, 778
methodology, 779
- Direct memory access, 86
- Direct-reading pH and pION meters, 677–679
- Discrete analysis. *See* Batch analysis
- Discriminator, in X-ray and nuclear methods, 359
- Disk electrodes, 700
- Dislodgement of mercury drops, 701
- Dispersion of monochromators, 126, 127, 136
- Dispersion signal in NMR, 434
- Dispersivity, in molecular weight determination, 648
- Dissociation constants of acids
determination by photometric methods, 180, 181
table of values, 872
- Dissolved oxygen electrode, 802
- Distribution coefficient in exclusion chromatography, 646
- Distribution ratio, concentration, 637
- Doppler line broadening, 245, 248
- Double-beam in time
spectrophotometer, 152–154
- Double-beam spectrophotometer, 149, 151–154
- Double-focusing mass spectrometers, 478
- Double layer, 702
- Double monochromation, 139, 140
- Double resonance in NMR, 448, 449
- Double wavelength
spectrophotometer, 154, 155
- Drift, in operational amplifiers, 44
- Drop detachment, 701
- Dropping mercury electrode, 698, 699, 703
- Drop-size distribution of aerosols, 229
- Drying step with electrothermal analyzers, 237
- Dry reagent slides, 814
- Dual-detectors, in gas chromatography, 559
- Dual electrode (electrochemical) detector, 605
- Dual-head pumps, 593
- Dual-slope converters, 75
- Duane-Hunt equation, 343
- Duoplasmatron ion source, 507
- Dynamic mechanical analysis for polymer testing, 776
- Dynodes, 144
- E° , table of values, 867
- $E_{1/2}$, 706–708
table of values, 869–871
- Eagle optical mount, 273
- Ebert optical mount, 275
- Echelle grating, 276
- Eddy diffusion, 526
- EDTA
formation constants of metal complexes (table), 875
as releasing agent, 253
- Effective plate number, 519
- Efficiency and resolution in chromatography, 518–525
- Effusion separator, 571
- Electrical conductivity. *See* Conductance; Conductivity

- Electrical discharge sources, 262
- Electrical migration, 663
- Electroactive groups in voltammetry, 723–725
tables, 724
- Electroanalytical methods (table), 656
- Electrochemical cells, 657–659, 671
- Electrochemical detectors for liquid column chromatography, 604, 608
- Electrodeless conductivity meters, 752
- Electrodeless discharge lamp, 248
- Electrode position
basic principles, 732, 734
equipment for, 733
- Electrode potentials, 657–659
effect of complex formation upon, 659
effect of concentration upon, 658, 661, 668
nonpolarizable, 661
polarizable, 660, 661
redox, 669
- Electrode processes, completeness of, 732
- Electrodes
for electrical discharge sources, 262
first kind, 668
glass membrane, 677, 679–682
inert, 669
ion-selective, 682–688, 803
oxygen, dissolved, 802
for pH measurements, 677, 679–682
polarizable, 660
reference, 671–674
second kind, 668
third kind, 669
two-indicating, 728
for voltammetry, 698–700, 726
- Electrode-solution interface, 661, 664
- Electrography, 736
- Electrogravimetry, 732–737
- Electrolysis
with controlled potentials, 732–735
with mercury cathode, 735
separations by, 732–737
- Electrolysis cell, 733, 735
- Electrolyte
analysis with dry reagent slides, 815
supporting, 663, 734
- Electrolytic conductance cell, 749
- Electrolytic conductivity, 748
instrumentation for, 749–752
- Electrolytic conductivity detector, 558
- Electrolytic methods, classification of, 656
- Electrolytic separations, equipment for, 733
- Electrolytic stripping methods, 718–721, 723
- Electromagnetic radiation
definition of, 97
energy changes involved, 100
frequency of, 98
interference of waves, 99
monochromatic, 99
plane polarized, 99
polychromatic, 99
radiant power of, 99
velocity of, 97, 98
wavelength of, 98
- Electrometric methods
classification of, 656
introduction to, 656–669
steady-state, 657
transient, 657
- Electromotive force series (table), 867
- Electron avalanche in counters, 353
- Electron-beam probe, 340, 362, 369
- Electron binding energies, core, 386
- Electron-capture detector, 556, 558
- Electron energy analyzers for ESCA, 390, 391
- Electronic absorption bands for chromophores
correlation with molecular structure, 184–186
table, 185
- Electron-impact ion source, 469, 475
- Electron multiplier for ion beams, 486
- Electron probe microanalysis, 340, 341, 362, 363, 369
- Electron spectroscopy for chemical analysis
applications of, 388, 391, 392
binding energies in, 386, 387
chemical shifts in, 386, 387
detectors for, 391
electron analyzers for, 391
instrumentation for, 388–392
molecular structure, correlation with, 386–388
quantitative analysis by, 392
resolution achieved, 388
scanning, 391, 392
sources for, 389, 390
- Electron spin behavior, 115, 116
- Electrostatically bonded ion-exchange resin, 635
- Electrostatic sector in mass spectrometer, 479, 480
- Electrothermal atomization, 234–237
comparison with atomic spectroscopic methods (table), 876
comparison with flame emission, 255
comparison with ICP, 284
element sensitivities (table), 876
Electrothermal vaporizer for ICP, 270
- Elemental analyzers, automatic, 821
- Elements
atomic weights, inside back cover
detection limits by spectroscopic methods (table), 877
ionization of, in flames, 232
periodic chart of, inside front cover
sensitivity, by atomic spectroscopic methods (table), 876
- Eluent, average linear velocity of, 515, 526, 528
- Eluent strength of solvents, 618–621, 626
table, 619
- Euotropic series. *See* Solvent strength parameter
- emf of a half-cell, 658
table of values, 867
- Emission spectroscopy. *See* Atomic emission spectroscopy; Auger emission spectroscopy; Flame emission spectroscopy; Fluorescence; Phosphorescence; X-ray fluorescence
- Empirical formula from isotopic contributions, 491–493
- Endotherms in thermal analysis, 771–773
- End point, location of, 692, 693
- Energy, of radionuclide emissions, 400
table of values, 403
- Energy dispersive X-ray fluorescence analysis, 358, 359
- Energy filter in mass spectrometer, 503
- Energy-level diagram
for diatomic molecule, 103
electronic, 101
helium-neon laser, 112
spinning nucleus, 114, 424
X-ray, 117, 346
- Energy-mass relationships, 477, 479
- Energy-range relationship, 400
- Energy transfer quenching in fluorescence, 203
- Enrichment devices for GC-MS interface systems, 570, 571
- Ensemble averaging, 23
table, 26
- Enthalpic titrations, 777–780
- Enthalpy, measurement of, in differential scanning calorimetry, 764
- Environmental noise, definition of, 17
- Enzyme electrodes, 687
- Equitransferent filling solution, 674
- Equivalence point, location of, 692
- Equivalent conductance, 748
- Errors, types and expression of, 29
- ESCA. *See* Electron spectroscopy for chemical analysis
- Ethylenediamine-*N,N,N',N'*-tetraacetic acid. *See* EDTA
- Evaluation methods. *See also* Calibration methods
ion-activity, 650–652
- Evolved gas detection and analysis, thermometric method, 768
- Excitation potential, critical for X rays, 343

- Exclusion chromatography, 514, 615, 644–650
 summary of technique (table), 862
- Eximer, 203
- Exotherms in thermal analysis, 771–773
- Expanded-scale spectroscopy, 173–176
- Expansion and extension measurement, 774–776
- Experiments, sources of laboratory, 866
- External generation of titrant, 746
- External lock stabilization in NMR, 434
- Fabry-Perot filter, 123, 124
- Faradaic diffusion current, 666, 717
- Faradaic processes, 660, 664, 702
- Faraday, definition of, 738
- Faraday cup collector, 486
- Faraday's laws, 660
- Far-infrared region, 292, 293
- Fast atom bombardment, 473, 476
- Fastie-Ebert mount, 138
- Fast neutrons, 407
 activation with, 411
- Felgett's advantage, 304, 305, 428
- Fiber optics, 140, 141
 in optodes, 804
- Fick's laws, 664, 665
- Field desorption source, 472, 476
- Field-frequency lock in NMR, 434
- Field ionization source, 472
- Field-sweep NMR method, 431, 432, 435
- Filament lamps, incandescent, 119, 120
- Filling solution, 673
- Films, handling in infrared spectrometry, 309
- Filter fluorometers, 207
- Filtering, electrical
 active, 19, 47
 Fourier transform, 28
 for noise reduction, 18
 software for, 21–23
 table, 26
- Filter photometers, 149, 150, 601, 603
- Filters
 absorption, 122, 123
 cutoff or blocking, 122, 124
 cut-on, 122, 124
 dichroic, 125
 Fabry-Perot, 123, 124
 interference, 123–125
 multilayer, 124, 125
 wedge, 124
 for X rays, 348, 349
- Fingerprint region in infrared, 289
- First class electrodes, 668
- First derivative titration curve, 693
- Fish oil, thermomechanical analysis of, 776
- Fixed site ion-exchange membrane electrodes, 682
- Flame atomic absorption spectrometry. *See* Atomic absorption spectrometry
- Flame emission spectrometers, 242
- Flame emission spectrometry applications, 254
 comparison with atomic absorption spectrometry, 255
 comparison with atomic spectroscopic methods (table), 876
 principles of, 224–234, 241–243
 quantitation in, 241
- Flame ionization detector, 553–555, 558, 768
- Flame photometric detector, 557, 558
- Flames
 combustion, 225
 premixed, 231
 structure of, 231
 temperature of, 242
- Flash vaporizer injection system, 542
- Flicker noise, definition of, 17
- Flip-flop circuits, digital, 52
- Floating point notation, 87
- Flow cells for photometric detectors, 602
- Flow injection, 271. *See also* Sample injection; Sample loops and valves
- Flow injection analysis, 183, 818
- Flow programming, 588, 596
- Flow proportional counter, 355
- Flowrate, in chromatography, 515
- Flow resistance parameter, 583
- Fluorescence, 104, 105, 197–220
 effect of pH on, 200
 effect of solvents on, 199, 200
 effect of structural factors on, 199–200
 efficiency of, 201, 202
 energy transfer, quenching in, 203
 lifetime of, 197, 198, 214–217
 molecular structure correlation, 199
 quantum yield, 201
 in Raman spectroscopy, 329
 self-absorption in, 203
 self-quenching in, 203
- Fluorescence detector in liquid column chromatography, 604, 608
- Fluorescence lifetimes, 197, 198
 cross-correlation measurement of, 215, 216
 demodulation factor, 216, 217
 measurement of, 214–217
 in multicomponent determinations, 217
 phase-resolved measurement of, 216, 217
- time-correlated angle-photon counting of, 215
 time-resolved measurement of, 215
- Fluorescence power related to concentration, 201–203
- Fluorescence spectra, correlation with molecular structure, 199
- Fluorescence spectroscopy, 198–217
 applications of, 198
 phase-resolved, 217
 sensitivity of, 198
 specificity of, 198
- Fluorescent spectrometers
 detector response, 201
 double-beam, 211–213
 double monochromation, 211
 effect of slit width, 202
 instrumentation, 202–214
 light sources for, 206, 207
 operational modes, 210
 sample cell geometry, 204–206
 uncorrected, 209
 viewing modes, 205, 206
- Fluoride electrode, 683, 689
- Fluorometer, filter, 204, 207, 208
- Flux per unit area, 664
- f*/number, 128
- Focal length, 138
- Formal electrode potential, 658
- Formation constants of metal complexes (table), 874
- Fourier transformation, 25
 as digital filter, 28
- Fourier transform infrared spectrometer, 302–305
 in process analysis, 798
 resolution of, 305
- Fourier transform mass spectrometer, 499–502
- Fourier transform NMR spectrometer, 427–430
- Fragmentation patterns in mass spectrometry, 494–497
- Free atoms, 230, 243
- Free energy and thermometric titrations, 778
- Free induction decay, 429, 430
- Frequency, definition, 98
- Frequency doublers, laser, 112
- Frequency-sweep method in NMR, 431, 432, 435
- Fresnel-type refractometer, 606
- Fuel-oxidant ratio, 232, 253
- Full-energy peak on gamma spectrum, 410, 411
- Fundamental infrared vibrations, 108
- Gain of photomultiplier tubes, 144
- Gallium arsenide photomultiplier tube, 328
- Gamma radiation
 attenuation of, 399

- Gamma radiation (*continued*)
 energy and intensity of (table), 403
 properties of, 399
- Gamma-ray spectrometry, 410
- Gas atmosphere, effect on
 thermograms, 770
- Gas chromatography
 columns for, 545–548
 compared with process type, 807
 detectors for, 552–560
 liquid phases, 548–552
 miniature, 805
 process, 806
 sample injection systems, 540–544
- Gas chromatography
 column selection, 548–552
 derivative formation, 544
 gas-solid, 566–569
 infrared spectrometer interface,
 572–574
 optimization of experimental
 conditions, 560–566
 programmed temperature, 564
 summary of technique (table), 860
- Gas chromatography–mass
 spectrometry, 569–572
 summary of technique (table), 862
- Gas density detector, 793
- Gases. *See Also* Gas chromatography;
 Gas-solid chromatography
 by infrared spectroscopy, 306, 307
 by mass spectrometry, 467
- Gas-liquid chromatography. *See* Gas
 chromatography
- Gas overpotentials (table), 662
- Gas-sensing matrix electrodes, 686
- Gas-solid chromatography, 514,
 566–569
- Gates, logic, 50
- Gaussian distribution, 518
- Geiger counter, 351–353
- Gelatin, in polarography, 707
- Gel permeation chromatography. *See*
 Exclusion chromatography
- General Electric nondispersive X-ray
 absorptiometer, 366, 367
- Generating electrodes, for coulometry,
 741, 744
- Glass, analysis by thermal methods,
 771
- Glass electrode
 cation-sensitive, 682
 pH-responsive, 677, 679–682
- Glass transition, in thermal analysis,
 771
- Glassy carbon microelectrode, 700
- Globar, 294
- Gloss of solids, 184
- Glow discharge lamp, 272
- G-M counter, 351–353
- Golay cell, 295, 297, 298
- Goniometer, 368
- Gradient elution, mobile-phase
 control in, 588
- Graphite electrodes, in emission
 spectroscopy, 262
- Graphite furnace, 235
- Graphite rod vaporizer for ICP, 271
- Grating formula, 134
- Gratings
 angular dispersion of, 136
 blaze angle of, 133, 134
 blaze wavelength of, 134
 in Czerny-Turner mount, 138, 139
 diffraction, concave, 273
 in Ebert mount, 137, 138
 echelle type, 136
 ghosts in, 135
 holographic, 137
 in Littrow mount, 135, 138, 139
 plane, 275
 resolution of, 136
 stray radiation from, 135
- Group frequency region, infrared, 289
- Guard column, 599
- Gyromagnetic ratio, 115
- Half-cell in electrochemistry, 657
- Half-height, as definition of
 resolution, 485
- Half-life of radionuclides, 401
 table of values, 403
- Half-reactions, potentials of, 657, 658
 table of values, 867
- Half-thickness of nuclear absorber,
 400
- Half-wave potentials, 706–708
 table of values, 869–871
- Halide ion electrodes, 668
- Harmonic vibrations, infrared, 108
- Headspace sampling, 543
- Heated graphite furnaces. *See*
 Electrothermal atomization
- Heating rate in gas chromatography,
 564
- Height of a theoretical plate. *See* Plate
 height
- Height-velocity relationship
 in gas chromatography, 525, 562
 in liquid column chromatography,
 528, 581
- Heisenberg uncertainty principle, 98
- Helium, doubly ionized. *See* Alpha
 particles
- Helium-neon laser, 111, 112
- Herring oil, thermal analysis, 776
- Hersch galvanic cell for analysis of
 oxygen, 801
- Hexadecimal number notation, 87
- High-absorbance spectrophotometric
 method, 173, 174
- High-level computer languages, 82
- High-performance liquid
 chromatography methods,
 580–610
 process on-line, 808
- Hollow cathode lamps, 247, 252, 272
- Holographic gratings, 137
- Hot-wire detector, 552
- Hydrides, chemical vaporization of,
 239
- Hydrochloric acid, thermometric
 titration curve, 779
- Hydrodynamic methods, 717, 723
- Hydrodynamic radius of a molecule,
 648
- Hydrodynamic transport, 663
- Hydrogen bonding, 307
- Hydrogen discharge lamp, 119
- Hydrogen flame, 231, 553, 555, 557
- Hydrogen overpotential (table), 662
- Hydrophobic retention, 628
- Hydroquinone, oxidation of, 706
- Hydroxyl ion, coulometric generation
 of, 745
- Hyphenated techniques, 2
 and chemometrics (table), 36
- Ilkovič equation, 704
- Incandescent filament lamps, 119, 120
- Incremental evaluation methods, 688
- Index of refraction. *See* Refractive
 index
- Indicator electrodes, classification of,
 668, 671
- Indium, Auger MNN spectrum, 382
- Indium-antimonide infrared detector,
 298, 299
- Induced activity, 408
- Inductively coupled plasma–mass
 spectrometry, 504
- Inductively coupled plasma source. .
 265, 282
- Inductively coupled plasma
 spectroscopy, comparison with
 atomic spectroscopic methods
 (table), 876
- Inert gas
 in hollow cathode lamps, 247
 shielding of flames, 234
- Infrared detectors, 295–299
- Infrared process analyzers
 dispersive type, 795
 nondispersive positive filter type,
 795
- Infrared radiation sources, 294
- Infrared spectra, correlation with
 molecular structure, 288–292
- Infrared spectrometers
 detectors for, 295–299
 dispersive, 293, 294, 299–301
 filter type, 301, 302
 Fourier transform, 302–305
 nondispersive, 293, 301–305, 795
 radiation sources for, 294
- Infrared spectrometry
 characteristics bands in, 290
 comparison with Raman
 spectroscopy, 335
 compound identification by, 292

- Infrared spectrometry (*continued*)
 instrumentation for, 293–305
 principles of, 106–108, 287
 quantitative analysis, 314–316
 sample handling, 305–314
 summary of method (table), 860
- Infrared spectrometry–gas
 chromatography coupled, 572–574
- Infrared transmitting materials (table), 306
- Infrared vibrational modes, 106–108, 287–292
- Injection of sample
 in gas chromatography, 540–544
 in HPLC, 592, 596
- Injector-splitter, 540
- Inlet system of mass spectrometer, 467
- Inorganic voltammetric applications, 724
- Input offset current, operational amplifier, 44
- Input offset voltage, operational amplifier, 44
- Input/output computer
 control of, 85
 programmable peripheral interface, 80
 UART and USART, 80
- Input/output units, 66, 67, 83
- Instability constants. *See* Formation constants
- Instrumental techniques
 classification of, 1
 summary of (table), 860–865
 tabulation, 3
- Instrument amplifier
 circuit, 46
 in data acquisition, 78
- Instrumentation
 basic functions of, 7
 calibration of, 32
- Integrated circuits, 42, 50, 56, 57
- Integrated current. *See* Coulombs
- Integration
 of atomic emission signals, 240, 279
 hardware for noise reduction, 18
 of peak areas, 530–534
- Interface
 computer and instrument, 68, 85
 gas chromatograph with infrared spectrometer, 572–574
 gas chromatograph with mass spectrometer, 570
 liquid column chromatograph with mass spectrometer, 608–610
- Interference filters, 123–125
- Interference fringes, use in cell thickness measurements, 310
- Interference mirrors, 350
- Interference wedge, 124
- Internal conversion electron, 105, 399
- Internal lock stabilization in NMR, 434
- Internal reflectance, sample handling in, 311–313
- Internal standard calibration method, 34, 263
- Interplanar crystal spacing (table), 350
- Interpreter, computer, 84
- Interrupts and I/Q devices, 85
- Intersystem crossing in photoluminescence, 104
- Iodine, coulometric generation of, 746
- Iodine-128, decay scheme of, 402
- Ion-accelerating system in mass spectrometer, 469
- Ion activities, 682
- Ion-activity evaluation methods, 688–691
- Ion bombardment, 473
- Ion chromatography, 641–644
- Ion-collection systems in mass spectrometry, 486–488
- Ion cyclotron resonance, 502
- Ion-exchange chromatography, 514, 614, 615, 633–641
- Ion-exchange equilibrium, 636
- Ion-exchange liquid matrix electrodes, 685
- Ion-exchange packings, 633–636
- Ion exclusion chromatography, 649
- Ion exclusion in exclusion chromatography, 648
- Ionic conductance, 748
- Ion image current, 501
- Ion inclusion, 648
- Ionization, degree of in flames, 232
- Ionization buffer, flame, 232
- Ionization chamber detector, 351
- Ionization constant, of acids (table), 872
- Ionization detector, flame, 553–555
- Ionization energy of an atom, 102
- Ionization interference in flame methods, 253
- Ionization sources for mass spectrometers, 468–476
- Ion microprobe mass analyzer, 506
- Ion-molecule chemical interactions, 470
- Ion-pair chromatography, 615, 629–633
- Ion-pair formation, 629–631
- Ion-pair site groups in ion-selective electrodes, 685
- Ion-selective electrodes, 682–688
 interferences with, 689–691
 in on-line analyzers, 803
- Ion suppression, in chromatography, 625, 629
- Ion velocity, in magnetic field, 477
- Ion withdrawal and focusing system, 469
- Iron(III)/iron(II) system, 669
 current-potential curves of, 743
- Irradiation time in radiochemistry, 408
- Irreversible oxidation-reduction reactions, 667
- Irreversible voltammetric reactions, 715, 722
- Isocratic elution, 587
- Isopotential point, 677, 678
- Isosbestic point, 163
- Isothermal operation in gas chromatography, 562–564
- Isotope-dilution method, 35, 413
- Isotope masses (table), 492
- Isotope-ratio mass spectrometer, 489
- Isotopes
 radioactive (table), 403
 stable, use in mass spectrometry, 491–493
- Isotopic abundance (table), 403
- Isotopic contributions to mass spectral data, 491–493
- Jacquinot's advantage, 305
- Jet-orifice separator, 570, 571
- Johnson noise, 166
- Junction potential, 657, 671
- K absorption edge, 343–346
- K electron capture, 399
- K emission lines, 343–346
- Kinetic energy spread of ion beam, 477, 479
- Knox equation, 581
- Kovats retention indices, 548–550
- Labeled reagents, isotopically, 418
- Laboratory experiments, sources of, 866
- Laboratory information management system, 92
- L absorption edges, 343–345
- Lambert-Beer law, 160
- Lambert's law, 160
- Laminar flow burner, 231
- Lamps
 electrodeless discharge, 248
 hollow cathode, 247, 252, 272
 hydrogen discharge, 119
 mercury vapor, 206, 294
 xenon arc and flash, 206
- Lang method for crystal topography, 380
- Langmuir-Blodgett technique, 350
- Languages, computer, 81
- Large-amplitude pulse voltammetry, 709
- Large-scale integration (table), 58
- Larmor frequency of precession, 423, 425, 428–430
- Laser-assisted flame ionization spectroscopy, comparison with atomic spectroscopic methods (table), 876

- Laser desorption source, 474, 476
 Laser excitation, of Raman samples, 330
 Laser microprobe, 264
 Lasers, 111–113, 324
 Lattice spacing, of crystals, 350.
See also X-ray diffraction
 Laws of photometry, 159–164
 Lead
 current-potential curves of, 727
 X-ray edges and emission lines, 364
 Leakage rate of salt bridge solutions, 673, 674
 L emission lines, 344–346
 Lenses, 130
 Levich equation, 717
 Lifetimes, photoluminescence, 197, 198, 214–217
 Ligand exchange chromatography, 640
 Light. *See* Electromagnetic radiation
 Light emitting diode, 57
 Light scattering photometer, 187–189
 Limitations, of analytical techniques (table), 860–865
 Limiting current, in voltammetry, 662, 663, 704, 717
 Limiting electrode potentials, 734
 Limiting equivalent conductance, 748
 Linear dynamic ranges of gas chromatographic detectors, 558
 Linear photodiode arrays, 147
 Linear potential sweep (dc) voltammetry, 704–709
 Linear reciprocal dispersion, 126, 127, 136
 Linear sweep voltammetry. *See* Cyclic voltammetry
 Linear titration methods
 amperometric, 726–728
 conductometric, 755
 photometric, 179–181
 Liquid column chromatograph–mass spectrometer interface, 608–610
 summary of technique (table), 862
 Liquid column chromatography detectors for, 600–610
 instrumentation for, 592–608
 mode selection guide, 614, 615
 optimization of column performance, 580–587
 sample introduction, 596
 solvent delivery systems, 593–595
 summary of technique (table), 862
 Liquid exclusion chromatography.
 See Exclusion chromatography
 Liquid ion-exchanger matrix electrodes, 685
 Liquid junction, 673
 Liquid junction potential, 657, 671, 673
 Liquid-liquid chromatography, 615
 Liquid matrix electrodes, 685
 Liquid phases in gas chromatography, 548–552
 table, 549
 in liquid column chromatography, 618–621, 624–627, 631–633, 636–641, 643, 645, 651
 Liquids and solutions
 in infrared spectroscopy, 307–309
 injection into gas chromatograph, 540–542
 in mass spectrometry, 467
 solvent effect on spectra in infrared, 307
 Liquid scintillation systems, 414–417
 Liquid-solid adsorption chromatography, 514, 615. *See also* Adsorption chromatography
 Literature, analytical, 9–11,
 computer searching of, 9, 11
 Lithium atomic term diagram, 101
 Lithium drifted detectors, 357, 358
 Local area network for analytical laboratory, 91
 Logic gates, digital, 50
 table, 51
 Longitudinal diffusion, 527, 528
 Longitudinal relaxation, 426
 Loop, calibrated sample, 542
 Lorentz line broadening, 245
 Low-absorbance differential spectrophotometry, 174
 Low-angle laser light scattering detector, 645
 Lumen, 144, 145
 Luminescence. *See also* Fluorescence;
 Phosphorescence
 comparison with ultraviolet-visible absorption, 219
 definition of, 197
 Luminescence spectroscopy, total, 213, 214
 L'vov platform, 236
 Machine language, 82
 Macroporous polymers, 617, 635
 Macroreticular polymers, 617, 635
 Magic angle spinning, 439
 Magnesium atomic term diagram, 101
 Magnesium phosphonate monohydrate, thermal analysis of, 771
 Magnetically equivalent NMR nuclei, 453
 Magnetic-deflection analyzer system, 477–480, 485
 Magnetic electron multiplier, 487
 Magnetic moment, 423
 Magnetic quantum number, 423
 Magnetic susceptibility for determination of oxygen, 800
 Magnetogyric ratio, 423, 428
 Manganese-56
 decay scheme, 402
 gamma spectrum of, 410
 Mannosan triacetate, NMR spectrum, 449
 Mark-Houwink equation, 648
 Masking agent. *See* Complexation; Complex ions
 Mass absorption coefficient, 363, 400
 Mass analyzer systems, 476–486
 Mass difference, molecular formula calculation from, 492
 Mass-energy relationship, 477, 479
 Mass spectra, molecular structure correlation from, 490–497
 Mass spectrometer
 components, 466
 data handling, 489
 as detector in evolved gas analysis, 768
 inlet sample systems, 467
 ion-collection systems, 486–488
 ionization methods, 468–476
 isotope-ratio, 489
 mass analyzer systems, 476–486
 quadrupole, 503
 resolving power, 484
 tandem, 502
 vacuum system for, 488
 Mass spectrometer–gas chromatograph coupled, 569–572
 summary of technique (table), 862
 Mass spectrometer–liquid column chromatograph coupled, 608–610
 summary of technique (table), 862
 Mass spectrometry
 Fourier transform, 499–502
 inductively coupled plasma, 504
 ion microprobe (IMMA), 506
 mass spectra correlation with molecular structure, 490–497
 quantitative analysis by, 497–499
 sample handling in, 466–468
 secondary ion (SIMS), 505
 summary of technique (table), 860
 use of stable isotopes in, 487
 Mass transfer processes
 in electrochemistry, 662–668
 in gas chromatography, 526–528
 Matrices, column. *See* Column matrices
 Matrix type ion-selective electrodes, 685
 Mattauch-Herzog geometry, 479
 Maxima in polarography, 707
 Maximum precision spectrophotometric method, 175
 Maximum suppressor, 707
 McReynolds classification system, 550–552
 constants (table), 549
 Medium scale integration (table), 58
 Melaven mercury cathode cell, 735
 Membrane electrodes, biocatalytic, 687
 Membrane separator, 750
 Memory of computer, 65

- Mercury, hydrogen overpotential on, 662, 735
- Mercury arc, as infrared source, 294
- Mercury cathode, 735
- Mercury drop detachment, 701
- Mercury electrode, dropping, 698, 699
- Mercury/mercury(I) chloride reference electrode, 672
- Mercury vapor lamp, 206
- Metal-anionic complexes, ion exchange of, 639–641
- Metal complexes
formation constants (table), 874
in spectrophotometry, 169
- Metals, ionization in flames, 232
- Metal sulfide membrane electrodes, 685
- Metastable peaks, 493, 496
- Method of additions for evaluation, 688
- Methylene group, infrared vibrational modes, 107, 108
- Michelson interferometer, 302
- Microcomputers, 67, 68, 88
- Microelectrodes, 698–700, 717, 726
- Microprobe mass analyzer, ion, 506
- Microprocessor, application
in clinical analyzers, 818
in infrared instrumentation, 796
in laboratory robots, 826
in process gas chromatography, 808
in thermal analysis, 762
- Microprocessor chips, 65, 67
- Microscope attachments for infrared spectrometers, 313
- Microsensors, 804
- Mid-infrared region, 289–292, 293
- Mie scattering, 186
- Migration, electrical, 662, 703
- Miniature infrared analyzers (MIRAN), 797
- Mirrors, 130
- Mobile phase
average linear velocity of, 515, 525, 528
selection in HPLC, 618–621, 624–628
- Mobile-phase delivery system, 593–596
- Mobile-phase velocity–plate height relation, 525–529, 560–562, 581
- Modifiers for mobile phases in HPLC, 620, 651
- Modulation, signal, 240
- Modulation/demodulation for noise reduction, 19
- Moisture, continuous determination in papers, 791
- Molar absorptivity, 161, 314
- Molecular electronic energy levels, 102–106
- Molecular flow of gases, 468
- Molecular formula, from isotopic contributions, 491–493
- Molecular identification and analysis (table), 860–865
- Molecular leak, 468
- Molecular phenomenon, of analytical techniques, 860–865
- Molecular sieves, 567
- Molecular structure/spectra correlation
by ESCA, 386–388
by infrared spectra, 288–292
by mass spectra, 490–497
by NMR spectra, 439–458
by Raman spectroscopy, 329–333
by ultraviolet/visible spectra, 184–186
by X-ray diffraction, 378–381
- Molecular vibrational energy levels, 104
- Molecular weight
by exclusion chromatography, 648
from mass spectrum, 469, 491
- Mole-ratio method for composition of complexes, 181
- Monochromators, optical. *See also* Gratings
dispersion of, 126
double, 139
focal length and plane, 129
mirrors and lenses in, 130
performance of, 126
radiation-gathering power, 126, 128
resolution of, 126–128
slits, 128–130
- Monodisperse-aerosol-generation interface, 609
- Moving belt LC-MS interface, 610
- Mulls in infrared spectroscopy, 309, 310
- Multichannel electron multiplier arrays, 487
- Multicomponent mixtures. *See also* Gas chromatography; Gas-solid chromatography; High-performance liquid chromatography
in activation analysis, 409–413
in mass spectrometry, 497–499
in ultraviolet-visible spectrophotometry, 172, 173
- Multielement analysis in atomic emission spectroscopy, 280
- Multielement lamps, 248
- Multilayer interference filter, 124
- Multiplexers/demultiplexers, 69
in data acquisition, 78
- Multiport rotary valve, 542
- NAND function, digital circuit, 51
- Narrow-bore columns, 598
- Natural abundance of radionuclides (table), 403
- Near-infrared reflectance analysis, 798
- Near-infrared region, 288, 289, 293
- Nebulization, 227, 269
- Nebulizers, 228, 269–271
- Negative chemical ionization, 470
- Neon-helium laser, 111, 112
- Nephelometry
applications, 189
instrumentation for, 187–189
principles, 186
standards for, 187
- Nerheim gas density balance, 794
- Nernst equation, 658, 675
- Nernst glower, 294
- Nernstian electron transfer coupled with chemical reaction, 707
- Neutron activation analysis, 407–413
summary of technique (table), 864
- Neutron cross sections, thermal, capture, 408
table, 403
- Neutron sources
fast, 407
thermal, 407
- Nichrome coil as infrared source, 294
- Nikolsky equation, 689
- Nitrate selective electrode, 685
- Nitrile bonded-phase supports, 623
- Nitrous oxide flame, 234
- Nitrogen (1s) electron binding energies, 387
- NMR spectra, correlation with molecular structure, 439–458
- Noise
environmental, 17
flicker, 17
fundamental, 16
reduction of, 18–21
shot, 17
thermal, 16
white, 18
- Noncombustion plasma sources, 265
- Nonfaradaic processes, 660, 702
- Nonpolarizable electrode, 661
- Nonretained solute, transit time of, 517
- NOR function digital circuit, 51
- Normal hydrogen electrode. *See* Standard hydrogen electrode
- Normal phase liquid chromatography, 625
- Normal pulse voltammetry, 709, 710
- NOT function digital circuit, 51
- Nuclear electric quadrupole moment, 114
- Nuclear magnetic properties of nuclei, 114
- Nuclear magnetic resonance
Boltzmann distribution, 425
carbon-13 chemical shifts, 444
coupling constants, 439, 443–447
cross polarization, 439
decoupling in, 435, 447–449
double resonance, 448, 449
elucidation of spectra, 447–454
energy levels, 423–425

- Nuclear magnetic resonance
(*continued*)
 first-order spectra, 454
 free induction decay, 429, 430
 frequency-sweep method, 431, 432, 435
J coupling in, 443–447
 Larmor frequency, 423, 425, 428–430
 magic angle spinning, 439
 magnetic moment, 423
 magnetogyric ratio, 423, 428
 medicine, use in, 458
 multiplets, 446, 447
 nuclear Overhauser effect, 449, 450
 principles of, 422–431
 proton chemical shifts, 440–443
 quantitative analysis by, 454–458
 reference materials for, 434, 440
 relaxation processes in, 426, 427
 shielding, effect of, 440, 441
 shift reagents, 450–453
 solvent influence, 450–453
 solvents for, 433
 spin decoupling in, 448, 449
 spin lattice relaxation, 426–428, 430, 439
 spin-spin coupling, 443–447
 spin-spin relaxation, 427, 428, 439
 spin system notation, 454
 spin tickling, 450, 451
 summary of technique (table), 860
 two-dimensional Fourier transform, 453
- Nuclear magnetic resonance signals,
 absorption and dispersion, 434
- Nuclear magnetic resonance
 spectrometers
 continuous-wave spectrometer,
 431–437
 cryogenic superconducting
 solenoids, 432
 external lock stabilization, 434
 field-sweep method, 431, 432, 435
 Fourier transform, 437–439
 instrument stabilization, 433, 434
 internal lock stabilization, 434
 magnets, 432
 minimal type, 435–437
 multipurpose type, 437
 probe units, 433
 pulsed, 427–430
 sample tubes, 433
 signal integration, 454–458
 sweeping modes, 435
 wide-line, 430, 431, 437
- Nuclear magneton, 425, 426
- Nuclear Overhauser effect, 449
- Nuclear properties of radionuclides
 (table), 403
- Nuclear radiation
 absorption of, 399
 interaction with matter, 399
 particles emitted, 398
- Nuclear spin
 energy levels of, 114
 precession of nuclear axes, 113
- Nuclear spin-lattice relaxation, 115
- Number-average molecular weight,
 648
- Nyquist frequency
 in analog-to-digital conversions, 73
 in multiplexing, 70
 for sampling, 21, 26
- Obstructive factor, 527
- Octal data, 87
- Octanes, mass spectra of, 494
- On-line process control
 continuous, 809
 design of systems, 809
- Open tubular columns, 546
- Operational amplifier, 42–45, 677,
 678, 752
- Operational definition of pH,
 675–677
- Optical null procedure in
 spectrophotometry, 153, 154
- Optical resonance, lasers, 111
- Optical speed, 273
- Optimization
 of gas chromatographic
 separations, 560–566
 of liquid column chromatographic
 methods, 580–587
- Optoacoustic spectroscopy, 181–183,
 313
- Optodes, 804
- Order, optical, 276
- OR function, digital circuit, 51
- Organic compounds, as derivatives
 in chromatography, 544, 589
 in spectrophotometry, 169
- Organic liquid scintillators, 414
- Organic voltammetry, 723
 tables, 724
- Output transducers, 8
 table, 9
- Oven for gas chromatography, 548
- Overpotential, 661, 662
 hydrogen (table), 662
- Overtone vibrations, infrared, 108
- Overvoltage. *See* Overpotential
- Oxidation current, 658
- Oxidation-reduction buffers, 734
- Oxidation-reduction half-reactions,
 potentials of (table), 867
- Oxide film, thickness determination of,
 747
- Oxygen
 anodic overpotential, 662
 current-potential curves, 743
 elemental analyzer for, 822
 process analyzers for, 800
 removal of dissolved, 701
- Oxygen determination
 dissolved, 725, 802
- electrode for dissolved, 802
- Hersch galvanic cell for, 801
 by magnetic susceptibility, 800
 process analyzers for, 800
 by zirconia analyzer, 801
- Packed columns in gas
 chromatography, 546, 561
- Packings, column. *See* Column
 matrices
- Pair production, 399
- Parent-daughter metastable peak
 relation, 493
- Particle diameter of supports in
 chromatography, 527, 581, 586
- Particle-induced X-ray emission, 340,
 369–372
- Partition coefficient, 516
- Partition forces, nature of, 618, 620
- Partition liquids for gas
 chromatography, 548–552
 tabulation, 549
- Partition ratio, 517
- Paschen-Runge mount, 273
- Pauli exclusion principle, 103
- Peak area integration, 530–534
- Peak asymmetry factor, 520
- Peak capacity, 517
- Peak current
 in alternating-current voltammetry,
 717
 in cyclic voltammetry, 715
 in differential pulse voltammetry,
 711
- Peak variance, 525
- Pellets, handling in infrared
 spectroscopy, 310
- Pellicular type of packing, 581, 616,
 634, 635
- Penetrating power (range) of
 radiation, 398–401
- Penetration depths of electrons and
 ions, 505
- Perchlorate selective electrode, 685
- Periodicals, analytical, 10
- Periodic table, inside front cover
- Permeability enrichment in GC-MS,
 570
- Permeation range (selective) in
 exclusion chromatography, 646,
 647
- pH, operational definition of, 675–677
- Phase difference, faradaic and
 capacitative currents, 717
- Phase ratio (volumetric) in
 chromatography, 517
- Phase-resolved fluorescence
 spectroscopy, 216, 217
- Phase-sensitive detectors for noise
 reduction, 20
- 1,10-phenanthroline, formation
 constants of metal complexes
 (table), 875

- Phenyl bonded-phase supports, 624
- pH glass electrodes, 677, 679–682
- pH measurements, 674–682
- pH measurement systems, 677–679
- Phosphorescence
- correlation with molecular structure, 199, 200
 - instrumentation for, 217–219
 - principles of, 104, 105
 - room temperature, 219
 - structural factors involved in, 197
 - time-resolution in, 218
- Phosphorescence lifetimes, 198, 200
- Phosphorus-32, decay scheme of, 401
- Photoacoustic spectroscopy, 181–183, 313
- Photocathodes
- quantum efficiency of, 142
 - solar blind, 142
 - spectral sensitivity of, 142, 143
- Photoconductive detectors, 298
- Photodiode arrays, 147, 279
- Photodiode detector, 146–148, 279
- Photoelectron effect, 399
- Photoelectron escape depths, 386
- Photoemissive tubes, 141–144
- Photographic detection
- in atomic emission spectroscopy, 277, 278
 - in mass spectrometry, 487
 - in X-ray diffraction, 376
- Photographic emulsions, 357
- Photoionization, 399
- Photoionization detector, 557, 558
- Photoluminescence, 197
- Photoluminescence power, relation to concentration, 201–203
- Photometers, filter, 149
- Photometric analyzer for continuous-flow analysis, 791
- Photometric detectors for HPLC, 601–604, 607
- Photometric linearity, 164
- Photometric precision, 166–169
- and relative concentration error, 167, 174–176
- Photometric titrations, 179–181
- Photometry. *See also*
- Spectrophotometry; Ultraviolet-visible spectrophotometers
 - laws of, 160
 - units used in, 160
- Photomultiplier tube, 144–146, 279, 328
- Photon counting, 145, 146, 326
- Photon detectors, 298
- Photons, 98
- Photopeak in gamma-ray spectrum, 410, 411
- pH/reference electrode combinations, 681
- pH scale, definition, 674, 675
- pH standard reference buffers, 676
- Physical and chemical changes in thermal analysis, 769–776
- pI (pION) measurement systems, 677–679
- pK_a values (table), 872
- Planck's constant, 98
- Plasma desorption source, 474, 476
- Plasma sources, 266, 268
- Plate height, 520, 525, 528
- Plate height and mobile phase velocity, 525–529, 560–562, 581
- Plate number, 519, 523–525
- column operation to achieve preselected, 583
- Pneumatic nebulizers, 228, 269–271
- Pockels cell, 217
- Polarizability, molecular, 108, 321, 329
- Polarizable electrode, 660, 661
- Polarization measurements, by Raman spectroscopy, 332–334
- Polarography, 657, 704, 707, 721.
- See also* dc voltammetry
- Polling to control input-output devices, 85
- Polyamide matrix resins, 636
- Polyatomic molecule, infrared vibrational modes, 287
- Polyethylene
- analysis by differential scanning calorimetry, 773
 - X-ray diffraction fiber diagram, 380
- Polymer gels, cross-linked, 644
- Polymerized multilayer bonded coatings, 623
- Polymers
- analysis by thermal methods, 771
 - X-ray diffraction patterns, 380
- Polyvinyl chloride matrix electrodes, 686
- POPOP, secondary scintillator, 414
- Population inversion in lasers, 111
- Pore-size diameter and separation range, 645
- Porosity of column packings, 515
- Porous barrier separator, 570, 571
- Porous glasses and silicas, 644
- Porous layer beads, 616
- Porous particles as stationary phase, 616
- Porous polymer packings, 617
- Positional isomers, separation of, 621
- Positive chemical ionization method, 470
- Positron, 399
- Postcolumn derivatization, 591
- Postirradiation radiochemical procedures, 409
- Potable water, analysis of, 788
- Potassium, atomic term diagram, 101
- Potassium selective matrix electrode, 686
- Potential buffer, 734
- Potential-current curves. *See* Current-potential curves
- Potentials, half-wave, 706–708
- table of values, 869–871
- Potentials, oxidation-reduction (table), 869–871
- Potential step methods, 709–713, 721
- Potentiometric analyzers, on-line, 803
- Potentiometric titrations, 691–694
- Potentiometric titrators, automatic, 694
- Potentiostat, 47, 701
- Powder data file, X-ray diffraction, 378
- PPO, primary scintillator, 414
- Precession of nuclear spin axes, 113
- Precision
- definition of, 30
 - and significant figures, 30
 - spectrophotometric, 164, 166–169
- Precolumn derivatization, 544, 589–591
- Preresonance Raman spectroscopy, 323
- Preset count (or time), 405
- Pressure differential scanning calorimetry, 766
- Pressure drop in chromatography, 583, 586
- Pressure-gradient correction factor, 516
- Pressure requirements in HPLC, 583, 584, 586
- Primary coulometric titrations, 741
- Prints, electrographic, 736
- Prisms, as dispersive devices, 131–133
- Probe units in NMR, 433
- Problems, answers to, 829–859
- Procedure, analytical, 1
- Process analyzers, control
- contrasted with laboratory analyzers, 790
 - development of, 786
 - industrial, 789
- Process chromatographic systems, 808
- Programmable peripheral interface, 80
- Programmed-temperature gas chromatography, 564
- Prompt gamma-ray analysis, 412
- Proportional counters, 353–355
- Protocol, analytical, 1
- Proton chemical shifts, 440–443, 453, 454
- Proton-proton coupling constants, 443–447
- Protons, coupling with other nuclei, 445
- Proton transfer reactions, pK_a values (table), 872
- Pulsations, damping methods in solvent delivery systems, 595
- Pulse dampers, 595
- Pulsed nuclear magnetic resonance, 427–430
- Pulse height analyzer, 358–361

- Pulse polarography. *See* Potential step methods
- Pulse sequences in Fourier transform NMR, 430
- Pumps for HPLC, 593–595
- Purge and trap method, 543
- Pyroelectric detector, 295, 297
- Pyrolysis methods in gas chromatography, 543
- Pyrolysis reactions, study of by evolved gas analysis, 768
- Quadrupole Fourier transform–mass spectrometry, 503
- Quadrupole mass analyzer, 480–482, 485, 503
- Quadrupole moment, electrical, 114
- Qualitative analysis, advantages of analytical techniques (table), 860–865
- Quality assurance, role in analysis, 6
- Quantitative analysis
 advantages of analytical techniques (table), 860–865
 in atomic absorption spectrometry, 245
 in Auger emission spectroscopy, 385
 calibration methods, 32–35, 240, 253, 263, 413
 in chromatography, 530–534
 in flame emission spectrometry, 241
 in infrared spectroscopy, 314–316
 by mass spectrometry, 497–499
 by nuclear magnetic resonance, 454–458
 by Raman spectroscopy, 335
 in ultraviolet-visible spectrophotometry, 169–173
 by X-ray diffraction, 379
- Quantity and area, correlation of, 530
- Quantum efficiency
 nuclear and X-ray detectors, 354
 phototubes, 142, 328
- Quaternary amines (alkyl) as counterions, 630
- Quinone, reduction of, 706
- Radial compression column, 597
- Radiant power, 99
- Radiation, losses at boundaries, 130, 602
- Radiation sources. *See also* Arc; Electromagnetic radiation; Lasers; Plasmas
 modulation and pulsing of, 121
 spectral distribution of, 120
- Radioactive decay, 401
- Radioactivity
 counters for measurement of, 402–407
 statistics in measurements, 402–405
 units of, 401
- Radiography, 365
- Radionuclides
 applications of, 417
 decay schemes of, 402
 half-lives of, 401
 properties of (table), 403
- Radioreagents, 418
- Radius of curvature of ion beam, 477
- Radius of gyration, 500
- Raman effect, 108–111, 208, 321–336
- Raman spectrophotometers
 detectors, 327
 illumination of samples, 328
 laser, 325–327
 sample handling, 328, 329
- Raman spectroscopy
 advantages of, 332
 applications of, 332, 335
 coherent anti-Stokes, 324, 336
 comparison with infrared spectroscopy, 335
 disadvantages of, 336
 polarization measurements, 332–334
 quantitative analysis by, 335
 resonance, 323, 335
 solvents, obscuration ranges of, 329
 structural information from, 329–332
 summary of technique (table), 860
 surface enhanced, 325
 symmetry considerations in, 323, 329–335
- Random access memory, 65, 90
- Range-energy relationship of beta particles, 400
- Rayleigh scattering, 108, 186, 208, 322, 329
- Read-only memory, 62, 65, 90
- Reagent gases for chemical ionization source, 470
- Receptors. *See* Detectors
- Reciprocal lattice concept, 373–375
- Reciprocating pumps, 593
- Redox buffers, 734
- Redox electrode, 669
- Red-sensitive photomultiplier tubes, 328
- Reduced column length, 586
- Reduced mass for two atoms, 106
- Reduced plate height, 581
- Reduced velocity, 581
- Reducible organic functional groups (table), 724
- Reduction current, 658
- Reference electrodes, 671–674
- Reference half-cell, 658
- Reference materials
 for NMR, 434, 440
- Reflectance spectra. *See also* Internal reflectance
 in near-infrared region, 289
- Reflection, specular, of solids, 183, 184
- Reflection loss at boundaries, 130, 602
- Reflection-type refractometer, 606
- Refractive index, 98
 effect on Beer's law, 602
 use in continuous analysis, 792
- Refractive index of solvents (table), 619
- Refractometer
 in continuous analysis methods, 792
 critical angle, 792
 differential, 605, 608
 reflection, 606
- Refractory compounds, in flame spectrometry, 234, 253
- Registers, digital, 53, 54
- Relative concentration error in spectrophotometry
 as function of absorbance and transmittance, 175
 high-absorbance method, 174
 maximum precision method, 176
 trace-analysis method, 175
- Relative error
 constants of (table), 405
 definition of, 29
- Relative response factor, 534
- Relative retention, 518, 523–525, 563, 637
- Relaxation processes in NMR, 426, 427
- Releasing agents, 253
- Residual current in voltammetry, 707, 708
- Resistance, electrical, of glass electrodes, 677, 680
- Resolution. *See also under specific detectors*
 and analysis time in chromatography, 529, 566
 in chromatography, 521–525, 588
 in ESCA, 388
 of gratings, 136
 in mass spectrometry, 484
 of monochromators, 126–128
 in phosphorescence, 218
 in solvent programming, 588
- Resonance line, 244
- Resonance Raman spectroscopy, 323, 335
- Response time. *See also under specific detectors*
 of chromatographic detectors, 600
- Results of analysis, 6, 9
 confidence limit, 31
 evaluation of, 28
- Retention behavior in chromatography, 514–516, 645–648
- Retention indices (RI), Kovats, 548–552
- Retention time
 characterization, sample, 534–537
 defined, 515
 in gradient elution, 588
 preselection in liquid column chromatography, 580, 582

- Retention time (*continued*)
 and resolution, 521–525
 temperature effect on, 562–565, 585
- Retention volume, defined, 515
- Reversed optics spectrophotometer, 155
- Reverse isotope dilution, 413
- Reverse phase ion-pair partition.
See Ion-pair chromatography
- Reverse phase liquid column chromatography, 626–629
- Reversible oxidation-reduction systems, 659, 667
- Review periodicals in analytical chemistry, 10
- Ring-disk electrode, 700
- Robots, laboratory, 824
- Rocking vibration, infrared, 108
- Rohrschneider classification system, 550
- Rotary valve, multiport, 542, 592, 595
- Rotating disk voltammetry, 717
- Rotating microelectrode, 700
- Rotating ring voltammetry, 718
- Rowland circle optical system, 273
- RS-232 serial bus, 67, 80, 91
- Salt bridge, 673
 filling solutions for, 673, 674
- Sample, pretreatment of, 6, 227
- Sample-and-hold amplifiers, 77, 78
- Sample handling. *See also* Sample injection; Solids, handling of
 in infrared spectroscopy, 305–314
 on-stream analyzers, 790
 photoacoustic methods, 313
 in Raman spectroscopy, 328
 in ultraviolet-visible region, 168
- Sample injection
 in atomic spectroscopy, 227
 in electrothermal atomization, 238
 in gas chromatography, 540
 in liquid column chromatography, 592, 595
 in mass spectrometry, 467
 in plasma sources, 269
- Sample loops and valves, 542, 592, 595
- Sample size, in analytical techniques (table), 860–865
- Sampling devices
 in atomic emission spectroscopy, 261
 factors to consider, 5
 Nyquist frequency, 21, 27
- Saturated calomel electrode, 673
- Saturation factor in activation analysis, 408
- Sauter mean diameter of droplets, 229
- Scale expansion techniques in spectrophotometry, 173–176
- Scanning Auger microprobe, 385
- Scanning calorimetry, differential, 761–767, 769–774
- Scanning electron microscope, 369
- Scan rate and spectrophotometric accuracy, 165
- Scattering coefficient, Raman, 335
- Schmitt trigger, 49
 as pulse counter, 56
- Scintillation counter, 355–357
- Scintillation liquid counting, 414–416
- Scissoring vibration, infrared, 107
- SCOT columns, 546
- Secondary coulometric titrations, 742–747
- Secondary ion mass spectrometry, 382, 505–507
- Secondary scintillators, 414
- Second-class electrode, 668
- Second-derivative spectrophotometry, 178
- Second-derivative titration curve, 693
- Sector mass spectrometers, 477–480
- Selection rules
 atomic energy transitions, 102
 vibrational transitions, 107
- Selective ion electrodes. *See* Ion-selective electrodes
- Selectivity, in chromatography, 523
- Selectivity coefficient, in ion-exchange chromatography, 636
- Selectivity ratio of ion-selective electrodes, 689–691
- Self-absorption in fluorescence, 203
- Self-quenching in fluorescence, 203
- Self-reversal, 248
- Semiconductor detectors, 357–359
- Sensitivity, definition of, 14
- Sensors for industrial processes, 790
- Separation factor, 637
- Separation range and pore-size diameter, 647
- Separators for GC-MS interfaces, 570
- Sequential multielement analysis, 280
- Series-bypass detector method, 567–569
- Set points in closed loop process control, 811
- Sheen of solids, 184
- Shielded flames, 234
- Shift reagents, 450–453
- Shot noise, 17
 in photoemissive tubes, 143, 168
- Sieves, molecular, 567
- Signal generators, 7
- Signal-to-noise ratio
 definition of, 13
 in Fourier transform NMR, 428
 hardware enhancement of, 18
 of photomultiplier tubes, 146
 software enhancement of, 21
- Signal transformation, 8, 13
 table, 8
- Significant figures, 30
- Silanization of supports, 546
- Silica
 as adsorbent, 617–619
 solvent strength parameters on (table), 619
- Siloxane type of bonded-phase support, 622
- Silver, Auger MNN spectra, 382
- Silver diammine complex, 659
- Silver halide membrane electrodes, 685
- Silver ion, coulometric generation of, 741
- Silver-silver chloride electrodes, 673
- Silver sulfide membrane electrodes, 684
- Silylating agents, 545, 546
- Simultaneous multielement analysis, 170–173, 280
- Single-coil NMR probe units, 433
- Single-focusing mass spectrometer, 476
- Sixty-degree sector mass spectrometer, 478
- Size parameter in turbidimetry and nephelometry, 186
- Slew rate of operational amplifiers, 44
- Sliding plate valve, 542, 596
- Slit distribution function, 129
- Slits, in monochromators, 128–130
- Slope-ratio method, 181
- Slot burner, 228
- Small-scale integration (table), 58
- Smart instruments, 36, 88
- Smoothing data, 23
 table, 26
- Soap film analyzing crystals, 350
- Sodium, atomic term diagram, 101
- Sodium ion-selective glass electrode, 683
- Sodium-24 decay scheme, 402
- Software
 chemometrics, 36
 for signal-to-noise enhancement, 21
- Solid matrix electrodes, 686
- Solid microelectrodes, 700, 726
- Solids, handling of
 in infrared spectroscopy, 309
 in mass spectrometry, 467, 476
 in Raman spectroscopy, 330
 in ultraviolet-visible spectrophotometry, 183
- Solid-state sensors, 683–685
- Solubility of precipitates by radiochemical means, 418
- Solute diffusion coefficient
 in mobile phase, 527, 561
 in stationary phase, 527, 561
- Solute-solvent interaction, 617, 618.
See also Gas-liquid chromatography; Liquid column chromatography
- Solvent delivery systems for HPLC, 592–597
- Solvent programming, 588, 596

- Solvents
 for adsorption chromatography, 618–621
 for exclusion chromatography, 645
 infrared transmittance, 308
 Raman obscuration ranges, 329
 refractive index of (table), 619
 ultraviolet-visible transmittance, 170, 171
 viscosity of (table), 619
- Solvent strength parameter, 618–620
 table of values, 619
- Solvent viscosity effect in liquid chromatography, 586
- Spark source, 264
- Specific activity of radionuclides, 401
- Specific column resistance, 583
- Specific conductance, 748
- Specific ion electrodes. *See* Ion-selective electrodes
- Specific ionization, 400
- Spectral bandwidth, effect on absorption band shapes, 128
- Spectral intensity, 119
- Spectral line interferences, 252
- Spectra-structure correlation
 by ESCA, 387
 by infrared spectroscopy, 288–292
 by mass spectrometry, 490–497
 by nuclear magnetic resonance, 439–447
 by Raman spectroscopy, 329–333
 by ultraviolet-visible spectrophotometry, 184–186
 by X-ray diffraction, 378–381
- Spectroelectrochemistry, 725
- Spectrofluorometers. *See* Fluorescence spectrometers
- Spectrophotometers, ultraviolet-visible. *See* Ultraviolet-visible spectrophotometers
- Spectrophotometric accuracy, 164–166
- Spectrophotometric precision, 164, 166–169
- Spectrophotometry
 derivative method, 177
 difference method, 176
 expanded-scale methods, 173–176
 high-absorbance method, 173
 maximum-precision method, 175
 multicomponent mixtures, handling in, 172
 quantitative methodology, 169–173
 second-derivative methods, 178
 simultaneous determinations in, 170–173
 solvents for, 170
 trace-analysis method, 175
 wavelength selection in, 170
- Spectroscopic splitting factor for electron, 115
- Spectrum stripping, 411
- Sphere of reflection, 374
- Spin, of nuclei, 113, 114
- Spin decoupling, 448, 449
- Spin-lattice relaxation, 426–428, 430, 439
- Spin-spin coupling, 443–447
- Spin-spin relaxation, 427, 439
- Spin system notation, 454
- Spin tickling, 450, 451
- Spread sheets, 83
- Square-wave voltammetry, 712, 722
- Stagnant pools, effect in HPLC, 526, 528
- Standard absorber method for cell width measurement, 310
- Standard addition evaluation method, 33, 253
- Standard deviation, 31
- Standard hydrogen electrode, 657
- Standards for exclusion chromatography, 648
- Static mercury drop electrode, 699
- Stationary liquid phases for gas chromatography, 548–552
 tabulation of properties, 549
- Stationary phases
 for adsorption chromatography, 617
 for exclusion chromatography, 644
 for gas-solid chromatography, 567
 for liquid-liquid chromatography, 622–624
- Statistical methods
 in chemical analysis, 6
 in error analysis, 31
 in radiochemistry, 402–405
- Steady-state electroanalytical methods, 657
- Stepwise elution in HPLC, 589
- Stimulated emission (lasers), 111
- Stokes Raman lines, 109, 322
- Stopped-flow injection method, 597
- Stray radiation, effect on spectrophotometric accuracy, 165
- Stripper column in process gas chromatography, 807
- Stripping voltammetry, 718–721, 723, 747
- Structure correlation by spectra. *See* Spectra-structure correlation
- Subtraction evaluation method, 688
- Successive approximation analog digital converter, 73
- Sulfide ion-selective electrode, 684
- Sulfur, X-ray spectra and oxidation state, 346
- Sulfur dioxide gas-sensing electrode, 687
- Support-coated open tubular column, 546
- Supporting electrolytes, in voltammetry, 663, 734
 for inorganic substances (table), 869–871
- Supports in gas chromatography, 546
- Suppression of ionization in flames, 254
- Suppression of maxima in polarography, 707
- Suppressor column, in ion chromatography, 642
- Surface analysis
 with electron beam probe, 506
 sources for, 473, 506
- Surface areas of adsorbent particles, 616
- Surface enhanced Raman spectroscopy, 325
- Surface hydroxyl groups on silica and alumina, 618, 623
- Surface ionization source for mass spectrometry, 474, 476
- Sweeping modes in NMR, 435
- Symbols (list), xix
- Symmetry in Raman spectroscopy, 323, 329–335
- Syringe injection, 540, 597
- Syringe-type pump, 594
- Tagging
 with radionuclides, 35, 417
 with stable isotopes, 35, 489
- Tailing. *See* Asymmetry factor
- Tandem mass spectrometers, 502
- Tast polarography, 707–709
- Temperature compensator, on pH meters, 687
- Temperature effect on conductance, 749
 faradaic current, 667
 HPLC, 600
 pH measurements, 678, 680
 reference-electrode potentials, 673
 retention time in gas chromatography, 562–565
 stationary phase in gas chromatography, 548, 549
- Temperature programming in chromatography, 564
- Tesla coil, 266
- Theoretical plate number, 520
- Thermal analysis methods
 differential scanning calorimetry, 762–767, 770–774
 differential thermal analysis, 762–767, 770–774
 dynamic mechanical analysis, 776
 enthalpimetry, direct-injection, 777–780
 evolved gas detection and analysis, 768
 summary of technique (table), 761
 thermogravimetry, 767, 769
 thermomechanical analysis, 774–776
 thermometric titrimetry, 777–780
- Thermal conductivity detector, 552, 558, 807, 821

- Thermal ionization source, 474, 476
 Thermal lens spectroscopy, 183
 Thermal neutrons
 capture cross section (table), 403
 sources of, 407
 Thermal noise, 16
 Thermionic emission detector, 555, 558
 Thermistors, 295–297, 553
 Thermocouple, 295
 Thermodynamic partition coefficient, 516
 Thermogravimetry, 767, 769
 Thermogravimetry–flame ionization detector, 768
 Thermogravimetry–mass spectrometry, 768
 Thermomechanical analysis, 774–776
 Thermometric titrimetry, 777–780
 Thermopile, 295
 Thermospray method, 609
 Thickness of films, by electrolytic stripping, 747
 Thin-film mercury electrode, 700
 Third class electrodes, 669
 Three-electrode potentiostat, 701
 Tickling of spins, 450, 451
 Time-correlated angle-photon counting of fluorescence lifetimes, 215
 Time-current relationship in coulometry, 738–740
 Time-of-flight mass spectrometer, 482, 485
 Time resolution
 of fluorescence lifetimes, 215
 in phosphorescence, 218
 Titrations
 amperometric, 726–728
 conductometric, 755
 coulometric, 741–747
 photometric, 179–181
 potentiometric, 691–694
 thermometric, 777–780
 Titrator, automatic, 694
 Tomography, 366
 Topography, crystal, 380, 381
 Toroidal transformer, 753
 Tortuosity factor in chromatography, 527
 Total luminescence spectroscopy, 213
 Trace-analysis spectrophotometric method, 174
 Trace element determination by atomic spectroscopic methods (table), 876
 Track-and-hold amplifiers, 78
 Transducers, input, 8
 table, 8
 Transistors, 41
 Transit time
 of non-retained solute (chromatography), 516, 517, 529, 581, 586, 588
 in time-of-flight mass spectrometer, 482
 Transmittance, 161
 Trapping volatile samples, 543
 Trimethylpentanes, mass spectra of, 494
 Triple-headed reciprocal pump, 593
 Triple quadrupole mass spectrometry, 503
 Triplet electronic state, 104
 Tristate devices, 57
 in data acquisition, 79
 Tunable dye laser, 112, 324
 Tungsten-halogen lamp, 119
 Tungsten loop, 239
 Turbidimetry
 applications of, 189
 instrumentation for, 187–189
 size parameter in, 186
 standards for, 187
 Twisting vibration, infrared, 108
 Two-indicating electrodes, use of, 728
 Tyndall scattering, 329, 336
- Ultraviolet-visible absorption
 methods, 159–189
 derivative, 177
 difference, 176
 differential or expanded-scale, 173–176
 flow injection, 183
 photoacoustic spectroscopy, 181
 photometric titrations, 179–181
 thermal lens spectroscopy, 183
 turbidimetry and nephelometry, 186–189
 Ultraviolet-visible detectors for liquid column chromatography, 601–604, 607
 Ultraviolet-visible spectra, correlation with molecular structure, 184–186
 Ultraviolet-visible spectrophotometers
 cells for, 140
 detectors for, 141–148
 diode-array, 155, 156
 double-beam, 149, 151–154
 double-beam in time, 152–154
 double wavelength, 154, 155
 optical null procedure, 153
 radiation sources, 118–121
 readout modules, 148
 reference beam output control, 151
 reversed optics, 155
 sampling devices, 140
 single-beam, 149–151
 wavelength selection, 121–140
 Ultraviolet-visible spectrophotometry
 accuracy, photometric, 164–166
 Beer's law, deviations from, 162–164
 error, relative concentration, 167
 fundamental laws of photometry, 159–164
 instrumentation, 118–156
 precision, photometric, 166–169
 quantitative methodology, 169–173
 summary of technique (table), 860
 wavelength selection, 121–140
 Unity-gain frequency-bandwidth operational amplifier, 44
 Universal asynchronous receiver/transmitter, 80
 Universal synchronous receiver/transmitter, 80
- Vacuum system
 in atomic emission spectroscopy, 281
 in mass spectrometers, 488
 Valinomycin membranes for potassium electrodes, 686
 Valley definition of resolution, 485
 Valve
 cutoff, 467
 multiport rotary, 542
 Van Deemter equation, 525, 562
 Vaporization interference in atomic spectroscopy, 253
 Velocity of eluent, 515, 525, 528
 Velocity-plate height relationship, 525–529, 560–562, 581
 Very-large scale integration (table), 58
 Vibrational energy levels, molecular, 104, 106–108
 Vibrational modes, 107–108, 287
 Virtual excited state (Raman), 109
 Viscosity
 effect in liquid column chromatography, 586
 of solvents (table), 619
 Viscous flow of gases, 468
 Void volume, 517
 Voltage comparator circuits, 48, 49
 Voltage follower circuits, 46
 Voltage/wavelength relationship for X rays, 343–345
 Voltammetric applications, 723–728
 Voltammetric methods, 657, 697–728
 compared with each other, 721–728
 half-wave potentials of inorganic ions (table), 869–871
 Voltammograms, 660
 evaluation of, 707, 708
 Volt-to-frequency converter, 74, 279
 Volume correction in linear titration methods, 756
 Volumetric phase ratio, 517
- Wadsworth optical mount, 274
 Wagging vibration, infrared, 108
 Wall-coated open tubular column, 546
 Waste water analysis, 788

- Wavelength
 - blaze, 134
 - defined, 98
 - effect on spectrophotometric accuracy, 165
 - of electronic absorption bands (table), 185
 - of infrared absorption bands (table), 290
 - of X-ray lines and edges (table), 345
- Wavelength calibration standards for spectrophotometry, 165
- Wavelength selection in spectrophotometry, 170
- Wavelength shifter, 414
- Wavenumber, 98
- WCOT column, 546
- Wedge interference filter, 124
- Weight-average molecular weight, 648
- Well-type scintillation counter, 356, 357
- Wheatstone bridge, 750–752, 777, 794
- Wide-bore capillary column, 547
- Wide-line NMR spectrometer, 430, 431, 437
- Window material, for infrared region (table), 306
- Working curve, 32
- Working electrode, 658, 701
- Work station, robotic laboratory, 825
- Xenon arc lamp, 206
- Xenon flash lamp, 206
- X-ray absorptiometer, nondispersive, 366
- X-ray absorption edges, 344–346, 363, 365
- X-ray absorption methods, 340, 341, 363–367
- X-ray diffraction methods
 - applications of, 379–381
 - choice of X radiation, 377
 - crystal topography, 380
 - diffraction patterns, 375
 - powder data file, 378
 - powder method, 375
 - quantitative analysis by, 379
 - reciprocal lattice concept, 373–375
 - rotating crystal method, 375
 - specimen preparation, 377
 - summary of technique (table), 862
- X-ray diffractometer, automatic, 376
- X-ray direct emission analyses, 340
- X-ray emission lines, 345, 364
 - shift due to valence state, 346
- X-ray energy levels, 116
- X-ray energy spectrometry, 359
- X-ray fluorescence method, 370–372
 - summary of technique (table), 864
- X-ray fluorescence spectrometers
 - energy dispersive, 370
 - wavelength dispersive, 367–370
- X-ray fluoroscopic examination, 365
- X-ray instrumentation
 - analyzing crystals, 349–351
 - automatic diffractometers, 376
 - auxiliary equipment, 359
 - collimators, 348
 - detectors, 351–359
 - quantum efficiency of, 354
 - dispersion, 349, 350
 - filters, 348
 - pulse-height analyzer, 358–361
- X-ray methods, direct, 360–363
- X-ray powder data file, 378
- X rays
 - absorption of, 116, 117
 - Moseley relationship between atomic number and wavelength, 341
 - production of, 342–348
 - from radioactive isotopes, 347, 369
- X-ray spectra, 342–347
- X-ray tubes, 342–348
 - continuum from, 342, 343
 - short-wavelength limit, 342–344
- Zeeman effect, use in background correction, 251
- Zirconia oxygen analyzer, 802