

Index

- Absorption, solid-phase microextraction, 90
- Accelerated solvent extraction, 163
 - solid environmental samples, 261
- Acceptor phase pH, liquid-phase microextraction, 139
- Acceptor phase volume, liquid-phase microextraction, 140
- Acceptor solution, liquid-phase microextraction, 126
- Acid digestion of biota samples, environmental analysis, 262
- Acid herbicide analysis, pressurized fluid extraction, 174
- Acidic drug analysis, liquid-phase microextraction, 142
- Acrydite, biosensors, 395
- Acrylate, sol-gel, 427
- Active ingredients, pharmaceuticals, 289
- Active samplers vs. passive samplers, 343
- Active sampling, air analysis, 254
- Acylation, derivatization, steroid analysis by GC, 231
- Adsorption, solid-phase microextraction, 90
- Affinity chromatography, biosensor sample preparation, 395
- Affinity dialysis prior to MS, microdialysis, 118
- Affinity ligands, biosensors, 396
- Affinity-based solid-phase extraction, 445
- Agitation
 - liquid-phase microextraction, 131, 137
 - solid-phase microextraction, 92
- Air analysis, 251
 - active sampling, 254
 - cryogenic collection, 254
 - derivatization, 255
 - direct, 254
 - dynamic headspace, 254
 - environmental samples, 251
 - headspace sampling, 254
 - membrane introduction mass spectrometry, 153
 - passive sampling, 254
 - pre-concentration, 254
 - purge-and-trap, 254
 - sorbent sampling, 254
 - static headspace, 254
- Air humidity, calibration, membrane introduction mass spectrometry, 154
- Air pressure, calibration, membrane introduction mass spectrometry, 154
- Air samples, quantification, membrane introduction mass spectrometry, 154
- Air temperature, calibration, membrane introduction mass spectrometry, 154
- Alcohols, derivatization, 230
- Aldehyde analysis
 - derivatization, 235
 - derivatization, hydrazine reagents, 236
 - in food, 278
 - pentafluorobenzoyloximes, derivatization, GC, 235
- Algal toxin analysis, passive sampling, 354
- n-Alkane analysis, superheated water extraction, 185
- Alkylation, derivatization, phosphonic acid analysis by GC, 230
- Alkylbenzene sulfonate analysis, superheated water extraction, 185
- Alumina-based polydimethylsiloxane, sol-gel, 422
- Amine analysis
 - derivatization, 232
 - derivatization, fluorenylmethyl chloroformate (Fmoc), 233
 - derivatization, succinimides, 234
 - fluorescent derivatives, 234
- Amino-functionalized polydimethylsiloxane, sol-gel, 424
- Aminopropylsilica/polydimethylsiloxane, sol-gel, 423
- 3-Aminopropyltriethoxysilane/polydimethylsiloxane, sol-gel, 424
- Amphiphilic monomers, molecularly imprinted polymers, 450
- Analyte adsorption mode, solid-phase extraction, 60
- Analyte concentration, solid-phase extraction, 54
- Analyte elution, solid-phase extraction, 62
- Analyte flux, microdialysis, 109
- Analyte recoveries, aqueous environmental samples, 255
- Analytical derivatization, 225
- Analytical process
 - integration, 20
 - miniaturization, 20
 - steps in, 3
- Anilinemethyltriethoxysilane/polydimethylsiloxane, sol-gel, 423
- Aniline analysis, superheated water extraction, 184
- Aquatic environments, residence times of organic compounds, passive sampling, 352

- Aqueous environmental samples
 - analyte recoveries, 255
 - direct immersion solid-phase microextraction, 259
 - filtration, 255
 - liquid-liquid extraction and microextraction, 255
 - solid-phase extraction, 256
 - solid-phase microextraction, 259
- Aqueous sample analysis, environmental samples, 255
- Aroma perception, flavor analysis, 270
- Aroma values, flavor analysis, 268
- Automated-microsystems, DNA purification, biosensors, 403
- Automation
 - derivatization and analysis, fluorenylmethyl chloroformate (FMOC), 233
 - equilibrium partitioning, molecularly imprinted polymers, 455
 - liquid-liquid extraction, clinical samples, 296
 - liquid-phase microextraction, 131, 141
 - pressurized fluid extraction vs. other methods, 177
 - solid-phase extraction, 77
- Automation, solid-phase microextraction by GC, 87
 - derivatization, 88
 - equilibrium extraction, 88
 - internal standard loading, 88
 - pre-equilibrium extraction, 89
- Automation, solid-phase microextraction by LC
 - high throughput, 97
 - in-tube, 96
 - off-line desorption, 96
- Basal experiment, microdialysis, 106
- Basic drug analysis, liquid-phase microextraction, 136, 142
- Batch extraction techniques, 12
- Batch vs. continuous flow design, calibration of passive sampling, 346
- Benthic sediments, 343
- Beverages flavor analysis, 278
- Bias, statistics, 313
- Bind-elute mode, solid-phase extraction, 60
- Binding affinity determination, solid-phase microextraction, 376
- Binding site affinity, molecularly imprinted polymers, 446, 450, 464
- Binding of flavor compounds, reversible vs. irreversible, 269
- Bioanalysis, molecularly imprinted polymers, 458
- Bioavailability, soil samples, 330
- Biocide analysis, passive sampling, 353
- Biocompatible solid-phase microextraction, 86
- Biocompatible sorbents, clinical samples, 298
- Biofouling, 346
- Biological fluid analysis, protein precipitation vs. solid-phase extraction, 72
- Biological matrix, clinical sample analysis, 286
- Biological sample analysis, membrane introduction mass spectrometry, 157–158
- Biological specimens, sampling and storage, 287
- Biomimetic sampling, passive sampling, 349, 353
- Bioreactor monitoring, microdialysis, 116
- Biosensors, 385. *See also* Biosensor samples; Biosensors, microchips; Biosensors, sample preparation
 - Acrydite, 395
 - affinity ligands, 396
 - automated-microsystems, DNA purification, 403
 - carbon nanotubes, 388
 - complementary metal-oxide semiconductor (CMOS), 406
 - DNA dendrimers, 388
 - immunoaffinity ligands, 396
 - immunomagnetic beads, 406
 - labeled oligonucleotides, 388
 - magnetic beads, 388, 405
 - magnetic particle technology, 397
 - nanoparticles, 388
 - oligonucleotide probes, 395–396, 398
 - peptide nucleic acids, 395
 - porous monolith, 405
 - signal amplification, 387
 - silica-based microstructures, 405
- Biosensor samples
 - biological targets, direct extraction vs. indirect extraction, 392
 - cell lysis, 394, 402
 - centrifugation, 393
 - chemical lysis, 394
 - DNA denaturation and fragmentation, 399
 - extraction, 389
 - filtration, 393, 401
 - homogenization, 391
 - immunomagnetic separation, 394
 - mechanical lysis, 394
 - nanoporous membrane, 401
 - pretreatment, 389
 - purification, 389
 - ultrasonication, 399
 - volume reduction, 390
- Biosensors, microchips
 - microfluidic device, glass-based, 404
 - polycarbonate-based, 405
 - polydimethylsiloxane-based, 400
- Biosensors, sample preparation
 - affinity chromatography, 395
 - ion-exchange chromatography, 395
 - size exclusion chromatography, 395
 - solid-phase extraction, 397, 404
- Biota samples, 261
 - acid digestion, 262
 - centrifugation, 262
 - freeze drying, 262
 - homogenization, 261
 - hydromatrix, 262
 - lipid content, 262
 - oven drying, 262
 - passive sampling, 343
 - sample preparation, 261
- Blood analysis, 287
- Blood brain barrier, microdialysis, 112
- Blood gas analysis, membrane introduction mass spectrometry, 157
- Boundary layer, 83
 - model, extraction theory, 12
- Brain sampling, microdialysis applications, 112
- Breath analysis, clinical samples, 299
- Brominated flame retardant analysis
 - passive sampling, 354
 - superheated water extraction, 185

- Calibration, 14–16, 19
 - curve, headspace GC, spiked standards, 30
 - diffusion-based, 14, 331, 338
 - direct extraction, solid-phase microextraction by GC, 89
 - gas samples, membrane introduction mass spectrometry, 157
 - headspace extraction, solid-phase microextraction by GC, 89
 - kinetic, solid-phase microextraction, 333
 - kinetic, solid-phase microextraction, standards in the extraction phase, 15
 - linearity with solid sorbents, solid-phase microextraction, 368
 - liquid injection, solid-phase microextraction, 337
 - microwave-assisted extraction, 206
 - passive sampling, 345
 - pre-equilibrium extraction, solid-phase microextraction, 89, 326, 334, 338
- Calixarene, sol-gel, 425
- Capillary electrochromatography, sol-gel sample
 - preconcentration, 434, 437
- Capillary microextraction, sol-gel, 420, 429
 - cavity ligands, 424, 431
 - electrically charged sol-gel, 432
 - germania-based sol-gel, 435
 - mercaptopropyltrimethoxysilane modified silica, 434
 - titania-based sol-gel, 429, 434
 - zirconia-based sol-gel, 429, 434
- Carbamate pesticide analysis, liquid-liquid extraction, 42
- Carbohydrates, binding of flavor compounds, flavor analysis, 270
- Carbon nanotubes, biosensors, 388
- Carbonyl analysis, derivatization, 235
 - hydrazine reagents, 236
 - quaternized ammonium reagents, pre-charged derivatives, 236
- Carboxylic acid analysis, derivatization, 226
 - dialzo, fluorescence detection, 229
- Cation exchange, solid-phase extraction sorbents, 65
- Cavity ligands, sol-gel, capillary microextraction, 424, 431
- Cavity, optimization, microwave-assisted extraction, 207
- Cell lysis, biosensor samples, 394, 402
- Centrifugation
 - biosensor samples, 393
 - biota samples, environmental analysis, 262
- Certified reference materials, pressurized fluid extraction, 170
- Characterization, sol-gel materials, 419
- Chelating agents, supercritical fluid extraction, 194
- Chemcatcher, passive sampling, 346
- Chemical ionization, membrane introduction mass spectrometry, 154
- Chemical lysis, biosensor samples, 394
- Chemistry, sol-gel, 419
- Chemometrics, flavor analysis, 280
- Chiral character, flavor analysis, 268
- Chiral selectors, supercritical fluid extraction, 195
- Chloroacetanilide herbicide analysis, liquid-liquid extraction, 43
- Chloroformates, derivatization, organic acid analysis, 229
- Chlorophenol analysis, superheated water extraction, 185
- Class-specific solid-phase extraction, 71
- Cleanup of extract, pressurized fluid extraction, 173
- Cleanup, environmental samples, 262
- Clinical analysis, restricted access materials, 298, 300
- Clinical samples
 - analysis, 285
 - automation, 296, 297
 - biocompatible sorbents, 298
 - biological matrix, 286
 - breath analysis, 299
 - column switching sample preparation, 295, 297
 - deproteinization procedures, limitations, 295
 - drugs of abuse, 289
 - immunoaffinity sorbents, 286, 298
 - liquid-liquid extraction, 286, 296
 - liquid-phase microextraction, 296
 - microextraction in a packed syringe, 298, 301
 - microextraction techniques, 298
 - molecularly imprinted sorbents, 286, 298, 300
 - preparation, 289
 - protein removal, 289
 - selective sorbents, 298
 - solid-phase dynamic extraction, 298, 301
 - solid-phase extraction, 297
 - solid-phase microextraction, 298, 299
 - solid-phase microextraction, in-tube, 300
 - sorbent selection, 297
 - specific sorbents, 298
 - stir-bar sorptive extraction, 298, 301
 - supercritical fluid extraction, 286
- Closed-vessel, microwave-assisted extraction, 207
- Coextraction, supercritical fluid extraction, 192
- Cold fiber solid-phase microextraction, 83
- Column switching
 - online, 71
 - sample preparation for clinical samples, 295, 297
- Complementary metal-oxide semiconductor (CMOS), biosensors, 406
- Composite samples, statistics, 320
- Concentric cannula, microdialysis, 105
- Contamination control, environmental samples, 262, 264
- Continuous flow vs. batch design, calibration of passive sampling, 346
- Continuous sampling, 325
- Copper powder, pressurized fluid extraction, 170
- Correction factors, validity of, environmental samples, 251
- Coupled extraction systems, superheated water extraction, 183
- Critical point, supercritical fluid extraction, 191–192
- Cross-flow model, mass uptake to sorbent, 331
- Cross-linking monomer, ethylenglycoldimethacrylate, molecularly imprinted polymers, 446
- Cross-reactivity, molecularly imprinted polymer, 447
- Crown ether, sol-gel, 424
- Crown ethers, solid-phase extraction sorbents, 71
- Cryogenic collection, air analysis, 254
- Cuprophan, microdialysis membrane, 104
- β -Cyclodextrin, sol-gel, 426, 437, 439
- Dairy product volatiles analysis, 278
- Dansylation, *see* Derivatization, dansylation
- Data Quality Objectives, environmental analysis, 249, 263
- DDT, DDE analysis, pressurized fluid extraction, 171
- Dehydration reactions, derivatization, fatty acid analysis, fluorescence detection, 229
- Dendrimer, sol-gel, 433
- Deproteinization procedures, limitations for clinical samples, 295

- Derivatization, 225. *See also* Derivatization, dansylation
 2,4-dinitrophenylhydrazine, volatile acid analysis, UV
 detection, 229
 acylation, steroid analysis, GC, 231
 air analysis, 255
 alcohols, 230
 aldehyde analysis, 235
 alkylation, phosphonic acid analysis, GC, 230
 amines, 232
 analysis, microwave-assisted extraction, 210
 automation, solid-phase microextraction, GC, 88
 carbonyl analysis, 235
 carboxylic acid analysis, 226
 chloroformates, organic acid analysis, 229
 dehydration reactions, fatty acid analysis, fluorescence
 detection, 229
 diazo, carboxylic acid analysis, fluorescence detection, 229
 drug analysis, solid-phase microextraction, 373
 extraction enhancement, superheated water extraction, 183
 fatty acid methyl esters, 226
 fatty acid analysis, 226–227
 fluorenylmethyl chloroformate (FMOC), amine analysis, 233
 fluorescent derivatives, amine analysis, 234
 hydrazine reagents, aldehyde, carbonyl, and ketone analysis,
 236
 injector port, 227
 matrix effects, 227
 metal chelators, thiol stabilization, 236
 methylation, thermally assisted hydrolysis, 227
 microwave irradiation, increased reaction rate, 230
 oligosaccharide analysis, 234
o-phthalaldehyde-thiol/FMOC combination, primary and
 secondary amine analysis, 233
 organic acid analysis, 226
 ortho dialdehyde, primary amine analysis, 233
 pentafluorobenzoyloximes, aldehyde analysis, GC, 235
 pentafluorobenzyl bromide, organic phosphate analysis, GC,
 230
 phase transfer catalysis, GC, 231
 phenols, 230
 polyunsaturated fatty acid analysis, 226
 quaternized ammonium reagents, carbonyl analysis, pre-
 charged derivatives, 236
 removal of excess reagent, 234
 sample clean-up, liquid and solid phase microextraction, 231
 silylation, free carboxylic acid analysis, 228
 silylation, phenol analysis, GC, 231
 solid-phase microextraction, 92
 succinimides, amine analysis, 234
 sulfhydryl analysis, 236
 sulphonate displacement, fatty acid analysis, fluorescence
 detection, 229
 thiol reactivity, 236
 thiol analysis, chromophoric and fluorescence detection, 237
 tosylation, phenol analysis, GC, 231
 ultrasonic mixing, 227
 yield increase, 228
- Derivatization, dansylation
 carbonyl analysis, fluorescence detection, 236
 hydroxyl analysis by HPLC, 232
 nucleic acid and phosphate analysis by GC, 230
- Derivatization extraction, 17
 Dermal tissue, microdialysis, 114
 Desalting, solid-phase extraction, 57
 Design-based sampling, statistics, 319
 Desorption
 of analytes, solid-phase microextraction, 90, 97
 efficiency, solid-phase microextraction by GC, 86
 from matrix, pressurized fluid extraction, 165
 solid-phase microextraction by LC, 98
 Detection threshold, flavor analysis, 268
 Determinate error, statistics, 313
 Dialysis, 103
 Diazo, derivatization, carboxylic acid analysis, fluorescence
 detection, 229
 Dielectric constant, microwave-assisted extraction, 205, 214
 Dielectric properties, microwave-assisted extraction, 203
 Dielectrophoresis, 402, 406, 408
 Diffusion coefficient
 microdialysis, 104
 solid-phase microextraction, 94
 Diffusion rates, elevated solvent temperatures and enhanced
 extraction, 165
 Diffusion through solvent, pressurized fluid extraction, 165
 Diffusion-based calibration, 14, 331, 338
 Diffusive gradients in thin films, 347
 2,4-Dinitrophenylhydrazine, derivatization, volatile acid analysis,
 UV detection, 229
 Direct air analysis, 254
 Direct distillation, flavor analysis, 271
 Direct extraction, biological targets, biosensor samples, 392
 Direct immersion solid-phase microextraction, aqueous
 environmental samples, 259
 Direct thermal desorption, comparison to superheated water
 extraction, 186
 Direct-extraction device, flavor analysis, 274
 Dispersing agent, pressurized fluid extraction, 170
 Dispersive solid-phase extraction, 69, 75
 Disruption of surface equilibria, pressurized fluid extraction, 165
 Dissolution testing, microdialysis, 116
 Dissolved organic material, 347
 Distribution coefficient
 determination of, 326
 solid-phase extraction, 61
 Distribution constant, 6
 definition, 39
 solid-phase microextraction, 82, 94
 Distribution equilibrium, definition, 39
 Distribution ratio, definition, 39
 DNA denaturation, biosensor samples, 399
 DNA dendrimers, biosensors, 388
 DNA fragmentation, biosensor samples, 399
 Drinking water, volatile organic compounds, 36
 Drug analysis, 285
 ionizable groups, solid-phase microextraction, 369
 liquid-phase microextraction, 142
 metabolite analysis, solid-phase microextraction, 370
 passive sampling, 353
 pharmaceutical analysis, liquid-phase microextraction, 140
 protein precipitation vs. solid-phase extraction, 72
 solid-phase microextraction, 365, 369
 Drug protein binding determination, microdialysis, 118

- Drugs of abuse
 - clinical sample analysis, 289
 - impurity profiling, 289. *See also* Illicit drug impurity profiling
- Dual probe, microdialysis
 - blood brain barrier, 112
 - calibration, 108
- Dummy template, molecularly imprinted polymers, 447
- Dynamic extraction, supercritical fluid extraction, 193
- Dynamic flow injection analysis, quantification, membrane introduction mass spectrometry, 152
- Dynamic headspace
 - air analysis, 254
 - extraction, 25
 - flavor analysis, 273
 - membrane inlet method, 156
 - process, microwave-assisted extraction, 205
- Dynamic liquid-phase microextraction, 137, 141
- Dynamic no-net-flux calibration, microdialysis, 107
- Dynamic superheated water extraction, 182
- Economic factors vs. sample quality, statistics, 319
- EDTA disodium salt, chelating complexes, environmental samples, 255
- Electrical impedance, microwave-assisted extraction, 207
- Electrically charged sol-gel, capillary microextraction, 432
- Electrophoresis, 408
- Electroporation, 402
- Elevated membrane temperature, membrane introduction mass spectrometry, 154
- Elevated solvent temperatures, enhanced extraction, 165
- Enantiomeric differentiation, solid-phase microextraction, 378
- Endocrine disrupting chemical analysis
 - liquid-liquid extraction, 42, 44
 - passive sampling, 353
- Endosulfan analysis, pressurized fluid extraction, 171
- Enrichment factor, liquid-phase microextraction, 127–128
- Enrichment
 - liquid-phase microextraction, 143
 - techniques, immunoaffinity, 445
- Environmental analysis
 - analysis, liquid-phase microextraction, 140
 - Data Quality Objectives, 249, 263
 - isotope dilution, 250
 - liquid-liquid extraction, 39, 42
 - molecularly imprinted polymers, 459
 - solvent extraction, 39
- Environmental samples
 - aqueous sample analysis, 255
 - cleanup, 262
 - contamination control, 262, 264
 - correction factors, validity of, 251
 - EDTA disodium salt, chelating complexes, 255
 - extraction recoveries, matrix considerations, 250
 - method development, 263
 - method validation, 263
 - microdialysis, 114
 - quantitative analysis processes, validity, 251
 - spiking procedures, 250
- Enzymatic deconjugation of drug metabolites, solid-phase microextraction, 370
- Enzyme linked immunosorbent assay, 387
- Epitope imprinting, molecularly imprinted polymers, 450
- Equilibration time
 - considerations for determining, solid-phase microextraction, 366
 - headspace GC, 28
 - solid-phase microextraction, 92
- Equilibrium extraction, 5
- Equilibrium extraction, solid-phase microextraction
 - automation, GC, 88
 - calibration, 326
- Equilibrium partitioning, molecularly imprinted polymers, 455
- Equilibrium passive sampling, 345
- Equilibrium sampling through membrane, 130
- Equipment cost, pressurized fluid extraction vs. other methods, 177
- Essential oil analysis, 278
- Ethylenglycoldimethacrylate, cross-linking monomer, 446
- Excipients, pharmaceuticals, 289
 - solid-phase microextraction, 377
- Exhaustive extraction, 4
 - liquid-phase microextraction, 129
- Experimental design, pressurized fluid extraction, 172
- External standard quantification, membrane introduction mass spectrometry, 152
- Extracellular fluid, microdialysis, 103–104
- Extract cleanup and fractionation, flavor analysis, 275
- Extracted amount, solid-phase microextraction, thermodynamic principles, 83
- Extraction
 - biosensor samples, 389
 - derivatization, 17
 - dynamic headspace, 25
 - membrane, 18
 - purge-and-trap, 25
 - sample recovery, superheated water extraction, 183
 - static headspace, 25
- Extraction cell, supercritical fluid extraction, 193
- Extraction chamber, microwave-assisted extraction, 206
- Extraction efficiency
 - microwave-assisted extraction, 213
 - pressurized fluid extraction, 170
 - solid-phase microextraction, 90
 - solid-phase microextraction, with ion-pairing reagent, 369
- Extraction kinetics, 8
 - superheated water extraction, 185
- Extraction method, pressurized fluid extraction vs. other methods, 175
- Extraction mode
 - liquid-phase microextraction, 136–137
 - solid-phase microextraction, 91
- Extraction pH, solid-phase microextraction, 368
- Extraction phase, characteristics, 8
- Extraction rate constant, liquid-phase microextraction, 128
- Extraction rate with solid-phase microextraction, kinetic principles, 83
- Extraction techniques, batch vs. flow-through, 12
- Extraction temperature, solid-phase microextraction, 94
- Extraction theory
 - boundary layer model, 12
 - liquid-liquid extraction, 39
- Extraction thermodynamics, 6

- Extraction time
 liquid-phase microextraction, 138
 pressurized fluid extraction vs. other methods, 175
 solid-phase microextraction, 94
- Fat extraction, foods, microwave-assisted extraction, 212
- Fatty acid analysis, derivatization, 226–227, 229
- Fatty acid methyl esters, derivatization, 226
- Fermentation processes monitoring, membrane introduction mass spectrometry, 151
- Fiber coating selection, solid-phase microextraction, 90, 97
- Fiber preconditioning, solid-phase microextraction by LC, 98
- Fiber rinsing, solid-phase microextraction, 98
- Fick's first law of diffusion, 326, 331, 333
- Field amplified stacking, 410
- Field blank, 262
- Field samplers, solid-phase microextraction, 83
- Field sampling, 325, 327
- Filtration
 aqueous environmental samples, 255
 biosensor samples, 393, 401
- Flavor analysis, 267
 analyte hydrophobicity, 269
 aroma perception, 270
 aroma values, 268
 binding of flavor compounds to carbohydrates, lipids, and proteins, 269–270
 chemometrics, 280
 chiral character, 268
 detection threshold, 268
 direct distillation, 271
 direct-extraction device, 274
 dynamic headspace, 273
 extract cleanup and fractionation, 275
 food, 267, 270
 GC–olfactometry, 268
 headspace techniques, 270, 272, 276
 headspace volatiles analysis, 268
 high vacuum distillation, 271
 inclusion complexes, 270
 indirect distillation, 271
 Likens-Nickerson apparatus, 271, 276
 liquid-liquid extraction, 271
 liquid-phase microextraction, 271
 Maillard reaction product analysis, 275
 matrix partitioning, 269
 multivariate statistics, 280
 non-equilibrium mass transport, 269
 odor threshold, 268
 off-flavor analysis, 268
 phase equilibria, 269
 recognition threshold, 268
 short path thermal desorption, 275
 solid-phase aroma concentrate extraction, 275
 solid-phase microextraction, 273
 solvent assisted flavor evaporation, 272
 solvent extraction, 270–271, 276
 sorption techniques, 270, 272
 static headspace, 272
 steam distillation and extraction, 270, 271
 supercritical fluid extraction, 271
 thin layer high vacuum distillation, 272
 total volatiles analysis, 267, 280
 vapor pressure, 268
- Flavor compounds, reversible vs. irreversible binding, 269
- Florisil
 pressurized fluid extraction, 171, 173
 solid-phase extraction sorbents, 65
- Flow injection analysis, quantification in membrane introduction mass spectrometry, 152
- Flow-through extraction techniques, 12
- Fluorenylmethyl chloroformate (FMOC), derivatization, amine analysis, 233
- Fluorinated surfactant analysis, passive sampling, 354
- Flux of analyte, microdialysis, 109
- Food
 analysis, molecularly imprinted polymers, 461
 aroma analysis, 267
 and beverage analysis, liquid-phase microextraction, 140, 142
 and fragrance, lipophilic compound analysis, supercritical fluid extraction, 194
 macroconstituents and aroma compounds, interactions, 268
- Forensic analysis
 molecularly imprinted polymers, 458
 solid-phase microextraction, 374
- Fouling, molecularly imprinted polymers, 457
- Fragment imprinting, molecularly imprinted polymers, 449
- Free carboxylic acid analysis, derivatization, silylation, 228
- Freeze drying, biota samples, environmental analysis, 262
- Fruits and vegetables, multiresidue extraction, solid-phase extraction, 69
- Full evaporative technique, headspace GC, 31
- Functional monomer
 methacrylic acid, 446
 molecularly imprinted polymers, 446, 450
- Fused silica fiber, sol-gel, solid-phase microextraction, 420
- Gas-phase extraction, microwave-assisted extraction, 205, 214
- Gas-purging process, pressurized fluid extraction, 168
- GC–olfactometry, flavor analysis, 268
- Germania-based sol-gel, capillary microextraction, 435
- Glass-based microfluidic device, biosensors, 404
- Glassware silanization, 255
- Grab sampling, 325
- Graphitized carbon, solid-phase extraction sorbents, 65
- Green chemistry, 182
 liquid-phase microextraction, 143
 solid-phase extraction, 76
 supercritical fluid extraction, 191
- Group selective molecularly imprinted polymers, 447
- Hair analysis, 288
- Handling of samples, statistics, 320
- Hazard analysis critical control point (HACCP), 385
- Headspace extraction, 16
 solid-phase microextraction by GC, calibration, 89
- Headspace GC, 25
 automated analysis, hardware, 32
 calibration curve, spiked standards, 30
 equilibration time, 28
 full evaporative technique, 31
 injection volume, 28

- manual analysis, hardware, 32
- matrix modification, 30
- method optimization, 28
- multiple headspace extraction, 30
- partition coefficient, 25, 28
- phase ratio, 25
- pressure-balanced sampling, autosampler hardware, 32
- quantification, 29
- quantification, problems with, 32
- standard addition, 30
- syringe sampling, autosampler hardware, 32
- thermodynamic constants, determination, 36
- trapping, 29
- valve and loop sampling, autosampler hardware, 32
- vial size, 29
- vs. purge-and-trap, 25, 36
- Headspace liquid-phase microextraction, 137
- Headspace membrane introduction mass spectrometry, 156
- Headspace mode, microwave-assisted extraction, 215
- Headspace sampling, air analysis, 254
- Headspace solid-phase microextraction, aqueous environmental samples, 259
- Headspace techniques, flavor analysis, 270, 272, 276
- Headspace volatiles analysis, flavor analysis, 268
- Heavy metal analysis, passive sampling, 355
- Herbal medicine analysis, superheated water extraction, 187
- Herbicide analysis, liquid-liquid extraction, 43
- High analyte enrichments, liquid-phase microextraction, 141
- High throughput analysis, solid-phase microextraction by GC, 87
- High vacuum distillation, flavor analysis, 271
- Hollow fiber, liquid-phase microextraction, 126
- Hollow fiber configurations, liquid-phase microextraction, 130
- Homogenization
 - biosensor samples, 391
 - biota samples, environmental analysis, 261
- Hormone analysis, passive sampling, 353
- Hydrazine reagents, analysis of aldehydes, carbonyls, and ketones, 236
- Hydrodistillation, comparison to superheated water extraction, 186
- Hydromatrix
 - biota samples, environmental analysis, 262
 - pressurized fluid extraction, 170
- Hydrophobic membrane, supercritical fluid extraction, 194
- Hydrophobic organic compound analysis, passive sampling, 351
- Hydrophobicity, analyte, flavor analysis, 269
- Hydroxyfullerene, sol-gel, 426
- Hydroxyl analysis, derivatization, dansylation, HPLC, 232
- Illicit drug impurity profiling, solid-phase microextraction, 374.
 - See also* Drugs of abuse
- Immersed liquid-phase microextraction, 137
- Immobilized liquid extraction, 74
- Immunoaffinity
 - enrichment techniques, 445
 - extraction, solid-phase extraction sorbents, 68
 - ligands, biosensors, 396
 - sorbents, clinical samples, 286, 298
- Immunoaffinity sorbents
 - non-specific binding, solid-phase microextraction sorbents, 372
 - solid-phase microextraction sorbents, 372
- Immunomagnetic beads, biosensors, 406
- Immunomagnetic separation, biosensor samples, 394
- Immuno-polymerase chain reaction, 388
- Impurity profiling, drugs of abuse, 289
- In pairing, liquid-phase microextraction, 131
- In situ derivatization, pressurized fluid extraction, 174
- In situ membrane introduction mass spectrometry, 155
- In situ simultaneous cleanup, pressurized fluid extraction, 173
- In vivo analysis, 21
 - solid-phase microextraction, 85, 375
- Inclusion complexes, flavor analysis, 270
- Increment size, statistics, 316
- Indeterminate error, statistics, 313
- Indirect distillation, flavor analysis, 271
- Indirect extraction of biological targets, biosensor samples, 392
- In-fiber standardization, solid-phase microextraction, calibration, 326, 334
- Injection volume, headspace GC, 28
- Injector optimization, solid-phase microextraction, GC, 86
- Injector port derivatization, 227
- In-line protocols, molecularly imprinted solid-phase extraction, 457
- Inorganic anion analysis, passive sampling, 357
- Inorganic pollutant analysis, passive sampling, 355
- Instrument blanks, 262
- Integration, analytical process, 20
- Integrative sampling, 345
- Interdigitated electrode, biosensor microchip, 406
- Interface model, mass uptake to sorbent, 331
- Interference removal, solid-phase extraction, 54, 60
- Internal standard loading, automation, solid-phase microextraction by GC, 88
- Internal standards, 15
- In-tube solid-phase microextraction, 81, 371, 373
 - automation, LC, 96
- Ion removal by solid-phase extraction, 71
- Ion-exchange chromatography, biosensor sample preparation, 395
- Ionic compounds extraction, liquid-phase microextraction, 141
- Ionic liquid, liquid-phase microextraction, 136
- Ionic strength of sample, solid-phase microextraction, 93, 368
- Ion-pairing reagent, solid-phase microextraction extraction efficiency, 369
- Isoelectric focusing, 410
- Isotachopheresis, 410
- Isotope dilution, environmental analysis, 250
- Ketone analysis, derivatization, hydrazine reagents, 236
- Kinetic calibration
 - solid-phase microextraction, calibration, 333
 - standard in the extraction phase, 15
 - standard-free, 16
- Kinetic passive sampling, 345
- Kinetic extraction, 8
 - liquid-phase microextraction, 129
 - solid-phase microextraction, 83
- Labeled oligonucleotides, biosensors, 388
- Large-volume injection GC, pressurized fluid extraction, 170
- Likens-Nickerson apparatus, flavor analysis, 271, 276
- Linear mass uptake, 331

- Linear probe, microdialysis, 105
- Linkage, chemical and biological analysis, passive sampling, 354, 358
- Lipid content of biota samples, effect on environmental analysis, 262
- Lipids, binding of flavor compounds, flavor analysis, 269
- Lipophilic compound analysis, food and fragrance, supercritical fluid extraction, 194
- Liquid injection
 - calibration, solid-phase microextraction, 337
 - transfer efficiency in GC, 337
- Liquid phase microextraction, derivatization, sample clean-up, 231
- Liquid-gas-liquid microextraction, 141
- Liquid-liquid extraction, 39
 - aqueous environmental samples, 255
 - clinical samples, 286, 296
 - comparison to solid-phase extraction, 53
 - continuous vs. countercurrent, 41
 - discontinuous, 40
 - environmental analysis, 39
 - extraction modes, 40
 - flavor analysis, 271
 - online, 42
 - sample recovery, superheated water extraction, 183
 - single-stage extraction, 40
 - solid-supported, 74
 - successive multiple extractions, 40
 - theory, 39
- Liquid-liquid microextraction, 125
 - aqueous environmental samples, 255
- Liquid-phase extraction, microwave-assisted extraction, 204
- Liquid-phase microextraction, 125
 - acceptor phase pH, 139
 - acceptor phase volume, 140
 - acceptor solution, 126
 - agitation, 131, 137
 - applications, 140
 - automation, 131, 141
 - clinical samples, 296
 - dynamic, 137, 141
 - enrichment factor, 127–128
 - enrichment, 143
 - equipment and solvents, 130
 - exhaustive extraction, 129
 - extraction mode, 136–137
 - extraction rate constant, 128
 - extraction time, 138
 - flavor analysis, 271
 - headspace, 137
 - high analyte enrichments, 141
 - hollow fiber configurations, 130
 - hollow fiber materials, 125, 130
 - immersed, 137
 - ion pairing, 131
 - ionic liquid, 136
 - kinetic extraction, 129
 - method development, 136
 - microsyringe, 131
 - microwave-assisted extraction, combined, 141
 - non-depletive equilibrium extraction, 129
 - organic solvent selection, 131, 139
 - performance characterization, 143
 - porous hollow fiber, 125
 - recovery, 143
 - salt addition to sample, 139
 - sample clean-up, 143
 - sample pH, 137
 - sample volume, 137
 - specifications, 130
 - static, 137
 - two-phase vs. three-phase, 127
- Local heterogeneity in particulate materials, statistics, 316
- Long-chain fatty acid analysis, liquid-phase microextraction, 141
- Low flow, microdialysis, 105, 108
- Low-temperature glassy carbon, sol-gel, 428
- Lung cancer, volatile biomarkers, 300
- Lyophilization, sample recovery, superheated water extraction, 183
- Magnesium silicate, activated, solid-phase extraction sorbents, 65
- Magnetic beads, biosensors, 388, 405
- Magnetic particle technology, biosensors, 397
- Maillard reaction product analysis, flavor analysis, 275
- Manual analysis, headspace GC, hardware, 32
- Mass uptake to sorbent, cross-flow and interface models, 331
- Matrix adsorption mode, solid-phase extraction, 60
- Matrix characteristics, effect on pressurized fluid extraction, 172
- Matrix effects, 7
 - derivatization, 227
 - microwave-assisted extraction, 206
 - solid-phase microextraction, 366
 - supercritical fluid extraction, 192
- Matrix modification, headspace GC, 30
- Matrix partitioning, flavor analysis, 269
- Matrix solid-phase dispersion, 53, 69, 75
- Mechanical lysis, biosensor samples, 394
- Membrane
 - microdialysis, 104
 - samplers, 330, 335
 - sol-gel, 439
- Membrane extraction, 18
 - sample recovery, superheated water extraction, 183
- Membrane introduction mass spectrometry, 149
 - air analysis, 153
 - calibration, *see* Membrane introduction mass spectrometry, calibration
 - chemical ionization, 154
 - dynamic headspace membrane inlet method, 156
 - elevated membrane temperature, 154
 - external standard quantification, 152
 - headspace, 156
 - in situ, 155
 - membrane inlet configurations, 149
 - membrane inlet, efficiency, 150
 - membrane materials, 158
 - membrane permeation studies, 159
 - memory effects, limitations, 151, 154
 - online, 155
 - on-site, 155
 - polar compounds, limitations, 151–152
 - polydimethylsiloxane, 154

- reversed-phase, 158
- selectivity, 150, 154
- sensitivity, 150
- single-sided, 154
- temperature-programmed desorption, 154
- trap-and-release, 150
- water analysis, 151
- Membrane introduction mass spectrometry, calibration, 154
 - dynamic flow injection analysis, 152
 - flow injection analysis, 152
 - gas samples, 157
 - sample flow rate, 152
 - sample temperature, 152
 - steady-state analysis, 152
- Membrane-assisted solvent extraction, 126
- Mercaptopropyltrimethoxysilane modified silica, sol-gel capillary
 - microextraction, 434
- Metal chelators, derivatization, thiol stabilization, 236
- Metal analysis, passive sampling, 355
- Methacrylic acid, functional monomer, 446
- Method development
 - environmental samples, 263
 - headspace GC, 28
 - liquid-phase microextraction, 136
 - pressurized fluid extraction, 168
 - solid-phase extraction, 62, 66
 - solid-phase microextraction, GC, 90
 - solid-phase microextraction, LC, 97
 - supercritical fluid extraction, 195
 - time, pressurized fluid extraction vs. other methods, 175
- Method validation
 - environmental samples, 263
 - natural-matrix reference materials, 264
- Methyl tert-butyl ether analysis, passive sampling, 355
- Methylation, derivatization, thermally assisted hydrolysis, 227
- Methyltrimethoxysilane, sol-gel, 434
- Methyltrimethoxysilane/*n*-octyltriethoxysilane, sol-gel, 428
- Methyltrimethoxysilane/phenyltrimethoxysilane, sol-gel, 428
- Microchip materials
 - glass-based microfluidic device, 404
 - polycarbonate-based, 405
 - polydimethylsiloxane-based, 400
- Microdialysis, 103
 - affinity dialysis prior to MS, 118
 - applications, *see* Microdialysis, applications
 - basal experiment, 106
 - blood brain barrier, 112
 - calibration, 107–108
 - diffusion coefficient, 104
 - dissolution testing, 116
 - drug protein binding determination, 118
 - dual probe, blood brain barrier, 112
 - extracellular fluid, 103–104
 - flux of analyte, 109
 - low flow, 105, 108
 - membrane, 104
 - microdialysate, 104
 - perfusate, 103–104
 - probe design, 105
 - protein sample desalting prior to MS, 118
 - push-pull perfusion, 105
 - quantification, 106
 - recovery, 104, 109
 - sampling process, 103
 - semipermeable membrane, 103
 - temporal resolution, 105, 111
 - tissue injury, 113
- Microdialysis, applications
 - bioreactor monitoring, 116
 - brain sampling, 112
 - dermal tissue, 114
 - environmental samples, 114
 - muscle tissue, 114
 - ocular sampling, 113
- Microextraction
 - in a packed syringe, clinical samples, 298, 301
 - techniques, clinical samples, 298
- Microfluidic devices
 - glass-based, 404
 - interdigitated electrode, 406
 - micrototal analysis system, 400
 - polycarbonate-based, 405
 - polydimethylsiloxane-based, 400
 - sample preparation, 401
- Micropipet tip, solid-phase extraction formats, 59, 76
- Microporous membrane extraction, coupled systems, superheated
 - water extraction, 183
- Microwave coupler, microwave-assisted extraction, 207
- Microwave irradiation, derivatization, increased reaction rate, 230
- Microwave susceptors, microwave-assisted extraction, 205, 213
- Microwave-assisted extraction, 197
 - bulk heating, 197
 - calibration, 206
 - cavity optimization, 207
 - closed-vessel, 207
 - dielectric constant, 205, 214
 - dielectric properties, 203
 - dynamic headspace process, 205
 - electrical impedance, 207
 - environmental samples, solids, 261
 - extraction chamber, 206
 - extraction efficiency, 213
 - gas-phase extraction, 205, 214
 - headspace mode, 215
 - liquid-phase extraction, combined, 204
 - liquid-phase microextraction, combined, 141
 - matrix effects, 206
 - microwave coupler, 207
 - microwave susceptors, 205, 213
 - open-vessel, 207
 - purge-and-trap mode, 214
 - safety considerations, 214
 - selective heating, 204
 - vs. Soxhlet, 212–213
 - vs. supercritical fluid extraction, 212
- Microwave-assisted process, 197
 - headspace, 205
- Miniaturization of analytical process, 20
 - micropipet tip, solid-phase extraction, 59, 76
 - passive sampling, 357
 - pressurized fluid extraction, 174
 - reduced bed mass, solid-phase extraction, 76

- Mixed-phase extractions, solid-phase extraction, 67
- Model-based sampling, statistics, 319
- Molecular imprinting, 445
- Molecular weight cutoff, microdialysis membrane, 104
- Molecularly imprinted polymers, 445, 456
 - amphiphilic monomers, 450
 - automation, 455
 - binding site affinity, 446, 450, 464
 - bioanalysis, 458
 - clinical samples, 286, 298, 300
 - cross-linking monomer, 446
 - cross-reactivity, 447
 - environmental analysis, 459
 - epitope imprinting, 450
 - equilibrium partitioning, 455
 - food analysis, 461
 - forensic analysis, 458
 - fouling, 457
 - fragment imprinting, 449
 - functional monomer, 446, 450
 - group selective, 447
 - non-imprinted polymer, 457, 461
 - peptide and protein analysis, 462
 - pharmaceutical analysis, 458
 - recovery enhancement, sorbent drying, 459
 - restricted access material, 456
 - reusability, 457
 - selective, 446–447, 450, 455, 457, 461, 463
 - solid-phase extraction sorbents, *see* Solid-phase extraction sorbents, molecularly imprinted polymers
 - solid-phase microextraction sorbents, *see* Solid-phase microextraction sorbents, molecularly imprinted polymers
 - synthesis, 445
 - synthesis, aqueous medium, 449
 - water-compatibility, 457, 460
- Molecularly imprinted polymers, template, 445
 - bleeding, 447, 455
 - dummy, 447
 - selection, 447
 - structural analog, 455
- Monolithic beds, sol-gel, 419, 437
- Monolithic extraction phases, solid-phase microextraction sorbents, 371
- Multimodal extractions, solid-phase extraction, 67
- Multiple headspace extraction, headspace GC, 30
- Multiresidue extraction, fruits and vegetables, solid-phase extraction, 69
- Multivariate statistics, flavor analysis, 280
- Muscle tissue, microdialysis, 114
- Nanoparticles, biosensors, 388
- Nanoporous membrane, biosensor samples, 401
- Natural-matrix reference materials, method validation, 264
- Needle trap devices, 84
- Negligible depletion, solid-phase microextraction, 366
- 96-well solid-phase extraction plate, solid-phase extraction formats, 59
- N*-Nitrosamine analysis, liquid-liquid extraction, 44
- N*-Nitroso compound analysis, liquid-liquid extraction, 44
- Nitrotoluene analysis, superheated water extraction, 184
- Non-depletive equilibrium extraction, liquid-phase microextraction, 129
- Non-equilibrium mass transport, flavor analysis, 269
- No-net-flux calibration, microdialysis, 107
- Non-exhaustive extraction, 5
- Non-imprinted polymer, molecularly imprinted polymers, 457, 461
- Nonsteroidal anti-inflammatory drug analysis, liquid-phase microextraction, 141
- Non-volatile drug analysis, solid-phase microextraction, 369
- 4-Nonylphenol analysis, pressurized fluid extraction, 171
- Normal phase molecularly imprinted solid-phase extraction, 455
- Nucleic acid analysis, derivatization, dansylation, GC, 230
- Octadecylsilane monolith, sol-gel, 437
- Octadecyl-silica
 - solid-phase extraction, 54
 - sorbent, solid-phase microextraction, 370
- n*-Octyltriethoxysilane/methyltrimethoxysilane, sol-gel, 428
- Ocular sampling, microdialysis, 113
- Odor analysis, 267
- Odor threshold, flavor analysis, 268
- Off-flavor analysis, flavor analysis, 268
- Off-line desorption, solid-phase microextraction, LC, 96
- Off-line protocols, molecularly imprinted solid-phase extraction, 455
- Off-line supercritical fluid extraction, 193
- Oligonucleotide probes, biosensors, 395–396, 398
- Oligosaccharide analysis, derivatization, 234
- Online column switching, 71
- Online membrane introduction mass spectrometry, 155
- Online protocols, molecularly imprinted solid-phase extraction, 456
- Online vs off-line microdialysis, temporal resolution, 111
- Online supercritical fluid extraction, 194
- On-site analysis, 20, 325
- On-site membrane introduction mass spectrometry, 155
- On-site sampling, solid-phase microextraction, 83, 86
- Open-vessel microwave-assisted extraction, 207
- Operating parameters, pressurized fluid extraction, 170
- Operator skill, pressurized fluid extraction vs. other methods, 175
- Organic acid analysis, derivatization, 226
 - chloroformates, 229
- Organic acid analysis, liquid-liquid extraction, 44
- Organic compounds
 - aquatic environments, residence times, passive sampling, 352
 - large, analysis, membrane introduction mass spectrometry, 152
- Organic contaminant analysis, quantitative analysis processes, 251
- Organic phosphate analysis, derivatization, pentafluorobenzyl bromide, GC, 230
- Organic pollutant analysis
 - microwave-assisted extraction, 208, 209
 - pressurized fluid extraction, 163, 170
- Organic-inorganic octyl hybrid monolith, sol-gel, 440
- Organochlorine pesticide analysis
 - liquid-liquid extraction, 42–43
 - liquid-phase microextraction, 140
 - supercritical fluid extraction, 194
 - superheated water extraction, 186

- Organometallic analysis
 - passive sampling, 357
 - speciation, pressurized fluid extraction, 172
- Organophosphorous pesticide analysis, liquid-liquid extraction, 42–43
- Ortho dialdehyde, derivatization, primary amine analysis, 233
- Oven drying, biota samples, environmental analysis, 262
- Partition coefficient
 - headspace GC, 25, 28
 - solubility and temperature effects, 27
- Partitioning of analytes, solid-phase microextraction, 90
- Passive sampling, 17, 343. *See also* Time-weighted average sampling
 - active vs. passive samplers, 343
 - air analysis, 254
 - biota, 343
 - calibration, *see* Passive sampling, calibration
 - environmental factors, 346
 - equilibrium, 345
 - field validation, 347
 - kinetic, 345
 - linkage, chemical and biological analysis, 354, 358
 - miniaturization, 357
 - modeling, 345
 - personal care products, 352–353, 354
 - pesticide analysis, 353
 - polar organic compounds, 352
 - principles of operation, 344
 - quality control, 348
 - residence times, organic compounds, aquatic environments, 352
 - selectivity, 356
 - solid-phase adsorption toxin tracking, 354
 - speciation of metals, 356
 - validation, 347
 - wastewater, 353–354, 357
- Passive sampling, calibration, 345
 - batch vs. continuous flow design, 346
- PCB analysis, superheated water extraction, 184
- Peat analysis, membrane introduction mass spectrometry, 155–156
- Pentafluorobenzyl bromide, derivatization, organic phosphate analysis, GC, 230
- Pentafluorobenzoyloximes, derivatization, aldehyde analysis, GC, 235
- Peptide
 - analysis, liquid-phase microextraction, 140
 - and protein analysis, molecularly imprinted polymers, 462
- Peptide nucleic acids, biosensors, 395
- Performance characterization, liquid-phase microextraction, 143
- Performance reference compounds, 346
- Perfusate, microdialysis, 103–104
- Permittivity, 181
- Persistent organic pollutant analysis, pressurized fluid extraction, 163, 170
- Personal care products, passive sampling, 352–354
- Pesticide analysis, passive sampling, 353
- Petroleum hydrocarbon analysis, supercritical fluid extraction, 194
- Pharmaceutical product analysis, 285, 289
 - active ingredients, 289
 - molecularly imprinted polymers, 458
 - passive sampling, 353
 - residual solvents, 300
 - solid-phase microextraction, 377
- Pharmaceuticals, excipients, 289
- Phase equilibria, flavor analysis, 269
- Phase ratio, headspace GC, 25
- Phase transfer catalysis, derivatization, GC, 231
- Phenol analysis, derivatization, 230
 - silylation and tosylation, GC, 231
- Phenol analysis, microwave-assisted extraction, 209
- Phenoxyalkanoic acid herbicide analysis, liquid-liquid extraction, 43
- Phenylboronic acid, solid-phase extraction sorbents, 71
- Phenyltrimethoxysilane/methyltrimethoxysilane, sol-gel, 428
- Phenylurea herbicide analysis, liquid-liquid extraction, 43
- Phosphate analysis, derivatization, dansylation, GC, 230
- Phosphonic acid analysis, derivatization, alkylation, GC, 230
- Phosphorous anion analysis, passive sampling, 357
- o*-Phthalaldehyde-thiol/FMOC combination derivatization,
 - primary and secondary amine analysis, 233
- Phthalate analysis, liquid-liquid extraction, 45
- Polar analyte analysis, supercritical fluid extraction, 192
- Polar organic chemical integrative sampler (POCIS), passive sampling, 346
- Polar organic compound analysis
 - membrane introduction mass spectrometry, 154
 - passive sampling, 351–352
- Polyacrylate, solid-phase microextraction sorbent, 91
- Polyacrylonitrile, microdialysis membrane, 104
- Polybrominated diphenyl ether analysis, pressurized fluid extraction, 174
- Polycarbonate-based microchips, biosensors, 405
- Polycarbonate-polyether, microdialysis membrane, 104
- Polychlorinated biphenyl analysis
 - liquid-liquid extraction, 42–43
 - liquid-phase microextraction, 141
 - supercritical fluid extraction, 194
- Polycyclic aromatic hydrocarbon, standard water generating system, 326
- Polycyclic aromatic hydrocarbon analysis
 - liquid-liquid extraction, 42, 44
 - liquid-phase microextraction, 140
 - supercritical fluid extraction, 194
 - superheated water extraction, 184–185
- Polydimethylsiloxane
 - membrane introduction mass spectrometry, 154
 - microchips, biosensors, 400
 - sol-gel, 421
 - sol-gel, amino-functionalized, 424
 - solid-phase microextraction sorbent, 82, 86
- Polydimethylsiloxane/aminopropylsilica, sol-gel, 423
- Polydimethylsiloxane/3-aminopropyltriethoxysilane, sol-gel, 424
- Polydimethylsiloxane/divinylbenzene, solid-phase microextraction sorbent, 86, 91
- Polydimethylsiloxane/poly(vinylalcohol), sol-gel, 422, 437
- Polyethersulfone, microdialysis membrane, 104
- Polyethylene glycol
 - sol-gel, 427, 433
 - solid-phase microextraction sorbent, 91
- Polymerase chain reaction, 385, 399, 409
 - immuno, 388

- Polymer-coated fibers, 59
- Polymeric sorbents, solid-phase extraction, 54, 66
- Polymethylphenylvinylsiloxane, sol-gel, 423
- Polymethylphenylvinylsiloxane/titania-hydroxy-terminated silicone oil, sol-gel, 423
- Polypropylene hollow fiber, liquid-phase microextraction, 130
- Polypyrrole, solid-phase microextraction sorbents, 371
- Polysulfone hollow fiber, liquid-phase microextraction, 130
- Poly(tetrahydrofuran), sol-gel, 434
- Polyunsaturated fatty acid analysis, derivatization, 226
- Polyvinylidene difluoride hollow fiber, liquid-phase microextraction, 130
- Porous hollow fiber, liquid-phase microextraction, 125, 130
- Porous monolith, biosensors, 405
- Positive-pressure manifold systems, solid-phase extraction, 59
- Prandtl boundary layer, 83
- Pre-concentration, air analysis, 254
- Pre-equilibrium calibration, solid-phase microextraction, calibration, 326, 334, 338
- Pre-equilibrium extraction
 - automation, solid-phase microextraction by GC, 89
 - high sample concentration, solid-phase microextraction, 368
- Pressure, extraction efficiency, pressurized fluid extraction, 171
- Pressure-balanced sampling, headspace GC, autosampler hardware, 32
- Pressurized fluid extraction, 163, 181, 191, 197
 - applications, 170
 - certified reference materials, 170
 - cleanup of extract, 173
 - copper powder, 170
 - desorption from matrix, 165
 - diffusion through solvent, 165
 - dispersing agent, 170
 - disruption of surface equilibria, 165
 - environmental samples, solids, 261
 - experimental design, 172
 - extraction efficiency, 165, 170–172
 - extraction procedure, 167
 - Florisil, 171, 173
 - gas-purging process, 168
 - hydromatrix, 170
 - in situ derivatization, 174
 - in situ simultaneous cleanup, 173
 - instrumentation, 165
 - matrix characteristics, effect of, 172
 - method comparison, 174
 - method development, 168
 - miniaturization, 174
 - operating parameters, 170
 - parameter optimization, 170
 - pressure, extraction efficiency, 171
 - recovery, 172
 - response function, 172
 - sample cell, 168
 - sequential extraction, 173
 - solubility and mass transfer effects, 165
 - solvation by organic solvent, 165
 - solvent composition, 171–172
 - solvent consumption, 175
 - solvent solubility and mass transfer effects, 165
 - solvent type, 175
 - temperature, extraction efficiency, 171
 - ultrasound assisted, 173
 - validation, 170
 - vs. Soxhlet, 163, 174
 - vs. other methods, 175, 177
- Pressurized liquid extraction, 163
- Pressurized solvent extraction, 163
- Pressurized water, 181
- Pretreatment, biosensor samples, 389
- Primary amine analysis, derivatization, ortho dialdehyde, 233
- Primary and secondary amine analysis, *o*-phthalaldehyde-thiol/FMOC combination derivatization, 233
- Probability sampling, statistics, 314
- Probes
 - design, microdialysis, 105
 - oligonucleotide, biosensors, 395–396, 398
- Proteins
 - binding of flavor compounds, flavor analysis, 269
 - removal, clinical samples, 289
 - sample desalting prior to MS, microdialysis, 118
- Protocol sampling, statistics, 315
- Purge-and-membrane mass spectrometry, 156
- Purge-and-trap, 25
 - air analysis, 254
 - mode, microwave-assisted extraction, 214
 - vs. headspace GC, 25, 36
- Purification, biosensor samples, 389
- Push-pull perfusion, microdialysis, 105
- Pyrethroid analysis, superheated water extraction, 185

- Qualitative sampling, statistics, 315
- Quality assessment, statistics, 321
- Quality assurance in sampling, statistics, 320
- Quality control
 - passive sampling, 348
 - sampling, statistics, 320
- Quantitative analysis processes, environmental samples, 251
- Quaternized ammonium reagents, derivatization, carbonyl analysis, pre-charged derivatives, 236
- QuEChERS, solid-phase extraction, 69
- Quercetin glycoside analysis, superheated water extraction, 186
- Quinoxaline-bridged cavitand, sol-gel, 427

- Radionuclide analysis, passive sampling, 356
- Random error, statistics, 313
- Random number generation, statistics, 314
- Random sampling, statistics, 314
- Recognition threshold, flavor analysis, 268
- Recovery
 - additives for enhancing, microdialysis, 109
 - definition, 366
 - liquid-phase microextraction, 143
 - matrix considerations, environmental samples, 250
 - microdialysis, 104
 - molecularly imprinted polymers, effect of sorbent drying, 459
 - pressurized fluid extraction, 172
- Reduced solvent consumption in analytical chemistry, 81, 98
- Residence times, organic compounds, aquatic environments, passive sampling, 352

- Residual solvents in pharmaceutical products, 300
 - headspace GC, 35
 - membrane introduction mass spectrometry, 159
- Restricted access materials
 - clinical analysis, 298, 300
 - molecularly imprinted polymers, 456
 - solid-phase extraction sorbents, 67
 - solid-phase microextraction, 370
- Retrodialysis calibration, microdialysis, 107
- Reusability, molecularly imprinted polymers, 457
- Reverse dialysis calibration, microdialysis, 107
- Reversed phase
 - membrane introduction mass spectrometry, 158
 - molecularly imprinted solid-phase extraction, 455
 - solid-phase extraction, 53
- Robotic systems, solid-phase extraction, 60
- Saliva analysis, 288
- Salt addition to sample, liquid-phase microextraction, 139
- Sample cell, pressurized fluid extraction, 168
- Sample clean-up, liquid-phase microextraction, 143
- Sample composition vs. sample size, statistics, 317
- Sample drying, environmental samples, solids, 260
- Sample flow rate, quantification, membrane introduction mass spectrometry, 152
- Sample heterogeneity, solid-phase microextraction, 367
- Sample increment size in segregated populations, statistics, 318
- Sample ionic strength, solid-phase microextraction, 93
- Sample loading, solid-phase extraction, 61
- Sample mass, pressurized fluid extraction vs. other methods, 175
- Sample organic solvent content, solid-phase microextraction, 94
- Sample pH selection
 - liquid-phase microextraction, 137
 - solid-phase microextraction, 93
- Sample preparation
 - blanks, 262
 - column switching, clinical samples, 295, 297
 - microfluidic devices, 401
- Sample quality vs. economic factors, statistics, 319
- Sample size
 - vs. sample composition, statistics, 317
 - vs. sampling uncertainty, statistics, 317
- Sample storage and transport, solid-phase extraction, 57
- Sample water content, solid-phase microextraction, 93
- Samples, handling and storage, statistics, 320
- Sampling
 - biological specimens, 287
 - biomimetic, passive sampling, 349, 353
 - continuous, 325
 - design-based, statistics, 319
 - designs, statistics, 314
 - equipment selection, statistics, 320
 - errors, statistics, 313
 - field sampling, 325, 327
 - grab, 325
 - integrative, 345
 - model-based, statistics, 319
 - passive, 17, 343
 - plans, statistics, 315
 - probability, statistics, 314
 - process, microdialysis, 103
 - protocol, statistics, 315, 316
 - qualitative, statistics, 315
 - quality assurance, statistics, 320
 - quality control, statistics, 320
 - random, statistics, 314
 - sites, statistics, 319
 - spot, 325, 343
 - statistics, solids, 316
 - stratified, statistics, 315
 - systematic, random start point, statistics, 315
 - systematic, statistics, 314
 - time-weighted average, 15, 17
 - uncertainty vs. sample size, statistics, 317
- Sediment analysis, membrane introduction mass spectrometry, 155–156
- Selectivity
 - enhancement, membrane introduction mass spectrometry, 154
 - membrane introduction mass spectrometry, 150
 - molecularly imprinted polymers, 446, 447, 450, 455, 457, 461, 463
 - passive sampling, 356
- Semipermeable membrane, microdialysis, 103
- Semipermeable membrane device, 344
- Semivolatile drug analysis, solid-phase microextraction, 369
- Semivolatile organic compound analysis, membrane introduction mass spectrometry, 154
- Sensitivity, membrane introduction mass spectrometry, 150
- Sequential extraction, pressurized fluid extraction, 173
- Sequential vs. simultaneous analysis, pressurized fluid extraction vs. other methods, 175
- Short path thermal desorption, flavor analysis, 275
- Shunt probe, microdialysis, 105
- Signal amplification, biosensors, 387
- Silanization of glassware, 255
- Silica-based microstructures, biosensors, 405
- Silicone-divinylbenzene co-polymer, sol-gel, 423
- Silylation, derivatization
 - free carboxylic acid analysis, 228
 - phenol analysis, GC, 231
- Single-drop microextraction, 73
- Single-sided membrane introduction mass spectrometry, 154
- Size exclusion chromatography, biosensor sample preparation, 395
- Soil analysis
 - persistent organic pollutants, pressurized fluid extraction, 168
 - volatile organic compound, microwave-assisted extraction, 215
- Soil gas analysis, membrane introduction mass spectrometry, 155–156
- Soil samples
 - bioavailability, 330
 - organic compound analysis, membrane introduction mass spectrometry, 155
- Sol-gels, 419
 - capillary electrochromatography, 434, 437
 - capillary microextraction, 420, 429
 - solid-phase microextraction, 419
 - stir bar sorptive extraction, 419, 435
- Sol-gels, materials, 419
 - acrylate, 427
 - alumina-based polydimethylsiloxane, 422
 - aminopropylsilica/polydimethylsiloxane, 423

Sol-gels (*cont'd*)

- 3-aminopropyltriethoxysilane/polydimethylsiloxane, 424
- anilinemethyltriethoxysilane/polydimethylsiloxane, 423
- calixarene, 425
- cavity ligands, 424, 431
- characterization, 419
- chemistry, 419
- crown ether, 424
- β -cyclodextrin, 426, 437, 439
- dendrimer, 433
- electrically charged sol-gel, 432
- germania-based sol-gel, 435
- glassy carbon, low-temperature, 428
- hydroxyfullerene, 426
- membrane, 439
- mercaptopropyltrimethoxysilane modified silica, 434
- methyltrimethoxysilane/phenyltrimethoxysilane, 428
- monolithic beds, 419, 437
- octadecylsilane monolith, 437
- n*-octyltriethoxysilane/methyltrimethoxysilane, 428
- organic-inorganic octyl hybrid monolith, 440
- poly(tetrahydrofuran), 434
- polydimethylsiloxane, 421
- polydimethylsiloxane, amino-functionalized, 424
- polydimethylsiloxane/poly(vinylalcohol), 422, 437
- polyethylene glycol, 427, 433
- polymethylphenylvinylsiloxane, 423
- polymethylphenylvinylsiloxane/titania-hydroxy-terminated silicone oil, 423
- quinoxaline-bridged cavitand, 427
- silicone-divinylbenzene co-polymer, 423
- solid-phase microextraction sorbents, 370
- sorbent preparation, 420
- surface coatings, 419
- titania-based sol-gel, 429, 434
- titania-hydroxy-terminated silicone oil/
polymethylphenylvinylsiloxane, 423
- zirconia-based sol-gel, 429, 434
- Solid environmental samples, 260–261
- Solid samples, subsampling, statistics, 320
- Solid-phase adsorption toxin tracking, passive sampling, 354
- Solid-phase analytical derivatization, 230, 232, 235, 236, 237
- Solid-phase aroma concentrate extraction, flavor analysis, 275
- Solid-phase dynamic extraction, clinical samples, 298, 301
- Solid-phase extraction, 53
 - analyte adsorption mode, 60
 - analyte concentration, 54
 - analyte elution, 62
 - apparatus, 59
 - aqueous environmental samples, 256
 - automation, 77
 - bind-elute mode, 60
 - biosensor sample preparation, 397, 404
 - clinical samples, 297
 - column switching, online, 71
 - derivatization, sample clean-up, 231
 - desalting, 57
 - dispersive, 69, 75
 - distribution coefficient, 61
 - formats, *see* Solid-phase extraction, formats
 - interference removal, 54, 60
 - ion removal, 71
 - matrix adsorption mode, 60
 - method development, 62, 66
 - micropipet tip, 59, 76
 - multimodal extractions, 67
 - positive-pressure manifold systems, 59
 - protocol development, molecularly imprinted polymer, 463
 - pulsed elution, molecularly imprinted, 458
 - QuEChERS, 69
 - reduced bed mass, 76
 - reversed phase, 53
 - robotic systems, 60
 - sample loading, 61
 - sample recovery, superheated water extraction, 183
 - sample storage and transport, 57
 - solvent exchange, 57
 - sorbents, *see* Solid-phase extraction, sorbents; Solid-phase extraction sorbents, molecularly imprinted polymers
 - theory, 60
 - trace enrichment, 57
 - vacuum-manifold system, 59
 - vs. HPLC, 54
 - vs. liquid-liquid extraction, 53
 - xyz liquid-handling systems, 60
- Solid-phase extraction, formats
 - cartridge, 57
 - disk, 57
 - micropipette tip, 59
 - 96-well solid-phase extraction plate, 59
- Solid-phase extraction, sorbents, 65
 - activated magnesium silicate, 65
 - affinity-based, 445
 - cation exchange, 65
 - class-specific, 71
 - conditioning, 61
 - crown ethers, 71
 - Florisil, 65
 - graphitized carbon, 65
 - immunoaffinity, 68
 - mixed-phase, 67
 - octadecyl-silica, 54
 - phenylboronic acid, 71
 - polymeric sorbents, 54, 66
 - restricted access materials, 67
 - rinsing/washing, 62
 - types A and B silica, 54
- Solid-phase extraction sorbents, molecularly imprinted polymers, 68, 445, 450
 - in-line protocols, 457
 - normal phase, 455
 - off-line protocols, 455
 - on-line protocols, 456
 - protocol development, 463
 - with pulsed elution, 458
 - reversed-phase, 455
- Solid-phase microextraction, 59, 73, 81, 125, 197
 - absorption, 90
 - adsorption, 90

- agitation, 92
- amount extracted, thermodynamic principles, 83
- aqueous environmental samples, 259
- automation, *see* Automation, solid-phase microextraction
- binding affinity determination, 376
- biocompatible, 86
- calibration, *see* Solid-phase microextraction, calibration
- clinical samples, 298, 299
- cold fiber, 83
- derivatization, 92
- derivatization, drug analysis, 373
- desorption of analytes, 90, 97
- diffusion coefficient, 94
- distribution constant, 82, 94
- drug analysis, *see* Solid-phase microextraction, drug analysis
- enantiomeric differentiation, 378
- equilibration time, 92, 366
- extraction efficiency, 90
- extraction efficiency, ion-pairing reagent, 369
- extraction mode optimization, 91
- extraction pH, 368
- extraction rate, kinetic principles, 83
- extraction temperature, 94
- extraction time, 94
- fibre rinsing, 98
- field samplers, 83
- flavor analysis, 273
- forensics, analysis, 374
- by GC, *see* Solid-phase microextraction, by GC
- illicit drug impurity profiling, 374
- in-tube, *see* Solid-phase microextraction, in-tube
- in vivo, 85, 375
- ionic strength, samples, 368
- by LC, *see* Solid-phase microextraction, by LC
- matrix effect, 366
- method development, 90
- negligible depletion extraction, 366
- non-volatile drug analysis, 369
- on-site sampling, 83, 86
- partitioning of analytes, 90
- pre-equilibrium extraction, high sample concentration, 368
- restricted access materials, 370
- samples, *see* Solid-phase microextraction, samples
- semivolatile drug analysis, 369
- sol-gel, 419–420
- sorbents, *see* Solid-phase microextraction, sorbents
- spot sampling, 84
- superheated water extraction, 183
- theory, 82
- therapeutic drug monitoring, 375
- time-weighted average sampling, 84–85
- toxicology analysis, 374
- volatile drug analysis, 369
- Solid-phase microextraction, calibration
 - direct extraction, 89
 - equilibrium extraction, 326
 - headspace extraction, 89
 - in-fiber standardization, 326, 334
 - kinetic, 333
 - kinetic, standard-free, 326, 335
 - linearity, solid sorbents, 368
 - liquid injection, 337
 - pre-equilibrium, 89, 326, 334, 338
 - standard in the extraction phase, 333
- Solid-phase microextraction, drug analysis, 365
 - derivatization, 373
 - drug metabolite analysis, 370
 - excipients, impact on extraction, 377
 - ionizable groups, 369
 - method development, 369
 - pharmaceutical product analysis, 377
- Solid-phase microextraction, by GC, 86
 - automation, 87–89
 - desorption efficiency, 86
 - high throughput analysis, 87
 - injection, transfer efficiency, 337
 - injector optimization, 86
 - split/splitless injector, 86
 - interfaces, 86–97
 - rapid injection, 86, 88
- Solid-phase microextraction, in-tube, 81, 371, 373
 - clinical samples, 300
 - sol-gel, 419
- Solid-phase microextraction, by LC, 95
 - automation, 96–97
 - desorption, 98
 - fibre preconditioning, 98
 - high throughput, 97
 - interfaces, 95
 - manual interface, 95
 - method development, 97
 - off-line desorption, 96
- Solid-phase microextraction, samples
 - heterogeneity, 367
 - ionic strength, 93
 - organic solvent content, 94
 - pH selection, 93
 - temperature, 94
 - volume selection, 93, 365
 - water content, 93
- Solid-phase microextraction, sorbents
 - biocompatibility, 370–371, 373, 376
 - coating selection, 90, 97
 - immunoaffinity, 372
 - molecularly imprinted polymers, 372, 455
 - monolithic extraction phases, 371
 - octadecyl-silica, 370
 - polyacrylate, 91
 - polydimethylsiloxane, 82, 86
 - polydimethylsiloxane/divinylbenzene, 86, 91
 - polyethylene glycol, 91
 - polypyrrole, 371
 - sol-gel, 370
- Solids, sampling statistics, 316
- Solid-supported liquid-liquid extraction, 74
- Solubility, effect on partition coefficient, 27
- Solvent assisted flavor evaporation, 272
- Solvent exchange, with solid-phase extraction, 57
- Solvent extraction
 - environmental analysis, 39
 - flavor analysis, 270–271, 276
- Solvent miscibility chart, 41

- Sorbents
 - biocompatible, clinical samples, 298
 - liquid, definition, 13
 - selective, clinical samples, 298
 - solid, definition, 13
 - solid vs. liquid, 13
 - specificity, clinical samples, 298
- Sorption techniques, flavor analysis, 270, 272
- Soxhlet extraction
 - environmental samples, solids, 260
 - vs. microwave-assisted extraction, 212–213
 - vs. pressurized fluid extraction, 163, 174
 - vs. supercritical fluid extraction, 191
 - vs. superheated water extraction, 185
- Speciation of metals, passive sampling, 356
- Spiking procedures, environmental samples, 250
- Split/splitless GC injector, solid-phase microextraction, 86
- Spot sampling, 325, 343
 - solid-phase microextraction, 84
- Standard addition, 15
 - headspace GC, 30
- Standard in the extraction phase, solid-phase microextraction, calibration, 333
- Standard water generating system, 326, 335
- Standard-free kinetic calibration, solid-phase microextraction, 326, 335
- Static headspace extraction, 25
 - air analysis, 254
 - flavor analysis, 272
- Static liquid-phase microextraction, 137
- Static superheated water extraction, 182
- Statistics, 313
 - bias, 313
 - composite samples, 320
 - determinate error, 313
 - economic factors vs. sample quality, 319
 - increment size, 316
 - indeterminate error, 313
 - local heterogeneity in particulate materials, 316
 - quality assessment, 321
 - random error, 313
 - random number generation, 314
 - sample handling, 320
 - sample increment size in segregated populations, 318
 - sample increment size, 316
 - sample preparation, 313
 - sample size vs. sample composition, 317
 - sample size vs. sampling uncertainty, 317
 - sample storage, 320
 - subsampling of solid samples, 320
 - systematic error, 313
 - systematic sampling with random start point, 315
- Statistics, sampling
 - design-based, 319
 - designs, 314
 - equipment selection, 320
 - errors, 313
 - model-based, 319
 - plans, 315
 - probability, 314
 - protocol, 315–316
 - qualitative, 315
 - quality assurance, 320
 - quality control, 320
 - random, 314
 - sites, 319
 - solids, 316
 - stratified, 315
 - systematic, 314
- Steady state conditions, 345
- Steam distillation and extraction, flavor analysis, 270–271
 - Likens-Nickerson apparatus, 271, 276
- Steroid analysis, derivatization, acylation, GC, 231
- Stir bar sorptive extraction, 59
 - clinical samples, 298, 301
 - sol-gel, 419, 435
- Storage of samples
 - biological specimens, 287
 - statistics, 320
- Stratified sampling, 315
- Subcritical water, 181
- Subsampling of solid samples, 320
- Succinimides, derivatization, amine analysis, 234
- Sulfhydryl analysis, derivatization, 236
- Sulfide analysis, passive sampling, 357
- Sulfur compound analysis, in food, 279
- Sulphonate displacement, derivatization, fatty acid analysis, fluorescence detection, 229
- Summa canisters, 254
- Sunscreen analysis, passive sampling, 354
- Supercritical fluid extraction, 191
 - chelating agents, 194
 - chiral selectors, 195
 - clinical samples, 286
 - coextraction, 192
 - coupled to capillary GC, 194
 - coupled to supercritical fluid chromatography, 194
 - critical point, 191–192
 - dynamic extraction, 193
 - extraction cell, 193
 - flavor analysis, 271
 - hydrophobic membrane, 194
 - lipophilic compound analysis, food and fragrance, 194
 - matrix effects, 192
 - method development, 195
 - off-line, 193
 - on-line, 194
 - polar analytes, 192
 - selection of supercritical fluids, 191, 192
 - static extraction, 193
 - vs. microwave-assisted extraction, 212
 - vs. Soxhlet, 191
- Superheated water extraction, 181, 191
 - coupled extraction systems, 183
 - derivatization, extraction enhancement, 183
 - dynamic, 182
 - extraction kinetics, 185
 - microporous membrane extraction, coupled systems, 183
 - sample recovery, 183
 - static, 182
 - vs. direct thermal desorption, 186

- vs. hydrodistillation, 186
- vs. Soxhlet, 185
- vs. water distillation, 186
- Supported liquid membrane, 125, 127
- Surface equilibria, elevated solvent temperatures, enhanced extraction, 165
- Surfactant analysis, liquid-liquid extraction, 45
- Susceptors, microwave-assisted extraction, 205, 213
- Syringe sampling, headspace GC, autosampler hardware, 32
- Systematic error, statistics, 313
- Systematic sampling, 314–315

- Tedlar bags, 254
- Temperature, effect on partition coefficient, 27
- Temperature-programmed desorption membrane introduction mass spectrometry, 154
- Template, molecularly imprinted polymers, 445
- Temporal resolution, microdialysis, 105, 111
- Therapeutic drug monitoring, 285
 - solid-phase microextraction, 375
- Thermally assisted hydrolysis, derivatization, methylation, 227
- Thermodynamic constants, determination, headspace GC, 36
- Thermodynamics, extraction, 6
- Thin film microextraction, 83
- Thin films, diffusive gradients, 347
- Thin layer high vacuum distillation, flavor analysis, 272
- Thiol analysis, derivatization
 - chromophoric detection, 237
 - fluorescence detection, 237
 - thiol reactivity, 236
 - thiol stabilization, metal chelators, 236
- Time-weighted average concentration, 325, 343
- Time-weighted average sampling, 15, 17. *See also* Passive sampling
 - solid-phase microextraction, 84–85
- Tissue injury, microdialysis, 113
- Titania-based sol-gel, capillary microextraction, 429, 434
- Titania-hydroxy-terminated silicone oil/
 - polymethylphenylvinylsiloxane, sol-gel, 423
- Tosylation, derivatization, phenol analysis, GC, 231
- Total volatiles analysis, flavor analysis, 267, 280
- Toxicology analysis, solid-phase microextraction, 374
- Trace enrichment, solid-phase extraction, 57
- Transfer efficiency, GC
 - liquid injection, 337
 - solid-phase microextraction injection, 337
- Trap-and-release membrane introduction mass spectrometry, 150
- Trapping
 - headspace GC, 29
 - superheated water extraction sample recovery, 183

- Triazine analysis
 - liquid-liquid extraction, 43
 - superheated water extraction, 184
- Type A and type B silicas, solid-phase extraction, 54

- Ultrasonic mixing, derivatization, 227
- Ultrasonication, biosensor samples, 399
- Ultrasound assisted pressurized fluid extraction, 173
- Ultra-violet filters, analysis, passive sampling, 354
- Urine analysis, 288

- Vacuum distillation, flavor analysis, 271
- Vacuum-manifold system, solid-phase extraction, 59
- Valve-and-loop sampling, headspace GC, autosampler hardware, 32
- van der Waals forces, 269
- Vapor pressure, flavor analysis, 268
- Vegetable oils aroma analysis, 278
- Vial size, headspace GC, 29
- Volatile acid analysis, derivatization, 2,4-dinitrophenylhydrazine, UV detection, 229
- Volatile biomarkers of lung cancer, 300
- Volatile drugs, analysis, solid-phase microextraction, 369
- Volatile organic compound analysis
 - drinking water, 36
 - headspace GC, 36
 - membrane introduction mass spectrometry, 149, 151, 153
 - passive sampling, 355
 - purge-and-trap, 36
 - water and soil, microwave-assisted extraction, 215
 - wastewater, 36
- Volatile pyrolysis product analysis, membrane introduction mass spectrometry, 159
- Volatiles analysis, headspace GC
 - in biological fluids, 34
 - in high-boiling oils, 36
- Volume reduction, biosensor samples, 390

- Wastewater analysis
 - passive sampling, 353–354, 357
 - volatile organic compounds, 36
- Water analysis
 - membrane introduction mass spectrometry, 151–152
 - volatile organic compound, microwave-assisted extraction, 215
- Water distillation, comparison to superheated water extraction, 186
- Wine volatiles analysis, 276

- xyz liquid-handling systems, solid-phase extraction, 60

- Zero sink sorbent, 326
- Zirconia-based sol-gel, capillary microextraction, 429, 434