

INDEX

Figures and tables are indicated with *f* and *t* following the page number.

A

- Absorbent pads, 9-79
 Acclimate, 8-2
 Accuracy, 1-4, 8-27
 Acetic acid stock solution, 5-61
 Acetone, 5-40, 5-45
 Acetone alcohol, 9-68
 Acetonitrile, 5-37
 Acid-extractable metals, 3-7
 Acidianus brierleyi, 9-131
 Acid environments, bacteria living in
 enumeration, enrichment, and isolation,
 9-131-134
 sample collection and identification,
 9-131
 Acidic herbicide compounds, 6-136-146
 method selection for, 6-136
 micro liquid-liquid extraction gas
 chromatographic method and,
 6-137-146
 sampling and storage of, 6-136
 sources and significance of, 6-136
 Acidiphilium cryptum, 9-131
 Acidiphilium medium, 9-134
 Acidity, 2-31-33
 Acidophilum acidophilum (Thiobacillus
 acidophilus), 9-131
 Acidothiobacillus ferrooxidans, 9-131
 Acidothiobacillus thiooxidans, 9-131
 Acids. *See* Base/neutral and acids
 Acid solutions, 5-5, 5-14, 5-24
 Acid-volatile sulfide (AVS), 4-172,
 4-184-185, 4-184*f*
 Acoustic data acquisition methods, 10-91
 Acridine orange, 9-58-59
 AcS (medium for heterotrophic strains of
Thiothrix), 9-129
 Actinomycetes
 calculation, 9-142
 double agar layer procedure, 9-141
 microbiological examination,
 9-138-142, 9-141*f*, 9-141*t*
 plate count, 9-140-142
 quality control, 9-142
 sample collection and storage, 9-139
 single agar layer procedure, 9-141
 Actinomycetes Isolation Agar (AIA),
 9-140
 Action level, 1-22
 Activated carbon, 5-31, 5-32
 Activated carbon columns, 5-30
 Acute-to-chronic ratios, 8-3, 8-4
 Acute toxicity tests, 8-2, 8-4-5, 8-6
 Adapter tube, 5-61
 Adenosine Triphosphate (ATP)
 calculations, 10-32
 equipment and reagents, 10-31
 procedure, 10-31-32
 ADMI (American Dye Manufacturers
 Institute), 2-11
 ADMI weighted-ordinate
 spectrophotometric method,
 2-11-12
 Adsorbent filter holder, 9-187
 Adsorption
 reagent water preparations, 1-47*t*, 1-48
 Adsorption assembly, 5-30
 Aerial photography, 10-54-55
 Aerobic endospores
 membrane filter method, 9-64-65
 microbiological examination, 9-64-65
 Aeromonas
 enrichment methods, 9-178
 enumeration methods, 9-178-179
 sample collection, 9-178
 screening tests, 9-179, 9-179*t*
 Aeromonas hydrophila, 9-47
 Agal productivity. *See* Biostimulation
 Aggregate organic constituents, 5-1-78
 aquatic humic substances, 5-35-38
 biochemical oxygen demand (BOD),
 5-4-16
 chemical oxygen demand (COD),
 5-16-21
 dissolved organic halogen, 5-29-35
 oil and grease, 5-38-46
 organic and volatile acids, 5-59-64,
 5-62*f*, 5-64*t*
 phenols, 5-46-50
 quality assurance/quality control,
 5-1-4, 5-3*t*
 sample collection and preservation, 5-1
 surfactants, 5-50-57
 tannin and lignin, 5-58-59
 total organic carbon (TOC), 5-21-29
 trihalomethanes and other disinfection
 by-products, formation of,
 5-64-74, 5-66*f*, 5-69*t*, 5-70*t*
 UV-absorbing organic constituents,
 5-74-78
 Agricultural chemicals. *See* Herbicides;
 Pesticides
 AIA (Actinomycetes Isolation Agar),
 9-140
 Air, 5-62
 Airborne contaminants, 3-3
 Air incubator
 intralaboratory quality control
 guidelines, 9-10
 Aldehydes, 6-65-73
 method selection for, 6-65-66
 PFBHA liquid-liquid extraction gas
 chromatographic method and,
 6-66-73, 6-67-69*t*, 6-70*f*, 6-71*t*
 sources and significance of, 6-65
 Algae
 key to, 10-160-164
 Algae toxicity testing, 8-52-64
 biostimulation (agal productivity) and,
 8-52-58
 marine macroalgae, 8-59-64, 8-61*f*,
 8-63*f*
 overview, 8-52
 phytoplankton, 8-58-59
 Algorithm of practical salinity, 2-58
 Alkaline hydrogen peroxide digestion,
 3-91-92
 Alkaline peptone water, 9-163
 Alkalinity, 2-34-36, 4-36
 Alkali solutions, 5-5, 5-14, 5-24
 Alpha and beta emitting radioactivity,
 7-20-25
 coprecipitation method and, 7-23-25
 evaporation method and, 7-20-23
 occurrence and significance of, 7-20
 Alpha scintillation counters, 7-14-15
 Alpha spectrometers, 7-16
 Alternative actions, 1-22
 Alum flocculation modification, 4-142
 Aluminum, 3-61-64
 Aluminum block incubator, 9-10
 Aluminum chloride, 9-187, 9-190, 9-194
 Ambiguous zeros, 1-34
 American Dye Manufacturers Institute
 (ADMI), 2-11
 Ames test, 8-30-31
 Ammonia, 4-110-119
 distillation and, 4-110-111
 flow injection analysis and, 4-118-119,
 4-118*f*, 4-119*t*
 method selection for, 4-110
 phenate method and, 4-115-118,
 4-116*t*, 4-117*f*
 selective electrode method and,
 4-113-115, 4-115*t*
 storage of, 4-110
 titrimetric method and, 4-112
 Ammonia-oxidizing bacteria (AOB)
 medium, 9-137
 Ammonium chloride solution, 5-5, 5-14,
 5-72
 Ammonium chloride standard, 5-31
 Ammonium hydroxide, 5-48
 Ammonium oxalate-crystal violet, 9-68
 Ammonium peroxydisulfate, 5-26
 Ammonium sulfate solution, 9-12
 Amoebas, 10-136*f*, 10-137*f*
 Amperometric method
 chlorine and, 4-64-66
 chlorine dioxide and, 4-80-83, 4-83*t*
 iodine and, 4-98
 Amphibians, 10-157*f*
 Amphibian toxicity testing, 8-170-179
 characteristics of, 8-170-171
 culturing and maintaining organisms,
 8-171-173
 procedures, 8-174-179
 significance of, 8-170
 Ampicillin solution, 9-99, 9-101, 9-103
 Ampules, 5-28

- Anaerobic sludge digester gas analysis, 2-95–100
 gas chromatographic method, 2-97–100
 method selection, 2-95
 sample collection, 2-95–96
 volumetric method, 2-96–97
- Analyst colony counting variability, 9-17
- Analytical methods
 analytical balance, 10-40
 bias, 9-52
 intralaboratory quality control guidelines, 9-17
 quality control procedures, 9-17–19
- Analyzer assembly, 5-30–31
- Angling, 10-86
- Animal inoculation method
Leptospira testing, 9-167
- Anion-cation balance, 1-23–24
- Anion-exchange resin, 5-56
- Anions. *See also* Inorganic nonmetals
 capillary ion electrophoresis and, 4-16–24
 ion chromatography and, 4-5–12
- Annelid toxicity testing, 8-83–95
 applications of, 8-83
 characteristics and ecology of, 8-83
 data analysis, 8-95
Neanthes arenaceodentata, 8-83–84, 8-84f, 8-86, 8-87f, 8-90t, 8-91–93, 8-92f
Polydora cornuta, 8-83–84, 8-84f, 8-87, 8-88f, 8-93–94, 8-94t
Pristina leidyi, *Tubifex tubifex*, and *Lumbriculus variegatus*, 8-83–84, 8-86f, 8-94–95
 procedures, 8-89–91, 8-90f, 8-90t
 sediment testing, 8-91–95, 8-92f
 selecting and preparing organisms, 8-83–89, 8-84–88f
- Annual marks/rings, 10-97f
- Annuli, 10-97f
- Anodic stripping voltammetry, 3-57–60
- Antifungal antibiotic solution, 9-140
- Antimony, 3-104
- A-1 medium, 9-74
- Apparatus. *See also* Equipment
 adsorption-pyrolysis-titrimetric method, 5-30–31
 anionic surfactants as MBAS, 5-54
 chloroform extraction method, 5-47–48
 chromatographic separation method, 5-60
 closed reflux, colorimetric method, 5-20
 closed reflux, titrimetric method, 5-19
 colorimetric method, 5-58
 delayed-incubation thermotolerant (fecal) coliform procedure, 9-87
 delayed-incubation total coliform procedure, 9-84
 diethylaminoethyl (DEAE) method, 5-36
 direct photometric method, 5-49
 disinfection by-products (DBPs), formation of, 5-72
 distillation method, 5-61
 epifluorescence microscopic method using acridine orange, 9-58
 extraction method for sludge samples, 5-43
 5-day BOD test, 5-5
 high-temperature combustion method, 5-24
 hydrocarbons, 5-44
Klebsiella membrane filter procedure, 9-88
 liquid-liquid, partition-gravimetric method, 5-40, 5-40f
 membrane filter method, 9-64, 9-102
 MF partition procedures, 9-89
 multiple-tube method, 9-137
 nonionic surfactants as CTAS, 5-56
 open reflux method, 5-17
 partition-infrared method, 5-41
 persulfate-ultraviolet or heated-persulfate oxidation method, 5-26
 phenols cleanup procedure, 5-47
Pseudomonas fluorescens Strain P-17, *Spirillum* Strain NOX method, 9-61
 respirometric method, 5-14
 simulated distribution system trihalomethanes (SDS-THM), 5-71
 single-agar-layer method, 9-101
 solid-phase, partition-gravimetric method, 5-45
 somatic coliphage assay, 9-96
 Soxhlet extraction method, 5-42
 surfactant separation by sublation, 5-51, 5-51f
 trihalomethane formation potential (THMFP), 5-67
 ultimate BOD test, 5-10–11
 ultraviolet absorption method, 5-75
 wet-oxidation method, 5-28
 XAD method, 5-37
- Aquatic flowering plant toxicity testing, 8-64–72
 duckweed, 8-65–68, 8-65f, 8-66t
 emergent plants, 8-69–72, 8-70f, 8-72t
 overview, 8-64
- Aquatic humic substances, 5-35–38
 diethylaminoethyl (DEAE) method, 5-36–37
 method selection, 5-35
 XAD method, 5-37–38
- Aquatic hyphomycetes, 9-208–209
- Aquatic insect toxicity testing, 8-136–140
 data analysis, 8-140
 overview, 8-136–137
 procedures, 8-139–140
 selecting and preparing organisms, 8-137–139
- Aquatic organisms
 identification procedures, 10-122
 key to, 10-122–159
- Aqueous acetic acid, 5-31
- Aqueous acetone solution, 10-23
- Argentometric method, 4-72–73
- Argon, 5-31
- Arsenic, 3-64–66
 continuous hydride generation/atomic absorption spectrometry, 3-38–39
 hydride generation/atomic absorption spectrometry, 3-34–39
 manual hydride generation/atomic absorption spectrometry, 3-34–38
 method selection, 3-64
 silver diethyldithiocarbamate method, 3-65–66
- Arthropod toxicity testing, 8-105–136
Ceriodaphnia, 8-110–115, 8-111–112f, 8-114t
Daphnia, 8-105–106f, 8-105–110, 8-109t
 decapods, 8-125–136, 8-127–129f, 8-133–134f
 mysids, 8-115–125, 8-116–118f
 overview, 8-105
- Artificial radioactivity, 7-20
- Artificial substrata, 10-36–37
- Asbestiform, 2-78
- Asbestos, 2-78–83
 definitions, 2-78–79
 sample collection and handling, 2-79–80
 transmission electron microscopy method, 2-79–83
- Ascorbic acid method, 4-155–157, 4-156t, 4-157f
- Ash-free dry weight, 10-41
- Asparagine broth, 9-49
- Aspect ratio, 2-78
- Assemblage, 10-84
- Assimilable organic carbon
 method selection, 9-60
 microbiological examination, 9-59–64
Pseudomonas fluorescens Strain P-17, *Spirillum* Strain NOX method, 9-61–64
 sampling and storage, 9-60
 significance, 9-59–60
- Association of Official Analytical Chemists, 1-25
- Asymptotic LC₅₀, 8-2
- ATP (Adenosine Triphosphate), 10-31–32
- ATP estimates, 10-41
- Autoclaves, 5-28
 for microbiological examination, 9-27
 intralaboratory quality control guidelines, 9-9
 sterilization times and temperatures, 9-15t
 vinyl plastic tubing, 9-187
- Automatic sampling, 1-41
- AVS. *See* Acid-volatile sulfide
- Azide dextrose broth, 9-111
- Azide modification, 4-139–140, 4-141t

B

- Bacteria, 10-158f
 distribution of populations, 9-22f
- Bacterial bioluminescence tests (BBTs), 8-38–41, 8-39f

- Bacterial density, estimation of, 9-69–73
 MPN, recording of, 9-70–73, 9-70*t*,
 9-71*t*, 9-72*t*
 MTF test, precision of, 9-69
 table reading, 9-70
- Baermann funnel, 10-105
- Baird-Parker agar base, 9-44
- Balances
 for microbiological examination, 9-27
 intralaboratory quality control
 guidelines, 9-8
- Barium, 3-104
- BART (Biological activity reaction test)
 method, 9-124–125
- Basal medium, 9-128
- Baseline vegetation mapping method,
 10-53–54
- Base/neutral and acids, 6-73–87
 liquid-liquid extraction gas
 chromatographic/mass
 spectrometric method and,
 6-74–87, 6-75–77*t*, 6-80–83*f*,
 6-84–85*t*, 6-86–87*t*
 method selection for, 6-73
 sources and significance of, 6-73
- Basic fuchsin, 9-80
- Basket sampler, 10-76*f*
- Batch adsorption equipment, 5-31
- Batch quality control, 3-5–6
- Batch samples, 2-71
- Bathing beaches. *See* Natural bathing
 beaches
- Bathocuproine method, 3-75–76
- BBTs (Bacterial bioluminescence tests),
 8-38–41, 8-39*f*
- Beakers, 5-43, 9-187, 9-189, 9-194,
 9-195, 9-196
- Beef extract, 9-96, 9-99, 9-101, 9-102,
 9-187, 9-190, 9-194
- Beetles, 10-149*f*
- Beggiatoa, 9-127
 media for, 9-128
- Beggiatoa alba* trichomes, 9-122*f*
- Benthic macroinvertebrates
 data evaluation and presentation,
 10-81–84
 defined, 10-67–68
 response to environment, 10-68
 sample collection, 10-75–79
 artificial substrate samplers,
 10-75–76
 general considerations, 10-70
 qualitative sampling devices, 10-75
 quantitative sampling devices,
 10-71–75
 sampling design, 10-70–71
 suction samplers, 10-76
 sample processing and analysis,
 10-79–81
- Beryllium, 3-104
- Beta-emitting radioactivity. *See* Alpha
 and beta emitting radioactivity
- BHI (Brain-heart infusion) agar, 9-113
- BHI (Brain-heart infusion) broth, 9-113
- Bias
 defined, 1-4
 measurement uncertainty, 1-17
- Bile esculin agar, 9-113–114
- Bile esculin azide agar, 9-111
- Biochemical oxygen demand (BOD),
 5-4–16
 carbonaceous versus nitrogenous BOD,
 5-4–5
 5-day BOD test, 5-5–10
 apparatus, 5-5
 data analysis and reporting, 5-8–9
 precision and bias, 5-9
 preparatory procedures, 5-6–7
 quality control checks, 5-8
 reagents, 5-5–6
 testing procedure, 5-7–8
- respirometric method, 5-13–16
 apparatus, 5-14
 dilution BOD, relationship to, 5-13
 interferences, 5-13
 minimum detectable concentration,
 5-13
 precision and bias, 5-15–16
 procedure, 5-14–15
 quality control, 5-15
 reagents, 5-14
 respirometers, types of, 5-13
 sampling and storage, 5-13
- ultimate BOD test, 5-10–12
 apparatus, 5-10–11
 calculations, 5-11, 5-12*t*
 precision and bias, 5-11–12
 procedure, 5-11
- Bioequivalence, 8-21
- Biohazard safety cabinet (BSC), 9-9–10
- Biological activity reaction test (BART)
 method, 9-124–125
- Biological examination, 10-1–183
 aquatic organisms, identification of,
 10-122–183
 key to common freshwater algae,
 10-160–164
 key to major groups, 10-122–159
 procedure, 10-122
- benthic macroinvertebrates, 10-67–84
- benthic meiofauna, 10-1, 10-101
- fish, 10-1, 10-84–101
- index to illustrations, 10-165–167
- macroinvertebrates, 10-1
- macrophytes, 10-1, 10-52–67
- nematological examination,
 10-102–121
 illustrated key to freshwater
 nematodes, 10-106–121
- periphyton, 10-1, 10-36–51
- plankton, 10-1, 10-2–35
- Biological safety, 1-61–62
 waste disposal, 1-62
- Biological safety cabinets (BSCs), 9-29,
 9-222
- Biological treatment of waste, 1-67
- Bioluminescence test, 9-37–38
- Biomass
 ATP and, 10-31–32
- biovolume, 10-30–31
 cell biovolume, 10-30–31
 chlorophyll *a* and, 10-30
 defined, 10-30
 determination of, 10-30–32
 displacement volume, 10-31
 gravimetric methods, 10-31
 macrophytes, 10-57, 10-59–61
 biomass harvest methods, 10-59–60
 biomass tagging methods, 10-60–61
 estimates of below-ground
 production, 10-61
 volume/surface area, 10-31
- Biomass accumulation
 ash-free dry weight, 10-41
 ATP estimates, 10-41
- Biosafety criteria
 intralaboratory quality control
 guidelines, 9-4–6
 levels, 9-5–6
- Biostimulation (agal productivity),
 8-52–58
 additives and, 8-57
 apparatus, 8-54
 characteristics of, 8-52
 data analysis and interpretation,
 8-57–58
 defined, 8-52
 inoculum, 8-55
 planning and evaluating, 8-53
 procedures and conditions, 8-56–57
 sample handling, 8-54–55
 synthetic algal culture medium, 8-55
- Biovolume, 10-30–31, 10-39
- Bismuth, 3-105
- Bismuth sulfite agar, 9-147
- Bivalves, 10-153*f*
- Blank control, 9-63
- Blanks, 5-33
- Blank standard, 5-31
- Blender or vortex mixer, 5-17, 9-58
- Blind testing, 8-27
- BOD. *See* Biochemical oxygen demand
- BOD bottles, 10-33, 10-34, 10-44
- BOD distillation water, 5-6
- Boiling water bath, 10-31
- Borate buffer, 5-68
- Boron, 3-105, 4-25–27
 carmine method, 4-27
 curcumin method, 4-25–26
 method selection for, 4-25
 occurrence and significance of, 4-25
 sampling and storage of, 4-25
- Bottles
 BOD, 10-33, 10-34, 10-44
 centrifuge, 9-190, 9-194, 9-196
 dilution bottles or tubes, 9-28, 9-78,
 9-90, 9-91
 gas washing, 5-51, 5-51*f*
 incubation, 5-10
 reservoir, 5-10
 sample, 9-11, 9-28–29, 9-78, 9-90,
 9-91, 9-196
 stripping, 6-12, 6-13*f*
- Bottom chamber, 10-44

Box core samplers, 10-74
 Brain-heart infusion (BHI) agar, 9-113
 Brain-heart infusion (BHI) broth, 9-113
 Brilliant green agar, 9-147
 Brilliant green lactose bile broth, 9-67
 Bromate-bromide solution, 5-48
 Bromide, 4-9-12, 4-28-30
 flow injection analysis and, 4-29-30, 4-29f
 ion chromatography (IC) and, 4-9-12, 4-10-11t, 4-10f
 method selection for, 4-28
 occurrence of, 4-28
 phenol red colorimetric method and, 4-28-29
 Broths with antibiotics
 E. coli testing, 9-154
 BSCs (Biohazard safety cabinets), 9-9-10
 BSCs (Biological safety cabinets), 9-29, 9-222
 Buchner filter funnel, 5-36, 9-194
 Buchner funnel, 5-42
 Buffered dilution rinse water, 9-80
 Buffered water, 9-32, 9-61

C

Caddisflies, 10-147f
 Cadmium, 3-105
 anodic stripping voltammetry, 3-57-60
 Cadmium reduction method, 4-125-128, 4-126-127f, 4-129-131, 4-130f, 4-130t
C. albicans, identification of, 9-210
 Calcium, 3-67-68
 EDTA titrimetric method, 3-67-68
 Calcium carbonate deposition test (CCDT), 2-41-42
 Calcium carbonate precipitate potential (CCPP), 2-41-42
 Calcium carbonate saturation, 2-37-43
 computer methods, 2-42, 2-43t
 graphical methods, 2-42, 2-43t
 limitations, 2-37
 precipitate potential, 2-41-42
 tendency to precipitate or dissolve, 2-38-41
 Calcium chloride solution, 5-5, 5-14, 9-101
 Calculations
 actinomycete plate count, 9-142
 adsorption-pyrolysis-titrimetric method, 5-33-34
 anionic surfactants as MBAS, 5-54
 AOC concentration, 9-62-63
 biomass, 10-32
 chloroform extraction method, 5-48-49
 chlorophyll and pheophytin, 10-40
 chromatographic separation method, 5-60
 closed reflux, colorimetric method, 5-21
 closed reflux, titrimetric method, 5-20
 coliform density, 9-81-83, 9-91
 diethylaminoethyl (DEAE) method, 5-36-37

direct photometric method, 5-50
 disinfection by-products (DBPs), formation of, 5-73
 distillation method, 5-61
 dry and ash-free weight, 10-40
 enterococci density, 9-114
 epifluorescence microscopic method using acridine orange, 9-59
 extraction method for sludge samples, 5-44
 fecal coliform density, 9-86-87
 5-day BOD test, 5-8-9
 flowing water productivity measured by oxygen method, 10-45-48
 gas chromatographic method, 5-63
 high-temperature combustion method, 5-25
 hydrocarbons, 5-44
 LFB recovery, 5-4
 LFM recovery, 5-4
 liquid-liquid, partition-gravimetric method, 5-41
 multiple-tube method, 9-138
 nonionic surfactants as CTAS, 5-57
 partition-infrared method, 5-42
 productivity, carbon-14 method, 10-35
 productivity, oxygen method, 10-33
 quality control, 1-10-11
 relative percent difference, 5-4
 significant figures, 1-35
 simulated distribution system
 trihalomethanes (SDS-THM), 5-71
 solid-phase, partition-gravimetric method, 5-45
 standing crop, 10-32
 standing water productivity measured by carbon-14 method, 10-42-43
 standing water productivity measured by oxygen method, 10-42
 trihalomethane formation potential (THMFP), 5-68-69
 ultimate BOD test, 5-11, 5-12t
 ultraviolet absorption method, 5-76
 wet-oxidation method, 5-28
 Calibration
 check standard, 1-4
 quality control, 1-10
 for quality control, 3-4-5
 standards, 5-2, 10-26, 10-27
 verification, 5-2
 Calibration curve, 5-21
Campylobacter
 epidemiological markers, 9-159
 identification, 9-159
 isolation, 9-158-159
 water collection and filtration method, 9-158
 Capability, demonstrations of, 1-7-8
 Capillary ion electrophoresis (CIE), 4-16-24
 indirect UV detection, 4-16-24, 4-17-21f, 4-19t, 4-22-24t
 overview, 4-16
 Capillary suction time (CST), 2-92-93
 Carbamate pesticides, 6-113-121

high-performance liquid chromatographic (HPLC) analysis and, 6-113-114t, 6-113-121, 6-116t, 6-117f, 6-118-119t
 method selection for, 6-113
 sources and significance of, 6-113
 Carbon-14-labeled solution of sodium carbonate, 10-42
 Carbonaceous-resin solid-phase extraction GC/MS method, 6-100-109
 apparatus, 6-102
 data analysis and calculations, 6-106-107
 for nitrosamines, 6-100-109, 6-101-108t, 6-106f
 overview, 6-100-101, 6-101-102t
 precision and bias, 6-106-108t, 6-108-109
 procedures, 6-103-105t, 6-103-107, 6-106f
 quality control, 6-107-108
 reagents, 6-102-103, 6-104t
 sampling and storage, 6-102
 Carbon analyzer, 5-28
 Carbonate-tartrate reagent, 5-58
 Carbon dioxide, 4-30-36, 5-31
 alkalinity and, 4-36
 method selection for, 4-30-31
 nomographic determination of, 4-31, 4-32-35f
 occurrence and significance of, 4-30
 titrimetric method and, 4-31, 4-36
 Carbon macrophytes, 10-57
 Carboys, 9-189
 Carcinogens, 1-61
 Carmine method, 4-27
 Carrier-free radioactive carbonate solution, 10-34
 Carrier gas, 5-24
 Casitone-glycerol-yeast autolysate broth (CGY), 9-126
 Catalytic reduction method, 4-100-101
 Cation-exchange resin, 5-56
 CCDT (Calcium carbonate deposition test), 2-41-42
 CCPP (Calcium carbonate precipitate potential), 2-41-42
 Cefsulodin solution, 9-92
 Cell biovolume, 10-30-31
 Cell-culture flasks and chamber slides, 9-222
 Cells, 5-41
 Cellulose nitrate filter, 9-187
 Cellulose nitrate filter series, 9-190
 Central tendency measures of skewed distribution, 9-22-23
 Centrifugation, 8-48, 10-12
 Centrifuge bottles, 9-190, 9-194, 9-196
 Centrifuges
 clinical or benchtop, 10-23
 for microbiological examination, 9-29, 9-194, 9-196
 organic constituents, 5-36, 5-40, 5-41, 5-60-62
 with rotor and buckets, 9-190, 9-195

- Centrifuge tubes, 5-41
- Ceriodaphnia* toxicity testing, 8-110–115
overview, 8-110–111
procedures, 8-113–115, 8-114*t*
selecting and preparing organisms,
8-111–112*f*, 8-111–113
- Cesium, 3-105–106, 7-29–30
- CGY (Casitone-glycerol-yeast autolysate
broth), 9-126
- Chain-of-custody procedures, 8-28
collection of samples, 1-40–41
- Characteristic of interest
defined, 10-70
- Chart recorder or microprocessor, 5-31
- Chemical additive system, 9-189
- Chemical hazards
high acute toxicity, 1-51
high chronic toxicity, 1-51–52
moderate chronic toxicity, 1-51
occupational health and safety,
1-52–55, 1-53–54*t*
- Chemical hygiene officer (CHO), 1-49
- Chemical hygiene plan (CHP), 1-51, 1-65
- Chemical oxygen demand (COD),
5-16–21
closed reflux, colorimetric method,
5-20–21
closed reflux, titrimetric method,
5-19–20, 5-19*t*
interferences and limitations, 5-16–17
method selection, 5-16
open reflux method, 5-17–18
sampling and storage, 5-17
- Chemical reagents, 10-34
- Chemical treatment of waste, 1-67
- Chemotactic tests, 8-75–77
data analysis, 8-77
holding and culturing organisms,
8-75–76
procedures and conditions, 8-76–77,
8-76*f*
sources of organisms, 8-75
- Chloral hydrate, 5-73
- Chloride, 4-72–78
argentometric method and, 4-72–73
ferricyanide method and, 4-76–77,
4-76*f*
flow injection analysis and, 4-77–78,
4-77*f*, 4-78*t*
mercuric nitrate method and, 4-73–74
occurrence of, 4-72
potentiometric method and, 4-75–76,
4-75*f*
sampling and storage of, 4-72
- Chlorinated organic solvents. *See*
Trihalomethanes (THMs) and
chlorinated organic solvents
- Chlorination, 4-46–49
fungi survival after, 9-202
- Chlorine, 4-58–72
amperometric titration method and,
4-64–66
colorimetric method and, 4-69–70
effects of, 4-58
ferrous titrimetric method and,
4-66–68
forms and reactions of, 4-58–59
iodometric method and, 4-60–63
method selection for, 4-59–60
sampling and storage of, 4-60
syringaldazine (FACTS) method and,
4-70–71
- Chlorine-demand-free water, 5-67
- Chlorine demand/requirement, 2-48–49
- Chlorine dioxide, 4-79–83
amperometric method and, 4-80–83,
4-83*t*
iodometric method and, 4-79–80, 4-80*f*
method selection for, 4-79
occurrence and significance of, 4-79
sampling and storage of, 4-79
- Chlorine dioxide demand/requirement,
2-49
- Chlorine dosing solution, 5-67
- Chloroform, 5-47, 5-48, 5-54
- Chloroform-butanol reagent, 5-60
- Chloroform standard solution, 5-31
- Chlorophyll, 10-22–30
fluorometric determination of
chlorophyll *a*, 10-24–25
high-performance liquid
chromatographic determination of
algal chlorophyll and carotenoid
pigments, 10-27–28
high-performance liquid
chromatographic determination of
algal chlorophylls, 10-25–27
macrophytes, 10-57
periphyton sample analysis, 10-40
pigment extraction, 10-23
spectrophotometric determination of,
10-23–24
- Chlorophyll *a*, 10-24–25, 10-30
- Cholera toxin immunoassay, 9-165
- Chromatographic columns, 5-62
- Chromatography, 5-37
- Chromium, 3-68–73
colorimetric method, 3-69–70
ion chromatographic method, 3-71–73
sample collection and handling, 3-69
- Chromogenic assays for
 β -galactopyranosidase, 9-107
- Chronic toxicity tests, 8-2, 8-4, 8-5–6
- Chronic values (ChVs), 8-3, 8-5, 8-21
- ChVs. *See* Chronic values
- CIE. *See* Capillary ion electrophoresis
- Ciliated protozoan toxicity testing,
8-73–78
chemotactic tests, 8-75–77, 8-76*f*
Colpidium campylum, 8-73–75, 8-74*f*,
8-74*t*
Colpoda inflata, 8-77–78, 8-78*t*
growth inhibition tests, 8-73–75,
8-77–78
method selection for, 8-73
overview, 8-73
Tetrahymena thermophila, 8-75–77,
8-75*f*, 8-76*t*
- Ciliates, 10-138*f*
- Cleanliness of laboratory, 9-7
- Closed-loop stripping, gas
chromatographic/mass
spectrometric (CLSA-GC/MS)
analysis, 6-11–21
apparatus, 6-12–15, 6-13–15*f*
calculations, 6-18–19, 6-19*f*, 6-19*t*
overview, 6-11–12, 6-11–12*t*
precision and bias, 6-20–21*t*
procedures, 6-16–18, 6-16–18*t*
quality control, 6-8*t*, 6-19–20
reagents, 6-15–16
- CLSA-GC/MS analysis. *See* Closed-loop
stripping, gas chromatographic/
mass spectrometric analysis
- CO₂ incubators, 9-222
- Cobalt, 3-106
- Cobalthiocyanate reagent, 5-56
- COD. *See* Chemical oxygen demand
- Cold rooms, 1-50
- Coliform bacteria
coliform counts and their logarithms,
9-22*t*
defined, 9-77, 9-104
differentiation of, 9-103–110
approaches, 9-105
chromogenic assays for
 β -galactopyranosidase, 9-107
commercial media, 9-106
computer analysis, 9-105–106
culture purification, 9-104–105
enzyme substrate test, 9-93–95
identification, 9-105–107
indole test, 9-107–108
lactose, sorbitol, and cellobiose
fermentation tests, 9-107
lysine and ornithine decarboxylase
tests, 9-108–109
media, 9-107–109
membrane filter technique, 9-77–92
methyl red test, 9-108
molecular methods, 9-106
motility test, 9-108
oxidase test, 9-109
reagents, 9-106
reporting results, 9-110
screening tests, 9-105–106
Simmons' citrate test, 9-108
test kits, 9-106
traditional biochemical tests,
9-105–106, 9-105*t*
Voges-Proskauer test, 9-108
yellow pigment, 9-109
MTF technique, 9-65–76
swimming pool water, 9-44
- Coliphage MS2 positive control, 9-99,
9-100
- Coliphages, detection of
male-specific coliphage assay using
Escherichia coli Famp, 9-98–99
male-specific coliphage assay using
Salmonella typhimurium WG49,
9-99–100
membrane filter method, 9-102–103
microbiological examination, 9-95–103

- single-agar-layer method, 9-101–102
 somatic coliphage assay, 9-96–98
 Collaborative testing, 1-26–27, 1-27t
 Collection of samples. *See* Sample collection and handling
 Color, 2-5–12
 ADMI weighted-ordinate spectrophotometric method, 2-11–12
 definitions, 2-5
 method selection, 2-5–6
 spectrophotometric-multi-wavelength method, 2-8–9, 2-9t
 spectrophotometric-single-wavelength method, 2-7–8
 tristimulus spectrophotometric method, 2-9–11
 visual comparison method, 2-6–7
 Colorimetric method
 bromide and, 4-28–29
 chlorine and, 4-69–70
 chromium and, 3-69–70
 cyanide and, 4-44–45
 nitrite and, 4-120–121
 ozone and, 4-145–147
 phosphorus and, 4-153–154
 selenium and, 3-93–94
 Colorless filamentous sulfur bacteria, 9-122–123f, 9-123
 Colorless small sulfur bacteria and sulfate-reducing bacteria, 9-123–124
Colpidium campyllum, 8-73–75, 8-74f, 8-74t
Colpoda inflata, 8-77–78, 8-78t
 Combined standard uncertainty (CSU), 7-5, 7-8, 7-10, 7-11
 Combustible-gas indicator method, 6-43–44
 Comet/single-cell gel electrophoresis assay, 8-43–47
 Community biomass, 10-30
 Comparability, 8-29
 Completeness, 8-28–29
 Complexone method, 4-88–89, 4-89f
 Compliance audits, 1-15, 1-15t
 Composite samples, 1-39–40
 Compound microscope, 10-15
 Compressed gases, 1-52
 Concentration techniques
 centrifugation, 10-12
 filter funnel for concentrating zooplankton, 10-12f
 membrane filtration, 10-12
 nematodes, 10-104
 sand filter/backwash, 10-12
 sedimentation/settling, 10-11–12
 zooplankton concentration, 10-12
 Concussive data acquisition methods, 10-91
 Condenser, 5-61
 Conductivity, 2-52–55
 definitions, 2-52
 meter
 intralaboratory quality control guidelines, 9-10
 laboratory method, 2-54–55
 measurement, 2-52–53t, 2-52–54
 units of expression, 2-52
 Confidence coefficient, 1-4
 Confidence interval, 1-4
 Confidence limit, 1-4
 Containers
 asbestos samples, 2-79
 culture medium, 9-78
 natural bathing beach water, 9-46
 sample collection, 1-41, 2-79, 3-1, 9-33
 swimming pool water, 9-33
 Containment devices, 1-61
 Continuous hydride generation/atomic absorption spectrometry, 3-38–39
 Continuously adjustable pipet, 9-61
 Control charts, 1-11–14, 1-12–13f, 1-14t
 Control limits, 5-9, 5-16
 Controls, 8-2
 Cooke's rose bengal medium with Aureomycin, 9-205–206
 Copper, 3-73–76
 bathocuproine method, 3-75–76
 neocuproine method, 3-74–75
 sample collection and handling, 3-74
 Copper/copper alloy cans
 microbiological examination, 9-28
 Copper sulfate-sulfamic acid flocculation modification, 4-142
 Coprecipitation method, 7-23–25
 Core or cylindrical samplers, 10-74–75
 Counterstain, 9-68
 Counting cell, showing method of filling, 10-18f
 Counting graticule, 9-58
 Counting procedures
 counting cell, showing method of filling, 10-18f
 high-magnification methods, 10-19–20
 intermediate-magnification (low to 500x) methods, 10-18–19
 low-magnification (up to 200x) methods, 10-18
 membrane filter technique, conversion table for, 10-19, 10-20t
 Counting rooms, 7-18
 Counting uncertainty, 7-9–10, 7-12
 Counting units, 10-17
 Creel census, 10-91
Crenothrix polyspora, 9-118f
 Critical values, 7-10
 Crosstalk, 7-14
 Crucibles, 5-60, 10-40
 Crustaceans, 10-124, 10-143–144f
 Cryovials, 9-96
Cryptosporidium
 detection
 in finished water, 9-218
 in raw water, 9-217–218, 9-217f
 in wastewater, 9-221–222
 equipment and apparatus, 9-216
 infectivity in cell culture, 9-222–224
 materials, 9-216
 molecular detection methods and genotyping, 9-218–219
 reagents, 9-216–217
 viability and infectivity, 9-219–220
 CST (Capillary suction time), 2-92–93
 CSU. *See* Combined standard uncertainty
 Culture dishes, 9-64, 9-78, 9-84–91
 Culture medium
 containers for, 9-78
 for *Leptospira* testing, 9-168
 for simultaneous detection of total coliform and *E. Coli* by dual-chromogen membrane filter procedure, 9-90–91
 for simultaneous detection of total coliform and *E. Coli* by fluorogen/chromogen membrane filter procedure, 9-91–92
 intralaboratory quality control guidelines, 9-14–16, 9-15t, 9-16t
 media specifications, 9-32
 preparation of ____ for microbiological examination, 9-31–32
 water for, 9-32
 Curcumin method, 4-25–26
 Current meter, 10-44
 Custom pipet, 10-105
 Cuvettes, 10-23
 Cyanates, 4-52–53
 Cyanide, 4-37–58
 chlorination and, 4-46–49
 colorimetric method and, 4-44–45
 cyanates, 4-52–53
 cyanogen chloride procedure and, 4-50–51
 distillation and, 4-41–42, 4-42f, 4-46–49, 4-55–56, 4-55f, 4-56t
 flow injection analysis and, 4-55–58, 4-55f, 4-56t, 4-57f
 method selection for, 4-38–39
 overview, 4-37–38
 sample handling procedures, 4-39–41
 selective electrode method and, 4-45–46
 in solid waste, 4-38
 spot test procedure and, 4-51–52
 thiocyanate, 4-53–55
 titrimetric method and, 4-43
 weak acid dissociable procedure and, 4-49–50, 4-57–58, 4-57f
 Cyanobacteria and green algae, 10-127f
 Cyanogen chloride, 5-73
 Cyanogen chloride procedure, 4-50–51
 Cycloheximide, 9-84, 9-113
 Czapek agar, 9-204, 9-205
- ## D
- Damselflies, 10-146f
Daphnia toxicity testing, 8-105–110
 overview, 8-105–106, 8-105–106f
 procedures, 8-108–110, 8-109t
 selecting and preparing organisms, 8-107–108
 Data collection, 10-86

- Data forms, 10-85–86
- Data handling, 9-22–23, 9-22f, 9-22t
- Data objectives, 9-17
- Data presentation
- benthic macroinvertebrates, 10-82
 - macrophytes, 10-58, 10-64
- Data quality, 1-16–24
- analysis, checking correctness of, 1-23–24
 - anion-cation balance, 1-23–24
 - measurement uncertainty, 1-16–19
 - method detection level, 1-20–21
 - procedure, 1-21–23
- Data quality objectives (DQOs), 1-21–23, 10-70
- radiochemical analysis and, 7-3, 7-4, 7-6, 7-7
 - toxicity testing and, 8-27
- Data recorder device, 10-25, 10-27
- DBCP. *See* Dibromoethane and dibromochloropropane
- DEAE cellulose, 5-36
- Decapod toxicity testing, 8-125–136
- data analysis, 8-136
 - overview, 8-125
 - procedures, 8-132–136, 8-133–134f
 - selecting and preparing organisms, 8-125–132, 8-127–129f
- Dechlorination, 2-16, 2-29, 9-33
- De-emanation assembly, 7-37–38, 7-37f
- Deep sampling devices, 9-34–35
- Definitive toxicity tests, 8-2, 8-4, 8-5
- Delayed-incubation coliform procedure, 9-84–85, 9-87
- Density method
- salinity, 2-57–58
- Desiccator, 5-40, 5-42–45
- Designated areas, 1-61
- Detection instruments, 10-31
- Detection limits
- organic compounds and, 6-11–12, 6-11–12t
 - radioactivity and, 7-10–11
- Detection threshold, 2-23
- Deviations in testing, 8-29, 8-29t
- DHBA solution, 5-67
- Dialysis tubing, 9-195
- Dialysis tubing clamps, 9-195
- Diarrheagenic *Escherichia coli*
- commercial assays and reagents, 9-156
 - commercial tests, 9-155–156
 - enrichment, 9-154
 - immunomagnetic separation after enrichment, 9-154
 - investigation methods, 9-156–157
 - molecular approaches and DNA-based testing, 9-156
 - plating media, 9-154–155
 - safety, 9-154
 - sampling and concentration, 9-154
 - screening tests and biochemical identification, 9-148t, 9-155
 - serological identification, 9-155
 - specific methods, 9-157
- Diatomaceous earth technique, 9-145
- Diatomaceous-silica filter aid suspension, 5-42
- Diatom mounts, 10-14
- Diatom species counts, 10-38–39
- Dibromoethane (EDB) and dibromochloropropane (DBCP), 6-45–48
- liquid-liquid extraction gas chromatographic method and, 6-45–48, 6-46–47t, 6-47f
 - method selection for, 6-45
 - purge and trap techniques, 6-48
 - sources and significance of, 6-45
- Dichromate reduction, 5-20–21
- Digestion for metals, 3-7–13
- dry ashing, 3-11
 - microwave-assisted digestion, 3-11–13
 - nitric acid digestion, 3-9
 - nitric acid-hydrochloric acid digestion, 3-10
 - nitric acid-perchloric acid digestion, 3-10–11
 - nitric acid-perchloric acid-hydrofluoric acid digestion, 3-11
 - nitric acid-sulfuric acid digestion, 3-10
- Digestion solution, 5-20
- Dilution bottles, 9-11, 9-28, 9-78, 9-90, 9-91
- Dilutions, 1-5
- particulate, 2-71–72
 - types of, 1-5
- Diphenylamine, 9-137
- Dip nets, 10-75
- Direct air-acetylene flame method, 3-18–20
- Direct nitrous oxide-acetylene flame method, 3-21–22
- Direct-sensing membrane-diffusion method, 2-100–104
- Direct total microbial count
- epifluorescence microscopic method, 9-58–59
 - microbiological examination, 9-57–59
- Discharge-weighted samples, 1-40
- Disinfection by-products, 6-55–73
- aldehydes, 6-65–73
 - method selection for, 6-65–66
 - PFBHA liquid-liquid extraction gas chromatographic method and, 6-66–73, 6-67–69t, 6-70f, 6-71t
 - sources and significance of, 6-65
 - haloacetic acids and trichlorophenol, 6-55–65
 - micro liquid-liquid extraction gas chromatographic method and, 6-55–65, 6-56–58f, 6-56t, 6-58t, 6-60f, 6-61–65t
 - sources and significance of, 6-55
- Disodium phosphate, 9-191
- Displacement volume
- biomass and, 10-31
- Disposable in-line syringe filters, 5-62
- Disposable syringes, 5-62
- Dissolved gas supersaturation, 2-100–104
- direct-sensing membrane-diffusion method, 2-100–104
- quality control, 2-104
- Dissolved organic halogen adsorption-pyrolysis-titrimetric method, 5-29–35
- apparatus, 5-30–31
 - batch adsorption procedure, 5-32
 - calculation, 5-33–34
 - interferences, 5-29–30
 - microcolumn procedure, 5-31–32
 - POX procedure, 5-32
 - precision and bias, 5-34, 5-34t
 - principle, 5-29
 - procedure, 5-31–32
 - quality control, 5-32–33
- aggregate organic constituents, 5-29–35
- Distillation
- ammonia and, 4-110–111
 - apparatus, 5-47
 - assembly, 5-61
 - cyanide and, 4-41–42, 4-42f, 4-46–49, 4-55–56, 4-55f, 4-56t
 - flask, 5-61
 - fluoride and, 4-84–85, 4-85f
 - iodine and, 7-32–33, 7-33f
 - reagent water preparations, 1-47, 1-47t
 - sulfide and, 4-183–184, 4-183f
- Distilled water, 5-14
- Distilling adaptor, 5-40, 5-40f, 5-42, 5-43, 5-45
- Distilling flask, 5-40, 5-45
- Dithizone method, 3-81–82
- DNA probe, 9-152
- DOC standards, 5-36
- DO-determination equipment/reagents, 10-33
- DO meters, 10-44
- Dominant wavelength, 2-9
- DO probe, 10-41
- Doses, 8-2
- Double agar layer procedure, 9-141
- DOX, 5-73
- DQOs. *See* Data quality objectives
- Dragonflies, 10-146f
- Dredges, 10-75
- Drift samplers, 10-74f
- Drinking water
- holding time and temperature, 9-35–36
 - MTF testing for coliforms in, 9-65–66
 - total coliforms in, 9-82
 - water-related disease outbreaks, 9-143t
- Dry and ash-free weight
- calculations, 10-40
 - digestion for metals, 3-11
 - equipment, 10-39
 - procedure, 10-39–40
- Drying oven, 9-54, 10-40
- Duckweed toxicity testing, 8-65–68
- applications of, 8-65
 - characteristics of, 8-65, 8-65f
 - procedures, 8-67–68
 - selecting and preparing, 8-66, 8-66t
- Duplicate analyses, 9-17–18

- Duplicate samples, 1-9, 5-3
 Dye-impregnated paper, 5-36
 Dyes
 intralaboratory quality control guidelines, 9-14
- E**
- EC broth with MUG (EC-MUG), 9-89
 ECDs (Electron capture detectors), 6-5
Echinochloa crusgalli, 8-70, 8-70f
 Echinoderm toxicity testing, 8-141–150
 embryo development and, 8-148–150
 fertilization and, 8-143–146, 8-147f, 8-148
 overview, 8-141
 selecting and preparing organisms, 8-142–143
 EC medium, 9-74
 EC-MUG medium, 9-75
 ECPs. *See* Effective concentrations
 EDB. *See* Dibromoethane and dibromochloropropane
 EDTA titrimetric method
 calcium, 3-67–68
 hardness, 2-44–47
 EDXA (Energy dispersive X-ray analysis), 2-79
 Effective concentrations (ECPs), 8-2, 8-21, 8-23
 EIA substrate, 9-113
 Ekman grab, 10-72, 10-73f
 Electrical conductivity method, 2-56–57
 Electrical hazards, 1-52
 Electrical sensing zone method, 2-75–76
 Electric heating mantle, 5-42, 5-43
 Electric muffle furnace, 10-40
 Electrode method. *See* Membrane electrode method; Selective electrode method
 Electrodeposition apparatus, 7-60, 7-60f
 Electrofishing, 10-90–91, 10-90f
 Electrolyte solution, 5-14
 Electrolytic conductivity detectors, 6-4–5
 Electrometric method, 4-92–96, 4-93f, 4-94t
 Electron capture detectors (ECDs), 6-5
 Electronegative virus-adsorbent filter, 9-187
 Electropositive virus-adsorbent filter, 9-187
 Electrothermal atomic absorption spectrometry, 3-25–33
 Emanation method, 7-37–42
 apparatus, 7-37–38, 7-37f
 barium recovery, 7-42
 calculations, 7-41–42
 calibration, 7-39, 7-40t
 overview, 7-37
 precision and bias, 7-36t, 7-42
 procedures, 7-39–41
 radium and, 7-36t, 7-37–42, 7-37f, 7-40t
 reagents, 7-38–39
 Emergent plant toxicity testing, 8-69–72
 applications of, 8-69
 characteristics of, 8-69
 procedures, 8-71–72, 8-72t
 selecting and preparing, 8-70–71, 8-70f
 Empty magnification, 10-15
 Enclosure samplers, 10-88, 10-89f
 Energy dispersive X-ray analysis (EDXA), 2-79
 Engineering controls, 1-51
 Engineering notation, 1-36
 Enrichment media, 9-132, 9-163
 Enslow test, 2-41
 Enteric viruses
 aluminum hydroxide
 adsorption-precipitation, virus concentration from, 9-193–195
 equipment and apparatus, 9-194
 materials, 9-194
 procedure, 9-194
 reagents, 9-194
 concentration method selection, 9-185
 controls, 9-185
 hydroextraction-dialysis with polyethylene glycol, 9-195–196
 large sample volumes by adsorption to and elution from microporous filters, virus concentration from, 9-189–193
 equipment and apparatus, 9-189–190, 9-191f
 materials, 9-190
 procedure, 9-191–193
 reagents, 9-190–191
 microbiological examination, 9-184–200
 occurrence, 9-184
 recovery efficiencies, 9-185
 recreational waters, 9-42
 sample concentrates, assay and identification of viruses in, 9-197–200
 decontaminating sample concentrates, 9-197
 laboratory facilities and host systems for virus assay, 9-197–198
 storing sample concentrates, 9-197
 virus qualification procedures, 9-198–200
 small sample volumes by adsorption to and elution from microporous filters, virus concentration from, 9-186–189
 equipment and apparatus, 9-187
 materials, 9-187
 procedure, 9-187–188
 reagents, 9-187
 suspended solids in water and wastewater, recovery of viruses from, 9-196–197
 testing for, 9-184–185
 Enterobacteriaceae. *See* Coliform bacteria
 Enterococci, 9-47
 Environmental monitoring, 1-60
 Environmental Protection Agency (EPA)
 on beta standards, 7-20
 gamma-emitting radioactivity and, 7-27, 7-28t
 iodine and, 7-30
 on pollution prevention, 7-19
 on quality control standards, 7-3, 7-7
 on radioactivity concentration standards, 7-1
 radium testing and, 7-48
 toxicity testing and, 8-6, 8-9
 Enzyme substrate coliform test
 microbiological examination, 9-93–95, 9-94t
 Enzyme substrate method, 9-47, 9-50, 9-51, 9-57
 EPA. *See* Environmental Protection Agency
 Epifluorescence microscopic method, 9-58–59, 10-15
 Equilibration methods, 8-49
 Equipment. *See also* Apparatus;
 Laboratory facility and equipment;
 Personal protective equipment
 aluminum hydroxide
 adsorption-precipitation, virus concentration by, 9-194
 ATP, 10-31
 dry and ash-free weight, 10-39
 flowing water productivity measured by oxygen method, 10-44
 fluorometric determination of chlorophyll *a*, 10-24–25
 Giardia and *Cryptosporidium*, detection of in wastewater, 9-222
 Giardia and *Cryptosporidium*, detection of in water, 9-216
 high-performance liquid chromatographic determination of algal chlorophylls, 10-25–26, 10-27
 hydroextraction-dialysis with polyethylene glycol, 9-195
 large sample volumes by adsorption to and elution from microporous filters, virus concentration from, 9-189–190
 pigment extraction, 10-23
 productivity, carbon-14 method, 10-34
 productivity, oxygen method, 10-33
 quality system manual, 9-3
 small sample volumes by adsorption to and elution from microporous filters, virus concentration from, 9-187
 specifications, 9-26–30
 spectrophotometric determination of chlorophyll, 10-23–24
 standing water productivity measured by carbon-14 method, 10-42
 standing water productivity measured by oxygen method, 10-41–42
 suspended solids in water and wastewater, recovery of viruses from, 9-196
 Equivalency testing, 1-26
 Eriochrome cyanine R method, 3-61–64

- Erlenmeyer flasks, 9-61, 9-64, 9-96
- Error
- measurement uncertainty, 1-16–17
 - propagation of, 1-36–37
- Escherichia coli*, 9-93
- enzyme substrate coliform test, 9-93–94
 - fluorogenic substrate, procedure using, 9-75
 - natural bathing beaches, 9-47
 - partition methods, 9-89–90
 - proposed procedures, 9-76
- Ethyl acetate, 5-51
- Ethyl alcohol, 9-108
- Evaporation method, 7-20–23
- Exhaust ventilation, 1-50
- Experimental unit, 10-70
- Exposure time, 8-2
- Expression of results, 1-27–34, 1-27–37
- External proficiency testing, 9-25
- External program review, 9-25
- Extinction coefficients, 10-27*t*, 10-28
- Extracted hay, 9-128
- Extraction/air-acetylene flame method, 3-20–21
- Extraction apparatus, 5-37, 5-42, 5-43
- Extraction flasks, 5-56
- Extraction/nitrous oxide-acetylene flame method, 3-22–23
- Extraction of sediment pore water, 8-48–50
- centrifugation, 8-48
 - equilibration methods, 8-49
 - overview, 8-48
 - pneumatic method, 8-48, 8-49–50*f*
 - pressurized squeeze, 8-48
 - vacuum, 8-48–49
- Extraction thimble, 5-42, 5-43
- Eye protection, 1-51, 1-57
- F**
- Facilities. *See* Laboratory facility and equipment
- Factor of interest, 1-22
- FACTS method, 4-70–71
- FAS (Ferrous ammonium sulfate), 5-18
- Fathead minnow toxicity testing, 8-161–169
- characteristics of, 8-161–162, 8-161*f*
 - culturing and maintaining organisms, 8-162–163
 - procedures, 8-163–169, 8-164–165*t*, 8-166*f*
- Fathometry, 10-55
- Fecal coliform
- radiometric detection, 9-37
 - seven-hour test, 9-36–37
- Fecal coliform procedure, 9-74–75
- Fecal *Enterococcus*/*Streptococcus* groups
- fluorogenic substrate enterococcus test, 9-115–116
 - membrane filter techniques, 9-112–115
 - microbiological examination, 9-110–116
 - multiple-tube technique, 9-111–112
- taxonomy and principles, 9-110–111, 9-111*t*
- Federal Radiation Council (FRC), 7-1
- Fermentation tubes and vials, 9-28
- Ferric chloride solution, 5-5, 5-14
- Ferricyanide method, 4-76–77, 4-76*f*
- Ferrouin indicator solution, 5-17
- Ferrous ammonium sulfate (FAS), 5-18
- Ferrous sulfide agar, 9-126
- FeS stock solution, 9-125
- FIA. *See* Flow injection analysis
- Fiberglass-acrylic resin filter, 9-187
- Fiberglass-acrylic resin pleated filter cartridge, 9-190
- Fiberglass-epoxy filter tube, 9-190
- FIDs (Flame ionization detectors), 6-5, 6-11
- Field filtration units, 9-84, 9-87
- Field log book, 1-40
- Field reconnaissance, 10-53
- Field testing, 8-101–105, 8-101*f*, 8-103*f*
- Field workers, conduct of, 10-86
- Filamentous sulfur-oxidizing bacteria, 9-127
- Filter assembly, 5-75
- Filter flask, 9-194
- Filter funnels, 5-48
- Filtering apparatus, 5-24, 5-31
- Filter paper, 5-40, 5-41, 5-42, 5-44, 5-48
- Filter photometer, 5-54, 5-58
- Filters, 5-75, 6-13–14, 6-14–15*f*, 9-58, 9-96, 10-31
- Filtration
- equipment, 5-51, 9-64, 10-23, 10-31
 - Leptospira* testing, 9-167
 - metals, dissolved or suspended, 3-6–7
 - units, 9-58, 9-78, 9-88, 9-89, 9-90, 9-91
- First-stage virus-adsorbent filter holder, 9-189
- Fish
- analysis of collections, 10-95–100
 - age and growth, 10-97
 - assemblage structure, 10-98
 - diet, 10-96
 - GSI, 10-98
 - HSI, 10-98
 - identification, 10-95–96
 - index of condition, 10-97–98
 - population size, 10-97
 - population structure, 10-97–98
 - year marks, 10-97*f*
- data acquisition, 10-85–94
- collection and observation methods, 10-86–92
 - existing data, 10-86
 - planning and organization, 10-85–86
 - tags and tagging, 10-92–93, 10-92*f*, 10-93*f*
- ecological importance, 10-84
 - fish kills, investigation of, 10-100–101
 - ichthyoplankton, 10-95–96
 - key organs and external body parts, 10-95, 10-96*f*
 - rare and endangered forms, 10-96
 - sample preservation, 10-94–95
 - scope of analysis, 10-84–85
 - terminology, 10-84
 - types of, 10-156*f*
- Fish kills
- causes, 10-100
 - classifications of, 10-100
 - investigation techniques, 10-100–101
- Fish toxicity testing, 8-150–169
- fathead minnows, 8-161–169
- characteristics of, 8-161–162, 8-161*f*
 - culturing and maintaining organisms, 8-162–163
 - procedures, 8-163–169, 8-164–165*t*, 8-166*f*
 - overview, 8-150
 - procedures, 8-155–160
 - selecting and culturing organisms, 8-151–155, 8-152*t*
- Fish traps, 10-87–88
- Fixed and volatile solids ignited at 550°C, 2-67
- Fixed factors, 1-18
- Flagellates, 10-134*f*, 10-135*f*, 10-137*f*
- Flag nets, 10-88
- Flame atomic absorption spectrometry, 3-14–23
- direct air-acetylene flame method, 3-18–20
 - direct nitrous oxide-acetylene flame method, 3-21–22
 - extraction/air-acetylene flame method, 3-20–21
 - extraction/nitrous oxide-acetylene flame method, 3-22–23
 - interferences, 3-14–15
 - quality control, 3-17
- Flame emission photometric method
- lithium, 3-83–84
 - sodium, 3-97–98
 - strontium, 3-99–100
- Flame ionization detectors (FIDs), 6-5, 6-11
- Flame photometric method, 3-87–88
- Flatworms, 10-141*f*
- Flavor profile analysis, 2-23–31
- apparatus, 2-24–26
 - panel selection and training, 2-24
 - quality control, 2-30
 - safety, 2-24
 - scale for, 2-26–28
- Flavor rating assessment (FRA), 2-22–23
- Flavor threshold test, 2-20–21, 2-20*t*
- Flesh tainting toxicity tests, 8-6
- Floatables, 2-58–62
- particulate, 2-59–60*f*, 2-59–61
 - trichlorotrifluoroethane-soluble oil and grease, 2-61–62, 2-62*f*
- Floating periphyton sampler, 10-37*f*
- Flocculation modification, 4-142
- Flowering plants. *See* Aquatic flowering plant toxicity testing
- Flowing water productivity measured by oxygen method, 10-43–48
- calculations, 10-45–48

- component processes in oxygen metabolism, 10-43f
 equipment, 10-44
 gross periphytic primary production, 10-44f, 10-45, 10-47, 10-48f
 gross primary production at a single station, 10-46f, 10-47
 procedure, 10-44-45
 sample calculation ledger for
 computation of corrected rate of oxygen change, 10-47, 10-47t, 10-48, 10-49t
- Flow injection analysis (FIA)
 ammonia and, 4-118-119, 4-118f, 4-119t
 bromide and, 4-29-30, 4-29f
 chloride and, 4-77-78, 4-77f, 4-78t
 cyanide and, 4-55-58, 4-55f, 4-56t, 4-57f
 fluoride and, 4-89-91, 4-90f, 4-91t
 nitrate and, 4-129-131, 4-130f, 4-130t
 nitrogen and, 4-105-106, 4-105f, 4-106t, 4-135-137, 4-136f, 4-136t
 overview, 4-15
 phosphorus and, 4-157-162, 4-158-161f, 4-158t, 4-161t
 silica and, 4-171-172, 4-171f
 sulfate and, 4-193-194, 4-193f, 4-194t
 sulfide and, 4-183-184, 4-183f
- Flow rates, 6-14, 6-15f
- Flow-through toxicity tests, 8-3, 8-4, 8-5
- Fluid proportioner, 9-189
- Fluorescence detectors, 6-6, 10-25
- Fluoride, 4-83-91
 complexone method and, 4-88-89, 4-89f
 distillation and, 4-84-85, 4-85f
 flow injection analysis and, 4-89-91, 4-90f, 4-91t
 method selection for, 4-83-84
 sampling and storage of, 4-83, 4-84, 4-84t
 selective electrode method and, 4-85-87, 4-89-91, 4-90f, 4-91t
 SPADNS method and, 4-87-88
- Fluorogenic substrate enterococcus test materials and culture media, 9-115
 MPN computing and reporting, 9-116
 principle, 9-115
 procedure, 9-115-116
 quality control, 9-116
- Fluorometer, 10-24-25, 10-44
- Fluorometric determination of chlorophyll *a*
 equipment and reagents, 10-24-25
 extraction procedure, 10-25
 pheophytin *a*, presence of, 10-25
 whole water, nonfiltered samples, extraction of, 10-25
- Folin phenol reagent, 5-58
- Folsom plankton splitter, 10-21, 10-22f
- Foot protection, 1-59-60
- Forceps, 9-79, 9-89, 9-90, 9-91
- Formalin, 10-6
- 4-Aminoantipyrine solution, 5-48
- FRA (Flavor rating assessment), 2-22-23
- FRC (Federal Radiation Council), 7-1
- Freezers, 9-9, 9-28, 10-31
- Freshwater nematodes
 anatomy, 10-103f
 illustrated key to, 10-106-121
- Fume hoods, 1-51, 1-55, 9-196
- Fuming chamber, 10-34
- Fungi, 10-158f, 10-159f
 aquatic hyphomycetes, 9-208-209
C. albicans, identification of, 9-210
 chlorination, survival after, 9-202
 growth patterns and indication, 9-202
 membrane filter technique, 9-206-207
 microbiological examination, 9-201-210
 occurrence and survival, 9-201-202
 pathogenic to humans, 9-209-210
 in potable water, 9-201-202
 pour plate technique, 9-204-205
 in recreational waters, 9-202
 significance, 9-201
 spread plate technique, 9-205-206
 yeasts, technique for, 9-207
 zoospore fungi, 9-207-208
- Fyke nets, 10-87
- G**
- GAD reagent, 9-76
- Gage repeatability and reproducibility (Gage R&R), 1-18-19
- Gallic acid method, 3-101-102
- Gallionella ferruginea*, 9-119f, 9-120f
- Gallium, 3-106
- Gamma-emitting radioactivity, 7-25-28, 7-28t
- Gamma spectrometers, 7-16-17, 7-17t
- Gamma spectroscopic method, 7-25-28, 7-44-49
 apparatus, 7-26, 7-45
 calculations, 7-27, 7-46-47
 for gamma-emitting radioactivity, 7-25-28, 7-28t
 overview, 7-25-26, 7-44-45
 precision and bias, 7-27-28, 7-28t, 7-47-49, 7-48t
 procedures, 7-26-27, 7-45-46
 quality control and, 7-27
 for radium, 7-44-49, 7-48t
 reagents, 7-26, 7-45
- Gangions, 10-86
- Gas chromatographic (GC) analysis
 anaerobic sludge digester gas analysis, 2-97-100
 apparatus, 5-62, 10-44
 liquid-liquid extraction method and, 6-45-48, 6-88-93
 micro liquid-liquid extraction method and, 6-55-65
 overview, 6-4-5
 PFBHA liquid-liquid extraction method and, 6-66-73
 purge and trap techniques and, 6-38-40, 6-39t, 6-41f, 6-42t
- Gas chromatographic/flame photometric detector method, 6-155-156, 6-155t
- Gas chromatograph/mass spectrometer (GC/MS) method
 apparatus, 6-150-151, 6-151f, 6-151t
 carbonaceous-resin solid-phase extraction and, 6-100-109, 6-101-108t, 6-106f
 closed-loop stripping and, 6-11-21
 liquid-liquid extraction and, 6-74-87, 6-93, 6-99
 micro liquid-liquid extraction and, 6-109-112, 6-109t, 6-110-111f, 6-111-112t
 overview, 6-150, 6-150t
 precision and bias, 6-154
 procedures, 6-151f, 6-152-154, 6-152t, 6-153f, 6-154t
 purge and trap techniques and, 6-33-38, 6-34f, 6-35-36t, 6-37f, 6-38t
 quality control, 6-154, 6-154t
 reagents, 6-151-152
 SPME and, 6-25-30
 for tributyl tin (TBT), 6-150-152t, 6-150-154, 6-151f, 6-153f, 6-154t
- Gas dialysis, 4-177-178, 4-177f
- Gas extraction techniques
 CLSA-GC/MS analysis, 6-11-21
 apparatus, 6-12-15, 6-13-15f
 calculations, 6-18-19, 6-19f, 6-19t
 overview, 6-11-12, 6-11-12t
 precision and bias, 6-20-21t
 procedures, 6-16-18, 6-16-18t
 quality control, 6-8t, 6-19-20
 reagents, 6-15-16
 organic compounds and, 6-11-30
 overview, 6-11
 solid-phase microextraction (SPME), 6-22-30
 apparatus, 6-22, 6-26
 calculations, 6-24, 6-27-28, 6-29f, 6-30
 GC/MS and, 6-25-28, 6-26-29t, 6-29f, 6-30
 overview, 6-22-23t, 6-25-26, 6-26t
 precision and bias, 6-25, 6-25t, 6-29t, 6-30
 procedures, 6-23-24, 6-27-28t
 quality control, 6-24-25
 reagents, 6-23, 6-27
- Gas flowmeter, 5-51
- Gas-flow proportional counters (GPCs), 7-12-14, 7-13f
- Gas heaters, 6-12, 6-14f
- Gas sterilizers, 9-27
- Gas washing bottle, 5-51, 5-51f
- Gaussian distribution, 1-1-3, 1-2f
- GC analysis. *See* Gas chromatographic analysis
- GC/MS. *See* Gas chromatograph/mass spectrometer
- Gel-stabilized gradient tubes, 9-125
- Gentamycin-kanamycin, 9-187, 9-194

- Germanium, 3-106
 Giant kelp. *See* *Macrocystis pyrifera*
 Giardia
 equipment and apparatus, 9-216
 in finished water, procedure for detection, 9-218
 materials, 9-216
 molecular detection methods and genotyping, 9-218–219
 in raw water, procedure for detection, 9-217–218, 9-217*t*
 reagents, 9-216–217
 viability and infectivity, 9-219–220
 in wastewater, 9-221–222
 Gill nets, 10-88
 Glass beads, 5-42, 5-43
 Glass column, 5-36, 5-37
 Glass rods, 9-54
 Glass vials, 5-62
 Glassware, 9-10, 10-31
 Glass wool, 5-54, 5-56
 Glossary, 1-4–5
 Gloves, 1-50, 1-57–58, 1-58–59*t*
 Glucose-glutamic acid solution, 5-5, 5-14
 Glutaraldehyde, 10-6
 Glycerol solution, 9-96, 9-99, 9-101, 9-102
 Glycine-HCl, 9-187, 9-191
 Glycine-NaOH, 9-187, 9-190
 Glyphosate herbicides, 6-147–149
 liquid chromatographic post-column fluorescence method and, 6-147–149, 6-148*f*
 method selection for, 6-147
 sources and significance of, 6-147
 Goin dredges, 10-90
 Gold, 3-107
 Gonadosomatic index (GSI), 10-98
 GPCs (Gas-flow proportional counters), 7-12–14, 7-13*f*
 Grab samples, 1-39, 10-71–72
 Graduated cylinders, 9-28, 9-78, 9-90, 9-91, 9-96, 9-187, 9-190, 9-194–196
 Gram-stain reagents, 9-68
 Gravimetric method
 biomass, 10-31
 inorganic nonmetals, 4-189–190
 settleable solids, 2-68
 Grease. *See* Oil and grease
 Grease-free cotton, 5-43
 Green and purple sulfur bacteria, 9-122*f*, 9-123
 Gross periphytic primary production, 10-44*f*, 10-45, 10-47, 10-48*f*
 Gross primary production at a single station, 10-46*f*, 10-47
 Growth control, 9-63
 Growth inhibition tests, 8-73–75, 8-77–78
 data analysis, 8-75, 8-78
 holding and culturing organisms, 8-74, 8-77
 overview, 8-73, 8-77
 procedures and conditions, 8-74, 8-78
 sources of organisms, 8-74, 8-77
 Growth-rate determination tests, 8-6–7
 GS (Medium for heterotrophic strains of *Thiothrix*), 9-129
 GSI (Gonadosomatic index), 10-98
 Guard column, 5-62, 10-25, 10-27
- ## H
- HAA. *See* Haloacetic acids
 Haloacetic acids (HAAs), 5-73, 6-55–65
 micro liquid-liquid extraction gas chromatographic method and, 6-55–65, 6-56–58*f*, 6-56*t*, 6-58*t*, 6-60*f*, 6-61–65*t*
 sources and significance of, 6-55
 Hanks balanced salt solution, 9-187, 9-191
 H antigen immobilization test, 9-155
 Hardness, 2-44–46
 calculation of, 2-44
 EDTA titrimetric method, 2-44–47
 Hazard evaluation, 1-56–57
 documentation of, 1-57
 Hazardous and Solid Waste Amendments of 1984 (HSWA), 1-67
 HCl, 9-191
 Head protection, 1-59
 Hearing protection, 1-59
 Helium, 5-63
 Hellgrammite and relatives, 10-147*f*
 Henry's law, 6-43, 6-44
 Hepatosomatic index (HSI), 10-98
 Herbicides
 acidic compounds, 6-136–146
 method selection for, 6-136
 micro liquid-liquid extraction gas chromatographic method and, 6-137–146
 sampling and storage, 6-136
 sources and significance of, 6-136
 glyphosate, 6-147–149
 liquid chromatographic post-column fluorescence method and, 6-147–149, 6-148*f*
 method selection for, 6-147
 sources and significance of, 6-147
 Hess-type samplers, 10-74
 Hester-Dendy artificial substrate sampler, 10-76*f*
 Heteropoly blue method, 4-169–170, 4-170*f*
 Heterotrophic plate count (HPC)
 analytical bias, 9-52
 applications, 9-49–50
 computing and reporting counts, 9-52
 counting and recording, 9-51–52
 enzyme substrate method, 9-50, 9-57
 incubation, 9-51
 media, 9-50–51
 membrane filter method, 9-50, 9-52, 9-56
 method selection, 9-50
 microbiological examination, 9-49–57
 pour plate method, 9-50, 9-52–54
 samples, 9-50
 spread plate method, 9-50, 9-54–56
 swimming pool water, 9-44
 work area, 9-50
 Hexadecane, 5-40, 5-45
 Hexane, 5-37
 High acute toxicity chemicals, 1-51
 High chronic toxicity chemicals, 1-51–52
 Higher plants
 illustrations, 10-131–133*f*
 High-magnification counting methods, 10-19–20
 High-performance liquid chromatographic (HPLC) analysis, 6-5–6, 6-113–121
 algal chlorophylls
 calibration standards, 10-26, 10-27
 equipment and reagents, 10-25–26, 10-27
 extinction coefficients, 10-27*t*, 10-28
 procedure, 10-26–27, 10-28
 reverse-phase pigment chromatogram, 10-26*f*, 10-28, 10-29*f*
 apparatus, 6-114–115
 for carbamate pesticides, 6-113–114*t*, 6-113–121, 6-116*t*, 6-117*f*, 6-118–119*t*
 data analysis and calculations, 6-121
 overview, 6-113–114, 6-113–114*t*
 procedures, 6-116–118, 6-116*t*, 6-117*f*
 quality control, 6-118–119*t*, 6-118–121
 reagents, 6-115–116, 6-116*t*
 sampling and storage, 6-114
 High-performance liquid chromatographic pump, 10-27
 High-pressure injector valve, 10-27
 High-pressure liquid chromatograph, 10-25
 High-temperature enrichment and incubation time
 E. coli testing, 9-154
 Homogenization apparatus, 5-28
 microbiological examination, 9-29
 Hoop nets, 10-87
 Hot-air sterilizing ovens, 9-9, 9-26–27
 Hot peroxide treatment, 2-33
 Hot water bath, 9-61
 HPC. *See* Heterotrophic plate count
 HPLC analysis. *See* High-performance liquid chromatographic analysis
 HPLC eluents, 10-25, 10-27
 HPLC solvent system program, 10-28*t*
 HSI (Hepatosomatic index), 10-98
 HSWA (Hazardous and Solid Waste Amendments of 1984), 1-67
 Hue, 2-9
 Hydrazine reduction method, 4-128–129, 4-128*f*
 Hydride generation/atomic absorption spectrometry, 3-34–39
 Hydrochloric acid, 5-36, 5-40–43, 5-45, 5-48, 5-68, 5-75, 9-187, 9-190, 9-194, 9-196, 10-23
 Hydrochloric acid digestion, 3-92–93
 Hydrogen, 5-62
 Hydrogen peroxide, 5-54

I

- IAEA (International Atomic Energy Agency), 7-7
- IARC (International Agency for Research on Cancer), 1-61
- IC. *See* Ion chromatography
- Ice bath, 5-40, 5-42, 5-43, 5-45
- Ichthyocides, 10-91
- Ichthyoplankton, 10-95-96
- ICP (Inductively coupled plasma) method, 3-40-46
- ICP-MS (Inductively coupled plasma-mass spectrometry), 3-46-56
- ICPs. *See* Inhibition concentrations
- ICRP (International Committee on Radiation Protection), 7-1
- IDC. *See* Initial demonstration of capability
- IDL (Instrument detection level), 1-4, 1-20
- Immunoassays
for cholera toxin, 9-165
for heat-labile enterotoxin, 9-155-156, 9-165
for heat-stable enterotoxin, 9-156, 9-165
for Shiga toxin, 9-155
- Immunomagnetic separations, 9-152
- Incubation bottles, 5-10
- Incubation chamber, 10-42
- Incubation vessels, 9-61
- Incubator, 5-67, 9-86
- Incubator or water bath, 5-11, 5-14
- Incubators, 9-54, 9-57, 9-61, 9-79, 9-89, 9-90, 9-91
microbiological examination, 9-26
- Indigo colorimetric method, 4-145-147
- Indium, 3-107
- Indole test, 9-107-108
- Inductively coupled plasma-mass spectrometry (ICP-MS), 3-46-56
- Inductively coupled plasma (ICP) method, 3-40-46
- Infrared spectrophotometer, 5-41
- Inhibition concentrations (ICPs), 8-2, 8-21, 8-23
- Initial demonstration of capability (IDC), 2-1-2, 4-1, 5-2, 6-7, 6-10
- Injured thermotolerant bacteria
recovery of by membrane filtration, 9-41
- Injured total coliform bacteria
recovery of by membrane filtration, 9-40-41
- In-line UV/persulfate digestion
nitrogen and, 4-105-106, 4-105f, 4-106t
phosphorus and, 4-160-161f, 4-160-162, 4-161t
- Inoculating equipment, 9-28
- Inoculating loop, 9-96
- Inorganic carbon stock solution, 5-24
- Inorganic nonmetals, 4-1-194
ammonia, 4-110-119
distillation and, 4-110-111
flow injection analysis and, 4-118-119, 4-118f, 4-119t
method selection for, 4-110
phenate method and, 4-115-118, 4-116t, 4-117f
selective electrode method and, 4-113-115, 4-115t
storage of, 4-110
titrimetric method and, 4-112
- anions and, 4-5-12, 4-16-24
- boron, 4-25-27
carmine method and, 4-27
curcumin method and, 4-25-26
method selection for, 4-25
occurrence and significance of, 4-25
sampling and storage of, 4-25
- bromide, 4-9-12, 4-28-30
flow injection analysis and, 4-29-30, 4-29f
- ion chromatography (IC) and, 4-9-12, 4-10-11t, 4-10f
method selection for, 4-28
occurrence of, 4-28
phenol red colorimetric method and, 4-28-29
- capillary ion electrophoresis (CIE) and, 4-16-24
indirect UV detection, 4-16-24, 4-17-21f, 4-19t, 4-22-24t
overview, 4-16
- carbon dioxide, 4-30-36
alkalinity and, 4-36
method selection for, 4-30-31
nomographic determination of, 4-31, 4-32-35f
occurrence and significance of, 4-30
titrimetric method and, 4-31, 4-36
- chloride, 4-72-78
argentometric method and, 4-72-73
ferricyanide method and, 4-76-77, 4-76f
flow injection analysis and, 4-77-78, 4-77f, 4-78t
mercuric nitrate method and, 4-73-74
occurrence of, 4-72
potentiometric method and, 4-75-76, 4-75f
sampling and storage of, 4-72
- chlorine, 4-58-72
amperometric titration method and, 4-64-66
colorimetric method and, 4-69-70
effects of, 4-58
ferrous titrimetric method and, 4-66-68
forms and reactions of, 4-58-59
iodometric method and, 4-60-63
method selection for, 4-59-60
sampling and storage of, 4-60
syringaldazine (FACTS) method and, 4-70-71
- chlorine dioxide, 4-79-83
amperometric method and, 4-80-83, 4-83t
iodometric method and, 4-79-80, 4-80f
method selection for, 4-79
occurrence and significance of, 4-79
sampling and storage of, 4-79
- cyanide, 4-37-58
chlorination and, 4-46-49
colorimetric method and, 4-44-45
cyanates, 4-52-53
cyanogen chloride, 4-50-51
distillation and, 4-41-42, 4-42f, 4-46-49, 4-55-56, 4-55f, 4-56t
flow injection analysis, 4-55-58, 4-55f, 4-56t, 4-57f
handling samples of, 4-39-41
method selection for, 4-38-39
overview, 4-37-38
selective electrode method and, 4-45-46
in solid waste, 4-38
spot test for, 4-51-52
thiocyanates, 4-53-55
titrimetric method and, 4-43
weak acid dissociable, 4-49-50, 4-57-58, 4-57f
- fluoride, 4-83-91
complexone method and, 4-88-89, 4-89f
distillation and, 4-84-85, 4-85f
flow injection analysis and, 4-89-91, 4-90f, 4-91t
method selection for, 4-83-84
sampling and storage of, 4-84
selective electrode method and, 4-85-87, 4-89-91, 4-90f, 4-91t
SPADNS method and, 4-87-88
treatment of, 4-83, 4-84t
- iodate, 4-103-104
method selection for, 4-103
occurrence of, 4-103
polarographic method and, 4-103-104
sampling and storage of, 4-103
- iodide, 4-99-103
catalytic reduction method and, 4-100-101
leuco crystal violet method and, 4-99-100
method selection for, 4-99
occurrence of, 4-99
sampling and storage of, 4-99
voltammetric method and, 4-101-103
- iodine, 4-96-98
amperometric titration method and, 4-98
leuco crystal violet method and, 4-97-98
method selection for, 4-96
uses and forms of, 4-96
- ion chromatography (IC) and, 4-5-12
chemical suppression of eluent conductivity, 4-5-7, 4-5-7t, 4-6f
direct conductivity detection, 4-8-9, 4-8-9t, 4-8f

- overview, 4-5
- oxyhalides and bromide and, 4-9-12, 4-10-11*t*, 4-10*f*
- nitrate, 4-122-131
 - cadmium reduction method and, 4-125-128, 4-126-127*f*, 4-129-131, 4-130*f*, 4-130*t*
 - flow injection analysis and, 4-129-131, 4-130*f*, 4-130*t*
 - hydrazine reduction method and, 4-128-129, 4-128*f*
 - method selection for, 4-122
 - selective electrode method and, 4-124-125
 - storage of, 4-122
 - ultraviolet spectrophotometric screening method and, 4-122-124
- nitrite, 4-120-121
 - colorimetric method and, 4-120-121
 - method selection for, 4-120
 - occurrence and significance of, 4-120
- nitrogen, 4-104-109
 - conductimetric determination of, 4-108-109, 4-109*f*
 - flow injection analysis and, 4-105-106, 4-105*f*, 4-106*t*, 4-135-137, 4-136*f*, 4-136*t*
 - in-line UV/persulfate digestion, 4-105-106, 4-105*f*, 4-106*t*
 - kjeldahl method and, 4-132-135, 4-133*t*, 4-134*f*
 - organic, 4-131-137
 - overview, 4-104-105
 - persulfate method and, 4-107-108, 4-107*t*
- oxygen, 4-137-145
 - alum flocculation modification and, 4-142
 - azide modification and, 4-139-140, 4-141*t*
 - copper sulfate-sulfamic acid flocculation modification and, 4-142
 - iodometric method and, 4-137-138, 4-139*f*
 - membrane electrode method and, 4-143-144*f*, 4-143-145
 - method selection for, 4-137
 - permanganate modification and, 4-140-142
 - significance of, 4-137
- ozone, 4-145-147
 - indigo colorimetric method and, 4-145-147
 - method selection for, 4-145
 - sources of, 4-145
- phosphorus, 4-148-164
 - ascorbic acid method and, 4-155-157, 4-156*t*, 4-157*f*
 - flow injection analysis and, 4-157-162, 4-158-161*f*, 4-158*t*, 4-161*t*
 - in-line UV/persulfate digestion and, 4-160-161*f*, 4-160-162, 4-161*t*
 - method selection for, 4-148-150
 - occurrence of, 4-148
 - overview, 4-148-151, 4-149*f*, 4-150*t*
 - persulfate method and, 4-162-164
 - sampling and storage of, 4-150-152
 - stannous chloride method and, 4-154-155
 - vanadomolybdophosphoric acid colorimetric method and, 4-153-154
- pH value and, 4-91-96
 - electrometric method and, 4-92-96, 4-93*f*, 4-94*t*
 - overview, 4-91
- potassium permanganate, 4-164-165
 - occurrence and significance of, 4-164
 - sampling and storage of, 4-164
 - spectrophotometric method and, 4-164-165
- quality control and, 4-1-4
 - calculations, 4-4
 - initial analysis, 4-1-2
 - ongoing analysis, 4-2-3*t*, 4-2-4
 - overview, 4-1
- segmented flow analysis (SFA) and, 4-13-14, 4-13*f*
- silica, 4-165-172
 - flow injection analysis and, 4-171-172, 4-171*f*
 - heteropoly blue method and, 4-169-170, 4-170*f*
 - method selection for, 4-166
 - molybdosilicate method and, 4-167-168*t*, 4-167-169
 - occurrence and significance of, 4-165-166
 - sampling and storage of, 4-166
- sulfate, 4-188-194
 - flow injection analysis and, 4-193-194, 4-193*f*, 4-194*t*
 - gravimetric method and, 4-189-190
 - method selection for, 4-188
 - methylthymol blue method and, 4-191-194, 4-192-193*f*, 4-194*t*
 - occurrence of, 4-188
 - sampling and storage of, 4-188
 - turbidimetric method and, 4-190-191
- sulfide, 4-172-185
 - acid-volatile sulfide (AVS), 4-172, 4-184-185, 4-184*f*
 - calculating un-ionized hydrogen sulfide, 4-181-183, 4-181*f*, 4-182*t*
 - categories of, 4-172, 4-173*f*
 - distillation and, 4-183-184, 4-183*f*
 - flow injection analysis and, 4-183-184, 4-183*f*
 - gas dialysis and, 4-177-178, 4-177*f*
 - iodometric method and, 4-178
 - methylene blue method and, 4-175-178, 4-177*f*, 4-183-184, 4-183*f*
 - occurrence and significance of, 4-172
 - overview, 4-172-174
 - sampling and storage of, 4-172-173, 4-175
 - selective electrode method and, 4-179-180, 4-180*t*
 - soluble and insoluble, 4-174
 - sulfite, 4-185-188
 - iodometric method and, 4-186
 - method selection for, 4-185
 - occurrence of, 4-185
 - phenanthroline method and, 4-187-188, 4-187*f*
- Insects. *See also* Aquatic insect toxicity testing
 - larvae, nymphs, and some adults, key to, 10-125
 - pupae, key to, 10-124
- Intrinsic measurement variability, 1-18
- Instrument detection level (IDL), 1-4, 1-20
- Integrated samples, 1-40
- Intensity factor of acidity, 4-91
- Interlaboratory quality control
 - background, 9-25
 - example program, 9-25-26
 - external proficiency testing, 9-25
 - external program review, 9-25
 - maintenance, 9-25
 - uniform criteria, 9-25
- Intermediate-magnification (low to 500x) counting methods, 10-18-19
- Intermediate phenol solution, 5-48
- Intermediate-term toxicity tests, 8-4, 8-5
- Internal gas-flow proportional counters, 7-12-13, 7-14
- Internal proficiency, 1-15
- Internal quality control, 9-17
- Internal standards
 - defined, 1-4
 - organic compounds, 6-32
 - quality control, 1-10
- International Agency for Research on Cancer (IARC), 1-61
- International Atomic Energy Agency (IAEA), 7-7
- International Committee on Radiation Protection (ICRP), 7-1
- International Organization for Standardization (ISO), 8-30
- International Streptomyces Project (ISP), 9-140
- Intralaboratory quality control guidelines, 9-4-24, 9-5*t*
 - analytical methods, 9-17
 - analytical quality control procedures for established methods, 9-17-19
 - biosafety criteria, 9-4-6
 - data handling, 9-22-23
 - documentation and recordkeeping, 9-21
 - facilities, 9-6-7
 - laboratory equipment and instrumentation, 9-7-10
 - laboratory supplies, 9-10-16
 - new or nonstandard methods, 9-20
 - personnel, 9-4

- precision criterion, 9-18, 9-19*t*
 QA plan, 9-21
 sampling, 9-17
 SOPs, 9-16–17
 suggested control cultures, 9-18*t*
 verification, 9-19–20
- Invertebrates, 10-154*f*
- Inverted compound microscope, 10-15
- Inverted microscope method counts, 10-38
- Iodate, 4-103–104
 method selection for, 4-103
 occurrence of, 4-103
 polarographic method and, 4-103–104
 sampling and storage of, 4-103
- Iodide, 4-99–103
 catalytic reduction method and, 4-100–101
 leuco crystal violet method and, 4-99–100
 method selection for, 4-99
 occurrence of, 4-99
 sampling and storage of, 4-99
 voltammetric method and, 4-101–103
- Iodine, 4-96–98, 7-30–33
 amperometric titration method and, 4-98
 distillation method and, 7-32–33, 7-33*f*
 ion-exchange method and, 7-31–32
 leuco crystal violet method and, 4-97–98
 method selection for, 4-96, 7-30
 occurrence and significance of, 7-30
 precipitation method and, 7-30–31
 radioactivity and, 7-30–33
 uses and forms of, 4-96
- Iodometric method
 chlorine and, 4-60–63
 chlorine dioxide and, 4-79–80, 4-80*f*
 oxygen and, 4-137–138, 4-139*f*
 sulfide and, 4-178
 sulfite and, 4-186
- Ion chromatography (IC), 4-5–12
 chemical suppression of eluent conductivity, 4-5–7, 4-5–7*t*, 4-6*f*
 chromium, 3-71–73
 direct conductivity detection, 4-8–9, 4-8–9*t*, 4-8*f*
 overview, 4-5
 oxyhalides and bromide and, 4-9–12, 4-10–11*t*, 4-10*f*
- Ion-exchange column, 5-56
- Ion-exchange method, 1-47–48, 1-47*t*, 7-31–32
- Iridium, 3-107
- Iron, 3-76–80
 phenanthroline method, 3-77–80
 sample collection and handling, 3-77
- Iron and sulfur bacteria
 bacteria living in acidic environments, 9-130–134
 enumeration, enrichment, and isolation, 9-131–134
 sample collection and identification, 9-131
- enumerating, enriching, and isolating, 9-124–130
 BART method, 9-124–125
 iron-oxidizing bacteria, growth in gradient culture, 9-125
 liquid media in industrial and environmental analyses of biofouling microflora, 9-124–125
 MAG tests, 9-125
 special-purpose media for iron and manganese-precipitating bacteria, 9-125–126
 special purpose media for various "sulfur" bacteria, 9-128–129
 sulfur bacteria, 9-127–128
- iron bacteria, 9-117–122, 9-118*f*, 9-119*f*, 9-120*f*
 detection and identification, 9-119–120
 flowcell procedure for collecting iron-related biofilm sample, 9-118–119, 9-121*f*
 general characteristics, 9-117
 phylogenetic relationships among iron-oxidizing bacteria, 9-120–121
 sample collection and identification, 9-118–121
- microbiological examination, 9-116–134
- sulfur bacteria, 9-122–124
 colorless filamentous sulfur bacteria, 9-122*f*, 9-123, 9-123*f*
 colorless nonfilamentous sulfur bacteria, 9-123*f*
 colorless small sulfur bacteria and sulfate-reducing bacteria, 9-123–124
 general characteristics, 9-122–123
 green and purple sulfur bacteria, 9-122*f*, 9-123
 sample collection and identification, 9-123–124
- Iron oxidizing medium, 9-126
- ISO (International Organization for Standardization), 8-30
- Isolation medium (iron bacteria), 9-126
- Isotopic method, 7-60–61, 7-60*f*
- ISP (International Streptomyces Project), 9-132, 9-140
- J**
- Jackson Turbidity Units (JTUs), 2-12
- K**
- Kanamycin solution, 9-100, 9-101, 9-103
- Kaolin, 9-222
- KB core sampler, 10-74*f*
- Kelp. *See* *Macrocystis pyrifera*
- Kemmerer water sampler, 10-5, 10-6*f*
- KHP (Potassium hydrogen phthalate) standard, 5-18, 5-20
- Kick nets, 10-75
- Kjeldahl method, 4-132–135, 4-133*t*, 4-134*f*
- Klebsiella*
 identification, 9-110
 membrane filter procedure, 9-88–89
 natural bathing beaches, 9-47
 Kovacs' reagent, 9-76, 9-107–108
- L**
- Labels for samples, 1-40
- Laboratory balance, 9-96, 9-187, 9-189, 9-194, 9-196
- Laboratory check samples, 1-15
- Laboratory comparison samples, 1-15
- Laboratory control standards, 1-4
- Laboratory facility and equipment. *See also specific equipment*
 bench areas, 9-7
 intralaboratory quality control guidelines, 9-7–10
 maintenance of, 1-55–56
 occupational health and safety, 1-55–56
 radioactivity and, 7-18–19
- Laboratory-fortified blanks (LFBs), 1-9, 4-1, 4-4, 5-3, 6-6–7, 6-9, 6-32, 7-6
- Laboratory-fortified matrix (LFM), 1-9, 4-4, 5-3, 6-9
- Laboratory-fortified matrix duplicate (LFMD), 4-4, 5-3, 6-9
- Laboratory-fortified samples (LFSs), 6-32–33
- Laboratory quality systems audits, 1-15
- Laboratory reagent blanks (LRBs), 6-32
- Lactose, sorbitol, and cellobiose fermentation tests, 9-107
- Laminar-flow hoods, 9-29
- Large marine algae, types of, 10-129*f*, 10-130*f*
- Large-volume sampler, 9-145–146
- Lauryl tryptose broth, 9-66, 9-66*t*
- Law of the Minimum, 8-52
- LCPs. *See* Lethal concentrations
- Lead, 3-80–82
 anodic stripping voltammetry, 3-57–60
 dithizone method, 3-81–82
- Least square curve fitting, 1-3
- Legionella*
 collection of samples, 9-170
 culture media, 9-171, 9-171*t*
 identification of legionellae colonies, 9-171–172
 nonculture methods for detection, 9-172
 pretreatment of water samples, 9-170–171
 subtyping techniques, 9-172
- Leg protection, 1-59–60
- Leptospira*
 culture, 9-168
 identification, 9-168
 sample collection, 9-167
 sample processing, 9-167
- Leptospirillum ferrooxidans*, 9-131
- LES Endo agar, 9-67, 9-79
- "Less than" values, 9-23

- Lethal concentrations (LCPs), 8-2, 8-21–22, 8-23
- Leuco crystal violet method
iodide and, 4-99–100
iodine and, 4-97–98
- Level of quantitation (LOQ), 1-4
- LFBs. *See* Laboratory-fortified blanks
- LFM (Laboratory-fortified matrix), 1-9, 4-4, 5-3, 6-9
- LFMD (Laboratory-fortified matrix duplicate), 4-4, 5-3, 6-9
- LFSs (Laboratory-fortified samples), 6-32–33
- Lift and dip nets, 10-90
- Light-blockage methods
particulate, 2-76–77
- Light-scattering methods
particulate, 2-77–78
- Limiting nutrients, 8-3
- Line intercept vegetation mapping method, 10-54
- Lipopolysaccharide solution (LPS), 9-100, 9-101, 9-103
- Lipovitellenin-salt-mannitol agar, 9-45
- Liquid chromatographic post-column fluorescence method, 6-147–149, 6-148f
- Liquid funnel, 5-40, 5-41, 5-43, 5-44
- Liquid-liquid extraction chromatographic method, 6-94–99, 6-95t, 6-96–97f, 6-98t
- Liquid-liquid extraction gas chromatographic/mass spectrometric method, 6-74–87
apparatus, 6-76, 6-77, 6-77t
for base/neutral and acids, 6-74–87, 6-75–77t, 6-80–83f, 6-84–85t, 6-86–87t
for organochlorine pesticides, 6-136
overview, 6-74, 6-75–76t
for phenols, 6-93
for polychlorinated biphenyls (PCBs), 6-93
for polynuclear aromatic hydrocarbons (PAHs), 6-99
precision and bias, 6-84, 6-86–87t
procedures, 6-78–79, 6-80–83f, 6-84
quality control, 6-84–85t
reagents, 6-77–78, 6-77t
sampling and storage, 6-74, 6-76
- Liquid-liquid extraction gas chromatographic method, 6-45–48, 6-49–54, 6-88–93, 6-122–136
apparatus, 6-46, 6-50, 6-88, 6-122–123, 6-130
calculations, 6-47, 6-52–53, 6-91, 6-127, 6-132, 6-134
for dibromoethane and dibromochloropropane, 6-45–48, 6-46–47t, 6-47f
for organochlorine pesticides, 6-122–136
overview, 6-45–46, 6-49–50, 6-88, 6-122, 6-129–130
- for phenols, 6-88–93, 6-88t, 6-90f, 6-92t
- for polychlorinated biphenyls (PCBs), 6-93
- precision and bias, 6-48, 6-53, 6-92–93, 6-127, 6-135
- procedures, 6-47, 6-51–52, 6-89–91, 6-125–127, 6-128, 6-129–130t, 6-130–132
- quality control, 6-47, 6-53, 6-91–92, 6-134–135
- reagents, 6-46–47, 6-50–51, 6-89, 6-124–125, 6-130
- sampling and storage, 6-46, 6-50, 6-88, 6-130
- for trihalomethanes and chlorinated organic solvents, 6-49–54, 6-51f, 6-54t
- Liquid nitrogen storage vessels, 9-222
- Liquid scintillation counters, 7-15–16, 7-50–52, 10-44
- Liquid scintillation spectrometric method, 7-56–57
- Lithium, 3-82–84
- LLD (Lower level of detection), 1-4, 1-20
- LOECs. *See* Lowest-observed-effect concentrations
- Log-normal distribution, 1-3
- Longlines, 10-86
- Long-term toxicity tests, 8-4, 8-5
- LOQ (Level of quantitation), 1-4
- Lower level of detection (LLD), 1-4, 1-20
- Lowest-observed-effect concentrations (LOECs), 8-2–3, 8-21, 8-22
- Low-magnification (up to 200x) counting methods, 10-18
- LPS. *See* Lipopolysaccharide solution
- LRBs (Laboratory reagent blanks), 6-32
- LT (Medium for heterotrophic strains of *Thiothrix*), 9-129
- Luciferin-luciferase enzyme preparation, 10-31
- Lugol's solution, 9-68, 10-6
- Lumbriculus variegatus*, 8-83–84, 8-86f, 8-94–95
- Luminance, 2-9
- Lysine and ornithine decarboxylase tests, 9-108–109

M

- "M3" fixative, 10-7
- M-7 h FC agar, 9-37
- MacConkey agar, 9-68, 9-155
- Macrocystis pyrifera*, 8-59–60, 8-61f, 8-62–64, 8-63f
- Macroinvertebrates
key to, 10-123–124
- Macrophytes
population estimates, 10-55–58
preliminary survey, 10-53
productivity, 10-59, 10-59t
vegetation mapping methods, 10-53–55
- Macroscopic organisms
key to, 10-123
- Magnesium, 3-84
- Magnesium chloride solution, 9-102, 9-190
- Magnesium sulfate monohydrate, 5-43
- Magnesium sulfate solution, 5-5, 5-14
- Magnetic stirrer and stirring bars, 5-24, 5-44, 9-194, 9-195, 9-196
- MAG tests, 9-125
- Maintenance
interlaboratory quality control, 9-25
laboratory facility and equipment, 1-55–56
- Maintenance (SCY) medium (iron bacteria), 9-126
- Male-specific coliphage assay using *Escherichia coli* Famp
media and reagents, 9-98
procedure, 9-99
- Male-specific coliphage assay using *Salmonella typhimurium* WG49
media and reagents, 9-99–100
procedure, 9-100
- Malt extract agar, 9-204, 9-205, 9-207
- Management reviews, 1-15, 9-2–3
- Manganese, 3-85–87
method selection, 3-85
occurrence and significance, 3-85
persulfate method, 3-85–86
sample collection and handling, 3-85
- Manual hydride generation/atomic absorption spectrometry, 3-34–38
- Manual sampling, 1-41
- MAPEP (Mixed Analyte Performance Evaluation Program), 7-7
- Marble test, 2-41
- Marine grasses, types of, 10-130f
- Marine macroalgae toxicity testing, 8-59–64
data analysis, 8-64
occurrence and significance of, 8-59–60
procedures, 8-62–64, 8-63f
selecting and preparing organisms, 8-60, 8-61f
- Marsh net sampler, 10-76, 10-77f
- Mass concentrations, 1-28
- Mass fraction, 1-28
- Mass, units of, 1-28–30t, 1-28–31
- MATCs (Maximum allowable toxicant concentrations), 8-3, 8-21
- Material safety data sheets (MSDSs), 1-50
- Matrix spikes, 7-6
- Maximum allowable toxicant concentrations (MATCs), 8-3, 8-21
- Maximum specific growth rates, 8-56, 8-58–59
- Maximum standing crops, 8-3, 8-56
- Mayflies, 10-145f
- MBs. *See* Method blanks
- MDA (Minimum detectable activity), 7-10–11
- MDC. *See* Minimum detectable concentration
- MDLs. *See* Method detection levels

- MDR (Minimum detectable count rate), 7-46–47
- mE agar, 9-112
- Mean, 1-2*f*, 1-4
- Measurement error, 1-16–17, 1-22
- Measurement quality objectives (MQOs), 7-3, 7-4, 7-6, 7-11
- Measurement uncertainty
 bias, 1-17
 error, 1-16–17
 Gage repeatability and reproducibility, 1-18–19
 other assessments, 1-19
 random variation, 1-17
 repeatability and reproducibility, 1-17–19
 uncertainty statements, 1-19
- Mechanical hazards, 1-52
- Mechanical media dispensing apparatus, 9-9
- Media
 dispensers, 9-29
 preparation utensils, 9-27
 specifications, 9-32
- Median, 1-2*f*, 1-4
- Median tolerance limit (TL_m), 8-2
- Medical consultation and examinations, 1-60–61
- Medical surveillance, 1-60
- Medium 9K maintenance medium for *Acidithiobacillus ferrooxidans*, 9-132
- Medium of Norris and Kelly for growth and maintenance of *Leptospirillum ferrooxidans*, 9-132–133
- Medium of Starkey for isolating and maintaining *Acidithiobacillus thiooxidans*, 9-133
- mEI agar, 9-113
- mEI method, 9-114
- Membrane electrode method, 4-143–144*f*, 4-143–145
- Membrane-filtering device, 5-36, 10-34
- Membrane filter method
 aerobic endospores, 9-64–65
Aeromonas testing, 9-178–179
 coliform group, 9-77–92
 applications, 9-77–78
 delayed-incubation coliform procedures, 9-84–85, 9-87
Klebsiella membrane filter procedure, 9-88–89
 MF partition procedures, 9-89–90
 simultaneous detection of total coliform and *E. Coli* by dual-chromogen membrane filter procedure, 9-90–91
 simultaneous detection of total coliform and *E. Coli* by fluorogen/chromogen membrane filter procedure, 9-91–92
 standard total coliform membrane filter procedure, 9-78–83, 9-80*t*, 9-81*t*, 9-83*t*
 thermotolerant (fecal) coliform membrane filter procedure, 9-85–87
- coliphages, detection of
 apparatus, 9-102
 media and reagents, 9-102–103
 procedure, 9-103
- fecal *Enterococcus/Streptococcus* groups, 9-112–115
 density calculation, 9-114
 laboratory apparatus, 9-112
 materials and culture media, 9-112–114
 procedures, 9-114
 quality control, 9-114
 selected characteristics, 9-111*t*, 9-114
 verification tests, 9-114
- fungi, 9-206–207
- heterotrophic plate count, 9-50, 9-52, 9-56
- intralaboratory quality control guidelines, 9-19–20
- Salmonella*, 9-146
- Membrane filter mounts, 10-13
- Membrane filters and pads, 9-14, 9-27, 9-58, 9-78–79, 9-90, 9-91
- Membrane filtration, 10-12
 conversion table for, 10-20*t*
 equipment, 9-9, 9-28
 recovery of injured total coliform bacteria, 9-40–41
 recovery of stressed enterococci, 9-41
 recovery of thermotolerant bacteria, 9-41
- mE method, 9-114
- m-Endo Medium, 9-79–80
- m-Endo preservative medium, 9-84
- mEnterococcus agar, 9-113
- m Enterococcus method, 9-114
- Mercuric nitrate method, 4-73–74
- Mercuric sulfate, 5-18
- Mercury, 3-107–108
 use avoidance in laboratory, 1-66
- Merthiolate, 10-7
- Metabolic methods
 inorganic carbon exchange methods, 10-63–64
 oxygen measurement, 10-61–63
 radiocarbon incorporation method, 10-63
- Metabolic rate measurements
 nitrogen fixation, 10-32–33
 productivity, carbon-14 method, 10-34–35
 productivity, oxygen method, 10-33–34
- Metals, 3-1–112. *See also specific metals*
 acid-extractable metals, 3-7
 airborne contaminants, 3-3
 anodic stripping voltammetry, 3-57–60
 atomic absorption spectrometry, 3-14
 cold-vapor atomic absorption spectrometry, 3-23–25
 contamination sources, 3-3
 definitions, 3-1
 digestion for, 3-7–13
 electrothermal atomic absorption spectrometry, 3-25–33
 filtration for dissolved or suspended, 3-6–7
 flame atomic absorption spectrometry, 3-14–23
 inductively coupled plasma–mass spectrometry, 3-46–56
 plasma emission spectroscopy, 3-40–46
 precautions, 3-3
 preliminary treatment of samples, 3-6–13
 quality control, 3-3–6
 sample collection and preservation, 3-1–3
- Methane, 6-43–45
 combustible-gas indicator method, 6-43–44, 6-44*f*
 method selection for, 6-43
 occurrence and significance of, 6-43
 volumetric method, 6-45
- Methane oxidation, 2-97
- Methanol, 5-37, 5-45, 5-54, 5-56
- Method blanks (MBs), 4-4, 5-2–3, 5-3*t*, 6-9, 7-2, 7-5
- Method detection levels (MDLs), 4-1–2, 5-2, 6-7, 6-9, 6-31, 6-33
 data quality, 1-20–21
 defined, 1-4
 description of, 1-20–21
 determination of, 1-8, 1-20, 1-20*f*
- Method development and evaluation, 1-24–27
 collaborative testing, 1-26–27, 1-27*t*
 equivalency testing, 1-26
 replicates, number of, 1-26–27
 ruggedness, 1-25–26, 1-25*t*
 single-operator characteristics, 1-25, 1-25*f*
 unknown sample analysis, 1-25
 validation, 1-25–26
 variables, 1-26
- Method selection, 9-17
- Methylene blue method, 4-175–178, 4-177*f*, 4-183–184, 4-183*f*
- Methylene blue reagent, 5-54
- Methylene chloride, 5-47, 5-56
- Methyl orange indicator solution, 5-47
- Methyl red test, 9-108
- Methyl *tert*-butyl ether (MtBE), 5-72
- Methylthymol blue method, 4-191–194, 4-192–193*f*, 4-194*t*
- mFCIC agar, 9-88
- mFC medium, 9-85, 9-87
- MF partition procedures, 9-89–90
- m-HPC agar, 9-50
- MI agar, 9-92
- MI broth, 9-92
- Microbiological examination, 9-1–224
 actinomycetes, 9-138–142
 aerobic endospores, 9-64–65
 assimilable organic carbon, 9-59–64

- coliform bacteria, differentiation of, 9-103–110
- coliform group members, MTF technique for, 9-65–76
- coliphages, detection of, 9-95–103
- culture media, preparation of, 9-31–32
- direct total microbial count, 9-57–59
- enteric viruses, detection of, 9-184–200, 9-190f, 9-191f
- enzyme substrate coliform test, 9-93–95, 9-94t
- equipment specifications, 9-26–30
- fecal *Enterococcus/Streptococcus* groups, 9-110–116
- fungi, detection of, 9-201–210
- guidelines for quality system, 9-2–3
- heterotrophic plate count, 9-49–57
 - enzyme substrate method, 9-50, 9-57
 - membrane filter method, 9-50, 9-56
 - pour plate method, 9-50, 9-52–54
 - spread plate method, 9-50, 9-54–56
- iron and sulfur bacteria, 9-116–134
- laboratory apparatus, 9-26–30
- membrane filter technique for members of the coliform group, 9-77–92
- nitrifying bacteria, 9-135–138
- pathogenic bacteria, detection of, 9-142–183, 9-143t
- pathogenic protozoa, 9-210–224, 9-217t
- quality assurance/quality control, 9-2–26
 - interlaboratory guidelines, 9-25–26
 - intralaboratory guidelines, 9-4–24, 9-5t
- rapid detection methods, 9-36–38
- recreational waters, 9-42–49
 - natural bathing beaches, 9-46–48
 - Pseudomonas aeruginosa*, membrane filter technique for, 9-48–49
 - Pseudomonas aeruginosa*, multiple-tube technique for, 9-49
 - swimming pools, 9-43–45
 - whirlpools, 9-45–46
- samples, 9-33–36
 - collection, 9-33–35
 - preservation and storage, 9-35–36
- stressed microorganisms, 9-39–41
- suggested control cultures, 9-18t
- washing and sterilization, 9-30
- Microbiological monitoring of recreational waters, 9-43
- Micro liquid-liquid extraction gas chromatographic method, 6-55–65, 6-137–146
 - for acidic herbicide compounds, 6-137–146
- apparatus, 6-57–58, 6-57–58f, 6-138
- calculations, 6-61
- for haloacetic acids and trichlorophenol, 6-55–65, 6-56–58f, 6-56t, 6-58t, 6-60f, 6-61–65t
- overview, 6-55–56, 6-137–138
- precision and bias, 6-64, 6-146
- procedures, 6-59–61, 6-139–141
- quality control, 6-61–64, 6-141–144
- reagents, 6-58–59, 6-138–139
- sampling and storage, 6-56
- Micro liquid-liquid extraction GC/MS method, 6-109–112, 6-109t, 6-110–111f, 6-111–112t
- Micropipets, 9-28
- Micropipettors, 9-10
- Microscopes, 9-58, 9-79, 9-89
 - calibration, 10-15–16
 - compound microscope, 10-15
 - epifluorescence microscope, 10-15
 - for microbiological examination, 9-29
 - intralaboratory quality control guidelines, 9-10
 - inverted compound microscope, 10-15
 - ocular micrometer ruling, 10-15f
 - stereoscopic microscope, 10-15
 - Whipple Square, calibration of, 10-16f
- Microscopes, inverted, 9-222
- Microscopic organisms
 - key to, 10-122–123
- Microsyringes, 10-31
- Microwave
 - intralaboratory quality control guidelines, 9-10
- Microwave-assisted digestion, 3-11–13
- Milk agar, 9-48
- Mineral oil, 9-109
- Mineral salts solution, 9-61
- Minimum detectable activity (MDA), 7-10–11
- Minimum detectable concentration (MDC), 7-10, 7-27, 7-46, 7-47
- Minimum detectable count rate (MDR), 7-46–47
- Minimum quantifiable level (MQL), 1-4, 6-31, 6-32
- Minimum reporting level (MRL), 4-2, 6-7, 6-9
 - defined, 1-4
- Minnow traps, 10-87–88
- Mixed Analyte Performance Evaluation Program (MAPEP), 7-7
- Mixed buffer, 5-68
- mKleb agar, 9-88
- Mn agar No. 1, 9-126
- Mn agar No. 2, 9-126
- Mode, 1-2f
 - defined, 1-4
- Moderate chronic toxicity chemicals
 - occupational health and safety, 1-51
- Modified Allen medium for enriching, isolating, and maintaining *Sulfolobus* and *Acidianus*, 9-133–134
- Modified mFC agar, 9-88
- Modified M-PA agar, 9-48
- Modified mTEC method, 9-47
- Modified multiple-tube procedure, 9-45
- Modified settled sludge volume, 2-94–95, 2-94f
- Modified twofold increase rule, 8-37
- Modified Wolfe's Mineral Medium (MWMM), 9-126
- Molal concentration, 1-28
 - units of, 1-33
- Molar concentration, 1-28
- Mole fraction, 1-28
- Mollusk toxicity testing, 8-96–105
 - characteristics and ecology of, 8-96
 - procedures, 8-98–105
 - for field testing, 8-101–105, 8-101f, 8-103f
 - for sediment testing, 8-99f, 8-100–101
 - selecting and preparing organisms, 8-96–98
 - types of tests, 8-96
- Molybdenum, 3-108
- Molybdosilicate method, 4-167–168t, 4-167–169
- Mortar and pestle, 5-43
- Most probable number (MPN), 9-70–72t, 9-70–73, 9-112
 - fecal *Enterococcus/Streptococcus* groups, testing for, 9-112
 - fluorogenic substrate enterococcus test, 9-116
 - nitrifying bacteria, 9-138
- Motility test, 9-108
- M-PA agar, 9-48
- MP agar, 9-128–129
- MPN. *See* Most probable number
- MQL (Minimum quantifiable level), 1-4, 6-31, 6-32
- MQOs. *See* Measurement quality objectives
- MRL. *See* Minimum reporting level
- MSDSs (Material safety data sheets), 1-50
- m-SPC agar, 9-50
- M-staphylococcus broth, 9-45
- m-ST holding medium, 9-84
- m-ST medium, 9-87
- MSV (Medium for heterotrophic strains of *Thiothrix*), 9-129
- m-T7 agar, 9-40
- MtBE (Methyl *tert*-butyl ether), 5-72
- mTEC agar, 9-47
- MTF. *See* Multiple-tube fermentation methods
- Multiple-tube fermentation (MTF) methods
 - coliform group members, 9-65–76
 - bacterial density, estimation of, 9-69–73
 - Escherichia coli* procedure using fluorogenic substrate, 9-75
 - Escherichia coli* proposed procedures, 9-76
 - fecal coliform procedure, 9-74–75
 - P-A coliform test, 9-73
 - standard total coliform fermentation technique, 9-66–69
 - fecal *Enterococcus/Streptococcus* groups, 9-111–112

- fluorogenic substrate enterococcus test, 9-115
- intralaboratory quality control guidelines, 9-19
- nitrifying bacteria, 9-137-138
- precision, 9-69
- Multiple-tube procedure
enzyme substrate test, 9-93
- Multi-well procedure
enzyme substrate test, 9-94
fluorogenic substrate enterococcus test, 9-115-116
- Multi-well trays and sealers
intralaboratory quality control guidelines, 9-11
microbiological examination, 9-28
- Muslin cloth disks, 5-42
- Mutagenesis, 8-30-37
method selection for, 8-30-31
Salmonella microsomal mutagenicity test, 8-32-37, 8-35*t*
sample collection, storage, and preparation, 8-31
significance of, 8-30
- MWMM (Modified Wolfe's Mineral Medium), 9-126
- Mycobacterium*
direct fluorescent assay, screening by, 9-181
genetic tests, 9-182
identification, 9-182
phenotypic tests, 9-182
sample collection and concentration, 9-180-181
sample decontamination and culture methods, 9-181-182
selective growth, 9-182
- Mysid toxicity testing, 8-115-125
overview, 8-115
procedures, 8-121-125
selecting and preparing organisms, 8-116-118*f*, 8-116-120
- N**
- NAD (Normalized absolute difference), 7-6
- Nalidixic acid solution, 9-100, 9-101, 9-103, 9-113
- NA-MUG (Nutrient agar with MUG), 9-89
- Naphthol solution, 9-108
- National Committee on Radiation Protection and Measurement (NCRP), 7-1
- National Committee on Radiation Protection and Measurements, 1-64
- National Environmental Laboratory Accreditation Conference (NELAC), 7-3, 7-4*t*, 7-7
- National Institute for Standards and Technology (NIST)
on analysis of unknown samples, 1-25
on beta standards, 7-20
on gamma standards, 7-26
- quality control and, 7-7
radium and, 7-38, 7-45
radon and, 7-50
standard reference materials, 1-6-7
on temperature measurement standards, 2-69
uranium and, 7-60
- National Pollutant Discharge Elimination System (NPDES), 8-28
- National Toxicology Program (NTP), 1-61
- Natural bathing beaches
Aeromonas hydrophila, tests for, 9-47
defined, 9-46
enterococci, tests for, 9-47
Escherichia coli, tests for, 9-47
Klebsiella spp., tests for, 9-47
microbiological examination, 9-46-48
monitoring requirements, 9-46
Pseudomonas aeruginosa, tests for, 9-47
samples, 9-46-47
Staphylococcus aureus, tests for, 9-47
- Naturally acidic water
defined, 10-23
- Natural radioactivity, 7-20
- Natural substrata, 10-36
- Natural units, 10-17
- NCRP (National Committee on Radiation Protection and Measurement), 7-1
- NDMA (*N*-nitrosodimethylamine). *See* Nitrosamines
- Neanthes arenaceodentata*, 8-83-84, 8-84*f*, 8-86, 8-87*f*, 8-90*t*, 8-91-93, 8-92*f*
- NELAC (National Environmental Laboratory Accreditation Conference), 7-3, 7-4*t*, 7-7
- Nematodes
illustrated key to, 10-106-121
- Nematological examination
collection and processing techniques, 10-104-105
nematode characterization, 10-102-103, 10-103*f*
occurrence and impact, 10-102
- Neocuproine method, 3-74-75
- Neopeptone-glucose agar, 9-204
- Neopepton-glucose-rose bengal aureomycin agar, 9-205
- Nephelometric method, 2-13-15
- Nephelometric turbidity units (NTUs), 2-12
- Nessler tubes, 5-58
- Nets, 10-87
- Neutrals. *See* Base/neutrals and acids
- New or nonstandard methods
intralaboratory quality control guidelines, 9-20
- NH₃. *See* Ammonia
- n*-Hexane, 5-40, 5-42-45
- Nickel, 3-108
- NIST. *See* National Institute for Standards and Technology
- Nitrate, 4-122-131
cadmium reduction method and, 4-125-128, 4-126-127*f*, 4-129-131, 4-130*f*, 4-130*t*
flow injection analysis and, 4-129-131, 4-130*f*, 4-130*t*
hydrazine reduction method and, 4-128-129, 4-128*f*
method selection for, 4-122
selective electrode method and, 4-124-125
storage of, 4-122
ultraviolet spectrophotometric screening method and, 4-122-124
- Nitrate wash solution, 5-31
- Nitric acid, 5-31, 5-68
- Nitric acid digestion, 3-9
- Nitric acid-hydrochloric acid digestion, 3-10
- Nitric acid-perchloric acid digestion, 3-10-11
- Nitric acid-perchloric acid-hydrofluoric acid digestion, 3-11
- Nitric acid solution, 5-72
- Nitric acid-sulfuric acid digestion, 3-10
- Nitrification inhibitor, 5-5, 5-7-8, 5-14
- Nitrifying bacteria
microbiological examination, 9-135-138
multiple-tube method, 9-137-138
- Nitrite, 4-120-121
colorimetric method and, 4-120-121
method selection for, 4-120
occurrence and significance of, 4-120
- Nitrite/nitrate spot test reagent, 9-137
- Nitrite-oxidizing bacteria (NOB) medium, 9-137
- Nitrite spot test reagents, 9-137
- Nitrogen, 4-104-109, 5-31, 5-51
conductimetric determination of, 4-108-109, 4-109*f*
flow injection analysis and, 4-105-106, 4-105*f*, 4-106*t*, 4-135-137, 4-136*f*, 4-136*t*
in-line UV/persulfate digestion and, 4-105-106, 4-105*f*, 4-106*t*
kjeldahl method and, 4-132-135, 4-133*t*, 4-134*f*
organic, 4-131-137
overview, 4-104-105
persulfate method and, 4-107-108, 4-107*t*
- Nitrogen fixation, 10-32-33
- Nitrosamines, 6-100-112
carbonaceous-resin solid-phase extraction GC/MS method and, 6-100-109, 6-101-108*t*, 6-106*f*
method selection for, 6-100
micro liquid-liquid extraction GC/MS method and, 6-109-112, 6-109*t*, 6-110-111*f*, 6-111-112*t*
sources and significance of, 6-100, 6-101*t*
- N*-nitrosodimethylamine (NDMA). *See* Nitrosamines

- NOB (Nitrite-oxidizing bacteria) medium, 9-137
- NOECs. *See* No-observed-effect concentrations
- Nomenclature, specification of, 1-36, 1-36*t*
- Nomographic determination of carbon dioxide, 4-31, 4-32-35*f*
- Noncombustible insulating material, 5-30
- Noncompliance purposes
holding time and temperature, 9-36
- Non-enteric pathogens, 9-42
- Non-ionizing radiation hazards, 1-52. *See also* Radioactivity
- Nonpigmented flagellates, 10-137*f*
- Nonpotable water
coliform, MTF testing for, 9-66
holding time and temperature, 9-35-36
sampling procedures, 9-34
standard total coliform membrane filter procedure, 9-82-83
- Nonselective enrichment
E. coli testing, 9-154
Vibrio testing, 9-162-163
- Nonvolatile organic selenium compounds, 3-95-96
- No-observed-effect concentrations (NOECs), 8-2, 8-4, 8-5, 8-21, 8-22
- Normal distributions, 1-1-3, 1-2*f*, 1-3*t*
- Normalized absolute difference (NAD), 7-6
- NPDES (National Pollutant Discharge Elimination System), 8-28
- NTP (National Toxicology Program), 1-61
- NTUs (Nephelometric turbidity units), 2-12
- Nutrient agar, 9-68
- Nutrient agar plus trypan blue, 9-64-65
- Nutrient agar with MUG (NA-MUG), 9-89
- Nutrient broth, 9-187, 9-191
- Nutrients, 8-3
- Nutrient solution, 5-14
- O**
- Observation
defined, 10-70
- Occupational health and safety, 1-49-66
biological safety, 1-61-62
chemical hazards, 1-52-55, 1-53-54*t*
chemical hygiene plan, 1-65
collection of samples, 1-38-39
containment devices, 1-61
designated areas, 1-61
documentation of hazard assessments, 1-57
engineering controls, 1-51
environmental monitoring, 1-60
hazard evaluation, 1-56-57
high acute toxicity chemicals, 1-51
high chronic toxicity chemicals, 1-51-52
laboratory facility and equipment, 1-55-56
maintenance of facility and equipment, 1-55-56
medical consultation and examinations, 1-60-61
medical surveillance, 1-60
mercury use avoidance in laboratory, 1-66
moderate chronic toxicity chemicals, 1-51
organization for, 1-49
personal protective equipment, 1-51, 1-57-60
physical hazards, 1-52
preventive medicine program, 1-60
radiological safety, 1-62-65, 1-63*t*
records, 1-49
safe laboratory practices, 1-50-55
select carcinogens, 1-61
spills of toxic or hazardous substances, 1-56
training, 1-50
waste disposal, 1-51, 1-62, 1-64
worker protection medical program, 1-60-61
work practice assignment, 1-56
- Occupational Safety and Health Administration (OSHA), 1-65
- Ocular micrometer ruling, 10-15*f*
- Odor
odor-free water, 2-16-17, 2-17*f*
physical and aggregate properties, 2-15-19, 2-18*t*
threshold odor test, 2-16-19
- Odor-free water, 2-16-17, 2-17*f*
- Oil and grease, 5-38-46
extraction method for sludge samples, 5-43-44
as floatable, 2-61-62, 2-62*f*
hydrocarbons, 5-44
interferences, 5-39
liquid-liquid, partition-gravimetric method, 5-40-41, 5-40*f*
method selection, 5-38-39
partition-infrared method, 5-41-42
sample collection, preservation, and storage, 5-39
significance, 5-38
solid-phase, partition-gravimetric method, 5-45-46
Soxhlet extraction method, 5-42-43
- Oil and grease SPE extraction disk, 5-45
- Operational range, 5-2
quality control, 1-8
- Optical counting equipment
microbiological examination, 9-27
- Organic and volatile acids, 5-59-64
chromatographic separation method, 5-59-60
distillation method, 5-61
gas chromatographic method, 5-62-64
apparatus, 5-62, 5-62*f*
calculations, 5-63
procedure, 5-63
quality control, 5-63-64
reagents, 5-62-63
- Organic carbon stock solution, 5-24, 5-76
- Organic compounds, 6-1-156
acidic herbicide compounds, 6-136-146
method selection for, 6-136
micro liquid-liquid extraction gas chromatographic method and, 6-137-146
sampling and storage, 6-136
sources and significance of, 6-136
analytical methods for, 6-4-6
base/neutrals and acids, 6-73-87
liquid-liquid extraction gas chromatographic/mass spectrometric method and, 6-74-87, 6-75-77*t*, 6-80-83*f*, 6-84-85*t*, 6-86-87*t*
method selection for, 6-73
sources and significance of, 6-73
carbamate pesticides, 6-113-121
high-performance liquid chromatographic (HPLC) analysis, 6-113-114*t*, 6-113-121, 6-116*t*, 6-117*f*, 6-118-119*t*
method selection for, 6-113
sources and significance of, 6-113
dibromoethane and
dibromochloropropane, 6-45-48
liquid-liquid extraction gas chromatographic method and, 6-45-48, 6-46-47*t*, 6-47*f*
method selection for, 6-45
purge and trap techniques, 6-48
sources and significance of, 6-45
disinfection by-products, 6-55-73
aldehydes, 6-65-73
haloacetic acids and trichlorophenol, 6-55-65
gas extraction techniques, 6-11-30
CLSA-GC/MS analysis, 6-11-12*t*, 6-11-21, 6-13-15*f*, 6-16-21*t*, 6-19*f*
overview, 6-11
solid-phase microextraction (SPME), 6-22-23*t*, 6-22-30, 6-25-29*t*, 6-29*f*
glyphosate herbicides, 6-147-149
liquid chromatographic post-column fluorescence method and, 6-147-149, 6-148*f*
method selection for, 6-147
sources and significance of, 6-147
methane, 6-43-45
combustible-gas indicator method and, 6-43-44, 6-44*f*
method selection for, 6-43
occurrence and significance of, 6-43
volumetric method and, 6-45
nitrosamines, 6-100-112

- carbonaceous-resin solid-phase extraction GC/MS method and, 6-100-109, 6-101-108*t*, 6-106*f*
 method selection for, 6-100
 micro liquid-liquid extraction GC/MS method and, 6-109-112, 6-109*t*, 6-110-111*f*, 6-111-112*t*
 sources and significance of, 6-100, 6-101*t*
- organochlorine pesticides, 6-121-136
 liquid-liquid extraction gas chromatographic method and, 6-122-136
 method selection for, 6-121
 sources and significance of, 6-121
- overview, 6-1-2*t*
- phenols, 6-87-93
 liquid-liquid extraction gas chromatographic method and, 6-88-93, 6-89*t*, 6-90*f*, 6-92*t*
 method selection for, 6-87
 sources and significance of, 6-87
- polychlorinated biphenyls (PCBs), 6-93
 polynuclear aromatic hydrocarbons (PAHs), 6-94-99
 liquid-liquid extraction chromatographic method and, 6-94-99, 6-95*t*, 6-96-97*f*, 6-98*t*
 method selection for, 6-94
 sources and significance of, 6-94
 quality control and, 6-6-7, 6-9-10, 6-31-33
 calculations, 6-10
 initial analysis, 6-7
 ongoing analysis, 6-7, 6-8*t*, 6-9-10
 overview, 6-6
 volatile compounds, 6-31-33
 sample collection and preservation, 6-3, 6-3*t*
- tributyl tin (TBT), 6-149-156
 gas chromatographic/flame photometric detector method and, 6-155-156, 6-155*t*
 gas chromatographic/mass spectrometric method and, 6-150-152*t*, 6-150-154, 6-151*f*, 6-153*f*, 6-154*t*
 method selection for, 6-149-150
 sampling and storage, 6-150
 sources and significance of, 6-149
- trihalomethanes and chlorinated organic solvents, 6-48-54
 liquid-liquid extraction gas chromatographic method and, 6-49-54, 6-51*f*, 6-54*t*
 method selection for, 6-48
 purge and trap techniques, 6-54
 sources and significance of, 6-48
- volatile, 6-3, 6-30-42
 method selection for, 6-30
 purge and trap techniques, 6-22, 6-33-40
 quality control and, 6-31-33
 sample collection and preservation of, 6-3, 6-3*t*, 6-31
- scope of, 6-30, 6-31*t*
 sources and significance of, 6-30
- Organic-free water, 5-67, 5-75, 9-61
- Organic solvents, 1-53
- Organochlorine pesticides, 6-121-136
 liquid-liquid extraction gas chromatographic method and, 6-122-136
 method selection for, 6-121
 sources and significance of, 6-121
- ORP (Oxidation-reduction potential), 2-84-87
- OSHA (Occupational Safety and Health Administration), 1-65
- Osmium, 3-108
- Otter boards, 10-88
- Otter trawls, 10-88
- Oxidant demand/requirement, 2-47-51
 chlorine, 2-48-49
 chlorine dioxide, 2-49
 method selection, 2-47
 ozone, 2-50-51
- Oxidase test, 9-109
- Oxidation-reduction potential (ORP), 2-84-87
- Oxygen, 4-137-145, 5-31
 alum flocculation modification, 4-142
 azide modification, 4-139-140, 4-141*t*
 copper sulfate-sulfamic acid flocculation modification, 4-142
 iodometric method and, 4-137-138, 4-139*f*
 membrane electrode method and, 4-143-144*f*, 4-143-145
 method selection for, 4-137
 permanganate modification, 4-140-142
 significance of, 4-137
- Oxygen-consumption rate
 sludge tests, 2-88-89
- Oxygen-sensitive membrane electrode, 5-11
- Oxyhalides, 4-9-12
- Ozone, 4-145-147
 indigo colorimetric method and, 4-145-147
 method selection for, 4-145
 sources of, 4-145
- Ozone demand/requirement, 2-50-51
- P**
- P-A broth, 9-73
- PAHs. *See* Polynuclear aromatic hydrocarbons
- Palladium, 3-109
- Pans, 9-195
- Particulate
 counting and size distribution, 2-70-78
 data reporting, 2-73-74
 dilution water, 2-71-72
 electrical sensing zone method, 2-75-76
 floatables, 2-59-60*f*, 2-59-61
 light-blockage methods, 2-76-77
 light-scattering methods, 2-77-78
 method selection, 2-70-71
- quality control, 2-74
 sample collection and handling, 2-71
- Particulate floatables, 2-59-60*f*, 2-59-61
- Passive integrated transponder (PIT) tagging system, 10-93*f*
- Pathogenic bacteria
Aeromonas, 9-177-180, 9-179*t*
Campylobacter, 9-158-159
 diarrheagenic *Escherichia coli*, 9-148*t*, 9-153-157
Legionella, 9-169-174, 9-171*t*
Leptospira, 9-166-169
 microbiological examination, 9-142-183, 9-143*t*
Mycobacterium, 9-180-183, 9-180*t*
Salmonella, 9-145-149, 9-148*t*
Shigella, 9-148*t*, 9-150-153
Vibrio, 9-160-166, 9-160*t*
Yersinia enterocolitica, 9-148*t*, 9-174*t*, 9-176*t*
- Pathogenic protozoa
Cryptosporidium
 detection of, 9-215-222
 infectivity in cell culture, 9-222-224
 detection and identification methods, 9-212-213
Giardia, detection of, 9-215-222
 microbiological examination, 9-210-224
 significance, 9-210-212
- PCBs (Polychlorinated biphenyls), 6-93
- PCRs (Post column reactors), 6-6
- PDADs (Photodiode array detectors), 6-6
- PEG (Polyethylene glycol), 9-195
- Penicillin-streptomycin, 9-187, 9-194
- Pentafluorobenzyl hydroxylamine liquid-liquid extraction gas chromatographic method. *See* PFBHA liquid-liquid extraction gas chromatographic method
- Peptone water, 9-32
- Percent solution, defined, 9-32
- Perchloric acid, 1-53
- Performance evaluation (PE) studies, 4-1, 6-6
- Periphyton, 10-36-51
 defined, 10-36
 interpreting and reporting results, 10-50-51
 primary productivity, 10-41-49
 biomass accumulation, 10-41
 flowing water productivity measured by oxygen method, 10-43-48
 standing water productivity measured by carbon-14 method, 10-42-43
 standing water productivity measured by oxygen method, 10-41-42
- sample analysis, 10-38-40
 biovolume, 10-39
 chlorophyll, 10-40
 diatom species counts, 10-38-39
 dry and ash-free weight, 10-39-40
 inverted microscope method counts, 10-38
 pheophytin, 10-40

- Sedgwick-Rafter counts, 10-38
 stained sample preparation and counting, 10-39
 sample collection, 10-36–38
 artificial substrata, 10-36–37
 exposure period, 10-37
 floating sampler, 10-37f
 natural substrata, 10-36
 preservation, 10-37
 station selection, 10-36
 significance, 10-36
 Permanganate digestion, 3-92
 Permanganate modification, 4-140–142
 Personal protective equipment, 1-51, 1-57–60
 eye protection, 1-57
 foot protection, 1-59–60
 gloves, 1-57–58, 1-58–59t
 head protection, 1-59
 hearing protection, 1-59
 leg protection, 1-59–60
 Persulfate digestion, 3-91
 Persulfate method
 manganese, 3-85–86
 nitrogen and, 4-107–108, 4-107t
 phosphorus and, 4-162–164
 Persulfate solution, 5-26
 Pesticides
 carbamate, 6-113–121
 high-performance liquid chromatographic (HPLC) analysis, 6-113–114t, 6-113–121, 6-116t, 6-117f, 6-118–119t
 method selection for, 6-113
 sources and significance of, 6-113
 organochlorine, 6-121–136
 liquid-liquid extraction gas chromatographic method and, 6-122–136, 6-129–130t, 6-131f
 method selection for, 6-121
 sources and significance of, 6-121
 Petersen grab, 10-71–72, 10-72f
 Petri dishes, 9-28, 9-96, 9-102
 PFBHA liquid-liquid extraction gas chromatographic method, 6-66–73
 for aldehydes, 6-66–73, 6-67–69t, 6-70f, 6-71t
 apparatus, 6-67–68
 overview, 6-66–67, 6-67t
 procedures, 6-70f, 6-71–72, 6-71t
 quality control, 6-72–73
 reagents, 6-68–69, 6-68–69t, 6-71
 sampling and storage, 6-67
 P450 Reporter Gene System (RGS) tests, 8-41–42
 p functions, units of, 1-31–32, 1-32t
 PHA. *See* Pulse-height analysis
 Phasmids, 10-102
 Phenanthroline method, 3-77–80, 4-187–188, 4-187f
 Phenate method, 4-115–118, 4-116t, 4-117f
 Phenolphthalein indicator solution, 5-54, 5-60, 5-61
 Phenols, 5-46–50, 6-87–93
 chloroform extraction method, 5-47–49
 cleanup procedure, 5-47
 direct photometric method, 5-49–50
 interferences, 5-46
 liquid-liquid extraction gas chromatographic method and, 6-88–93, 6-89t, 6-90f, 6-92t
 method selection, 5-46, 6-87
 preservation and storage of samples, 5-46
 sampling, 5-46
 sources and significance of, 6-87
 Phototypic tests
Mycobacterium, 9-182
 Pheophytin, 10-40
 Pheophytin *a*, 10-23–24, 10-25
 Phleger corer, 10-74f
 pH meter, 5-47–49, 5-61, 5-67, 9-8, 9-187, 9-189, 9-194–196
 Phosphate buffer, 5-67, 5-76
 Phosphate-buffered saline, 9-100, 9-102, 9-222
 Phosphate-buffered solution, 5-5
 Phosphate buffer solution/dilution water, 5-14, 5-48, 9-12
 Phosphoric acid, 5-28, 5-36, 5-47, 5-63
 Phosphorus, 4-148–164
 ascorbic acid method and, 4-155–157, 4-156t, 4-157f
 flow injection analysis and, 4-157–162, 4-158–161f, 4-158t, 4-161t
 in-line UV/persulfate digestion and, 4-160–161f, 4-160–162, 4-161t
 method selection for, 4-148–150
 occurrence of, 4-148
 overview, 4-148–151, 4-149f, 4-150t
 persulfate method and, 4-162–164
 sampling and storage of, 4-150–152
 stannous chloride method and, 4-154–155
 vanadomolybdophosphoric acid colorimetric method and, 4-153–154
 Photodiode array detectors (PDADs), 6-6
 Photoionization detectors (PIDs), 6-5
 Photometric equipment, 5-47, 5-49
 Photomultiplier tubes (PMTs), 7-14–15
 Photosynthetic purple and green sulfur bacteria, 9-122f, 9-127
 pH value and, 4-91–96
 electrometric method and, 4-92–96, 4-93f, 4-94t
 overview, 4-91
 Phylogenetic relationships among iron-oxidizing bacteria, 9-120–121
 Physical and aggregate properties, 2-1–104
 acidity, 2-31–33
 alkalinity, 2-34–36
 anaerobic sludge digester gas analysis, 2-95–100
 appearance, 2-5
 asbestos, 2-78–83
 calcium carbonate saturation, 2-37–43
 color, 2-5–12
 conductivity, 2-52–55
 dissolved gas supersaturation, 2-100–104
 flavor profile analysis, 2-23–31
 floatables, 2-58–62
 hardness, 2-44–46
 odor, 2-15–19
 oxidant demand/requirement, 2-47–51
 oxidation-reduction potential, 2-84–87
 particle counting and size distribution, 2-70–78
 quality control, 2-1–5
 salinity, 2-55–58
 sludge tests, 2-88–95
 solids, 2-62–69
 taste, 2-19–23
 temperature, 2-69–70
 turbidity, 2-12–15
 Physical hazards
 occupational health and safety, 1-52
 Phytoplankton, 8-58–59
 counting procedures, 10-17–20
 counting units, 10-17
 defined, 10-2
 natural units, 10-17
 sample collection and handling, 10-5–7
 temporary and semi-permanent wet slide mounts, 10-13
 PIDs (Photoionization detectors), 6-5
 Pigment extraction
 equipment and reagents, 10-23
 procedure, 10-23
 Pipet containers
 microbiological examination, 9-28
 Pipets, 5-17, 9-28, 9-54, 9-57, 9-78, 9-90, 9-91, 9-96, 9-187, 9-190, 9-194–196, 10-23, 10-34
 Piscicides, 10-91
 PIT (Passive integrated transponder) tagging system, 10-93f
 Plankton, 10-2–35
 biomass, determination of, 10-30–32
 chlorophyll, 10-22–30
 concentration techniques, 10-11–13
 defined, 10-2
 metabolic rate measurements, 10-32–35
 microscopes and calibrations, 10-15–16
 phytoplankton counting techniques, 10-17–20
 sample collection, 10-3–11
 general considerations, 10-3–5
 sampling and storage procedures, 10-5–11
 significance, 10-2
 slide mounts, preparing, 10-13–14
 standing crop, 10-30–32
 zooplankton counting techniques, 10-21–22
 Plankton nets, 10-8, 10-8t, 10-9f
 Plasma emission spectroscopy, 3-40–46
 inductively coupled plasma (ICP) method, 3-40–46
 Plate count agar, 9-50

- Plating media
E. coli, 9-155
Vibrio, 9-164
- Platinum, 3-109
- PMTs (Photomultiplier tubes), 7-14–15
- Polarographic method, 4-103–104
- Pollution prevention, 7-19
- Polychlorinated biphenyls (PCBs), 6-93
- Polydora cornuta*, 8-83–84, 8-84f, 8-87, 8-88f, 8-93–94, 8-94t
- Polyethylene glycol (PEG), 9-195
- Polynuclear aromatic hydrocarbons (PAHs), 6-94–99
 liquid-liquid extraction
 chromatographic method and, 6-94–99, 6-95t, 6-96–97f, 6-98t
 method selection for, 6-94
 sources and significance of, 6-94
- Polyoxyethylene sorbitan monooleate, 9-194
- Polysorbate solution, 9-102
- Populations
 biomass, 10-57
 caloric content, 10-57
 carbon content, 10-57
 chlorophyll content, 10-57
 collection methods, 10-56–57
 data presentation, 10-58
 defined, 10-70, 10-84
 field inventory/reconnaissance, 10-56
 fish, 10-97–98
 macrophytes, 10-55–58
 quantitative sampling, 10-56–57
 sample preparation and analysis, 10-57–58
 sampling design, 10-55–56
 species identification, 10-57–58
- Positive and negative control cultures, 9-17, 9-18t
- Positive-pressure source, 9-187, 9-189
- Post column reactors (PCRs), 6-6
- Potable water
 fungi in, 9-201–202
 sampling procedures, 9-33–34
- Potassium, 3-87–89
 flame photometric method, 3-87–88
 potassium-selective electrode method, 3-88–89
 sample collection and handling, 3-87
- Potassium chloride, 5-36
- Potassium ferricyanide solution, 5-48
- Potassium hydrogen phthalate (KHP) standard, 5-18, 5-20
- Potassium hydroxide, 9-108
- Potassium hydroxide solution, 5-14
- Potassium iodide, 5-48
- Potassium permanganate, 4-164–165
 occurrence and significance of, 4-164
 sampling and storage of, 4-164
 spectrophotometric method and, 4-164–165
- Potassium peroxydisulfate, 5-26
- Potassium persulfate, 5-28
- Potassium-selective electrode method, 3-88–89
- Potentiometric method, 4-75–76, 4-75f
- Pour plate method
 fungi, 9-204–205
 heterotrophic plate count, 9-50, 9-51–52, 9-52–54, 9-53f
 microbiological examination, 9-27
- Practical quantitation limit (PQL), 1-20
- Precipitation method
 cesium and, 7-29–30
 iodine and, 7-30–31
 radium and, 7-34–36, 7-36t
 strontium and, 7-53–56, 7-55f
- Precision, 7-5–6, 8-27
- Precision and bias
 adsorption-pyrolysis-titrimetric method, 5-34, 5-34t
 anionic surfactants as MBAS, 5-54
 chloroform extraction method, 5-49
 chromatographic separation method, 5-60
 closed reflux, colorimetric method, 5-21
 closed reflux, titrimetric method, 5-20
 colorimetric method, 5-59
 diethylaminoethyl (DEAE) method, 5-37
 disinfection by-products (DBPs), formation of, 5-73
 extraction method for sludge samples, 5-44
 5-day BOD test, 5-9
 gas chromatographic method, 5-64t
 high-temperature combustion method, 5-25
 hydrocarbons, 5-44
 liquid-liquid, partition-gravimetric method, 5-41
 nonionic surfactants as CTAS, 5-57
 open reflux method, 5-18
 partition-infrared method, 5-42
 persulfate-ultraviolet or heated-persulfate oxidation method, 5-27
- Pseudomonas fluorescens* Strain P-17, *Spirillum* Strain NOX method, 9-63
- respirometric method, 5-15–16
- simulated distribution system
 trihalomethanes (SDS-THM), 5-72
- solid-phase, partition-gravimetric method, 5-45–46
- Soxhlet extraction method, 5-42
- trihalomethane formation potential (THMFP), 5-69t, 5-70, 5-70t
- ultimate BOD test, 5-11–12
- ultraviolet absorption method, 5-77, 5-77t
- wet-oxidation method, 5-28
- XAD method, 5-38
- Prefilter, 9-187
- Prepared media, holding times for, 9-16t
- Presence-absence (P-A) coliform test, 9-73
 enzyme substrate test, 9-94
- Preservation of samples, 1-43–46
 general requirements, 1-37–38
- microbiological examination, 9-35–36
 prior to analysis, 1-43, 1-44–45t
 safety considerations, 1-38–39
 techniques, 1-46
- Pressure gauge, 9-189
- Pressure-relief valve, 9-189
- Pressure vessel, 9-187, 9-190
- Pressurized squeeze extraction, 8-48
- Preventive medicine program, 1-60
- Primary contact recreation activities, defined, 9-42
- Pristina leidyi*, 8-94–95
- Productivity
 biomass methods, 10-59–61
 carbon-14 method, 10-34–35
 data presentation, 10-64
 macrophytes, 10-59–64
 metabolic methods, 10-61–64
 oxygen method, 10-33–34
- Proficiency testing (PT), 2-1, 4-1, 6-6, 7-7
- Propagation of error, 1-36–37
- Propagation of uncertainty, 7-8–9, 7-9t
- Proportional count, 7-12
- Protozoans. *See* Ciliated protozoan
 toxicity testing
- Pseudomonas aeruginosa*
 membrane filter technique for, 9-48–49
 multiple-tube technique for, 9-49
 natural bathing beaches, 9-47
 swimming pool water, 9-45
- Pseudomonas fluorescens* Strain P-17, *Spirillum* Strain NOX method
 apparatus, 9-61
 assimilable organic carbon, 9-61–64
 calculation, 9-62–63
 precision and bias, 9-63
 procedure, 9-62
 quality control, 9-63
 reagents, 9-61–62
- PT. *See* Proficiency testing
- Pulse-height analysis (PHA), 7-12, 7-14, 7-16
- Pump, 5-37, 9-189
- Purgeable organic compounds. *See* Organic compounds
- Purge and trap techniques, 6-22, 6-33–40, 6-48, 6-54
 for dibromoethane and dibromochloropropane, 6-48
 GC analysis and, 6-38–40, 6-39t, 6-41f, 6-42t
 GC/MS and, 6-33–38, 6-34f, 6-35–36t, 6-37f, 6-38t
 for trihalomethanes and chlorinated organic solvents, 6-54
 volatile organic compounds and, 6-22, 6-33–40
- Purging gas, 5-24
- Purified ATP standard, 10-31
- Pycnogonid, 10-144f
- Pyreheliometer, 10-33, 10-34
- Q**
- Qualitative methods
 benthic macroinvertebrate data, 10-82

- intralaboratory quality control
 - guidelines, 9-20–21
 - periphyton data, 10-50
 - Qualitative results, 8-30
 - Quality assessment, 1-15
 - Quality assurance/quality control, 1-6–15
 - actinomycetes, detection of, 9-142
 - adsorption-pyrolysis-titrimetric method, 5-32–33
 - aggregate organic constituents, 5-1–4
 - initial quality control, 5-2
 - ongoing quality control, 5-2–4, 5-3*t*
 - analytical procedures for established methods, 9-17–19
 - anodic stripping voltammetry, 3-60
 - batch, 3-5–6
 - calculations, 1-10–11, 2-3–5
 - calibration, 1-10, 3-4–5
 - capability, demonstrations of, 1-7–8
 - control charts, 1-11–14, 1-12–13*f*, 1-14*t*
 - corrective actions, 1-14
 - defined, 1-5
 - disinfection by-products (DBPs),
 - formation of, 5-73
 - dissolved gas supersaturation, 2-104
 - duplicate sample, 1-9
 - 5-day BOD test, 5-8
 - flame atomic absorption spectrometry, 3-17
 - flavor profile analysis, 2-30
 - fluorogenic substrate enterococcus test, 9-116
 - gas chromatographic method, 5-63–64
 - high-temperature combustion method, 5-25
 - initial, 2-1–2, 2-3*t*, 3-4
 - inorganic nonmetals and, 4-1–4
 - calculations, 4-4
 - initial analysis, 4-1–2
 - ongoing analysis, 4-2–3*t*, 4-2-4
 - overview, 4-1
 - internal, 9-17
 - internal standard, 1-10
 - ion chromatographic method, 3-72
 - laboratory-fortified blank, 1-9
 - laboratory-fortified matrix, 1-9
 - metals, 3-3–6
 - method detection level determination, 1-8
 - microbiological examination, 9-2–26
 - fecal *Enterococcus/Streptococcus* groups, testing for, 9-114
 - interlaboratory guidelines, 9-25–26
 - intralaboratory guidelines, 9-4–24, 9-5*t*
 - manual, elements of, 9-3
 - objectives, 9-3
 - quality assurance officer/quality manager, 9-2
 - staff, 9-2–3
 - microwave-assisted digestion, 3-13
 - ongoing, 2-2–3, 2-4*t*
 - operational range, 1-8
 - organic compounds and, 6-6–7, 6-9–10, 6-31–33
 - calculations, 6-10
 - initial analysis, 6-7
 - ongoing analysis, 6-7, 6-8*t*, 6-9–10
 - overview, 6-6
 - volatile compounds, 6-31–33
 - particulate, 2-74
 - physical and aggregate properties, 2-1–5
 - plan, 1-6–7
 - Pseudomonas fluorescens* Strain P-17,
 - Spirillum* Strain NOX method, 9-63
 - radiochemical analysis and, 7-3–12
 - calculation and expression of results, 7-11–12
 - overview, 7-3
 - performance criteria, 7-3–8, 7-4*t*
 - statistics, 7-8–11, 7-9*t*
 - wastewater, 7-8
 - reagent blank, 1-8–9
 - respirometric method, 5-15
 - simulated distribution system
 - trihalomethanes (SDS-THM), 5-71–72
 - small sample sizes, 1-14
 - surrogates, 1-10
 - toxicity testing and, 8-26–30
 - analysis and reporting of results, 8-28–29
 - data quality objectives (DQOs), 8-27
 - elements of, 8-27–30
 - internal checks, 8-29–30, 8-29*t*
 - overview, 8-26–27
 - sample handling, storage, and shipment, 8-28
 - test procedures, 8-27–28
 - tracers, 1-10
 - trihalomethane formation potential (THMFP), 5-69
 - ultraviolet absorption method, 5-76–77
 - Quality control sample (QCS), 5-2
 - Quantitative methods
 - benthic macroinvertebrate data, 10-82
 - intralaboratory quality control
 - guidelines, 9-21
 - periphyton data, 10-50
 - precision of, 9-18–19, 9-19*t*
 - Quantitative results, 8-30
- R**
- R2A agar, 9-50–51, 9-61
 - Radioactive carbonate solutions, 10-34
 - Radioactivity, 7-1–61. *See also*
 - Radiological safety
 - alpha and beta emitters, 7-20–25
 - coprecipitation method and, 7-23–25
 - evaporation method and, 7-20–23
 - occurrence and significance of, 7-20
 - apparatus for analysis, 7-12–17
 - alpha scintillation counters, 7-14–15
 - gas-flow proportional counters (GPCs), 7-12–14, 7-13*f*
 - liquid scintillation counters, 7-15–16
 - overview, 7-12
 - spectrometers, 7-16–17, 7-17*t*
 - artificial, 7-20
 - cesium and, 7-29–30
 - overview, 7-29
 - precipitation method and, 7-29–30
 - facilities for analysis, 7-18–19
 - gamma-emitters, 7-25–28, 7-28*t*
 - iodine and, 7-30–33
 - distillation method and, 7-32–33, 7-33*f*
 - ion-exchange method and, 7-31–32
 - method selection for, 7-30
 - occurrence and significance of, 7-30
 - precipitation method and, 7-30–31
 - measurement of, 7-1
 - measuring, 10-34
 - natural, 7-20
 - occurrence and monitoring of, 7-1
 - overview, 7-1
 - quality control and, 7-3–12
 - calculation and expression of results, 7-11–12
 - overview, 7-3
 - performance criteria, 7-3–8, 7-4*t*
 - statistics, 7-8–11, 7-9*t*
 - wastewater, 7-8
 - radium and, 7-34–49
 - emanation method and, 7-36*t*, 7-37–42, 7-37*f*, 7-40*t*
 - gamma spectroscopic method and, 7-44–49, 7-48*t*
 - method selection for, 7-34
 - occurrence and significance of, 7-34
 - precipitation method and, 7-34–36, 7-36*t*
 - sequential precipitation method and, 7-37*f*, 7-42–44
 - radon and, 7-49–52
 - liquid scintillation method and, 7-50–52
 - occurrence and significance of, 7-49
 - sample collection and preservation, 7-2–3, 7-2*t*
 - strontium and, 7-52–56
 - overview, 7-52
 - precipitation method and, 7-53–56, 7-55*f*
 - tritium and, 7-56–57
 - liquid scintillation spectrometric method and, 7-56–57
 - overview, 7-56
 - units of, 1-27–28
 - uranium and, 7-58–61
 - isotopic method and, 7-60–61, 7-60*f*
 - method selection for, 7-58
 - occurrence and significance of, 7-58
 - radiochemical method and, 7-58–59
 - wastewater samples and, 7-2–3
 - Radiochemical method, 7-58–59
 - Radiochemistry laboratories, 7-18–19
 - Radiological hygiene officer (RHO), 1-49
 - Radiological safety, 1-62–65, 1-63*t*. *See also* Radioactivity
 - exposures, 1-63–64

- procedures, 1-64
waste disposal, 1-64
work practices, 1-64
- Radiometric detection, 9-38
- Radium, 7-34–49
emanation method and, 7-36*t*, 7-37–42, 7-37*f*, 7-40*t*
gamma spectroscopic method and, 7-44–49, 7-48*t*
method selection for, 7-34
occurrence and significance of, 7-34
precipitation method, 7-34–36, 7-36*t*
radioactivity and, 7-34–49
sequential precipitation method and, 7-37*f*, 7-42–44
- Radon, 7-49–52
liquid scintillation method and, 7-50–52
occurrence and significance of, 7-49
radioactivity and, 7-49–52
- Random error, 1-5, 1-17
- Random variation, 1-17
- R&R (Repeatability and reproducibility), 1-17–19
- Range, 1-5
- Range-finding toxicity tests, 8-2, 8-5
- Rapid bioassessment toxicity tests, 8-6
- Rapid detection methods
microbiological examination, 9-36–38
seven-hour fecal coliform test, 9-36–37
special techniques, 9-37–38, 9-37*t*
- Raw sewage and primary wastewater effluent, 9-222
- Raw water supply
sampling procedures, 9-34
- RCRA (Resource Conservation and Recovery Act of 1976), 1-67
- Reaction cuvettes and vials, 10-31
- Reagent blanks
quality control and, 1-8–9, 7-5
sample collection and preservation, 6-3, 7-2
- Reagent-grade water, 5-63, 9-137
- intralaboratory quality control guidelines, 9-11–14, 9-12*t*, 9-13*t*
- Reagents
acidity titration method, 2-31–33
adsorption-pyrolysis-titrimetric method, 5-31
alkalinity titration method, 2-35
aluminum hydroxide
adsorption-precipitation, virus concentration by, 9-193
anaerobic sludge digester gas analysis, 2-96, 2-98
anionic surfactants as MBAS, 5-54
anodic stripping voltammetry, 3-58–59
ATP, 10-31
bathocuproine method, 3-76
chloroform extraction method, 5-48
chromatographic separation method, 5-60
closed reflux, colorimetric method, 5-20
closed reflux, titrimetric method, 5-19
- cold-vapor atomic absorption spectrometry, 3-24
- colorimetric method, 3-69–70, 3-93, 5-20
- for conductivity, 2-54–55
- diarrheagenic *Escherichia coli*, 9-156
- diethylaminoethyl (DEAE) method, 5-36
- direct air-acetylene flame method, 3-18–19
- direct nitrous oxide-acetylene flame method, 3-21–22
- disinfection by-products (DBPs), formation of, 5-72
- distillation method, 5-61
- dithizone method, 3-81–82
- EDTA titrimetric method, 2-45–46, 3-67–68
- electrical sensing zone method, 2-75
- electrothermal atomic absorption spectrometry, 3-28
- epifluorescence microscopic method using acridine orange, 9-58
- Eriochrome cyanine R method, 3-62–63
- Escherichia coli* proposed procedures, 9-76
- extraction/air-acetylene flame method, 3-20
- extraction method for sludge samples, 5-43
- extraction/nitrous oxide-acetylene flame method, 3-23
- 5-day BOD test, 5-5–6
- flame emission photometric method, 3-83–84, 3-97, 3-99–100
- flame photometric method, 3-88
- flavor profile analysis, 2-26
- fluorometric determination of chlorophyll *a*, 10-24–25
- gallic acid method, 3-101–102
- Giardia* and *Cryptosporidium*, detection of, 9-216, 9-222
- high-performance liquid chromatographic determination of algal chlorophylls, 10-25–26, 10-27
- high-temperature combustion method, 5-24
- hydride generation/atomic absorption spectrometry, 3-36, 3-39
- hydrocarbons, 5-44
- hydroextraction-dialysis with polyethylene glycol, 9-195
- indole test, 9-107–108
- inductively coupled plasma–mass spectrometry (ICP–MS), 3-51–52
- inductively couple plasma (ICP) method, 3-42
- intralaboratory quality control guidelines, 9-14
- ion chromatographic method, 3-71–72
- liquid-liquid, partition-gravimetric method, 5-40
- lysine and ornithine decarboxylase tests, 9-108–109
- male-specific coliphage assay using *Escherichia coli* Famp, 9-98
- male-specific coliphage assay using *Salmonella typhimurium* WG49, 9-99
- membrane filter method, 9-102
- methyl red test, 9-108
- motility test, 9-108
- neocuproine method, 3-74–75
- nephelometric method, 2-13–14
- nitrifying bacteria, 9-137
- nonionic surfactants as CTAS, 5-56
- open reflux method, 5-17–18
- oxidase test, 9-109
- oxidation–reduction potential (ORP), 2-86
- partition-infrared method, 5-41–42
- persulfate method, 3-86
- persulfate-ultraviolet or heated-persulfate oxidation method, 5-26
- phenanthroline method, 3-78
- phenols cleanup procedure, 5-47
- pigment extraction, 10-23
- potassium-selective electrode method, 3-88–89
- productivity, carbon-14 method, 10-34
- productivity, oxygen method, 10-33
- Pseudomonas fluorescens* Strain P-17, *Spirillum* Strain NOX method, 9-61–62
- respirometric method, 5-14
- silver diethyldithiocarbamate method, 3-65–66
- Simmons' citrate test, 9-108
- single-agar-layer method, 9-101
- solid-phase, partition-gravimetric method, 5-45
- somatic coliphage assay, 9-96
- Soxhlet extraction method, 5-42
- spectrophotometric determination of chlorophyll, 10-23–24
- standard total coliform fermentation techniques, 9-66, 9-67–68
- standing water productivity, 10-41–42
- surfactant separation by sublation, 5-51–52
- transmission electron microscopy method, 2-80
- trihalomethane formation potential (THMFP), 5-67–68
- ultraviolet absorption method, 5-75–76
- virus concentration via filtration, 9-187, 9-190–191
- virus recovery from suspended solids, 9-196
- Voges-Proskauer test, 9-108
- wet-oxidation method, 5-28
- XAD method, 5-37
- zincon method, 3-102–103
- Reagent water, 1-46–48, 5-24
- preparation methods, 1-47–48
adsorption, 1-47*t*, 1-48
distillation, 1-47, 1-47*t*

- ion exchange, 1-47–48, 1-47t
reverse osmosis, 1-47, 1-47t
quality of, 1-48, 1-48t
- Recognition threshold, 2-23
- Recordkeeping, 1-49, 9-21
- Recreational waters
defined, 9-42
fungi in, 9-202
microbiological examination of, 9-42–49
microbiological monitoring approaches and limitations, 9-43
natural bathing beaches, 9-46–48
Pseudomonas aeruginosa
membrane filter technique, 9-48–49
multiple-tube technique, 9-49
swimming pools, 9-43–45
transmission of enteric and non-enteric pathogens, 9-42
whirlpools, 9-45–46
- Reference nonionic surfactant, 5-56
- Reference oil, 5-42
- Reference toxicant tests, 8-29
- Reflux apparatus, 5-17
- Refrigerators
intralaboratory quality control guidelines, 9-9
microbiological examination, 9-28
- Rejection of data, 1-3–4
- Relative percent difference (RPD), 7-6, 7-52
- Relative response factor (RRF), 1-10–11
- Relative sensitivity toxicity tests, 8-6
- Remote sensing vegetation mapping method, 10-54–55
- Renewal toxicity tests, 8-3, 8-4, 8-5
- Repeatability and reproducibility (R&R), 1-17–19
- Replicates, number of, 1-26–27
- Reporter Gene System (RGS) tests, 8-41–42
- Reporting level (RL), 1-4
- Reservoir bottles, 5-10
- Resin pretreatment of selenium samples, 3-91
- Resource Conservation and Recovery Act of 1976 (RCRA), 1-67
- Respiratory protection, 1-51
- Respirometer system, 5-14
- Responses, 8-2
- Reverse osmosis, 1-47, 1-47t
- Reverse-phase HPLC column, 10-25, 10-27
- Reverse-phase HPLC pigment chromatogram, 10-26f, 10-28, 10-29f
- RGS (Reporter Gene System) tests, 8-41–42
- Rhenium, 3-109
- RHO (Radiological hygiene officer), 1-49
- Rhodium, 3-109
- Ribonuclease (RNase) solution, 9-99, 9-100, 9-101, 9-103
- Riffle/run samplers, 10-72–74
- River water samples, 5-11
- RL (Reporting level), 1-4
- Rose bengal, 9-204, 9-206
- Rotifers, 10-140f
- Rotifer toxicity testing, 8-79–83
procedures, 8-81–82, 8-81–82f, 8-82t
selecting and preparing organisms, 8-80, 8-80t
significance of, 8-79
types of tests, 8-79
- Roundworms, 10-141f
- RPD (Relative percent difference), 7-6, 7-52
- RRF (Relative response factor), 1-10–11
- Rubber policeman, 10-40
- Ruggedness of method, 1-25–26, 1-25t
- Ruthenium, 3-110
- ## S
- S (medium for heterotrophic strains of *Thiothrix*), 9-129
- SAED (Selected area electron diffraction), 2-79
- Safe Drinking Water Act (SDWA), 7-3, 7-4t, 7-7, 7-11
- Safety. *See also* Occupational health and safety
flavor profile analysis, 2-24
laboratory practices, 1-50–55
sample collection, 1-38–39
- Salinity, 2-55–58
algorithm of practical salinity, 2-58
density method, 2-57–58
electrical conductivity method, 2-56–57
method selection, 2-56
quality assurance, 2-56
- Salmonella*, 9-145–149
enrichment, 9-146
immunomagnetic separation, 9-146
injured cells, pre-enrichment to revive, 9-146
plating media, 9-147
quantitative procedures, 9-149
safety, 9-145
sampling and concentration, 9-145–146
screening tests and biochemical identification, 9-147, 9-148t
serological identification, 9-148–149
- Salmonella* microsomal mutagenicity test, 8-32–37
apparatus, 8-33
data presentation and analysis, 8-36–37
media and reagents, 8-33–34
overview, 8-32–33
procedure, 8-35–36
tester strain stock cultures, 8-34–35
- Salt-mixture solution, 9-12
- Sample blender/homogenizer, 5-24
- Sample bottles, 9-11, 9-28–29, 9-78, 9-90, 9-91, 9-196
- Sample collection and handling, 1-39–43.
See also Sampling devices
anaerobic sludge digester gas, 2-95–96
asbestos, 2-79–80
assimilable organic carbon, 9-60
- chain-of-custody procedures, 1-40–41
- chromium, 3-69
- containers, 1-41, 9-33
- copper, 3-74
- dechlorination, 9-33
- deep sampling devices, 9-34–35
for microbiological examination, 9-33–35
general requirements, 1-37–38
identifying data, 9-35
intralaboratory quality control guidelines, 9-17
- iron, 3-77
- manganese, 3-85–86
- metals, 3-1–3, 3-6–13
- natural bathing beaches, 9-46
- nematodes, 10-104–105
- number of samples, 1-41–42, 1-42f
- organic compounds, 6-3, 6-3t
- oxidation–reduction potential (ORP), 2-84
- particulate, 2-71
- phytoplankton, 10-5–7
- plankton, 10-5–11
- potassium, 3-87
- radioactive elements, 7-2–3, 7-2t
- safety considerations, 1-38–39
- sample types, 1-39–40
- sample volume, 1-42, 9-35
- sampling methods, 1-41
- selenium, 3-91–93
- sodium, 3-97
- solids, 2-63
- swimming pool water, 9-33
- turbidity, 2-12
- zooplankton, 10-7–10
- Sample design error, 1-22
- Sample dilution
pour plate method, 9-52–53, 9-53f
- Sample membrane filters, 9-102
- Sample plates, 9-57
- Samples
collection of. *See* Sample collection and handling
defined, 10-71
holding time and temperature, 9-35–36
number of, 1-41–42, 1-42f
preservation of. *See* Preservation of samples
quality control for small sample sizes, 1-14
types of, 1-39–40
unknown sample analysis, 1-25
volumes, 1-42, 9-35
- Sample vacuum filtration apparatus, 9-102
- Sampling and injection accessories, 5-26
- Sampling devices
artificial substrate samplers, 10-75–76
basket sampler, 10-76
box core samplers, 10-74
core or cylindrical samplers, 10-74–75
drift samplers, 10-74f
Ekman grab, 10-72, 10-73f
grab samplers, 10-71–72

- Hess-type samplers, 10-74
 high-speed zooplankton samplers, 10-8, 10-9f
 KB core sampler, 10-74f
 Kemmerer water sampler, 10-5, 10-6f
 marsh net sampler, 10-76
 modified Hester-Dendy sampler, 10-76
 multiple-plate sampler, 10-76
 Petersen grab, 10-71-72, 10-72f
 Phleger corer, 10-74f
 plankton nets, 10-8, 10-8r, 10-9f
 Ponar grab, 10-72f
 qualitative, 10-75
 quantitative, 10-71-75
 riffle/run samplers, 10-72-74
 Schindler-Patalas plankton trap, 10-7f
 Shipek grab, 10-72, 10-73f
 Smith-McIntyre grab, 10-72, 10-73f
 stovepipe sampler, 10-74f
 suction samplers, 10-76
 Surber-type samplers, 10-73-74, 10-73f
 Van Dorn water sampler, 10-5, 10-6f
 Van Veen grab, 10-72f
 Wilding sampler, 10-74f
- Sampling methods, 1-41
 Sampling records, 9-21
 Sampling unit, 10-70
 Sampling universe, 10-70
 Sand filter/backwash, 10-12
 Saturated magnesium carbonate solution, 10-23
 Scale of decision-making, 1-22
 Scientific notation, 1-36
 Scintillation
 alpha ____ counters, 7-14-15
 liquid ____ counters, 7-15-16
 radon and, 7-50-52
 tritium and, 7-56-57
- Screening tests
aeromonas, 9-179, 9-179t
 coliform bacteria, 9-105
 diarrheagenic *Escherichia coli*, 9-148t, 9-155
 inorganic nonmetals, 4-122-124
mycobacterium, 9-181
salmonella, 9-147, 9-148t
shigella, 9-148t, 9-151
 toxicity, 8-2
 ultraviolet spectrophotometric screening method, 4-122-124
- SCUBA, 10-91-92
 SDS-THM (Simulated distribution system trihalomethane), 5-66, 5-71-72
 SDWA. *See* Safe Drinking Water Act
 Seals for samples, 1-40
 Second sources, 6-9
 Sedgwick-Rafter counts, 10-38
 Sedimented slide mounts, 10-13-14
 Sediment pore water testing, 8-47-51
 applications of, 8-47
 collection and storage, 8-48
 extraction, 8-48-50
 centrifugation, 8-48
 equilibration methods, 8-49
 pneumatic method, 8-48, 8-49-50f
 pressurized squeeze, 8-48
 vacuum, 8-48-49
 toxicity test procedures, 8-50-51
- Sediments
 sampling procedures, 9-34
 testing, 8-91-95, 8-92f, 8-100-101
- Seed suspension, 5-6-7
 Segmented flow analysis (SFA), 4-13-14, 4-13f
 Segmented worms, 10-141f, 10-142f
 Seines, 10-89-90, 10-89f
 Select carcinogens, 1-61
 Selected area electron diffraction (SAED), 2-79
 Selective electrode method
 ammonia and, 4-113-115, 4-115t
 cyanide and, 4-45-46
 fluoride and, 4-85-87, 4-89-91, 4-90f, 4-91t
 sulfide and, 4-179-180, 4-180t
- Selective enrichment, 9-154, 9-163
 Selenite broth, 9-146
 Selenite cystine broth, 9-146
 Selenium, 3-89-96
 colorimetric method, 3-93-94
 continuous hydride generation/atomic absorption spectrometry, 3-38-39
 determination of nonvolatile organic selenium compounds, 3-95-96
 determination of volatile selenium, 3-94-95
 hydride generation/atomic absorption spectrometry, 3-34-39
 interferences, 3-90
 manual hydride generation/atomic absorption spectrometry, 3-34-38
 method selection, 3-89
 occurrence and significance, 3-89
 sample preparation, 3-91-93
 alkaline hydrogen peroxide digestion, 3-91-92
 hydrochloric acid digestion, 3-92
 permanganate digestion, 3-92
 persulfate digestion, 3-91
 resin pretreatment, 3-91
- Sensilla, 10-102
 Separatory funnels, 5-40, 5-41, 5-48, 5-51, 5-54, 5-56
 Sequential precipitation method, 7-37f, 7-42-44
 Serendipity as data acquisition method, 10-91
 Serial adsorption, 5-33
 Set lines, 10-86
 Settleable solids, 2-67-68
 Settled sludge volume, 2-89, 2-89f
 Seven-hour fecal coliform test, 9-36-37
 SFA (Segmented flow analysis), 4-13-14, 4-13f
- Shigella*
 biochemical identification, 9-148t
 centrifugation procedure, 9-152
 enrichment, 9-150-151
 membrane filter procedure, 9-152
- molecular and research approaches, 9-152
 plating media, 9-151
 safety, 9-150
 sampling and concentration, 9-150
 screening tests and biochemical identification, 9-148t, 9-151
 serological grouping and complete serotyping, 9-151-152, 9-151t
- Shipek grab, 10-72, 10-73f
 Short-term toxicity tests, 8-4, 8-5-6, 8-98-99, 8-99f
- Siderocapsa*, 9-120f
 Significant figures, 1-34-35
 ambiguous zeros, 1-34
 arithmetic functions, 1-35
 calculations, 1-35
 reporting requirements, 1-34
 rounding off, 1-34
 standard deviation, 1-34-35
- Silica, 4-165-172
 automated method, 4-170
 flow injection analysis, 4-171-172, 4-171f
 heteropoly blue method, 4-169-170, 4-170f
 method selection for, 4-166
 molybdosilicate method, 4-167-168t, 4-167-169
 occurrence and significance of, 4-165-166
 sampling and storage of, 4-166
- Silic acid, 5-60
 Silica gel, 5-44
 Silver, 3-110
 Silver diethyldithiocarbamate method, 3-65-66
 Simmons' citrate test, 9-108
 Simple random sampling, 10-71
 Simulated distribution system
 trihalomethane (SDS-THM), 5-66, 5-71-72
- Simultaneous detection of total coliform and *E. Coli* by dual-chromogen membrane filter procedure, 9-90-91
 Simultaneous detection of total coliform and *E. Coli* by fluorogen/chromogen membrane filter procedure, 9-91-92
- Single-agar-layer method
 apparatus, 9-101
 media and reagents, 9-101
 procedure, 9-101-102, 9-141
- Single-edge razor blades, 10-40
 Single-operator characteristics
 method development and evaluation, 1-25, 1-25f
- Site inspection, 10-85
 Skin protection, 1-51
 Slide mounts, preparing, 10-13-14
 diatom mounts, 10-14
 membrane filter mounts, oil-cleared, 10-13

- membrane filter mounts, permanent
 - HPMA, 10-13
- phytoplankton permanent slide mounts, 10-13-14
- phytoplankton temporary and semi-permanent wet slide mounts, 10-13
- sedimented slide mounts, 10-13-14
- zooplankton mounts, 10-14
- Sludge tests, 2-88-95
 - capillary suction time, 2-92-93
 - modified settled sludge volume, 2-94-95, 2-94f
 - oxygen-consumption rate, 2-88-89
 - settled sludge volume, 2-89, 2-89f
 - sludge volume index, 2-90
 - specific gravity, 2-91-92
 - time-to-filter, 2-93-94, 2-93f
 - zone settling rate, 2-90-91, 2-91f
- Sludge volume index, 2-90
- Slurp guns, 10-91
- Small sample sizes, 1-14
- Smith-McIntyre grab, 10-72, 10-73f
- Snails, 10-151f
- Snoods, 10-86
- Snorkeling, 10-91-92
- Sodium, 3-96-98
 - flame emission photometric method, 3-97-98
 - method selection, 3-97
 - occurrence and significance, 3-96
 - sample storage, 3-97
- Sodium acetate stock solution, 9-61
- Sodium azide, 9-91, 9-111-112, 9-113
- Sodium benzoate solution, 9-84
- Sodium bicarbonate, 5-52
- Sodium carbonate, 9-194
- Sodium chloride, 5-47, 5-52, 9-187, 9-191, 9-194
- Sodium chloride dilution solution, 10-34
- Sodium chloride standard, 5-31
- Sodium citrate solution, 9-12
- Sodium hexametaphosphate, 9-222
- Sodium hydroxide, 5-36, 5-47, 5-54, 5-56, 5-68, 5-75, 9-187, 9-190, 9-194, 9-196
- Sodium hypochlorite, 9-187, 9-190
- Sodium peroxydisulfate, 5-26
- Sodium persulfate solution, 9-61
- Sodium sulfate, 5-40, 5-42, 5-45, 5-48
- Sodium sulfide, 9-125
- Sodium sulfite, 5-31, 9-40
- Sodium sulfite solution, 5-5, 5-14, 5-67
- Sodium thiosulfate solution, 9-61, 9-187, 9-190
- Solid-phase microextraction (SPME), 6-22-30
 - apparatus, 6-22, 6-26
 - calculations, 6-24, 6-27-28, 6-29f, 6-30
 - GC/MS and, 6-25-30, 6-26-29t, 6-29f
 - overview, 6-22-23t, 6-25-26, 6-26t
 - precision and bias, 6-25, 6-25t, 6-29t, 6-30
 - procedures, 6-23-24, 6-27-28t
 - quality control, 6-24-25, 6-28-30
 - reagents, 6-23, 6-27
- Solids, 2-62-69
 - definitions, 2-62-63
 - fixed and volatile solids ignited at 550°C, 2-67
 - method selection, 2-63
 - sample handling and preservation, 2-63
 - settleable solids, 2-67-68
 - sources of error and variability, 2-63
 - total dissolved solids dried at 180°C, 2-65
 - total, fixed, and volatile solids in solid and semisolid samples, 2-68
 - total solids dried at 103-105°C, 2-64
 - total suspended solids dried at 103-105°C, 2-66-67
- Solution volume, 1-5
- Solvent-exchanging, 8-31
- Somatic coliphage assay
 - apparatus, 9-96
 - media and reagents, 9-96-97
 - procedure, 9-97-98
- SOPs. *See* Standard operating procedures
- Sorbent sampling, 1-41
- Space utilization, 9-6-7
- SPADNS method, 4-87-88
- Spatula, 9-194
- Spear and bow and arrow, 10-87
- Spearman-Karber method, 8-21-22
- Special purpose toxicity tests, 8-6-7
- Species biomass, 10-30
- Specific gravity, 2-91-92
- Specific growth rates, 8-56, 8-58-59
- Spectrometers, 6-5, 7-16-17, 7-17t
- Spectrophotometer, 5-20, 5-54, 5-56, 5-58, 5-75, 10-23
- Spectrophotometric method
 - chlorophyll and, 10-23-24
 - nitrate and, 4-122-124
 - potassium permanganate and, 4-164-165
- Spectrophotometric-multi-wavelength method, 2-8-9, 2-9t
- Spectrophotometric-single-wavelength method, 2-7-8
- Spectrophotometric standard curve, 2-8
- SPE extraction apparatus, 5-45
- Sphaerotilus natans*, 9-119f
- Spills of toxic or hazardous substances
 - occupational health and safety, 1-56
- SPME. *See* Solid-phase microextraction
- Sponges and coelenterates, 10-139f
- Sporophylls, 8-60, 8-62, 8-64
- Spot test procedure, 4-51-52
- Spread plate method
 - Aeromonas* testing, 9-178
 - fungi, 9-205-206
 - heterotrophic plate count, 9-50, 9-54-56, 9-54t, 9-55t
- SRMs (Standard reference materials), 1-6-7, 7-7
- SS (Medium for heterotrophic strains of *Thiothrix*), 9-129
- SS (Surrogate standard), 6-32
- Stains
 - intralaboratory quality control guidelines, 9-14
 - sample preparation and counting, 10-39
- Standard addition recovery, 5-33
- Standard deviation, 1-2f, 1-34-35, 7-9-10
- Standardized stock hypochlorite solution, 5-67
- Standard LAS solution, 5-54
- Standard mixture, 5-45
- Standard operating procedures (SOPs), 6-6, 6-10, 7-3, 7-44, 8-27, 9-16-17, 9-17
- Standard phenol solution, 5-48
- Standard potassium dichromate solution, 5-17
- Standard reaction conditions, 5-65, 5-66f
- Standard reference materials (SRMs), 1-6-7, 7-7
- Standard sodium hydroxide, 5-60
- Standard sodium hydroxide titrant, 5-61
- Standard sodium thiosulfate titrant, 5-48
- Standard solution, 5-58
- Standard sources, 7-7
- Standard total coliform fermentation technique
 - completed phase, 9-67-69, 9-68f
 - confirmed phase, 9-67, 9-68f
 - culture media, 9-66, 9-67
 - presumptive phase, 9-66-67, 9-68f
 - reagents, 9-66
 - samples, 9-66
- Standard total coliform membrane filter procedure, 9-78-83
 - density calculation, 9-81-83
 - drinking water, 9-82
 - laboratory apparatus, 9-78-79
 - materials and culture media, 9-79-80
 - nondrinking water, 9-82-83
 - procedures, 9-80-81, 9-80t, 9-81t
 - statistical reliability, 9-83, 9-83t
- Standing crop. *See* Biomass
- Standing water productivity
 - measured by carbon-14 method
 - calculations, 10-42-43
 - equipment and reagents, 10-42
 - procedure, 10-42
 - measured by oxygen method
 - calculations, 10-42
 - equipment and reagents, 10-41
 - procedure, 10-41-42
- Stannous chloride method, 4-154-155
- Staphylococcus aureus*
 - at natural bathing beaches, 9-47
 - in swimming pool water, 9-44-45
- Starch-casein agar, 9-140
- Starch solution, 5-48
- Static toxicity tests, 8-3, 8-4, 8-5
- Statistics, 1-1-4, 7-8-11
 - detection limits, 7-10-11
 - least square curve fitting, 1-3
 - log-normal distribution, 1-3
 - normal distribution, 1-1-3, 1-2f, 1-3t
 - propagation of uncertainty, 7-8-9, 7-9t

- for radiochemical analysis, 7-8-11, 7-9_t
 rejecting data, 1-3-4
 standard deviation and counting uncertainty, 7-9-10, 7-12
- Stearic acid, 5-40, 5-45
- Stereoscopic microscope, 10-15
- Sterility checks, 9-18, 9-53
- Sterilization of culture media, 9-30, 9-31
- Stock ampules, 10-34
- Stock LAS solution, 5-54
- Stock phenol solution, 5-48
- Stock solution, 5-58
- Stomach and gut examination, 10-91
- Stoneflies, 10-145_f
- Storage of culture media, 9-31
- Storage of samples, 1-43-46. *See also* Preservation of samples
- Stovepipe sampler, 10-74_f
- Streptomycin solution, 9-99, 9-101, 9-103
- Stressed enterococci, 9-41
- Stressed microorganisms, 9-39-41
 recovery enhancement
 for injured thermotolerant bacteria, 9-41
 for injured total coliform bacteria, 9-40-41
 for stressed enterococci, 9-41
 sample handling and collection, 9-39
- Stripping bottles, 6-12, 6-13_f
- Strontium, 3-98-100, 7-52-56
 flame emission photometric method, 3-99-100
 method selection, 3-99
 occurrence and significance, 3-98
 precipitation method and, 7-53-56, 7-55_f
 radioactivity and, 7-52-56
 sampling and storage, 3-99
- S. typhimurium* WG49 host culture, 9-100
- Sublimation apparatus, 5-56
- Sublimation reagents, 5-56
- Sublator, 5-51, 5-51_f
- Submarine photometer, 10-33, 10-34
- Substrate media, 9-93
- SUC (Medium for heterotrophic strains of *Thiothrix*), 9-129
- Sulfamic acid, 5-18, 5-20
- Sulfanilic acid, 9-137
- Sulfate, 4-188-194
 flow injection analysis, 4-193-194, 4-193_f, 4-194_t
 gravimetric methods, 4-189-190
 method selection for, 4-188
 methylthymol blue methods, 4-191-194, 4-192-193_f, 4-194_t
 occurrence of, 4-188
 sampling and storage of, 4-188
 turbidimetric method, 4-190-191
- Sulfate-reducing bacteria, 9-127
- Sulfate-reducing medium, 9-128
- Sulfide, 4-172-185
 acid-volatile sulfide (AVS), 4-172, 4-184-185, 4-184_f
 calculating un-ionized hydrogen sulfide, 4-181-183, 4-181_f, 4-182_t
 categories of, 4-172, 4-173_f
 distillation and, 4-183-184, 4-183_f
 flow injection analysis and, 4-183-184, 4-183_f
 gas dialysis, 4-177-178, 4-177_f
 iodometric method, 4-178
 ion-selective electrode method, 4-179-180, 4-180_t
 methylene blue method, 4-175-178, 4-177_f, 4-183-184, 4-183_f
 occurrence and significance of, 4-172
 preparing standards, 4-174
 qualitative tests, 4-173
 sample pretreatment, 4-175
 sampling and storage of, 4-172-173, 4-175
 separation of soluble and insoluble, 4-174
- Sulfite, 4-185-188
 iodometric method, 4-186
 method selection for, 4-185
 occurrence of, 4-185
 phenanthroline method, 4-187-188, 4-187_f
- Sulfobacillus thermosulfidooxidans, 9-131
- Sulfolobus acidocaldarius, 9-131
- Sulfuric acid, 5-17, 5-20, 5-40, 5-45, 5-47, 5-54, 5-60, 5-61
- Sulfur medium, 9-128
- Supporting line/rack, 10-33
- Surber-type samplers, 10-73-74, 10-73_f
- Surface-modified cellulose and filter aid disk depth-filter, 9-187
- Surface-modified cellulose and filter aid filters, 9-190
- Surface-modified cellulose and filter aid thin-sheet medium, 9-187
- Surface-modified thin-sheet media pleated filter cartridge, 9-190
- Surface water sampling, 9-34
- Surfactants, 5-50-57
 analytical precautions, 5-50
 anionic surfactants as MBAS, 5-53-55
 nonionic surfactants as CTAS, 5-55-57
 occurrence and significance, 5-50
 surfactant separation by sublimation, 5-51-53, 5-51_f
- Surrogates
 defined, 1-5
 quality control, 1-10
- Surrogate standard (SS), 6-32
- Swab technique ("Moore swab"), 9-145
- Swimming pools
 heterotrophic plate count, 9-44
 microbiological examination of, 9-43-45
 monitoring requirements for, 9-43-44
Pseudomonas aeruginosa tests, 9-45
 samples, 9-44
 Staphylococci or *Staphylococcus aureus* test, 9-44-45
 thermotolerant coliform tests, 9-44
 total coliform tests, 9-44
- Syringaldazine (FACTS) method, 4-70-71
- Syringe, 5-62, 10-25, 10-27, 10-34
- Syringes, 9-58
- Systematic error, 1-17
- ## T
- Tally equipment
 microbiological examination, 9-27
- Tangle nets, 10-88
- Tannin and lignin, 5-58-59
 colorimetric method, 5-58-59
- Tape measure, 10-44
- Tape roller, 9-195
- Taste, 2-19-23
 flavor profile analysis, 2-23-31
 flavor rating assessment (FRA), 2-22-23
 flavor threshold test, 2-20-21, 2-20_t
- TBT. *See* Tributyl tin
- TDS (Total dissolved solids), 7-45
- Tellurium, 3-110
- Temperature, 2-69-70
 depth temperature measurements, 2-70
 laboratory and field methods, 2-69-70
- Temperature-monitoring devices
 microbiological examination, 9-28
- Temperature-sensing and recording devices
 intralaboratory quality control guidelines, 9-7-8
- Test tubes, 9-58, 9-96
- Test-validation controls, 8-29
- Tetramethyl *p*-phenylenediamine dihydrochloride, 9-109
- Tetrathionate broth, 9-146
- Tetrazolium violet solution, 9-102
- TFE tubing, 5-37
- Thallium, 3-111
- Thermal treatment of waste, 1-67
- Thermometer, 9-64, 10-33
- Thermotolerant coliform direct test (A-1 medium), 9-74
- Thermotolerant (fecal) coliform membrane filter procedure culture medium, 9-85-86
 density calculation, 9-86-87
 materials, 9-85-86, 9-86_t
 procedure, 9-86
- Thermotolerant (fecal) coliform partition method, 9-90
- Thermotolerant coliform test (EC medium), 9-74
- Threshold odor test, 2-16-19
- Thin-windowed gas-flow proportional counters, 7-12-13
- Thiobacillus acidophilus* (*Acidophilum acidophilum*), 9-131
- Thiobacillus* spp. and physiologically related S-oxidizers, 9-127
- Thiocyanate, 4-53-55
- Thiodendron mucosum*, 9-123_f
- Thiosulfate oxidizing medium, 9-128
- Thiothrix, 9-127-128, 9-129
- Thiothrix unzii*, 9-123_f

- Thiovolum majus, 9-123f
- THMFP (Trihalomethane formation potential), 5-66, 5-67-70
- THMs. *See* Trihalomethanes; Trihalomethanes and chlorinated organic solvents
- Thorium, 3-111
- Thymol blue indicator solution, 5-60
- Time-to-filter (TTF), 2-93-94, 2-93f
- Tin, 3-111
- Tissue grinder, 10-23
- Titanium, 3-111-112
- Titration method
 - acidity and, 2-31-33
 - alkalinity and, 2-34-36
 - ammonia and, 4-112
 - carbon dioxide and, 4-31-36
 - chlorine and, 4-66-68
 - cyanide and, 4-43
- TLM (Median tolerance limit), 8-2
- T-maze toxicologic assays (TMTAs), 8-75-77, 8-76f
- TMTAs (T-maze toxicologic assays), 8-75-77, 8-76f
- TOC. *See* Total organic carbon
- Total coliform bacteria, 9-93-94
- Total dissolved solids (TDS), 2-65, 7-45
- Total organic carbon (TOC), 5-21-29
 - fractions of total carbon, 5-22
 - high-temperature combustion method, 5-23-25
 - method selection, 5-22-23
 - persulfate-ultraviolet or heated-persulfate oxidation method, 5-25-27
 - wet-oxidation method, 5-28
- Total organic carbon analyzer, 5-24, 5-26
- Total Propagated Uncertainty (TPU), 7-27
- Total solids dried at 103-105°C, 2-64
- Total suspended solids dried at 103-105°C, 2-66-67
- Total trihalomethane (TTHM_T), 5-65, 5-66f
- Total viable microbial measurement, 9-37-38
- Tow nets, 10-75
- Toxicity, defined, 8-2
- Toxicity Reduction Evaluations (TREs), 8-6
- Toxicity testing, 8-1-179
 - algae and, 8-52-64
 - biostimulation (agal productivity), 8-52-58
 - marine macroalgae, 8-59-64, 8-61f, 8-63f
 - phytoplankton, 8-58-59
 - amphibians and, 8-170-179
 - characteristics of, 8-170-171
 - culturing and maintaining organisms, 8-171-173
 - significance of, 8-170
 - test procedures, 8-174-179
 - annelids and, 8-83-95
 - characteristics and ecology of, 8-83
 - data analysis, 8-95
 - Neanthes arenaceodentata*, 8-83-84, 8-84f, 8-86, 8-87f, 8-90t, 8-91-93, 8-92f
 - Polydora cornuta*, 8-83-84, 8-84f, 8-87, 8-88f, 8-93-94, 8-94t
 - Pristina leidyi*, *Tubifex tubifex*, and *Lumbriculus variegatus*, 8-83-84, 8-86f, 8-94-95
 - sediment testing and, 8-91-95, 8-92f
 - selecting and preparing organisms, 8-83-89, 8-84-88f
 - test applications, 8-83
 - test procedures, 8-89-91, 8-90f, 8-90t
 - aquatic flowering plants and, 8-64-72
 - duckweed, 8-65-68, 8-65f, 8-66t
 - emergent plants, 8-69-72, 8-70f, 8-72t
 - aquatic insects and, 8-136-140
 - data analysis, 8-140
 - selecting and preparing organisms, 8-137-139
 - test procedures, 8-139-140
 - arthropods and, 8-105-136
 - Ceriodaphnia*, 8-110-115
 - Daphnia*, 8-105-110
 - decapods, 8-125-136
 - mysids, 8-115-125
 - bacterial bioluminescence test (BBT), 8-38-41
 - apparatus, 8-38
 - data analysis, 8-40
 - procedure, 8-39-40, 8-39f
 - reagents and materials, 8-38-39
 - basic requirements, 8-3-4
 - calculations and data analysis, 8-20-23
 - ciliated protozoans and, 8-73-78
 - chemotactic test, 8-75-77, 8-76f
 - Colpidium campylum*, 8-73-75, 8-74f, 8-74t
 - Colpoda inflata*, 8-77-78, 8-78t
 - growth inhibition tests, 8-73-75, 8-77-78
 - method selection for, 8-73
 - Tetrahymena thermophila*, 8-75-77, 8-75f, 8-76t
 - comet/single-cell gel electrophoresis assay, 8-43-47
 - echinoderms and, 8-141-150
 - embryo development test, 8-148-150
 - fertilization test, 8-143-146, 8-147f, 8-148
 - selecting and preparing organisms, 8-142-143
 - fish and, 8-150-169
 - fathead minnows, 8-161-169, 8-161f, 8-164-165t, 8-166f
 - selecting and culturing organisms, 8-151-155, 8-152t
 - test procedures, 8-155-160
 - interpreting and reporting results, 8-23, 8-24-25
 - literature review, 8-25-26
 - mollusks and, 8-96-105
 - characteristics and ecology of, 8-96
 - selecting and preparing organisms, 8-96-98
 - test procedures, 8-98-105
 - types of tests, 8-96
 - mutagenesis and, 8-30-37
 - method selection for, 8-30-31
 - Salmonella* microsomal mutagenicity test, 8-32-37
 - sample collection, storage, and preparation, 8-31
 - significance of, 8-30
 - P450 Reporter Gene System (RGS) tests, 8-41-42
 - preparing materials for, 8-16-17
 - preparing organisms for, 8-7-14
 - collecting, 8-8
 - culturing, 8-9-13, 8-10-12t, 8-10f, 8-13f
 - handling, holding, conditioning, 8-8-9
 - parasites and disease, 8-13-14
 - selecting, 8-7-8
 - quality control and, 8-26-30
 - analysis and reporting of results, 8-28-29
 - data quality objectives (DQOs), 8-27
 - elements of, 8-27-30
 - internal checks, 8-29-30, 8-29t
 - sample handling, storage, and shipment, 8-28
 - test procedures, 8-27-28
 - rotifers and, 8-79-83
 - selecting and preparing organisms, 8-80, 8-80t
 - significance of, 8-79
 - test procedures, 8-81-82, 8-81-82f, 8-82t
 - types of tests, 8-79
 - sediment pore water testing, 8-47-51
 - applications of, 8-47
 - collection and storage, 8-48
 - pore water extraction, 8-48-50, 8-49-50f
 - test procedures, 8-50-51
 - terminology, 8-2-3
 - test procedures, 8-1, 8-17-19, 8-18t
 - types of, 8-4-7
 - intermediate-term, 8-4, 8-5
 - long-term, 8-4, 8-5
 - short-term, 8-4, 8-5-6, 8-98-99, 8-99f
 - special purpose, 8-6-7
 - uses for, 8-1
 - water supply systems and testing equipment for, 8-15-16, 8-15f
- TPU (Total Propagated Uncertainty), 7-27
- Trace elements, 9-128
- Trace element solution, 5-14
- Tracers, 1-10
- Training for occupational health and safety, 1-50
- Trammel nets, 10-88
- Transmission electron microscopy method, 2-79-83
- Trap nets, 10-87f

- Trawls, 10-75, 10-88
 TRES (Toxicity Reduction Evaluations), 8-6
 Tributyl tin (TBT), 6-149–156
 gas chromatographic/flame photometric detector method, 6-155–156, 6-155t
 gas chromatographic/mass spectrometric method, 6-150–152t, 6-150–154, 6-151f, 6-153f, 6-154t
 method selection for, 6-149–150
 sampling and storage, 6-150
 sources and significance of, 6-149
 Trichloroacetic acid stock solution, 5-31
 Trichlorophenol standard solution, 5-31
 Trichlorophenol stock solution, 5-31
 Trichlorotrifluoroethane, 5-42, 5-44
 Trichlorotrifluoroethane-soluble oil and grease, 2-61–62, 2-62f
 Trichromatic method of chlorophyll *a*, *b*, and *c* determination, 10-24
 Trihalomethane formation potential (THMFP), 5-66, 5-67–70
 Trihalomethanes (THMs), 5-64–74, 5-65f
 chlorinated organic solvents and, 6-48–54
 liquid-liquid extraction gas chromatographic method, 6-49–54, 6-51f, 6-54t
 method selection for, 6-48
 purge and trap techniques, 6-54
 sources and significance of, 6-48
 definitions, 5-65–66, 5-66f
 formation of other disinfection by-products (DBPs), 5-72–74
 sampling and storage, 5-66
 simulated distribution system trihalomethanes (SDS-THM), 5-71–72
 trihalomethane formation potential (THMFP), 5-67–70
 Tris buffer, 10-31
 Tristimulus spectrophotometric method, 2-9–11
 Tritium, 7-56–57
 liquid scintillation spectrometric method, 7-56–57
 Trolling, 10-86–87
 Trotlines, 10-86
 True bugs, 10-150f
 Tryptone agar, 9-101, 9-102
 Tryptone agar slants, 9-96, 9-99, 9-100, 9-101, 9-102
 Tryptone bottom agar, 9-96–97, 9-99, 9-100
 Tryptone broth, 9-97, 9-99, 9-100, 9-101, 9-102
 Tryptone dilution tubes, 9-97, 9-99, 9-100, 9-101, 9-102
 Tryptone glucose yeast agar, 9-50
 Tryptone top agar, 9-97, 9-99, 9-100
 Tryptone water, 9-76
 TSM 1 medium for enumeration of *Acidithiobacillus ferrooxidans* on plates or as nutrient base for membrane filters, 9-132
 TTC, 9-113
 TTF (Time-to-filter), 2-93–94, 2-93f
Tubifex tubifex, 8-83, 8-94–95
 Turbidimetric method, 4-190–191
 Turbidity, 2-12–15
 method selection, 2-12
 nephelometric method, 2-13–15
 sample storage, 2-12
 sources and significance, 2-12
 Turntable, 9-54
 Two-plate procedure, 9-44
 Two-winged flies, 10-148f
 Type I error, 1-5
 Type II error, 1-5
- ## U
- Ultimate instrument variability, 1-18
 Ultrasonic bath or processor, 9-58
 Ultrasonic disruptor-emulsifier, 9-195
 Ultraviolet lights, 9-9, 9-29, 9-57, 9-89
 Ultraviolet spectrophotometric screening method, 4-122–124
 Uncertainty statements, 1-19
 Units
 in expression of results, 1-27–34
 mass, 1-28–30t, 1-28–31
 molality, 1-33
 p functions, 1-31–32, 1-32t
 radioactivity, 1-27–28
 stoichiometric factors, 1-32–33, 1-33t
 Unknown sample analysis, 1-25
 Uranium, 3-112, 7-58–61
 isotopic method, 7-60–61, 7-60f
 method selection for, 7-58
 occurrence and significance of, 7-58
 radiochemical method, 7-58–59
 Urea substrate, 9-47
 Useful upper limit of magnification, 10-15
 UV-absorbing organic constituents, 5-74–78
 applications, 5-74
 ultraviolet absorption method, 5-75–78
 apparatus, 5-75
 calculations, 5-76
 precision and bias, 5-77
 procedure, 5-76
 quality control, 5-76–77
 reagents, 5-75–76
- ## V
- Vacuum extraction, 8-48–49
 Vacuum filtration apparatus, 5-42
 Vacuum pump, 5-40, 5-42, 5-43, 5-45
 Vacuum source, 9-194
 Vacuum-type filter holder, 9-194
 Validation of method, 1-25–26
 Vanadium, 3-100–102
 gallic acid method, 3-101–102
 Vanadomolybdophosphoric acid colorimetric method, 4-153–154
 Van Dorn sampler, 10-5, 10-6f, 10-33
 Van Veen grab, 10-72f
 Variables
 in collaborative testing, 1-26
 in fish studies, 10-85
 Variable wavelength/filter absorbance detector, 10-27
 Vegetation mapping methods
 aerial photography, 10-54–55
 baseline, 10-53–54
 fathometry, 10-55
 line intercept, 10-54
 remote sensing, 10-54–55
 Ventilation, 1-51, 1-55–56, 9-6
 Venturi-type proportioning injector, 9-189
 Verification
 intralaboratory quality control guidelines, 9-19–20
 enzyme defined substrate tests, 9-20
 membrane filter methods, 9-19–20
 MTF methods, 9-19
 Vertrel XF, 9-196
 Vials, 5-67, 5-72
Vibrio
 biochemical identification, 9-164–165
 immunomagnetic separation after enrichment, 9-163–164
 investigation methods, 9-166
 molecular approaches and DNA-based testing, 9-165–166
 plating media, 9-164
 safety, 9-162
 sample enrichment, 9-162–163
 sampling and concentration, 9-162
 serological identification, 9-165
 toxin assays, 9-165
 Vinyl plastic tubing, 9-189
 Virus quantitation procedures
 advantages/disadvantages, 9-198
 cell culture procedures for isolation and assay, 9-198–199
 identification of isolates, 9-199–200
 isolation and assay in mice, 9-199
 Visual comparison method, 2-6–7
 Vitamin mix (medium for heterotrophic strains of *Thiothrix*), 9-129
 Voges-Proskauer test, 9-108
 Volatile fatty acid calibration standard mixture, 5-63
 Volatile fatty acid stock standard mixture, 5-63
 Volatile organic compounds, 6-3, 6-30–42
 method selection for, 6-30
 purge and trap techniques, 6-22, 6-33–40
 quality control for, 6-31–33
 sample collection and preservation, 6-3, 6-3t, 6-31
 scope of methods, 6-30, 6-31t
 sources and significance of, 6-30
 Volatile selenium, 3-94–95
 Voltage plateaus, 7-13–14, 7-13f
 Voltammometric method, 4-101–103
 Volume fraction, 1-28
 Volumes of samples, 1-42

Volume/surface area, 10-31
 Volumetric flask, 5-41
 Volumetric method, 2-68, 2-96–97, 6-45

W

Warm rooms, 1-50
 Washing and sterilization, 9-30, 9-31
 Wash solution, 5-54
 Waste management, 7-19
 Waste minimization, 1-66
 Waste receptacle, 5-40, 5-42, 5-43, 5-45
 Waste treatment and disposal
 biological safety, 1-62
 methods, 1-67
 radiological safety, 1-64
 Wastewater
 Cryptosporidium in, 9-221–222
 Giardia in, 9-221–222
 quality control for samples, 7-8
 sampling and preservation of, 7-2–3
 Wastewater treatment plant samples, 5-11
 Water bath, 5-40, 5-42, 5-43, 5-45, 9-64,
 9-96
 Water bath incubator, 9-10
 Water flow meter, 9-189
 Water intakes, 10-92
 Water-jacketed incubator, 9-10
 Water purification system, 9-8
 Water quality applications, 10-50

Weak acid dissociable procedure,
 4-49–50, 4-57–58, 4-57f
 Weirs, 10-88
 Whipple Square, calibration of, 10-16f
 Whirlpools, 9-45–46
 WHO (World Health Organization), 8-30
 Whole water, nonfiltered samples,
 extraction of, 10-25
 Wilding sampler, 10-74f
 Worker protection medical program,
 1-60–61
 Working range and detection limit, 5-9,
 5-16
 Working solutions, 10-34
 Work practice assignment, 1-56
 World Health Organization (WHO), 8-30

X

XAD resin, 5-37
 Xylose lysine brilliant green agar, 9-147
 Xylose lysine desoxycholate (XLD) agar,
 9-147

Y

Year marks, 10-97f
 Yeast extract-malt extract-glucose agar,
 9-204, 9-205, 9-207
 Yeast extract solution, 5-14
 Yeast nitrogen base-glucose broth, 9-207

Yellow-green, green, and golden-brown
 algae, 10-128f
 Yellow pigment, 9-109
Yersinia enterocolitica
 enrichment and isolation with selective
 media, 9-175
 enteropathogenic strains, differentiation
 of, 9-176
 identification, 9-148t, 9-176
 membrane filter method, 9-175–176,
 9-176t
 O antigen, determination of, 9-176
 Yield calculations, 9-63
 Yield control, 9-63

Z

Zinc, 3-102–103
 anodic stripping voltammetry, 3-57–60
 zincon method, 3-102–103
 Zincon method, 3-102–103
 Zone settling rate, 2-90–91, 2-91f
 Zooplankton
 concentration of, 10-12, 10-12f, 10-21f
 counting techniques, 10-21–22
 defined, 10-2
 Folsom plankton splitter, 10-21, 10-22f
 mounts, 10-14
 sampling and storage procedures,
 10-7–10
 subsampling, 10-21, 10-21f
 Zoospore fungi, 9-207–208