

## INDEX

Page numbers in *italics* refer to figures. Page numbers in **bold** refer to tables.

## A

- a ions (Biemann nomenclature) 694, 698–699, 698, 700, 706–707
- acetates 336, 394–395
- acetone 306
- acid-base scales 670–671
- acids
  - aliphatic 392–402
  - aromatic 402–404
- acyl derivatives 590
- adduct ions
  - recognition 306
  - ionization techniques producing 269, 272
  - in chemical ionization (CI) 451, 460
  - in desorption chemical ionization (DCI) 473
  - in electrospray ionization (ESI) 667
  - formation in DART inlet systems 245
  - in MALDI
    - as glass-storage-induced contaminant 536
    - matrix-induced 525
    - multiple-charge 539
    - polymer analysis 551
    - in protein analysis 715
  - in negative-charge chemical ionization (NCI) 464
- affinity capture via biotin 720, 736
- affinity surfaces 540–541
- AGC (automatic gain control) 86
- alcohols
  - aliphatic 271, 368–372
  - aromatic 376–380
- aldehydes 381–392
- aliphatic compounds 368–376
  - acids 392–402
  - alcohols 271, 368–372
  - aldehydes 383
  - amines 342–343, 405–414
  - esters 392–402
  - ethers 372–376
- alkoxy radicals 400
- alkyl halides 363–367
- alkyl radicals 347–348
- alkylsulfonates, as anion dopants in oligosaccharide analysis 769
- $\alpha$ -bond cleavage 334, 386
- AMDIS (Automated Mass Spectral Deconvolution and Identification System) 435, 622–629
- amines, aliphatic 342–343, 405–414
- amino acids 693, 697
  - post-translational modifications 712–734
  - residue masses 702–705
  - see also proteins, peptides
- ammonia 413, 415, 461
- ammonium ions 306, 665
- analog-to-digital converters (ADC) 77–79
- analysis, qualitative 184, 616
- analyte
  - concentration 648, 673–674
  - identification from product-ion spectra 208–219
  - in impure samples 324
  - loss 616–617
  - MALDI
    - matrix 521–525, **522**
    - solubility 537
  - molecular ion peak, identifying 302–306
  - non-volatile 8
  - pH 653, 669–672
  - purification and isolation, GC/MS 587
  - reduction, atmospheric pressure chemical ionization (APCI) 653–654
  - solvent clusters 308, 494, 668
  - speciation 256

- anions  
  in electron transfer dissociation (ETD)  
    181–182  
  see *also* deprotonated molecules,  
    negative-charge ions
- antibodies 540
- APCI see atmospheric pressure chemical  
ionization
- APPI (atmospheric pressure  
photoionization) 641, 654–659
- applications 27–43  
  atmospheric pressure chemical  
  ionization (APCI) 472, 642  
  atmospheric pressure photoionization  
  (APPI) 658–659  
  capillary electrophoresis (CE) 244  
  carbohydrate analysis 769–772  
  chemical ionization (CI) 474–477  
  collisionally activated dissociation  
  (CAD) 198, 469  
  desorption chemical ionization (DCI)  
  236–237  
  desorption electrospray ionization  
  (DESI) 248, 497–498  
  direct analysis in real-time (DART)  
  245, 246–247  
  electron capture dissociation (ECD)  
  751–752, 769  
  electron capture negative ionization  
  (ECNI) 468  
  electron detachment dissociation (EDD)  
  769  
  electrospray ionization (ESI) 487, 490,  
  500–505, 675, 676  
    oligonucleotide analysis 764  
    protein analysis 744, 753, 756–757  
  Fourier transform mass spectrometry  
  (FTMS) 127–128, 753  
  GC/MS 631–632  
  high-performance liquid  
  chromatography (HPLC) 764  
  inductively coupled plasma mass  
  spectrometry (ICPMS) 255, 257  
  ion mobility spectrometry (IMS) 130  
  isotope-coded affinity tags (ICAT) 737  
  liquid chromatography/mass  
  spectrometry (LC/MS) 641, 661,  
  674–676  
  MALDI 524, 534, 535, 547–548,  
  549–553  
    carbohydrates 769, 770  
    oligonucleotide sequencing 761,  
    764  
    mass spectrometry/mass spectrometry  
    (MS/MS) 674, 675  
    proteomics techniques 759–760  
    supercritical fluid  
    chromatography/mass spectrometry  
    (SFC/MS) 242
- Applied Biosystems 96, 97, 183, 496
- AQUA 741
- aromatic acids 402–404
- aromatics, nitrogen-containing  
414–419
- atmosphere (unit of pressure) 148
- atmospheric pressure chemical ionization  
(APCI) 220, 451–452, 641  
  analyte concentration and *m/z* signal  
  673–674  
  analyte pH 669–672  
  analyte reduction 653–654  
  applications 472, 642  
  compared with electrospray ionization  
  (ESI) 672–674  
  detection limits 245  
  fragmentation 471  
  GC/MS 471–472, 573  
  interface 650–654  
  negative ionization 651  
  protonation 651–654
- atmospheric pressure ionization (API)  
451, 641, see *also* atmospheric  
pressure chemical ionization,  
atmospheric pressure photoionization,  
electrospray ionization
- atmospheric pressure matrix-assisted  
laser desorption/ionization (AP MALDI)  
533–535
- atmospheric pressure photoionization  
(APPI) 654–659
- atmospheric pressure solids analysis  
probe (ASAP) 249
- atomic mass, definition 273
- atomic mass unit (amu) definition  
4–6
- avidin 736, 739

**B**

- b** ions (Biemann nomenclature) 695,  
697, 699, 700, 721–722  
  recognition 701–706  
  structure 698

- background 200, 467, 602–604, 656  
  subtraction 618–622  
  *see also* noise
- bar (unit of pressure) 148
- basicity, gas-phase 458
- batch inlets 233–238
- Bayard-Alpert ionization pressure gauge 151
- benzylic cleavage 358
- BEqQ hybrid mass spectrometer 190–191
- $\beta$ -cleavage 334, 386, 406, 412
- $\beta$ -elimination, of phosphate moieties 720–721
- Biemann nomenclature 694, 698
- Biller-Biemann algorithm 623
- biomarkers 550
- biopolymer analysis 691, *see also* amino acids, proteins, peptides
- biotin, as affinity tag 736
- bleed, GC/MS 602–604, 618
- boundary-associated dissociation (BAD) 544–545
- Brevetoxin B 473
- bromine 279–281
- Brønsted acids and bases 460, 469
- buffer gases 82–83, 193
- buffers, liquid chromatography/mass spectrometry (LC/MS) signal 665
- C**
- c ions (Biemann nomenclature) 698
- C-terminus, definition 693
- C trap 106–107
- CAD *see* collisionally activated dissociation
- calibration 131–135, 616  
  selected ion monitoring (SIM) 609, 611
- capillary columns 90
- capillary electrophoresis (CE) 24, 242–243, 505, 650
- carbenium ions 349–350
- carbohydrates  
  analytical considerations 765  
  data interpretation 767  
  MALDI matrices 523
- carbon 278, 282, 287, 290, 349–350  
  isotopes 42
- carbon filters 153
- carrier gases, gas chromatography 575
- CE (capillary electrophoresis) 24, 242–243, 505, 650
- CEM (Channeltron single-channel electron multiplier) 140–142
- Cerno Bioscience 630
- channel electron multiplier array (CEMA) 144
- charge ratio analysis method (CRAM) 493
- charge sites  
  aldehydes 381  
  aliphatic alcohols 368  
  aliphatic ethers 372  
  alkyl halides 363  
  aromatics containing nitrogen 415  
  heteroatoms 421–422  
  odd-electron ions 338  
  peptide fragment ions 698  
  unsaturated hydrocarbons 353–354
- charge-exchange mass spectrometry 470–471
- charge-site-driven bond cleavage 335–337, 339, 340, 373, 392
- chemical ionization (CI) 13–14, 271–272  
  process overview 451–454  
  data interpretation 469–470  
  in GC/MS 573  
  and quadrupole ion traps (QIT) 91  
  reagent gases 455–457  
    pressure 451, 452  
  selective ionization 461  
  use complementary to electron ionization 35–37  
  vacuum systems 591  
  *see also* atmospheric pressure chemical ionization
- chemical reaction interface mass spectrometry (CRIMS) 231, 252–253
- chemistry mass scale 6
- chirality 206, 242, 460, 505
- chlorine 279–281, 366–367  
  *see also* adduct ions
- chromatograms 575–576
- chromatography 42–43  
  *see also* gas chromatography, liquid chromatography
- Chromatoprobe 231, 235–236
- CI *see* chemical ionization
- cold-spray ionization (CSI) 501
- collision cells 176, 177–178, 187, 190–191

- collisionally activated dissociation (CAD)  
 106–107, 176, 207, 215–218  
 process overview 180  
 carbohydrates 766  
 in-source 196–197  
 ionization efficiency 195  
*m/z* vs. ion drift time 208  
 protein sequencing 695, 698–699,  
 701–708, 712, 714, 744–752
- columns, GC/MS 577–578
- common-product-ion analysis *see*  
 precursor-ion analysis
- conductance (C) (of gas flow) 149
- constant neutral-loss analysis 205–206
- contamination 289, 307, 324, 360–361  
 direct insertion probe (DIP) 234–235  
 electrospray ionization (ESI) 499  
 GC/MS 580, 585–586, 603–604,  
 617–618  
 MALDI 537–538  
 vacuum pumps 157–158, 161
- continuous dynode (CD) 140–142
- CRAM (charge ratio analysis method)  
 493
- CRIMS (chemical reaction interface mass  
 spectrometry) 252–253
- cryogenic detectors 146
- CSI (cold-spray ionization) 501
- cyanylation 758
- cyclic ethers 381
- cyclohexane 351
- cysteine status 726
- cysteines 726–734, 758  
 isotope-coded affinity tag (ICAT)  
 735–740
- ## D
- d** ions (Biemann nomenclature) 694
- D/I *see* desorption/ionization
- dalton (Da) definition 6
- Daly detector 145–146
- DAPCI (desorption atmospheric pressure  
 chemical ionization) 249
- dark matter 8, 205–206, 305, 329, 337  
 definition 271  
 peptides 697
- DART (direct analysis in real-time)  
 245–247
- data acquisition  
 GC/MS 604–605  
 quadrupole ion trap (QIT) 83  
 time-of-flight mass spectrometers  
 75–81
- data interpretation  
 general considerations 270–272,  
 310–311  
 terminology 271  
 chemical ionization (CI) 469–470  
 electron ionization (EI) 321–328  
 electrospray ionization (ESI)  
 490–493  
 mass spectrometry/mass spectrometry  
 (MS/MS) 208–219  
 oligonucleotides 763–764  
 overlapping spectra 291–292
- data-dependent acquisition (DDA) 199
- databases 212, 213, 218–219, **219**,  
 433–443, **438**  
 multiple 440  
 proteins 710, 711–712  
 size and quality **434**, 440–441
- DCI (desorption chemical ionization)  
 453, 474
- DDA (data-dependent acquisition)  
 199
- DE (delayed extraction) 66, 545–546
- decade, definition 605
- deconvolution 622–630, 753
- DEI (direct electron ionization) 472
- delayed extraction (DE) 66, 545–546
- deprotonated molecules **269**, 272,  
 464–469  
 recognition 306  
 ketones and aldehydes 381
- derivatization 422–428, 429–433, 494,  
 587–590  
 aliphatic acids and esters 392  
 oligonucleotides 760–761  
 oligosaccharides 767  
 proteins 726, 729–730
- DESI (desorption electrospray ionization)  
 247–248, 496–498
- desorption, thermal, GC/MS 632
- desorption atmospheric pressure  
 chemical ionization (DAPCI) 249
- desorption chemical ionization (DCI)  
 453, 472–474
- desorption chemical ionization probe  
 236
- desorption electrospray ionization (DESI)  
 247–248, 496–498

- desorption ionization on silicon (DIOS)  
546–547
- desorption/ionization (D/I) 15  
see *also* electrospray ionization; fast  
atom bombardment; matrix-assisted  
laser desorption/ionization
- detection limits 204, 245, 254–255, 466,  
596
- detectors 136–146
- diagnostic tests (clinical) 42
- dialkyl phthalates 617
- diazomethane 588–589
- differential pumping 149
- 2,5-dihydroxybenzoic acid 524, 530, 531
- DIOS see desorption ionization on silicon
- dioxin 184
- DIP (direct inlet probe) 231, 233–235
- direct analysis in real-time (DART)  
245–247
- direct electron ionization (DEI) 472
- direct exposure probes 236
- direct inlet, liquid chromatography/mass  
spectrometry (LC/MS) 642–643
- direct inlet probe (DIP) 231, 233–235
- distonic ions 206
- disulfide bonds 527, 726–734
- disulfide scrambling 729
- DNA  
collisionally activated dissociation  
(CAD) mass spectra 763  
see *also* oligonucleotides
- dopants, atmospheric pressure  
photoionization (APPI) 655–656, 656
- double bonds 429–433, 590
- double-focussing magnetic-sector  
instruments 191, 297
- drugs, illicit 245, 421–422, 665–666
- Dursban (pesticide) 474–475
- E**
- ECD (electron capture dissociation) 181,  
749–752
- ECNI see electron capture negative  
ionization
- EDD (electron detachment dissociation)  
730, 751
- EE (even-electron) ions 209, 311, 405
- effluent diverters, GC/MS 594
- EI see electron ionization  
fragmentation mechanisms  
gamma-H shift in EI 337  
heterolytic cleavage in EI 335  
homolytic cleavage in EI 333  
McLafferty rearrangement 337  
Sigma-bond cleavage in EI 330
- EIC (extracted ion current) 24
- einzel lenses 59–61
- electro-optical ion detector (EIOD)  
144–145
- electro-osmotic flow 243
- electron beam, electron ionization (EI)  
318–319
- electron capture dissociation (ECD) 181,  
749–752
- electron capture negative ionization  
(ECNI) 14, 453, 465–469, 475, 477  
and negative chemical ionization (NCI)  
464  
see *also* negative chemical  
ionization (NCI)
- electron detachment dissociation (EDD)  
730, 751, 769
- electron ionization (EI) 13, 271, 272  
conceptual overview 7  
process overview 317–320  
data interpretation 297–299,  
321–328  
disadvantages 474  
electron beam 318–319  
electron orbitals 322–323  
fragmentation patterns 326, 328–433,  
see *also* fragmentation pathways  
in GC/MS 575  
ionization efficiency 318–320, 319  
ionization energies 322–325  
liquid chromatography/mass  
spectrometry (LC/MS) 661  
of reagent gas in chemical ionization  
(CI) 455  
similarities with product-ion mass  
spectra 214  
source filament 317–318, 319–320  
vacuum systems 591
- electron multipliers (EM) 137–138,  
139–142, 528
- electron orbitals, electron ionization (EI)  
322–323
- electron pairs 333, 335
- electron transfer dissociation (ETD) 98,  
181–184, 752

- electrons, mass 304  
 electrophoresis, gel 539–540  
 electrophoretic inlets 242–244, 505  
 electrosonic spray ionization (ESSI) 700  
 electrospray ionization (ESI) 16–17, 672, 691, 745  
   operating principles 487–490, 491  
   adduct formation 667  
   amino acid sequencing 727  
   and atmospheric pressure chemical ionization (APCI) 451–452, 672–674  
   in Fourier transform mass spectrometry (FTMS) 493  
   interfaces 244, 247–248  
   isotope peaks 494  
   in liquid chromatography/mass spectrometry (LC/MS) 641, 647–650  
   micro- and nano- 494–496, 666  
   negative-ion 490  
 electrostatic repulsion-hydrophilic interaction chromatography (ERLIC) 718  
 electrothermal vaporization 255  
 elemental analysis 37–39, 253, 255, 273  
   by isotope peak patterns 276–292  
 elemental speciation 256  
 EM see electron multipliers  
 enzyme digestion 715–716  
 equipotential lenses 59–61  
 ESI see electrospray ionization  
 esters  
   aliphatic 392–402  
   aromatic 402–404  
   methyl 400–402, 588–589  
 ETD (electron transfer dissociation) 181–184, 752  
 ethanol 306  
 ethers  
   aliphatic 372–376  
   cyclic 381  
 ethyl radicals 412  
 even-electron (EE) ions 209, 311, 405  
 Even-Electron Rule 311  
 explosives 246, 248, 498  
 extracted ion current (EIC) 24  
   spectrometry) 129–130  
 Faraday cup 138–139  
 fast atom bombardment (FAB) 250–251, 474, 521, 646–647  
 fatty acids 396, 401, 429–433  
   MALDI 552  
   polyunsaturated 432  
 Fellgett advantage 125  
 field-asymmetric ion mobility spectrometry (FAIMS) 129–130  
 filament  
   chemical ionization (CI) 454  
   electron ionization (EI) source 317–318, 318, 319–320  
 folding 542, 756–758  
 fore pumps 152–156  
 formate 306  
 formic acid 306  
 forward geometry 179  
 Fourier transform (FT) 106, 122–123  
 Fourier transform mass spectrometry (FTMS) 122–128, 147, 192, 493, 749  
 fragment ion, definition 22  
 fragment ions, electron ionization (EI) **328**  
 fragmentation  
   charge-exchange mass spectrometry 471  
   chemical ionization (CI) 460, 461–463  
   electron ionization (EI) 329–344  
   MALDI 522, 525, 528, 531, 544–545  
   selected ion monitoring (SIM) 609–610  
   types 329–344  
 fragmentation mechanisms  
   **b**-ion formation from protonated peptide 702  
   gamma-H shift in EI 337  
   heterolytic cleavage in EI 335  
   homolytic cleavage in EI 333  
   McLafferty rearrangement 337  
   Sigma-bond cleavage in EI 330  
   **y**-ion formation from protonated peptide 701  
 fragmentation pathways 34, 271  
   aldehydes 383, 384  
   aliphatic acids and esters 392–402  
   aliphatic alcohols 368–372  
   aliphatic amines and alcohols 406–414  
   aliphatic ethers 372–376

## F

FAIMS (field-asymmetric ion mobility

alkyl halides 364–367  
aromatic alcohols 376–380  
aromatic hydrocarbons 355–363  
aromatic ketones 388  
carbohydrates 766–769  
clenbuterol 215–216  
cyclic ethers 381, 382  
fatty acids 429–433  
ketones 388–392  
peptides 694, 695–700  
proteins 745–748, 749–752  
trimethylsilyl derivatives 423–427  
fringe fields in quadrupoles 57  
FTICR-MS see Fourier transform mass spectrometry  
FTMS see Fourier transform mass spectrometry  
functional groups 334  
  derivatization of 587–590  
  elimination, chemical ionization (CI) 462

**G**

$\gamma$ -cleavage 386, 388  
gas chromatography (GC) 13, 14, 396, 573  
  operating principles 575–582  
gas chromatography/mass spectrometry (GC/MS) 13–15, 14, 29–31, 307–308, 422, 452–453  
  atmospheric pressure chemical ionization (APCI) 471–472  
  atmospheric pressure photoionization (APPI) 659  
  history 573–575  
  instrument requirements 590–593  
  interfaces 593–596, 599  
  ionization techniques 573  
  sources of error 616  
  special techniques 631  
gas-phase basicity 458  
GC see gas chromatography  
GC/MS see gas chromatography/mass spectrometry  
GC/MS ChemStation software 440  
gels 539–540, 541–542  
glass sample containers 536, 586  
GLC (gas-liquid chromatography) 576  
glycans 765  
glycopeptides 724

glycoproteins, analysis 769  
glycosylation sites, proteins 723–724

## H

Hadamard transform 80–81  
half- $C_n$  rule 346  
haloalkanes 363–367  
HD Technologies 103  
HDX see hydrogen/deuterium exchange  
heated reservoir inlets 232–233  
height equivalent to a theoretical plate (HETP) 578  
helium  
  as buffer gas 193  
  as carrier gas 578–579, 580  
  and vacuum pump specifications 157  
helium ions 80  
heteroatoms, multiple 421–422  
heterocyclic compounds containing nitrogen 419  
heterolytic bond cleavage 335–337, 339, 340, 373, 392  
high-mass discrimination 112–113  
high-performance liquid chromatography (HPLC) 16, 256, 648–649, 715  
homolytic bond cleavage 333–334, 386  
HPLC see high-performance liquid chromatography  
hybrid mass spectrometers 188–189, 190–191, 206–207, 526  
hydride abstraction products 269  
hydride-shift rearrangements 342–344, 413  
hydrocarbons  
  aromatic 355–363  
  branched 348–351  
  cyclic 351–353  
  fragmentation 345–363  
  saturated 345–353  
    branch points 350  
  straight-chain 345–348  
  vacuum pump contamination 158  
hydrogen 277  
  as carrier gas in gas chromatography 578–579  
  radicals 411, 412, 415  
hydrogen-shift fragmentation 338–342, 351–352, 371, 398–400  
hydrogen/deuterium exchange (HDX) 542, 757–758

## I

- ICAT 735–740
- ICPMS (inductively coupled plasma mass spectrometry) 253–257, 500
- ICR (ion cyclotron resonance) 122–128, 147, 493, 526, 744
- immobilized metal affinity chromatography 718
- immonium ion mass (ImmMass) 693
- immonium ions 409, 411, 694, 697, 707, 721
- in-beam ionization 453, 474
- in-source collisionally activated dissociation (CAD) 196–197
- inductively coupled plasma mass spectrometry (ICPMS) 253–257, 500
- information-dependent acquisition 199
- injection ports, GC/MS 582–585
- inlet systems
  - batch 232–238
  - continuous 239–244
  - GC/MS 596–597, 599
  - ionization 244–249
  - speciality 249
- inorganic compounds 487
- inorganic ions 500
- integrating transient recorder (ITR) 79, 606, 613
- interfaces, GC/MS 596–597, 599
- interference, spectral 668
- internal standards, liquid chromatography/mass spectrometry (LC/MS) 663
- ion cyclotron resonance (ICR) 122–128, 147, 493, 526, 744
- ion detectors 136–147
- ion funnels 58–59, 533
- ion guides 56–61
- ion lenses 59–61, 533
- ion loss 73, 107, 120, 190, 533, 605
- ion microscopes 547
- ion mirrors 69, 73, 543–544
- ion mobility spectrometry (IMS) 128–131
- ion pairing, liquid chromatography/mass spectrometry (LC/MS) 663–665
- ion series, definition 327
- ion source
  - electron ionization (EI) 317–320
  - chemical ionization (CI) 452, 454
  - contamination 603–604
- ion trajectory, transmission quadrupole (QMF) 109–110
- ionization efficiency
  - atmospheric pressure chemical ionization (APCI) 471
  - collisionally activated dissociation (CAD) 195
  - electron ionization (EI) 318–320, 319
  - MALDI 525–526
- ionization techniques 7–8
  - APCI see atmospheric pressure chemical ionization
  - CI see chemical ionization
  - desorption electrospray ionization (DESI) 247–248, 496–498
  - EI see electron ionization
  - ESI see electrospray ionization
  - inductively coupled plasma ionization (ICP) 253–257
- ions
  - definition 271
  - fragmentation pathways 34, 271
  - high  $m/z$  value 282, 295–297
  - high mass 143, 304
  - metastable 177
  - molecular see molecular ions, protonated molecules
  - monoisotopic 297
  - multiple-charge 204, 304, 539, 647
  - negative see deprotonated molecules; negative-charge ions
- isomers 28–29, 289, 309, 433, 466
  - amino acids 694
  - aromatic alcohols 378–380
  - aromatic hydrocarbons 358–359, 360
  - cysteinyl peptides 726
  - glycosides 771
- isotope labelling 380, 425–427, 442, 609–612
  - amino acids 742
  - in medical studies 42
  - proteins 735–740, 741
- isotope-coded affinity tag (ICAT) 735–740
- isotopes 252, 276–292
  - carbon 42
  - column bleed 604
  - in electrospray ionization (ESI) 494
  - MALDI 527, 529
  - in mass spectrometry/mass spectrometry (MS/MS) 220



ITR see integrating transient recorder  
iTRAQ 743

## K

ketones 381–392  
kinetics 502  
Knudsen flow 148

## L

ladder sequencing, peptides 707–708  
laser frequency, MALDI 533  
lasers 255, 521, 525–526, 528  
LC/MS see liquid chromatography/mass spectrometry  
library searches 435, 616  
see also databases  
LIFT - not a proper term; see commentary at end of the list of abbreviations at end of book  
limits of detection (LOD) 204, 245, 254–255, 466, 596  
linear quadrupole ion trap (LIT) 97–103  
linear time-of-flight instruments 62–68, 63, 68  
liquid chromatography (LC) 505, 553  
liquid chromatography/mass spectrometry (LC/MS) 16, 297, 307–308, 553  
applications 721  
atmospheric pressure chemical ionization (APCI) 471  
electron ionization (EI) 661  
history 642–647  
interfaces 642–661  
see also electrospray ionization; atmospheric pressure chemical ionization; atmospheric pressure photoionization  
liquid secondary ion mass spectrometry (LSIMS) 250–251, 646  
LIT (linear quadrupole ion trap) 97–103  
low-mass limit 94, 193–194  
LSIMS (liquid secondary ion mass spectrometry) 250–251, 646  
lysine 724

## M

*m/z* analyzers 55, 61–62  
3D QIT 84–95  
FTMS, see Fourier transform MS

ion cyclotron resonance, see ICR  
linear quadrupole ion trap (LIT) 97–103  
magnetic-sector  
single-focussing 116–118  
double-focussing 118–122  
orbitrap 103–107  
quadrupole ion trap (QIT) 82–95  
time-of-flight (TOF) 55, 62–81  
transmission quadrupole (QMF) 108–115  
*m/z* peaks  
nominal 276  
normalization 279, 285  
*m/z* scale  
calibration 131–135, 525, 616  
definition 4  
*m/z* value  
high 647  
metastable ions 179  
relationship between charge state and mass in electrospray ionization (ESI) 492  
relationship to oscillating frequency in ICR 124  
relationship to time-of-flight 65  
McLafferty rearrangements 339, 392–393, 417  
magnetic-sector instruments 115–122, 191, 297, 613  
MALDESI (matrix-assisted laser desorption electrospray ionization) 248, 498  
MALDI see matrix-assisted laser desorption/ionization  
mass  
atomic, definition 273  
monoisotopic, definition 273–274  
nominal, definition 273  
mass analyzers see *m/z* analyzers  
mass chromatograms 501  
mass defect 274, 275, 303, 616  
mass discrimination 57, 112–113  
mass mapping  
disulfide bonds 727–730  
MALDI 524  
peptides 709–712  
Mass Spec Calculator Pro 440  
mass spectra, interpretation see data interpretation  
mass spectrometer, conceptual illustration 2, 56

- mass spectrometry
  - applications 12, 27–42, *see also* applications
  - concept 3, 4
  - history 9–22, 44–49, 61–62, 64, 175
  - state of art 44
- mass spectrometry/mass spectrometry (MS/MS) 16, 175–220
- linear quadrupole ion trap (LIT) 99
- process 174
- species of spectra 178
- tandem-in-space* 186–191
- mass spectroscopy 9–10
- mass-coded abundance tagging 740–743
- mass-to-charge ratio *see m/z*
- MassFinder software 630
- MassWorks software 630
- matrix solutions, MALDI 535
- matrix-assisted laser desorption electrospray ionization (MALDESI) 248, 498
- matrix-assisted laser desorption/ionization (MALDI) 15, 39–41
  - amino acid sequencing 727
  - high-pressure and atmospheric pressure 533–535
  - history 521
  - operating principles
    - ionization process 529–533
    - laser and *m/z* analyzer 525–529
    - matrix 521–525
  - protein phosphorylation 715–717
- MCAT 740
- mechanisms
  - b**-ion formation from protonated peptide 702
  - gamma-H shift in EI 337
  - heterolytic cleavage in EI 335
  - homolytic cleavage in EI 333
  - McLafferty rearrangement 337
  - Sigma-bond cleavage in EI 330
  - y**-ion formation from protonated peptide 701
- membrane introduction mass spectrometry (MIMS) 239–240
- metal surfaces, GC/MS 599–600
- metalloproteins 756
- metastable ion decay *see* post-source decay
- metastable ions 177, 179–180
- methane 669
- methanol 306
- methyl esters 396
  - preparation 588–589
- methyl radicals 347, 412
- methylamine, in cleavage for cyanylation-based mass disulfide mapping 730
- methylene groups 346–347
- microbes 505, 549–550, 760
- microelectrospray ionization 494–496, 666
- MIMS (membrane introduction mass spectrometry) 239–240
- mist eliminators 153
- mixtures 43, 324–325, 547, 623–626
  - atmospheric pressure photoionization (APPI) 657
  - gas chromatography/mass spectrometry (GC/MS) 573
  - MALDI sample preparation 536
  - proteins 700, 739
- mobile phase
  - gas chromatography (GC) 575, 579
  - high-performance liquid chromatography (HPLC) 661
- liquid chromatography/mass spectrometry (LC/MS) 669
- molecular flow, definition 148
- molecular ion 13, 269, 304–305, 356
  - definition 22
  - fragmentation 28, *see also* fragmentation pathways
  - odd *m/z* value *see* Nitrogen Rule
- peaks 304–305
  - labelling 475
  - mass defect 274
  - aliphatic acids and esters 392
  - aliphatic alcohols 368
  - aliphatic amines 406
  - alkyl halides 364
  - aromatic alcohols 380
  - aromatic hydrocarbons 360
  - aromatics containing nitrogen 414
  - fatty acids 401
  - heterocyclic compounds containing nitrogen 419
  - hydrocarbons 351
- presence in electron ionization (EI) spectra 323–324
- preservation in supersonic molecular beam gas chromatography/mass spectrometry (GC/MS) 595

proteins 742  
see also protonated molecules  
molecule, definition 271  
monoisotopic ions 297  
monoisotopic mass, definition 273  
MOWSE score 711  
MS/MS see Mass Spectrometry/Mass Spectrometry  
MS1, definition 176  
MS2, definition 176  
MS<sup>n</sup> 189, 192, 193  
see also mass spectrometry/mass spectrometry  
Multinomial Algorithm for a Spectral Profile-Based Intensity Comparison (MASPIC) 711  
multiple reaction monitoring (MRM) see selected reaction monitoring  
multiple-charge ions 204, 304, 491, 492, 539, 647

## N

N-terminus, definition 693  
nanoelectrospray ionization 494–496, 666  
negative chemical ionization (NCI) 453, 464–465  
see also ECNI  
negative-charge ions 269, 272  
acid-base scale 671  
atmospheric pressure chemical ionization (APCI) 651  
cysteine-containing peptides 730  
detection 142–143  
electrospray ionization (ESI) 501–502  
see also deprotonated molecules, NCI  
neutral loss (dark matter) 8, 205–206, 305, 329  
from peptides 697  
spectra 178  
Neutral Loss Search function, NIST MS Search Program 439  
Nier-Johnson mass spectrometer 120, 121  
NIST Isotope/Formula Calculator 209, 210, 213, 216  
NIST Mass Spectral Interpreter Program 439–440  
NIST Mass Spectral Search Program 210–213, 211, 435–442, 620–622

file formats and conversion 434, 630  
formula search function 298, 299  
NIST number 442  
NIST product-ion spectra database 218  
NIST05 Mass Spectral Database 386, 433, **434**, 438, 620–622  
data quality 441  
database structure 212  
formula searches 213, 298  
library searches 367, 433, **434**  
nitration, proteins 735  
nitro compounds 419  
nitrogen 406  
compounds containing 405–420, see also Nitrogen Rule  
Nitrogen Rule 275–276  
applied 31, 33, 34, 37–38, 210, 216, 296, 323, 401, 405  
noise 77, 307, 619–620, 748  
GC/MS 593  
nominal *m/z* peak, definition 276  
nominal mass 273, 529  
noncovalent interactions 504, 534, 549, 753–756  
nonvolatile compounds 8, 236–238, 250, 641  
normalization of spectral peaks 279, 285, 743  
normetanephrine (NMN) 32, 607–612

## O

*oa*TOF (orthogonal acceleration time-of-flight instruments) 70, 74  
odd-electron (OE) ions 209, 329, 338, 340, 354, 373, 386  
peaks 393, 394–396  
oligoalanines 695  
oligonucleotides 504  
analytical considerations 760–761  
data interpretation 763–764  
quantitation, MALDI 552  
sequencing, nomenclature 761–763  
oligopeptides 521  
oligosaccharide antibiotics 766  
orbitrap 103–107  
*ortho effect* 360, 377, 402, 403, 415  
orthogonal acceleration (*oa*TOF) instruments 74  
OSCAR algorithm 767  
oxime derivatives 589

oxonium ions 372  
oxygen 288, 406  
  compounds containing 368–404  
  isotope peaks 283–284

## P

PAD 143  
PAGE 242  
Palisade Complete Mass Spectral Library 433, 441  
particle beam interface (PB) 659–661  
parts per million (ppm) definition 294  
pascal (Pa) definition 148  
Paul trap *see* quadrupole ion trap  
PB (particle beam interface) 659–661  
PDPA (phase-Doppler particle analysis) 488–489  
peaks, definition 23–24  
Penning ionization 151–152, 245  
pentafluoropropionic (PFP) groups 32  
peptide sequencing 701–712  
peptides 39–41, 204–205, 498, 504  
  high-charge states 699  
  ladder sequencing 707–708  
  MALDI 523, 534, 549  
  mass mapping 709–712  
  molecular mass 693  
  Pro-containing 697  
  quantitation 552, 735–743  
  sample preparation, MALDI 539  
  sequencing 544, 701–708  
    collisionally activated dissociation (CAD) 701–708  
    synthetic 741  
perfluorinated compounds, use in EI  $m/z$  scale calibration 132  
performic acid 720  
Perkin Elmer 435  
pesticides 474–477  
PFP groups 32  
pH  
  atmospheric pressure chemical ionization (APCI) efficiency 669–672  
  proteases 729  
  sample solution, electrospray ionization (ESI) 500, 501  
  *see also* proton affinity  
phase-Doppler particle analysis (PDPA) 488–489  
phenyl rings 289  
phosphates, carbohydrates 768  
phosphopeptides, capture and detection 718  
phosphorylation 39–41  
  sites 714, 719–722  
photodissociation 524  
photofragmentation 531  
photons 654  
phthalates 307–308  
plasticizers 289, 585–586, 617–618  
plug flow 242, 243  
polyacrylamide gel electrophoresis (PAGE) 242  
polyesters 504  
polymer-modified surfaces, MALDI 538–540  
positive ions  
  acid-base scale 670  
  *see also* molecular ions, protonated molecules  
positive-ion formation *see* protonation  
post-acceleration detector (PAD) 143  
post-source decay (PSD) 542–544, 550, 698–699, 730  
post-translational modifications, amino acids 712–734  
potassium 302, 306  
ppm (parts per million) definition 294  
precipitation, liquid chromatography/mass spectrometry (LC/MS) 668–672  
precursor ions 178, 191, 495, 503, 543  
  analysis 185, 204  
  charge states 180  
pressure gauges 150–152  
pressures, operating *see* vacuum systems  
PROCLAME software 713  
product ions 178, 185, 191, 193, 543  
  spectra 209–213  
    databases 218–219  
    proteins 746–748  
    similarities with electron ionization (EI) mass spectra 214  
product-ion analysis 208–219  
ProFound 711  
propyl radicals 412  
proteins 39–41, 182, 204–205, 489, 498, 504  
  terminology 693–694  
  analysis, overview 691–692  
  cysteine status 726–734  
  digestion 735

folding and unfolding 756–760  
glycosylation 723–724  
MALDI 537, 549, 550–551  
  sample preparation 536  
  sample surfaces 539–540,  
  540–541  
phosphorylation 717  
  sites 714–722  
quantitation 735–743  
ubiquitinated 734  
proteomics 693, 698  
proton affinity 457–460, 653  
  see *also* pH  
protonated molecules 269, 272, 455,  
457, 654–655  
  recognition 305–306  
  high mass 304  
  peaks  
    electron ionization (EI) and chemical  
    ionization (CI) compared 36, 37  
    elemental analysis 209  
    labelling 475  
    peptides 702  
  peptides 694, 695–696  
  stability 463  
  in electron ionization (EI) 372  
  in MALDI 526–527, 528  
  see *also* molecular ions  
protonation 455, 457–463  
  atmospheric pressure chemical  
  ionization (APCI) 651–653, 672  
  atmospheric pressure photoionization  
  (APPI) 654–656  
  electrospray ionization (ESI) 500  
  MALDI 531–532  
  peptides 696–697  
  see *also* protonated molecules  
protons, mass 304  
PSD see post-source decay  
PTM (post-translational modifications)  
712–734  
PTRMS (proton transfer reaction mass  
spectrometry) 250  
pulsed ion extraction 545–546  
pumps  
  high vacuum 156–162, 579–580  
  low vacuum 153–156  
  speed 149  
purge and trap 631  
pyrolysis mass spectrometry (Py-MS)  
238

**Q**

Q-TOF (quadrupole-time-of-flight hybrid  
instruments) 188  
QMF see transmission quadrupole  
quadrupole ion trap (QIT) 55, 82–95, **95**,  
372  
  principle of operation 92–93  
  electron capture dissociation (ECD)  
  181  
  electron transfer dissociation (ETD)  
  181  
  high *m/z* value ions 295  
  and inductively coupled plasma mass  
  spectrometry (ICPMS) 254  
  operational cycle 85, 88–89  
  performance limitations 115  
  tandem-in-time mass spectrometry  
  192, 193, **195**  
quadrupole mass filters 108–115  
qualitative analysis 184  
  sources of error 616  
quantitation  
  oligonucleotides 552  
  peptides and proteins 552, 735–743  
  selected ion monitorin (SIM) 609–613  
  sources of error 616–617  
*Quantitative Deconvolution Software for  
Mass Spectrometry* 629–630

**R**

radical sites  
  aliphatic alcohols 368  
  aliphatic amines 405  
  aliphatic ethers 372  
  alkyl halides 363  
  aromatics containing nitrogen 415  
  heteroatoms 421–422  
  ketones 390  
  odd-electron ions 338  
radical-site-driven bond cleavage  
333–334  
radicals, definition 271  
“reactive” desorption electrospray  
ionization (DESI) 248, 498  
reagent gases 469, 475, 477  
  charge-exchange mass spectrometry  
  470  
  chemical ionization (CI) 452, 455–457

reagent ions 452, 455–457  
 rearrangement fragmentation 337–344,  
 362  
   hydride-shift 342–344, 413  
   hydrogen-shift 338–342, 351–352,  
   371, 398–400  
   ketones 386  
 reconstructed total ion current (RTIC)  
   profile 23, 592  
 reduction, analytes, atmospheric pressure  
   chemical ionization 653–654  
 reduction conditions, cystine-containing  
   proteins 731–732  
 reflectron 69–74, 245  
   in MALDI 527, 528, 543–544  
 residue mass (ResMass) 693, 702–705  
 resistance (R) (of gas flow) 149  
 resolution 101  
   definition 25  
   Fourier transform mass spectrometry  
   (FTMS) 125  
   MALDI 545–546, 547–548  
   quadrupole ion trap (QIT) 83  
   *see also* resolving power  
 resolving power 25–27, 26, 83, 136–137  
   definition 25  
   high  $m/z$  value ions 295  
   importance in elemental analysis  
   293–295  
   Fourier transform mass spectrometry  
   (FTMS) 125, 126  
   linear time-of-flight instruments  
   65–67, 529  
   magnetic-sector, double-focussing  
   instruments 118–119  
   orbitraps 107  
   orthogonal acceleration (*oa*TOF)  
   instruments 74  
   reflectron instruments 73  
   *see also* resolution  
 resonance electron capture ionization 14  
 reTOF *see* reflectron  
 reverse geometry 120, 179  
 rings-plus-double-bonds calculation 284  
 RNA 712, 763  
   *see also* oligonucleotides  
 Roepstorff nomenclature 694  
 rounding errors 616  
 RTIC (reconstructed total ion current)  
   592, 622  
 rubidium 500

## S

S-score 711  
 S/N (signal-to-noise ratio) 77, *see also*  
   background; noise  
 safety 153  
 sample handling, GC/MS 585–586  
 sample introduction 3D QIT 88–90  
 sample matrix, MALDI 521–525, **522**,  
   531  
 sample plates, MALDI 537, 538–540  
 sample preparation, MALDI 531,  
   535–542  
 sample purity  
   MALDI 537  
   on-probe, MALDI 538  
   *see also* contamination  
 sample storage  
   GC/MS 585–586  
   MALDI 536  
 SAMs 538–540  
 Scoring Algorithm for Spectral Analysis  
   (SALSA) 711  
 secondary ion mass spectrometry (SIMS)  
   250, 521  
 segmented scan function 85, 88–89  
 selected ion flow tube mass spectrometry  
   (SIFTMS) 249–250  
 selected ion monitoring (SIM) 95, 112,  
   121, 179, 593, 606–615  
   compared with SRM 199–203  
   contamination 617  
   programmable 614–615  
 selected reaction monitoring (SRM) 177,  
   178–179, 668  
   compared with selected ion monitoring  
   (SIM) 199–203  
 self-CI problem 89–90  
 sensitivity  
   atmospheric pressure photoionization  
   (APPI) 659  
   electrospray ionization (ESI) 493  
   GC/MS 596  
   ion detectors, characterization  
   136–137  
   selected ion monitoring (SIM) 614  
   selected reaction monitoring (SRM)  
   204  
 separators, molecular, in GC/MS  
   597–599  
 septa, GC/MS 583–584  
 sequence tagging 710

- sequencing peptides 701–712  
Sequest software 710, 735  
SESI (secondary electrospray ionization) 502  
SFC (supercritical fluid chromatography) 240–242, 675  
sidechain mass (SCMass) 693  
 $\sigma$ -bond cleavage 330–333, 345, 347–348, 387  
signal strength, electrospray ionization (ESI) 648  
signal suppression 657–658, 662–666  
signal-to-background 200, 467  
atmospheric pressure photoionization (APPI) 656  
signal-to-noise ratio 77, *see also* background; noise  
SILAC 741  
silicon, porous (pSi) 546  
silylation 422–427, 588  
of GC/MS interface components 599–600  
SIM *see* selected ion monitoring  
SIMS (secondary ion mass spectrometry) 250, 521  
small molecules 551–552  
sodium 306  
soft ionization 197–198, 271–272, 305–306  
*see also* electrospray ionization (ESI)  
MALDI  
software 209–219, 433–442, 710, 711–712, 713  
solvents 654–655  
clustering 308, 494, 668  
electrospray ionization (ESI) 488, 489, 665–667  
liquid chromatography/mass spectrometry (LC/MS) 641, 668–669  
space-charge effect 86  
spectral interference 668  
spectral skewing 67, 113–114  
differences by manufacturer and instrument type 622  
GC/MS 601–602  
SpectralWorks 629  
SRM *see* selected reaction monitoring  
stability diagram, transmission quadrupole (QMF) 110, 111  
Stable Isotope Labelling with Amino acids in Cell culture (SILAC) 741  
stationary phase, gas chromatography (GC) 576–577  
Stevenson Rule 347  
stretched geometry 85–86  
substructure identification 209–213, 215–218  
sulfation sites, proteins 722–723  
sulfur 297–298, 301–302  
*see also* disulfide bonds  
supercritical fluid chromatography (SFC) 240–242, 675  
surface ionization 453, 474  
synthesis/degradation ratio mass spectrometry 740–741  
synthetic polymers 537, 550–551  
syringe technique 583–585  
system compromise 668–674
- ## T
- T-wave devices 207  
TAD (time-array detection) 605–606  
tandem mass spectrometry *see* mass spectrometry/mass spectrometry  
*tandem-in-space* mass spectrometry/mass spectrometry (MS/MS) 184, 186–191  
applications 185, 186  
*tandem-in-time* mass spectrometry/mass spectrometry (MS/MS) 192–196  
applications 185  
Taylor cone 488, 489, **669**  
terminology 22–27  
data interpretation 271  
mass spectrometry/mass spectrometry (MS/MS) 177–179  
proteomics 693–694, 698  
vacuum systems 148–149  
tetramethylsilane, as reagent gas in chemical ionization (CI) 456–457  
thermal electrons 464, 465–466  
thermal-conductivity gauges 150  
thermocouple pressure gauge 151  
thermospray interface, liquid chromatography/mass spectrometry (LC/MS) 644  
3D quadrupole ion trap *see* quadrupole ion trap  
throughput 148, 676–677  
time-array detection (TAD) 66, 77–80  
time-lag focusing 66, 545–546

time-of-flight, relationship to ion velocity and  $m/z$  value 65

time-of-flight (TOF) instruments 55, 62–81, 297, 525–529, 613  
and inductively coupled plasma ionization (ICP) 254  
resolving power 295  
spectral skewing 622  
TOF-TOF 189, 190

time-slice detection 76–77

time-to-digital converter (TDC) 78–79

tissue profiling 547–548

*tof*, relationship to ion velocity and  $m/z$  value 65

TOF mass spectrometers see time-of-flight instruments

“top-down” protein analysis 744–753

torr, definition 148

toxicology 29–31

TQMS (triple-quadrupole mass spectrometer) 187–188, 189, **189**

transition flow 148

transition metals 306

transmission quadrupole (QMF) 473, 614  
high  $m/z$  value ions 295  
output characteristics 111–113

trifluoroacetic acid (TFA) 535

trimethylsilyl (TMS) derivatives 422–427, 588

triple-quadrupole mass spectrometer (TQMS) 187–188, 189, 189

tris-(trimethoxy)-triphenylphosphonium-acetyl (TMPP-Ac) 699

turbomolecular pumps 157–159, 579–580  
2D quadrupole ion trap 97–100

## U

ubiquination, proteins 734

Ultra Mark 135

unified atomic mass unit ( $u$ ) definition 6, 273

## V

vacuum  
low 152  
medium 150  
high 156–162

vacuum pumps 152–162  
contamination 158  
low vacuum 152–156  
high vacuum 156–157, 579–580

vacuum systems 18–19, 55–56, 451, 477, 581  
atmospheric pressure photoionization (APPI) 656  
chemical ionization (CI) 454  
electron ionization (EI) 320  
GC/MS 591  
liquid chromatography/mass spectrometry (LC/MS) 643  
orbitrap 107  
overview 147–148  
time-of-flight mass spectrometers (TOF) 63–64

valence states 284

Van Deemter-Golay curves 578, 579

velocity, relationship to  $m/z$  in linear TOF spectrometers 65

viscous flow 148, 157

## W

**w** ions (Biemann nomenclature) **698**

water 371, 378, 380, 406  
in adduct ions 306  
in atmospheric pressure chemical ionization (APCI) 650–651  
in electrospray ionization (ESI) 489  
as matrix, MALDI 534, 548  
as sample, GC/MS 631, 632

Wien filter 9

Wiley Database of Designer Drugs 433

Wiley Registry, 8th Ed. database 433, 441

Wiley/NIST database 433

Wsearch32 software 630

## X

X elements 284, 288  
definition 277

X+1 elements 287  
definition 277

X+2 elements 287, 301, 475, 626–627  
contribution to X+1 peak 290  
definition 277

**x** ions (Biemann nomenclature) 698