

---

# INDEX

- A**
- ADC, 10, 13, 135–136, 162, 164, 170, 175.  
*See also* Analog to digital converter
- Agrochemical(s), 151–152, 161
- Albendazole sulfone, 224
- Analog to digital converter (ADC), 10, 13, 152
- Antibiotic(s), 78, 81, 106
- Antibiotic residues, 133
- Antimalarial(s), 113, 121, 127
- Atrazine, 67–68, 256
- B**
- Benzoylcegonine, 81–83
- Binding energy, 18–19
- Bovine serum albumin (BSA), 165, 166.  
*See also* BSA
- Bromacil, 26–27
- BSA, 166, 168. *See also* bovine serum albumin
- C**
- CAD (Collisionally activated dissociation), 239–244
- Caffeine, 78, 99–100
- CC $\alpha$  (definition), 199
- CC $\beta$  (definition), 200, 217
- Centroid(s), 137–138
- Chemical interferences, 12
- CID (Collision induced dissociation), 44, 47, 53, 60, 106
- Ciprofloxacin, 79
- Clarithromycin, 79
- Cocaine, 81–82
- Counterfeit  
 drugs, 121  
 pharmaceuticals, 113
- Crossover point, 247–248, 253–255
- Cross-talk, 91
- CSV file, 64
- D**
- DART, 47–48, 52–53, 113, 116, 119, 121–127, 229–237, 239, 241, 244. *See also* Direct analysis in real time
- Database(s), 36, 57–64, 66–69, 80, 83, 91, 105, 108, 124, 154, 173, 177, 237, 241, 244, 248
- Deconvolution, 47, 71, 81, 84–85  
 software, 64
- DEET, 62–63
- Dereplication, 153–154
- DESI, desorption electrospray ionization, 114–118, 122
- DeSSI, desorption sonic spray ionization, 114–116
- Diazinon, 252–253
- Dilute-and-shoot, 182, 193
- Dimethomorph, 29–30
- Diphenhydramine, 98
- Direct analysis in real time (DART), 47
- Diuron, 27–28, 67
- DMSO (Dimethylsulfate), 147
- Doping control, 176
- Drug(s)  
 forensic, 173–174  
 screening, 175–177, 179, 194  
 street, 183–193

- Dwell time, 253  
 Dynamic range, 14–15, 134–135, 151–152, 162
- E**  
 Elemental composition(s), 17, 35–36, 57, 71, 74, 80, 108, 124, 229, 231, 237, 239  
   calculator, 20, 81  
   determination, 17  
 Emerging contaminants, 105, 108  
 Equations of TOF, 4  
 Explosive(s), 119
- F**  
 Flight time(s), 4–7  
 Food monitoring, 247–248  
 Full width at half maximum (FWHM), 10, 11  
 FWHM, 10, 45, 54, 74, 138, 148, 152, 175, 201, 219, 225. *See also* Full width at half maximum
- G**  
 Growth-promoting agents, 197–198, 200
- H**  
 Helium metastable atoms, 232–233  
 Hydrogen/deuterium (H/D) exchange, 229–231, 236, 238–239, 241–244  
 Hydroxyethyl valine, 162–163  
 Hydroxy-mebendazol, 224
- I**  
 ICE, *see* Ion composition elucidation  
 ICP, 46. *See* ion correlation program  
 Identification points (IP), 198–199  
 IMA, 24–30. *See also* Isotope mass average  
 Imazalil, 66, 75–76, 252  
 Ion  
   composition, 35, 37, 42, 49–51  
   composition elucidation (ICE), 41–42  
   correlation, 47, 52  
   correlation program (ICP), 35–36, 45, 47–50, 54  
   detection, 9  
   mirror, 5, 8–9  
   pulser, 5, 7–8  
   statistics, 11  
 IP(s), 200, 225. *See also* Identification points  
 Isofenphos methyl, 61–62  
 Isotope  
   A+1, 20, 23, 25–26, 28  
   A+2, 20, 23, 25–26, 28  
   cluster, 17, 91, 160, 162  
   mass average, 18, 24–26. *See also* IMA  
   mass defect, 19  
   pattern(s), 27, 173, 176–177  
   ratio(s), 89–90, 123, 176, 202  
   stable, 20
- L**  
 Laser-assisted desorption/ionization techniques, 120  
 Libraries, 68–69, 73, 81, 106, 173, 182  
 Library, 58–59, 71–72, 80, 82–83, 85, 123, 154  
 Linear dynamic range, 135–136, 141, 152
- M**  
 MALDI-TOF, 4  
 Mass  
   accuracy, 3, 8, 10, 14–15, 17, 22  
   calibration, 6, 124  
   correction, 12  
   defect, 17–19, 21–22, 24–25, 29  
   interferences, 29  
   peak profiling, 40, 97  
   filer, 89, 91, 99, 101  
   range, 7, 35, 95, 97  
   reference, 12  
 Metolachlor, 67  
 Metoprolol, 50–51  
 MFD, 64–68. *See also* molecular feature database  
 MFE, 89, 92–93, 95, 97. *See also* molecular feature extractor  
 MSPD (Matrix solid phase dispersion), 203  
 Microsoft Office database, 58–60, 83  
 Milk, 203–205, 210–211, 217–221, 226  
 Molecular feature database (MFD), 57, 59, 63  
 Molecular feature extractor (MFE), 63, 89, 91  
 MYCO-743-C5, 154–155  
 Mycotoxins, 157

**N**

- Non-target
  - analysis, 80
  - screening methods, 73
- NSAIDs, 23

**O**

- Oa-TOF, 3, 9–10, 14–15. *See also*
  - Orthogonal axis time-of-flight
- Ofloxacin, 79
- Oligosaccharides, 168–170
- Orthogonal acceleration time-of-flight, 44, 174
- Orthogonal axis time-of-flight (oa-TOF), 3–5, 14
- Oxolinic acid, 77, 222–223

**P**

- PEG(s), 122, 124–125, 235, 238
- Penitrem A, 156
- PFK, 39, 42
- PCPs, 89
- Profile generation model (PGM), 41–42
- PGM, 45. *See also* Profile generation model
- Propachlor, 67
- Propazine, 25–26

**Q**

- Q-TOF, 71, 74, 78, 84–85, 89–91, 99–101, 108, 120, 154–155, 162, 165–166

**R**

- Reference mass correction, 12
- Reflectron, 9, 18
- Relative isotopic mass defect, 21, 23–30
- Resolving power, 3–4, 8–12, 14, 24–25, 38–42, 74, 108, 255
- Rule of three, 27–28
- Relative isotopic abundance (RIA), 35–39, 41, 43. *See also* RIA
- Relative mass defect, 24, 26–30
- RIA, 44–54. *See also* Relative isotopic abundance

**S**

- SID (Source induced dissociation), 154
- SigmaFit, 175–177, 179, 182

- Signal suppression, 134, 137, 145–147

- Space focusing, 8
- Spinetoram, 158–161
- Spinosad D, 23–25
- Stable isotopes, 20
- Sulfamethoxazole, 100–101

**T**

- Target Screening Methods, 73
- TDC, 10, 13, 135–136, 152, 162, 164. *See also* Time to digital converter
- Time-of-flight (TOF)
  - arrival times, 7, 8–9, 13
  - equations, 4
  - history of, 4
  - ion energy, 4
  - kinetic energy, 4–5
  - TOF measurement cycle, 7
- Time to digital converter (TDC), 9, 13
- TLPP, *see* Transient level peak picking
- Toxicology, 161–162, 174
- Transient(s), 7–8, 13
- Transient level peak picking (TLPP), 7, 12–13
- Turn around time, 8–9

**U**

- Unknown identification, 18
- UPLC, 71, 74, 78, 80, 83–85, 133, 137–139, 142, 144–145, 147, 164–165, 168, 197, 200, 202–203, 218–221, 223–224, 226
- Urine, 173, 176, 178–179, 194, 217, 222

**V**

- Veterinary drug(s), 133, 140, 144–145, 148, 197–200, 202–203, 205, 210–211, 216, 219, 226
- residue(s), 133, 140, 203

**W**

- Wastewater treatment plant (WWTP), 72, 76, 82. *See also* WWTP
- WWTP, 83–84