

Subject Index

Note: Figures are indicated by *italic page numbers*, Tables by **bold page numbers**

- absorptive enrichment 107
- accidents, minimization of 11, 18
- acetonitrile **113, 115**
 - industrial production of 239
 - replacement by other solvents 230, 241
 - shortage of 239, 241–4
- acetonitrile–water mixture, as LC
 - mobile phase 215, 219, 235, 242
- acoustic cavitation 143
- Acquity UPLC technology 234, 235, 236
- acrylonitrile, industrial production of 239
- adrenergic amines, analysis of 226
- adsorptive enrichment, with thermal desorption 106–7
- Agenda 21 5
- Agilent HPLC-Chip technology 214
- agriculture, pollution in 36
- alternative solvents 110–32
- analytical chemistry
 - basis 77
 - cutting edge research **20**
 - Green Chemistry principles applied to 18–20
 - role of 20–2
- analytical instrumentation
 - operating life span 73–4, 276
 - refurbished equipment 277–8
- Analytical Instruments Recycle (AIR) company 277
- analytical methodologies, assessment of 65–74
- analytical methods
 - basis 77–8
 - greenness profiles 67–70
- analytical system, components 22, 23
- antibiotics, analysis of 196
- Atom Economy concept 9, 66–7
- ATP sulfurylase 273, 275
- automation of laboratory procedures 54–6
 - energy savings due to 135–6
- autosamplers 54
 - in HPLC systems 213
- Beers' law 248
- bilinearity of data 293, 294
- bioanalytical methods 167
 - capillary electrophoresis used 251
 - computer screen/webcam technology used in 189–90
 - see also* immunoassays
- biochemical analysis, EEM
 - fluorescence spectroscopy applications **182**
- BioDVD 194–5
- biomarkers 41
 - urinary screening of 41–3
- biomedical analysis, UPLC-MS
 - applications **240**
- bioprocess monitoring, EEM
 - fluorescence sensors used 180
- biosensors 26–7
 - factors affecting commercial uptake 62–3
 - in GMO screening 44

- pharmaceutical drug residues in water monitored by 39
- BioView sensor 179
- biphasic solvent systems 117–18
- biphasic systems, electrochemistry in 145
- bismuth-film electrodes 51, 164
- bleaching products, determination of hypochlorite in 157

- calcium-sensitive DVD sensor films 192
- capillary electrochromatography (CEC) 245
- capillary electrophoresis (CE) 244–54
 - bioanalysis using 43
 - buffers in 248, 249, 250
 - compared with HPLC 245, 250–1
 - detection of analytes in 246, 248–50
 - in field instruments 171
 - with flow injection analysis 261
 - instrumentation 245, 246
 - ionic liquids used in 129
 - with laser-induced fluorescence
 - detection 43
 - mobility in 246–8
 - multiplex method applied to 301
 - portable instruments 252–4
 - sampling techniques 260–1
- capillary supercritical fluid chromatography 227
- capillary zone electrophoresis (CZE) 43
- carbon dioxide
 - critical properties 119, **120**
 - measurement of 166
 - sources 226
 - see also* supercritical carbon dioxide
- carbon electrodes 51, 164
- carbon-film electrodes 49–50
- Carcinogenicity/Mutagenicity/Reprotoxicity (CMR) solvent classification 112, **114**
- catalysts, need for use 10
- CD/DVD disks, sensor films on 190, 191, 192–3, 192
- CD/DVD-reader based methods 190–7
 - compared with computer screen/webcam technique 197
- “cell-on-a-chip” devices 167
- centrifugation 88–9
- certified reference materials (CRMs), OCPs/PCBs 40
- chemical screening 33–44
- chemical sensors 158–67
 - components 47, 158, 159
 - miniaturization of 49–50
 - types 47, 159–60
- chemical warfare agents, detection and analysis of 27, 161, 171, 254
- chemicals
 - environmental impact 2, 4
 - uses 2
 - ways of reducing input to environment 6–8
- chemometrics 65, 289, 290–6, 304
 - in EEM fluorescence spectroscopy 292–6
 - meaning of term 290
- chiral separations 128, 229, 245
- chlorine-sensitive CD sensor films 193
- chlorofluorocarbons (CFCs) 3
 - alternatives to 118
- chromatography 208
 - measurement performance
 - improvement for 300–2
 - see also* gas chromatography; liquid chromatography
- closed-vessel microwave decomposition 139
- Club of Rome, *Limits to Growth* report 8
- colorimetric assays
 - measurement by computer screen/webcam technique 185, 188
 - in non-instrumental microfluidic devices 265–6
- compact disks *see* CD/DVD disks
- complexity conservation 12
- computational chemistry 297
- computer optical disk drives, use in chemical analysis 190–7
- computer screen photoassisted technique (CSPT) 184–9
 - applications 189–90, 266
 - compared with CD/DVD-reader based methods 197
 - experimental set-up 185, 186

- computer screen/webcam spectroscopy 185–9
- computers
 - in flow injection analysis 59, 154
 - use in analytical chemistry 65
- consumer electronics, chemical analysis using 184–97, 266, 304
- consumer products, digital microfluidics devices produced using 272
- contactless conductivity detector (CCD) 249–50
- containment approach 6
- continuous chromatography 233
- continuous-flow microwave digestion 140
- correlation chromatography 300–2
- corrosivity criterion [in greenness profile] 68, 69
- counter-current chromatography (CCC), ionic liquids used in 129
- creatinine, determination of 157
- critical properties of various solvents **120**
- cross injection device (for capillary electrophoresis sampling) 260–1

- data collection and handling 55
 - in automated laboratory system 64–5
- data processing 64–5, 290–6
 - EEM fluorescence spectroscopy **183**, 184, 292–6
- data structures 295
- databases
 - analytical methods 67
 - life cycle analysis 72
- degradable chemical products 7, 10
- derivatization steps, avoiding 10, 45
- detection limits
 - capillary electrophoresis **251**, 253
 - CD/DVD based methods 193, 195, 196
 - chlorine in water 193
 - pharmaceutical drug residues 37, 38, 39
 - SAW devices 161
- dialysis 87
- digital microfluidics systems 244, 266–76
 - advantages 267, 271–2
 - consumer products used 272
 - coplanar design 271
 - disadvantages 272
 - droplet actuation technique 268, 270
 - with pyrosequencing 273–5
 - simpler design 272–3
 - volumes involved 267, 268
- dioxins 3
- direct chromatographic analysis 209
- direct thermal desorption (DTD) 108–9
- dispersion in chromatography 212–13
 - micro-column HPLC 213
- dispersive liquid–liquid microextraction (DLLME) 92
- dissolved organic matter (DOM) in water, analysis by EEM
 - fluorescence spectroscopy 178, **181**
- dissolved oxygen levels, measurement of 166
- DNA biosensors 44
- DNA immobilization by surface attachment 275
- DNA microarrays 196
- DNA polymerase 273
- DNA sequencing-by-synthesis 273–5
 - see also* pyrosequencing
- droplet-based electrowetting technique 270–2
 - future developments 275
- droplet microfluidics 266–76
 - advantages 267
 - volumes involved 267, 268
- drying 81, 141
- durability 13

- E-factor 66
- early warning systems 29
- economic factors 11
- ecosystems, source of information about 21
- EEM spectroscopy *see* excitation emission matrix (EEM)
 - fluorescence spectroscopy
- efficient use of mass, energy, space and time 12, 18
- Eksigent HPLC systems 212–13
- electrically enhanced extraction 95–6
- electroanalysis, ultrasound-assisted 145

- electrochemical biosensors 52–3
- electrochemical detectors 249–50, 258–9
- electrochemical devices 50–3
 - recent advances in 50–1
- electrochemical stripping analysis 52
- electrode materials 51–2, 164
- electrodes, miniaturized 164–6
- electrokinetic phenomena 244, 245
- electrolytes, ionic liquids as 129
- electro-membrane extraction 95–6
- electromigration methods 244
 - see also* capillary electrophoresis;
micellar capillary electrokinetic
chromatography
- electronic interfaces 64–5
- “electronic nose” 161
- “electronic tongue” 167
- electro-osmosis 244, 245, 247
- electrophoresis 244
 - early development of 208, 244–5
 - see also* capillary electrophoresis;
ion mobility spectrometry
- electrophoretic velocity 246
- electrospray ionization mass spectro-
metry (ESI-MS) 211, 232, 277
- electrothermal vaporization atomic
absorption spectrometry 169
- electrowetting 268
- electrowetting on dielectric (EWOD)
268–70
 - droplet actuation by 268, 270
- elevated-temperature HPLC 214–17,
219–25, 244
 - advantages 215–16
 - analyte property dependence on
temperature 224–5
 - column packing materials **220**, 225
 - equipment redesign for 220–2
 - “greenness” of 231, 304
 - limitations 225
 - mobile phases used 219
 - multicomponent mobile phases used
223–4
 - pre-heating of mobile phase in 220–1
 - stationary phases used 219–20, 225
- eluent modifiers, in liquid
chromatography 225–6
- “end-of-pipe technology” 6
- energy consumption
 - chromatography methods 232
 - ranking of instrumental methods 135
- energy criterion [in greenness profile] 70
- energy efficiency, design for 10, 18, 19
- energy-saving procedures 132–48
 - extraction techniques 133–6
- environmental analysis
 - EEM fluorescence spectroscopy
applications **181–2**
 - UPLC-MS applications **240–1**
- environmental analytical chemistry,
QSPR methods applied to 297–8
- environmental, health and safety (EHS)
hazards assessment, for solvents 115
- environmental impact
 - of chemicals 2
 - of ionic liquids 130
 - of solvents 113, 114
- environmental pollutants 25–6
 - screening of 297–8
- environmental sensor networks 26
- enzyme-linked immunosorbent assay
(ELISA)
 - CD/DVD method compared with 196
 - evaluation by CSPT 189
- ethanol **113**
 - as HPLC mobile phase 215, 243
 - as replacement for acetonitrile 215,
241, 243
- ethanol–water mixtures, as HPLC
mobile phases 219, 225
- Ethernet connections 64–5
- ethyl lactate 116
- excitation emission matrix (EEM)
 - fluorescence spectroscopy 178–84
 - accuracy affected by artefacts 183
 - applications **181–3**
 - chemometrics and 292–6
 - computer screen/webcam method
and 188
 - contour plot of EEM spectrum 180
 - data processing for **183**, 184, 292–6
 - light-emitting diodes used 179
- exergetic life cycle analysis, comparison
of preparative chromatography 230–1

- exergy of system 231
- explosives, field detection of 27, 161, 171, 253
- extraction systems
 - cleaning of 58
 - for laboratory on-line systems 56–7
 - for screening tests 37
- extraction techniques 80–2
 - comparison of various techniques **83**
 - factors affecting efficiency 89
 - see also* dialysis; liquid–liquid extraction; solid-phase extraction; ultrafiltration
- factor analysis 291–2
- falling-droplet sampler 261
- false negative response rate 34–5
- false positive response rate 34–5
- fast gas chromatography 210
- feedstocks, renewable 10
- field analysis 25–33
- field analytical chemistry (FAC) 26, 169
- field analytical instruments,
 - requirements 29, 169
- field screening tests
 - categories 34
 - performance criteria 34–6
- fingerprinting methods, computer screen photoassisted technique 187–9
- flame atomic absorption spectrometry (FAAS) 168–9
 - alternative method 169
- flame ionization detector
 - in capillary SFC 227
 - in elevated-temperature HPLC 222
- flatbed digital scanner, as analytical instrument 184
- flow analysis 46–7, 59
- flow-based systems
 - in laboratory on-line systems 59–60
 - in process monitoring 46–7, 49
 - for screening tests 38
- flow injection analysis (FIA) 59–60, 154
 - with capillary electrophoresis 261
 - compared with SIA 156–7
 - with electrochemical detection 49
 - greening of 154–8
 - high-intensity focused ultrasound used 148
 - manifolds used in 154, 155
 - in process monitoring 47, 49
 - see also* sequential injection analysis
- flow-injection chemiluminescence method 157
- flow-injection solid-phase spectrophotometric method 158
- flow-injection spectrophotometric method 157
- fluorescence-based systems, water analysis by 38–9, 178
- fluorescence detectors, in capillary electrophoresis 248–9
- fluorescence excitation emission matrix spectroscopy 178–84
 - see also* excitation emission matrix (EEM) fluorescence spectroscopy
- fluorous biphasic systems (FBS) 117–18
- fluorous solvents 117–18
- food analysis
 - EEM fluorescence spectroscopy applications **182–3**
 - flow-based systems used 38
 - UPLC-MS applications **240**
- forensic science
 - CE applications 253
 - SIA applications 158
 - UPLC-MS applications **241**
- four-dimensional instruments 28
- freeze drying 81
- freons 3
- functionality 7, 13
- furans 3
- Gartner hype cycle model 261
- gas chromatography (GC)
 - compared with capillary SFC 227
 - continuum with liquid chromatography 123, 124
 - direct thermal desorption used with 109
 - with electron capture detection (GC-ECD), OCPs/PCBs 40, 41

- Green Chemistry principles applied to 208–9
- greenness of 208, 232
- ionic fluids as stationary phases 128
- with mass spectrometry (GC-MS)
 - chemical warfare agents 27
 - OCP/PCB analysis 40, 41
 - urinary screening of biomarkers 43
- pyrolysis used with 110
- solid-phase microextraction used with 103–4
- gas extraction 209
- gas phase separations 208–10
- gel permeation chromatography (GPC) 87
 - in clean-up process 105
- genetically modified organisms (GMOs), screening of 43–4
- genomic analysis
 - DNA microarrays for 196
 - UPLC-MS used 238–9
- glucose, monitoring of 167
- glycerol 116
- gradient elution (in HPLC) 217, 224
- Green Analytical Chemistry
 - chemometrics and 289, 290
 - electrochemical devices 50, 164
 - factors affecting adoption 305
 - FIA/SIA methods 154, 156, 157
 - ideal analysis 20
 - miniaturization in 31, 162, 164–5, 267
 - and refurbished instrumentation 278
 - separation methods 208, 210, 229–33
 - spectroscopic methods 168, 175, 177
- Green Chemistry
 - application of principles 11
 - analytical chemistry (generally) 18, 19, 78, 82
 - HPLC 229–33, 243
 - meaning of term 8, 11
 - objective of 7
 - publications on 14, 15
 - Twelve Principles 9–11, **14**
- Green Engineering 12–13, **14**
 - application to analytical chemistry 18, 78–9
 - “greenness”, instrumental analysis methods assessment for 153–4
 - greenness profiles, of analytical methods 67–70
 - grinding 81
 - H-filter 264
 - Hagen–Poiseuille equation 215
 - hazardous airborne pollutants (HAPs), solvents listed **114**
 - hazardous chemical criterion [in greenness profile] 68, 69
 - headspace analysis 209
 - and single-drop microextraction 91
 - health and safety considerations, portable instruments 170, 176
 - Health/Safety/Environmental/Energy/Waste greenness profile 70
 - herbicides, analysis of 195, 196
 - hexachlorobenzene 3
 - high-intensity focused ultrasound (HIFU), with FIA/SIA system 148, 157
 - high-performance liquid chromatography (HPLC)
 - in clean-up process 105
 - compared with capillary electrophoresis 245, 250–1
 - compared with supercritical fluid chromatography 226, 228–9
 - compared with UPLC 235–6, 237
 - with diode array detector (HPLC-DAD) 294
 - factor analysis 291
 - elevated-temperature HPLC 214–17, 219–25, 304
 - eluent consumption 250
 - Green Chemistry principles applied to 229–33
 - low-pH separations 224
 - with mass spectrometry (HPLC-MS) 211–12, 214
 - micro-scale HPLC 210–14, 243, 244
 - mobile phases 219, 225–6, 239, 241–2
 - temperature programming in 217–19, 233
 - see also* elevated-temperature HPLC

- high-pressure microwave-assisted digestion 140
- high-temperature HPLC 214–17, 219–25
- high-throughput experimentation 24
- historical background
chemistry 1
chromatography 208
electrophoresis 208, 244–5
- home pregnancy testing kits 188, 262, 263, 304
- hydrofluorocarbons (HFCs) 3
- hydrogen peroxide, measurement of 166–7
- hyphenated instrumentation 28
- imidazolium-based ionic liquids 125, **126**, 129, 130, 298–9
- immunoassays 38, 167
CD array method used 193–6
computer screen/webcam method and 188
- immunochemical strip (ICS) assay 263
- immunosensor systems, pharmaceutical drug residues monitored by 38–9
in situ analysis 20, 30–1, 52, 169, 174–6
in situ samplers 104
- in-tube solid-phase microextraction 100–1
- indium tin oxide (ITO) electrodes, in digital microfluidics system 271
- industrial processes, monitoring of 44–53
- information processing, research on **20**
- inherently non-hazardous design 12, 18
- inherently safe compounds 7
- injection volume, HPLC systems 213
- instrumental analysis methods
advantages 19
assessment of “greenness” for 153–4
- interdigital transducer (IDT) 160, 161
- ion mobility spectrometry (IMS) 27, 28, 171–3
advantages and disadvantages 173
with ionic liquid-based single-drop microextraction 91
- ion-selective microelectrode arrays 166, 167
- ionic liquids (ILs) 118, 124–32
advantages 125, 128, 131
in HPLC mobile phases 226
properties **128**
QSPR model for melting points 298–9
in single-drop microextraction 91
with supercritical carbon dioxide 131
various ILs listed **126–7**
- iron, determination in water 157, 158
- “killer” applications 261–2
kinetic discrimination schemes 60
- “lab-on-a-cable” devices 30–1
- “lab-on-a-chip” devices 30, 48, 61, 245, 253, 262
data collection from 31
- “lab-on-a-disk” analytical applications 190–7
- “lab-on-valve” (LOV) devices 60
- laboratory automation 54–6
- laboratory-based analytical methods
disadvantages 25
field measurement compared with 26
- laboratory unit operations (LUOs) 54–5, 56
- lactate esters 115–16
- laser-induced breakdown spectroscopy (LIBS) 176–8
advantages 177, 304
compared with X-ray fluorescence analysis 177–8
- LED-EEM spectroscopy 179
- less-hazardous chemical synthesis 9
- levitation techniques, ultrasonic-assisted 145–7
- life cycle analysis/assessment (LCA) 7–8, 71–4
databases 72
for ionic liquids 130
for solvents 115
- life cycle of analytical instruments, extending 276
- light-emitting diodes (LEDs), in EEM fluorescence spectroscopy 179

- limit of detection (LOD)
 - capillary electrophoresis 43
 - screening of pharmaceutical drug residues 37
 - see also* detection limits
- linear transport devices 64
- Lippmann–Young equation 269–70
- liquid chromatography (LC)
 - continuum with gas chromatography 123, 124
 - ionic liquids used in 129
 - microsystems 30
 - multiplex method applied to 301
 - see also* high-performance liquid chromatography
- liquid green chromatography 210–44
- liquid–liquid extraction (LLE) methods 85, 133
 - comparison with other techniques **83**
 - miniaturization of 89–96
- liquid-phase microextraction (LPME) **83, 94**
- local material and energy flows, integration of 13
- low-reflectivity compact disks (L-CDs), as analytical platforms 193–4
- luciferase 273, 274, 275
- MALDI-MS analysis 129, 277
- manufacturing process, factors affecting 5–6
- Mars Express mission 175
- mass productivity, of manufacturing process 6
- mass spectrometry (MS)
 - as capillary electrophoresis detector 250
 - with electrospray ionization (ESI) detection 211, 232
 - with gas chromatography, applications 27, 40, 41, 43
 - with micro-column HPLC 211–13
 - miniaturized/portable instruments 173, 174
 - with supercritical fluid chromatography 228, 229
 - with UPLC 238–9
 - applications **240–1**
- materials diversity, minimization of 13, 18
- matrix solid-phase dispersion (MSPD) 81, 102
 - ultrasonic-assisted 144
- mechanical transport systems, automation of 63
- melanophores 189
- membrane-assisted liquid extraction systems 92–5
- membrane-based extraction 57, 84–5, 209
- mercury, determination in water 148, 157
- mercury drop electrodes 51
- methanol **113, 241**
- methanol–water mixture, as HPLC mobile phase 219, 241, 242
- micellar electrokinetic chromatography (MEKC) 43, 244, 248
- microelectrode array (MEA) devices 165, 166
- microelectrode sensor arrays 163–7
- microextraction methods
 - solvent microextraction 89–96
 - sorbent microextraction 96–105
- microflows 266, 267
- microfluidic analytical devices 30, 48, 61–2, 254–62
 - detectors used in 258–9
 - fabrication methods 257–8
 - non-instrumental devices 262–6
 - on-line sampling techniques for 260–1
 - size range 256
 - “world-to-chip” interface problems 259–61, 276
- microfluidics 254–62
 - examples 257
 - future developments 261–2
 - “killer” application needed 261–2
 - volumes involved 256, 268
 - see also* digital microfluidics; droplet microfluidics; microflows
- microimmunoassays, CD/DVD technique used 194, 196
- micronization
 - in laboratory on-line systems 60–3
 - of separation methods 254–76

- microporous-membrane liquid-liquid extraction (MMLLE) 92, 93
- micro-scale HPLC 210-14, 304
 - column diameters 211
 - flow-splitting systems in 211, 212
 - pressure-generating system in 212
- microsystems 30
 - research on **20**
- microwave-accelerated/-assisted extraction (MAE) 57, 81, 89, 137-9
 - advantages 137, 138
- microwave-assisted desorption 141
- microwave-assisted digestion (MAD) 139-41
 - applications 139-40
 - reagents used 139
- microwave-assisted sample-preparation techniques 19, 136-42
- microwave drying 141
- microwave heating 19, 136
 - in digestion methods 140-1
- microwave thermospray nebulization (MWTN) 142
- miniaturization **20**
 - energy savings due to 135-6
 - HPLC systems 210-14, 243
 - in laboratory on-line systems 60-3
 - in process monitoring 48-9
- miniaturized electrochemical systems 164-6
- miniaturized electrodes 164-6
- miniaturized total analysis systems (μ TAS) 48, 49, 61, 244, 256-7
 - macro-to-micro interface problems 260
 - non-instrumental microfluidics-based 263
- mobility, in capillary electrophoresis 246-8
- molecular imprinted polymers (MIPs) 48
- monolithic stationary phases, in HPLC 225, 251
- Montreal Protocol 3-4, 22
- multi-commutation 156
- multi-element analysis 174-8
- multiplex techniques 300-2
- multivariate techniques, CSPT data analysis by 187
- multi-way analysis 292-3
- nanoflow HPLC systems 214
- nanomaterials/nanotechnology 14-16
 - effect on analytical chemistry 24, 62
 - size range 257
- nanosensors 48
- naphthylamine isomers, separation of 219
- National Environmental Methods Index (NEMI) 67
- nebulization
 - microwave-assisted 142
 - ultrasound-assisted 147
- neoteric solvents 117
 - see also* fluorous solvents; ionic liquids; supercritical fluids
- neural network algorithms 299
- new materials, research on **20**
- next-generation design 13, 18
- node (of sensor network) 32
- non-instrumental microfluidic devices 262-6, 305
 - components 264-5
 - examples 263, 304
- nucleotides, addition to DNA strand 273
- oceans and seas, monitoring of 28-9, 30-1
- octylphenol ethoxylate oligomers, analysis of 218
- olive oil analysis, EEM fluorescence spectroscopy used **182**, 183
- one-dimensional sensors 27
- on-line sample treatment systems, extraction techniques used 56-7
- organo-chlorine pesticides (OCPs) 3
 - analysis of 39-41
- organohalogen compounds 3
- output-led design 12
- oxygen, measurement of 166
- packed-column supercritical fluid chromatography 227-8
 - compared with HPLC 228
- packed syringe microextraction technique 102, 103
- paper-based microfluidic sensors 37, 263, 305

- PARAFAC analysis 294–5
EEM fluorescence spectroscopy
data **183**, 184, 295–6
- particle separation methods,
ultrasound used in 148
- passive *in situ* samplers 104
- PBT/Hazardous/Corrosive/Waste
greenness profile 67–9
- perfluorinated solvents 117–18
- persistence (of chemicals in
environment) 2
- persistent/bioaccumulative/toxic (PBT)
criterion [in greenness profile] 67, 69
- persistent organic pollutants (POPs) 2–3
analysis of 39–41
half-life criterion 3
solvents for extraction of 81
Stockholm Convention on 3, 22, 40
- pesticides, analysis of 39–41, 144, 167,
195–6, 218, 223, 239, **240**, **241**
- Pfizer Global Research and
Development solvent selection
tool 112–13
- pharmaceutical analysis
EEM fluorescence spectroscopy
applications **182**
elevated-temperature HPLC used
216–17, 218
UPLC-MS applications **240**
- pharmaceutical drug residues
detection/screening of 37–9
environmental pollution by 36–7
- pharmaceutical industry
process inefficiency 6
wastes generated by 36, 230
- phosphonic acids, analysis of 253, 255
- photochemistry, EEM fluorescence
spectroscopy applications **183**
- photolithography 257
- photoresist 257, 258
- pipette tip microextraction technique
102–4
- point-of-care (POC) testing 162, 168,
243, 253, 262
- polar substances, separation of 245
- pollution prevention, real-time analysis
10–11
- polyaromatic hydrocarbons (PAHs),
analysis of 167
- polychlorinated biphenyls (PCBs) 2, 3
analysis of 39–41, 167
- polyethylene glycols (PEG) 116–17
separation of oligomers 233
- poly(*N*-isopropylacrylamide)
(PNIPAAm) and derivatives 222–3
- polymer membrane ion-selective
electrodes 50–1, 52
- polymerase chain reaction (PCR)
in GMO screening and quantification
43, 44
in non-instrumental microfluidic
devices 264
- portability, spectroscopic
instrumentation 168–78
- portable capillary electrophoresis
instruments 252–4
- portable instruments, requirements
169–71
- portable X-ray fluorescence (PXRF)
analysis 175–6
- positioning stages 64
- postmortem interval, estimation of 158
- POWT materials 189–90
- preparative HPLC, compared with
preparative SFC 231
- preparative size-exclusion
chromatography 87
- preparative supercritical fluid
chromatography 229, 231
compared with preparative HPLC 231
- pressurized hot-water extraction
(PHWE) 134
- pressurized liquid extraction (PLE)
57, 81, 89, 133–4
comparison with other extraction
techniques 133
- principal component analysis (PCA)
290–1
CSPT data analysed using 187, 189
- process analytical chemistry (PAC) 22, 54
- process analytical technology (PAT) 22–3
future developments 24
- process intensification 24

- process monitoring 44–53
 - off-line monitoring 46
 - on-line monitoring 46–53
- process safety (in solvent assessment) 112–13
- production systems, role of analytical chemistry 21, 22–3
- programmed-temperature vaporizer (PTV) injection 107–8
- pyridinium-based ionic liquids 125, **126**, 299
- pyrolysis 109–10
- pyrosequencing
 - with digital microfluidics 273–5
 - on electrowetting chip 275
- qualitative screening method 34
- quality assurance (QA) requirements, OCP/PCB analysis 40
- quality control systems 24–5
- quantitative screening method 34
- quantitative structure–activity relationship (QSAR) approach 72, 132, 296, 298
 - limitations 299–300
- quantitative structure–property relationship (QSPR) approach 296–300
 - application to ionic liquids 298–9
- rapid mixing, in HPLC systems 213
- real-time measurements
 - in environmental monitoring 29, 45
 - in industrial processes 23, 45
- recycling
 - chromatographic eluents 232, 276
 - components 13, 276
 - instrumentation 276–8
- refurbished instrumentation
 - reasons for purchase 277–8
 - vendor checklist 278
- remote locations, data collection at 29, 31–2
- renewable resources 8, 10, 13
- Resource Conservation and Recovery Act (RCRA), hazardous waste lists 68
- retention factor, in HPLC, effect of temperature 216
- reversed-phase HPLC 218, 219, 229
- robotic arms 63–4
- room-temperature ionic liquids (RTILs), in HPLC mobile phases 226
- safer chemicals and products 9
- safer solvents and auxiliaries 9–10, 18
- safety precautions, ultrasound techniques 148
- sample clean-up process 104–5
- sample collection, in field analysis 171
- sample processing 55
 - automated 56–7
- sample transport systems 55
 - automated 63–4
 - with ultrasonic levitation 145–7
- sample treatment 55, 56–7, 79–80
 - common objectives 80
 - energy-saving procedures 132–48
 - extraction techniques 80–2, **83**
 - reduced-solvent and solvent-free methods 82–110, 209–10
- sand extracts, analysis of 255
- Saran (food wrap), use in digital microfluidics devices produced 269, 272
- screening 33–44
 - digital and droplet microfluidics used 267
- Selerity Technologies elevated-temperature HPLC system 221–2
- semi-quantitative screening method 34
- sensor arrays 159, 163–7
- sensor strips 53
- sensors, research on **20**
- separation methods
 - capillary electrophoresis 244–54
 - gas phase separations 208–10
 - liquid green chromatography 210–44
 - liquid phase separations 210–76
 - micronization of 254–76
- separation operations, Green Engineering design 12
- sequential injection analysis (SIA) 60, 154
 - compared with FIA 156–7
 - high-intensity focused ultrasound used 148, 157

- sequential injection chromatography (SIC) 60
- simulated moving bed chromatography 233
- single-drop microextraction (SDME) 89–91
- size-exclusion chromatography (SEC) 87
- socio-political decisions, influence on 21–2
- sodium dodecylsulfate (SDS) 248
- soft lithography 257–8
- sol-gel approach to SPME fibre coatings 99
- solid-state pyrosequencing 273–5
- solid-phase extraction (SPE) 85–7, 96–7, 134
 - comparison with other techniques **83**
 - with GC-MS system 41, 42
 - in laboratory on-line systems 56, 58
 - miniaturization of 97–105
 - sorbents used 85–6
- solid-phase extraction-liquid chromatography (SPE-HPLC) 87
- solid-phase microextraction (SPME) 97–105
 - advantages 98
 - calibration methods 99–100
 - comparison with other techniques **83**
 - drawbacks 99
 - forms 100–2
 - in-tube SPME 100–1
 - with microwave-accelerated extraction 137, 138
 - sample capacity 100
 - sorbents used 99
 - thermal desorption method 105
- solvent-free processes 115
- solvent microextraction 89–96
- solvent polarity 111
- solvent viscosity, temperature effects 215, 216
- solventless methods of sample preparation 84–9, 209
- solvents
 - alternative 110–32
 - classification of **113**
 - critical parameters listed **120**
 - factors affecting selection 110–11
 - Green Chemistry principles 9–10, 19, 216
 - life cycle approach to replacement 73
 - recycling and disposal of 232
 - red category 113, **114**
- sonication-assisted extraction (SAE) 57, 81, 143
- sono-electroanalysis 144–5
- sorbent-coated fibres 86, 97, 98
- sorbents, in solid-phase extraction 85–6
- sorption microextraction 96–105
- Soxhlet extraction 80, 133
 - advantages and disadvantages 81, 133
 - comparison with other techniques **83**, 133, 138, 143
- spectroscopic methods 167–97
 - features of green methods 168
 - portable instruments 168–78
- Spreeta 2000 SPR sensor 162, 164
- steady-state recycle chromatography 233
- steroids, analysis of 219
- stir-bar sorptive extraction (SBSE) 101–2
 - thermal desorption method 105
- Stockholm Convention on Persistent Organic Pollutants 3, 22, 40
- stopped-flow methods 60
- streptavidin, biotinylated DNA binding to 275
- sub-critical water 219
- submersible microanalyzers 30–1
- supercritical carbon dioxide (sc-CO₂) 119–20, 121, 134, 226
 - combined with ionic liquids 131
- supercritical fluid chromatography (SFC) 123, 226–9, 244
 - capillary SFC 227
 - compared with HPLC 226, 228–9
 - ionic fluids as stationary phases 128
 - with mass spectrometry (SFC-MS) 228, 229
 - packed-column SFC 227–8
- supercritical fluid extraction (SFE) 57, 81, 121–3, 209
 - advantages 122
 - applications 121

- comparison with other techniques **83**
- factors affecting efficiency 122
- factors affecting extraction rate 122
- supercritical fluids 118–24
 - hazards associated with 123–4
 - physical properties compared with gases and liquids **121**
- supercritical water (sc-H₂O) 119
- superheated water
 - as HPLC mobile phase 219, 222, 232
 - limitations 232
- super-hydrophobic surface 269
- supported-liquid-membrane liquid–liquid extraction (SLM) 92, 93
 - electrically enhanced 95–6
- surface acoustic wave (SAW) sensors 160–1
 - applications 161
- surface plasmon resonance (SPR) sensors 161–3
 - applications 162–3
- sustainability 7

- T-sensor 265–6
- task-specific ionic liquids (TSILs) 125, 127, 131
- Teflon, in digital microfluidics systems 269, 272, 275
- temperature-programmed HPLC 217–19
- temperature programming (in HPLC), compared with gradient elution 218, 233
- temperature-sensitive stationary phases, in HPLC 222–3
- tetrahydrofuran **113**
 - as alternative to acetonitrile 241
- tetrahydrofuran–water mixture, as HPLC mobile phase 242
- thermal desorption 105–10, 209–10
 - compared with solvent extraction 210
- thermal energy conservation 132
- thermal extraction methods 56
- thermospray (TSP) ionization technique 141–2
- three-dimensional instruments 28
- threshold values (in screening analysis) 35

- total analysis systems (TAS) 256
 - see also* miniaturized total analysis systems
- total internal reflection fluorescence based system 38–9
- Toxic Release Inventory (TRI) 68, 69, 112
- trace metals, measurement of 50–1, 52
- traditional sampling-and-analysis approach
 - compared with on-site measurement 26, 45, 50
 - disadvantages 25
- two-dimensional sensors 28

- ultracentrifugation 88–9
- ultrafiltration (UF) 88
- ultra-performance liquid chromatography (UPLC) 233–9
 - advantages over HPLC 235–6, 237
 - with mass spectrometry (UPLC-MS) 238–9
 - applications **240–1**
 - pressure range used 237
 - solvent consumption reduction in 238
- ultrasonic-assisted matrix solid-phase dispersion (UA-MSPD) method 144
- ultrasonic slurry sampling 147
- ultrasound-accelerated/-assisted extraction 19, 89, 143
- ultrasound-assisted leaching 143–4
- ultrasound-assisted levitation and sample transport 145–7
- ultrasound nebulization 147
- ultrasound techniques 142–8
 - safety precautions 148
- under-utilized and unnecessary resources, limitation of 13, 18
- underwater microanalyzers 30–1
- urinary screening of biomarkers 41–3
- UV detectors
 - in capillary electrophoresis 248
 - in HPLC systems 213

- van Deemter curves 216, 217, 235
- van Deemter equation 234
- vapour-phase extraction methods 57

- vapour-phase extraction-gas chromatography systems 57
- virtual screening 297–8
- volatile organic compounds (VOCs)
 - determination of 160
 - prevention of emissions 130
 - regulations on emissions 22

- waste criterion [in greenness profile] 68, 69
- waste prevention 9, 11, 12, 18, 156
- water
 - critical properties 119, **120**
 - fluorescence-based analysis of 38–9, 178
 - as mobile phase in elevated-temperature HPLC 215, 219
 - pharmaceutical drug residues in 36, 37, 38–9
 - temperature effect on polarity 219
 - see also* ethanol–water mixtures; supercritical water; superheated water
- Waters Corporation, LC column packing **220**, 234, 235
- web camera, in CSPT technique 185, 186
- weighting design 300
- wireless-sensor networks 31–2
- wireless technology 26, 47, 60–1
- worker safety (in solvent assessment) 112
- “world-to-chip” interfacing (in microfluidics) 259–61, 276

- X-ray fluorescence (XRF) analysis 174–5, 304
 - compared with laser-induced breakdown spectroscopy 177–8
 - portable instrumentation 175–6

- zeta potential 247