

SUBJECT INDEX

Note: Page numbers followed by f and t indicate figures and tables, respectively.

- A**
- Accelerated solvent extraction (ASE). *See* Pressurized solvent extraction
 - Accidental release, MSDS for, 39
 - Accuracy, green chemistry and, 51, 53f
 - ACS Green Chemistry Institute, greenness criteria of, 26
 - AES. *See* Auger electron spectroscopy
 - Analyte(s)
 - extraction of
 - energy consumption of, 28, 48–49
 - green limit of, 50
 - volatile, 107–111
 - quantitative recovery of, 35
 - Analytical Chemistry
 - environmental opportunities for, 4–5, 6f
 - integrated approach to, 13, 16–17, 16f
 - keywords of, 13
 - strategies for greening of, 34–35, 35f
 - Analytical laboratories
 - evolution of ecological mentality of, 5, 6f
 - practices to avoid at, 212–214, 213t
 - practices to improve in, 214–215
 - Analytical methods
 - clean, 7–10
 - concerning sustainability, 210–212
 - downsizing of, 149–171
 - energy requirements of, 28–31, 29f, 30f
 - fast, 24
 - green evaluation of, 37–54
 - energy consumption evaluation, 48–49, 49f
 - green chemistry principles
 - compatibility, 51–54, 53f
 - operator contact of waste, 44–48, 46f, 47f
 - reagent consumption and waste generation, 50–51, 52f
 - toxicological data of reagents, 26, 37–40, 38t, 41–44t, 45–46t
 - green method compatibility with, 51–54, 53f
 - Analytical publications, greening of, 215–218, 216t
 - APCI. *See* Atmospheric pressure chemical ionization
 - Aphrons, surfactant-based analyte separation using, 105
 - Arc ablation, 74–76
 - ASE. *See* Pressurized solvent extraction
 - Atmospheric pressure chemical ionization (APCI), for IMS, 124–125
 - ATR. *See* Attenuated total reflectance
 - Attenuated total reflectance (ATR), for mid-infrared spectroscopy, 67, 68f
 - Auger electron spectroscopy (AES), 71, 72t, 73f
 - Automation
 - challenges with, 1
 - disadvantages of, 51, 53f
 - energy use and, 28
 - green limits of, 54
 - for greening of analytical chemistry, 35
 - productivity increase with, 7
 - for reagent management, 7, 31–32, 51, 149–152, 153f, 154t
 - for waste minimization, 181–183, 183f
- B**
- Batch methods, reagents in, 31
 - Biodegradation, 187, 189f
 - Bistatic measurements, 59
 - Blisters, noninvasive measurements on, 64–65
 - Body, chemical entry to, 44, 46f, 47f
 - contact, 44, 46, 46f, 47f
 - inhalation, 46–47, 46f, 47f
 - Books, for Green Chemistry, 11, 12t
 - Bottles, noninvasive measurements on, 64–65

C

Calibration, in laser ablation, 77

Capillary electrophoresis (CE), 139–144, 140f
 on a chip, 158, 159f
 MS with, 146
 multiplexed instruments, 140–141
 on-line sample preconcentration, 141–144, 142f

Capillary microextraction, for preconcentration, 32, 34

Carbon dioxide
 for SFE, 85–86
 spectroscopy and, 59–60

CCID. *See* Contactless conductivity detection

CCDs. *See* Charge coupled detectors

CE. *See* Capillary electrophoresis

Charge coupled detectors (CCDs), for microspectroscopy systems, 70

Chemical imaging (CI), 70–71

Chemiluminescence, for detection, 166

Chemistry, improvement of, 1

Chemometrics, advances for, 7

Chlorinated pesticides (DDTs), MAE determination of, 90, 91f

Chromatography, multianalyte determination in, 126–144
 gas, 134–138
 liquid, 126–134, 127f
 supercritical fluid, 138–139

CI. *See* Chemical imaging

CLAs. *See* Colloidal liquid aphrons

Clean analytical methods, 7–10

“Clean” methodologies, 7

“Cleaning” methodologies, 7

Closed systems, reagents and solvents in, operator contact with, 50–51

Cloud point extraction system, 104–105, 104f, 105t

Colloidal liquid aphrons (CLAs), surfactant-based analyte separation using, 105

Comprehensive 2D gas chromatography (2D GC), 137–138

Conductivity detection, 162–164, 163f

Contact risk, with toxic chemicals, 44, 46, 46f, 47f

Contactless conductivity detection (CCD), 163–164, 165f

Continuous-flow microextraction, 99

Convective heating, energy consumption of, 29, 30f

Corrosive, in greenness criteria, 26–27, 27f

Cultural heritage analysis, Raman spectroscopy for, 69

D

DART. *See* Direct analysis in real time

Data handling, advances in, 7

DDTs. *See* Chlorinated pesticides

Dendrimer enhanced ultrafiltration (DEUF), 191–192

DEUF. *See* Dendrimer enhanced ultrafiltration

Diffuse reflectance, for mid-infrared spectroscopy, 67, 68f

Direct analysis, 65–74
 challenges with, 1
 with sample damage
 arc and spark ablation, 74–76
 DART, 78–79
 glow discharge, 76
 laser ablation sources, 76–77
 LIBS, 78
 SIMS, 79–80, 80f
 without sample damage
 nuclear magnetic resonance, 73–74
 surface spectroscopy techniques, 71, 72r, 73f
 vibrational spectroscopy, 66–71

Direct analysis in real time (DART), 78–79

Direct thermal desorption, 107–111
 dynamic headspace, 108–109, 110f, 111
 static headspace, 107–108, 110f

Disposal information, from MSDS, 39

Dynamic headspace, 108–109, 110f, 111
 headspace-solid phase dynamic extraction, 109, 110f
 pervaporation, 109, 110f, 111
 purge-and-trap, 109, 110f

Dynamic pH junction, for CE, 141, 142f, 143

E

- Ecological mentality, of analytical laboratories, evolution of, 5, 6f
- Ecological Paradigm, 1–4, 3f, 4f
- Economic balances, of sustainability, 198–200, 199f
- Electricity, demand for, 28
- Electrochemical detection, 160–164, 162f, 163f, 165f
- Electrothermal atomic absorption spectroscopy (ETAAS), toxic residue removal with, 191
- Elemental fractionation, in laser ablation, 7f
- Emissions, generation of, 3
- Energy consumption, 3, 28–31, 29f, 30f
 - evaluation of, 25, 28, 48–49, 49f
- Environmental opportunities, for Analytical Chemistry, 4–5, 6f
- Environmental Protection Agency (EPA), recommendations of, 5
- EPA. *See* Environmental Protection Agency
- ETAAS. *See* Electrothermal atomic absorption spectroscopy
- Exposure risk, of operators, 44, 46f, 47f
 - contact, 44, 46, 46f, 47f
 - inhalation, 46–47, 46f, 47f
- Extrinsic fiber devices, 63

F

- FAAS. *See* Flame atomic absorption spectroscopy
- FASS. *See* Field-amplified sample stacking
- Fast analytical methods, 24
- Fast temperature programming, for gas chromatography, 136
- FIA. *See* Flow injection analysis
- Fiber devices, 62–64
 - categories of, 63
 - materials for, 62–63
- Field-amplified sample stacking (FASS), for CE, 141–143, 142f
- Filters, for microspectroscopy systems, 70
- First aid measures, from MSDS, 39
- Flame atomic absorption spectroscopy (FAAS), toxic residue removal with, 189–191

Flow injection analysis (FIA)

- advances for, 7
- environmental impact of, reduction of, 7, 9
- reagent use with, minimization of, 51, 150, 153f
- SIA evolution from, 32
- for toxic chemical replacement, 9
- wastes
 - generation in spectrophotometric analysis, 32, 32t, 33f
 - minimization of, 32, 181–183, 183f
- Focal plan array (FPA) detectors, 70
- Forensic science, Raman spectroscopy for, 69
- Formaldehyde, determination of, 178–179
- Fourier transform Infrared (FTIR) spectroscopy, open-path, 59, 60t, 61f
- Fourier transform spectrometers, for microspectroscopy systems, 70
- FPA detectors. *See* Focal plan array
- FTIR. *See* Fourier transform Infrared spectroscopy

G

- Gas cells, for mid-infrared spectroscopy, 67
- Gas chromatography (GC), 134–138
 - on a chip, 160
 - comprehensive 2D, 137–138
 - fast temperature programming, 136
 - high-speed using narrow bore columns, 135–136
 - low pressure, 136–137
 - MS with, 145
- GC. *See* Gas chromatography
- 2D GC. *See* Comprehensive 2D gas chromatography
- GD. *See* Glow discharge sources
- GDMS. *See* Glow discharge mass spectrometry
- GDOES. *See* Glow discharge optical emission spectrometry
- Glow discharge mass spectrometry (GDMS), 76
- Glow discharge optical emission spectrometry (GDOES), 76

- Glow discharge (GD) sources, 76
- GLP. *See* Good laboratory practice
- Good laboratory practice (GLP), for
chemical safety assessment, 47–48
- Green, David W., 10
- Green Analytical Chemistry
analytical method compatibility with,
51–54, 53f
literature for, 17, 17f, 18–20t, 21
practical consequences of,
207–219, 208f
solvent and reagent consumption in, 50
strategies for, 34–35, 35f
teaching of, 218–219
- Green Chemistry, 10–13, 12t, 14–15t, 26
basic strategies for, 24–25, 25f
principles of, 23–24, 25f
priorities of, 24, 25f
- Green terms, use of, 208–210, 210f
- Greenness criteria, 26–27
- Greenness profiles, 26
symbols for, 26–27, 27f, 211, 211f
- Guava leaf, for iron determination,
178, 179f
- ## H
- Hard treatment, of samples, 35, 49
- Hazard
of chemical compounds, 37
in greenness criteria, 26–27, 27f
- Headspace sorptive extraction, 108, 110f
- Headspace-single drop microextraction
(HS-SDME), 108, 110f
- Headspace-solid phase dynamic extraction
(HS-SPDE), 109, 110f
- Headspace-solid phase micro extraction
(HS-SPME), 108, 110f
- Health risks, 6
- High temperature water extraction
(HTWE), 87–88, 88f, 91t
- High-pressure, high temperature solvent
extraction (HPHTSE), 86–88,
88f, 91t
- High-pressure solvent extraction (HPSE),
86–88, 88f, 91t
- High-speed gas chromatography, using
narrow bore columns, 135–136
- Hot water extraction (HWE), 87–88,
88f, 91t
- HPHTSE. *See* High-pressure, high
temperature solvent extraction
- HPSE. *See* High-pressure solvent extraction
- HS-SDME. *See* Headspace-single drop
microextraction
- HS-SPDE. *See* Headspace-solid phase
dynamic extraction
- HS-SPME. *See* Headspace-solid phase
micro extraction
- HTWE. *See* High temperature water
extraction
- Humidity, spectroscopy and, 59–60
- HWE. *See* Hot water extraction
- Hydrocarbons, MAE determination of, 90,
91f
- ## I
- ICP-MS. *See* Inductively coupled plasma-
mass spectrometry
- ICP-OES. *See* Inductively coupled plasma-
optical emission spectrometry
- IMS. *See* Ion mobility spectrometry
- INCAT. *See* Inside needle capillary
adsorption trap
- Inductively coupled plasma-mass
spectrometry (ICP-MS), 77,
123–124, 123f
toxic residue removal with, 189–191
- Inductively coupled plasma-optical
emission spectrometry (ICP-OES),
118–120
toxic residue removal with, 189–191
- In-field analysis
advantages of, 50
disadvantages of, 31, 52
energy consumption and, 48
waste generation with, 31
- Infrared microscopy, 69–70
- Infrared spectroscopy (IR), 66–68, 68f,
117–118, 119f
MIR, 66–67, 68f
NIR, 68
- Inhalation, of toxic chemicals, 46–47, 46f,
47f
- Inside needle capillary adsorption trap
(INCAT), 94

- Instrumentation, energy consumption of, 29, 30f, 49
- Intoxication, first aid measures for, 39
- Intrinsic fiber devices, 63
- In-tube SPME, 94–95
- Ion mobility spectrometry (IMS), 124–125, 125f
- Ion scattering spectroscopy (ISS), 71, 72t, 73f
- Ion-expulsion enhanced ultrafiltration, 191
- Ion-pairing liquid chromatography (IPC), 129
- IPC. *See* Ion-pairing liquid chromatography
- IR. *See* Infrared spectroscopy
- Isotachopheresis stacking, for CE, 141, 142f, 143–144
- Isotope dilution, for laser ablation, 77
- ISS. *See* Ion scattering spectroscopy
- J**
- Journals, for Green Chemistry, 11, 12t
- L**
- “Lab-on-a-chip.” *See* Micro-Total Analysis Systems
- Lab-on-cable, 161, 162f
- Lab-on-valve (LOV), for waste minimization, 181–183, 183f
- Lab-pack disposal, of residues, 7
- Large volume sample stacking, for CE, 141, 142f, 143
- Large volume stacking mode (LVSM), for CE, 142f, 143
- Laser ablation, 76–77
- Laser desorption, 76–77
- Laser induce fluorescence (LIF), microfluidic devices and, 157–158, 159f
- Laser induced breakdown spectrometry (LIBS), 78
- open-path, 59, 60t, 62
- remote, 64
- LC. *See* Liquid chromatography
- 2D LC. *See* 2D Liquid chromatography
- LCW. *See* Liquid-core waveguide
- Leaching treatments, of samples, 35
- LIBS. *See* Laser induced breakdown spectrometry
- LIF. *See* Laser induce fluorescence
- Liquid cells, for mid-infrared spectroscopy, 67
- 2D Liquid chromatography (2D LC), 134
- Liquid chromatography (LC)
- 2D, 134
- on a chip, 158–160, 161f
- ion-pairing, 129
- micellar, 129
- micro high performance, 168–169, 169t, 171t
- monolithic and nonporous stationary phases, 133–134
- MS with, 144–145
- multianalyte determination in, 126–134, 127f
- organic solvent replacement in, 126–128, 128t
- RP-LC
- high temperature and thermal gradients for, 130–133
- ion liquids for, 129–130, 131t
- ultra performance, 169–170, 171t
- Liquid phase microextraction (LPME), 97–98, 98f
- Liquid-coacervate extraction, 102–104, 104f, 105t
- Liquid-core waveguide (LCW), 63
- Liquid-phase microextraction (LPME), 179–180
- Literature
- for Green Analytical Chemistry, 17, 17f, 18–20t, 21
- greening of, 215–218, 216t
- LOV. *See* Lab-on-valve
- Low pressure gas chromatography (LP-GC), 136–137
- LP-GC. *See* Low pressure gas chromatography
- LPME. *See* Liquid phase microextraction; Liquid-phase microextraction
- LVSM. *See* Large volume stacking mode

M

- Macromolecule-based ultrafiltration, 191–192
- MAE. *See* Microwave-assisted extraction and digestion
- MASE. *See* Membrane-assisted solvent extraction
- Mass spectrometry
 as detector in separation systems, 144–146
 microfluidic devices and, 157
 multianalyte determination in, 120–125
 ICP-MS, 123–124, 123f
 IMS, 124–125, 125f
 inlets for, 121, 122f
- Material safety data sheets (MSDS)
 greenness profile symbols for, 27
 information available from, 38–39, 38t
 sources of, 39–40, 41–44t
- Mechanization
 for reagent management, 31, 51
 for waste minimization, 181–183, 183f
- MEKC. *See* Micellar electrokinetic chromatography
- Membrane introduction mass spectrometry (MIMS), 121, 122f
- Membrane-assisted solvent extraction (MASE), 100–101, 103f
- Membrane-based extraction methods, 99–102, 103f
 membrane-assisted solvent extraction, 100–101, 103f
 microdialysis, 99–100, 103f
 polymeric membrane extraction, 101, 103f
 semipermeable membrane devices, 102, 103f
 with sorbent interface, 101–102
- Mentality change, 195–205, 196f
- Metals
 passivation of, 35
 precipitation of, 35
- MEUF. *See* Micellar enhanced ultrafiltration
- Micellar electrokinetic chromatography (MEKC), 139
- Micellar enhanced ultrafiltration (MEUF), 191
- Micellar liquid chromatography (MLC), 129
- Micro high performance liquid chromatography (Micro-LC), 168–169, 169t, 171t
- Microdialysis, 99–100, 103f
- Microemulsion-based separations, 105
- Microfluidic devices, 157, 157f
- Micro-LC. *See* Micro high performance liquid chromatography
- Microlenses, for microchips, 166–167
- Microspectroscopy systems, 70
- Micro-Total Analysis Systems (μ TAS), 152–153, 155–160, 157f
 CE, 158, 159f
 GC, 160
 LC, 158–160, 161f
- Microwave-assisted extraction and digestion (MAE), 86–91, 90f, 91f, 92t, 152–155
 advances for, 7
 energy consumption of, 29, 30f, 49
 solvent reduction with, 50
- Mid-infrared spectroscopy (MIR), 66–67, 68f
- MIMS. *See* Membrane introduction mass spectrometry
- Mineralization, of organic compounds, 35
- Miniaturization
 challenges with, 1
 disadvantages of, 51, 53f
 energy consumption and, 29, 30f, 49, 49f
 green limits of, 54
 for greening of analytical chemistry, 35
 for reagent management, 7, 9
 of sample preparation, 152–155
- Miniaturized chromatographs, for toxic chemical replacement, 9
- MIR. *See* Mid-infrared spectroscopy
- MLC. *See* Micellar liquid chromatography
- Monolithic columns, for liquid chromatography, 133–134

- MS. *See* Mass spectrometry
 MSDS. *See* Material safety data sheets
 μ TAS. *See* Micro-Total Analysis Systems
 Multianalyte determination, 115–146
 in capillary electrophoresis, 139–144, 140f
 in chromatography, 126–144
 gas, 134–138
 liquid, 126–134, 127f
 supercritical fluid, 138–139
 energy use and, 28
 in MS, 120–125
 ICP-MS, 123–124, 123f
 IMS, 124–125, 125f
 inlets for, 121, 122f
 in spectroscopy, 116–120
 inductively coupled plasma-optical emission spectrometry, 118–120
 IR spectroscopy, 117–118, 119f
 Raman spectroscopy, 118
 UV-visible spectroscopy, 117–118, 119f
 XRF, 117
 Multicommutation
 reagent use with, minimization of, 51, 150–151, 153f
 wastes
 generation in spectrophotometric analysis, 32, 32t, 33f
 minimization of, 32, 181–183, 183f
 Multiplexed capillary electrophoresis, 140–141

N

- National Environmental Methods Index (NEMI), 26
 National Waste Minimization Program, 4
 Near infrared spectroscopy (NIR), 68
 for noninvasive measurements, 65
 TDLs for, 62
 NEMI. *See* National Environmental Methods Index
 NIR. *See* Near infrared spectroscopy
 NMR. *See* Nuclear magnetic resonance spectroscopy
 Nondestructive direct determinations, 31

- Noninvasive measurements, 64–65
 Normal stacking mode (NSM), for CE, 142f, 143
 NSM. *See* Normal stacking mode
 Nuclear magnetic resonance (NMR) spectroscopy, 73–74

O

- OLEDs. *See* Organic light-emitting diodes
 On-line degradation, 9, 28, 35, 181–192, 183f, 184f
 biodegradation, 187, 189f
 macromolecule-based ultrafiltration, 191–192
 oxidation, 184–185, 186f
 passivation of residues, 187–191, 190f
 photocatalytic oxidation, 186–187, 188f
 thermal degradation, 184, 185f
 On-line sample preconcentration, for capillary electrophoresis, 141–144, 142f
 On-site analysis. *See* In-field analysis
 Open-path sensors, 59–62, 60t, 61f
 FTIR, 59, 61f
 LIBS, 59, 60t, 62
 Raman spectroscopy, 59, 61
 TDLs, 59, 60t, 61–62
 UV-DOAS, 59, 60t, 61
 Operator(s)
 exposure risk, 44, 46f, 47f
 contact, 44, 46, 46f, 47f
 inhalation, 46–47, 46f, 47f
 reagent contact of
 in closed systems, 50–51
 evaluation of, 44–48, 46f, 47f
 reduction of, 27–28
 samples and, new relationship for, 202–205, 204f
 solvent contact with, in closed systems, 50–51
 wastes contact of, evaluation of, 44–48, 46f, 47f
 Optical sensing
 in microchips, 166
 microfluidic devices and, 157
 Organic compounds, mineralization of, 35

Organic light-emitting diodes (OLEDs),
167

Oxidation, 184–185, 186f
photocatalytic, 186–187, 188f

P

Packaging, noninvasive measurements in,
64–65

PAHs. *See* Polycyclic aromatic
hydrocarbons

Passivation
of metals, 35

of residues, 187–191, 190f

PBT. *See* Persistent, bioaccumulative, and
toxic reagents

PCBs. *See* Polychlorinated biphenyls

PCs. *See* Priority chemicals

PeEUF. *See* Polyelectrolyte enhanced
ultrafiltration

Persistent, bioaccumulative, and toxic
reagents (PBT), in greenness
criteria, 26–27, 27f

Pervaporation, 109, 110f, 111

PEUF. *See* Polymer enhanced ultrafiltration

Pharmaceutical industry
noninvasive measurements for, 65
Raman spectroscopy for, 69

Photocatalytic oxidation, 186–187, 188f

Photodiodes, for microchips, 167

Photon detectors, for microspectroscopy
systems, 70

PHSE. *See* Pressurized hot solvent
extraction

PHWE. *See* Pressurized hot water
extraction

Pimentel, George, 4–5

PLE. *See* Pressurized liquid extraction

PME. *See* Polymeric membrane extraction
Polychlorinated biphenyls (PCBs), MAE
determination of, 90, 91f

Polycyclic aromatic hydrocarbons (PAHs),
MAE determination of, 90, 91f

Polyelectrolyte enhanced ultrafiltration
(PeEUF), 191–192

Polymer enhanced ultrafiltration (PEUF),
191–192

Polymeric membrane extraction (PME),
101, 103f

Portable instrumentation, energy
consumption and, 28–29, 30f, 49,
49f

Power supply, for instruments and
apparatus, 28, 49

Practices, change of, 195–205, 196f

Precipitation, of metals, 35

Precision, green chemistry and, 51–52, 53f

Pressurized hot solvent extraction (PHSE),
86–88, 88f, 91t

Pressurized hot water extraction (PHWE),
87–88, 88f, 91t

Pressurized liquid extraction (PLE), 86–88,
88f, 91t, 152–155

Pressurized solvent extraction (PSE),
86–88, 88f, 91t
energy consumption of, 29, 30f, 49
solvent reduction with, 50

Priority chemicals (PCs), reduction of, 40,
45–46t

PSE. *See* Pressurized solvent extraction

Purge-and-trap, 109, 110f
for MS, 121, 122f

Pyrolysis, for MS, 121

R

Raman microscopy, 69–70

Raman radiation, 68

Raman spectroscopy, 68–69, 118
fiber devices with, 63
open-path, 59, 60t, 61

spatially offset, 64–65

Rayleigh radiation, 68

REACH. *See* Register, Evaluation,
Authorization, and Restriction of
Chemicals

Reagent injection systems, 150

Reagents, 32

in batch methods, 31

consumption of

evaluation of, 50–51, 52f

increases in, 5–6

minimization of, 6–7, 27–28

with automation, 149–152, 153f, 154t

- on-line retention of, solid phase spectrophotometry for, 34
 - operator contact with
 - evaluation of, 44–48, 46f, 47f
 - reduction of, 27–28
 - recovery of, 7
 - replacement of, 9, 178–179, 179f
 - disadvantages of, 51–52, 53f
 - risks with, 26
 - side effects of, 26–28, 27f
 - evaluation of, 25
 - toxicological data of, 26, 37–40, 38t, 41–44t, 45–46t
 - Recycling, of wastes, 192–194, 194f, 214
 - Register, Evaluation, Authorization, and Restriction of Chemicals (REACH), 26
 - Remote LIBS, 64
 - Remote sensing, 58–64
 - fiber devices, 62–64
 - open-path sensors, 59–62, 60t, 61f
 - Representativeness, green chemistry and, 51, 53f, 54
 - Reversed phase liquid chromatography (RP-LC), 126–127, 128t
 - high temperature and thermal gradients for, 130–133
 - ion liquids for, 129–130, 131t
 - Robotics, for toxic chemical replacement, 9
 - Room temperature ionic liquids (RTILs), 180–181
 - for RP-LC, 129–130, 131t
 - RP-LC. *See* Reversed phase liquid chromatography
 - RTILs. *See* Room temperature ionic liquids
- S**
- Sample(s)
 - avoiding treatment of
 - direct analysis with sample damage, 74–80
 - direct analysis without sample damage, 65–74
 - noninvasive measurements, 64–65
 - remote sensing, 58–64
 - digestion of, energy consumption of, 28, 48–49
 - good and bad practices for, 212–213, 213t
 - operators and, new relationship for, 202–205, 204f
 - preparation of
 - advances in, 7
 - miniaturization of, 152–155
 - size of, reduction of, 16, 16f, 50
 - storage and preservation of, energy consumption of, 48
 - treatment of, 57–80, 58f, 80f
 - direct thermal desorption, 107–111
 - energy consumption for, 28–29, 30f, 48–49
 - extraction of liquid samples, 91–107
 - good and bad practices for, 212–213, 213t
 - green limits of, 50
 - greening of, 83–111
 - hard *v.* soft, 35
 - solid sample extraction techniques, 84–91
 - SBSE. *See* Stir bar sorptive extraction
 - SDME. *See* Single drop microextraction
 - Secondary-ion mass spectroscopy (SIMS), 71, 72t, 73f, 79–80, 80f
 - Selectivity, green chemistry and, 51–52, 53f
 - Self-cleaning, of automated systems, 34
 - Semipermeable membrane devices (SPMDs), 102, 103f
 - Sensitivity, green chemistry and, 51, 53f, 54
 - Sensor technology
 - advances in, for toxic chemical replacement, 9
 - energy consumption and, 29, 30f
 - Separation systems, MS as detector in, 144–146
 - Sequential injection analysis (SIA)
 - FIA evolution to, 32
 - reagent use with, minimization of, 51, 150, 153f
 - for toxic chemical replacement, 9
 - for waste minimization, 181–183, 183f

- Sequential injection analysis (SIA) (*cont.*)
 wastes, generation in spectrophotometric analysis, 32, 32t, 33f
- Sequential injection lab-on-valve
 equipment (SI-LOV), 151, 153f
- SFC. *See* Supercritical fluid chromatography
- SFE. *See* Supercritical fluid extraction
- SHWE. *See* Superheated water extraction
- SIA. *See* Sequential injection analysis
- SI-LOV. *See* Sequential injection lab-on-valve equipment
- SIMS. *See* Secondary-ion mass spectroscopy
- Single drop microextraction (SDME), 96–97, 97f
 headspace, 108, 110f
- Social activities, Analytical Chemistry and, 2
- Soft treatment, of samples, 35, 49
- Solid phase dynamic extraction (SPDE), 95
 headspace, 109, 110f
- Solid phase extraction (SPE), 93–94, 106t, 152–155
- Solid phase extraction units, for preconcentration, 32, 34
- Solid phase microextraction (SPME), 94, 106t, 152–155
 headspace, 108, 110f
 in-tube, 94–95
 for MS, 121, 122f
- Solid phase spectrophotometry, for on-line retention of reagents, 34
- Solid sample extraction techniques, 84–91
 microwave-assisted extraction and digestion, 86–91, 90f, 91f, 92t
 pressurized solvent extraction, 86–88, 88f, 91t
 supercritical fluid extraction, 85–86, 87f, 91t
 superheated water extraction, 86–88, 88f, 91t
 ultrasound-assisted extraction, 89, 89f
- Solid-state NMR, 74
- Solvents
 consumption of, 50–51, 52f
 recovery of, 7
 reduction of, 50
 replacement of, 179–181, 182t
 in liquid chromatography, 126–128, 128t
 side effects of, 26–28, 27f
 evaluation of, 25
 toxic, restriction of, 26
- Sonication
 energy consumption of, 49
 for sample dissolution and analyte extraction, 89, 89f
 solvent reduction with, 50
- Sorbent interface, membrane-based extraction with, 101–102
- SORS. *See* Spatially offset Raman spectroscopy
- Spark ablation, 74–76
- Spatially offset Raman spectroscopy (SORS), 64–65
- SPDE. *See* Solid phase dynamic extraction
- SPE. *See* Solid phase extraction
- Spectroscopy. *See also specific types*
 detection with, 164–167
 multianalyte determination in, 116–120
 inductively coupled plasma-optical emission spectrometry, 118–120
 IR spectroscopy, 117–118, 119f
 Raman spectroscopy, 118
 UV-visible spectroscopy, 117–118, 119f
 XRF, 117
- Splitters, for microspectroscopy systems, 70
- SPMIDs. *See* Semipermeable membrane devices
- SPME. *See* Solid phase microextraction
- SSE. *See* Subcritical solvent extraction
- Static headspace, 107–108, 110f
 headspace sorptive extraction, 108, 110f
 headspace-single drop microextraction, 108, 110f
 headspace-solid phase micro extraction, 108, 110f
 for MS, 121, 122f
- Stationary phases, for liquid chromatography, 133–134
- Stir bar sorptive extraction (SBSE), 95–96, 106t
 headspace sorptive extraction, 108, 110f

- Subcritical solvent extraction (SSE), 86–88, 88f, 91t
- Subcritical water extraction (SWE), 87–88, 88f, 91t, 152–155, 180
- Supercritical fluid chromatography (SFC), 138–139
for IMS, 125
- Supercritical fluid extraction (SFE), 85–86, 87f, 91t, 152–155, 180
- Superheated water extraction (SHWE), 86–88, 88f, 91t
- Surface spectroscopy techniques, 71, 72t, 73f
- Surfactant-based analyte separation, 102–107
liquid-coacervate extraction, 102–104, 104f, 105t
microemulsion-based separations, 105
using aphrons, 105
- Sustainability
analytical methods concerning, 210–212
economic balances of, 198–200, 199f
introduction of, 196–198, 197f
- SWE. *See* Subcritical water extraction
- Sweeping, for CE, 141, 142f, 144
- ## T
- TDLs. *See* Tunable lasers
- Teaching, of Green Analytical Chemistry, 218–219
- Thermal degradation, 184, 185f
- Threshold limit value (TLV), 37–38
- Threshold limit value-short term exposure limit (TLV-STEL), 38
- Threshold limit value-time weighted average (TLV-TWA), 38
- TLV. *See* Threshold limit value
- TLV-STEL. *See* Threshold limit value-short term exposure limit
- TLV-TWA. *See* Threshold limit value-time weighted average
- Toxic chemicals, 37–40, 38t, 41–44t, 45–46t
body entry of, 44, 46f, 47f
contact, 44, 46, 46f, 47f
inhalation, 46–47, 46f, 47f
evaluation of, 25
replacement of, 9, 178–179, 179f
disadvantages of, 51–52, 53f
restriction of, 26
wastes generation of, 34–35
- Toxic release inventory (TRI), PBT in, 26
- Toxicological information, from MSDS, 39
- Traceability, green chemistry and, 51, 53f, 54
- Transmission, for mid-infrared spectroscopy, 67, 68f
- Transport information, from MSDS, 39
- Treatment. *See also* Hard treatment;
Leaching treatments; Soft treatment;
Ultrasound treatments
avoiding, of samples
direct analysis with sample damage, 74–80
direct analysis without sample damage, 65–74
noninvasive measurements, 64–65
remote sensing, 58–64
of samples, 57–80, 58f, 80f
direct thermal desorption, 107–111
energy consumption and, 28–29, 30f, 48–49
extraction of liquid samples, 91–107
good and bad practices for, 212–213, 213t
green limits of, 50
greening of, 83–111
solid sample extraction techniques, 84–91
of wastes, 34
- TRI. *See* Toxic release inventory
- Tunable lasers (TDLs), open-path, 59, 60t, 61–62
- ## U
- uHTS. *See* Ultra-high throughput screening
- Ultra Performance Liquid Chromatography (UPLC), 169–170, 171t
- Ultrafiltration, macromolecule-based, 191–192
- Ultra-high throughput screening (uHTS), 156
- Ultrasound treatments, energy consumption of, 29, 30f

- Ultrasound-assisted extraction. *See*
Sonication
- Ultraviolet differential optical absorption
spectrometry (UV-DOAS), 59,
60t, 61
- Ultraviolet-visible (UV-visible)
spectroscopy, 117–118, 119f
detection with, 165
- UPLC. *See* Ultra Performance Liquid
Chromatography
- UV-DOAS. *See* Ultraviolet differential
optical absorption spectrometry
- UV-visible spectroscopy. *See* Ultraviolet-
visible spectroscopy
- V**
- Vesicular liquid coacervate extraction
(VLCE), 104
- Vials, noninvasive measurements on, 64–65
- Vibrational spectroscopy, 66–71
chemical imaging, 70–71
infrared microscopy, 69–70
infrared spectroscopy, 66–68, 68f
Raman microscopy, 69–70
Raman spectroscopy, 68–69
- VLCE. *See* Vesicular liquid coacervate
extraction
- W**
- Wastes
amounts of, 25
disposal of, risks with, 47–48
generation of, 3
bad conscience of consumers of, 5–7,
8f
evaluation of, 50–51, 52f
increases in, 5–6
risks with, 31–34, 32t, 33f
in spectrophotometric analysis, 32, 32t
toxic products, 34
in greenness criteria, 26–27, 27f
handling of, risks with, 47–48
minimization of, 10, 32, 181–183,
183f
method automation for, 32
on-line degradation of, 9, 28, 35,
181–192, 183f, 184f
biodegradation, 187, 189f
macromolecule-based ultrafiltration,
191–192
oxidation, 184–185, 186f
passivation of residues, 187–191, 190f
photocatalytic oxidation, 186–187,
188f
thermal degradation, 184, 185f
operator contact with, 44–48, 46f, 47f
problem of, 177–178
downsizing, 200–201, 202f
recycling of, 192–194, 194f, 214
toxicity of, 25
treatment of, 34
- X**
- XPS. *See* X-ray photoelectron spectroscopy
- X-ray fluorescence (XRF) spectrometry,
71, 117
- X-ray photoelectron spectroscopy (XPS),
71, 72t, 73f
- X-ray powder diffraction (XRPD), 65
- XRF. *See* X-ray fluorescence spectrometry
- XRPD. *See* X-ray powder diffraction