

Subject Index

- absorption, 319
- absorption factors, 162
- acetylene, 19
- activated carbon fibers, 61, 103, 385, 485
 - fluorination of, 392
- activated carbons, 58, 448
- adhesive material, 516
- adsorbed species, 263
- adsorption, 265, 442
 - and desorption of residual gas molecules, 464
- adsorption isotherm, 324
 - standard, 326
 - Type I, 325
 - Type II, 326
 - Type III, 326
 - Type IV, 326
 - Type V, 328
- adsorption processes, 118
- adsorption properties, 485, 493
- algae, 517
- alumina/carbon composite, 105
- amorphous carbons, 239, 285
- amorphous diamond, 239
- analysis procedures, 162
- angular resolved XPS, 213
- anisotropy ratios, 402
- anodic aluminum oxide film, 117
- apparent crystallite size, 167
- arc ion plating, 548
- atomic distances, 190
- atomic-scale visualization, 260
- Auger process, 212
- average crystallite layer plane transverse magnetoresistance, 402
- Babinet theorem, 178
- Bacillus carboniphilus*, 516
- band gap, 239
- BCN heterodiamonds, 151
- Berkovich indenter, 361
- BET specific surface areas, 450
- β -SiC, 236
- binding energy, 212
- bond-counting rule, 152
- boron, 441
- boron carbonitride, 545
- boron doping, 46
- boron-substituted carbon, 346
- boron-substituted graphite, 342, 344
- Bragg condition, 226
- Breit–Wigner–Fano lines, 34
- bright field image, 225
- Bright theory, 399
- Brown–Ladner equation, 309
- bulk modulus, 551
- C K-edge XANES, 200
- C/C composites, 85
- C_{60} fullerenes, 249
- camera length, 228
- capillary condensation, 320
- carbon aerogels, 71, 112, 454
- carbon alloys, 9
 - definition, 9
- carbon coils, 525
- carbon family, 5
- carbon fibers, 4
 - improvement in compressive strength, 524
 - high quality, 523

- thinner, 133
- carbon matrices, 523
- carbon matrix precursors, 530
- carbon membranes, 119, 469
- carbon nanotubes, 15, 26, 41, 103, 117, 135, 201, 285, 292, 447, 455, 459, 485
 - electrical properties of, 527
- carbon nitride, 545
- ^{13}C -NMR, 273
- carbon paste, 440
- carbonization, 501
- carbyne, 8
- Car-Parrinello method, 150
- catalysts, 200
 - supports, 120
- catalytic activation, 111
- catalytic activity, 265
- cathode-ray-tube-type light bulbs, 465, 466
- charge transfer, 103
 - rate of, 337
- charge/discharge cycling, 339
- charge/discharge behavior, 101
- chemical shift, 212
 - anisotropy, 306
- chemical states, 212
- chemisorption, 319
- classic carbons, 3
- clean surfaces, 463
- coal, 202, 204, 282
- coal-tar pitch, 370
- cohesion at the interface, 534
- complementary system, 178
- composite electrode, 347
- confinement effect, 64
- confocal micro Raman spectroscopy, 35
- constant current method, 339
- contact time, 312
- continuous wave EPR, 276
- coordination numbers, 190
- core/shell particles, 135
- corrected profile, 166
- CP/MAS method, 312
- crack, 233
- cross-polarization, 305
- crystallite sizes, 162
 - distribution of, 172
- CsC_{24} , 105
- current densities, 462
- current vs. voltage characteristics of various carbon nanotubes, 462
- cyclic voltammetry, 335, 336
- dark field image, 225
- Debye rings, 228
- density functional theory, 145, 147
- density of state, 239
- dependence of the resistivity ρ_T on temperature, 412
- diamond, 7, 545
 - coating, 234
 - converting to graphite, 386
- diamond-like carbon, 294, 545, 546
 - hardness, 550
 - hydrogenated, 551
- diatoms, 517, 519
- dielectric function, 239
- differential charging, 213
- diffraction patterns, 228
- diffuse reflectance absorption, 269
- dipolar dephasing, 274
- direct dipole-dipole interaction, 306
- disordered carbons, 419
- distance distribution function, 182
- Dollimore-Heal method, 449, 503
- domain sizes, 87
- doping, 41, 441
- double resonance Raman, 33
- doubletting of $\text{K}\alpha$ radiation, 162
- Dubinin-Radushevich equation, 450
- edge states, 385
- elastic modulus, 355
- elastoplastic indentation, 351
- electric double layer capacitor, 447
- electrical properties of nanotubes, 527

- electrochemical double-layer capacitors, 442
electrochemical lithium insertion, 485, 496
electrochemical properties, 495
electrochemical reactions, 436
electrochemical sensors, 443
electrochemical techniques, 336
electron energy-loss spectroscopy, 36, 239
electron nuclear double resonance, 278
electron spectroscopy for chemical analysis, 211
electron tunneling, 464
electronic density of states, 257
electronic structure, 145
elemental analysis, 230
emission patterns, 463
enhanced molecule–pore wall interaction, 65
enthalpy of alloy formation, 534
EPR, 276
exfoliated graphite, 100
exfoliation fracture toughness, 538
extended X-ray absorption fine structure, 189

field cooling effects, 390
field emission display, 465, 467
field emission microscopy, 459
field emission properties, 527
first-principles molecular dynamics method, 150
fish, 518, 520
fluorescence mode, 195
fluorescence rejection, 291
fluorinated nano-graphite, 392
fluorinated nanotubes and nanofibers, 51
fluorination, 103, 392, 485, 487 – control of carbon properties by, 486
fluorine atom on nanographite, 28
fluorine-induced sp^3 bonds, 393
focused ion beam, 223
food chain, 518, 519
fracture criterion, 541
full width at half maximum, 162, 216
fullerenes, 15, 26, 34, 41, 201, 285, 295 – metal, 207
functional groups, 212

galvanostatic discharge-charge curves, 496
galvanostatic method, 335, 339
gas separations, 469
G-band, 33
generalized gradient approximation, 149
glass-forming materials, 375
glass-like carbon, 4
glassy carbon, 91, 289, 440
grand canonical Monte Carlo simulation, 62
graphite, 7, 236 – boron-substituted, 342, 344 – converting diamond to, 386 – CxN-coated, 348 – first coulombic efficiency of, 340 – highly ordered, 419 – theoretical capacity of, 340
graphite intercalation compounds, 28, 42, 99, 154, 418
graphite–diamond transformation, 150
graphite-like carbon, 547
graphite-slit pore model, 58
graphitizable (soft) carbons, 43, 421
Guinier Plot, 180
Guinier region, 179
gyration radius, 179, 180

hard carbons, 16
Hartmann–Hahn condition, 305
Hartree–Fock self-consistent-field method, 147
heat treatment temperature, 34
heating experiments, *in situ*, 223
heat-treated carbons, 364

- hetero-atomic alloys, 10
- hidden surface fluorination, 489
- hidden surfaces, 10, 57
- high resolution α_s -plot, 325
- highly active catalyst, 499
- highly ordered pyrolytic graphite, 288, 440
- high-power decoupling, 308
- high-pressure adsorption, 330
- homo-atomic alloys, 10
- host effect, 99, 104
- host-guest reaction, 99
- hybridization, 16
- hydrocarbon compounds, 200
- hydrogen content of diamond-like carbon, 550
- hydrophobicity, 70
- hyperfine sublevel correlation spectroscopy, 279
- hysteresis loop, 326
- indentation ductility index, 357
- indirect dipole-dipole interaction, 306
- infra-red spectra, 269
- in-situ* measurements, 194
- instrumental broadening, 163
- insulator-metal transition, 386
- interatomic potential, 146
- inter-band transition, 239
- intercalation, 41, 99
 - compounds, 439
- interface control, 85
- interference fringes, 463
- interlayer spacing d_{002} , 405
- internal standard, 162
- iodine treatment, 90
- ion implantation, 34
- ion-exchange resin, 110, 499
- ion-sieving effect, 452
- JSPS method, 162, 166
- K_3C_{60} , 295
- Kelvin equation, 327
- Kikuchi lines, 228
- Knight shift, 313
- Knoop indenter, 361
- laboratory XAFS, 196
- Larmor precession, 300
- lattice constants, 167
- lattice fringes, 227
- layered metal carbon alloy, 257
- lithium
 - cavity model, 46
 - electrochemical insertion of, 496
 - insertion in disordered carbon, 44
 - LiC₂ model, 44
 - rechargeable batteries, 441
 - reference electrode, 337
 - storage model, 430
- Lithium-ion battery, 99
- Li-encapsulated diamond, 154
- Li-GICs, 418
- Li NMR, 427
- local density approximation, 149
- local structures, 189
- longitudinal magnetoresistance, 399
- Lorenz-polarization factors, 162
- low energy electron diffraction, 258
- lugworms, 519
- macropores, 502
- magnetoresistance, 395
- mapping of electronic states, 265
- marine organisms, fixation of, 515
- Maxwell-Stefan diffusivity, 471
- MCl₂-GICs, 105
- mesocarbon microbeads, 5
- mesopores, 57, 111, 449
- mesoporous activated carbon fibers, 449
- mesoporous silica, 116
- metal carbides, 258
- metal-doped carbon nanotubes, 50
- metal-doped fullerenes, 49
- metallic lithium, 417

- metal-loaded porous carbons, 499
Meyer hardness, 352, 355, 358
microcapsules, 139
microelectrodes, 444
micro-organisms, 516
micropore filling, 325
micropores, 57, 110, 469, 503
microstructure control, 89, 530
microstructure effect in LIB, 426
microstructure observation, 542
microstructures of interfaces, 524
microtextures, classification of, 400
minerals, 202
mobile hydrogen, 282
molecular dynamics, 145
molecular orbital methods, 147
molecular sieving carbons, 110
molecular simulations, 326
molybdenum carbide, 257
mosaic spread, 405
multilayer adsorption, 320
multiwall carbon nanotubes, 141, 459, 486, 488
- nano-composites, 545
nano-diamond, 386
nanofibers, 134, 459
nanograffibers, 459
nanographite, 16, 99, 385
 - fluorinated, 392
nano-indentation method, 551
nanopores, 327
nanorods, 75
near-IR absorption, 270
negative magnetoresistance, 399
new carbons, 3
 Ni^{2+} type resins, 499
nickel catalyst, 346
nitric oxide
 - decomposition catalyst, 506
 - durability of removal of, 507
 - reducing reagents, 505
 - reduction of, 499
nitrogen substituted carbons, 342
nitrogen yields, 506
nitrogen-doped nanotube, 51
nitrogen-substituted carbon, 346
non-graphitizable (hard) carbons, 43, 421
novel composites, 523, 527
- occlusion, 319, 320
old but new materials, 4
optimum fitting, 171
orbital susceptibility, 386
organic electrolytes, 443
oxidation resistance, 534
oxidation, effect of alloying on, 91
oxygen functional groups, 436
- partial density of states, 30
Pauli susceptibility, 389
pentagonal pinch mode, 34
pentagonal rings, 21, 463
permeability, 471
permeance, 471
permeation, 469, 474
photoelectric effect, 211
photo-electron spectroscopy , 36
photoemission process, 211
phototransformation and
 - photo-decomposition in C60, 290
physical adsorption, 319
 π bond, 20
 $\pi-\pi^*$ transition, 218
plasma-enhanced chemical vapor deposition, 548
polycrystalline graphite, 401
polymer blend carbonizations, 113
polymer blend technique, 129
polymer precursors, 41
polymer-like carbon, 547
pore development, 502
pore size distribution, 448
pore structures, 175
pore volume distributions, 503

- pores
 - latent, 321
 - open, 321
- Porod region, 179
- porosity, 175
- porous carbons, 109, 129, 499
- porous glass, 114
- powder pattern, 307
- preferential etching, 213
- preferential support, 131
- primary lithium cells, 495
- proton magnetic resonance thermal analysis, 281
- pseudo-capacitances, 443
- pulsed EPR, 278
- pyramidal indentation, 351
- pyrolytic carbons, 4
- pyromellitic dianhydride/*p*-phenylene-diamine, 403
- quadrupolar moment, 313
- quasi-high pressure effect, 68
- radical content, 276
- Raman characterization of diamond-like carbon, 294
- Raman imaging, 285
- Raman spectra, 33, 409
 - doped fullerenes, 295
- Raman spectroscopy, 285, 549
- real space, 177
- reciprocal space, 177
- reducing regeneration, 508
- reflection loss of electro-magnetic waves, 525
- regeneration, *in situ*, 499, 512
- resistivity of doped single-wall carbon nanotube, 50
- resonance effects, 285
- resonance Raman scattering of a single-wall carbon nanotube, 292
- retardation time spectrum, 379
- rigid hydrogen, 282
- sample exchange method, 301
- sample thickness, 164
- scanning probe microscope, 36
- scanning tunneling microscopy, 47, 257
- scattering parameter, 176
- scattering vector, 176
- sea, 515
- seaweed bed, 518
 - artificial, 515
 - formation, 519
- self-relaxation, 314
- self-similarity, 180
- semi-empirical molecular orbital calculations, 342
- separation factor, 471
- separation processes, 118
- shear strengths, 92
- shielded arc ion plating, 552
- σ bonds, 15, 20
- Si_3N_4 , 234
- SiC/C multi-layered coating method, 534
- silica gel, 114
- simple two-band (STB) model, 396
- single file diffusion, 470
- single-hole system, 399
- single-wall carbon nanotubes, 60, 459, 486, 487
- singly occupied molecular orbital levels, 342
- slit-like pore, 470
- small-angle X-ray scattering, 175
- solid-echo signal, 282
- solid-state NMR, 273
- sp , 5
- sp^2 , 5, 549
- sp^3 , 5, 549
- sp^3 fraction, 239
- space alloying, 57
- SPE surface area, 65
- spectrum imaging, 247
- spin glass, 391
- spin hybridization, 15
- spin-lattice relaxation, 302

- spin magnetism, 33
spin relaxation, 276
spin–spin relaxation, 302
spinning, 130
spinning side bands, 307
Steele potential, 59
Stokes radius, 452
structure image, 227
supercritical gas, 329
super-hard materials, 545
surface areas, 58
surface carbon atoms, 257
surface enhanced Raman spectroscopy,
 35
surface fractal, 180, 183
 – dimension, 323
surface functionalities, 212
surface oxide, 436
surface structure, 258
surface-treated fibers, 85
Suzuki effect, 230
synchrotron radiation, 194
- temperature-programmed-reaction
 experiments, 510
template carbonization, 114
template-synthesized carbon nanotubes,
 488
thermal conductivity, 531, 532, 537
 – of graphitic materials, 89
time–temperature superposition, 374
topological defect in the electronic
 structure, 16
transmission electron microscopy, 223
- transmission mode, 195
trans-polyacetylene, 20
transverse magnetoresistance, 397
true hardness, 355
tunneling resistance, 257
- ultraviolet photoelectron spectroscopy,
 220
- valence band spectra, 220
vapor grown carbon fibers, 459
Vickers indenter, 360
viscoelastic indentation, 351
- weak-beam technique, 226
weak localization effect, 400
wettability, 442
working electrode, 337
work-of-indentation, 358
- X-ray absorption fine structure, 189
X-ray absorption near edge structure,
 190
X-ray diffraction, 161
 – *in situ*, 61
X-ray photoelectron diffraction, 213
X-ray photoelectron spectroscopy, 35,
 211, 260
- Zeeman splitting, 300
zeolites, 115
zig-zag edge, 389
zooplankton, 518