

Index

A

A-type cracking, 137
 Acetylene, experimental yield, 217
 Acid catalyst, 195
 Adams method, 81
 Adams-Moulton method, 86
 Aromatic(s)
 alkyl, 197
 reactions, 168–172
 saturation, 151
 Aromatization, 39, 111, 116, 198
 Asphaltenes, 23
 Atomic connectivity, 13
 Automated model building, 4, 5, 153, 177–178

B

β -scission, 130, 189, 206, 209–210
 B1-type cracking, 137
 B2-type cracking, 137
 Benzene, 42, 109
 experimental yield, 217
 Benzoic acids, hydrolysis of, 66
 Benzothiophenes, 146, 174
 Boiling point, 13
 Bond-electron matrix representation, 36
 Bond fission reactions, 17
 Boolean matrix multiplication, 5
 Branch number, reactions as function of, 129
 Butadiene, 205
 experimental yield, 217
 Butane, 118
 Butene, experimental yield, 217
 Butylcyclopentane, 117

C

C8 hydrocracking, 83
 C16 paraffin hydrocracking model, 126
 characteristics, 134
 extension to C80 model, 137–138
 at mechanistic level, 134
 validation, 135
 C-type cracking, 137
 Carbenium ion, 36, 126
 olefin transformation to, 127

Carbon number, 44, 47
 DHC rate and, 114
 reactions as function of, 129
 Catalytic hydrocracking, 165
 carbon center modeling, 4
 LFER in, 70–75
 linear free energy relationships in, 70–75
 Catalytic hydroprocessing, 159
 Catalytic reforming, 1, 4, 109, 110, 221, 222, 230
 C14 naphtha model, 121, 226
 model, reaction rules for, 113
 pathways, 112
 reaction rules for, 113
 Coking, 117, 126, 192–193
 Computational fluid dynamics model, 47
 Conditional probability, defined, 21
 Cracking reactions, 196–197
 isoparaffin, 196–197
 olefin, 197
 paraffin, 196
 side-chain, 197
 Cyclopentadiene, 117
 Cyclopentanes, 117
 Cyclopropane, protonated, isomerization of, 129

D

DASSL, 83
 Dealkylation, 111, 116–117, 126
 Dehydrocyclization (DHC), 111, 112–114
 Dehydrogenation, 39, 111, 116
 Denitrogenation, 144, 145, 151–152
 Deprotonation, 129, 190
 Desulfurization, 144, 145
 Dibenzothiophenes, 146, 174
 Diels-Alder condensation, 117, 206, 207, 210–211, 213

E

EqnGen, 92, 221, 225
 Ethane, 5, 17, 36
 bond-electron matrix representation, 36
 from butane cracking, 118
 fission reaction, 36

- formation, 118, 137, 173, 217
- initiation example, 37
- from naphtha pyrolysis, 217
- pyrolysis, 5, 94, 206
 - delayed coking vs., 39
 - model, 38
- reaction modeling for, 35, 38
- Ethyl carbenium ion, 36
 - bond-electron matrix representation, 36
- Ethyl radical, 36
 - bond-electron matrix representation, 36
- Ethylcyclopentane, 117
- Ethylene, 209, 212, 215
 - bond-electron matrix representation, 36
 - Diels-Alder reaction and, 211
 - experimental yield, 217
 - major source, 205
- Evans-Polyani principle, 58

F

- Feedstock(s)
 - analytical characterization, 13–14
 - atomic connectivity, 13
 - boiling point, 13
 - characterization, 166–167
 - predicting product properties from, 99
 - chemical characteristics, 13
 - classification, 206
 - construction, 166–167
 - discrete integer values, 19
 - H/C ratio, 13
 - hydrocarbon analysis, 13
 - major source of, 205
 - molecular structure and composition modeling of complex, 222–223
 - molecular weight, 13
 - optimal representation of, 22–24
 - selection, 183
 - size, 24–25
- Fluid catalytic cracking, 221, 229
 - mechanistic modeling, 184–191
 - as basis for pathways level modeling, 194
 - model pruning strategies for, 184–191
 - parity plot for, 193
 - pathways modeling vs., 194
 - reaction families, 187–188
 - rules for, 189–190
 - molecular modeling, 183–203
 - diagnostics, 193
 - kinetics, 191–193
 - coking, 192–193
 - intrinsic, 191–192
 - mechanistic, 184–191

- rules based reaction, 184–191
- parity plots, 202
- pathways level modeling, 194–202
 - approach, 195–198
 - coking kinetics, 198–199
 - diagnostics and results, 199–202
 - gas oil composition, 199
 - mechanistic modeling vs., 194
- reactions
 - aromatization, 198
 - cracking, 196–197
 - hydrogenation and dehydrogenation, 198
 - isomerization, 197
 - methyl shift, 198
 - rules for, 195–198
- purpose, 183
- rules based reaction modeling, 184–191
 - reaction rules, 184–186
 - stochastic rules, 186, 190–191

G

- Gas oil hydrocracking, 83, 160, 196
- Gas oil hydroprocessing, 159–181, 228–229
 - aromatic and hydroaromatic reactions, 168, 170–172
- automated kinetic modeling, 160–178
 - approach, 160–165
 - development, 166–178
 - kinetics, 175–177
 - model development, 166–178
 - rules, at pathway level, 166
- feedstock characterization and construction, 166–167, 169, 170
- model
 - development, 166–178
 - statistics of, 178
- naphthene reactions, 172–173
- of nitrogen compounds, 174–175
- olefin reactions, 173
- paraffin reactions, 173
- pathway level modeling, 63, 83
- product conversion profiles, 180
- reaction families, 167–175, 195
 - matrices for, 162–165
 - at pathway level, 161
 - statistics, 178
- of sulfur compounds, 173–174
- Gauss-Laguerre quadrature method, 26
- GEAR, 84
- GEARB, 84

GREG routine, 96, 97, 120, 135, 154, 216

H

H/C ratio, 13

Heavy gas oil hydroprocessing, 180

Heavy paraffin hydrocracking, 226–227

β -scission in, 130

 at branch number level, 46, 48, 54, 138

 isomorphism algorithm applied at, 46, 48, 227

 reduction pathways at, 138

 at carbon number level, 46, 48, 54, 138

 isomorphism algorithm applied at, 46, 48, 227

 reduction pathways at, 138

 dehydrogenation and hydrogenation in, 127

 hydride and methyl shift in, 128–129

 inhibition reaction in, 130–131

 mechanistic reaction families, 124, 125

 molecular-based kinetic modeling of, 123–139

 kinetics of, 133

 model

 automated, 131–133

 C16, 134, 137–138

 development of, 126–134

 PCP isomerization in, 129

 protonation and deprotonation in, 127–128

 reaction families, 127–131

 reaction mechanism, 126–127

Heptane, 200, 201

n-Heptane cracking, 42

 reaction network building of, 45

Hexadecane, FCC model, 200, 201, 202

n-Hexane

 cracking, 50

 cyclization to methylcyclopentane, 114

Hydride abstraction, 189

Hydride shift, 128–129, 189

Hydroaromatics, reactions of, 168–172

Hydrocarbon analysis, 13

Hydrocarbon pyrolysis, 4, 205

Hydrocracking, 4, 111, 114–115, 165, 221

 catalytic (*See* Catalytic hydrocracking)

 inhibition reaction in, 130

 model, 134

Hydrodenitrogenation, 159, 160

Hydrodesulfurization, 98, 109, 141, 159, 160

Hydrogenation, 39, 200

Hydrogenolysis, 39, 53, 62, 110, 111, 112

 defined, 115

 of isoparaffins, 113

 mechanisms, 115

 at metal sites, 127

 naphthene, 119

 nonselective, 115

 reaction matrix, 112, 115

 selectivity, 115

Hydroisomerization reaction networks, 48

Hydroprocessing, 1, 4, 221

 reaction families, 161

Hydrotreating, 1, 4, 221

 at pathways level, 155

I

Isomerization, 197

 naphthene, 111, 116

 olefin, 200

 paraffin, 110, 111, 115–116, 119

 protonated cyclopropane, 129, 189

Isomorphism algorithm, 38, 55, 138

 generalized, 45–47, 54

 late lumping and, 48

 as on-the-fly lumping tool, 45–47, 54

Isoparaffin(s), 23, 27, 28

 cracking reactions, 196–197

 dehydrogenation, 127

 hydrogenolysis, 115

J

Jacobian matrix, 81, 83, 86

Joback group contributions method, 99

K

Kerosene, 18, 19

Kinetic model(s)

 approach, 2

 lump, 3

 candidate, 83

 chemistry-free, 1

 complex, 1, 3, 4

 detailed, 2

 advantages of, 3

 automated, 4

 complexity of, 3

 development process, 58

 fundamental, 5

 parameters, 57

 problems associated with, 57

 template, 6

 differential equations, 79

 stiffness in, 81

guidelines for solving, 88–89
 levels, 2, 58
 mathematical representation, 79
 mechanistic, 3, 87–88
 molecule-based, 5–6
 pathways, 3, 86–87
 sparseness, 82–83
 stiffness in, 81
 validation, 119–121
 Kinetic Modeler's Toolbox, 7, 91, 92–104, 221, 225–226
 development and model delivery, 100–103
 data issues, 102
 document issues, 103
 lessons learned, 103
 platform and porting, 100–102
 user interface issues, 102–103
 document issues, 103
 end-to-end optimization strategy, 99
 modules
 model equation generator (EqnGen), 95
 model solution generator (SolGen), 95–96
 molecular generator (MolGen), 92–94
 reaction network generator (NetGen), 94–95
 objective function, 98
 optimization algorithm, 96–97
 parameter optimization and property estimation, 96–100
 parameter optimization framework, 92, 96
 platform and porting, 100–102
 property estimation of mixtures, 98–99
 user interface issues, 102–103
 uses, 100
 Kinetic modeling
 algorithm
 naphtha reforming, 117
 approaches, 4–5, 110–111, 142–144
 automated computer-generated, 5
 structure-oriented, 4–5
 complexity of, 2, 3
 development, 144–153
 guidelines, 88–89
 of heavy paraffin hydrocracking, 123–139
 historical perspectives, 4
 levels of, 2
 mathematical background, 80–85
 mechanistic approach, 123–126
 mechanistic-level, 87–88
 molecule-based, 2, 3
 strategy, 5–6
 naphtha reforming, 109–121
 pathways-level, 86–87
 Kinetic rate, 224

laws, 59–65
 Kinetics, 175–176

L

Langmuir-Hinshelwood-Hougen-Watson
 formalism, 59, 60–61, 110, 175–176, 195
 LFERs. *See* Linear free energy relationships (LFERs)
 LHHW formalism. *See* Langmuir-Hinshelwood-Hougen-Watson formalism (LHHW formalism)
 Light gas oil, 27–30
 analytical properties, 27, 30
 construction algorithms, 28
 PDF parameters, 28, 29
 quadrature molecules, 29, 30
 Linear free energy relationships (LFERs), 65–69, 110, 124, 221
 in catalytic hydrocracking, 70–75
 LSODA, 83, 84, 225
 LSODE, 83, 84, 86, 225
 Lumping, 2, 3, 4, 194, 206

M

Mechanistic modeling, 35, 184–191
 advantages, 205–206
 of heavy paraffin hydrocracking, 123–139
 kinetics, 87–88
 reaction families, 206
 β -scission, 206
 Diels-Alder condensation, 206
 hydrogen abstraction, 206
 initiation, 206
 radical addition, 206
 ring closure, 206
 ring opening, 206
 termination, 206
 stiffness in, 194
 Methane, experimental yield, 217
 Methyl carbenium ion, 129
 Methyl radical, 36, 210
 Methyl shift, 128–129, 189, 198
 Methylcyclopentane, 117
 Molecular structure modeling
 goal, 183
 at mechanistic level (*See* Mechanistic modeling)
 Monte Carlo construction, 21–25
 optimal representation, 22–24

- sample size, 24–25
- sampling protocol, 21–22
- at pathway level (*See* Pathway level modeling)
- probability density function and, 15–21
 - appropriate forms, 18–19
 - for complex mixtures, 16–17
 - conditional probability and, 21
 - discretization, truncation, and renormalization, 19–21
 - structural attributes represented by, 17–18
- quadrature molecular sampling, 25–27
 - fine-tuning representation, 27
 - sampling protocol, 25–26
- stochastic approach, 14–27
- Molecular weight, 13
- MolGen, 92, 103, 221, 225
- Monte Carlo construction, 21–25
 - optimal representation, 22–24
 - sample size, 24–25
 - sampling protocol, 21–22
- MOPAC, 133
- Multi-level single linkage algorithm, 97

N

- Naphtha hydrotreating, 141–157, 227–228
 - aromatic saturation in, 151
 - automated model building, 153
 - denitrogenation in, 151
 - desulfurization and saturation in, 145–146, 150
 - model, 154–155
 - automated, 153
 - development of, 144–153
 - optimization and validation of, 154
 - statistics of, 154
 - molecular-based kinetic modeling, 141–157, 227–228
 - approach to, 142–144
 - model, 154–155
 - automated, 153
 - development of, 144–153
 - optimization and validation of, 154
 - statistics of, 154
 - olefin hydrogenation in, 151
 - reaction families, 144–152
 - reaction kinetics, 152
 - sulfur compounds in, 145–146, 150
- Naphtha pyrolysis modeling, 207–218, 229
 - β -scission, 209–210
 - diagnostics, 214–215
 - Diels-Alder reaction, 210–211

- hydrogen abstraction, 208–209
 - initiation, 208
- parameter estimation, 215–216
- radical addition, 210
- reaction families, 211–214
- reaction rules, 208–211
- ring closure, 206
- ring opening, 206
- termination, 211
- Naphtha reforming, 159, 226
 - aromatization in, 116
 - coking in, 117
 - dealkylation in, 116–117
 - dehydrocyclization in, 112–114
 - dehydrogenation in, 116
 - hydrocracking reaction, 114–115
 - hydrogenolysis in, 115
 - kinetic modeling, 109–121
 - algorithm for, 117
 - model, 111–119
 - automated, 117–118
 - for C14, 118–119
 - characteristics, 119
 - validation, 119–121
 - development of, 111–117
 - naphthene isomerization in, 116
 - paraffin isomerization in, 115–116
 - reaction families, at pathway level, 112
- Naphthene(s), 23, 27, 28, 57, 195
 - cracking reactions, 200
 - hydrogenolysis, 115
 - isomerization, 111, 116
 - paraffin conversion to, 112
 - reactions, 172–173, 200
- NetGen, 92, 103, 117, 221, 225
- Nitrogen compounds, 174–174
- NMR, 6, 92
- Nuclear Magnetic Resonance, 6, 92

O

- ODEPACK, 84
- Olefin(s), 23, 57, 195
 - cracking reactions, 197, 200
 - hydrogenation, 142, 144, 151
 - isomerization, 200
 - from paraffin dehydrogenation, 127
 - reactions, 173
 - transformation to carbenium ion, 127
- Optimization algorithms, 96–97
- Ordinary differential equations, 79, 194
 - stiffness, 194, 224

P

- Paraffin(s), 21, 23, 27, 57, 195
 branch number, 116
 C16, 38
 carbon number, 44, 47
 conversion to naphthenes, 112
 cracking reactions, 196, 200 (*See also* Heavy paraffin hydrocracking)
 C16 model, 126
 characteristics, 134
 extension to C80 model, 137–138
 at mechanistic level, 134
 validation, 135
 C80 model, 137–138
 heavy, 123–139 (*See also* Heavy paraffin hydrocracking)
 mechanistic reactions, 123–126
 via dual site mechanisms, 124
 over bifunctional amorphous catalysts, 126
 reaction mechanism, 138
 dehydrocyclization, 112–114, 117
 dehydrogenation, 126, 127
 hydrogenation, 127
 hydrocracking, 114–115
 hydrogenolysis, 115
 isomerization, 110, 111, 115–116, 119, 200
 larger-carbon-number, 44
 reactions, 173
 smaller-carbon-number, 44
- Parameter optimization and property estimation (ParOpt), 96–100
 end-to-end optimization strategy, 99
 framework, 96
 objective function, 98
 optimization algorithms, 96–98
 property estimation of mixtures, 98–99
- Pathway level modeling
 advantages, 194
 algorithm, 117
 as alternative to mechanistic modeling, 184
 development, 203
 of gas oil hydroprocessing, 63, 83
 of heavy paraffin hydrocracking, 63
 incorporation of mechanistic ideas in, 121
 kinetics, 86–87
 LHHW formalism, 65
 of naphtha hydrotreating, 63
 of naphtha reforming, 63, 112
 rate laws, 58, 63–65
 reaction, 110
 reaction families at
 gas oil hydroprocessing, 161
 naphtha reforming, 112
 rules, 166
 SolGen optimization, 97
 solution time, 199
 tests, 199
- Pentadiene, experimental yield, 217
- Petroleum feedstocks, 159. *See also* Feedstock(s)
- Petroleum fractions, 19
- Petroleum refining processes, 221
- Petroleum resids, 18, 19
 PIONA, 23
 SARA, 23
- PIONA, 23, 167
- Polanyi relationship, 125
- Probability density function(s), 11, 15–21, 188
 appropriate forms, 18–19
 for complex mixtures, 16–17
 conditional probability and, 21
 defined, 14
 discretization, truncation, and renormalization, 19–21
 structural attributes represented by, 17–18
- Propylcyclopentane, 117
- Propylene, 205
 experimental yield, 217
- Protolytic cleavage, 189
- Protonated cyclopropane isomerization, 129, 189
- Protonation, 129, 190
- Pt-Zeolite catalyst, 137
- Pyrolysis, 221. *See also* Thermal cracking
 ethane, 5, 39, 94, 206
 hydrocarbon, 4, 205
 modeling, 207–218 (*See also* Naphtha pyrolysis modeling)
 naphtha
 modeling of, 207–218, 229
 β -scission, 209–210
 diagnostics, 214–215
 Diels-Alder reaction, 210–211
 hydrogen abstraction, 208–209
 initiation, 208
 parameter estimation, 215–216
 radical addition, 210
 reaction families, 211–214
 reaction rules, 208–211
 ring closure, 206
 ring opening, 206
 termination, 211

Q

QSRCs. *See* Quantitative structure reactivity correlations

Quadrature molecular sampling, 25–27
fine-tuning representation, 27
sampling protocol, 25–26

Quantitative structure reactivity correlations, 6, 110, 124, 133–134, 191, 221

R

Reaction families, 144–152, 167–175, 195, 206, 211–214

acid, 53

β -scission, 206

Diels-Alder condensation, 206

fluid catalytic cracking, 187–188

heavy paraffin hydrocracking, 127–131

hydrogen abstraction, 206

hydroprocessing, 161

initiation, 206

matrices for, 162–165

metal, 53

at pathway level, 161

radical addition, 206

ring closure, 206

ring opening, 206

termination, 206

thermal, 53

Reaction networks, 39–54

building and control techniques, 39–51

deseeding, 43–45

isomorphism algorithm as on-the-fly

lumping tool, 45–47

isomorphism-based late lumping, 48

postprocessing methodologies, 48–51

preprocessing methodologies, 39–45

rule-based model building, 39, 41–42

seeding, 42–43

in situ processing methodologies, 45–48

species-based and reaction-based model

reduction, 48–51

stochastic rules for reaction site sampling, 47–48

properties, 51–54

Reaction pathway degeneracy, 47, 118

Reaction rules

for acid chemistry, 40

for metal chemistry, 39

for thermal chemistry, 40

Resins, 23

Runge-Kutta method, 81

S

Saturation, 39

Side chain cracking, 197

SIMDIS, 6, 92, 167

Simulated annealing, 96–97

Simulated Distillation, 6, 92, 167

SolGen, 92, 103

Stiffness, 194, 224

Stochastic modeling, 11, 47–48

flow diagram, 12

uses, 6

Stoichiometry, 117

coefficient of, 193

hydrogen, 73

Sulfur compounds, 141

classification, 145–146, 150

reactions, 173–174

T

Thermal cracking, 1, 4. *See also* Pyrolysis

Thermodynamic equilibrium constants, 127

Thiophenes, 146, 174

Toluene, 18, 42, 109

X

Xylenes, 42, 43, 109