

- Abyssinine A, 100, 112, 114–115, 128–129
 Abyssinine B, 100, 114–115, 126, 127
 Abyssinine C, 100, 115
 14-Acetylaconosine, *see* Dolaconine
 6-O-Acetylacosepticine, 40, 58–59
 6-O-Acetylacosepticine, 17–18, 29, 31
 14-Acetyldihydrogadesine, 31
 8-Acetyldolaconine, 7, 31, 34, 46
 plant sources of, 7, 27
 8-Acetylexcelsine, 15, 31, 38
 plant sources of, 15, 28
 N-Acetylhystrine, 151–153
 Acetyl-nornicotine, 154
 N-Acetylsepaconitine, 14–15, 31, 38, 53–54
 pharmacological activity of, 71
 plant sources of, 14–15, 28
 6-O-Acetylbubofrine, 17–18, 31, 40, 57
 plant sources of, 17–18, 29
 Aconitine, 191, 196
 lappaconitine v., 3
Aconitum spp.
 diterpene alkaloids in, 191–193
 C₁₈-diterpenoid alkaloids from, 5,
 27–30
 Aconosine
 classification and structure of, 2, 6, 31,
 34, 46
 plant sources of, 6, 27–29
 Aconosine-subtype, classification and
 structure of, 3–9, 34–35, 46–49
 Acosepticine, 17, 31, 40, 57
 plant sources of, 17, 29
 Acoseptrine, 18, 31, 40, 58–59
 plant sources of, 18, 29
 Activity, *see* Structure–activity
 relationships and mechanisms of
 action
 Adouetine X, 87, 112, 117–119
 Adouetine Y, 92, 116, 118, 131–132
 Adouetine Y', 87, 112, 116–119, 125, 133
 Adouetine Z, 94, 118–119
 5(14)-Adouetine Z type cyclopeptide
 alkaloids, 94
 Ajmalicine, 250–251
 Akiradin, 15, 31, 38
 plant sources of, 15, 28
 Akiramidine, 10, 31, 36
 plant sources of, 10, 28
 Akiramine, 11, 31, 36, 50–51
 plant sources of, 11, 28
 Akiran, 11, 31, 36
 plant sources of, 11, 28
 Akiranine, 10, 31, 36, 50–51
 plant sources of, 10, 28
 Akirine, 16, 31, 38
 plant sources of, 16, 28
 Albine, 246
 Alkaloid 2, 82, 112, 118
 Alkaloid 3, 84, 112
 Alkaloid 4, 87, 118
 Alkaloid 6, 92
 Alkaloid glycoprocessing inhibitors,
 166–168
 AM-1, 87, 119
 AM-2, 92, 119
 Americine, 87, 117, 131–132
 Ammodendrine, 151–153, 169–170, 175
 Amphibine A, 87, 113–115
 Amphibine B, 97, 114
 5(14)-Amphibine B type cyclopeptide
 alkaloids, 97–98, 108–109
 Amphibine C, 97, 114
 Amphibine D, 97, 113–115
 Amphibine E, 97, 114–115
 Amphibine F, 95, 114–115
 4(14)-Amphibine F type cyclopeptide
 alkaloids, 95–96, 107–108
 Amphibine G, 95, 114
 Amphibine H, 84, 113–115
 Anabaseine, 154–155, 157
 (–)-Anabasine, 154–157
 Anacrotine, 184
 Anagryne, 169–175
 Analgesic activity, of C₁₈-diterpenoid
 alkaloids, 39, 69
 S-(–)-Anatabine, 154–156
 Ancistrocladaceae family, antimalarial
 alkaloids of, 238
 Ancistrocladidine, 238
 Ancistrocladine, 238
 Ancistrocladinidine, 238
 Ancistrocladisine, 238

- Ancistroheynine A, 238–239
- Anesthetic activity, of C_{18} -diterpenoid alkaloids, 72
- Angel's trumpet, toxic alkaloids of, 176
- 7-Angelyl heliotridine (Rivularine), 180–181, 183
- 7-Angelyl heliotrine, 180–181
- Angustifoline, 246–247
- Anisodamine, 242
- Anorldianine, 87, 119
- Anorldianine 27-N-oxide, 103, 110, 119
- 4-Anthranoyllappaconitine
classification and structure of, 11–12, 31, 37, 52–53
plant sources of, 11–12, 29
- Anthriscifolcine A, 19, 31, 41, 58–59
plant sources of, 19, 29
- Anthriscifolcine B, 18, 31, 40, 58–59
plant sources of, 18, 29
- Anthriscifolcine C, 19, 31, 41, 59–60
plant sources of, 19, 29
- Anthriscifolcine D, 19–20, 31, 41–42, 59–60
plant sources of, 19–20, 29
- Anthriscifolcine E, 19–20, 31, 41, 59–60
plant sources of, 19–20, 29
- Anthriscifolcine F, 19–20, 31, 42, 59–60
plant sources of, 19–20, 30
- Anthriscifolcine G, 19, 31, 41, 58–59
plant sources of, 19, 30
- Antiarrhythmic activity, of
 C_{18} -diterpenoid alkaloids, 69–72
- Anticholinergic activity, of hyoscyamine and scopolamine, 178–179
- Antidesma* spp., cyclopeptide alkaloids from, 119
- Anti-inflammatory activity, of
 C_{18} -diterpenoid alkaloids, 72
- Antimalarial isoquinoline and naphthylisoquinoline alkaloids, IR and Raman spectroscopy of, 234–239
- Antimicrobial activity, of cyclopeptide alkaloids, 133
- Antispasmodial activity, of cyclopeptide alkaloids, 133
- Arabica coffee beans, quantification of caffeine in, 225
- Aralionine A, 92, 118
- Aralionine B, 92, 118, 119
- Aralionine C, 92, 118
- Araliorhammus* spp., cyclopeptide alkaloids from, 118
- Argemone oil, 190
- Argemone* spp., toxic alkaloids of, 188–190
- Astragalus* spp., toxic alkaloids in, 158–160, 163–164
- Atropine, 177
- Australine, 160–161, 166–167
- 1-*epi*-Australine, 160–161, 166–167
- 1-*epi*-Australine 2-O- β -D-glucopyranoside, 160–161, 166–167
- Baptisia* spp., toxic alkaloids of, 171
- Barbinine, 194
- Benzoylmethyl ecgonine, *see* Cocaine
- Benzylisoquinoline alkaloids, IR and Raman spectroscopy of, 239–241
- Berberine, 188
IR and Raman spectroscopy of, 233–234
- Biological activity, *see* Pharmacological activity
- Biosynthesis, of cyclopeptide alkaloids, 130–132
- Bipiperidine alkaloids, 151–154
- Bisnorditerpenoid alkaloids, *see* C_{18} -Diterpenoid alkaloids
- Black Bean, toxic alkaloids of, 160–161, 164–169
- Bluebell, *see* English bluebell
- Bohlmann bands, 219–220
- Brugmansia* spp., toxic alkaloids of, 176
- 6-O-Butanoylcastanospermine (Celgosivir), 168
- Caffeine, 220–227
- Calystegia sepium*, toxic alkaloids of, 162
- Calystegines, 159, 162–163, 165–167, 178
- Camas, toxic alkaloids of, 203–205
- Candarine A, 117
- Canthium* spp., cyclopeptide alkaloids from, 119
- Canthiumine, 92, 119
- Capsaicin, 251–252
- Cardiodine, 249–250
- Cardionidine, 249–250
- Cardiopidine, 249–250
- Cardiopimine, 249–250
- Cardiopine, 249–250
- Cardiopinine, 249–250
- Castanospermine, 160–161, 165–169

- 6-*epi*-Castanospermine, 160
Castanospermum australe, toxic alkaloids of, 160–161, 164–169
Ceanothine A, 87, 117
Ceanothine B, 88, 117
Ceanothine C, 88, 117
Ceanothine D, 103, 117
Ceanothine E, 92, 117, 131–132
Ceanothus spp., cyclopeptide alkaloids from, 117
Celandine, medicinal alkaloids of, 239
Celgosivir, *see* 6-O-Butanoylcastanospermine
Cevanines, 202
Cevanine-type steroidal alkaloids, 203–205
Chamaedrine, 88, 106, 119, 122
Chelerythrine, 239–240
Chemometrics
 of caffeine, 225, 227
 of capsaicin, 252
 of cocaine, 242
 of heroin, 232–233
 of nicotine, 243
 for piperine, 245
 of quinine and quinidine, 237
 of theobromine, 227
Chlorogenic acid, 225–226
Cholestanes, 201–202
Cinchona spp., alkaloids of, 235–236
Cinchonidine, 235
Cinchonine, 235
Clinical signs of poisoning, *see* Toxicity
Cocaine, 233, 241–242
Codeine, 229–231, 233
Coffee, quantification of caffeine in, 225–226
Colubrina spp., cyclopeptide alkaloids from, 117
Condalia spp., cyclopeptide alkaloids from, 117
Condaline A, 92, 107, 124, 125–126, 133
Conhydrine, 147–148
Conhydrinone, 147–148
 γ -Coniceine, 147–148, 150–151
(R)-(-)-Coniine, 147–148, 150
Conium maculatum, toxic alkaloids of, 147–151
Consolida spp., C₁₈-diterpenoid alkaloids from, 5, 30
Contortumine, 8, 31, 35, 48–49
 plant sources of, 8, 27
Corynantheine, 250–251
Cossonidine, 249–250
Crenatine A, 92, 116
Crooked calf disease, 173
Crotalaria spp., toxic alkaloids of, 183–186
Cycloamine, 199–202
Cyclopeptide alkaloids, from higher plants, 79–135
 biological activity of, 131–135
 antimicrobial, 133
 antispasmodial, 133
 sedative, 134
 biosynthesis of, 130–132
 classification of, 80–111
 introduction to, 79–80
 natural occurrence of, 111–119
 newly isolated, 111, 120–124
 structure elucidation and stereochemistry, 124–126
 synthesis of, 126–131
Cycloposine, 199–200, 202
Cynoglossum officinale, toxic alkaloids of, 182–183
Cytisine, 169–172, 174–176
 IR and Raman spectroscopy of, 227–228
Cytisus scoparius, toxic alkaloids of, 171
Daechuine S3, 84, 112, 118
Daechuine S5, 88
Daechuine S6, 82, 112
Daechuine S7, 82, 112
Daechuine S8, 84, 112
Daechuine S10, 82
Daechuine S26, 82, 112
Daechuine S27, 135
Datura spp., toxic alkaloids of, 176–178
N-Deacetylflinaconitine, 23, 31, 44
 pharmacological activity of, 39, 68, 72
 plant sources of, 23, 27
N-Deacetylappaconitine
 classification and structure of, 13–14, 31–32, 37, 52–53
 pharmacological activity of, 39, 68, 71–73
 plant sources of, 13–14, 27–30
14-Deacetylindicaline, 192–194

- N*-Deacetylranaconitine
classification and structure of, 22–23,
31, 43
pharmacological activity of, 39, 68, 72
plant sources of, 22–23, 27, 29
- 2-Deacetyltaxine A, 197
- Death camas, toxic alkaloids of, 203–205
- Decaffeination, IR measurement of,
226–227
- 5,6-Dehydrolupanine, 170, 172, 174
- Delavaconine, 6, 31–32, 34, 46
plant sources of, 6, 27
- Delavaconitine, 8, 31, 35, 48–49
plant sources of, 8, 27
- Delavaconitine C, 7–8, 31, 34, 47–48
plant sources of, 7–8, 27
- Delavaconitine D, 7–8, 31, 34, 47–48
plant sources of, 7–8, 27
- Delavaconitine E, 8, 31, 35
plant sources of, 8, 27
- Delbine, 21, 31, 42, 60–61
plant sources of, 21, 30
- Delboxine, 25–26, 30, 31, 44, 66
plant sources of, 25–26
- Delphicrispuline, *see* Neofinaconitine
- Delphinium* spp., diterpene alkaloids in,
191–193
- Delphinium* spp., C₁₈-diterpenoid
alkaloids from, 5, 29–30
- Deltaline, 192, 194–195
- 14-*O*-Demethyldeboxine, 25–26, 31, 44,
66
plant sources of, 25–26, 30
- Demethylappaconitine
classification and structure of, 12, 31,
37, 52–53
plant sources of, 12, 28
- 14-Demethyltuguaconitine, 25, 32, 44, 65
plant sources of, 25, 30
- Density functional theory (DFT)
calculation
for anisodamine, 242
of opioid isoquinoline alkaloids,
232–233
for quinine, 236
for sanguinarine, 241
xanthine, caffeine, and theobromine
calculations using, 221, 224–225
- Deoxo-aralione A, 93, 117
- 6-Deoxy-6-*C*-(2,5-dihydroxyhexyl)-
DMDP, 146–147
- 7-Deoxy-6-*epi*-castanospermine, 160
- 9-Deoxy-6-methoxy-*N*-succinyl-
deacetylranaconitine
classification and structure of, 21–22,
32, 43
plant sources of, 21–22, 27
- 8-Deoxy-14-dehydroaconosine
classification and structure of, 7, 32, 34
plant sources of, 7, 29
- 1-Deoxyisotaxine B, 197
- 9-Deoxylappaconitine
classification and structure of, 11–12,
31–32, 37, 52–53
pharmacological activity of, 71
plant sources of, 11–12, 27–28
- 1-Deoxytaxine B, 196–197
- Desbenzoyl-aralione A, 93, 107, 118
- N*-Desmethyl-integerrinine, 93, 117
- N*-Desmethyl-integerrine, 93, 117
- O*-Desmethyl-mucronine D, 85, 112
- N*-Desmethyl-myrianthine B, 89, 117
- N*-Desmethyl-myrianthine C, 89, 119
- Devil's trumpet, toxic alkaloids of, 176
- DFT calculation, *see* Density functional
theory calculation
- 1,4-Dideoxy-1,4-imino-D-arabinitol,
146–147
- 2,5-Dideoxy-2,5-imino-DL-glycero-D-
manno-heptitol (Homo-DMDP),
146–147
- 2,3-Di-*epi*-australine, 160–161, 166–167
- 6,7-Di-*epi*-castanospermine, 160
- Dihydrocapsaicin, 251
- Dihydromonticamine, 9–10, 32, 36, 49–50
pharmacological activity of, 70
plant sources of, 9–10, 28
- Dihydroquinidine, 235–236
- Dihydroquinine, 235–236
- Dihydrosanguinarine, 188–190
- 2*R*,5*R*-Dihydroxymethyl-3*R*,4*R*-
dihydropyrrolidine (DMDP),
146–147
- Dioicine, 227–228
- Dioncopeltine A, 237–238
- Dioncophylline A, 237
- Dioncophylline C, 237
- Discarene C, 102, 109, 116, 125
- Discarene D, 102, 109, 116, 125–126
- Discaria* spp., cyclopeptide alkaloids
from, 116
- Discarine, 116
- Discarine A, 88, 116
- Discarine B, 88, 116, 117, 125–126

- Discarine C, 93, 116
 Discarine D, 93, 116, 125
 Discarine E, 88, 116
 Discarine F, 88, 116, 125
 Discarine G, 99, 116
 Discarine H, 99, 116
 Discarine I, 88, 116
 Discarine K, 99, 116, 126
 Discarine L, 99, 109, 116
 Discarine M, 102, 109, 116, 125
 Discarine N, 102, 109–110, 116, 125
 Discarine X, 88, 116
 Diterpene alkaloids
 IR and Raman spectroscopy of, 246–248
 larkspur, 191–196
 yew, 196–199
 C₂₀ Diterpenes, *see* Diterpene alkaloids
 C₁₈-Diterpenoid alkaloids, 1–73
 chemical reactions of, 30, 33, 67
 classification and structures of, 2–26, 30
 code numbers of, 30–33
 introduction to, 1–3
 NMR spectroscopy of, 5–26, 30
 occurrence of, 3–5
 pharmacological activity of, 3, 33, 39, 67–73
 analgesic, 39, 69
 anesthetic, 72
 antiarrhythmic, 69–72
 anti-inflammatory, 72
 plant sources of, 27–30
 C₁₉-Diterpenoid alkaloids,
 C₁₈-diterpenoid alkaloids v., 2
 DMDP, *see* 2*R*,5*R*-Dihydroxymethyl-
 3*R*,4*R*-dihydropyrrolidine
 Dolaconine, 7, 31–32, 34, 47–48
 plant sources of, 7, 27–29

 Echinatine, 183
Echium spp., toxic alkaloids of, 183
Embellisia, swainsonine production by,
 164
 English bluebell, toxic alkaloids of,
 146–147
 Episcopalisine, *see* Delavaconitine
 Episcopalinine, *see* Delavaconine
 Episcopalitine, *see* Dolaconine
Euonymus spp., cyclopeptide alkaloids
 from, 119
 Exceconidine, 18, 32, 40, 58–59
 plant sources of, 18, 27

 Excelsine, 15, 32, 38, 55–56
 isolation of, 2
 pharmacological activity of, 70
 plant sources of, 15, 27–29
 structure of, 2

 Fabaceae family, toxic alkaloids of,
 151–153, 158, 169–173
Feretia spp., cyclopeptide alkaloids from,
 119
 Feretine, 94, 119
 Finaconitine, 24, 32, 44, 63–64
 plant sources of, 24, 27, 29
 Formyl-nornicotine, 154
 Fourier transformed infrared and
 Raman spectroscopy, *see* Infrared
 and Raman spectroscopy
 Franganine, 88, 112, 115–117,
 119, 125
 Frangufoline, 88, 112–117, 119, 134–135
 cleavage of, 134–135
 Frangulanine, 88, 112–113, 116–119,
 131–133
 4(14)-Frangulanine type cyclopeptide
 alkaloids, 87–90, 106

 α -Galactosidase, calystegine inhibition
 of, 166–167
 β -Galactosidase, calystegine inhibition
 of, 166
 Gas chromatography (GC), for
 cyclopeptide alkaloid structure
 elucidation, 125
 GC, *see* Gas chromatography
 Germine, 199–200, 203
 α -Glucosidase inhibitors, 166–168
 β -Glucosidase inhibitors, 166–167
 Gramodendrine, 152–153

 Hartree–Fock method, xanthine,
 caffeine, and theobromine
 calculations using, 221
Heisteria spp., cyclopeptide alkaloids
 from, 119
 Heliosupine, 183
Heliotropium spp., toxic
 alkaloids of, 183
 Hemlock, *see* Poison hemlock
 Hemsine A, 95, 107, 118
 Hemsine B, 97, 108, 118
 Hemsine C, 94, 107, 118
 Hemsine D, 93, 107, 118

- Hepatotoxicity, of pyrrolizidine alkaloids, 185–187
- Heroin, 232–233*
- Hispaconitine, 21–22, 32, 43, 60–61
 plant sources of, 21–22, 27
- Hohenackeridine, 25–26, 32, 44, 66
 plant sources of, 25–26, 30
- Homoamerecine, 89, 117
- Homo-capsaicin, 251
- Homo-dihydrocapsaicin, 251–252
- Homo-DMDP, *see* 2,5-Dideoxy-2,5-imino-DL-glycero-D-mannoheptitol
- Homo-DMDP-7-O- α -apioside, 146
- Homo-DMDP-7-O- β -D-xylopyranoside, 146–147
- Hovenia* spp., cyclopeptide alkaloids from, 118
- Hovenine A, 89, 118
- Human poisoning, 143–206
 by diterpene alkaloids
 larkspur, 191–196
 yew, 196–199
 by isoquinoline alkaloids, 188–190
 by piperidine alkaloids, 147–151
 by polyhydroxy indolizidine alkaloids and related pyrrolizidine and nortropane alkaloids, 158–169
 by pyridine alkaloids, 154–157
 by pyrrolidine alkaloids, 146–147
 by pyrrolizidine alkaloids, 179–187
 by quinolizidine alkaloids, 152–154, 169–176
 by steroidal alkaloids
 Veratrum alkaloids, 199–202
 Zigadenus alkaloids, 203–205
 by tropane alkaloids, 176–179
- Hyacinthacine B₁, 161
- Hyacinthacine C₁, 161
- Hyacinthoides non-scripta*, toxic alkaloids of, 146–147, 161
- 13-Hydroxylupanine, 246–248
- 10-Hydroxyranaconitine, classification and structure of, 32
- 10 β -Hydroxyranaconitine, *see* Finaconitine
- 13-Hydroxysparteine, 246–248
- Hymenocardia* spp., cyclopeptide alkaloids from, 119
- Hymenocardine, 103, 119
- L-Hyoscyamine, 176–179
- Hyoscyamus niger*, toxic alkaloids of, 176–178
- Hysodricanine A, 97, 112, 115
- Ibogaine hydroxyindolenine, 248–249
- Indole alkaloids, *see* Monoterpenoid indole alkaloids
- Indolizidine alkaloids, *see* Polyhydroxy indolizidine alkaloids
- Indolizidines, IR spectroscopy of, 219
- Infrared (IR) and Raman spectroscopy, 217–253
 of antimalarial isoquinoline and naphthylisoquinoline alkaloids, 234–239
 of benzylisoquinoline alkaloids, 239–241
 conclusions on, 252–253
 introduction to, 218–219
 of monoterpenoid indole alkaloids, 248–251
 of natural isoquinoline alkaloid dyes, 233–234
 of nitrogen bridgehead compounds, 219–220
 of opioid isoquinoline alkaloids, 228–233
 of piperidine alkaloids, 244–245
 of protoalkaloids, 251–252
 of purine alkaloids, 220–228
 of pyrrolidine alkaloids, 243–244
 of quinolizidine alkaloids, 246–248
 of tropane alkaloids, 241–242
- Infra-red Band assignments
 of berberine, 234
 of caffeine, 221–223
 of capsaicin, 251–252
 of chelerythrine, 239
 of cocaine, 233
 of codeine, 230–231
 of dioicine, 227–228
 of isotetrandrine, 240
 of lupines, 248
 of monoterpenoid indole alkaloids, 249
 of morphine, 230–233
 of naphthylisoquinoline alkaloids, 237–238
 of nicotine, 243–244
 of noscapine, 230–231
 of opioid isoquinoline alkaloids, 230–231
 of papaverine, 231–232
 of piperine, 244–245

- of quinidine, 236
- of quinine, 236
- of sanguinarine, 239–241
- of scopolamine, 242
- of thebaine, 230–231
- of theobromine, 221–224
- of theophylline, 221–223
- Integerrenine, 93, 113, 117, 119
- Integerressine, 93, 117
- Integerrimine, 180, 184
- Integerrine, 93, 117
- 4(14)-Integerrine type cyclopeptide alkaloids, 92–93, 107
- Ipomoea* spp., toxic alkaloids of, 159, 162–167
- IR spectroscopy, *see* Infrared and Raman spectroscopy
- Isolappaconitine
 - classification and structure of, 22–23, 32, 43, 62–63
 - pharmacological activity of, 71
 - plant sources of, 22–23, 27–28
- Isolupanine, 246
- Isoquinoline alkaloids, 188–190
 - IR and Raman spectroscopy of, 228–233
 - antimalarial alkaloids, 234–239
 - natural isoquinoline alkaloid dyes, 233–234
 - opioid alkaloids, 228–233
- Isotaxine B, 196–197
- Isotetrandrine, 240–241
- Jacobine, 182
- Jaconine, 182
- Jervanines, 202
- Jervine, 199–200, 202
- Jimson weed, toxic alkaloids of, 176, 178
- Jubanine A, 84, 113, 114, 115
- Jubanine B, 84, 113, 114
- Jubanine C, 94, 107, 114
- Kiramine, 11, 32, 36
 - plant sources of, 11, 28
- Kiridine, 16, 32, 38, 55–56
 - plant sources of, 16, 28
- Kiritine, 16, 32, 39
 - plant sources of, 16, 28
- Laburnum anagyroides*, toxic alkaloids of, 171, 174
- Lamarckinine, 20, 32, 42, 59–60
 - plant sources of, 20, 28
- Lappaconidine, 9–10, 32, 36, 49–50
 - isolation of, 2
 - pharmacological activity of, 71
 - plant sources of, 9–10, 28–29
 - structure of, 2
- Lappaconine
 - classification and structure of, 9–10, 32, 36, 49–50
 - pharmacological activity of, 70
 - plant sources of, 9–10, 28
- Lappaconine-subtype
 - classification and structure of, 36–39, 49–56
 - classification of, 3–5, 9–16
 - structure of, 4
- Lappaconitine
 - classification and structure of, 13–14, 32, 38, 53–54
 - isolation of, 1
 - pharmacological activity of, 3, 39, 67–73
 - plant sources of, 13–14, 27–30
 - structure of, 2
- Lappaconitine-type
 - classification and structure of, 34–35, 46–56
 - classification of, 3–5, 6–16
- Larkspur alkaloids, *see* Diterpene alkaloids
- Lasiocarpine, 180–181
- Lasiodine A, 103, 118
- Lasiodine B, 91, 118
- Lasiodiscus* spp., cyclopeptide alkaloids from, 118
- Lentiginosine, 158, 160
- 2-*epi*-Lentiginosine, 158
- Leuconine
 - classification and structure of, 17, 32, 40, 57
 - plant sources of, 17, 28–29
- Leuconine-subtype
 - classification and structure of, 40–42, 57–60
 - classification of, 3–5, 17–20
 - structure of, 4
- Leucostine, 17, 32, 40, 57
 - plant sources of, 17, 28–29
- Liconosine A, 9, 32, 35, 48–49
 - plant sources of, 9, 28
- Linearilin, 21, 32, 42–43, 60–61
 - plant sources of, 21, 30

- Livestock poisoning, 143–206
by bipiperidine alkaloids, 151–154
conclusions and outlook on, 206
by diterpene alkaloids
larkspur, 191–196
yew, 196–199
introduction to, 144–146
by isoquinoline alkaloids, 188–190
by piperidine alkaloids, 147–151
by polyhydroxy indolizidine alkaloids and related pyrrolizidine and nortropane alkaloids, 158–169
by pyridine alkaloids, 154–157
by pyrrolidine alkaloids, 146–147
by pyrrolizidine alkaloids, 179–187
by quinolizidine alkaloids, 152–154, 169–176
by steroidal alkaloids
Veratrum alkaloids, 199–202
Zigadenus alkaloids, 203–205
by tropane alkaloids, 176–179
Lobelia berlandieri, toxic alkaloids of, 149–151
Lobeline, 149
Lochnerine, 249–250
Locoweeds, 158–160, 163–166, 176
Lotusanine B, 102, 110, 112
Lotusine A, 95, 112, 118
Lotusine B, 98, 108, 112
Lotusine C, 98, 112
Lotusine D, 95, 112, 118
Lotusine E, 85, 112
Lotusine F, 82, 112
Lotusine G, 95, 107, 112
Lupanine, 169–172, 174–176
IR and Raman spectroscopy of, 246–247
Lupines
IR and Raman spectroscopy of, 246–248
livestock toxicity of, 151–154, 169–175
Lupinine, 169–170
Lupinus spp., toxic alkaloids of, 151–153, 169–175
Lycoctonine, 192, 194–195
ranaconitine v., 3
Lycopsamine, 180–181
Mahonia beali, medicinal alkaloids of, 240
 α -Mannosidase, swainsonine inhibition of, 165–166
Mass spectrometry (MS), for
cyclopeptide alkaloid structure elucidation, 124
Matrine, 169–170, 172, 176
Mauritine A, 98, 113, 114, 115, 127
Mauritine B, 98, 115, 127
Mauritine C, 96, 113, 115, 127
Mauritine D, 98, 113, 114, 115
Mauritine E, 98, 115
Mauritine F, 98, 113, 115, 127
Mauritine H, 98, 115
Mauritine J, 98, 108, 115
Mauritine K, 98, 109, 115, 122, 133
MDL, *see* 7,8-Methylenedioxy lycoctonine
Mechanisms of action, *see*
Structure–activity relationships and mechanisms of action
Melochia spp., cyclopeptide alkaloids from, 119
Melofoline, 89, 119
Melonovine A, 89, 112, 119
Melonovine B, 89, 119
Metarhizium anisopliae, 159
N-Methyl-amicine, 89, 117
N-Methylammodendrine, 151–153, 170
N-Methylcalystegine C₁, 162
N-Methylconiine, 147–148, 150
N-Methylcytisine, 170–172, 174
7,8-Methylenedioxy lycoctonine (MDL), 192, 194
Methyllycaconitine (MLA), 192–195
N-(Methylsuccinyl)anthranoyl lycoctonine (MSAL) alkaloids, 192, 194
6-O-Methylumbrofine, *see* Exceconidine
Mid-infrared spectroscopy, *see* Infrared and Raman spectroscopy
MLA, *see* Methyllycaconitine
Monocrotaline, 180, 184–186
Monoterpenoid indole alkaloids, IR and Raman spectroscopy of, 248–251
Monticamine, 14–15, 32, 38, 53–54
pharmacological activity of, 70
plant sources of, 14–15, 28
Monticoline, 24, 32, 44, 65
pharmacological activity of, 70
plant sources of, 24, 28
Moreton Bay Chestnut, toxic alkaloids of, 160–161, 164–169
Morphine, 228–233
MS, *see* Mass spectrometry

- MSAL alkaloids, *see*
N-(Methylsuccinyl)anthranoyl
 lycoctonine alkaloids
- Mucronine A, 101, 112, 115
- 4(15)-Mucronine A type cyclopeptide
 alkaloids, 100–101
- Mucronine B, 101, 112, 115, 126–127
- Mucronine C, 101, 112, 115
- Mucronine D, 85, 112–114
- Mucronine E, 101, 112, 127, 129
 synthesis of, 129–130
- Mucronine F, 101, 112
- Mucronine G, 101, 112
- Mucronine H, 101, 112
- Mucronine J, 96, 108, 112, 118
- Myrianthine A, 93, 116, 119
- Myrianthine C, 89, 119
- Myrianthus* spp., cyclopeptide alkaloids
 from, 119
- nAChRs, *see* Nicotinic acetylcholine
 receptors
- Na⁺-K⁺-ATPase inhibition, by
 isoquinoline alkaloids, 190
- Naphthylisoquinoline alkaloids,
 antimalarial alkaloids, 234–239
- Natural isoquinoline alkaloid dyes, IR
 and Raman spectroscopy of,
 233–234
- Near-infrared spectroscopy, *see* Infrared
 and Raman spectroscopy
- Necic acids, 179–180
- Necine base, of pyrrolizidine alkaloids,
 179–187
- Neofinaconitine, 11–12, 31–32, 36, 50–51
 plant sources of, 11–12, 27, 30
- Neostigmine, 195
- Neutral cyclopeptides, 102, 109–110
- Nicotiana* spp., toxic alkaloids in,
 154–157
- Nicotinamide, 244
- Nicotine, 227–228, 243–244
- S-(–)-Nicotine, 154–157
- Nicotinic acetylcholine receptors
 (nAChRs), nicotine and related
 alkaloid effects on, 156–157
- Nitrogen bridgehead compounds, IR
 spectroscopy of, 219–220
- NMR, *see* Nuclear magnetic resonance
 spectroscopy
- ¹H NMR, *see* ¹H Nuclear magnetic
 resonance spectroscopy
- ¹³C NMR, *see* ¹³C Nuclear magnetic
 resonance spectroscopy
- Nor-dihydrocapsaicin, 251
- Norditerpenes, 191–196
 plant spp. and specific alkaloids,
 191–193
 structure-activity relationships and
 mode of action of, 194–196
 toxicity and clinical signs of, 193–194
- C₁₉ Norditerpenes, *see* Norditerpenes
- Norditerpenoid alkaloids, *see*
 C₁₈-Diterpenoid alkaloids
- S-(–)-Nornicotine, 154, 157
- Nortropane alkaloids, 158–169
 plant spp. and specific alkaloids,
 158–163
 structure-activity relationships and
 mode of action of, 165–169
 toxicity and clinical signs of, 163–165
- Noscapine, 229–231
- ¹H Nuclear magnetic resonance
 spectroscopy (¹H NMR)
 for aconosine-subtype alkaloids, 6–9,
 34–35
 for lappaconine-subtype alkaloids,
 9–16, 36–39
 for leuconine-subtype alkaloids,
 17–20, 40–42
 for ranaconitine-subtype alkaloids,
 21–26, 42–45
- ¹³C Nuclear magnetic resonance
 spectroscopy (¹³C NMR)
 for aconosine-subtype alkaloids, 6–9,
 46–49
 for lappaconine-subtype alkaloids,
 9–16, 49–56
 for leuconine-subtype alkaloids,
 17–20, 57–60
 for ranaconitine-subtype alkaloids,
 21–26, 60–66
- Nuclear magnetic resonance
 spectroscopy (NMR), for
 cyclopeptide alkaloid structure
 elucidation, 124–126
- Nudicaline, 192–194
- Nummularine, 83
- Nummularine A, 85, 113–114
- Nummularine B, 85, 112–114
- Nummularine C, 83, 112
- 4(13)-Nummularine C type cyclopeptide
 alkaloids, 82–83, 104
- Nummularine D, 93, 113

- Nummularine E, 93, 113, 115
Nummularine F, 96, 113
Nummularine G, 103, 113
Nummularine H, 85, 113, 118, 135
Nummularine K, 89, 113–114
Nummularine M, 93, 113
Nummularine N, 85, 113
Nummularine O, 85, 113
Nummularine P, 85, 113–114
Nummularine R, 83, 112–113, 115
Nummularine S, 83, 113
Nummularine S10, 83, 113
Nummularine T, 85, 113
- Obovamine, 249
Obovatine, 249
Opioid alkaloids, 188–190
 IR and Raman spectroscopy of, 228–233
Otonocene, 179
N-Oxides
 of nicotine, 154
 of pyrrolizidine alkaloids, 181–186
Oxyphylline A, 94, 107, 115, 122
Oxytropis spp., toxic alkaloids in,
 158–160, 163–164
- Paclitaxel, *see* Taxol
Paliurine A, 85, 104, 118
Paliurine B, 85, 104, 118
Paliurine C, 85, 104, 118
Paliurine D, 85, 104–105, 118
Paliurine E, 83, 104, 112, 118, 126, 129
Paliurine F, 85, 105, 118
Paliurine G, 85, 105, 118
Paliurine H, 86, 105, 118
Paliurine I, 86, 105, 118
Paliurus spp., cyclopeptide alkaloids
 from, 118
Panda spp., cyclopeptide alkaloids from,
 119
Pandamine, 99, 119
4(14)-Pandamine type cyclopeptide
 alkaloids, 99, 109
Pandaminine, 99, 119
Papaveraceae family, toxic alkaloids of,
 188–190, 228–233
Papaverine, 229, 231–232
Para-cyclophanes, synthesis of, 127
Partial least squares (PLS)
 of caffeine and theobromine, 227
 of cocaine, 242
 of heroin, 232–233
 of nicotine, 243
 of quinine and quinidine, 237
Paulirine E, synthesis of, 130–131
PCR, *see* Principal component regression
Pepper alkaloids, IR and Raman
 spectroscopy of, 244–245
Pharmacological activity
 of cyclopeptide alkaloids, 131–135
 antimicrobial, 133
 antispasmodic, 133
 sedative, 134
 of C₁₈-diterpenoid alkaloids, 3, 33, 39,
 67–73
 analgesic, 39, 69
 anesthetic, 72
 antiarrhythmic, 69–72
 anti-inflammatory, 72
Physostigmine, 195
Piepunendine A, 9, 32, 35, 48–49
 plant sources of, 9, 28
Piepunendine B, 35, 47–48
 plant sources of, 7–8, 28
 Δ^3 -Piperidine, 149, 151
Piperidine alkaloids, 147–151
 IR and Raman spectroscopy of,
 244–245
Piperine, 244–245
Plant alkaloids, IR and Raman
 spectroscopy of, 217–253
 antimalarial isoquinoline and
 naphthylisoquinoline alkaloids,
 234–239
 benzylisoquinoline alkaloids,
 239–241
 conclusions on, 252–253
 introduction to, 218–219
 monoterpenoid indole alkaloids,
 248–251
 natural isoquinoline alkaloid dyes,
 233–234
 nitrogen bridgehead compounds,
 219–220
 opioid isoquinoline alkaloids, 228–233
 piperidine alkaloids, 244–245
 protoalkaloids, 251–252
 purine alkaloids, 220–228
 pyrrolidine alkaloids, 243–244
 quinolizidine alkaloids, 246–248
 tropane alkaloids, 241–242
Plant sources
 of cyclopeptide alkaloids, 111–119
 of C₁₈-diterpenoid alkaloids, 6–30

- Platynecine, 180
(-)-Platynecine, 179
Plectronia spp., cyclopeptide alkaloids from, 119
PLS, *see* Partial least squares
Poison hemlock, toxic alkaloids of, 147–151
Poisonous plant spp., 144–145
 bipiperidine alkaloids in, 151–152
 diterpene alkaloids in, 191–193, 196–197
 isoquinoline alkaloids in, 188–189
 piperidine alkaloids in, 147–149
 polyhydroxy indolizidine alkaloids and related pyrrolizidine and nortropane alkaloids in, 158–163
 pyridine alkaloids in, 154–155
 pyrrolidine alkaloids in, 146–147
 pyrrolizidine alkaloids in, 179–184
 quinolizidine alkaloids in, 169–172
 steroidal (*Veratrum*) alkaloids in, 199–200
 steroidal (*Zigadenus*) alkaloids in, 203–204
 tropane alkaloids in, 176–178
Polyhydroxy alkaloid glycosidase inhibitors, 166–168
Polyhydroxy indolizidine alkaloids, 158–169
 plant spp. and specific alkaloids, 158–163
 structure-activity relationships and mode of action of, 165–169
 toxicity and clinical signs of, 163–165
Polyhydroxy nortropanes, *see* Calystegines
Poppy family, toxic alkaloids of, 188–190, 228–233
Principal component regression (PCR), of quinine and quinidine, 237
Protoalkaloids, IR and Raman spectroscopy of, 251–252
Protopine, 188–190
(2*S*,5*S*)-(+)-Pseudoconhydrine, 147–148
Puberanidine, *see* *N*-Deacetylappaconitine
Puberanine, 32, 43–44, 62–63
Pubescine A, 89, 116
Purine alkaloids, IR and Raman spectroscopy of, 220–228
Pyridine alkaloids, 154–157
Pyrrole, metabolic pathway creating, 186–187
Pyrrolidine alkaloids, 146–147
 IR and Raman spectroscopy of, 243–244
Pyrrolizidine alkaloids, 158–169, 179–187
 plant spp. and specific alkaloids, 158–163, 179–184
 structure-activity relationships and mode of action of, 165–169, 185–187
 toxicity and clinical signs of, 163–165, 184–185
Pyrrolizidines, IR spectroscopy of, 219
Quinidine, 235–237
Quinine, 234–237
Quinoline ring, 236
Quinolizidine alkaloids, 152–154, 169–176, 219–220
 IR and Raman spectroscopy of, 246–248
 plant spp. and specific alkaloids, 169–172
 structure-activity relationships and mode of action of, 174–176
 toxicity and clinical signs of, 173–174
Raman mapping, 218–219
 of benzyloisoquinoline alkaloids, 239–241
Raman spectroscopy, *see* Infrared and Raman spectroscopy
Ramosine A, 96, 108, 118
Ramosine B, 98, 109, 118
Ramosine C, 96, 108, 118
Ranaconitine
 classification and structure of, 22–23, 33, 43, 62–63
 pharmacological activity of, 39, 68, 71–72
 plant sources of, 22–23, 27–29
Ranaconitine-subtype
 classification and structure of, 42–45, 60–66
 classification of, 3–5, 21–26
 structure of, 4
Red pepper, alkaloids in, 251–252
Reticuline, 188–189
(+)-Retronecine, 179
Retrorsine, 182

- Rhamnus* spp., cyclopeptide alkaloids from, 117
- Rhizoctonia leguminicola*, 159
- Rhombifoline, 172
- Riddelline, 180, 182, 186–187
- Rivularine, *see* 7-Angelyl heliotridine
- Robusta coffee beans, quantification of caffeine in, 225
- Rubijervine, 199–200
- Rugosanine A, 86, 113
- Rugosanine B, 83, 113
- Sanguinarine, 188–190
IR and Raman spectroscopy of, 239–241
- Sanjoinenine, 102, 112, 115
- Sanjoinine A, *see* Frangufoline
- Sanjoinine B, 89, 115
- Sanjoinine D, 99, 115, 134
- Sanjoinine F, 89, 112, 115, 135
- Sanjoinine G1, 99, 115, 127
- Sanjoinine G2, 103, 115, 134–135
- Sativanine A, 93, 113, 115
- Sativanine B, 103, 113
- Sativanine C, 86, 113
- Sativanine D, 103, 113
- Sativanine E, 83
- Sativanine F, 86, 113
- Sativanine G, 83, 113, 118
- Sativanine H, 86, 113
- Sativanine K, 83, 113, 115
- Sativanine M, 86, 105, 114, 121
- Sativanine N, 83, 104, 114, 120
- Sativanine O, 83, 104, 114, 120
- Scilla non-scripta*, toxic alkaloids of, 146–147
- Scopaline, 6, 33, 34, 46
plant sources of, 6, 27
- Scopolamine, 176–179
IR and Raman spectroscopy of, 242
- Scotch broom, toxic alkaloids of, 171
- Scutia* spp., cyclopeptide alkaloids from, 116–117
- Scutianene C, 102, 117
- Scutianene D, 133
- Scutianine A, 91, 116–117, 125
- 5(14)-Scutianine A type cyclopeptide alkaloids, 91, 107
- Scutianine B, 89, 116–119, 125, 133
- Scutianine C, 89, 116–117, 119, 125, 133
- Scutianine D, 89, 113–114, 116–117, 124–126, 133
- Scutianine E, 89, 116–117, 124–126, 133
- Scutianine F, 91, 117, 133
- Scutianine G, 90, 116
- Scutianine H, 90, 117, 125
- Scutianine J, 90, 106, 117
- Scutianine K, 90, 106, 117, 126
- Scutianine L, 93, 117, 124, 126
- Scutianine M, 93, 117, 124, 126, 133
- Sedative activity, of cyclopeptide alkaloids, 134
- Senecio* spp., toxic alkaloids of, 181–182, 186
- Senecionine, 180, 182
- Seneciphylline, 182
- Senkirkine, 180
- Sepaconitine, 14–15, 33, 38, 53–54
pharmacological activity of, 71
plant sources of, 14–15, 28–29
- Septeine, 12, 33, 37
plant sources of, 12, 29
- SERS, *see* Surface-enhanced Raman scattering
- Sida carpinifolia*, toxic alkaloids of, 159
- Sinomontanine A, 13–14, 33, 38, 53–54
plant sources of, 13–14, 29
- Sinomontanine B, 12, 33, 37, 52–53
plant sources of, 12, 29
- Sinomontanine D, 21, 33, 42, 60–61
plant sources of, 21, 29
- Sinomontanine E, 10, 33, 36, 49–50
plant sources of, 10, 29
- Sinomontanine F, 23, 33, 44, 63–64
plant sources of, 23, 29
- Sinomontanine G, 24, 33, 44, 63–64
plant sources of, 24, 29
- Sinomontanine H, 21–22, 33, 43, 60–61
plant sources of, 21–22, 29
- Slaframmine, 159
- Solanidines, 201–202
- (-)-Sophocarpine, 172
- Sophora* spp., toxic alkaloids of, 171–172
- Sparteine, 169–172, 174–176
IR and Raman spectroscopy of, 227–228, 246
- Spectabiline, 180, 184
- Sphaeranthus* spp., cyclopeptide alkaloids from, 119
- Spinanine A, 96, 115
- Stem bark, 113
- Steroidal alkaloids
Veratrum alkaloids, 199–202
Zigadenus alkaloids, 203–205

- Stokes lines, 218
- Structure-activity relationships and mechanisms of action
- of diterpene alkaloids, 194–196, 198–199
 - of isoquinoline alkaloids, 190
 - of piperidine alkaloids, 149–150
 - of polyhydroxy indolizidine alkaloids and related pyrrolizidine and nortropane alkaloids, 165–169
 - of pyridine alkaloids, 156–157
 - of pyrrolidine alkaloids, 147
 - of pyrrolizidine alkaloids, 185–187
 - of steroidal (*Veratrum*) alkaloids, 202
 - of steroidal (*Zigadenus*) alkaloids, 205
 - of tropane alkaloids, 178–179
- Subfraction I, 83, 119
- Subfraction II, 83, 119
- Surface-enhanced Raman scattering (SERS), 218
- of berberine, 234
 - of caffeine, 224–225
 - of chelerythrine, 239
 - of cocaine, 242
 - of nicotine, 244
 - of opioid isoquinoline alkaloids, 232
 - of sanguinarine, 239–241
- Swainsona* spp., toxic alkaloids of, 158, 164–165
- Swainsonine, 158–160, 163–169
- Symphytum* spp., toxic alkaloids of, 183
- Synthesis, of cyclopeptide alkaloids, 126–131
- Taxicins, 197
- Taxines, 197–198
- Taxol (Paclitaxel), 197
- Taxus* spp., diterpene alkaloids in, 196–197
- Tea, IR measurement of caffeine in, 226–227
- Texensine, 90, 117
- Thebaine, 229–231
- Theobromine, 220–224, 227
- Theophylline, 220–224, 227
- Thermopsine, 172, 174
- Thermopsis* spp., toxic alkaloids of, 172, 174, 176
- Thorn apple, toxic alkaloids of, 176
- Tiantaishansine, 25, 33, 44, 65
- plant sources of, 25, 30
- Tobacco plants
- IR and Raman measurement of alkaloids in, 243–244
 - toxic alkaloids in, 154–157
- Toxicity
- of bipiperidine alkaloids, 153
 - of diterpene alkaloids, 193–194, 197–198
 - of isoquinoline alkaloids, 189–190
 - of piperidine alkaloids, 149–150
 - of polyhydroxy indolizidine alkaloids and related pyrrolizidine and nortropane alkaloids, 163–165
 - of pyridine alkaloids, 155–156
 - of pyrrolidine alkaloids, 147
 - of pyrrolizidine alkaloids, 184–185
 - of steroidal (*Veratrum*) alkaloids, 201
 - of steroidal (*Zigadenus*) alkaloids, 204–205
 - of tropane alkaloids, 178
- 2,3,7-Tri-*epi*-australine, 160–161, 166–167
- Triphyophyllum pelatatum*, antimalarial alkaloids of, 237
- Tropane alkaloids, 176–179
- IR and Raman spectroscopy of, 241–242
- Tscheschamine, 83, 113
- Tuguaconitine, 25, 33, 44
- plant sources of, 25, 29
- Turbina cordata*, toxic alkaloids of, 159
- Ugi-four component reaction (Ugi-4CR), 127
- Umbrofine, 17–18, 33, 40, 57
- plant sources of, 17–18, 29
- Usaramine, 184
- UV resonance Raman microspectroscopy
- of quinidine, 236
 - of quinine, 236
- VCD spectroscopy, *see* Vibrational circular dichroism spectroscopy
- Veratramine, 199–200
- Veratrines, 202
- Veratrum* alkaloids, *see* Steroidal alkaloids
- Vibrational circular dichroism (VCD) spectroscopy, of anisodamine, 242
- Vibrational spectral assignments, *see* Infra-red Band assignments

- Vigna* spp., cyclopeptide alkaloids from, 119
- Vignatic acid A, 103, 110, 119
- Vignatic acid B, 103, 110, 119
- Voacangine acetoxyindolenine, 248–249
- Voacangine hydroxyindolenine, 248–249
- Waltheria* spp., cyclopeptide alkaloids from, 118
- Waltherine A, 90, 106, 118
- Waltherine B, 90, 106, 118
- Waltherine C, 90, 106, 118
- Wild indigos, toxic alkaloids of, 171
- Xanthine, 220–221, 227
- Xylopyrine A, 83, 104, 114
- Xylopyrine B, 83, 104, 114, 121
- Yew alkaloids, *see* Diterpene alkaloids
- Yohimbine, 248–251
- Yohimbines, IR spectroscopy of, 219
- Zigadenus* alkaloids, *see* Steroidal alkaloids
- Zizyphine A, 86, 114, 126–127
- 5(13)-Zizyphine A type cyclopeptide alkaloids, 84–86, 104–106
- Zizyphine B, 86, 114
- Zizyphine C, 86, 114
- Zizyphine D, 101, 114
- Zizyphine E, 101, 114
- Zizyphine F, 86, 114–115
- Zizyphine G, 96, 114
- Zizyphine I, 86, 114
- Zizyphine K, 86, 114
- Zizyphine N, 86, 105, 115, 126, 133
- synthesis of, 127–128
- Zizyphine O, 86, 105, 115, 133
- Zizyphine P, 86, 105, 115, 133
- Zizyphine Q, 86, 105–106, 115, 133
- Zizyphus* spp.
- cyclopeptide alkaloids from, 112–115
- pharmacological activities of, 131, 133–134
- Zygacine, 202–204
- Zygadenine, 203