

index

- Acetabularia*, 271, 631
- Acetic-acid bacteria, 141
- Acetobacter*, 171, 578–579, 613
- Acetobacter xylinum*, 147
- Acetone, butyl-alcohol bacteria, 141
- Acetyl-CoA, 136–137
- Achrorion gallinarum*, 472–473
- Achromobacter*, 497, 613
- Achromobacter lipolyticum*, 536
- Acid-fast organisms, 409
- Acid-fast staining, 52
- Acid production in milk, 534–536
- Acidophilus milk, 543–544
- Acids, mineral, 322
 - organic, 322
- ACTH, 408
- Actinobacillus*, 613–614
- Actinobacillus mallei*, 469
- Actinomyces*, 177, 614
- Actinomyces bovis*, 69
- Actinomycetales*, 92
- Actinomycetes, 166
- Actinophrys*, 628
- Activated-sludge process, 518
- Adametz, 27
- Adams, 27
- Adansonian classification, 36–37, 167
- Adaptive induced enzymes, 122
- Adenine, 155–156
- Adenoviruses, 226, 418–419
- ADP, 130–137
- Adrenocorticotrophic hormone, 408
- Aerobacter*, 427, 614
- Aerobacter aerogenes*, 428, 476, 504–505, 536, 579
- Aerobic bacteria, 86
- Aerobic dissimilation, 217
- Aerosols, 322, 527
- Agar, 82–83, 282
- Agar-plate colonies, 111
- Agar-plate test, 589
- Agarbiella*, 631
- Agglutination, 434–435
- Agglutination tests, 252–253, 382–385
 - macroscopic, 384
 - microscopic, 384–385
 - serum-plate, 385
 - slide, 384
 - Treponema Pallidum*, 384
 - tube, 384
 - Weil-Felix, 384
 - with whole blood, 385
 - Widal, 383
- Agglutinin-adsorption tests, 385–386
- Agglutinins, 375
- Agrobacterium*, 479
- Agrobacterium tumefaciens*, 481
- Air, 523–531
 - analysis of, 523–525
 - indoor, 525–528
 - microbial content of, 525–526
 - outdoor, 528
 - room, culture of, 525
 - flora of, 527
 - sterile, 529–530
 - upper, 529
- Air contamination, means of control, chemical
 - agents, 530
 - filtration, 530
 - ultraviolet radiation, 529–530
- Air-sampling devices, 523–524
 - impingement, 523–525
 - membrane filters, 525
 - sieve sampler, 524–527
 - slit sampler, 524–525
- Air-sampling techniques, settling plate, 524
- Albugo*, 622
- Alcaligenes*, 614
- Alcaligenes viscolactis*, 536

- Alcohol fermentations, 580-581
Alcohols, amyl, 315-316
butyl, 315-316
ethyl, 315
isopropyl, 316
methyl, 315
propyl, 315-316
Algae, 11, 269-284
blue-green, 272-274, 281-282
brown, 280-282
classification of, 273
cultures, 280
economic importance of, 281-283
as food, 282
in industry, 282
in medicine, 282
in soil, 281-282, 564
in vitamin synthesis, 282
golden-brown, 277-278
green, 275-277
isolation of, 280
morphology of, 271-272
motile, 272
motility of, 272-273
occurrence of, 269-270
origin of, 269
pathogenic, 283
planktonic, 496
red, 280-282
reproduction, asexual, 272-273
sexual, 273
Algal growth in water, 508
Alginates, 282
Alginic acid, 282
Alkalies, lime, 322
lye, 322
Allergy tests, 398-399
Allomyces, 622
Alpha-conidindrin, 108
Alpha hemolysin, 447
Alpha hemolysis, 361
Alpha-ketoglutaric acid, 144-145, 580
Alternaria, 201-202, 528
Alternaria tenuis, 201
American Academy of Microbiology, 30
American Society for Microbiology, 29-30
American Type Culture Collection, 109
Amino acids, commercial production of, 579-580
dissimilation of, 142-143
Amoeba, 11, 628
Amoeba proteus, 256-257
Amoebae, 256-259
excretion of, 257
morphology of, 256-257
nutrition of, 257-258
reproduction of, 258-259
respiration of, 259
Amoebiasis, 438-439
Amoeboid protozoa, 256-261
Ammonification in soil, 566, 571
Amylase, 585
Anabaena, 274
Anabolism, 128, 144-145
Anaerobic bacteria, 86
cultivation of, 88-89
Anaerobic dissimilation, 217
Analytical centrifuge, 231
Anaphylactic reaction, 373
Anaplasma marginale, 472
Angstrom, 47, 304
Animal kingdom, 8
Animalcules, 18
Animals, use in laboratory studies, 397-400
bleeding, 397-398
inoculation sites, 397
post-mortem examination of, 398-400
Anionic dye, 50
Antheridia, 280
Anthrax, 22, 387
Antibiosis, 331, 335
Antibiotic, development of, 590
Antibiotic resistance, 333-334
Antibiotics, 147, 158, 199, 284, 328-352, 532-583
assay of, 347-349
broad-spectrum, 340-341, 346
early activities of, 331
as growth stimulants, 347
properties of, 334
resistance to, 333-334
sensitivity to, 349-350
types of, 335-343
Aureomycin, 340-342
bacitracin, 342
chloramphenicol, chemistry of, 340
mode of action, 346
chloromycetin, 340
erythromycin, 342-343
neomycin, 343
penicillin, 159, 199, 331-339, 582-584
chemistry of, 337
effect on *E. coli*, 345
ampicillin, 339
mode of action, 344-346
natural, 337
resistance to, 336-337
semisynthetic, 338-339
polymyxins, 342
licheniformin, 342
mode of action, 347
subtilin, 342
streptomycin, 160, 332, 339-340
chemistry of, 340
mode of action, 347
Terramycin, 341-342
tetracyclines, 340-342
chlor., 340-341
effect on *S. aureus*, 346
mode of action, 346-347
oxy-, 340-342
tyrothricin, 342
viomycin, 343
Antibodies, 24, 46, 368, 373
cytolytic, 390
heterophile, 395-396
humoral, 375
neutralizing, 396
unitarian concept of, 376, 382
Antibody formation, theories of, 376-379
clonal-selection, 378-379
selection, 378
side-chain, 376
template, 378
Antifibrinolytic, 395
Antigen-antibody reaction, 386
Antigens, 46, 368, 372-374
complete, 374
"H" and "O," 374
partial, 374
Antimetabolites, 295
Antimicrobial action, 292-296
Antimicrobial agents, 290, 312-326
acids, 322
aerosols, 322
alcohols, 315-316
alkalies, 322
chlorine, 316
chlorine compounds, 316-317
detergents, synthetic, 321
dyes, 318-319
gases, 322-324
heavy metal compounds, 318-319
heavy metals, 317-318
hydrogen peroxide, 322
iodine, 316
Antimicrobial agents, mode of action, 294-296
phenol, 313-315
phenolic compounds, 313-315
quaternary ammonium compounds, 321-322
selection and use, 313
Antiseptics, 290
evaluation of, 324-326
Antiserum, streptococcus-precipitating, 389
Antistreptokinase, 395
Antistreptolysin O, 395
Antitoxins, 25, 360, 373-375
Aphanocapsa, 272
Aplanospores, 273
Apoenzyme, 115
Aquatic microbiology, 13
Arachnoidiscus ornatus, 278
ARBOR viruses, 457
Arcella, 259-261
Aristotle, 17-19
Arsphenamine, 329
Arthrobacter, 614
Arthrobacter globiformis, 152
Arthrobotrys conoides, 487
Arthropods, 245, 454-459
Arthrospores, 193, 209
Ascospores, 195, 216-217
Ascus, 195
Asexual reproduction, 154, 160
in algae, 272-280
in amoeba, 259
in paramoecia, 261-263
in yeasts, 213-214
Asiatic cholera, 433
Aspergillus, 192, 199, 622
Aspergillus niger, 199, 582-583
Asporogenous yeasts, 216
Assay of antibiotics, 347-349
Assay techniques, microorganisms used in, 591
Assays, microbiological, 589-591
Assimilation, 128, 144-145
Asterocystis, 631
Athiorhodaceae, 130
Atmospheric water, 495
Atoms, labeled, 125
ATP, 130-137
Attenuation, 364
Aulicus caelatus, 279
Auramine O, 45
Autoclave, 300-301
Autotrophic bacteria, 80-81, 146
Autotrophs, 79-81, 170
Auxotrophs, 159
Avery, O. T., 28
Axenic culture, 22
Azotobacter, 26, 562, 567, 614
Bacillus, 34-35, 71-74, 272, 614
Bacillus aerosporus, 342
Bacillus albus, 34
Bacillus anthracis, 65, 362, 366, 451
Bacillus brevis, 332, 342
Bacillus Calmette-Guérin, 411
Bacillus cereus, 66, 72-73, 437
Bacillus cereus var *mycoides*, 536
Bacillus coagulans, 34
Bacillus larvae, 476
Bacillus lentimorbus, 476
Bacillus licheniformis, 342
Bacillus megaterium, 59, 71
Bacillus mycoides, 74
Bacillus polymyxa, 342
Bacillus popilliae, 476
Bacillus radicola, 34, 562
Bacillus sphaericus, 152
Bacillus steatothermobolus, 537
Bacillus subtilis, 49, 299, 536-538
Bacillus subtilis var *globigii*, 527
Bacillus thuringiensis, 476

- Bacon, Roger, 17
- Bacteria, acetic-acid, 141
- acetone, butyl-alcohol, 141
- acid-fast, 176
- aerobic, 86
- anaerobic, 86
- anatomy of, 57
- autotrophic, 80-81
- budding, 172-173
- capsulated, 64
- characteristics of, 166-168, 613ff.
- coli-aerogenes-typhoid, 141
- common names for, 35
- cultivation of, 97
- death of, 290-292
- facultatively anaerobic, 86
- fimbriated, 64
- gram-negative, 51-52
- gram-positive, 51-52
- green sulfur, 169
- growth of (see Growth, of bacteria)
- halophilic, 89
- heterotrophic, 80-81
- industrial uses of, 576-577
- iron, 171, 508
- L forms, 75-76, 183-184
- lactic-acid, 141
- luminescent, 497
- microaerophilic, 86
- molddlike, 175
- motile, 64
- motility of, 62-64
- nonmotile, 64
- non-spore-forming, 298
- nutritional requirements of, 79-80
- nutritional types, 79
- autotrophs, 79-81
- chemotrophs, 79
- heterotrophs, 80-81
- phototrophs, 79
- orders of, 167-184
- Actinomycetales*, characteristics of families, 168, 174-178
- Beggiatoales*, characteristics of families, 168, 178-180
- Caryophanales*, 168, 173-174
- Chlamydbacteriales*, 168, 171-172
- Eubacteriales*, characteristics of families, 168, 173-175
- Hyphomicrobiales*, 168, 172-173
- Mycoplasmatales*, 168, 182-184
- pleuropneumonia group, 182-183
- Myxobacteriales*, characteristics of families, 168, 180-182
- Pseudomonadales*, 168-171
- Spirochaetales*, 168, 182
- pH, for growth of, 87-89
- pigmentation of, 112
- propionic-acid, 141
- purple nonsulfur, 169
- purple sulfur, 169
- reproduction of, 58, 91
- rod-shaped, 59
- sheathed, 172
- size of cells, 60-61
- slime, 65, 181, 508
- in soil, 562-563
- spherical, 59
- spiral-shaped, 59-60
- spore-forming, 74, 298
- stalked, 171
- structure of, 61
- capsules, 65-66
- fimbriae, 64-65
- flagella, 61-64
- sulfur, 508
- sulfur-oxidizing, 169-170
- "true," 59, 166, 173
- Bacterial antigens, 383
- Bacterial cell, features of, 294
- Bacterial classification, 6-7
- Bacterial colonies, 100, 111
- Bacterial genera, 34
- Bacterial generation time, 92-95
- Bacterial growth, methods for measuring, 103
- Bacterial growth curve, 95
- Bacterial growth phases, 96-97
- Bacterial growth yield, 97
- Bacterial mutants, 157-159
- isolation of, 159
- types, 157-159
- auxotroph, 159
- induced, 157
- prototroph, 159
- spontaneous, 157
- Bacterial mutations, rate of, 157
- methods of increasing, 157
- Bacterial protoplasts, 75-76
- Bacterial sex factor, 161
- Bacterial spheroplasts, 75-76
- Bacterial spores, 71-75, 293, 298-299
- resistance of, 294
- Bacterial synthesis, 130
- Bacterial transduction, 163-164, 242
- Bacterial transformation, 163-164
- Bacterial viruses, 237-242
- (See also Bacteriophage)
- Bactericide, 290
- Bacteriological media, 81-85
- (See also Media)
- Bacteriolytic amboceptors, 390
- Bacteriophage, 5-12, 144, 162-164, 232-237
- composition of, 237
- cultivation of, 237
- DNA content, 156-157
- morphology of, 237
- reproduction of, 239-242
- Bacteriophageum intestinalle*, 237
- Bacteriostasis, 290
- Bacteriostatic agent, 290-292
- Bacterium, 17, 22, 59, 61, 76
- anatomic structures of, 61
- Bacterium anitratum*, 71
- Bacterium lactis*, 23
- Bacteroides*, 614
- Badhamia*, 628-629
- Balantidium coli*, 262-263
- Ball, 27
- Bang, 243
- Bang's disease, 435
- Basidiospores, 195
- Basidium, 190, 195
- BCCG, 411
- Beadle, George, 28
- Beef extract, 83
- Beggiatoa*, 166, 178-180, 614-615
- trichomes of, 179
- Beijerinck, 26, 107, 223, 561-562
- Benthic population, 497
- Benthos, 496
- Berberis vulgaris*, 479
- "Bergey's Manual of Determinative Bacteriology," 6, 29-30, 35-37, 167, 178
- Beta-galactosidase, 153
- Beta hemolysin, 447
- Beta hemolysis, 361
- Beta hemolytic streptococci, 394-395
- β -hydroxybutyric acid, 69
- Beta-propiolactone, 324
- Biddulphia granulata*, 279
- Binary fission, 58, 74, 91-93, 216
- in amoeba, 259
- in paramecia, 261-263
- Binomial system of nomenclature, 34
- Biochemical activity, 38
- of molds, 198
- Biochemical characterization, 12, 153, 167
- Biochemical oxygen demand, 512
- Biological oxidations, 130-134
- fermentation, 132-134
- respiration, 131-132
- Biological systems, characteristics, 3
- Biological warfare, 14
- Bioluminescence, 497
- Biosynthesis, pathway of, 158-159
- Blastospore, 209
- Blood groups, 374
- Bloom in water, 281, 496
- BOD, 512-513
- BOD test, 512
- Bollinger bodies, 227
- Bonquet, 27
- Bordet-Gengou bacillus, 414
- Bordetella*, 615
- Bordetella pertussis*, 365, 413-414, 444
- Borel, Amedee, 243
- Borrelia*, 615
- Botrydium*, 277, 631
- Botrytis, 200, 528
- Breed method, 98
- Brattanomyces*, 625
- Brevibacterium*, 615
- Brevibacterium linens*, 548
- Brewer anaerobic jar, 88
- Brewer anaerobic petri dish, 88
- Bright-field microscopy, 40-50
- Bristol's media, 280
- Brucella*, 434-435, 615
- Brucella abortus*, 434-435
- Brucella melitensis*, 434-435
- Brucella suis*, 434-435
- Cultivation of, 237
- DNA content, 156-157
- morphology of, 237
- reproduction of, 239-242
- Bacteriophageum intestinalle*, 237
- Bacteriostasis, 290
- Bacteriostatic agent, 290-292
- Bacterium, 17, 22, 59, 61, 76
- anatomic structures of, 61
- Bacterium anitratum*, 71
- Bacterium lactis*, 23
- Bacteroides*, 614
- Badhamia*, 628-629
- Balantidium coli*, 262-263
- Ball, 27
- Bang, 243
- Bang's disease, 435
- Basidiospores, 195
- Basidium, 190, 195
- BCCG, 411
- Beadle, George, 28
- Beef extract, 83
- Beggiatoa*, 166, 178-180, 614-615
- trichomes of, 179
- Beijerinck, 26, 107, 223, 561-562
- Benthic population, 497
- Benthos, 496
- Berberis vulgaris*, 479
- "Bergey's Manual of Determinative Bacteriology," 6, 29-30, 35-37, 167, 178
- Beta-galactosidase, 153
- Beta hemolysin, 447
- Beta hemolysis, 361
- Beta hemolytic streptococci, 394-395
- β -hydroxybutyric acid, 69
- Beta-propiolactone, 324
- Biddulphia granulata*, 279
- Binary fission, 58, 74, 91-93, 216
- in amoeba, 259
- in paramecia, 261-263
- Binomial system of nomenclature, 34
- Biochemical activity, 38
- of molds, 198
- Biochemical characterization, 12, 153, 167
- Biochemical oxygen demand, 512
- Biological oxidations, 130-134
- fermentation, 132-134
- respiration, 131-132
- Biological systems, characteristics, 3
- Biological warfare, 14
- Bioluminescence, 497
- Biosynthesis, pathway of, 158-159
- Blastospore, 209
- Blood groups, 374
- Bloom in water, 281, 496
- BOD, 512-513
- BOD test, 512
- Bollinger bodies, 227
- Bonquet, 27
- Bordet-Gengou bacillus, 414
- Bordetella*, 615
- Bordetella pertussis*, 365, 413-414, 444
- Borel, Amedee, 243
- Borrelia*, 615
- Botrydium*, 277, 631
- Botrytis, 200, 528
- Breed method, 98
- Brattanomyces*, 625
- Brevibacterium*, 615
- Brevibacterium linens*, 548
- Brewer anaerobic jar, 88
- Brewer anaerobic petri dish, 88
- Bright-field microscopy, 40-50
- Bristol's media, 280
- Brucella*, 434-435, 615
- Brucella abortus*, 434-435
- Brucella melitensis*, 434-435
- Brucella suis*, 434-435
- Cultivation of, 237
- DNA content, 156-157
- morphology of, 237
- reproduction of, 239-242
- Bacteriophageum intestinalle*, 237
- Bacteriostasis, 290
- Bacteriostatic agent, 290-292
- Bacterium, 17, 22, 59, 61, 76
- anatomic structures of, 61
- Bacterium anitratum*, 71
- Bacterium lactis*, 23
- Bacteroides*, 614
- Badhamia*, 628-629
- Balantidium coli*, 262-263
- Ball, 27
- Bang, 243
- Bang's disease, 435
- Basidiospores, 195
- Basidium, 190, 195
- BCCG, 411
- Beadle, George, 28
- Beef extract, 83
- Beggiatoa*, 166, 178-180, 614-615
- trichomes of, 179
- Beijerinck, 26, 107, 223, 561-562
- Benthic population, 497
- Benthos, 496
- Berberis vulgaris*, 479
- "Bergey's Manual of Determinative Bacteriology," 6, 29-30, 35-37, 167, 178
- Beta-galactosidase, 153
- Beta hemolysin, 447
- Beta hemolysis, 361
- Beta hemolytic streptococci, 394-395
- β -hydroxybutyric acid, 69
- Beta-propiolactone, 324
- Biddulphia granulata*, 279
- Binary fission, 58, 74, 91-93, 216
- in amoeba, 259
- in paramecia, 261-263
- Binomial system of nomenclature, 34
- Biochemical activity, 38
- of molds, 198
- Biochemical characterization, 12, 153, 167
- Biochemical oxygen demand, 512
- Biological oxidations, 130-134
- fermentation, 132-134
- respiration, 131-132
- Biological systems, characteristics, 3
- Biological warfare, 14
- Bioluminescence, 497
- Biosynthesis, pathway of, 158-159
- Blastospore, 209
- Blood groups, 374
- Bloom in water, 281, 496
- BOD, 512-513
- BOD test, 512
- Bollinger bodies, 227
- Bonquet, 27
- Bordet-Gengou bacillus, 414
- Bordetella*, 615
- Bordetella pertussis*, 365, 413-414, 444
- Borel, Amedee, 243
- Borrelia*, 615
- Botrydium*, 277, 631
- Botrytis, 200, 528
- Breed method, 98
- Brattanomyces*, 625
- Brevibacterium*, 615
- Brevibacterium linens*, 548
- Brewer anaerobic jar, 88
- Brewer anaerobic petri dish, 88
- Bright-field microscopy, 40-50
- Bristol's media, 280
- Brucella*, 434-435, 615
- Brucella abortus*, 434-435
- Brucella melitensis*, 434-435
- Brucella suis*, 434-435
- Cultivation of, 237
- DNA content, 156-157
- morphology of, 237
- reproduction of, 239-242
- Bacteriophageum intestinalle*, 237
- Bacteriostasis, 290
- Bacteriostatic agent, 290-292
- Bacterium, 17, 22, 59, 61, 76
- anatomic structures of, 61
- Bacterium anitratum*, 71
- Bacterium lactis*, 23
- Bacteroides*, 614
- Badhamia*, 628-629
- Balantidium coli*, 262-263
- Ball, 27
- Bang, 243
- Bang's disease, 435
- Basidiospores, 195
- Basidium, 190, 195
- BCCG, 411
- Beadle, George, 28
- Beef extract, 83
- Beggiatoa*, 166, 178-180, 614-615
- trichomes of, 179
- Beijerinck, 26, 107, 223, 561-562
- Benthic population, 497
- Benthos, 496
- Berberis vulgaris*, 479
- "Bergey's Manual of Determinative Bacteriology," 6, 29-30, 35-37, 167, 178
- Beta-galactosidase, 153
- Beta hemolysin, 447
- Beta hemolysis, 361
- Beta hemolytic streptococci, 394-395
- β -hydroxybutyric acid, 69
- Beta-propiolactone, 324
- Biddulphia granulata*, 279
- Binary fission, 58, 74, 91-93, 216
- in amoeba, 259
- in paramecia, 261-263
- Binomial system of nomenclature, 34
- Biochemical activity, 38
- of molds, 198
- Biochemical characterization, 12, 153, 167
- Biochemical oxygen demand, 512
- Biological oxidations, 130-134
- fermentation, 132-134
- respiration, 131-132
- Biological systems, characteristics, 3
- Biological warfare, 14
- Bioluminescence, 497
- Biosynthesis, pathway of, 158-159
- Blastospore, 209
- Blood groups, 374
- Bloom in water, 281, 496
- BOD, 512-513
- BOD test, 512
- Bollinger bodies, 227
- Bonquet, 27
- Bordet-Gengou bacillus, 414
- Bordetella*, 615
- Bordetella pertussis*, 365, 413-414, 444
- Borel, Amedee, 243
- Borrelia*, 615
- Botrydium*, 277, 631
- Botrytis, 200, 528
- Breed method, 98
- Brattanomyces*, 625
- Brevibacterium*, 615
- Brevibacterium linens*, 548
- Brewer anaerobic jar, 88
- Brewer anaerobic petri dish, 88
- Bright-field microscopy, 40-50
- Bristol's media, 280
- Brucella*, 434-435, 615
- Brucella abortus*, 434-435
- Brucella melitensis*, 434-435
- Brucella suis*, 434-435
- Cultivation of, 237
- DNA content, 156-157
- morphology of, 237
- reproduction of, 239-242
- Bacteriophageum intestinalle*, 237
- Bacteriostasis, 290
- Bacteriostatic agent, 290-292
- Bacterium, 17, 22, 59, 61, 76
- anatomic structures of, 61
- Bacterium anitratum*, 71
- Bacterium lactis*, 23
- Bacteroides*, 614
- Badhamia*, 628-629
- Balantidium coli*, 262-263
- Ball, 27
- Bang, 243
- Bang's disease, 435
- Basidiospores, 195
- Basidium, 190, 195
- BCCG, 411
- Beadle, George, 28
- Beef extract, 83
- Beggiatoa*, 166, 178-180, 614-615
- trichomes of, 179
- Beijerinck, 26, 107, 223, 561-562
- Benthic population, 497
- Benthos, 496
- Berberis vulgaris*, 479
- "Bergey's Manual of Determinative Bacteriology," 6, 29-30, 35-37, 167, 178
- Beta-galactosidase, 153
- Beta hemolysin, 447
- Beta hemolysis, 361
- Beta hemolytic streptococci, 394-395
- β -hydroxybutyric acid, 69
- Beta-propiolactone, 324
- Biddulphia granulata*, 279
- Binary fission, 58, 74, 91-93, 216
- in amoeba, 259
- in paramecia, 261-263
- Binomial system of nomenclature, 34
- Biochemical activity, 38
- of molds, 198
- Biochemical characterization, 12, 153, 167
- Biochemical oxygen demand, 512
- Biological oxidations, 130-134
- fermentation, 132-134
- respiration, 131-132
- Biological systems, characteristics, 3
- Biological warfare, 14
- Bioluminescence, 497
- Biosynthesis, pathway of, 158-159
- Blastospore, 209
- Blood groups, 374
- Bloom in water, 281, 496
- BOD, 512-513
- BOD test, 512
- Bollinger bodies, 227
- Bonquet, 27
- Bordet-Gengou bacillus, 414
- Bordetella*, 615
- Bordetella pertussis*, 365, 413-414, 444
- Borel, Amedee, 243
- Borrelia*, 615
- Botrydium*, 277, 631
- Botrytis, 200, 528
- Breed method, 98
- Brattanomyces*, 625
- Brevibacterium*, 615
- Brevibacterium linens*, 548
- Brewer anaerobic jar, 88
- Brewer anaerobic petri dish, 88
- Bright-field microscopy, 40-50
- Bristol's media, 280
- Brucella*, 434-435, 615
- Brucella abortus*, 434-435
- Brucella melitensis*, 434-435
- Brucella suis*, 434-435
- Cultivation of, 237
- DNA content, 156-157
- morphology of, 237
- reproduction of, 239-242
- Bacteriophageum intestinalle*, 237
- Bacteriostasis, 290
- Bacteriostatic agent, 290-292
- Bacterium, 17, 22, 59, 61, 76
- anatomic structures of, 61
- Bacterium anitratum*, 71
- Bacterium lactis*, 23
- Bacteroides*, 614
- Badhamia*, 628-629
- Balantidium coli*, 262-263
- Ball, 27
- Bang, 243
- Bang's disease, 435
- Basidiospores, 195
- Basidium, 190, 195
- BCCG, 411
- Beadle, George, 28
- Beef extract, 83
- Beggiatoa*, 166, 178-180, 614-615
- trichomes of, 179
- Beijerinck, 26, 107, 223, 561-562
- Benthic population, 497
- Benthos, 496
- Berberis vulgaris*, 479
- "Bergey's Manual of Determinative Bacteriology," 6, 29-30, 35-37, 167, 178
- Beta-galactosidase, 153
- Beta hemolysin, 447
- Beta hemolysis, 361
- Beta hemolytic streptococci, 394-395
- β -hydroxybutyric acid, 69
- Beta-propiolactone, 324
- Biddulphia granulata*, 279
- Binary fission, 58, 74, 91-93, 216
- in amoeba, 259
- in paramecia, 261-263
- Binomial system of nomenclature, 34
- Biochemical activity, 38
- of molds, 198
- Biochemical characterization, 12, 153, 167
- Biochemical oxygen demand, 512
- Biological oxidations, 130-134
- fermentation, 132-134
- respiration, 131-132
- Biological systems, characteristics, 3
- Biological warfare, 14
- Bioluminescence, 497
- Biosynthesis, pathway of, 158-159
- Blastospore, 209
- Blood groups, 374
- Bloom in water, 281, 496
- BOD, 512-513
- BOD test, 512
- Bollinger bodies, 227
- Bonquet, 27
- Bordet-Gengou bacillus, 414
- Bordetella*, 615
- Bordetella pertussis*, 365, 413-414, 444
- Borel, Amedee, 243
- Borrelia*, 615
- Botrydium*, 277, 631
- Botrytis, 200, 528
- Breed method, 98
- Brattanomyces*, 625
- Brevibacterium*, 615
- Brevibacterium linens*, 548
- Brewer anaerobic jar, 88
- Brewer anaerobic petri dish, 88
- Bright-field microscopy, 40-50
- Bristol's media, 280
- Brucella*, 434-435, 615
- Brucella abortus*, 434-435
- Brucella melitensis*, 434-435
- Brucella suis*, 434-435
- Cultivation of, 237
- DNA content, 156-157
- morphology of, 237
- reproduction of, 239-242
- Bacteriophageum intestinalle*, 237
- Bacteriostasis, 290
- Bacteriostatic agent, 290-292
- Bacterium, 17, 22, 59, 61, 76
- anatomic structures of, 61
- Bacterium anitratum*, 71
- Bacterium lactis*, 23
- Bacteroides*, 614
- Badhamia*, 628-629
- Balantidium coli*, 262-263
- Ball, 27
- Bang, 243
- Bang's disease, 435
- Basidiospores, 195
- Basidium, 190, 195
- BCCG, 411
- Beadle, George, 28
- Beef extract, 83
- Beggiatoa*, 166, 178-180, 614-615
- trichomes of, 179
- Beijerinck, 26, 107, 223, 561-562
- Benthic population, 497
- Benthos, 496
- Berberis vulgaris*, 479
- "Bergey's Manual of Determinative Bacteriology," 6, 29-30, 35-37, 167, 178
- Beta-galactosidase, 153
- Beta hemolysin, 447
- Beta hemolysis, 361
- Beta hemolytic streptococci, 394-395
- β -hydroxybutyric acid, 69
- Beta-propiolactone, 324
- Biddulphia granulata*, 279
- Binary fission, 58, 74, 91-93, 216
- in amoeba, 259
- in paramecia, 261-263
- Binomial system of nomenclature, 34
- Biochemical activity, 38
- of molds, 198
- Biochemical characterization, 12, 153, 167
- Biochemical oxygen demand, 512
- Biological oxidations, 130-134
- fermentation, 132-134
- respiration, 131-132
- Biological systems, characteristics, 3
- Biological warfare, 14
- Bioluminescence, 497
- Biosynthesis, pathway of, 158-159
- Blastospore, 209
- Blood groups, 374
- Bloom in water, 281, 496
- BOD, 512-513
- BOD test, 512
- Bollinger bodies, 227
- Bonquet, 27
- Bordet-Gengou bacillus, 414
- Bordetella*, 615
- Bordetella pertussis*, 365, 413-414, 444
- Borel, Amedee, 243
- Borrelia*, 615
- Botrydium*, 277, 631
- Botrytis, 200, 528
- Breed method, 98
- Brattanomyces*, 625
- Brevibacterium*, 615
- Brevibacterium linens*, 548
- Brewer anaerobic jar, 88
- Brewer anaerobic petri dish, 88
- Bright-field microscopy, 40-50
- Bristol's media, 280
- Brucella*, 434-435, 615
- Brucella abortus*, 434-435
- Brucella melitensis*, 434-435
- Brucella suis*, 434-435
- Cultivation of, 237
- DNA content, 156-157
- morphology of, 237
- reproduction of, 239-242
- Bacteriophageum intestinalle*, 237
- Bacteriostasis, 290
- Bacteriostatic agent, 290-292
- Bacterium, 17, 22, 59, 61, 76
- anatomic structures of, 61
- Bacterium anitratum*, 71
- Bacterium lactis*, 23
- Bacteroides*, 614
- Badhamia*, 628-629
- Balantidium coli*, 262-263
- Ball, 27
- Bang, 243
- Bang's disease, 435
- Basidiospores, 195
- Basidium, 190, 195
- BCCG, 411
- Beadle, George, 28
- Beef extract, 83
- Beggiatoa*, 166, 178-180, 614-615
- trichomes of, 179
- Beijerinck, 26, 107, 223, 561-562
- Benthic population, 497
- Benthos, 496
- Berberis vulgaris*, 479
- "Bergey's Manual of Determinative Bacteriology," 6, 29-30, 35-

- Catabolism, 128, 137-144
(See also Dissimilation)
- Catalase, 116
- Catalysts, 115
- Catalytic agents, 115
- Cathode rays, 308
- Carionic dye, 50
- Caulerpa*, 631
- Caulobacter*, 170
- CCA virus, 226
- Cell, arrangement of, 59
crop, 97-98
division, 93
morphology, 57
parts, 4
permeability, 295
properties, 151
size, 60-61
straining, 50-52
structures, 4, 61-66
vegetative, 74-75
wall, 66-68, 71, 75
chemical composition of, 66-68
damage to, 294-295
isolation of, 66
yeast, 309-310
- Cell-free enzyme technique, 126
- Cells, algal, 271-272
- Cellulomonas*, 615
- Cellulose, 138, 198, 263
- Cellvibrio*, 171, 433
- Centrifuge, 310-311
- Cephaluros*, 283
- Ceratiium*, 629
- Chaetoceros cinctus*, 279
- Chagas disease, 265, 461-462
- Chain, 583
- Chambetland, Charles, 223
- Chance, 441
- Characteristics, of bacteria, 149-167
differences in, 153
genotypic changes, 153-157, 160-164
by sexual reproduction, 160-163
by transduction, 163-164, 242
by transformation, 163
hereditary, 154-164
phenotypic changes, 151-153
biochemical, 153
cultural modifications, 152-153
morphological modifications, 151-152
physiological, 153
of microorganisms, 4, 10-11, 613ff.
of viruses, 226-243, 613ff.
- Cheese manufacture, 545
ripening, 545-548
- Cheeses, hard and soft, 545-548
Blue, 546-547
Cheddar, 546
Roquefort, 546-547
Swiss, 546-547
- Chemical composition, 38
of cell wall, 66-68
of spores, 73-74
- Chemical energy, 129
- Chemostat, 97
- Chemotaxis, 372
- Chemotherapeutic agents, 250, 328-332
characteristics of, 328-329
microbial sensitivity to, 349-350
mode of action, 343
nitrofurans, 350-352
(See also Antibiotics)
- Chemotherapy, 236-237
history of, 329
- Chemotrophs, 79
- Chick embryos, 232-233
- Chicken cholera, 22-24
- Chlamydomonas*, 631-632
- Chlamydozoospores, 192-193
- Chlorella*, 129, 282
- Chlorella infusionum*, 11
- Chlorination, 503
- Chlorine compounds, 316-317
chloramines, azochloramide, 317
chloramine-T, 317
mono-, 317
hypochlorites, calcium, 316-317
sodium, 316-317
- Chlorobacteriaceae*, 130
- Chlorochytrium*, 632
- Chlorococcum*, 632
- Chlorococcum scabellum*, 270
- Chloromeson*, 632
- Chlorophyceae*, 509, 564
- Chlorophyta, 274-275, 281-283
- Chloroplasts, 272
- Chlorotetracycline, 554
- Choanoflagellates, 263
- Chromatin body, 70-71
- Chromatography, 125
- Chromatophores, 272, 280
- Chromogenesis, 111-112
- "Chromosome maps," 163
- Chromosomes, 154, 161-162
- Chromulina*, 632
- Chrysochyta*, 274, 277, 281
- Cilia, 256, 261
- Ciliated protozoa, 259-263
- Citrate-utilization, 428
- Citric acid, production of, 583
- Cladophora*, 632
- Cladosporium*, 201, 528
- Classification, bacterial, 6, 594
of algae, 273, 609
of fungi, 190, 596
of microorganisms, 6-7, 35-38, 594-612
of molds, 189, 601
of protozoa, 606
of rickettsiae, 246-247, 605
of viruses, 224-226, 605
of yeasts, 207, 602
- Claviceps*, 622
- Claviceps purpurea*, 479
- Clonal-selection theory of antibody formation, 378-379
- Clones, 159, 378
- Clostridia, 448-449
- Clostridium*, 34-35, 71, 74, 615
- Clostridium botulinum*, 299, 359-360, 435-437, 551-555
- Clostridium butyricum*, 448, 536
- Clostridium chauvoei*, 467-469
- Clostridium dissolvens*, 34
- Clostridium histolyticum*, 566
- Clostridium novyi*, 450
- Clostridium perfringens*, 360, 427, 436-437, 448-450, 504
- Clostridium propionicum*, 143
- Clostridium septicum*, 450
- Clostridium sporogenes*, 59
- Clostridium tetani*, 359-360, 365, 374, 448-450
- Clostridium tetanomorphum*, 143
- CO₂ utilization, 79
- Coagulase, 395, 447
- Coagulase production, 446-447
- Coal and petroleum microbiology, 13
- Coarboxylase, 116
- Cocci, arrangements of, 57-59
- Coccidiostoc*, 625
- Codium*, 632
- Codostiga*, 264-265
- Coenzyme, 115
- Coenzyme A, 144
- Colacium*, 632
- Coli-aerogenes-typhoid bacteria, 141
- Coliform group of bacteria, 504-505
- Coliform organisms, 428
- Coliphage, 232, 235
- Coliphage, structure, 238
T3, 527
- Colonies, agar-plate, 111
bacterial, 100, 111
- Colorimeter, 101
- Colpoda*, 262-263
- Columella, 193
- Communicability, 365-367
- Complement, 379-380
- Complement-fixation tests, 252, 390-391
bacteriolytic system, 390
hemolytic system, 390
- Reiter Protein, 390, 442
- Treponema Pallidum, 390, 442
- Wasserman, 390, 442
- Complement-fixing antibodies, 375
- Compound "606," 329
- Compounds, heavy-metal, 318-319
copper, 319
mercury, 319
silver, 319
- Conidia, 193
- Conidiophore, 192-193
- Conjugation, features of, 161-164
(See also Sexual reproduction)
- Constitutive enzymes, 122
- Continuous-culture apparatus, 97
- Cook, Christopher, 18
- Cortisone, 586
- Corynebacteria* spp., 403-404
- Corynebacterium*, 34, 479, 616
- Corynebacterium diptheriae*, 374, 388, 403-405
- Corynebacterium insidiosum*, 481
- Corynebacterium michiganense*, 482
- Corynebacterium pseudodiptheriticum*, 403-404
- Corynebacterium xerosis*, 403
- Coscinodiscus radiatus*, 279
- Coudria*, 627-628
- Coudria ruminantium*, 249
- Cox, Herald R., 27, 236
- Coxiella*, 628
- Coxiella burnetii*, 248-249, 301, 540
- Coxsackie viruses, 226, 414
- Crick, Francis H. C., 158
- Cristispira*, 60
- Cryptococcus*, 622, 625
- Cryptococcus neoformans*, 219
- Crystal violet, 82
- Culpepper, Edmund, 19
- Cultivation, of microorganisms, 9, 97
of rickettsiae, 252
of viruses, 232, 237-239
- Cultural characteristics, 38, 105, 111-113, 152-153, 167
- Culture, axenic, 22
collections, 109
medium, 9
for growth of molds, 196
mixed, 9, 105
pure, 9, 22-26, 105-111
tissue, 9
- Culture collections, national, 109
- Culture vessels, 87-88, 97
- Cyanophyceae*, 64, 180, 564
- Cyanophyta*, 272-275, 281-283
- Cylindrocapsa*, 632-633
- Cytochrome system, 130-132, 296
- Cytolysis, 322
- Cytoplasm, 68-69, 76
- Cytoplasmic inclusions, 69
- Cytoplasmic membrane, 66-69
of yeast, 208, 210, 295
- Cytosine, 155-156
- Czapek-Dox medium, 197
- Dairy microbiology, 13
- DAP, 579
- Dark-field microscopy, 43-46
- Dath, 331

- Deaminase, 122
 Deamination, 121, 142-143
Debaryomyces, 625
 Decarboxylase, 122
 Decarboxylation, 121, 143
 Dehydration, 121
 Delta lysin, 447
 Denitrification in soil, 567, 571
 Deoxyribonuclease, 143
 Deoxyribonucleic acid, 28-29, 68-70, 143, 154, 162, 228
 Dermatophytes, 204-205, 462-464
 Dermatophytoses, 219
 Dermatotropic viruses, 226
 Desiccation, 302
Desmarestia, 633
Desmidiium, 633
 Desmids, 276
Desulfovibrio, 171, 433, 498-509, 573
Desulfovibrio desulfuricans, 63, 508
 Detergents, synthetic, 319-321
 anionic, 320
 cationic, 321
 nonionic, 321
 Deterioration by microorganisms, of cordage, 587
 of jet fuel, 588
 of leather, 587
 of paints, 587
 of paper, 586
 prevention of, 589
 of textiles, 587
 Dextran, 147
 d'Herelle, 237
 Diaminopimelic acid, 66-67, 579
 Diatomaceous earth, 278
 Diatomite, 277
 Diatoms, 277-278, 500-501
 Dick test, 398-399, 408
Dictyota, 633
Didinium, 263
Diffugia, 259-261
Dinamoebidium, 633
 Dinoflagellates, 280
 Dipeptide, 141
 Diphtheria, 25
 Dipicolinic acid, 73-74
 Diplobacilli, 59
 Diplococci, 57-58
Diplococcus, 616
Diplococcus pneumoniae, 363-365, 395, 411-412
 Diploid colonies, 218
 Direct-counting methods, 99
 Disaccharides, 138
 Diseases, 22-27, 358-380
 air-borne, 401-425
 of animals, 466-476
 blackleg, 467
 bovine mastitis, 470
 caused by virus, 470-471
 control of, 472
 foot-and-mouth, 470-471
 hog cholera, 470
 swine influenza, 471
 glanders, 467-469
 listerellosis, 469
 protozoan, 471-472
 anaplasmosis, 472
 coccidiosis, 472
 piroplasmiasis, 471
 tick fever, 471
 swine erysipelas, 469
 zoonoses, 467-468
 anthrax, 22
 caused, by viruses, 221-225, 438, 457, 470-471, 482-485
 by yeasts, 219
 chicken cholera, 22-24, 454
 contact, 441-463
 Diseases, contact, caused by trauma, 449-454
 anthrax, 451
 cat-scratch fever, 453
 gas gangrene, 450
 rabies, 451
 rat-bite fever, 453-454
 tetanus, 449-450
 chancroid, 444
 clostridial infections, 448
 dermatophytoses, 462-464
 black piedra, 462
 erythrasma, 463
 onychomycosis, 462
 otomycosis, 463
 ringworm, 463-464
 tinca capitis, 463
 tinca versicolor, 463
 trichomycosis arillarlis, 463
 white piedra, 463
 encephalitis, 457-459
 gonorrhea, 444
 infectious jaundice, 443, 457
 leptospirosis, 443
 lymphogranuloma venereum, 444-445
 pinta, 442
 protozoan, 267, 457-462
 African sleeping sickness, 461
 blackwater fever, 458
 Chagas disease, 461-462
 leishmaniasis, 459-460
 malaria, 457-459
 trypanosomiasis, 461
 pyorrhea alveolaris, 442
 ricketsial, 245-254, 457
 staphylococcus infections, 446
 streptococcus infections, 405, 407-408, 445
 cellulitis, 445
 erysipelas, 445
 imperigo contagiosum, 445
 puerperal fever, 445
 "swineherd's" disease, 443
 syphilis, congenital, 441-442
 transmitted by arthropods, 454-459
 chicken cholera, 22-24, 454
 hemorrhagic septicemia, 454
 homologous serum hepatitis, 447
 infectious hepatitis, 446-447
 plague, 454-455
 pseudotuberculosis, 446
 tularemia, 454-456
 yellow fever, 446
 Weil's disease, 443
 yaws, 442-443
 defense against, 371-380
 diphtheria, 25
 early theories as to cause, 358-359
 fire blight, 27
 food-borne, 426-440
 of fowl and birds, 472-475
 aspergillosis, 475
 avian tuberculosis, 472-474
 coccidiosis, 475
 coryza, 472-474
 enterohepatitis, 475
 favus, 475
 fowl cholera, 474
 fowl typhoid, 474
 histoplasmosis, 473
 latyngotracheitis, 472-475
 limberneck, 474
 Newcastle disease, 472-475
 psittacosis, 474
 pullorum, 472-474
 salmonellosis, 472-474
 thrush, 475
 trichomoniasis, 475
 fungal, 204-205, 421-424, 462-464
 germ theory of, 21-22
 humoral theory of, 358
 Diseases, of insects, 13, 476
 foul broods, 476
 fungal infection, 476
 milky disease, 476
 pebrine, 476
 intestinal, 426-439
 amoebiasis, 438-439
 bacillary dysentery, 432
 botulism, 437
 brucellosis, 435
 cholera, 433-434
 control of, 426
 enterotoxemias, 436-438
 food-borne, 427
 food poisoning, 435-437
 Malta fever, 435
 paratyphoid fever, 431
 salmonellosis, 430
 shigellosis, 432
 typhoid fever, 431
 undulant fever, 435
 of virus origin, 438
 epidemic diarrhea, 438
 epidemic gastroenteritis, 438
 infectious hepatitis, 438
 jaundice, 438
 water-borne, 427
 pebrine, 22
 of plants, 27, 478-492
 apple scab, 479
 bacterial infections, 479-482
 bean blight, 483
 bean mosaic, 484
 bean rust, 486
 breeding for resistance, 490-491
 caused by fungi, 486
 galls, 479-480
 cankers, 481-482
 crown gall, 479-480
 plant cancer, 479-480
 caused by nematodes, 486-487
 causes of infections, 479
 of coffee plants, 478
 control of, 487-492
 effect of crop rotation, 491
 ergotism, 479
 necrosis, 479
 potato blight, 478-479
 quarantine, use of, 491-492
 resistance to, 490-491
 of rice, 478
 root knot, 487
 soil fertility, effects of, 491
 stem rust, 479
 Texas root rot of cotton, 479
 tobacco mosaic, 485
 tomato bushy stunt, 485
 wild fire, 488
 wilts, 479-481
 poliomyelitis, 28
 protozoan, 263-267, 457-462
 rabies, 24-25
 resistance to, 368-376
 respiratory, 401, 424
 chicken pox, 416
 common cold, 418-419
 control of, 401-402
 diphtheria, 403-405
 German measles, 416
 meningitis, 412-413
 mumps, 417
 pneumonia, 411-412
 poliomyelitis, 419-420
 psittacosis, 420-421
 smallpox, 415
 streptococcal infections, 405, 445
 rheumatic fever, 408
 scarlet fever, 407-408
 systemic mycoses, 421-424

- Diseases, respiratory, transmission of, 401-402
 tuberculosis, 409-411
 rickettsial, 246-253
 syphilis, 26
 transmission of, 365-367
 ruberculosis, 23
 typhoid fever, 26
 water-borne, 426-440
 yellow fever, 26
- Disinfectants, 290-294, 312-326
 conditions for selection, 312-313
 evaluation of, 323-326
- Disinfection, 290-291
 conditions influencing, 293-294
 theoretical case of, 291
- Disk-plate technique, 350
- Dissimilation, aerobic, 217
 of amino acids, 142-143
 anaerobic, 217
 of carbohydrates, 137-138
 of fats, 143-144
 of glucose, 138-141, 217
 of nucleic acids, 143
 of proteins, 141-142
- DNA, 28-29, 68-70, 143-146, 154-157, 162, 228
 molecular structure of, 154-157
 replication of, 154-157
 DNA polymerase, 146
 DNA strand, 146, 155
- Dodd, 351
- Dolland, 19
- Domagk, 329
- Dubos, 21, 332, 342
- Ducrey test, 398-399
- Dusch, 20
- Dye-tolerance, 434
- Dyes, classification of, 50-52
 acridine, 319
 brilliant green, 318
 crystal violet, 318-319
 fluorescent, 45-46
 inhibitory effect, 318-319
 malachite green, 318
- Echinococcus test, 398-399
- ECHO viruses, 226, 418
- Ectocarpus*, 633
- Ehrlich, Paul, 16, 25-26, 329, 376
- Ehrlichia*, 628
- Eimeria*, 472, 475, 629
- Eisenberg, 329
- Electromagnetic spectrum, 304
- Electron-beam radiation, 308
- Electron microscope, 12, 40, 47-48
 in virus studies, 228-229
- Electron microscopy, limitations of, 47-48
- Electrons, 130-131, 136-137
- Electrophoresis, 309
- Elek, 388
- Ellerman, 243
- Ellipsoidal cells, 57
- Emden-Meyerhof pathway, 125, 133, 217
- Emmerich, 331
- Endergonic reactions, 128-129, 136
- Enders, 28, 224, 420
- Endoenzymes, 115
- Endolimax nana*, 438
- Endomyces*, 625
- Endomyces magnusii*, 210
- Endomyopsis*, 625
- Endospores, 71
- Endotoxins, 360
- Energy, 4, 79, 128-147
 reactions, 128-129
 source of, 4, 129-134
 storage of, 134-135
 utilization of, 4, 134-137
- Energy-rich bond, 134-136
- Enrichment-culture technique, 107-109
- Entamoeba*, 259
- Entamoeba coli*, 259, 438
- Entamoeba gingivalis*, 259
- Entamoeba histolytica*, 259-261, 432, 438-439
- Enteric infections, 430
- Enterobacteriaceae*, biochemical activities of, 427-429
- Enteroviruses, 226
 Coxsackie, 226, 418
 ECHO, 226, 418
 Poliovirus, 226, 229-230, 234
- Entomogenous microorganisms, 476
- Enzyme activity, 119-120
 conditions affecting, 119-120
 enzyme concentration, 119
 pH, 119
 substrate, 119
 temperature, 119
 detection of, 122-123
 inhibition of, 120-121, 296
 measurement of, 122-123
- Enzyme formation, 121-122
- Enzyme reactions, methods for studying, 123-125
 nature of, 117-118
 types of, 121
- Enzyme systems, 117, 125-126
- Enzymes, 114-126, 131-133, 141-143, 153, 217
 characteristics of, 115-117
 chemical properties of, 115-117
 coagulase, 360-361
 collagenase, 360-361
 deoxyribonuclease, 361
 extracellular, 115
 fibrinogen, 360
 fibrinolysins, 360-361
 functions of, 115
 glycolytic system, 133
 hemolysins, 361
 hyaluronidase, 360-361
 induction, 153
 intracellular, 115
 lecithinase, 360-361
 metal-containing, 121
 mold, amylase, 585
 invertase, 585
 pectinase, 585
 protease, 585
 nomenclature of, 117
 noncompetitive, 121
 physical properties, 115-117
 reactions, 117-118, 121-123
 role in virulence, 360-362
 specificity, 116-117
 streptodornase, 361
 streptokinase, 360-361, 394
- Eosinophil, 44
- Epichrysis*, 633
- Episome, 161
- Epithenia granulata*, 278
- Equivalence zone, 386
- Eremascus*, 625-626
- Ernst, 26
- Eruvinia*, 34, 428, 479, 616
- Eruvinia amylovora*, 482
- Eruvinia tracheiphila*, 481
- Erysipelothrix*, 616
- Erysipelothrix insidiosa*, 385, 469
- Erysiphe*, 622
- Escherichia*, 616
- Escherichia coli*, 9-12, 80-82, 92, 121-122, 139, 144, 150, 173, 427-428, 504-505
 glucose fermentation by, 140
 isolation of nutritional mutants, 159-160
 reproduction by, 161-163
- Ethylene oxide, 323-324
- Eubacteria, 166
- Eubacteriales*, 59, 62
- Eucaryota, 7
- Eucaryotic cells, 9
- Euglena*, 629, 633
- Euglena gracilis*, 264-265
- Euglenophyta*, 274-275, 281
- Eumycetes, 189
- Eumycophyta, 189
- Euphausia superba*, 500
- Eurithermophiles, 85
- Exergonic reactions, 128-129
- Exobasidium*, 622-623
- Exobiology, 14
- Exoenzymes, 115
- Exotoxins, 359-360
- Exponential phase, 96
- Excuvialla*, 633-634
- Facultative pathogens, 359
- Facultatively anaerobic bacteria, 86
- Fats, dissimilation of, 143-144
 metabolism of, 147
- Fermentation, 131-134, 217
 of cucumbers, 558-559
 industrial, 13, 21-22, 26-27, 114, 199
 by yeasts, 209
- Fermented foods, 558-559
- Fermented milks, 543-544
- Ferrobacillus ferrooxidans*, 13
- Feulgen stain, 70, 211-213
- Fibrinolysin, 395, 448
- Fibrinolysin test, 394-395
- Filamentous appendages, 64
- Filters, bacteriological, 310-311
 Berkefeld, 310
 Chamberland-Pasteur, 310
 membrane, 310
 molecular, 310
 Seitz, 310
 sintered glass, 310
- Filtration, 310
 of air, 530
- Fimbriae, 64-65
- Fimbriated bacteria, 64
- Fission fungi, 91
- Flagella, 61-64, 256, 263
 peritrichous, 62
 structure of, 63
- Flagellated protozoa, 263-265
- Flagellates, 263-265
 phyto-, 263
 zoo-, 263-265
- Flagellin, 62
- Flavobacterium*, 497, 616
- Flavoprotein, 131-132
- Fleming, Alexander, 17, 331, 582-583
- Flocculation, 518
 tests, 389
- Florey, 583
- Fluorescein, 46
- Fluorescein isothiocyanate, 393
- Fluorescence, 45
- Fluorescence microscopy, 45-46
- Fluorescent-antibody technique, 45-46, 392-394
 "blocking reaction," 394
 direct staining by, 392
 indirect staining by, 393
- Fluorescent dye, 45-46
- Fomites, 401
- Food intoxication, 436
- Food poisoning, 435-437
- Food preservation, 550-554
 by antibiotics, 554
 by chemicals, 554
 by dehydration, 553
 by freezing, 551-553

- Food preservation, by heat, 551
 by osmotic pressure, 553
 by radiation, 554
- Food spoilage, types of, 555-557
- Food yeasts, 581-582
- Foods, examination of, 558
- Foot-and-mouth disease, 236
- Foraminifera*, 259-261, 497
- Formaldehyde, 323
- Formalin, 323
- Fracastoro of Verona, 17, 21
- Fractional sterilization, 300
- Frei test, 398-399, 445
- Friedlander's bacillus, 362, 428
- Ftings vinegar generator, 578-579
- Frosch, 223
- Fructing bodies, 181, 202
- Fucus*, 271, 634
- Fulthorpe, 387-388
- Fungi, 189-205, 596
 air-borne, 434
 classification of, 189-190, 596, 601
 club, 190
 diseases produced by (see Fungus diseases)
Fungi Imperfecti, 189, 216, 497
 morphological examination of, 196
 slide-culture technique, 196-197
 morphology of, 190-193
 reproduction of, 193-195
 asexual, 193-194
 sexual, 194-195
 sac, 189
 in soil, 563
 sporangium, 189
 spore types, 194-195
 uses of, 189
 beneficial, 189
 harmful, 189
 (See also Molds)
- Fungi Imperfecti*, 189, 216, 497
- Fungicides, 290, 488-489
- Fungistatic agent, 290
- Fungus diseases, 204-205, 421-424, 462-464, 473
 of plants, 479-482, 486
- Furfural, 350-352
- Fusarium*, 202-203, 623
- Fusarium moniliforme*, 203
- Fusobacterium*, 616-617
- Gaffkya*, 617
- Galen, 358
- Galileo, 18
- Gallionella*, 171, 508
- Gametes, 273, 277
- Gamma globulin, 234
- Gamma lysin, 447
- Gamma radiation, 554
- Gamma rays, 306-308
- Gas production in milk, 536
- Gelidium*, 280, 634
- Geimo, 329
- Genera of microorganisms, characteristics of, 613-636
- Generation time, 92-95
- Genes, 28, 151-157, 162-163, 242
 chemical nature of, 154-157
 transfer during conjugation, 162
- Genetic information, 38
- Genetics, 149-150
 use of yeasts, 218
- Genome, 150, 161, 163
- Genotype, 150-151
- Genotypic changes in bacteria, 153-157, 160-164
- Genus, 34-37
- Geotrichum candidum*, 536
- Germ theory of disease, 21-22
- Germfree life, 14
- Germicidal lamps, 304
- Germicide, 290
- Giardia lamblia*, 263-265
- Giemsa staining, 52
- Gleotheca*, 272
- Globigerina*, 629
- Gloeocapsa*, 275
- Gloeochloris*, 634
- Gloedinium*, 634
- Gloesporium*, 623
- Gluconic acid, production of, 583-585
- Glucose, 125, 132-133, 138, 198
 dissimilation of, 138-141
 fermentation of, 140
- Glutamic acid, 144-145, 580
- Glycerol, 143-144
- Glycogen, 69, 275
- Gnotobiotic, 14
- Gonyaulax*, 619
- Gramicidin, 342
- Gram-negative bacteria, 51, 65
 cell-wall constituents, 67-68
 characteristics of, 52
- Gram-positive bacteria, 51
 cell-wall constituents, 67-68
 characteristics of, 52
- Gram staining, 51-52
- Granules, lipid, 69-71
- Gratia, 331
- Ground water, 496
- Group transference, 121
- Growing-culture technique, 126
- Growth, of bacteria, 85-87, 93-103, 111-113
 on agar plate, 111
 in agar streak, 112
 dry weight of cells, 101
 effect of temperature on, 85-86
 expressions of, 101-102
 in gelatin stabs, 112
 measurement of, 98-102
 methods for measuring, 103
 biochemical activity, 103
 membrane filter, 103
 microscopic count, 103
 nitrogen determination, 103
 plate count, 103
 turbidimetric, 103
 weight determination, 103
 nitrogen content, 100-101
 in nutrient broth, 112
 phases, 96-97
 quantitative measurement, 102
 rate, 92-93
 synchronous, 98
 turbidimetric determinations, 100
 of molds, 198
 of yeasts, 218
- Growth curve, bacterial, 95
- Growth phases, 96-97
 decline or death, 96
 exponential, 96
 lag, 96
 logarithmic, 96
 stationary, 96
 transitional periods, 96-97
- Guanine, 155-156
- Guarnieri, 227
- Guarnieri bodies, 227
- "H" antigens, 374, 430
- Haeckel, E. H., 7
- Haemophilus*, 617
- Haemophilus ducreyi*, 414, 444
- Haemophilus gallinarum*, 472-473
- Haemophilus influenzae*, 347, 362, 414, 418
- Haemophilus suis*, 471
- Halophilic bacteria, 89, 303
- Hanging-drop technique, 49-50
- Hansen, Emil Christian, 26
- Hanseniopsis*, 626
- Hansenula*, 626
- Haploid colonies, 219
- Haprens, 374
- Harvey, 358
- Hashimoto, 27
- Hektoen, Ludwig, 30
- HeLa cell cultures, 234
- Helical strands, 63
- Heliozoa*, 259-261
- Hellriegel, 26, 562
- Hemagglutination inhibition test, 396
- Hemolysins, 361-362
- Hemolysis, 82
- Hemolytic amoeboid, 390
- Herbicides in soil, decomposition of, 565
- Hereditary characteristics, transmission of, 154-164
- Heredity, 28-29, 218
- d'Helle, 237
- Herpes simplex, 230, 237
- Heterocysts, 275
- Heterofermentative lactobacilli, 534
- Heterogamic conjugation of yeasts, 216
- Heterogamous reproduction in algae, 273-280
- Heterophile antibodies, 395-396
- Heterothallic algae, 273
- Heterotrophic bacteria, 80-81, 109, 131, 140, 146
- Heterotrophs, 80-82, 170
- Hippocrates, 358
- Histomonas*, 472
- Histoplasma capsulatum*, 472
- Histoplasmosis, 423, 473
- Holdfasts, 275
- Holmes, Oliver Wendell, 21
- Holoenzyme, 115
- Homofermentative lactobacilli, 534
- Homothallic algae, 273
- Hooke, Robert, 17-18
- Host-parasite relationships, 368-369
- Humoral antibodies, 375
- Humoral theory of disease, 358
- Humus, 565
- Hyaluronidase, 448
- Hybridization of yeasts, 218-219
- Hydrogen, 114-115, 132
- Hydrogen acceptor, 131
- Hydrogen donor, 131
- Hydrogen sulfide, 281
 production of, 434
- Hydrogen transport, 132
- Hydrologic cycle, 495
- Hydrolysis, 121
- Hydrurus*, 634
- Hygiene, 358
- Hypersensitivity, 363-364
- Hyphae, 10, 190-192
- Hyphomicrobiales, 92
- Icosahedron, 230
- IDU, 237
- Imhoff rank, 515-516
- Immunity, 234, 250, 359, 368
 active, 372-373
 passive, 373
- Immunity-resistance factors, 379-380
 complement, 379-380
 interferon, 380
 properdin, 380
- Immunization, 21-24
- Immunoelectrophoresis, 388-389
- Immunological reaction, 46
- IMVIC, 428, 504
- Inclusion bodies, 10, 226-227
- Bollinger, 227

- Inclusion bodies, Guarneri, 227
 Negri, 227
 Paschen, 227
- Indol production, 428
- Indophenol oxidase production, 444
- Industrial microbiological products, 576-586
- Infections, 358
 factors influencing, 362-367
 (See also Diseases)
- Infectious mononucleosis, 396
- Infective dose, 364-365
- Infestation, 358
- Influenza, 236
 virus, 229
- Infusoria*, 256-257, 259-263
- Inhibition of enzyme action, 120-121
- Inoculation, 106, 111, 397
 intracerebral, 397
 intracutaneous, 397
 intramuscular, 397
 intraperitoneal, 397
 intrapleural, 397
 intravenous, 397
 per os, 397
 per rectum, 397
 subcutaneous, 397
 subdural, 397
- Insect vectors, 237, 248-249, 458
- Interfacial tension, effect on cell, 309
- Interferon, 237, 380
- Intermittent sand filter, 516
- International codes of nomenclature, botanical, 33-34
 microbial, 34-38
 principles, 34
 zoological, 33-34
- International Society for Microbiology, 34
- Invertase, 585
- Iodine, 316
- Iodophors, 316
- Ionic exchange, 50
- Ions, 50, 115, 317
- Irish moss, 282
- Irritability, 3
- Isogamic conjugation of yeasts, 216
- Isogamous reproduction in algae, 237-280
- Isomerization, 121
- Isoniazid, 352
- Iwanowski, 27, 223-224
- Jenner, 24, 221, 415
- Jerne, 378
- Jones, S., 19
- Jones, W., 19
- Joubert, 331
- Journals, 29
- Kahn test, 389-390, 442
- Kala-Azar, 265, 459-460
- Karstrom, 122
- Kefir, 544
- Kelps, 282
- Keto acid, 145
- Kircher, 17
- Kitasato, 25
- Klebs, 25
- Klebs-Loeffler bacillus, 403
- Klebsiella*, 427, 505, 617
- Klebsiella pneumoniae*, 235, 362, 428
- Kline microscopic precipitin test, 390
- Kloekera*, 626
- Kluyver, 6
- Koch, Robert, 16, 22-24, 451
- Koch's postulates, 22
- Koplik's spots, 416
- Koprowski, Hilary, 27, 236
- Kornberg, Arthur, 28
- Krebs, Hans, 27-28, 135
- Krebs citric acid cycle, 135-136, 217, 296, 580
- Krill, 500-501
- Kumiss, 544
- Kurtbia*, 617
- L forms of bacteria, 75-76, 183-184
- L-glutamic acid, production of, 579-580
- L-lysine, production of, 579
- Lactic acid, 125, 133
 commercial production of, 576-578
- Lactic-acid bacteria, 141
- Lactobacillus*, 34, 81-82, 616
- Lactobacillus acidophilus*, 43, 80, 173, 534, 544
- Lactobacillus arabinosus*, 590
- Lactobacillus bulgaricus*, 534, 544-545, 576-578
- Lactobacillus casei*, 534, 591
- Lactobacillus fermenti*, 535
- Lactobacillus helveticus*, 534, 545
- Lactobacillus lactis*, 545
 characteristics of, 151
- Lactobacillus leichmannii*, 152
- Lactobacillus plantarum*, 534
- Lag phase, 96
- Lagenidium*, 623
- Laminaria*, 634
- Landsteiner, Karl, 17
- Lederberg, E. M., 159
- Lederberg, Joshua, 28, 159
- Leeuwenhoek, Anrony van, 16-18
- Leishman-Donovan bodies, 460
- Leishmania*, 265
- Leishmania braziliensis*, 460
- Leishmania donovani*, 265, 459-460
- Leishmania tropica*, 265, 459-460
- Leishmaniasis, 459-460
 cutaneous, 460
 mucocutaneous, 460
- Leptospira*, 60, 384, 617
- Leptospira biflexa*, 443
- Leptospira canicola*, 443
- Leptospira icterohaemorrhagiae*, 443
- Leptospira pomona*, 443
- Lethal dose, 365
- Leucocidin, 361, 447
- Leucocytes, 25
- Leuconostoc*, 617
- Leuconostoc citrovorum*, 534, 543
- Leuconostoc dextranicum*, 543
- Leuconostoc mesenteroides*, 147
- Leukemia, 242
- Leukotaxine, 372
- Levan, 147
- Lichen fungi, 283
- Lichens, chemical composition of, 284
 reproduction of, 284
 structure of, 283
- Liebig, 114
- Light microscope, 12, 18, 40-43, 47-48
- Linné, Carl von, 33
- Lipases, 143
- Lipids, 69-71, 143-144
- Lipman, Fritz, 27-28
- Lipman, Jacob G., 29
- Lipolysis, 143
 in milk, 536
- Lipomyces*, 626
- Lister, Joseph, 21-23, 26
- Listeria*, 617-618
- Listeria monocytogenes*, 5, 469
- Litmus, 284
- Litman's medium, 197
- Lockjaw, 360
- Loeffler, 25, 223
- Log phase, 96
- Logarithmic death rate, 291
- Logarithmic phase, 95-96
- Low, 331
- Lucke, 243
- Lwoff, Andre, 239
- Lyngbya*, 274
- Lyophilization, 110-111, 302-303
- Lysine, 579
- Lysins, 375
- Lysis, 240
- Lysozyme, 240-242
- Lysozyme, 75, 294, 371
- Malaria, 457-459
- Malonic acid, 120
- Marine microbiology, 13, 496-500
 bacterial population, 496-497
 discoloration of water, 496
 fertility of oceans, 500
 formation of sediments, 497, 500
 photosynthetic zone, 497
- Marine microorganisms, chemical transformation by, 497
- Marine sediments, 497, 500
- Marshall, John, 19
- Mastigamoeba*, 263
- Mastigophora*, 256-257, 263
- Mayer, 27
- Media, 9, 23, 79-85, 89
 bacteriological, 81-85
 assay, 83
 for characterization of bacteria, 83
 differential, 82-83
 enriched, 82
 for enumeration of bacteria, 83
 selective, 82
 buffering of, 88
 culture, 9, 152
 chemically defined, 81
 Czapek-Dox, 197
 for examination of water, 506
 for growth of molds, 196-197
 of yeasts, 218
 liquid, 81-83
 Litman's, 197
 preparation of, 83-85
 Sabouraud's, 197
 semisolid, 83
 solid, 81-83
 solid-reversible-to-liquid, 83
 synthetic, 81
- Meiosis, 154, 277
- Membrane systems, 69-70
- Mendel, Gregor, 491
- Meningococci, 413
- Merismopedia*, 272
- Mermaid's wineglass, 271
- Mesophiles, 85
- Mesophilic bacteria, 557
- Mesosomes, 69-70
- Messenger RNA, 146, 157
- Metabolic pathways, 200, 333
- Metabolic processes, 4
 integration of, 145-146
- Metabolic products of staphylococci, 447-448
- Metabolism, types, 128-147
 of carbohydrates, 147
 of fats, 147
 of proteins, 147
- Metachromatic granules, 69
- Metchnikoff, Elie, 25, 331, 543
- Methanobacterium*, 171, 433
- Methyl-red, 428
- Methylene blue, 124-125, 540
- Microaerophilic bacteria, 86
- Microbacterium*, 618
- Microbacterium lacticum*, 534, 538
- Microbes, 17-20
 relative size of, 48
- Microbial flora in the sea, 496
- Microbial genetics, 149-150
- Microbicide, 290

- Microbistatic agent, 290
Micrococcus, 34, 528, 536, 618
Micrococcus demitricans, 567
Micrococcus freudenreichii, 535
Micrococcus luteus, 535, 538
Micrococcus varians, 535
Microcysts, 181
Micromanipulator, 109
Micrometer, ocular, 60-61
Micromonospora, 178-179, 563, 618
Micron, 12, 60
Microorganisms, 3, 28, 35
characteristics, 4, 10-11
classification, 6-7, 35-38
contributions, 6
control of, 289-296
by chemical agents, 290-296
by physical agents, 290-296
cultivation, 9
destruction by incineration, 302
distribution in nature, 14
effect, of low temperature on, 302
of radiations on, 303-309
of salt on, 303
examination of, 49-52
groups, 7, 139
algae, 7, 11
bacteria, 7, 10
fungi, 7
protozoa, 7-11
rickettsiae, 9, 11
viruses, 9-10
heat resistance, 298-299
industrial uses, 11-13
coal formation, 13
dairy industry, 13
fermentation, 13
petroleum formation, 13
soil, 12-13
waste purification, 13
inhibition of, 289-296
by electricity, 308-309
by radiation, 304-306
by sonic disruption, 308
nomenclature, 37
nutritional requirements, 4, 79-80, 197-198, 261
radiosensitivity of, 307
removal of, 309-310
by filtration, 310
by sedimentation, 310
Microscope, 17-18, 40-47
antique, 18-19
electron, 47
magnification of, 41-47
numerical aperture, 41-42
objectives, 42
oil-immersion, 43
optical parts, 41
resolving power, 41-44, 47
Microscopic examination techniques, 48-49
hanging-drop, 49-50
stained smears, 50
"wet," 49-50
Microscopic preparations, stained smears, 50-52
Microscopy, 12, 40-48
bright-field, 40-41, 44, 46, 50
dark-field, 43-44, 46
electron, 47-48
fluorescence, 45-46
phase-contrast, 46
ultraviolet, 44
Microspora, 634
Microsporidia, 476
Microsporium canis, 205
Microsporium gypsum, 464
Microtobiotus, 224, 226, 246
Microtome, 48
Milk, 532-548
abnormal flavors in, 536
acid production in, 534
certified, 542
chemical changes in, 534
examination of, 538
by direct microscopic count, 539-540
by standard plate count, 538-539
fermentations of, 534-535
by coliform bacteria, 535
by lactobacilli, 534
by microbacteria, 534
by micrococci, 534-535
by streptococci, 534
fermented, 543-544
gas production in, 536
grades of, 542
lipolysis in, 536
microorganisms in, 532, 541
biochemical types, 534-537
mesophiles, 537
pathogenic types, 538
psychrophiles, 537
thermoduric bacteria, 577-578
thermophiles, 537
proteolysis in, 536
sources of contamination, 533
stringy, 536
"Milk Ordinance and Code," 533, 540, 542
Milk sanitation, 533-534
Millimicron, 42
Millipore filter membrane, 100, 103, 506-507
Mineralization in soil, 565
Mitochondria, 210, 218
Mitosis, 154
Mixed culture, 9
Miyagawanella lymphogranulomatosis, 444
Mold spores, resistance of, 294
Molds, 189-205
black, 195
bread, 192, 199
cultivation of, 196-197
genera of, 198-203
Alternaria, 201-202, 528
Aspergillus, 192, 199, 622
Botrytis, 200, 528
Cephalosporium, 200
Cladaporium, 201, 528
Fusarium, 202-203, 623
Mucor, 195, 198-199
Neurospora, 200, 623
Penicillium, 158, 190-192, 199-200, 528, 623
Rhizopus, 195, 199, 624
Scopulariopsis, 201
Sporotrichum, 200-201
Trichoderma, 201
Trichobacium, 200-201
industrial uses of, 582-586
media for growth, 196-197
morphological examination of, 195-196
morphology of types, 197-203
nutrition of, 197-198
physiology of, 197-198
red bread, 200
slime, 203-204
(See also Fungi)
Molecular biology, 48
Molecular structure of DNA, 154-157
Molecules, 138, 309
enzyme, 116
Monilia, 623
Moniliasis, 219
Monocystis, 629
Monosaccharides, 138
Monosporella, 626
Moraxella, 618
Morility, of algae, 272-273
of amoeba, 257
of bacteria, 62-64
of paramecia, 261
Morphology, 38, 57
of algae, 271-272
of amoeba, 256-257
of fungi, 190-193
of paramecia, 259-260
of rickettsiae, 251
of staphylococci, 446
of viruses, 228-231, 237
Mucor, 195, 198-199
Mucor hiemalis, 190-191
Multiplication (see Reproduction)
Munz, 567
Muramic acid, 66-67
Murine typhus, 246-248
Murray, R. G. E., 70
Muragen, 157
Murants, bacterial, 157, 306, 333
auxotroph, 159
induced, 157
prototroph, 158
spontaneous, 157
Mutations, bacterial, 157-159
effect of radiation, 306
rate of, 157
in yeasts, 218
Mycelium, 190, 195, 209
Mycetozoa, 203
Mycobacteria, 409-410
Mycobacterium, 52, 175-176, 618
Mycobacterium avium, 370, 410, 472-473
Mycobacterium bovis, 410
Mycobacterium leprae, 409
Mycobacterium lepraemurium, 409
Mycobacterium phlei, 409
Mycobacterium smegmatis, 409
Mycobacterium tuberculosis, 33, 35, 67, 176, 301, 343, 365, 402, 409-411, 541
Mycology, 12
Mycoplasma, 183
Mycoplasma laidlawii, 182-183
Mycoses, superficial, 204, 462-464
systemic, 204-205
Myxobacterales, 64
Myxobacteria, fruiting bodies, 181
Myxobacters, 166, 180-182
Myxomycetes, 203, 497
Myxomycophyta, 189, 203-204
Myxophyceae, 509
Myxoviruses, 226, 418
NAD, 132, 137
Nadsonia, 626
Navicula splendida, 279
Needham, John, 19
Negative staining, 52
Negri bodies, 227, 452
Neisser, Albert, 34
Neisseria, 34, 412-413, 618
Neisseria catarrhalis, 412
Neisseria flava, 412
Neisseria flavescens, 412
Neisseria gonorrhoeae, 366, 392, 412, 444, 448
Neisseria meningitidis, 412-413
Neisseria perflava, 412
Neisseria sicca, 412
Neisseria subflava, 412
Nematium, 634
Nematoda, 486
Nematodes, 486-487
control of, 487
transmission of, 487
Nematospora, 626
Nematospora coryli, 219
Neorickettsia, 628

- Neufeld quellung reaction, 394
Neurospora, 200, 623
Neurospora crassa, 200
Neurospora sitophila, 200
 Neutralizing antibodies, 375
 Nitrate reduction in soil, 567
 Nitrification in soil, 566-571
Nitrobacter, 131, 567, 618
Nitrobacter winogradskyi, 169
Nitrofurans, 350-352
 Nitrogen, 80, 100-101
 Nitrogen cycle in soil, 566, 571
 Nitrogen fixation, in soil, 567, 571
 nonsymbiotic, 567-569
 symbiotic, 569-570
Nitrosococcus, 618
Nitrosococcus nitrosus, 169
Nitrosomonas, 131, 618
Nitrosomonas europaea, 169
 Nobel prize, 17, 27-28, 46, 116, 135, 154, 223
Nocardia, 177, 563, 618-619
Nocardia asteroides, 177
 Noguchi, 441
 Nomenclature, 33-34, 117
 binomial system of, 33
 botanical code, 33
 of enzymes, 117
 international codes, 33-34
 botanical, 33-34
 zoological, 33-34
 microbial, 34-38
 principles of, 34
 zoological code, 33
 Northrup, John H., 27
Nostoc, 273-275
 Nucleic acids, dissimulation of, 143
 Nucleoproteins, 154
 Nucleotides, 135, 143
 Neurotropic viruses, 226
 Nucleus, bacterial, 70-71
 yeast, 208
 Nutrient agar, 82
 Nutrient broth, 82
 Nutritional mutants, 159
 Nutritional requirements of bacteria, 79-80
- "O" antigens, 374, 430
 Oakley, 387-388
 Objective, microscope, oil-immersion, 42-43
 Obligate parasites, 359
 Ochoa, Severo, 28
 Ocular micrometer, 60-61
Oedogonium, 634-635
 Oidia, 193
Oidium albicans, 5
 Oligodynamic action, 317-318
Olpidium, 623
Oospora lactis, 210
Opalina, 629
 Opsonin, 372, 375
 Opsonocytophagic index, 394
 Optimum-growth temperature, 85-86
 Orla-Jensen, 151
Oscillatoria, 274
Oscillatoria erythraea, 496
 Osmosis, 303
 Osmotic pressure, 303
 Ouchterlony, 387-388
 Oudin, 387-388
 Oxalacetic acid, 145
 Oxidation, 121, 130-134
 Oxidation-reduction, 123, 130-131
 potential, 540
 Oxidations, biological, 130-134
 fermentation, 132-134
 respiration, 131-132
 Oxidizing agents, 296
 Oxygen, 86-87, 114-115
p-aminobenzoic acid (PABA), 296, 343-344
 Panacea, 358
 Pandemic, influenza, 417
 Pantropic viruses, 226
 Papain, 117
Paracelsus, 358
Paracolobactrum, 505, 619
 Paracolon, 428
 Paraformaldehyde, 323
 Parainfluenza virus, 226
 Paramecia, 259-263
 excretion, 261
 morphology, 259-261
 motility, 261
 nutrition, 261
 reproduction, 261-263
 structure, 259-261
Paramecium, 629-630
Parasola, 635
 Parasitism, 358-359
 Parasitology, 12
 Paresis, 442
 Park, William H., 30
Parmelia conspersa, 282
 Paschen, 227
 Paschen bodies, 227
 Pasteur, Louis, 16-24, 114, 222, 331, 452-453
Pasteurella, 34, 619
Pasteurella multocida, 362, 454-455, 472-473
Pasteurella pestis, 454-456
Pasteurella pseudotuberculosis, 454-456
Pasteurella tularensis, 339, 366, 454-456
 Pasteurization, 22, 301-302, 537-540
 commercial methods of, 541
 phosphatase test for, 542
 Pathogen, 359
 Pathogenic microorganisms, 367, 427, 441
 Pathogenicity, 359
 Pebrine, 22
 Pectinase, 585
Pediastrum, 635
Pediococcus, 619
Pediococcus cerevisiae, 558
 Penicillin, 159, 199, 331-339
 commercial production of, 582-584
 resistance, 336-337
 Penicillinase, 336, 448
Penicillium, 158, 190-192, 199-200, 528, 623
Penicillium camemberti, 548
Penicillium chrysogenum, 199, 337-338, 583-585
Penicillium notatum, 199, 331, 336, 582-583
Penicillium raqueforti, 33, 546-548
 Pepsin, 117
 Peptidases, 142
 Peptide linkages, 141-142
 Peptone, 83
 Perithecium, 195
 Peritrichous flagellation, 427
 Petroff-Hausser bacteria counter, 98
 Pfeiffer phenomenon, 434
 pH, 84-89
 for bacteria, 87-89
 effect on enzymes, 119-120
 indicators, 84
 for molds, 198
 scale, 84-85
 for yeasts, 218
Phaeophyta, 274, 280-281
 Phagocytes, 25, 371
 Phagocytosis, 25, 328, 371-372
 Phase-contrast microscopy, 46, 94
 Phenol, germicidal activity of, 313-315
 Phenol-coefficient test, 314, 325-326
 Phenolic compounds, 295, 313-315
 cresols, 314
 hexachlorophene, 314
 hexylresorcinol, 314
 orthophenylphenol, 314
 Phenotype, 150-151
 Phenotypic changes in bacteria, 151-153
Phormidium, 273
 Phosphatase, 542
 Phosphate bond, 134-135
 Phosphorylation, 121
 Photoelectric colorimeter, 101
 Photoreactivation, 306
 Photosynthesis, 6, 129-130, 275
 Phototrophs, 79, 496
 Phycology, 12
Phycomycetes, 497
Phymatotrichum omnivorum, 479
Physica, 283
Phytophthora infestans, 479
 Phytoplankton, 496-497, 500-501
Pichia, 626
Piedraia bortai, 462
 Pigmentation, 111-112
 in algae, 274, 280-281
 in bacteria, 111-112
 bloom, 281
 in yeasts, 210
 Pigments, 112, 147, 152-153, 281
 carotene, 281-282
 chlorophyll, 281
 fucoxanthin, 281
 phycocyanin, 281
 phycoerythrin, 281
 xanthophyll, 281
Pirroplasma bigemma, 471
Pirroplasma canis, 471
Pirroplasma equi, 471
Pirroplasma ovis, 471
Pityrosporum, 626
 Plague, bubonic, 455
 pneumonic, 445
 primary septicemic, 445
 sylvan, 445
 urban, 445
 Plankton, 269, 275, 281, 496-497, 500
 Plant diseases, 27, 478-492
 (See also Diseases)
 Plant kingdom, divisions, 6-8
 Plant Quarantine Act, 491-492
 Plasma membrane, 68, 73
Plasmodia, life cycle, 265-267
Plasmodium, 203-204, 265-267, 630
Plasmodium berghei, 267
Plasmodium castemerium, 267
Plasmodium falciparum, 265, 458
Plasmodium gallinaceum, 267
Plasmodium lophurae, 267
Plasmodium malariae, 265, 459
Plasmodium ovale, 265
Plasmodium vivax, 33, 499
 life cycle of, 265-266
 Plasmolysis, 303
 Plasmoptysis, 303
 Plastics, 272
 Plate-count technique, 99-100, 103
 Pleuropneumonia-like organisms, 183
 Pneumococci, 65-66, 162-163, 394
Podophrya, 630
 Poliomyelitis, 28
 Poliovirus, 226, 229-230, 234
 Pollution of water, 504, 521
 by coliform bacteria, 504
 Polyhedral viruses, 231-232
 Polyhedron, 229
 Polymeric substances, 66-67
 Polymetaphosphate, 69
 Polynucleotide chains, 155
 Polyoma virus, 243
 Polypeptides, 141
 Polysaccharides, 65, 138, 147, 210, 235
 capsular, 361
Porphyra, 635

- Portal of entry, 401, 426, 441, 467
for pathogens, 365
- Pouchet, 20
- Pour-plate technique, 106–107
- PPLO, 183
- Precipitin tests, 386–390
agar diffusion methods, 387–388
double-, 387–388
Elek's, 388
Oakley and Fulthorpe, 387–388
Ouchterlony, 387–388
Oudin's, 387–388
single-, 387
immunoelectrophoresis, 388–389
ring, 387
for streptococcus, 389
for syphilis, 389–390
Kahn, 389, 442
Kline, 390
- Precipitins, 375
- Procarvora, 7
- Procarvotic cell, 9, 166
- Prontosil, 329
- Properdin, 380
- Propionibacterium*, 548, 619
Propionibacterium shermanii, 546
- Propionic-acid bacteria, 141
- Prosthetic group, 115
- Protease, 585
- Protein synthesis, 144–146
- Proteinases, 141
- Proteins, dissimilation of, 141–142
metabolism of, 147
- Proteolysis, 141–142
in milk, 536
in soil, 566
- Proteolytic enzymes, 117
- Proteropora*, 263
- Proteus*, 76, 383–384, 427–430, 619
- Proteus vulgaris*, 63, 80, 143, 252, 427, 430
- Protisra, 7, 8, 34
- Procarvora, 7
- Eucaryota, 7
- Protococcus*, 275–276, 635
- Protothya*, 7, 70, 246
- Protoplast, 3, 210–211, 295–296
- Protoplasmic membrane, 66–68
- Protoplasts, 75–76, 295
- Protospira*, 635
- Prototroph, 158
- Protozoa, 11, 46, 256–267
amoeboid, 256–261
ciliated, 259–263
classification of, 256–257
flagellates, 263–265
in soil, 564
spore-forming, 265–267
- Protozoan diseases, 263–267, 457–462, 471–472
- Protozoology, 12
- Provirus, 231
- Prowazek, S. von, 246
- Pseudomillieriosis*, 270
- Pseudomonadales*, 62
- Pseudomonas*, 163, 170–171, 479, 497
Pseudomonas aeruginosa, 331
Pseudomonas coronafaciens, 482
Pseudomonas fluorescens, 536
Pseudomonas ichthyosmia, 536
Pseudomonas pseudomallei, 158
Pseudomonas putrefaciens, 536
Pseudomonas solanacearum, 481
Pseudomonas synchyanea, 536
Pseudomonas tabaci, 488
Pseudomonas viscosa, 536
Pseudomycelium, 207–209
- Pseudopod, 257
- Psychrophiles, 85
- Pteridophyta, 7
- Puccinia*, 623–624
Puccinia graminis, 479–480, 489
- Puerperal fever, 21
- Pullorum disease, diagnosis of, 385
- Pullularia*, 528
- Pure culture, 9, 22–23, 105–111
cultural characteristics, 111–113
growth characteristics, 111–113
maintenance of, 109, 158
methods of isolating, 106–109
enrichment-culture technique, 107–109
pour-plate technique, 106–107
serial-dilution technique, 109
single-cell isolation technique, 109
spread-plate technique, 106
streak-plate technique, 106
preservation of, 109–111
by lyophilization, 110–111
starters, 26–27
- Purification of wastes, 13
- Pyocyanase, 331
- Pyrenoids, 275
- Pyridoxine, 352
- Pyrophyta*, 275, 380
- Pyruvic acid, 125, 133, 139
- Q fever, 301
- Quantitative measurement of growth, 98–103
- Quaternary ammonium compounds, 320–322
bactericidal effect, 321
chemical structure, 320
- Quellung reaction, 395
- Rabies, 24–25, 223
- Radiant energy, 129, 304
effect on cells, 304
germicidal effectiveness of, 305
- Radiation, 303–309
cathode rays, 308
electricity, 308–309
electron-beam, 308
gamma rays, 306–308
pasteurization, 555
sonic waves, 308
sterilization, 555
ultrasonic waves, 308
ultraviolet light, 304–306
X rays, 306
- Radioisotopes, 124, 306
- Radiolaria*, 259, 497
- Radiosensitivity of microorganisms, 307
- Raffinose, 138
- Raphoneis amphicerus*, 279
- Receptor-destroying enzyme (RDE), 235
- Recombination, 28, 161
- Redi, Francesco, 19
- Reduction, 121
- Reed, Walter, 16, 29
- Reiter Protein Complement Fixation Test, 390, 442
- Rennin, 117, 536
- Replica plating technique, 159–160
- Repression, feedback, 118
- Reproduction, 91
of amoeba, 258–259
asexual, 154, 160
of bacteria, 91–92
budding, 92, 193, 213
of fungi, 193–195
of paramecia, 261–263
sexual, 92, 160
of viruses, 231–232, 239–242
of yeasts, 213–216
- Reproductive processes, budding, 92, 193, 213
transverse fission, 91, 213
- Resazurin, 540
- Resistance to infection, 368–372
acquired, 372
individual, 370–371
- Resistance to infection, natural, 359, 368
racial, 370
species, 368–370
- Respiration, 131–134, 217
of amoeba, 259
- Resting-cell technique, 126
- Reticuloendothelial system, 371
- Rhizines, 283
- Rhizobium*, 481, 526, 568–569, 620
- Rhizoids, 192, 199, 277
- Rhizopus*, 195, 199, 624
Rhizopus nigricans, 192, 199
- Rhizosphere, 565
- Rhodomicrobium vannielii*, 172–173
- Rhodophyta*, 274, 280–281
- Rhodospirillum rubrum*, 76
- Rhodotorula*, 626–627
- Ribonuclease, 51, 143
- Ribonucleic acid (see RNA)
- Ribosomal particle, 146
- Ribosomes, 69, 145
- Ricketts, Howard Taylor, 246
- Rickettsia*, 246, 385, 628
Rickettsia akari, 248–251
Rickettsia prowazekii, 245–250
Rickettsia rickettsii, 248–249
Rickettsia tsutsugamushi, 11, 248–250
life cycle of, 250
- Rickettsia typhi*, 246–250
- Rickettsiae, 11, 52, 245–254
characteristics of, 245
chemical composition, 252
classification of, 246–247
cultivation, 252
morphology of, 251–252
physiology of, 252
resistance, 252
pathogenesis of, 249–250
- Rickettsial diseases, 245–254, 457
laboratory diagnosis of, 248, 252–254
transmission of, 248
- Rickettsiales*, 246–247
- Rickettsiella*, 628
- Ring test, 387–388
- Rivularia*, 274
- RNA, 28–29, 51, 68–69, 143–146, 157, 228
- RNA polymerase, 146
- RNA strand, 146
- Robbins, 28, 224, 420
- Rocky Mountain spotted fever, 246–252
- Roentgen rays, 306
- Root nodules, 568–569
- Rous, Peyton, 243
- RPCF test, 390, 442
- Rubella, 417
- Rubeola, 416
- Rumen, 13
- Russell, 26
- Sabin, Albert B., 27, 236
- Sabin vaccine, 375
- Sabouraud, 197
- Sabouraud's medium, 197
- Sac fungi, 214
- Saccharomyces*, 215, 627
Saccharomyces carlsbergensis, 580
Saccharomyces cerevisiae, 207, 210, 580–581
Saccharomyces elipsoideus, 207, 580
Saccharomycetaceae, 213, 216
Saccharomycodes, 627
Saccharomycesopsis, 627
Saccharophilic bacteria, 303
- S-adenosylmethionine, 45
- Safety hoods, 528
- Salk, Jonas, 27, 420
- Salk vaccine, 234–236, 375, 420
- Salmon, 25
- Salmonella*, 163, 374, 385, 427, 430, 620

- Salmonella enteritidis*, 430-431
Salmonella birschfeldii, 430-431
Salmonella paratyphi A, 430-431
Salmonella paratyphi B, 430-431
Salmonella paratyphi C, 430-431
Salmonella pullorum, 34, 385, 472-473
Salmonella schotmuelleri, 430-431
Salmonella typhimurium, 62, 430-431
Salmonella typhosa, 12, 59, 62-64, 80, 430-432
 Salmonellae in food, 552-553
 Salmonellosis, 430-431
 Salvarsan, 329
 Sanitization of dairy utensils, 533
 Sanitizer, 290
Saprolegnia, 194, 624
Sapromyces, 624
 Saprophytes, 359
Saprosira, 60
Sarcina, 34, 272, 528, 620
Sarcina lutea, 106
 Sarcinae, 58
Sarcodina, 256-257
 Sarcoma, 242
 Satellitism, 448
Scenedesmus, 635
 Schick test, 398-399, 405
Schizomyces, 91, 166-167
Schizomycophyta, 189
Schizosaccharomyces, 627
Schizosaccharomyces octosporus, 210-211, 216
 Schloesing, 567
 Schroeder, 20
 Schultz-Charlton test, 398-399, 408
 Schulze, Franz, 20
 Schwann, Theodor, 20
Schwannomyces, 627
 Sclerotia, 193, 479
 Sedimentation, 310, 503
 Sedimentation tank, 514-515
 Selection theory of antibody formation, 378
 Semmelweis, Ignaz Philipp, 21, 317
 Sensitivity tests, 398-399
 for antibiotics, 349-350
 disk-plate, 350
 paper-disk, 351
 tube-dilution, 350
 Septic tank, 515
 Serial-dilution technique, 109
 Serological characteristics, 38
 Serological reaction, 46, 376-377
 Serological tests for diagnosis of disease, 382-400
Serratia, 163, 620
Serratia marcescens, 106, 147, 153, 527, 537
 Serum-plate-agglutination test, 385
 Sewage, 511-521
 characteristics of, 511-512
 chemical, 512
 microbiological, 512
 digestion, 513
 disposal, 513
 microbial degradation, 520
 treatment, 513-521
 Sewage-treatment devices, Imhoff tank, 515
 intermittent sand filter, 516
 sedimentation tank, 514-515
 septic tank, 515
 sludge digester, 519
 trickling filter, 516-517
 Sewage-treatment processes, 513-521
 efficiency of, 520-521
 final, 519
 primary, 514-516
 secondary, 516-519
 Sewerage systems, combined, 512
 sanitary sewers, 512
 storm sewers, 512
 Sexual reproduction, in algae, 273-280
 Sexual reproduction, in bacteria, 154, 160
 donor strains, 161-163
 in parametia, 261-263
 recipient strains, 161-163
 in yeasts, 214-216
 Shaw, 27
 Shiga, Kiyoshi, 431
 Shigella, 329, 385, 427, 431-432, 620
 Shigella alkalescens, 432
 Shigella dispar, 432
 Shigella dysenteriae, 432
 Shigella flexneri, 64
 Shope, 243
 Side-chain theory of antibody formation, 376
 Simian viruses, 226
 Single-cell isolation technique, 109
 Skerman, V. B. D., 36
 Slide-agglutination test, 384
 Slide-culture technique, 196-197
 Slime layer, 65
 Slime molds, 203-204
 Sludge digester, 519
 Sludge digestion, 518-519
 Smallpox, 221-223
 Smith, Erwin F., 27, 30
 Smith, Theobald, 16, 25, 471
 Society of American Bacteriologists, 29-30
 Soil, 562-574
 ammonification in, 566, 571
 carbon compounds in, 570-572
 degradation of, 572
 synthesis of, 570
 composition of, 562
 conditions influencing growth of organisms, 564-565
 denitrification in, 567, 571
 microbial flora of, 562
 nitrate reduction in, 567
 nitrification in, 566-567, 571
 nitrogen cycle in, 566, 571
 nitrogen fixation in, 567, 571
 nonsymbiotic, 567-569
 symbiotic, 569-570
 proteolysis in, 566
 Soil algae, 564
 Soil bacteria, 562
 Soil fungi, 563
 Soil microbiology, 12-13, 26, 561
 Soil protozoa, 564
 Soil viruses, 564
 Sonic waves, 308
 Space microbiology, 14
 Spallanzani, 19-20
 Species, 35-37
 Spectrophotometer, 123
 Spermatophyta, 7
 Sphaerotilus, 172, 508
 Sphaerotilus natans, 172
 Spherical cells, 57-59
 Spheroplasts, 75-76
 Spirilla, 59
 Spirillaceae, 433
 Spirillum, 273
 Spirillum minus, 453
 Spirillum serpens, 63
 Spirochaeta, 60, 620-621
 Spirochetes, 166, 441-443
 Spirogyra, 276-277
 Spirogyra communis, 33
 Spirulina, 273
 Spoilage, of canned foods, 555-557
 of food by molds, 198-203
 Spontaneous generation, 19-21
 Sporangia, 192-193, 203-204, 273
 Sporangiohores, 192-193
 Spores, 71-75
 bacterial, 71-75
 chemical composition of, 73-74
 Spores, development of, 73
 location and size of, 74-75
 structure of, 73
 types in fungi, 194
 yeast, sporulation of, 213-216
 Sporicide, 290
Sporobolomyces, 627
 Sporogenesis, 72
 Sporothrix, 30
Sporotrichum schenckii, 200
 Sporozoa, 256-257, 265-267
 Sporulation, 71-75, 213-215
 Spread-plate technique, 106
 Stain, fluorescent, 45
 Staining, 50-52
 differential, 50-51
 acid-fast, 52
 Giemsa, 52
 gram, 51-52
 of granules, 69
 mechanism of, 50-52
 negative, 52
 of rickettsiae, 250-251
 simple, 50
 Stains, 50-52, 69, 211-213
 Stanley, Wendell M., 27, 223
 Staphylocoagulase, 447
 Staphylococci, 58-61, 446
 antigenicity, 446-447
 cultural characteristics, 446
 in food, 552-553
 metabolic products, 447-448
 morphology, 446
 pathogenic, 395
 resistance, 446
Staphylococcus, 621
Staphylococcus aureus, 66, 80, 173, 335, 361, 436, 446-448, 470, 538, 553
Staphylococcus enterotoxemiae, 436-438
Staphylococcus epidermidis, 448
 Staphylococcus infections, 446-448
 Starters, pure-culture, 26-27
 Stationary phase of growth, 96
 Steam Arnold, 300-301
 Sreatic acid, 143
Stemphylium, 528
 Stenothermophiles, 85
Stentor, 263, 630
 Steringma, 193
 Sterilization, 290, 300-302, 322-324
 by autoclaving, 300
 cold, 304
 by dry heat, 302
 fractional, 300
 by hot air, 302
 by radiation, 304, 307-308
 use of, ethylene oxide, 323-324
 formaldehyde, 323
 Steroids, 586
Stigeoclonium, 635
 Stillman, 351
 Stolons, 192, 199
 Streak-plate technique, 106
 Streptobacilli, 59
Streptobacillus moniliformis, 453
 Streptococcal infections, 405, 407-408, 445
 Streptococci, 52, 57-61, 406-407, 445
 alpha hemolytic, 406
 beta hemolytic, 360, 406
 gamma, 406
 of human origin, 407
 pathogenic, 406
 pyogenes, 406
 serological groups, 389
 types, 389
 viridans, 406
Streptococcus, 273, 621
Streptococcus agalactiae, 470

- Streptococcus cremoris*, 534-535, 543
Streptococcus cremoris var. *hollandicus*, 536
Streptococcus faecalis, 66, 504
Streptococcus lactis, 34, 139, 534-535, 543-544
 glucose fermentation by, 140
Streptococcus lactis var. *maligenes*, 536
Streptococcus liquefaciens, 536
Streptococcus pyogenes, 395, 406, 445
Streptococcus thermophilus, 544
 Streptokinase, 360-361, 394
Streptomyces, 178, 479-480, 563, 621
 life cycle of, 179
Streptomyces aureofaciens, 178, 340
Streptomyces erythraeus, 342
Streptomyces floridus, 343
Streptomyces griseus, 239, 339
Streptomyces puniceus, 343
Streptomyces rimosus, 340-341
Streptomyces venezuelae, 340
Streptomyces vinaceus, 343
 Streptomycin, 160, 332, 339-340, 347
 Substrate, 12, 116-118
 dissimilation of, 137-144
 Succinic acid, 120
 Succinic dehydrogenase, 120-121
 Sucrose, 138, 198
Suctoria, 256, 262-263
 Sulfanilamide, 296, 329, 343
 Sulfhydryl group, 296
 Sulfonamides, mode of action, 329-330, 343-344
 in treatment of infections, 329
 Sulfur, 80
 in soil, 572-574
 Sulfur cycle, 572-574
 Sumner, J. B., 115-116
 Surface tension, effect upon cell, 309
 Surface water, 496, 501
Surinella splendida, 279
 Susceptibility, 359, 368
 Susceptibility tests, 398-399
 Swift, Jonathan, 21
 Swimming pool sanitation, 509
 Swine crysipelas, diagnosis of, 385
 Sydenham, Thomas, 558, 407
 Symbiosis, 263, 284
 Synchronous growth, 98
Synchytrium, 624
 Synthesis, 4-5, 81, 114
 bacterial, 130
 of carbon compounds, 570-572
 plant, 130
 virus, 240
 Synthetic processes, 296
Synura, 270
 Syphilis, 26
 control of, 442
 diagnosis of, 389-391, 442
 Systematic bacteriology, 29
 Systemic mycoses, 204-205
 Systems, biological, characteristics of, 3
- Taphrina*, 624
Tarpeia suis, 471
 Tatum, Edward, 28
 Taxa, 35
 Taxonomic categories, 35
 Taxonomic groups, 36
 Taxonomy, 33-38
 Teichoic acid, 66-67
 Temperature, effect on microorganisms, 298-299
 requirements for growth, of bacteria, 85-86
 of molds, 198
 of yeasts, 218
 Template theory of antibody formation, 378
 Tetracocci, 58
 Tetrads, 57-59, 68
- Thallophyta*, 7
 Theiler, Max, 223-224
 Thermal death point, 299
 Thermal death time, 299
Thermocactinomyces, 178
 Thermophiles, 85
 Thermophilic bacteria, 557
Thiobacillus, 508, 621
Thiobacillus denitrificans, 567
Thiobacillus thiooxidans, 131, 170, 573
Thiorhodaceae, 130
 Thiothrix, 178-180
 Thom, Charles, 561
 Thunberg tube, 123-124
 Thymine, 155-156
 Tissue culture, 9, 233-234
 Tobacco mosaic virus (TMV), 10, 27, 223-224, 228, 231
Torula cremoris, 536
Torulopsis, 627
Torulopsis lipofera, 210
Torulopsis sphaerica, 536
 Toxin-antitoxin, 375, 405
 Toxins, 25, 147, 405, 449
 endo-, 359
 exo-, 359
 Toxoids, 360, 375, 405
 TPA test, 384
 TPCF test, 390, 442
 TPI test, 391, 442
 TPIA test, 391, 442
 Trace elements, 198
 Transamination, 145
 Transduction, 163-164, 242
 Transfer RNA, 146
 Transformation of pneumococcus, 162-163
 Transverse fission, 91, 213
Treponema, 60, 621
Treponema carateum, 442
Treponema cuniculi, 442
Treponema genitalis, 442
Treponema microdentium, 442
Treponema mucosum, 442
Treponema pallidum, 366, 441-442
Treponema Pallidum Agglutination Test, 384
Treponema Pallidum Complement Fixation Test, 390, 442
Treponema Pallidum Immobilization Test, 391, 442
Treponema Pallidum Immune Adherence Test, 391, 442
Treponema pertenue, 442
Triceratium formosum, 278
 Trichinella rest, 398-399
Trichoderma viride, 201
 Trichomes, 174, 178-179
 Trichomonads, 265
Trichomonas, 472, 475, 630
Trichomonas buccalis, 265
Trichomonas bominis, 265
Trichomonas vaginalis, 265
Trichonympha, 263-265, 630
Trichophyton mentagrophytes, 467
Trichophyton rubrum, 467
Trichophyton verrucosum, 467
Trichosporon, 627
Trichothecium roseum, 200
 Tickling filter, 516-517
Trigonopsis, 627
 Tripeptide, 141
 Trisaccharides, 138
 Tristearin, 143
 True bacteria, 59, 166, 173
 True fungi, classes of, 189-195
 Ascomycetes, 189-190
 Basidiomycetes, 189-190, 195
 Deuteromycetes, 189-190
 Phycomycetes, 189, 192
- Trypanosoma*, 630
Trypanosoma cruzi, 265, 460-462
Trypanosoma gambiense, 265, 461
Trypanosoma rhodesiense, 265, 461
 Trypsin, 117
 Tryptophan, 118
 Tube-agglutination test, 384
 Tube-dilution technique, 350
 Tubercle bacilli, 45, 59
 Tuberculin test, 398-399, 410
 Tuberculosis, 23, 409-411
 Turbidimetry, 100
 Turbidity, 97, 101-102
 Turbidostat, 97
 Twort, 237
 Twort-d'Herelle phenomenon, 237
 Tyndall, 20-21, 331
 Tyndallization, 300
 Typhoid fever, 26, 383, 431
 Typhoid Mary, 427
 Typhus, endemic, 248
 epidemic, 248
 Typhus fever, 245
- Ulothrix*, 276, 635-636
 Ultrasonic waves, 308
 Ultraviolet light, 44-45
 Ultraviolet microscopy, 44
 Ultraviolet photomicrographs, 45
 Ultraviolet radiation, 529-530
 antimicrobial action, 304-306
Urea, 636
 Urease, 115
 Uric acid, 45
Uromyces phaseola typica, 486
Ustilago, 624-625
- Vaccination, 24, 221-223, 416
 Vaccines, 24, 250, 374-375, 420, 453
 oral, 236, 375, 420
 poliomyelitis, 224, 234, 375
 rabies, 223
 smallpox, 221, 233, 375
 Vacuole, 260-261
 Vallery-Radot, 21
 van Heurck, 19
 van Miel, 6
Variella, 415-416
Variola, 415
 Variolation, 415
Vaucheria, 636
 Vegetative cells, 73-75, 298
Veillonella, 413, 621
 Venereal diseases, 441-445
Venturia inaequalis, 479
 Vergil, 19
Vibrio, 163, 433, 497, 621
Vibrio comma, 63, 171, 433-434
Vibrio fetus, 171
 Vibrios, 59
 Vinegar, commercial production of, 577-579
Vitales, 224, 226
 Vition, 227-228
 Virology, 12
 Virucide, 290
 Virulence, 24, 358-365
 role, of capsular material, 361
 of enzymes, 360-361
 of toxins, 359-361
 Virus diseases, 221-224, 438, 457, 470-471, 482-485
 in animals, 224, 470-471
 in bacteria, 225
 in fish, 225
 in insects, 225
 in man, 224
 in plants, 225, 482-485
 Viruses, 3, 9, 221-244

- adenoviruses, 226, 230
 animal, 229
 bacteriophage, 237-242
 CCA virus, 226
 characteristics of, 226-231
 classification of, 224-226
 composition of, 227
 cultivation of, 232-234
 chick-embryo technique, 232-233
 plasma clots, 233
 tissue cultures, 233-235
 dermatotropic, 226
 enteroviruses, 226
 filterable, 223
 inclusion bodies, 226-227
 infections, control of, 236-237
 by chemotherapy, 236-237
 by insect vectors, 237
 by interferon, 237
 by vaccines, 236
 inhibition of, 234-236
 living or nonliving, 223, 242
 measurement of, 231
 morphology of, 228-231
 myxoviruses, 226
 neurotropic, 226
 pantropic, 226
 plant, 228
 polyhedral, 231-232
 reproduction of, 231-232
 resistance of, 294
 Simian, 226
 sizes of, 222
 in soil, 564
 viscerotropic, 226, 417
 Viscosity, 65
 Vitamin synthesis by algae, 282
 Vitamins, 115-116
 Voges-Proskauer, 428
 Volutin granules, 69
Volvox, 270, 630, 636
 von Behring, 25
 von Plenciz, Anton, 17, 21
Vorticella, 262-263, 630-631
 Vuillemin, 331
 Waksman, Selman, 331-332, 339
 Warburg manometer, 124
 Warburg respirometer, 123
 Wasserman test, 26, 390
 Wastes, purification of, 13
 Water, 495-509
 effect of nuisance bacteria in, 408
 examination of, 505
 completed test, 505-506
 confirmed test, 505-506
 membrane filter technique, 506-508
 presumptive test, 505-506
 standard plate count, 505
 microbial flora in, 495
 atmospheric, 495
 ground, 496
 surface, 496, 501
 polluted, 501
 potable, 500
 sanitary aspects of, 500
 sanitary quality of, 503, 509
 in swimming pools, 509
 uses of, 521
 Water purification, 500, 503
 Water supplies, individual, 501-502
 municipal, 502
 Waterhouse, Benjamin, 222
 Watson, James D., 154
 Watson, W., & Sons, 19
 Weigmann, H., 27
 Weil-Felix agglutination test, 252
 Weil-Felix reaction, 383-384, 430
 Welch, 26
 Weller, 28, 224, 420
 "Wet" preparations, 49-50
 Whey, 576
 Widal, 16
 Widal reaction, 431
 Widal test, 26, 383
 Wilder, R. M., 246
 Wilfarth, 26, 562
 Wilkins, Maurice H. F., 154
 Winogradsky, Serge, 26, 107, 561, 567
Wolbachia, 628
 Woods, D. D., 344
 X rays, 306
Xanthomonas, 171, 479, 621-622
Xanthomonas pruni, 482
Xanthomonas stewartii, 481
Xanthomonas vesicatoria, 483
Xanthophyta, 281
 Yeast cell, 9, 209-213
 Yeast extract, 83
 Yeasts, 11, 190, 207-219
 classification, 207, 602
 composition of, 211
 cultural characteristics of, 213
 genetics of, 218-219
 hybridization of, 218-219
 industrial uses of, 580-582
 for baking, 581
 in fermentation, 580-581
 as food supplement, 581-582
 morphology of, 209-213
 parasitic, 207
 pathogenic, 219
 physiology of, 216-218
 reproduction of, 213-216
 saprophytic, 207
 straining of, 210-211
 types of, 207-209
 false, 209, 216
 industrial, 209
 "true," 209, 213
 wild, 209
 Yellow fever, 26, 237
 Yogurt, 543-544
 Zernike, Fritz, 46
 Ziehl-Neelsen staining technique, 409
 Zonation phenomenon, 270
 Zone of inhibition, 317-318, 325, 350
 Zooflagellates, 263-265
 Zoonoses, 467-468
 bacterial, 467
 characteristics of, 467
 rickettsial, 467
 viral, 467
 Zooplankton, 496-497
 Zoospores, 193-195, 273
Zygnema, 636
 Zygophote, 195
 Zygosporites, 195
 Zygote, 218, 273
 Zymosan, 380