

## INDEX

## A

- Aber, J.D., 3, 97, 168, 210, 213  
*Abies balsamea*, 165, 188  
*Abies grandis*, 188  
*Abies lasiocarpa*, 217  
 Abiotic disturbance agents, 203–218  
   atmospheric factors, 207–214  
     gases, 207–209  
     wet- and dry-fall, 209–214  
   fire, 203–207  
   forest harvesting, 214–216  
   mechanical forces, 216–218  
   overview, 203  
 Abiotic site variables, 231–236  
 Abiotic weathering, 116  
 Absorbed PAR (APAR), 64, 77, 93, 94, 309  
 Absorbing surface area, 41  
*Acacia aneura*, 29  
 Accumulation, snow, 46–48  
*Acer saccharum*, 187, 218  
 Acid-neutralizing capacity, 142  
 Adams, J.M., 311  
*Adelges piceae*, 187  
 Adsorption, 136  
 Advanced Very High Resolution Radiometer (AVHRR), 245, 249, 256, 273, 296, 312  
 Advection, 26  
 Aerodynamic transfer equation, 26  
 Aerosols, 118  
 Agee, J.K., 204  
 Aggregation errors, 234  
*Ahies balsamea*, 187  
 Airborne canopy lidar sensors, 335  
 Air saturation deficit, 26  
 Air temperatures, 237, 241  
 Albedo, 22, 250  
 Allocation, carbon, 82–96  
   annual assessment of, 86–94  
   indices of, 94–96  
   overview, 82–83  
   seasonal dynamics in, 83–86  
 Allometric equations, 93  
 Allometric relations, 87, 109  
*Alnus*, 113, 328  
*Alnus incana*, 218  
*Alnus rubra*, 218  
 Alpha species diversity, 310  
 Altitude, 293  
 Aluminum hydroxides, 121  
 Aluminum ions, 142  
 Ambient partial pressure, 63  
 Ambrose, S.H., 270  
 Ammonia, 136, 207  
 Ammonium, 113, 130  
 Ammonium nitrogen, 205  
 Angiosperms, 34  
 Animals  
   browsing, 198–203  
   wildlife habitat analysis, 269–272, 337  
 Anion  
   adsorption, 142  
   exchange, 133–135  
 Annual global atmospheric loading, 309  
 Annual net primary product  
   allocation assessment, 86–94  
 Annual snowpack map, 284  
 APAR (absorbed PAR), 64, 77, 93, 94, 309  
 Arctic timberline, 293  
 Aridity, 13  
*Armillaria mellea*, 198  
 Arrhenius-type relationships, 63  
 Asner, G.P., 335  
 Atmosphere-forest interactions, 272–274  
 Atmospheric carbon dioxide, 61  
 Atmospheric carbon pool, 304  
 Atmospheric circulation patterns, 45

- Atmospheric deposition, 111–112, 138, 141, 210, 214  
 Atmospheric disturbance factors, 207–214  
   gases, 207–209  
   wet- and dry-fall, 209–214  
 Atmospheric humidity, 52  
 Atmospheric inputs, 100, 112  
 Atmospheric transmittance, 239  
 Attiwill, P.M., 203  
 Autotrophic respiration, 59, 67–71, 82, 91, 332  
 Avalanches, 218  
 AVHRR (Advanced Very High Resolution Radiometer), 245, 249, 256, 273, 296, 312

## B

- B (Bowen ratio), 22–23, 252, 327  
 Bacteriostatic compounds, 185  
*Balanities*, 153  
*Balanities willsoniana*, 153  
 Ball, J.T., 63  
 Band, L.E., 231, 233, 275, 279, 281  
 Bark beetles, 193–195  
 Bark sloughing, 187  
 Bartlein, P.J., 176  
 Base cations, 214  
 Beauflis, E.R., 104  
 Beer–Lambert law, 30, 48  
 Beer's law, 254  
 Beets, P.N., 91  
 Before present (BP), 293  
 Beta diversity, 310  
 Beven, K.J., 232  
 Bhupinderpal-Singh, 320  
 Bigfoot project, 329  
 "Big-leaf" Penman–Monteith equation, 53  
 Biochemical plant defenses, 185–188

- Biochemical reactions, 11  
 Biodiversity, 310–313, 336–338  
 Biogeochemistry, 3, 16. *See also*  
   Regional ecological analysis  
   biogeochemical cycling, 335  
   biogeochemical models, 170  
   ecosystem models, 168–170  
   and eddy-flux measurements,  
     327–328  
   and potential forest distribution,  
     294–296  
 Biological fixation, 100  
 Biological nitrogen fixation, 113  
 Biomass, 87, 159, 254–257,  
   335–336  
 BIOMASS model, 97, 170  
 Biome, 126  
 Biophysical model analysis, 283  
 Biospheric process models, 306–  
   307  
 Biotic agents of disturbance,  
   184–203  
   bark beetles, 193–195  
   biochemical defenses in plants,  
     185–188  
   browsing animals, 198–203  
   defoliating insects, 188–193  
   overview, 184–185  
   pathogens, 195–198  
 Biotic analysis of forest patterns,  
   262–272  
   disturbance propagation, 267–269  
   overview, 262–263  
   spatial heterogeneity, 266–267  
   temporal changes in forest cover,  
     263–266  
   wildlife habitat analysis, 269–272  
 Biotic variables, 234  
 Biotic weathering, 116  
 Bonan, G.B., 96, 175, 303  
 Bond-Lamberty, B., 336  
 Boreal forests, 291  
 Boreal zones, 84  
 Bossel, H., 180  
 Botkin, D., 173  
 Boundary-layer conductance, 26, 30,  
   31–32  
 Bowen ratio ( $\beta$ ), 22–23, 252, 328  
 BP (before present), 293  
 Bridgman, S.D., 109  
 Bristow, K.L., 238  
 Browsing animals, 198–203  
 Bryant, J.P., 198  
 Buchmann, N., 139  
 Bulk canopy conductance, 31  
 Bulk density, 50  
 C  
 Calcium, 101, 108  
*Calvaria major*, 153  
 Cambium, 35  
 Campbell, G.S., 238  
 Candau, J.-N., 343  
 Cannell, M.G.R., 84  
 Canopies  
   chemistry, 142  
   and eddy-covariance fluxes,  
     328–333  
   evapotranspiration, 52  
   gas, 7, 9  
   leaf mass, 64  
   leaf nitrogen, 64  
   level, 3  
   photosynthesis, 77  
   radiation models, 254  
   remote sensing light absorbed by,  
     253–254  
   stomatal conductance, 32  
   transpiration from plant, 31–32  
 Carbohydrates, 84  
 Carbon. *See also* Carbon cycle;  
   Gross primary production; Net  
   primary production  
   acquisition, 82  
   allocation, 84, 89, 168  
 Carbonate rock, 40  
 Carbonation, 116  
 Carbon balance, 6  
 Carbon cycle, 59–98  
   autotrophic respiration, 67–71  
   carbon balances  
     landscape, 281–283  
     net ecosystem, 341–342  
   comparison of ecosystem models,  
     96–98  
   forests in global, 303–310  
   elements of carbon cycle,  
     303–305  
   global net primary production,  
     306–309  
   other gas emissions from  
     forests, 309–310  
   source/sink dynamics,  
     305–306  
   heterotrophic respiration, 71–75  
   modeling photosynthesis and  
     respiration, 76–82  
   assessment of heterotrophic  
     respiration, 80–82  
   carbon balance of vegetation,  
     78–80  
   gross and net photosynthesis,  
     76–78  
   net primary production and  
     allocation, 82–96  
   allocation indices, 94–96  
   annual assessment of, 86–94  
   overview, 82–83  
   seasonal dynamics in allocation,  
     83–86  
   overview, 59–62  
   photosynthesis, 62–67  
 Carbon dioxide, 40  
 Carbon isotope discrimination, 40  
 Carboxylation capacity, 76  
 Carboxylation enzymes, 298  
 Carboxylation rate, 63  
*Castanea dentata*, 195  
*Casuarina*, 113  
 Cation components, 115  
 Cation exchange, 133–135, 210  
 Cation-exchange capacity (CEC),  
   133  
 Cattalino, P.J., 176, 178  
*Ceanothus velutinus*, 113  
 CEC (cation-exchange capacity),  
   133  
 Cellulose, 125, 195  
 CENTURY model, 97, 167  
 Ceulemans, R., 298  
 C fixation, 76  
 Chemical weathering, 115  
 Chemistry, canopy, 333–335  
 Chen, J.M., 254  
 Chlorophyll, 101, 333  
   levels, 64  
   pigments, 65, 298

- Chloroplasts, 62  
*Choristoneura fumiferana*, 188  
*Choristoneura occidentalis*, 188  
 Ciais, P., 305  
 Cihlar, J., 254  
 Clay minerals, 116  
 Clements, F.E., 150  
 Cleugh, H.A., 332  
 Climate  
   changes in, 339–344  
     climatic trends, 339  
     impact on forests, 339–344  
     response of forests, 298–299  
   and forest interactions, 300–303  
   and potential forest distribution, 294–296  
   stabilization and forest planting, 315  
 Climatological extrapolations, 228  
 Climatology, 237–240  
 Climax vegetation, 150  
 C : N ratio, 73  
 Cobalt, 102  
 Cohen, W.B., 256, 266  
 Columbia River basin, 285–287  
 Composition, forest, 344  
 Computer simulation models, 7  
 Condensation, 45  
 Conductivity, hydraulic, 37–39  
 CONIFER model, 228  
 Conifers, 38, 39  
 Core area, 257  
 Coughlan, J.C., 48, 236  
 Cowles, H.C., 150  
 Coyea, M.R., 165, 188  
 Creed, I.F., 279  
 Crop Moisture Index, 273  
 Cropper, W. P., Jr., 170  
 Crow, T.R., 267  
 C-sequestration rates, 341  
*Cyanocitta cristata*, 153
- D**  
 Daily time step model (DAYTRANS), 236  
 Dale, V.H., 297  
 Dalton's equation, 31  
 Daly, C., 241  
 Darcy's law, 52  
 Data layer inconsistencies, 259  
*Daviesia mimosoides*, 205  
 DAYMET model, 286  
 DAYTRANS (daily time step model), 236  
 Dead soil animals, 122  
 Decomposition, 14, 73, 121, 124–128, 132, 133, 151, 160, 184, 193, 198  
 Defensive compounds, 185  
 Defoliating insects, 87, 188–193  
 Delbart, N., 332  
 DEM (digital elevation model), 231–232  
 Dendrochronology, 162–166, 341  
*Dendroctonus ponderosae*, 194  
 DeNiro, M.J., 270  
 Denitrification, 137  
 Density, stand, 254–257  
 Desjardins, Ray, 288  
 DeSteven, D., 218  
 Detrital pool, 87  
 Detritus, 71, 124  
 Dewar, R.C., 63, 84  
 Dew point, 25  
 Diameter xylem elements, 37  
 Digital elevation model (DEM), 231–232  
 Dinitrogen, 113, 114, 137  
 Directional options, remote sensing, 249  
 Discrimination, carbon isotope, 40  
 Dissolved organic carbon (DOC), 138  
 Distribution, global forest. *See* Global forest assessment  
 Disturbance, 13, 183–219. *See also*  
   Atmospheric disturbance factors  
   abiotic factors, 203–218  
   fire, 203–207  
   forest harvesting, 214–216  
   mechanical forces, 216–218  
   overview, 203  
   biotic factors, 184–203  
   bark beetles, 193–195  
   biochemical defenses in plants, 185–188  
   browsing animals, 198–203  
   defoliating insects, 188–193  
   overview, 184–185  
   pathogens, 195–198  
   and climate change, 342–344  
   and landcover, 336  
   overview, 183–184  
   propagation of, 267–269  
 Diurnal variation, 23  
 Diversity, 257  
 Dixon, R.K., 305, 314  
 DOC (dissolved organic carbon), 138  
 Dormancy, 70  
*Dothistroma*, 197, 343  
 Douglas-fir, 104  
 Driving variables. *See* Spatial scaling  
 Drought analysis, regional, 272–273  
 Dryfall, 112, 209–214
- E**  
 Earth Observing System (EOS), 249  
 Earthworms, 121, 124  
 Ecological process models, 15  
 Ecophysiology, 3  
 Ecosystem analysis. *See* Forests, ecosystem analysis  
 Ecosystem carbon balances, net, 341–342  
 Ecosystem models, 168–180  
   biogeochemistry models, 168–170  
   comparison of, 96–98  
   coupled water balance, 52–57  
   evaporation, 30–31  
   gap models, 170–179  
   growth submodel, 173–175  
   mortality, 175–179  
   overview, 170–173  
   recruitment, 173  
   hybrid models, 179–180  
   overview, 4–10, 168  
   photosynthesis and respiration, 76–82  
     assessment of heterotrophic respiration, 80–82  
     carbon balance of vegetation, 78–80  
     gross and net photosynthesis, 76–78

- Ecosystem models (*continued*)  
 simplifications for spatial scaling, 228–231  
 snow in hydrologic balance, 48–50
- Ecosystem respiration, 319–321
- Ecotone, 295
- Ectotrophic mycorrhizae*, 103
- Eddy-covariance fluxes, 317–344  
 biogeochemistry, 327–328  
 climate change, 339–344  
 climatic trends, 339  
 impact on forests, 339–344  
 ecosystem respiration, 319–321  
 gross primary production, 318–319  
 hydrologic and energy  
 partitioning, 325–327  
 net ecosystem production, 321  
 net primary production, 321–324  
 overview, 317–318  
 remote sensing, 328–338  
 canopy fluxes, 329–335  
 forest structure, 335–338  
 overview, 328–329  
 trace gas emissions, 324–325
- Electron transport, 63
- Electron transport rate, 76
- Elemental balance, 6
- Elements, essential, 100–102
- Eluvial processes, 119
- Emissions, trace gas, 324–325
- Empirical models, 33–34
- Endotrophic mycorrhizae*, 103
- Energetic optimization, 198
- Energy balance, 6, 21–24
- Energy exchange, 46–48
- Energy partitioning, 325–327
- Enhanced vegetation index (EVI), 331, 336
- Entry, J.A., 198
- Enzymatic activity, 67
- Enzymatic reactions, 101
- Enzyme nitrogenase, 113
- EOS (Earth Observing System), 249
- Epiphytes, 28
- Epsilon, 94
- Equilibrium evaporation rate, 32
- Equivalent water thickness (EWT), 335
- Erosion, 115, 215
- E. sieheri*, 106
- ET (evapotranspiration), 207, 237, 275, 325, 332
- Eucalyptus*, 106, 110, 205, 313
- Evaporation, 25–27
- Evapotranspiration (ET), 207, 237, 275, 325, 332
- EVI (enhanced vegetation index), 331, 336
- EWT (equivalent water thickness), 335
- Extrapolations, topographic, 240–243
- Exudation, 106
- F**
- Fagus grandifolia*, 218
- Farquhar, G.D., 62, 164, 298
- Farquhar model, 76
- Fecal materials, 122
- Federer, A., 97, 168
- Fertilization, 200, 214
- Fire, 158, 203–207, 273–274
- FIRE-BGC model, 285
- Fisher, J.I., 332
- Fixation, ion, 136
- Flannigan, L.B., 299
- F layer, of forest floor, 119
- Fleming, R.A., 343
- Flow, water. *See* Water cycle
- Floey acids, 121
- Foley, J.A., 293
- Foliage  
 elongation, 187  
 respiration, 80  
 temperature, 31
- Foliar biomass, 211
- FORDYN model, 180
- FOREST-Bio-Geo-Chemical simulation model (FOREST-BGC), 7–9, 164, 168, 170, 179, 228, 236, 281, 287
- Forests. *See also* Biotic analysis of forest patterns; Global forest assessment  
 biodiversity, 336  
 and climate change, 339–344  
 and climate interactions, 300–303
- composition, 344
- ecosystem analysis, 1–16  
 management applications of, 14–16  
 overview, 1–2, 317–318  
 scientific process for, 2–3  
 spatial scaling, 13–14  
 stand/seasonal level of, 4–10  
 temporal scaling, 10–13  
 forest-atmosphere interactions, 272–274  
 forest cover, 263–266  
 harvesting, 214–216  
 structure, 335–338
- Forest Stand Dynamics*, 16
- FORGRO model, 96
- Forman, R.T.T., 266
- Fossil fuel emissions, 303
- Fossilized wood, 292
- FPAR, 309
- Fragmentation, litter, 122–124
- FRAGSTATS software package, 258, 259
- Franklin, J.F., 266
- Fraxinus pennsylvanica*, 43
- Frelich, L.E., 266, 274
- Fritz, S., 162
- Fuel, 314–315
- Functional biodiversity, 310–313
- Functional stand responses, 159–162
- Fung, I., 309
- Fungistatic compounds, 185
- Fuzzy systems theory, 178
- G**
- Gamma species diversity, 310
- Gap ecosystem models, 170–179  
 growth submodel, 173–175  
 mortality, 175–179  
 overview, 170–173  
 recruitment, 173
- Gap-phase vegetation, 150
- Garnier, B.J., 238, 241
- Garten, C.T., Jr., 131
- Gas analyzers, 288
- Gases, 207–209, 309–310, 324–325
- Gash, J.H.C., 31
- Gauged watersheds, 21
- GCM (Global Circulation Model), 293, 299, 300

- G'DAY (Generic Decomposition and Yield model), 97
- Gear, A.J., 293
- GEM, 97
- Gemmell, F.M., 256
- Generic Decomposition and Yield model (G'DAY), 97
- Genetic diversity, 310
- Geographic information system (GIS), 13, 229
- Geographic range, 344
- Geographic representation, 231–234
- Geologic weathering, 100
- Geostationary Operational Environmental Satellites (GOES), 248
- GEP (gross ecosystem production), 61
- Gholz, H.L., 170
- Gillett, N.P., 342
- GIS (geographic information system), 13, 229
- Glacier National Park, 284–285
- Global carbon balance, 215, 291
- Global carbon cycle, 303
- Global Circulation Model (GCM), 293, 299, 300
- Global climate database, 301
- Global forest assessment, 291–316
  - biodiversity, 310–313
  - forest-climate interactions, 300–303
  - global carbon cycle, 303–310
    - elements of carbon cycle, 303–305
    - global net primary production, 306–309
    - other forest gas emissions, 309–310
    - source/sink dynamics, 305–306
  - global forest distribution, 292–300
  - bioclimatic definition of potential, 294–296
  - future response to climate change, 298–299
  - monitoring future changes in, 299–300
  - paleoecological evidence of past, 292–294
  - satellite estimates of current, 296–297
  - overview, 291–292
  - sustainability, 314–315
- Global precipitation trends, 339
- Global Production Efficiency Model (GLO-PEM), 254
- Global scale monitoring, 300
- Global vegetation modeling analysis, 336
- Global warming, 300–302
- GLO-PEM (Global Production Efficiency Model), 254
- GOES (Geostationary Operational Environmental Satellites), 248
- Goodale, C.L., 341
- Gosz, J.R., 108
- Goulden, M.L., 82
- Goward, S.N., 250, 252, 254
- Gower, S.T., 159
- GPP (gross primary production), 318–329, 320, 329–331
- Grace, J.C., 159
- Graham, R.L., 315
- Graumlich, L.J., 164
- Graustein, W.C., 136
- Gravimetric water content, 73
- Gravitational component, 35
- Gravitational potential, 50
- Green, D.S., 333
- Greenhouse gas-induced warming, 300
- Grier, C.C., 54
- Groisman, P.Y., 301
- Gross ecosystem production (GEP), 61
- Gross primary production (GPP), 318, 318–319, 329–331
- Growth, 69–71, 340–341
- Growth ecosystem submodel, 173–175
- Gustafson, E.J., 267
- Gymnosperms, 34
- H**
- Habitat analysis, wildlife, 269–272, 338
- Hall, F.G., 266
- Hansen, A.J., 269, 338
- Hardwoods, 39
- Harvest index, 96
- Harvesting, forest, 214–216
- Haxeltine, A., 294, 296
- Heartwood, 34
- Heat transfer from vegetation, 21–34
  - energy balance, 21–24
  - evaporation from wet surfaces, 25–27
  - interception, 27–30
  - modeling evaporation, 30–31
  - seasonal estimation of leaf area index, 30
  - stomatal conductance, 32–34
  - transpiration from plant canopies, 31–32
- Heavy metals, 209
- Hemicellulose, 125
- Henderson-Sellers, 303
- Herbicides, 214
- Herbivores, 87
- Heterogeneity, spatial, 266–267
- Heterotrophic fungi, 211
- Heterotrophic metabolism, 59
- Heterotrophic microbial activity, 138
- Heterotrophic organisms, 111
- Heterotrophic respiration, 61, 71–75, 80–82
- Historical “natural” sequence, 184
- H layer, of forest floor, 119
- Högberg, P., 320
- Hogg, E.H., 343
- Houghton, R.A., 314
- Huff, M.H., 204
- Humidity, 237
- Humus, 119, 128–129
- Hunsaker, C.T., 281
- Hunt, E.R., 164
- Huntley, B., 293
- Hybrid ecosystem models, 179–180
- Hydraulics, plant, 34–40
  - carbon isotope discrimination of limitations on, 40
  - restrictions on water flow, 34–37
  - seasonal variation in conductivity, 37–39
- Hydrogen, 11, 142
- Hydrogen ions, 135
- Hydrogen sulfide, 137
- Hydrologic analyses, 227

- Hydrologic and energy partitioning, 325–327
- Hydrologic balance, watershed, 275–279
- Hydrologic cycle, 19
- Hydrologic equilibrium theory, 14
- Hydrologic gas, 7, 9
- Hydrologic recovery, 56, 278
- Hydrologic routing, 232–233
- Hydrologic system, 52
- Hydrology, snow, 48–50
- Hydrophobic soil, 50
- Hydrostatic pressure, 35
- Hydroxide radicals, 133
- Hyperspectral sensors, 333
- I**
- IBP (International Biological Program), 141, 228
- Ice, 217–218
- Illuvial* horizon, of mineral soil, 120
- Immobilization, nutrient, 129–133
- Inconsistencies, data layer, 259
- Indices, allocation, 94–96
- Infiltration, 50–52
- Initiation stage of stand development, 152–153
- Insects, defoliating, 87, 188–193
- Interception, 27–30, 46–48
- Intermediate regeneration, 179
- Internal recycling, 103–106
- Internal tree physiology, 9
- International Biological Program (IBP), 141, 228
- Invertebrates, 184
- Ion exchange, 133–135
- Ips typographus*, 194
- Isoprene, 209
- Isotopes, stable, 11–12
- Isotope-tracer study, 138
- Isotopic analyses, 75, 168, 305
- Isotopic composition, 298
- Isotopic forms, 39
- Isotopic fractionation, 45, 73, 75
- Iverson, L.R., 256
- J**
- JABOWA model, 173
- Jarrah leaf litter, 73
- Jarvis, P.G., 64, 77
- Johnston, C.A., 267
- Jolly, W.M., 319
- Joules (J), 22
- Juniperus*, 38, 80
- K**
- Karl, T.R., 301, 303
- Karri substrate, 73
- Kaufmann, M.R., 206
- Keane, R.E., 285
- Keeling, C.D., 75, 309
- Kelliher, F.M., 25, 32, 311
- Kelvin temperature, 22
- Kern, J.S., 233
- Kicklighter, D.W., 229
- Kimball, J.S., 237, 332
- Kinetic reactions, 11
- Kirkby, M.J., 232
- Koerper, G., 297
- Körner, C., 32, 311
- Korol, R.L., 168, 179
- Kull, O., 64
- Kuusisto, E., 302
- L**
- Lagarostrobos franklinii*, 163
- LAI. *See* Leaf area index
- Lamberson, R.H., 269
- Laminated root rot, 197
- Land cover, 250, 336
- Landsat Thematic Mapper (TM), 231, 254, 284, 312
- Landsberg, J.J., 77, 90, 93, 94, 170
- Landscapes. *See also* Regional ecological analysis  
carbon balances, 281–283  
efficient representation with abiotic variable, 234–236  
patterns and processes, 226–228  
spatially explicit pattern analysis, 257–259
- Land surface temperature (LST), 336
- Lapse rates, 241
- Larix*, 332
- Latent heat transfer, 46
- Law, B.E., 327
- Leachate, 106–109
- Leaching, 137–138, 140, 210, 213
- Leaf abscission process, 108
- Leaf area index (LAI), 9, 54, 151, 156, 159, 193, 229, 321  
and remote sensing, 253–254  
seasonal estimation of, 30
- Leaf–gas exchange measurements, 32
- Leaf litter, 87, 109
- Leaf photosynthesis, 75
- Leaf-specific conductivity (LSC), 36, 40
- Leaf stomatal conductance, 32
- Lefsky, M.A., 336
- Leith, H., 306
- Lemon, P.C., 218
- Lepers, E., 336
- Leverenz, 77
- Levine, E.R., 281
- Li, H., 267
- Lichens, 113
- Lidar measures, 335, 335–336
- Light absorbed by canopy, 253–254
- Light compensation point, 64
- Light Use Efficiency (LUE), 9, 94, 226, 254, 283, 306
- Lignin, 73, 127, 136, 195
- Lipid-soluble compounds, 185
- Litter  
and mineral cycles, 106–109  
and soil processes, 119–138  
adsorption and fixation, 136  
cation and anion exchange, 133–135  
fragmentation and mixing, 122–124  
humus formation, 128–129  
microbial decomposition, 124–128  
mineralization and immobilization, 129–133  
overview, 119  
soil profile development, 119–122  
volatilization and leaching, 137–138
- Liu, 141
- L layer, of forest floor, 119
- Lloyd, J., 32, 298
- Long-wave radiation, 21–22
- Lonicera japonica*, 339

- LSC (leaf-specific conductivity), 36, 40
- LST (land surface temperature), 336
- Luan, J., 180
- LUE (Light Use Efficiency), 9, 94, 226, 254, 283, 306
- LUE models, 13
- Luxury consumption, 104
- Lysimeters, 100
- M**
- Macrozamia riedlei*, 205
- MAESTRO model, 96, 97
- Magnesium, 101
- Maintenance respiration, 61, 67–69
- Management applications of ecosystem analysis, 14–16
- Marks, P.L., 259, 298
- Mass balance, 138–143
- Mass movement, 218
- Mather, A.S., 78, 314
- Matric potential, 35, 50
- Maximum leaf conductance, 311
- McGarigal, K., 259
- McGuire, A.D., 97, 298
- McKay, D.S., 279
- McMurtrie, R.E., 77, 97, 170
- McNulty, S.G., 343
- Mean residence time (MRT), 125, 215
- Mechanical disturbance forces, 216–218
- Mechanical weathering, 115
- Mechanistic approach, 3
- Melillo, J.M., 3, 306, 314
- Mencuccini, M., 159
- Metamorphic rocks, 115
- Meteorological satellites, 250–252
- Methane, 137, 207
- Microbial biomass, 72
- Microbial decomposition, 100, 124–128
- Micrometeorology, 3
- Milne, B.T., 236
- Milner, K.S., 283
- Mineral cycles, 99–144  
and mass balance, 138–143  
overview, 99–100  
plant processes affecting, 100–111  
essential elements, 100–102  
nutrient use efficiency, 109–111  
plant uptake, 102–103  
return in litter and leachate, 106–109  
storage and internal recycling, 103–106  
soil and litter processes, 119–138  
adsorption and fixation, 136  
cation and anion exchange, 133–135  
fragmentation and mixing, 122–124  
humus formation, 128–129  
microbial decomposition, 124–128  
mineralization and immobilization, 129–133  
overview, 119  
soil profile development, 119–122  
volatilization and leaching, 137–138  
sources of nutrients, 111–119  
atmospheric deposition, 111–112  
nitrogen fixation, 113–114  
weathering, 114–119
- Mineralization, 124, 129–133, 193, 198
- Mineral weathering, 143
- Mixing, litter, 122–124
- Models, ecosystem. *See* Ecosystem models
- MODIS (Moderate Resolution Imaging Spectroradiometer), 249, 329–331
- Moisture and heterotrophic respiration, 73
- Molybdenum, 102, 204
- Monoterpenes, 209
- Monteith, John, 31, 94
- Morphological responses, 187
- Mortality, 175–179
- Mousseau, 298
- MRT (mean residence time), 125, 215
- MT-CLIM, 236, 240, 272, 285
- Mu, Q., 332
- Mull forest floors, 121
- Multifactor growth multipliers, 175
- Mycorrhizae, 91, 102, 103, 324
- Mycorrhizal fungi, 103
- Myers, N., 297
- Myneni, R.B., 309
- N**
- Nadelhoffer, K.J., 71
- NASA Earth Observing System program, 249, 273
- National Fire Danger Rating System, 274
- National Oceanic and Atmospheric Administration (NOAA), 245
- National Soil Geographic Data Base (NATSGO), 233
- National Weather Service, 273
- NATSGO (National Soil Geographic Data Base), 233
- NDSI (Normalized Difference Snow Index), 332
- NDVI (Normalized Difference Vegetation Index), 246, 254, 272, 329, 332
- NDWI (Normalized Difference Water Index), 332
- Near-infrared radiation (NIR), 21–22, 246, 331
- Near-term forecasting, 275
- NEE (net ecosystem exchange), 61, 127, 318, 341
- Needle-leaf trees, 30
- Neilson, R.P., 294, 296, 298
- Nemani, R.R., 56, 231, 252, 254, 273, 274, 279, 296
- Nematodes, 122
- NEP (net ecosystem production), 59, 318, 321
- Net carbon exchange, 318
- Net ecosystem exchange (NEE), 61, 127, 318, 341–342
- Net ecosystem production (NEP), 59, 321
- Net forest carbon balances, 341
- Net nitrification, 211, 213
- Net photosynthesis, 62, 64, 286
- Net photosynthetic rates, 64
- Net primary production (NPP), 3, 59, 159, 168, 286, 299, 309, 321, 336  
allocation indices, 94–96  
annual assessment of, 86–94

- Net primary production (NPP)  
 (*continued*)  
 contribution of forests to global,  
 306–309  
 and eddy-covariance fluxes,  
 321–324  
 NPP/gross photosynthesis (GPP)  
 ratio, 80  
 overview, 82–83  
 remote sensing of, 331–332  
 seasonal dynamics in allocation,  
 83–86
- Net radiation, 27, 31
- Net sinks, 305
- N fixation, 102, 114
- N-fixing lichens, 114
- Nicholas, N.S., 218
- NIR (near-infrared radiation), 21–22,  
 246, 331
- Nitrate nitrogen, 201
- Nitrification, 130
- Nitrobacter*, 131
- Nitrogen, 73, 93, 100–101, 111–112,  
 137, 193, 209  
 compounds containing, 186  
 deposition, 211  
 ecosystems saturated with, 210  
 fixation, 113–114
- Nitrogenase, 113
- Nitrogen oxides, 207
- Nitrosomonas*, 130–131
- Nitrous oxide, 137, 213, 310
- NOAA (National Oceanic and  
 Atmospheric Administration),  
 245
- Norby, R. J., 165
- Normalized Difference Snow Index  
 (NDSI), 332
- Normalized Difference Vegetation  
 Index (NDVI), 246, 254, 272,  
 331, 332
- Normalized Difference Water Index  
 (NDWI), 332
- Normalized ratios, 39
- Norman, J.M., 252
- Nothofagus*, 80, 218, 313
- NPP. *See* Net primary production
- Nutrients  
 accumulation of soil organic  
 matter and, 159–162  
 cycling models, 141  
 efficiency of use, 109–111  
 immobilization, 129  
 reabsorption, 142  
 sources of, 111–119  
 atmospheric deposition,  
 111–112  
 nitrogen fixation, 113–114  
 weathering, 114–119
- Nyssa aquatica*, 43
- O**
- Odocoileus hemionus*, 201
- Oerlemans, 301
- O'Hara, K.L., 158
- Ohm's law, 36, 37
- Old-growth stage of stand  
 development, 158
- Ollinger, S.V., 238, 241, 279
- Olsson, H., 256
- Optimum nutrient balance, 104
- Oregon transect, 15
- Organic matter, 159–162
- Overpeck, J.T., 299
- Overstory canopy, 162
- Oxygen, 11
- Ozone, 207
- P**
- Paleoecology, 162, 292–294
- Pan, Y., 331
- PAR (photosynthetically active  
 component of radiation), 21, 77,  
 309, 330
- Parton, W.J., 138
- Patch, 257
- Pathogens, 186, 195–198
- Pearson, S.M., 270
- Peat bog, 109, 292
- Pedology, 166–168
- Pee Dee Belemnite formation, 40
- Penman equation, 26, 31
- Penman–Monteith equation, 31, 34,  
 53, 76, 332
- Penman's equation, 31
- Percolation, 50–52, 142
- PGEN, 96
- Phellinus weirii*, 197
- Phenolic acids, 116
- Phenology, 84, 332–333, 339
- Phloem, 35
- Photorespiration, 61, 66, 67
- Photosynthate, 82, 84, 86, 96, 179
- Photosynthesis, 3, 39, 40, 73, 111,  
 168, 184, 207  
 and carbon cycle, 62–67  
 discrimination of, 298  
 modeling respiration and, 76–82  
 assessment of heterotrophic  
 respiration, 80–82  
 carbon balance of vegetation,  
 78–80  
 gross and net photosynthesis,  
 76–78
- Photosynthetically active component  
 of radiation (PAR), 21, 77, 309,  
 330
- Photosynthetic capacity, 7, 69
- Photosynthetic gas exchange, 75
- Photosynthetic pathways, 167
- Photosynthetic rates, 298
- Phytoalexins, 185
- Picea*, 216
- Picea mariana*, 321
- Picea rubens*, 86, 218
- Picea sitchensis*, 217
- Pielke, R.A., 272
- Pierce, L.L., 236, 254, 276, 283
- Pinus*, 110, 216
- Pinus banksiana*, 333
- Pinus contorta*, 43, 194, 344
- Pinus jeffreyi*, 217
- Pinus monticola*, 198
- Pinus radiata*, 43, 90, 93, 165, 170,  
 197
- Pinus sylvestris*, 66
- Pinus taeda*, 328
- Plant biochemical defenses, 185–188
- Plant canopies, transpiration from,  
 31–32
- Planting forests, 315
- Plant phenology, 84
- Plant processes. *See* Mineral cycles
- PnET model, 168, 331
- Podzolization, 120
- Pollution-producing aerosols, 300
- Population modeling, spatially  
 explicit, 269–272
- Populus*, 332
- Populus tremuloides*, 321, 339, 344



- Pore size distribution, 50  
 Potassium, 101  
 Potential global forest distribution, 294–296  
 Precipitation, 45–46, 241  
 Predawn plant water potential, 46  
 Prentice, I.C., 293, 294, 296  
 Pressure component, 35  
 Price, C., 299  
 Primary succession, 150  
 Protein, 185  
*Pteridium aquilinum*, 159
- Q**  
 Quantitative descriptors, 257  
 Quantum efficiency, 64  
 Quartz, 115
- R**  
 Radiances, 244  
 Radiant energy, 62  
 Radiata pine, 313  
 Radiation, solar, 237–241  
 Radiation balance, 21  
 Radiative gases, 216  
 Radiometric surface temperatures, 247  
 Raich, 71  
 Rainfall, 112  
*Raphus cucullatus*, 153  
 Raster (square) cells, 283  
 Raster format, 231  
 Rastetter, E.B., 283  
 Rayleigh distillation kinetics, 114  
 Ray parenchyma cells, 105  
 Recruitment, seedling, 173  
 Recycling, internal, 103–106  
 Reflectances, 244  
 Reflectivities, 22  
 Regional carbon balances, 215  
 Regional drought analysis, 272–273  
 Regional ecological analysis, 261–289  
   biogeochemistry analysis, 274–288  
   landscape carbon balances, 281–283  
   overview, 274  
   regional applications, 284–287  
   validating models, 287–288  
   watershed biogeochemistry, 279–281  
   watershed hydrologic balance, 275–279  
 biotic analysis of forest patterns, 262–272  
 disturbance propagation, 267–269  
 overview, 262–263  
 spatial heterogeneity, 266–267  
 temporal changes in forest cover, 263–266  
 wildlife habitat analysis, 269–272  
 forest-atmosphere interactions, 272–274  
 overview, 261–262  
 Regional Ecosystem Simulation System (RESS), 13–14  
 Regional forest-atmosphere interactions, 272  
 Regional Hydroecological Simulation System (RHESys), 232, 254, 275, 279, 281, 284  
 Regional scale monitoring, 300  
 Reich, P.B., 266  
 Relative equivalent mass, 133  
 Relative humidity, 25  
 Relative water content (RWC), 38  
 Remote sensing, 243–257  
   and eddy-covariance fluxes, 328–338  
   canopy fluxes, 328–333  
   forest structure, 335–338  
   overview, 328–329  
 of landscape attributes, 250–257  
   albedo, land cover, and snow, 250  
   biomass, structure, and density, 254–257  
   LAI and fraction of light absorbed by canopy, 253–254  
   satellite-derived surface meteorology, 250–252  
   surface resistance, 252–253  
 principles of, 243–249  
   directional options, 249  
   overview, 243–245  
   spatial resolution, 245–246  
   spectral resolution, 246–248  
   temporal resolution, 248–249  
 Representation, geographic, 231–234  
 Resistant soil materials, 121  
 Resolution  
   spatial, 245–246  
   spectral, 246–248  
   temporal, 248–249  
 Resource management decisions, 262  
 Respiration  
   of carbon dioxide, 73–75  
   ecosystem, 319–321  
   modeling photosynthesis and, 76–82  
   assessment of heterotrophic respiration, 80–82  
   carbon balance of vegetation, 78–80  
   gross and net photosynthesis, 76–78  
*Respiration quotient*, 68  
 RESS (Regional Ecosystem Simulation System), 13–14  
 RHESys (Regional Hydroecological Simulation System), 232, 254, 275, 279, 281, 284  
 Ribulose biphosphate (RuBP), 62  
 Ring chronologies, 162  
 Riparian zone, 117  
 River flow dynamics, 275  
 Robinson, J.S., 232  
 Romme, W.H., 274  
 Roots, 102, 324  
   depth, 42–43  
   growth, 71  
   respiration, 135  
   rooting zone, 20, 41  
   temperatures, 43  
   water available to, 43–46  
 Rose, C.L., 48, 201  
 Roughness length, 30  
 Rubidium/strontium ratios, 118  
 Rubisco enzyme, 67, 96  
 RuBP (ribulose biphosphate), 62  
 Ruel, J.C., 216  
 Running, S.W., 48, 54, 56, 170, 234, 236, 241, 252, 274, 275, 279, 281, 283, 296, 314

- Runoff, surface, 50  
 Runyon, J., 78, 80, 94  
 Rutter, A.J., 28, 31  
 RWC (relative water content), 38  
 Ryan, M.G., 80, 159  
 Rykiel, E.J., Jr., 9
- S**
- Sakai, A., 294  
 Salinization, 276  
 Sapwood, 67–68  
 Sarr, D.A., 336  
 Satellites  
   estimates of current global forest distribution, 296–297  
   satellite-borne laser altimeters, 257  
   surface meteorology derived from, 250–252  
 Saturated hydraulic conductivity, 51  
 Schlesinger, W.H., 128  
 Schwartz, M.D., 303  
 Scientific process for ecosystem analysis, 2–3  
 Scots pine, 28  
 Scotter, 25  
 Sea of nitrogen, 113  
 Seasonal carbon allocation, 83–86  
 Seasonal leaf area index, 30  
 Seasonal level of analysis, 4–10  
 Seasonal patterns, in soil water depletion, 52  
 Seasonal water flow and plant hydraulics, 37–39  
 Sedjo, R.A., 315  
 Seedling recruitment, 173  
 Self-thinning rule, 154  
 Sellers, P.J., 303, 306  
 Sensitivity analyses, 76  
*Sequoiadendron*, 205  
*Sequoia sempervirens*, 158, 218  
 Sesquioxides, 121  
 Sharma, N.P., 314  
 Short-wave radiation, 21–22, 250  
 Shugart, H., 173  
 Silvicultural handbooks, 218  
*Simaba cedron* trees, 153  
 Simple Ratio (SR), 246, 254, 284  
 Simulation models, mineral cycling, 141–143  
 Sinks, carbon, 305–306  
 Sisk, T.D., 312  
 Site descriptors, 52  
 Site indices (SI), 170, 341  
 Site quality, 170  
 Skole, D.L., 303  
 SLM (specific leaf mass), 64–65  
 Snow  
   as factor of disturbance, 217–218  
   hydrology, 48  
   and remote sensing, 250  
   snowpack dynamics, 52  
   snow pillows, 48  
   water storage and losses from, 46–50  
 Soil, 19  
   accumulation of organic matter and nutrients, 159–162  
   bulk densities, 41, 43  
   fertility multipliers, 175  
   and geographic representation, 233–234  
   hydraulic properties, 52  
   limitations on flow of water, 40–43  
   and litter processes, 119–138  
   adsorption and fixation, 136  
   cation and anion exchange, 133–135  
   fragmentation and mixing, 122–124  
   humus formation, 128–129  
   microbial decomposition, 124–128  
   mineralization and immobilization, 129–133  
   overview, 119  
   soil profile development, 119–122  
   volatilization and leaching, 137–138  
   organic matter, 87  
   temperatures, 46, 237  
   temperatures of, 237  
   texture, 42  
   water available in rooting zone, 43–46  
   water flow across and through, 50–52  
 Soil–Vegetation–Atmosphere–Transfer (SVAT) models, 226, 272  
 Solar radiation, 77, 237–241, 300  
 Solar zenith angles, 48  
 Sollins, P., 130  
 Solomon, A.M., 176  
 Solute potential, 35  
 SOM, 128  
 Sources, carbon, 305–306  
 Spanner, M.A., 254  
 Spatial heterogeneity, 266–267  
 Spatial isolation, 184–185  
 Spatially explicit population modeling, 269–272  
 Spatial resolution, 245–246  
 Spatial scaling, 225–259. *See also* Eddy-covariance fluxes; Global forest assessment; Regional ecological analysis; Remote sensing  
   abiotic site variables, 231–236  
   data layer inconsistencies, 259  
   environmental driving variables, 236–243  
     climatology, 237–240  
     overview, 236  
     topographic extrapolations, 240–243  
   landscape patterns and processes, 226–228  
   model simplifications, 228–231  
   overview, 13–14, 221–226  
   spatially explicit landscape pattern analysis, 257–259  
   stand/seasonal level of analysis, 4–10  
 Specht, R.L., 56  
 Species diversity, 310  
 Specific leaf mass (SLM), 64–65  
 Spectral resolution, 246–248  
 Spies, T.A., 256, 267  
 Split-window approach, 252  
 SPM model, 96  
 SPOT sensor, 249  
 SPOT-VGT satellite, 332  
 Square (raster) cells, 283

- Square picture element, 245
- SR (Simple Ratio), 246, 254, 284
- Stable isotopes, 11–12, 73–75
- Stands
- functional responses of during development, 159–162
  - and seasonal level of analysis, 4–10
  - structural stages in development of, 151–158
    - initiation, 152–153
    - old-growth, 158
    - overview, 151–152
    - stem exclusion, 154–156
    - understory reinitiation, 156–157
- State Soil Geographic Data Base (STATSGO), 233
- State–space diagram, 263
- State variables, 3
- STATSGO (State Soil Geographic Data Base), 233
- Steady-state climax vegetation, 150
- Stefan–Boltzmann constant, 22
- Stem
- elongation, 70
  - mortality, 156
  - stem exclusion developmental stage, 154–156
- Stenberg, P., 75
- Stochastic models, 13
- Stomata, 34, 62, 298
- Stomatal closure, 37
- Stomatal conductance, 31–32, 63, 209
- and carbon isotope discrimination, 40
  - empirical model of, 32–34
  - soil limitations on, 40–43
- Storage, 103–106
- Stream discharge, 227
- Streamflow, 19, 275, 279
- Stress indices, 13
- Strontium, 117
- Structure
- remote sensing of forest, 335–338
  - remote sensing of stand, 254–257
  - stand development stages, 151–158
    - initiation, 152–153
    - old-growth, 158
    - overview, 151–152
    - stem exclusion, 154–156
    - understory reinitiation, 156–157
- Subalpine, 84, 175
- Sublimation, 46
- Substrate quality, 72–73
- Sulfur, 101, 111–112, 209
- Sulfur dioxide, 137, 207
- Supervised spectral reflectance data, 244
- Surface meteorology, 250–252
- Surface resistance, 252–253
- Surface runoff, 50
- Surface wetness, 252
- Sustainability, global forest, 314–315
- SVAT (Soil–Vegetation–Atmosphere–Transfer) models, 226, 272
- Swartzman, G.L., 4
- Swedish National Forest Inventory, 341
- Swenson, J.J., 338
- Swift, L.W., 238, 241
- Symbiotic N fixation, 113
- Synthesis respiration, 61, 69–71
- Syringa vulgaris*, 339
- System states, 3
- T**
- Tannins, 185, 201
- Tans, P.P., 305
- Target cell, 226
- Taxodium distichum*, 43
- TEM model, 97
- Temperate forests, 291
- Temperature
- air, and topographic extrapolations, 241
  - and climatology, 237
  - and heterotrophic respiration, 73
- Temporal biodiversity, 310
- Temporal changes in forest cover, 263–266
- Temporal resolution, 248–249
- Temporal scaling, 149–182. *See also* Disturbance; Gap ecosystem models
- dendrochronology, 162–166
- ecosystem models, 168–180
  - biogeochemistry models, 168–170
  - hybrid models, 179–180
  - overview, 168
- functional responses during stand development, 159–162
- overview, 10–13, 145–151
- paleoecology, 162
- pedology, 166–168
- of standlevel, 10
- structural stages in stand development, 151–158
  - initiation, 152–153
  - old-growth, 158
  - overview, 151–152
  - stem exclusion, 154–156
  - understory reinitiation, 156–157
- Termites, 124
- Terrestrial Ecosystems*, 16
- Terrestrial vegetation, 303
- Thornton, P.E., 241
- Tiessen, H., 215
- Tiktak, A., 141
- Tilia americana*, 218
- Tilman, D., 311
- Tissue composition, 12
- Tissue turnover, 168
- TM (Landsat Thematic Mapper), 231, 254, 284, 312
- TOMS (Total Ozone Mapping Spectrometer), 250
- TOPMODEL logic, 232–233, 234, 284
- Topographic climatic extrapolation, 13
- Topographic partitioning, 277
- Topographic Saturation Index (TSI), 233
- Topographic variables, 48
- Topography, 231–232, 240–243
- Total Ozone Mapping Spectrometer (TOMS), 250
- Townsend, A. R., 167
- Townshend, J., 296
- Trace gas emissions, 137, 215, 324–325
- Tracheids, 34

- Transition zone, 295  
Transmittance, 239  
Transpiration, 31–32, 184  
TREE-BGC, 179  
TREDYNN3, 96, 180  
Tree pollen, 292  
Tree-ring data, 162–163  
Tree seedlings, 172  
TREGRO, 96  
Trumbore, S.E., 128, 166, 215  
TSI (Topographic Saturation Index), 233  
*Tsuga heterophylla*, 204, 217  
*Tsuga mertensiana*, 197, 217  
Tuomisto, H., 312  
Turbulence, 26  
Turbulent transfer, 31  
Turner, D.P., 234, 263, 274, 297  
Turner, M.G., 263, 270, 296
- U**  
UAVs (unmanned aerial vehicles), 338  
Understory regeneration, 179  
Understory reinitiation stage of stand development, 156–157  
Unmanned aerial vehicles (UAVs), 338  
Unsaturated hydraulic conductivity, 51  
Unsupervised spectral reflectance data, 244  
Uptake, 102–103  
Urea, 136  
U.S. National Atmospheric Deposition Program, 279  
U.S. National Weather Service and World Meteorological Organization, 236
- V**  
*Vaccinium ovalifolium*, 201  
Validation, ecosystem analysis model, 9–10, 287–288  
Vapor pressure deficit, 237  
Vapor transfer. *See* Water cycle
- Variable disturbance sensitivities, 175  
Variable-plot surveys, 87  
Variables, driving. *See* Spatial scaling  
Vascular tissue, 34  
Vector format, 231  
Vegetation carbon balance, 78–80. *See also* Water cycle  
Vegetation dynamics, 150  
VEMAP (Vegetation/Ecosystem Modeling and Analysis Program), 7, 299  
Vertebrate animals, 198  
Vessels, 34  
Vetter, M., 341  
Vidal, A., 274  
Visible radiation, 156  
Vitousek, P.M., 314, 335  
Volatilization, 137–138  
Volcanic eruptions, 112  
Volumetric water content, 41
- W**  
Walcroft, A.S., 165  
Wallin, D.O., 267  
Walsh, J.E., 302  
Waring, R.H., 93, 94, 338  
Warming, climate, 300–302  
Water cycle, 19–57  
    coupled water balance models, 52–57  
    flow across and through soil, 50–52  
    flow through trees, 34–46  
        carbon isotope discrimination, 40  
        hydraulic restrictions on, 34–37  
        seasonal variations, 37–39  
        soil limitations on, 40–43  
        water available in soil rooting zone, 43–46  
    heat and water vapor transfer from vegetation, 21–34  
    energy balance, 21–24  
    evaporation from wet surfaces, 25–27  
    interception, 27–30  
    modeling evaporation, 30–31  
    seasonal estimation of leaf area index, 30  
    stomatal conductance, 32–34  
    transpiration from plant canopies, 31–32  
    overview, 19–21  
    storage and losses from snow, 46–50  
Waterlogging, 276  
Watershed biogeochemistry, 279–281  
Watershed hydrologic balance, 275–279  
Weathering, 114–119  
Weinstein, D.A., 84  
Western spruce budworm, 190  
Wetfall, 112, 209–214  
Wetness, 252–253  
Whitehead, D., 91  
Wigmosta, M.S., 232, 275  
Wildfires, 173  
Wildlife habitat analysis, 269–272, 338  
Wind, 216–217, 242  
Wood cellulose, 46  
Wood fiber, 315  
Wood permeability, 36  
Wood relative water, 46  
Woods, A.S., 343  
Wood supply, global, 314–315  
Woodward, F.I., 294, 311
- X**  
Xylem, 34, 38, 46, 76
- Y**  
Yellowstone National Park, 263
- Z**  
Zarco-Tejada, P.J., 333  
Zero point charge (ZPC), 134  
Zheng, D., 234, 237  
Zhu, A.-X., 234  
ZPC (zero point charge), 134