

Index

- accelerated solvent extraction (ASE), 148
 accelerator mass spectrometry (AMS), xiii, 30, 35–36, 75–76
 Ace Lake, Antarctica, 140–41
 acetyl-CoA, 12–13
 acidic sugars, xiii, 81, 83
 acidophiles, 5, 195
 acylheteropolysaccharides (APS), 88, 91–92
 adenosine diphosphate (ADP), 3
 adenosine triphosphate (ATP): amino acids and, 106–10,
 114; carbohydrates and, 84–85; cutin and, 252, 254;
 metabolic synthesis and, 3–4, 9, 12
 alcohols, 27; cutins and, 249, 254; fatty acids and, 145–46,
 149; hydrocarbons and, 192; isoprenoids and, 180, 182;
 lignins and, 252; metabolic synthesis and, 12–13, 17;
 suberins and, 250
 aldehydes: carbohydrates and, 79, 85–86; cutins and, 254;
 isoprenoids and, 171; lignins and, 256, 258, 263;
 metabolic synthesis and, 12–13, 17; proteins and, 106–8,
 114
 aldoses, 79, 81, 86–88, 94–96
 aliphatic amines, 17, 98, 104
 aliphatic hydrocarbons, xv, 12–13, 22–23, 186
 alkaline methanolysis, 150
 alkaline oxidation, 254–59, 264–66
 alkaloids, 16–17
 alkanes, 27; aerobic biodegradation and, 195–97;
 anthropogenic markers and, 272; cutin and, 249, 254;
 fatty acids and, 147–48, 152; hydrocarbons and, 185–87,
 190–97, 200–205; isoprenoids and, 182–83; nucleic acids
 and, 137; suberin and, 249
 alkaliphiles, 5
 alkenes, 207; hydrocarbons and, 186, 190–91, 194–95, 198,
 201, 203; isoprenoids and, 177, 180, 182
 alkenones, 214, 217, 220; fatty acids and, 160; nucleic acids
 and, 141; sedimentary organic matter (SOM) and, 207–11
 alkylation, 274
 alkynes, 186
 allelopathy, 17
 alpha-ketoglutarate, 108
 alpha rays, 32
 amines: aliphatic, 17, 98; amino acid biosynthesis and,
 104–14; chromatographic analysis of, 114–18; citric acid
 cycle and, 104–5; diazotrophs and, 104; fatty acids and,
 168; hexosamines and, 104; as lake markers, 118–19; as
 ocean markers, 122–23, 126; as river-estuarine markers,
 119, 121–22; total dissolved free primary (TDFPA), 104
 amino acids, xiv; adenosine triphosphate (ATP) and,
 106–10, 114; amine biosynthesis and, 104–14; amphoteric
 nature of, 98; aromatic, 102, 106, 110, 112–13; aspartate
 family, 106, 108–9; chromatographic analysis of, 114–18;
 citric acid cycle and, 104–5; degradation index (DI) and,
 100–101; diazotrophs and, 104; dipolar ions and, 98;
 D-isomers and, 100; dissolved combined (DCAA), 102,
 117, 119–22; dissolved (DAA), 119; dissolved free
 (DFAA), 102, 114, 116, 119–22, 126; enantiomers and,
 98, 114; enzymatically hydrolyzable (EHAA), 101–2, 117;
 extracellular oxidation and, 101–2; fatty acids and, 147;
 functional groups of, 98; glutamate family, 105–7; glycine
 and, 103–4; histidine family, 106, 114; hydrolysis
 reactions and, 101–2; as lake markers, 118–19; lignins
 and, 112; L-isomers and, 98; mycosporine-like (MAA),
 104; nitrogen cycle and, 100–101; nonessential, 100;
 nonprotein, 101; as ocean markers, 122–23, 126;
 particulate combined (PCAA), 102, 122–23; particulate
 (PAA), 119; peptidoglycan layer and, 100; principal
 components analysis (PCA) and, 100, 119, 122; pyruvate
 family, 105–6, 108; redox conditions and, 102–4;
 sedimentary organic matter (SOM) and, 98–104, 117, 119,
 121–23, 126; selective adsorption and, 101; serine family,
 106, 108–10; six metabolic-based families of, 105–14;
 total hydrolyzable (THAA), 102–3, 123, 126
 amino sugars, xiii, 81–83, 92, 98
 ammonia-oxidizing archaea (AOA), 134
Amoebobacter purpureus, 140
Anabaena, 239
 anabolic pathways, 8, 18
Anacystis montana, 194
 anaerobic methanogens, 5

- anaerobic oxidation of methane (AOM), 134
- analytical chemical methods, xiii; compound-specific, 76–78; dissolved organic matter (DOM) separation and, 49–51; gas chromatography and, 60–72 (*see also* gas chromatography); hplc and, 72–74 (*see also* high-performance liquid chromatography (HPLC)); ionization techniques and, 61–66; isotopes and, 74–78; lignins and, 59–61, 78; mass analyzers and, 66–79; multidimensional analysis and, 69–70; radiocarbon and, 74–75 (*see also* radiocarbon); sedimentary organic matter (SOM) and, 50–52, 58, 60, 73–74, 76–78; separation sciences and, 49–54; spectroscopic techniques and, 54–60
- Animalia, 1
- Antarctica, 5
- anthocyanes, 17
- anthropogenic markers, xvii; alkylation and, 274; antimicrobial agents and, 268, 283; bioaccumulation and, 280; bioconcentration and, 268–69; caffeine and, 17, 268–69, 285–86; carcinogenic, 267; compound-specific isotope analysis (CSIA) and, 275; emerging contaminants and, 268, 282–86; enantiomer ratios (ERs) and, 278; endocrine-disrupting compounds (EDCs) and, 268, 282, 284; environmental issues and, 267–86; estrogens and, 268, 282, 284; fecal matter and, 285–86; gas chromatography and, 270–72, 279, 282; geochemical stability and, 267; hydrophobic organic contaminants (HOCs) and, 272–73; inverse tracers and, 272; isotopes and, 272, 274–75, 279–81; lipophilic, 281; personal care products and, 282–84; petrogenic compounds and, 273–74; petroleum hydrocarbons and, 268–73; pharmaceuticals and, 282–84; phospholipid-linked fatty acids (PLFAs) and, 272; phthalates and, 268; polybrominated diphenyl ethers (PBDEs) and, 268, 280–81; polychlorinated biphenyls (PCBs) and, 267, 278–82; polychlorinated dibenzodioxins (PCDDs) and, 281–82; polychlorinated dibenzofurans (PCDFs) and, 281–82; polycyclic aromatic hydrocarbons (PAH) and, 267, 273–76, 282; production of, 267–68; pyrogenic compounds and, 273–74; radiocarbon and, 272–73, 275; sedimentary organic matter (SOM) and, 267, 272–86; spectroscopy and, 268, 273, 279, 282; steroids and, 285; Stockholm Convention and, 276; surfactants and, 267, 284–85; teratogenic, 267; toxicity and, 267–68, 277, 281–83; unresolved complex mixtures and, 270–72, 275; waters of wastewater treatment plants (WWTP) and, 285–86; weathering and, 268–69, 274; World War II era and, 267, 276; xenobiotic, 267, 284
- antimicrobial agents, 268, 283
- apophycobiliproteins, 234
- apoproteins, 228, 238
- Arabidopsis fathko*, 252, 254
- Archaea, 4–6, 133–34, 214, 217, 220
- archaeal ammonia monooxygenase alpha subunit (amoA), 133–34
- aromatic hydrocarbons, 22–23; analytical chemical methods and, 68; anthropogenic markers and, 267, 273–76; lipids and, 186–87, 196; metabolic synthesis and, 12–13
- Arthrobacter*, 249
- Atlantic Ocean, 46, 134, 180, 208, 240, 261–64
- atmospheric pressure chemical ionization (APCI), 64, 68, 73, 211–14, 220
- atmospheric pressure photoionization (APPI), 64–65
- atomic number, 30–31
- Aureococcus*, 173
- autonomous underwater vehicles (AUVs), 247
- autotrophs: analytical chemical methods and, 56; carbohydrates and, 83; fatty acids and, 161; hydrocarbons and, 195; isoprenoids and, 182; metabolic synthesis and, 1, 5, 9; photosynthetic pigments and, 224, 227, 234, 236
- Bacillus*, 140, 249
- bacteriohopanepolyols (BHPs), 181
- banded iron formations (BIF), 4–5
- bandpass filters, 57, 234
- Beer-Lambert law, 54
- Benner, R., 86
- benthic processes, 25, 153
- benthos, 153
- benzene carboxylic acids (BCAS), 256–57, 263
- beta carotene, 23
- beta linkages, 79
- beta rays, 32
- Bhushan, R., 114
- Bianchi, T. S.: Baltic Sea and, 28; biomarker limitations and, 23–25; carbohydrates and, 92; ecological chemotaxonomy and, 19; estuary studies and, 27; fatty acids and, 153; fluorometers and, 57; hydrocarbons and, 201; lignins and, 248, 260–61; nuclear magnetic resonance (MRI) and, 59–60; photosynthetic pigments and, 222–23, 227, 234, 240, 242; proteins and, 116, 119; stable isotopes and, 39
- bilirubin, 228
- biliverdin, 228
- bioaccumulation, 280
- bioconcentration, 268–69
- biogeochemical cycling, xii, 2, 19, 81, 119, 121–22
- biological nitrogen fixation (BNF), 104
- biosynthesis: alkenones and, 208; amino acids and, 104–14; analytical chemical methods and, 77; carotenoids and, 229, 232–33; chlorophylls and, 229; cutins and, 250–54; fatty acids and, 146–48; isoprenoids and, 177, 180, 184; lignins and, 250–54; metabolite, 16–17; neutral/minor sugars and, 83–85; nucleic acids and, 137–40; photosynthetic pigments and, 224; phycobilins and, 234; phylogenetic relationships and, 137–40; stable isotopes and, 39–41; suberins and, 250–54; terpenoids and, 171
- bioturbation, 154
- bisnorhopane (BNH), 182
- bitumen, xi, xv
- Black Sea, 140–41, 143, 157, 194, 199, 201, 203
- Bloch-Lyden pathway, 171
- branched and isoprenoid tetraether (BIT) index, 217, 219–20, 266
- bulk organic matter techniques, 20–23
- Burney, C. M., 86

- caffeine, 17, 268–69, 285–86
- Callinectes sapidus*, 164
- Calvin cycle, 3, 9–12
- canuel, e. a.: anthropogenic markers and, 277; biomarker limitations and, 23–25; ecological chemotaxonomy and, 19; estuary studies and, 27; fatty acids and, 144, 150, 152–54, 163–65; hydrocarbons and, 201, 205; isoprenoids and, 177, 181
- capillary electrophoresis (CE), 74
- carbohydrates, xiii, 2, 252; aldoses and, 79, 81, 86–88, 94–96; cellulose and, 79–83; colorimetric assays and, 87–88; disaccharides and, 79; fatty acids and, 144, 153; fisher projection and, 79; haworth projection and, 79; hexoses and, 79; hydrolysis and, 87, 92–94; ketones and, 79; ketoses and, 79; lake biomarkers and, 88; lignins and, 80; lipids and, 144; minor sugars and, 80–97; monosaccharides and, 79, 86, 89–94; neutral sugars and, 81–97; ocean biomarkers and, 94–96; oligosaccharides and, 79; pectin and, 80, 83; pentoses and, 79; phytoplankton and, 80; polyhydroxyl aldehydes and, 79; polysaccharides and, 79–81, 83, 86–94, 97; river-estuarine markers and, 89–94; sedimentary organic matter (SOM) and, 80, 83, 89–95; sugar biosynthesis and, 83–85; van der waals interactions and, 79
- carbon: acetyl units and, 146; amino acids and, 98; bulk organic matter techniques and, 20–23; Calvin cycle and, 10–12; covalent bonds and, 185; fatty acids and, 146–48, 151–53, 157–61, 163–64, 168; hydrocarbons and, 185–206; malonyl units and, 146; nucleic acid signatures and, 132–33; paleo-reconstruction and, 27–28; stable, 38–41; sterol biomarkers and, 171–74; terpenoids and, 171
- carbon 14. *see* radiocarbon
- carbonic anhydrase, 11
- carbon preference index (CPI), 152, 192, 203
- carboxylic acids, 250, 254; benzene, 256–57, 263; fatty acids and, 145–47, 149; hydrocarbons and, 186; metabolic synthesis and, 12–13, 16; NADPH and, 119
- cardiac glycosides, 16
- Cariaco Basin, Venezuela, 157, 199
- carotenoids, 17, 26; analysis of, 234–38; biosynthesis and, 229, 232–33; CHEMTAX and, 236–37; defined, 224, 227; ionone rings and, 232; as lake biomarker, 238–40; as ocean marker, 242–45; photosynthetic pigments and, 221, 224, 227, 229, 232–45; as river-estuarine marker, 240, 242; water clarity index (WCI) and, 227; xanthophyll cycles and, 224, 227
- cartogenesis, 232–33
- catabolic pathways, 8, 18
- cation exchange chromatography, 51
- Cellulibrio*, 248
- cellular membranes, 8, 211
- cellulose, 6, 20; analytical chemical methods and, 60; carbohydrates and, 79–83; fatty acids and, 146; lignins and, 248
- chemical biomarkers: alkenones and, 207–11; analytical chemical methods and, xiii, 49–78; anthropogenic, 267–86; biogeochemical cycling and, 2, 19, 81, 119, 121–22; carbohydrates and, 79–97; chemotaxonomic, 19–20, 165–68; cutins and, 263–65; defined, xi; ecological/paleoecological applications and, 19–29; fatty acids and, 144–68; hydrocarbons and, 185–206; isoprenoids and, 169–84; isotopic fractionation and, 37–43; lignins and, 259–65; limitations of, 23–27; lipid membrane, 211–20; metabolic synthesis and, xii, 1–18; modern/paleo applications of, 25–29; neutral/natural sugars and, 88–96; photosynthetic pigments and, 238–45; proteins and, 119–26; radiocarbon and, 29–30, 35–50, 74–76, 78, 100, 127 (*see also* radiocarbon); sterol, 171–80; trophic relationships and, 161–64
- chemical shift, 58
- chemolysis, 198
- chemotaxonomic markers, 19–20, 165–68
- CHEMTAX (CHEMICAL TAXonomy), xvi, 236–37, 240, 242
- Chesapeake Bay, USA, 92–94, 121, 153–54, 181, 261, 274
- Chikaraishi, Y., 177, 179–80
- Chlorobiaceae, 227
- Chlorobium*, 160
- chloroform, 236
- chlorophylls, xi; analysis of, 234–38; analytical chemical methods and, 53, 56–57, 73–74; aquatic turnover of, 221; biosynthesis and, 229; CHEMTAX and, 236–37; deesterification and, 222–23; defined, 222; degradation products and, 221–24; endosymbiotic associations and, 221; fatty acids and, 153–54; hydrocarbons and, 187, 198, 203; isoprenoids and, 177, 180; as lake biomarker, 238–40; metabolic synthesis and, 9–12; as ocean marker, 242–45; photosynthetic pigments and, 221–46; porphyrin and, 222; protochlorophyllide and, 229; as river-estuarine marker, 240, 242; tetrapyrroles and, 222; thylakoid membrane and, 221
- Chromatiaceae*, 222
- chromorphic DOM (CDOM), xiii
- cinnamyl groups, 257–58
- citric acid cycle (CAC), 3, 12–16, 104–5
- Clostridium*, 249
- Coburn Mountain Pond, Maine, USA, 152
- coenzyme A, 12, 146
- colloidal organic matter (COM), 50–51
- colorimetric assays, 87–88
- composition diversity index (CDI), 152
- compound-specific isotope analysis (CSIA), xiii–xvii, 48, 76–78; anthropogenic markers and, 275; bulk organic matter techniques and, 22; fatty acids and, 150; hydrocarbons and, 205–6
- Congo River, Africa, 219
- conjugated bonds, 186
- Coolen, M. J. L., 140
- Coomassie blue dye, 117
- covalent bonds, 31, 79, 185, 229, 234, 238, 254
- Cowie, G. L., 86
- crassulacean acid metabolism (CAM) pathways, 10–12, 40
- crenarchaeota, 6, 134, 214, 217–20
- cross-polarization, magic-angle spinning (CPMAS) NMR, 58–60
- cryptophytes, 26
- cutins, xvi; analysis of, 254–59; biosynthesis and, 250–54;

- cutins (*cont.*)
 fatty acids and, 147, 249; formation of, 249–50; ketones and, 249, 254; as liquid polymer, 249; metabolic synthesis and, 16; as ocean biomarker, 263–65; oxidation of, 249
- cyanobacteria: carbohydrates and, 83, 89; fatty acids and, 148, 163; hydrocarbons and, 190, 203; isoprenoids and, 174, 181–82; metabolic synthesis and, 2–5, 18; nucleic acids and, 137–40; paleoecology and, 24–28; photosynthetic pigments and, 221–22, 229, 238–44
- cyanogenic glycosides, 16
- Cylindrospermopsis*, 239
- Cytospora*, 248
- cytosolic palmitate, 252, 254
- Daphnia*, 163, 283
- daughter elements, 33–34
- Dawson, R., 114
- Decaprio, A. P., xi
- decarboxylation, 12, 182–83
- degradation index (DI), 100–101
- De Leeuw, J. W., 197
- deoxyribonucleic acid (DNA), xiv; abundance of, 127–28; analysis methods for, 130–32; ancient sedimentary, 140–43; aquatic environments and, 128–30; biosynthesis and, 137–40; evolution and, 137–40; extraction challenges of, 131–32; isotopic signature of, 132–33; metabolic evolution and, 3–4; molecular characterization of microbial communities and, 133–36; nitrogen and, 127–31, 134, 136–38; pentose sugar moiety and, 128; phosphate group and, 128; phosphorous and, 129; phylogenetic relationships and, 137–40; viruses and, 128–30
- deoxyxylulose phosphate (DOXP), 140, 171
- deshielding, 58
- de vries effect, 36
- dextrorotary (D) D-glycerol, 7
- diagenesis, xi, 209; amino acids and, 103; fatty acids and, 151–55, 160–61; hopanoids and, 180–81; hydrocarbons and, 185, 187, 195–99, 202; isoprenoids and, 180–84; stable isotopes and, 39, 44; sterol, 177, 180
- diastereomers, 79
- diatoms: amino acids and, 102–4, 118, 123, 126; analytical chemical methods and, 56, 58, 60; carbohydrates and, 88; fatty acids and, 163; hydrocarbons and, 194, 201, 203; isoprenoids and, 173; nucleic acids and, 137, 141; paleoecology and, 24–27; photosynthetic pigments and, 222, 236–42, 245
- diazomethane, 150
- diazotrophs, 104
- dichloro-diphenyl-trichloroethane (DDT), xvii, 276–78
- dichloromethane, 189
- dicotyledonous plant families, 16
- differentiation, 8
- dimethyl acetamide (DMA), 236
- dimethylallyl pyrophosphate (DMAPP), 233
- dimethyl disulfide adducts (DMDS), 150
- dimethylformamide (DMF), 236
- dimethylsulfoxide (DMSO), 236
- dipeptides, 101–2
- direct temperature-resolved mass spectrometry (DT-MS), xiii, 53–54
- disaccharides, xiii, 79
- dissolved combined amino acids (DCAA), xiv, 102, 117, 119–22
- dissolved combined neutral sugar (DCNS), 91–92
- dissolved free amino acids (DFAA), xiv, 102, 114, 116, 119–22, 126
- dissolved inorganic carbon (DIC), 77
- dissolved inorganic nitrogen (DIN), 102, 242
- dissolved organic carbon (DOC), xiii, 240, 242
- dissolved organic matter (DOM), xiv; analytical chemical methods and, 49–51; bulk organic matter techniques and, 22–23; carbohydrates and, 83; cutins and, 263–65; fatty acids and, 89, 154; high-molecular-weight (HMW), 92–94, 119, 154, 261, 264; lignins and, 261–65; limitations of chemical biomarkers and, 23; radiocarbon and, 45 (*see also* radiocarbon); separation and, 49–51; spectroscopic techniques and, 54–60; ultrafiltered (UDOM), xiv, 89, 154
- dissolved organic nitrogen (DON), xiii, 98, 100, 104, 119
- diterpenoids, xv
- Dreissena polymorpha*, 163–64
- Drosophila melanogaster*, 250
- ecotoxicologists, xi
- ectocellular enzymes, 101–2
- Eglinton, G., xi, 205–6
- Eglinton, T. I., 37, 160–61, 205–6
- eicosapentaenoic acid (EPA), 162–64
- electromagnetic spectrum, 54–60
- electron capture, 33
- electron capture detectors (ECD), 62
- electron impact gas chromatography-mass spectrometry (EI GC-MS), 150
- electrophoresis, 74, 118, 122, 238
- electrospray ionization (ESI), 64–65, 68
- Elizabeth River, Virginia, USA, 275
- emerging contaminants, xvii, 268, 282–86
- Emiliania huxleyi*, 141, 143, 194, 207–9
- enantiomers, 79, 98, 114, 278
- endocrine-disrupting compounds (EDCs), 268, 282, 284
- endosymbionts, 2–3
- environmental forensics, 269–70
- environmental issues: anthropogenic markers and, 267–86; bioaccumulation and, 280; DDT and, xvii, 276–78; emerging contaminants and, 268, 282–86; *Exxon Valdez* spill and, 269; fecal matter and, 285–86; legacy contaminants and, 276; lindane and, 277–78; personal care products and, 282–84; pesticides and, 276–78; petroleum hydrocarbons and, 268–73; pharmaceuticals and, 282–84; polybrominated diphenyl ethers (PBDEs) and, 280–81; polychlorinated biphenyls (PCBs) and, 278–80; polychlorinated dibenzodioxins (PCDDs) and, 281–82; polychlorinated dibenzofurans (PCDFs) and, 281–82; polycyclic aromatic hydrocarbons (PAHs) and,

- 273–75; Stockholm Convention and, 276; surfactants and, 267, 284–85; toxicity and, 13, 70, 140, 267–68, 277, 281–83; unresolved complex mixtures and, 187, 191, 203–4, 270–72, 275; waters of wastewater treatment plants (WWTP) and, 285–86; weathering and, 27, 187, 268–69, 274
- enzymatically hydrolyzable amino acids (EHAA), 101–2, 117
- epidermis, 9, 249, 254
- epilimnion, 238
- epimerase reactions, 84–85
- equations: alkane biomarker, 190, 192, 194; alkenones, 208; amino acid synthesis, 108–9; anthropogenic compound depletion, 268; beer-lambert law, 54; bit index, 219; crassulacean acid metabolism (CAM), 10–11; decarboxylation, 182; degradation index (DI), 100; fractionation factor, 37; isotope abundance, 32; isotopic mixing, 42; isotopic fractionation, 37–40, 42; lignin phenol vegetation index (LPVI), 258; photosynthesis/respiration, 8; principal components analysis (PCA), 100; radioactive decay, 33–34; radiocarbon decay, 36; saponification, 149; sugar biosynthesis, 84–85; terrestrial-to-aquatic ratio, 194; TEX₈₆, 217
- equilibrium effects, 37–43
- ester linkage, 6–7, 144, 146, 149, 213, 258
- estrogens, 268, 282, 284
- estuaries: benthos and, 153; amino acids and, 119–21; analytical chemical methods and, 57–60; bioturbation and, 154; carbohydrates and, 80, 83, 89–95; detritus and, 153; fatty acids and, 153–55, 160, 163, 166; hydrocarbons and, 192–93, 199–201; isoprenoids and, 176–77, 182; lignins and, 260–62; nucleic acids and, 129, 132–34; paleoecology and, 22–28; photosynthetic pigments and, 221–22, 236, 240–42; stable isotopes and, 31, 39–45; sugar markers and, 89–94
- estuarine turbidity maximum (ETM), 153
- ethanol, 236
- ether lipids: BIT index and, 217, 219–20; lipid membrane biomarkers and, 211–20; sedimentary organic matter (SOM) and, 214–19; TEX₈₆ and, 214, 217, 220
- eubacteria: anthropogenic markers and, 272; fatty acids and, 144; isoprenoids and, 170–71, 181; metabolic synthesis and, 2–8; nucleic acids and, 140; photosynthetic pigments and, 229
- eukaryotes: isoprenoids and, 170–71; lipids and, 211, 213; metabolic synthesis and, 2–8; nucleic acids and, 133, 138–39; photosynthetic pigments and, 221–22
- euryarchaeota, 6
- eutrophication, 27–28, 119, 152, 166, 177, 203–4, 239–40
 - evolution: metabolic synthesis and, 2–8; nucleic acids and, 137–40; oceanic oxygen levels and, 5
- excitation-emission matrix (EEM) spectroscopy, 57
- extracellular enzymes, 101–2
- Exxon Valdez* disaster, 269
- Falmouth, Massachusetts, USA, 272
- Farquhar, J., 40
- fast atom bombardment (FAB), 65, 213
- fatty acid methyl esters (FAME), 150
- fatty acids, xiv–xv, 7; acetyl units and, 146; alkanes and, 147–48, 152; amino acids and, 147; analysis of, 148–50; anteiso, 145–49, 154, 157–60, 164; biosynthesis and, 146–48; carbohydrates and, 144, 153; carbon and, 146–48, 153, 157–64, 168; cellulose and, 146; characterization of, 144; as chemotaxonomic markers, 165–68; compound-specific isotope analysis (CSIA) and, 150; cutins and, 147, 249; decomposition rates and, 151–54, 157; degradation rates and, 154; diagenesis and, 151–55, 160–61; dissolved organic matter (DOM) and, 89, 154; eicosapentaenoic acid (EPA) and, 162–64; gas chromatography and, 150; glycerides and, 145–46; glycolipids and, 144, 146; highly unsaturated (HUFA), 162–63; hydrolysis and, 146, 148; hydroxy, 147–48; isotopes and, 152; as lake biomarkers, 151–52; limitations of chemical biomarkers and, 24–27; lipoproteins and, 144; malonyl units and, 146; metabolic synthesis and, 6–8, 12–13, 16; nitrogen and, 153; nomenclature for, 145; as ocean markers, 155–61; paleolimnological studies and, 151–52; palmitic acid and, 146, 151; particulate organic matter (POM) and, 153–54, 157–58, 166; phospholipids and, 6–8, 26, 144–46, 149, 165–68, 213–14, 220, 272; polyunsaturated (PUFA), 146, 163; quantitative signature analysis (QFASA) and, 162; as river-estuarine markers, 153–55; saponification and, 148–50; sedimentary organic matter (SOM) and, 146–68; spectroscopy and, 150; stearic acid and, 151; structural features of, 147; suberins and, 147; terrigenous ratio and, 152; trace organic matter and, 26; triacylglycerols and, 144; as trophic relationship tools, 161–65; versatility of, 144; very-long-chain (VLCFA), 254
- field-flow fractionation (FFF), 52–53
- filter PCR, 131
- Fisher projection, 79
- five-kingdom classification system, 1–2
- flame ionization detector (FID), 61–62, 64, 254–55
- flame photometric detector (FPD), 62
- flavin adenine dinucleotide (FAD), 104
- Flavobacterium*, 249
- flavonoids, 16–18
- flow cytometry, 53–54
- fluorescamine, 114, 116
- fluorescence in situ hybridization (FISH), 131
- fluorescence spectroscopy, 57, 240, 242
- fluorescent anhydride, 117
- fluorescent lipophilic dye, 207
- fluorometric method, 234
- Fourier transform infrared (FTIR) spectrometers, 55–56
- Fourier transform ion cyclotron resonance MS (FT-ICR-MS), xiii, 67–69
- fucose, 90–91, 95–96
- fungi, 248, 250, 256; amino acids and, 100–101, 104–6; hydrocarbons and, 190; isoprenoids and, 171, 174; metabolic synthesis and, 1–2, 6, 16–17; photosynthetic pigments and, 224, 229, 232
- furamose, 79

- Gaines, S. M., xi
galacturonic acids, 83
gamma-glutamyl kinase, 106–7
gamma rays, 32
Garrasi, C., 114
gas chromatography: analytical chemical methods and, 60–66, 69–72; anthropogenic markers and, 270–72, 279, 282; chemical ionization (CI) mode and, 62–64; colorimetric assays and, 87–88; electron impact (EI) mode and, 62–64; fatty acids and, 150; hopanoids and, 180; hydrocarbons and, 187, 189; hydrophobic organic contaminants (HOCs) and, 272–73; ionization techniques and, 61–66; isotopes ratio mass spectrometry (GC-IRMS), 75; lignins and, 254–55; multidimensional analysis and, 69–70; neural sugars and, 86–87; preparative capillary (PCGC), 76; selective ion monitoring (SIM) mode and, 64; sterol biomarkers and, 174–75; tandem mass spectrometry and, 70, 72; unresolved complex mixture (UCM) and, 187
gas chromatography-mass spectrometry (GC-MS), xiii, 255; analytical chemical methods and, 60–64, 70, 72; carbohydrates and, 86–87; electron impact (EI GC-MS), 150; fatty acids and, 150; isoprenoids and, 180, 182, 189
Gemmate obscuriblosus, 138–39
geolipids, 24, 180–83
Gephyrocapsa oceanica, 207–9
geranylgermanyl pyrophosphate (GGPP), 233
glucose: carbohydrates and, 79, 81, 83–85, 88, 90–94; fatty acids and, 146; metabolic synthesis and, 11–13, 16–17; proteins and, 102
glucosinolates, 16
glucuronic acids, 83
glutamate dehydrogenase, 104–5
glycerides, 145–46
glycerol, 6–7
glycerol diacyl glycerol tetraether-based lipids (GDGTs), xv–xvi, 211–20
glyceroldialkylglyceroltetraether glycolipids (GDGT-G), 213–14
glyceroldialkylglyceroltetraether phospholipids (GDGT-P), 213–14
glycine, 103–4
glycolipids, 144, 146, 170, 213
glycolysis, 3, 12–16
Goñi, M. A., 260
Greenland Sea, 46
Grossi, V. S., 196–97
Gulf of Mexico, 260
Gymnodinium, 143
- half-life, 33–35
halophiles, 5
Harvey, H. R., 103
Haslea ostrearia, 194
Hatch-Slack pathway, 11
Haworth Projection, 79
Hedges, J. I., 19, 86
hemicellulose, 20, 80–83, 248
heterotrophs, 1, 79, 157, 203
hexachlorocyclohexane (HCH), 277–78
hexosamines, 104
hexoses, 79
highly branched isoprenoids (HBI), 194–95, 203
highly unsaturated fatty acids (HUFA), 162–63
high-nutrient, low-chlorophyll (HNLC) regions, 242, 244–45
high-performance liquid chromatography (HPLC): analytical chemical methods and, 57, 72–74, 77; anthropogenic markers and, 282; atmospheric chemical ionization-mass spectrometry (HPLC-APCI-MS) and, 211–14, 220; carbohydrates and, 87; lipid membrane markers and, 211–14, 220; photosynthetic pigments and, 228, 234–38, 242–46; phycobilins and, 228–29; proteins and, 114–19, 126
Hinrichs, K. U., 212
Hoechst 33258 dye, 129–30
hopanoids, 139, 169–71, 180–82, 184, 203, 269
Hudson River, USA, 121
Hunt, J. H., xi
hydrocarbons: aerobic biodegradation and, 195–97; aliphatic, xv, 12–13, 22–23, 186; alkanes and, 185–87, 190–97, 200–205; alkenes and, 186, 190–91, 194–95, 198, 201, 203; alkynes and, 186; analysis of, 189, 205–6; anthropogenic markers and, 268–75; aromatic, 12, 68, 186–87, 196, 267, 273–76; chemolysis and, 198; compound-specific isotope analysis (CSIA) and, 205–6; conjugated bonds and, 186; covalent bonds and, 185; decarboxylation and, 182–83; diagenesis of, 195–99; dichloromethane and, 189; gas chromatography and, 187, 189; homologous series and, 186–87, 190, 192, 195; hopanes and, 182; hydrophobic organic contaminants (HOCs) and, 272–73; inorganic sulfur and, 197–99; inverse tracers and, 272; isoprenoids and, 169–86, 194–95; olefins and, 22, 186; organic marine matter sources and, 201–3; organic sulfur and, 199; paleoceanographic/paleolimnologic studies and, 203–5; particulate organic matter (POM) and, 201–3; petroleum, 268–73; polycyclic aromatic (PAH), 68, 187, 205, 267, 273–76, 282; raney-nickel desulfurization and, 199; as river-estuary biomarkers, 199–201; saturated, 185–87, 190, 194–95, 199; sedimentary organic matter (SOM) and, 185, 189–206; spectroscopy and, 189; steroids and, 187, 199; sterols and, 195, 199; thiol group and, 198–99; unresolved complex mixture (UCM) and, 187, 203; unsaturated, 185–86, 189–91, 194, 197–99
hydrogenation, 23, 69, 146, 187
hydrolysis, 3, 18, 102; carbohydrates and, 87, 92–94; ester linkages and, 258; fatty acids and, 146, 148; hydrocarbons and, 189; nucleic acids and, 128; photosynthetic pigments and, 238; polar compounds and, 220; proteins and, 101, 114–17
hydrophobic organic contaminants (HOCs), 272–73
hydrothermal fluids, 95–96
hydrothermal wells, 95–96

- infrared (IR) radiation, 55–56
 inheritance, 8
 insecticides, 276–77
 intact polar lipids (IPL), 211–14
 inverse tracers, 272
 ion detectors, 75
 ionization techniques, 61–66
 ionone rings, 232
 ion source, 75
 isomerase reactions, 84–85
 isopentenyl diphosphate (IDP), 140, 171
 isopentenyl pyrophosphate (IPP), 233
 isoprenoids, xv, 7–8; alkanes and, 182; alkenes and, 177, 180, 182; bilayer membranes and, 170–71; BIT index and, 217, 266; Bloch-Lynen pathway and, 171; functional group composition and, 169–70; highly branched (HBI), 194–95, 203; hopanoids and, 139, 169–71, 180–82, 184, 203; hydrocarbons and, 194–95; irregular, 187; ketones and, 180; methylerythritol-phosphate (MEP) pathway and, 171; natural occurrence of, 169–71; regular, 187; sedimentary organic matter (SOM) and, 171, 174–84; steroids and, 169–71, 177, 180, 184; sterol biomarkers and, 171–80; steryl chlorin esters and, 180; terpenoid biosynthesis and, 171; triterpenoids, 16, 138, 171, 180, 182–84, 187, 199
 isotopes, xii, xiv; alkenones and, 211; analytical chemical methods and, 74–78; anthropogenic markers and, 272, 274–75, 279–81; applications of, 43–47; atomic number and, 30–31; compound-specific analysis and, 76–78 (*see also* compound-specific isotope analysis (CSIA)); daughter elements and, 33–34; dna/rna signatures and, 132–33; estuaries and, 44–45; fatty acids and, 152; half-life and, 33–35; lignins and, 39, 41; mass balance models and, 43–44; mass number and, 31; mass spectrometry and, 31; mean-life and, 33; neutron number and, 30–31; nucleic acid signatures and, 132–33; oddo harkins rule and, 32; positrons and, 32–33; radioactivity principles and, 32–35; radiocarbon and, 29–30, 35–50 (*see also* radiocarbon); reaction products and, 31; sample measurement and, 31–32; sedimentary organic matter (SOM) and, 30, 35, 44–45; stable, 30–48; sterols and, 177, 179; symmetry and, 32; terms for, 30–31; trophic interactions and, 39
 isotopic fractionation (IF), 37–43
 isotopic mixing models, 42–43
 IUPAC mass, 69
- Jamaica Bay, New York, USA, 285
 Joint Global Ocean Flux Study (JGOFS), 157, 242
 Joshi, S., 114
Journal of Separation Science, 49
Juncus, 261
- Kamen, Martin, 35
 Kane Gap Region, 208
 Kendrick mass, 69
 ketones: alkenones and, 141, 207–8; analytical chemical methods and, 59; carbohydrates and, 79; cutins and, 249, 254; steroid, 180
 ketoses, 79
 kinetic effects, 37–43
 Kok, M. D., 199
 kranz cells, 11
 Krebs cycle, 12–16
- Lake Apopka, Florida, USA, 204
 Lake Baikal, Russia, 27
 Lake Drummond, Virginia, USA, 68
 Lake Middle Marviken, Sweden, 204
 Lake Planina, Slovenia, 204
 Lake Victoria, Africa, 238
 Lake Washington, USA, 203, 272
 Lange, B. M., 140
 Laurentian Great Lakes, 204
 leucine-methylcoumarinylamide (LEU-MCA), 117
 levorotary (L) L-glycerol, 7
 lignin phenol vegetation index (LPVI), 258
 lignins, 220; alkaline oxidation and, 254–59, 264–66; amino acids and, 112; analysis of, 254–59; analytical chemical methods and, 59–61, 78; biosynthesis and, 250–54; carbohydrates and, 80; cellulose and, 248; decomposition of, 248–49; ecological applications and, 20–22, 25; isotopes and, 39, 41; as lake biomarker, 259; malonic acid pathway and, 248, 250; metabolic synthesis and, 16–17; as ocean biomarker, 263–65; phenols and, xiii, 98, 100, 104, 119; as river-estuarine biomarker, 260–62; sedimentary organic matter (SOM) and, 248, 258–66; shikimic acid pathway and, 248, 250–52; spectroscopy and, 255–56; tetramethylammonium hydroxide (TMAH) and, 258–59, 266
 lindane, 277–78
 Lindroth, P., 114, 116
 lipids, xv–xvi; alkenones and, 207–11; decay resistance and, 23–24; defined, 144; ether and, 211–20; fatty acids and, 144–68; glycerol dialkyl glycerol tetraether-based (GDGTS) And, 211–20; glycolipids and, 144, 146, 170, 213; hydrocarbons and, 185–206; isoprenoid, 169–84; limitations of chemical biomarkers and, 26–27; metabolic synthesis and, 6–8; phospholipids and, 6–8, 26, 144–46, 149, 165–68, 213–14, 220, 272; polar, 211–15, 220; saponification and, 148–50; sterols and, 171–80; trace organic matter and, 26; trophic relationships and, 161–64
 lipophilic compounds, 207, 281
 lipoproteins, 144
 Lipp, J. S., 212
 liquid chromatography mass spectrometry (LC-MS), xiii, 74, 78, 214, 220
 Long Island, USA, 102
 lyxose, 81, 89–90
- Mackenzie River, Arctic, 201
 macromolecules: analytical chemical methods and, 52–53, 59, 74, 76; carbohydrates and, 94; fatty acids and, 144;

- macromolecules (*cont.*)
 hydrocarbons and, 199; lignins and, 248, 254–55;
 metabolic synthesis and, 12; nucleic acids and, 127, 129,
 131
- Mahoney Lake, 140
- Malawi, 238
- malonic acid pathway, 17, 248, 250
- malonyl CoA decarboxylase deficiency, 17
- Mangrove Lake, Bermuda, 22
- mannose, 90
- marine snow, 80
- mass analyzers, 66–69, 75
- mass balance models, 43–44
- mass number, 31
- mass spectrometry, 31
- mass spectrum, 63–64
- matrix-assisted laser desorption ionization (MALDI),
 65–66
- matrix factorization, 236–37
- McCallister, S. L., 45, 154
- mean-life, 33
- MedFlux, 157
- mesophyll tissues, 9
- metabolic synthesis, xii; adenosine triphosphate (ATP) and,
 3–4, 12; carbohydrates and, 79–97; classification of
 organisms and, 1–8; crassulacean acid metabolism (CAM)
 and, 10–12; cutins and, 16; ester linkage and, 7; evolution
 and, 2–8; fatty acids and, 6–8, 12–13, 16; glycerol and,
 6–7; glycolysis and, 12–16; krebs cycle and, 12–16; lignins
 and, 16–17; photosynthesis and, 2, 8–12; respiration and,
 8–12; secondary metabolism and, 16–18
- methanol, 117, 148, 150, 189, 236, 238
- methanolysis, 234
- methyl benzothiazolinone hydrazone hydrochloride (MBTH)
 method, 85–86
- methylerythritol-phosphate (MEP) pathway, 171
- Methylococcus capsulatus*, 138
- mevalonate, 171
- Microcystis*, 239–40
- microfibrils, 79
- Middle Atlantic Bight (MAB), 261–62
- minor sugars: analysis of, 85–88; biosynthesis of, 83–85;
 carbohydrates and, 80–97; hydroxyl group substitution
 and, 82–83; as lake biomarker, 88–89; as ocean
 biomarker, 94–96; as river-estuarine biomarker, 89–94;
 source specificity and, 81–82
- Mississippi River, USA, 25–26, 59–60, 242
- Missouri River, USA, 242
- MODIS (Moderate Resolution Imaging Spectroradiometer),
 237–38
- Mollenhauer, G., 160–61
- monosaccharides, xiii, 79, 86, 89–94
- Monterey Formation, California, USA, 269–70
- Mopper, K., 114, 116
- Mud Lake, Florida, USA, 27
- Müller-Navarra, D. C., xv
- multidimensional (GC × GC) analysis, 69–70
- multiwavelength fluorescence detection, 72–73
- multiwavelength UV, 72
- mycosporine-like amino acids (MAAS), 104
- National Bureau of Standards, 37
- natural sugars: analysis of, 85–88; biosynthesis of, 83–85;
 carbohydrates and, 83–94; as lake biomarker, 88; as ocean
 biomarker, 94–96; as river-estuarine biomarker, 89–94
- Navicula sclesvicensis*, 194–95
- near infrared (NIR) radiation, 54–56
- NetTrap, 52
- Neuse River, USA, 242
- neutral sugars, 81–82; analysis of, 85–88; biosynthesis of,
 83–85; carbohydrates and, 81–97; dissolved combined
 (DCNS), 91–92; as lake biomarker, 88; as ocean
 biomarker, 94–96; as river-estuarine marker, 89–94
- neutron number, 30–31
- Nguyen, R. T., 103
- nicotinamide adenine dinucleotide phosphate (NADPH), 9,
 84–85, 107–8, 119, 229
- nicotinamide adenosine dinucleotide (NADH), 9, 104, 108–9
- nicotinamide dinucleotide phosphate (NADP), 13, 104, 107
- Nier, A. O., 75
- ninhydrin reaction, 114, 116
- nitrate reductase (NR), 137
- nitrite-dependent anaerobic methane oxidation (N-DAMO),
 136
- nitrogen: aliphatic amines and, 98; amine/amino acid
 biosynthesis and, 104–14; amino acids and, 100–101;
 amino sugars and, 98; biological fixation and, 104; bulk
 organic matter techniques and, 20–23; dissolved inorganic
 (DIN), 102, 242; dissolved organic (DON), xiii, 98, 100,
 104, 119; fatty acids and, 153; nucleic acids and, 127–31,
 134, 136–38; isotopic fractionation and, 41–42;
 paleo-reconstruction and, 27–28; polyamines and, 98;
 proteins and, 98; purines and, 98; pyrimidines and, 98;
 stable isotopes of, 41–42
- nitrogen cycle, 100, 117, 136–37
- nitrogen phosphorous detector (NPD), 61
- nonprotein amino acids (NPAA), 101
- nonylphenol polyethoxylate (NPEO), 285
- normal phase, 72
- North Sea, 121
- North Slope, Alaska, USA, 270
- Norwegian Sea, 46
- nuclear magnetic resonance (NMR), 29; analytical chemical
 methods and, 49–50, 57–60; bulk organic matter
 techniques and, 22–23; separation sciences and, 49–50
- Oddo-Harkins rule, 32
- olefins, 22, 186
- oligosaccharides, xiii, 79
- O-methyl sugars, xiii
- one-dimensional sodium dodecyl sulfate-polyacrylamide gel
 electrophoresis (1d sds-page), 118
- O-phosphohomoserine, 108–9
- o-phthalaldehyde (OPA), 114, 116

- organochlorine pesticides, 276–78
 Overmann, J., 140
 oxygen exposure time, 24–25
- Pacific Ocean: alkenones and, 208; carbohydrates and, 94–95; fatty acids and, 157; hydrocarbons and, 203; lignins and, 263–64; nucleic acids and, 133; photosynthetic pigments and, 240, 242; proteins and, 118, 122–23; stable isotopes and, 46
- Pakulski, M., 86
- paleolimnological studies, 220; fatty acids and, 151–52; hydrocarbons and, 203–5; isoprenoids and, 184; paleo-reconstruction and, 27–28
- palmitic acid, 146, 151
- parallel factor analysis (PARAFAC), 57
- particle sorption-desorption, 268
- particulate combined amino acids (PCAA), 102, 122–23
- particulate organic carbon (POC), 94; photosynthetic pigments and, 240, 242; proteins and, 98 (*see also* proteins)
- particulate organic matter (POM), xiii–xiv, 94; bulk organic matter techniques and, 22–23; carbohydrates and, 83; fatty acids and, 153–54, 157–58, 166; hydrocarbons and, 201–3; limitations of chemical biomarkers and, 23; protein markers and, 122–23; redox conditions and, 102–4; separation sciences and, 49, 51–54; spectroscopic techniques and, 54–60
- particulate organic nitrogen (PON), xiii, 98
- Pearson, A., 37
- PECHE (Production and Export of Carbon: Controls by Heterotrophs), 157
- pectin, 20, 80, 83
- Peeler, K. A., 285–86
- pelagic processes, 25, 194, 258
- pentamethyleicosane (PME), 187
- pentose phosphate pathway (PPP), 85
- pentoses, 13, 79, 85, 105, 128, 252
- peptidoglycan layer, 100
- personal care pharmaceutical products (PCPPs), xvii, 282–84
- pestamethyleicosane (PME), 203
- petrogenic compounds, 192, 203, 206, 272–74
- petroleum hydrocarbons, xv, 268–73
- pH, 5, 51, 98, 219, 268
- Phaeocystis antarctica*, 245
- pharmaceuticals, xvii, 282–84
- phenols: analytic chemical methods and, 61, 78; anthropogenic markers and, 282, 285; lignins and, 248, 250, 254–63; lipids and, 220; metabolic synthesis and, 16–17; stable isotopes and, 41
- phenylalanine, 17, 252
- phenylpropanoids, 16
- pheopigments, 25
- phosphoenolpyruvate (PEP) carboxylase, 40
- phosphoenolpyruvic acid (PEP), 11–12
- phospholipid-linked fatty acids (PLFAs), xvi, 165–68, 214, 220, 272
- phospholipids, 26, 213, 220; fatty acids and, 144–46, 149, 165–68, 214, 220, 272; metabolic synthesis and, 6–8; sediment studies and, 214
- phosphoribosylpyrophosphate (PRPP), 112–14
- phosphorus: analytical chemical methods and, 61–62; nucleic acids and, 127–31; paleo-reconstruction and, 27–28
- photodiode array detector (PDA), 236
- photorespiration, 12
- photosynthate, 85
- photosynthesis, xii; calvin cycle and, 10–12; crassulacean acid metabolism (CAM) and, 10–12; defined, 2; endosymbionts and, 2–3; evolution of, 2; metabolic synthesis and, 2, 8–12; process of, 2–3
- photosynthetically active radiation (PAR), xvi, 221
- photosynthetic pigments: analysis of, 234–38; applications of, 238–45; carotenoids and, 221, 224, 227, 229, 232–45; CHEMTAX and, 236–37; chlorophylls and, 9, 25–26, 53, 56–57, 73–74, 153–54, 177, 180, 187, 198, 203, 221–46; classification of, 221–22; deesterification and, 222–23; degradation products and, 222; phycobilins and, 53, 74, 221–22, 228–45; sedimentary organic matter (SOM) and, 222–27, 236, 240
- phthalates, 268
- phycobilins, 53, 74; analysis of, 234–38; biosynthesis and, 234; CHEMTAX and, 236–37; defined, 228–29; hplc methods and, 228–29; as lake biomarker, 238–40; as ocean marker, 242–45; photosynthetic pigments and, 221–22, 228–45; as river-estuarine marker, 240, 242
- phycobiliproteins, 238
- phycobilisome (PBS), 228–29
- phylogenetic analysis, 1
- phytoalexins, 16
- plastids, 2, 221, 254
- polar lipids, 211–15, 220
- polyamines, 98
- polybrominated diphenyl ethers (PBDES), 268, 280–81
- polychlorinated biphenyls (PCBs), 267, 278–82
- polychlorinated dibenzodioxins (PCDDS), 281–82
- polychlorinated dibenzofurans (PCDFs), 281–82
- polycyclic aromatic hydrocarbons (PAH), 68, 187, 205; alkylation and, 274; anthropogenic markers and, 267, 273–76, 282; black carbon and, 274; colloidal, 274; compound-specific isotope analysis (CSIA) and, 275; diagenetic, 274; kerogen and, 274; petrogenic, 273–74; pyrogenic, 273–74; radiocarbon and, 275; soot and, 274; source apportioning and, 274–75; weathering and, 274
- polymerase chain reaction (PCR), 131
- polysaccharides, xiii, 56; carbohydrates and, 79–81, 83, 86–94, 97; metabolic synthesis and, 12; paleoecology and, 20–23; stable isotopes and, 39
- polyunsaturated fatty acids (PUFA), xiv, 146, 163
- Populus glanca*, 259
- Populus mariana*, 259
- Porphyrins, xi, 222, 229, 234
- positrons, 32–33
- Potamocorbula amurensis*, 163
- Prahl, F. G., 208
- preparative capillary gas chromatography (PCGC), xiii, 76

- Prince William Sound, Alaska, USA, 269
- principal components analysis (PCA), 100, 119, 122
- prochlorophytes, 221–22
- prokaryotes: carbohydrates and, 83; hydrocarbons and, 194, 203; isoprenoids and, 170, 174; metabolic synthesis and, 2–4; nucleic acids and, 129–33; photosynthetic pigments and, 221; polar membrane lipids and, 211–12
- proteins, xiii; amino acids and, 98, 104–14 (*see also* amino acids); analysis of, 114–18; apophycobiliproteins and, 234; apoproteins and, 228, 238; chromatographic analysis of, 114–18; citric acid cycle and, 104–5; degradation index (di) and, 100–101; dna and, 127 (*see also* deoxyribonucleic acid (DNA)); diazotrophs and, 104; hydrolysis and, 101, 114–17; as lake markers, 118–19; lioproteins and, 144; metabolic synthesis and, 13; nitrogen and, 98; as ocean markers, 122–23, 126; peptidoglycan layer and, 100; percentage of in organic matter, 98; phycobiliproteins and, 238; as river-estuarine markers, 119, 121–22
- protochlorophyllide oxidoreductase (POR), 229
- Pseudomonas*, 249, 254
- Psychrophiles, 5
- pulsed amperometric detectors (PADs), xiii, 72–73, 87–88
- Purines, 17, 98, 114, 128
- putrescine, 17
- pyranose ring, 79
- pyrimidines, 17, 98, 114, 128
- pyrogenic compounds, 273–74
- pyrolysis GC-MS, xiii
- quadrupole ion trap mass spectrometer, 66
- quantitative fatty acids signature analysis (QFASA), 162
- Quantuck Bay, USA, 102
- racemization, xiv
- radiocarbon, xii–xiii, 211, 217, 264; analytical chemical methods and, 49–50, 74–76, 78; anthropogenic markers and, 272–75, 280; applications of, 43–47; de vries effect and, 36; discovery of, 35; estuaries and, 44–45; fatty acids and, 150, 160, 166, 168; half-life of, 35; historical fluctuations in levels of, 36–37; hydrocarbons and, 185, 194; hydrophobic organic contaminants (HOCS) and, 272–73; isoprenoids and, 177, 180; isotopic fractionation (IF) and, 37–43; mass balance models and, 43–44; nucleic acid signatures and, 127, 132–33; oceans and, 45–47; production of, 35; proteins and, 100; sample measurements of, 35–36; stable isotopes and, 35–48; Suess effect and, 36–37; Test-Ban Treaty and, 36; trophic interactions and, 39
- Raman effect, 55–56
- Reddy, C. M., 270–71
- redox conditions, 102–4
- Renay-nickel desulfurization, 199
- respiration, 8–12
- reversed phase, 72
- reverse osmosis-electrodialysis (RO-ED), 50–51
- rhamnose, 90–91, 96
- Rhizophora mangle*, 249
- ribonucleic acid (RNA), xiv; abundance of, 127–28; analysis methods for, 130–32; biosynthesis and, 137–40; evolution and, 137–40; isotopic signature of, 132–33; messenger (mRNA), 127–28; molecular characterization of microbial communities and, 133–36; nitrogen and, 128, 131, 134, 136–38; pentose sugar moiety and, 128; phosphate group and, 128; phylogenetic relationships and, 137–40; ribosomal (rRNA), 127–28, 131, 133–34, 140–41; terrigenous/aquatic fatty acids ratio, 152; transfer (tRNA), 127–28
- Richards, F. A., 56–57
- S-adenosylmethionine (SAM), 108, 110
- Salio, X., 153
- San Francisco Bay, USA, 20, 153, 163–64
- Santa Barbara Basin (SBB), 160
- saponification, 148–50
- saponins, 16
- Sarasota Bay, USA, 286
- Sargasso Sea, 46
- Scrippsiella*, 180
- sea surface temperatures (SSTs), 141, 143, 207–10, 214–17
- SeaWiFS (Sea-viewing Wide Field-of-view Sensor), 237–38
- secondary metabolism, 16–18
- sedimentary organic matter (SOM), xiv; alkenones and, 207–11; amino acids and, 98–104, 117, 119, 121–23, 126; analytical chemical methods and, 50–52, 58, 60, 73–74, 76–78; ancient DNA and, 140–43; anthropogenic markers and, 267, 272–86; bulk organic matter techniques and, 20–23; carbohydrates and, 80, 83, 89–95; chemical biomarker limitations and, 23–25; ecological chemotaxonomy and, 19; ether lipids and, 214–19; fatty acids and, 146–68; hydrocarbons and, 185, 189–206; isoprenoid lipids and, 171, 174–84; lignins and, 248, 258–66; metabolic synthesis and, 1, 4; nucleic acids and, 129–34, 140–43; paleo-aquatic ecosystems and, 25–28; paleo-reconstruction and, 27–28; photosynthetic pigments and, 222–27, 236, 240; polar lipids and, 211–14, 220; separation sciences and, 49–54; stable isotopes and, 30, 35, 44–45; suberins and, 248, 250
- sediment seeps, 95–96
- separation sciences, 49–54; gas chromatography and, 60–72, 86 (*see also* gas chromatography); mass analyzers and, 66–69. *See also* spectroscopy
- shielding, 58
- shikimate, 17
- shikimic acid pathway, xvi, 248, 250–52
- Sieburth, J. M., 86
- Sinninghe Damsté, J. S., 197
- Skeletonema*, 173
- Slater, G. F., 272
- solid-phase chromatography, 174–75
- solid-phase extraction, 50
- Southern Ocean, 244–45
- Spartina*, 261
- spectrofluorometry, 56–57

- spectroscopy: accelerator mass spectrometry (AMS), xiii, 30, 35–36, 75–76; analytical chemical methods and, 54–60; anthropogenic markers and, 268, 273, 279, 282; basic principles of, 54–56; fatty acids and, 150; fluorescence, 57, 240, 242; Fourier transform infrared (FTIR), 55–56; Fourier transform ion cyclotron resonance MS, xiii, 67–69; gas chromatography and, 60–66, 69–72 (*see also* gas chromatography); HPLC and, 73–74 (*see also* high-performance liquid chromatography (HPLC)); hydrocarbons and, 189; hydrophobic organic contaminants (HOCs) and, 272–73; ionization techniques and, 61–66; lignins and, 255–56; lipid membrane markers and, 211–14; mass analyzers and, 66–69; nuclear magnetic resonance (NMR), 57–60; photosynthetic pigments and, 234–38
- SpeedVac, 86–87
- spermidine, 17
- spermine, 17
- Spirillum*, 249
- stearic acid, 151
- Stereoisomers, 7
- steroids, 16; anthropogenic markers and, 285; hydrocarbons and, 187, 199; isoprenoids and, 169–71, 177, 180, 184; ketones and, 180
- sterols, 16; analysis of, 174–80; application of, 174–80; carbon bonds and, 171–72; compound diversity and, 173–74; diagenesis and, 177, 180, 195, 199; hydrocarbons and, 195, 199; isoprenoids and, 171–80; photosynthetic pigments and, 224; sewage and, 175–76; solid-phase chromatography and, 174–75; stable isotopes and, 177–78; synthesis, 138–39
- steryl chlorin esters, 180
- steryl esters, 180
- Stockholm Convention, 276
- Streptomyces*, 248
- suberins, xvi; analysis of, 254–59; biosynthesis and, 250–54; domains of, 250; fatty acids and, 147; polyaliphatic, 250; polyaromatic, 250; sedimentary organic matter (SOM) and, 248, 250
- submarine vents, 95–96
- Suess effect, 36–37
- Suk, W. A., xi
- sulfur, 23; analytic chemical methods and, 42, 62, 78; carbohydrates and, 88; fatty acids and, 160; hydrocarbons and, 185, 194, 197–99; metabolic synthesis and, 2, 9; nucleic acids and, 140; photosynthetic pigments and, 222, 227; stable isotopes and, 30, 42
- surfactants, 267, 284–85
- symmetry, 32
- Synechococcus*, 244
- syringyl derivatives, 257–58
- tandem mass spectrometry, 70, 72, 282
- Tanganyika, 238
- tannins, 16–18, 80, 257, 259
- ten Haven, H. L., 183
- terpenes, 7–8
- terpenoids, 16
- terrestrial-to-aquatic ratio (TAR_{HC}), 193–94
- Test-Ban Treaty, 36
- tetrahydrofolic acid (THF), 109–10
- tetramethylammonium hydroxide (TMAH), 258–59, 266
- tetrapyrroles, 222
- tetraterpenoids, xv, 17, 224, 229
- TEX₈₆ (TetraEther indeX of 86 carbon atoms), 214, 217, 220
- Thalassiosira*, 173
- thermal conductivity detector (TCD), 62
- thermodynamic fractionation, 38
- thermokarst erosion, 43–44
- thermophiles, 5, 133
- thioester, 12
- thiol group, 198–99
- Thizosolenia setigera*, 194
- Thompson, T. F., 56–57
- three-domain system, 1–2
- thylakoid membrane, 221
- Timbrell, J. A., xi
- time-of-flight (TOF) mass analyzer, 66
- total dissolved free primary amines (TDFPA), 104
- total dissolved neutral aldoses (TDNAs), 95–96
- total hydrolyzable amino acids (THAA), xiv, 102–3, 123, 126
- total nitrogen (TN), 22
- total organic carbon (TOC), 20, 22, 27, 153, 166, 220
- toxicity, 13, 70, 140, 267–68, 277, 281–83
- transfer ribonucleic acid (tRNA), 3
- Treibs, A., XI
- triacylglycerols, 144
- Trichodesmium*, 244
- trichromatic technique, 234
- trifluoroacetic acid (TFA), 238
- triglycerides, 145–46
- trimethylchlorosilane (TMCS), 150
- trimethylsilyl (TMS) derivatives, 86–87
- trimethylsilyl ethers (TMS-ethers), 175
- trippiryridyl-S-tri-azine (TPTZ), 86
- trisorhopane (TNH), 182
- triterpenoids, xv, 16, 138, 171, 180, 182–84, 187, 199
- trophic interactions, 39
- trophic relationship tools, 161–64
- tryptophan, 17, 252
- tyrosine, 17, 252
- tyrosine/dopa decarboxylase (TYDC), 17
- ultrafiltered dissolved organic matter (UDOM), xiv, 89, 154
- ultrafiltration, 50, 154
- ultraviolet (UV) radiation, 54–56
- unresolved complex mixtures (UCMs), 187, 191, 203–4, 270–72, 275
- vacuoles, 13, 16
- Vairavamurthy, A., 197

- van der Waals interactions, 79
van Krevelen diagrams, 69
vascular tissues, 9
Veloza, A. J., xv
very-long-chain fatty acids (VLCFA), 254
vibrational techniques, 55–56
Vicia faba, 252
viruses, 128–30
visible (Vis) radiation, 54–56
volatilization, 268
Vulcano Island, Sicily, 95–96
- Wakeham, S. G., 19, 203, 208, 272
Washington State, USA, 220, 264
water clarity index (WCI), 227
waters of wastewater treatment plants (WWTP),
285–86
water use efficiency (WUE), 12
weathering, 27, 187, 268–69, 274
- Weijers, J.W.H., 219
Werne, T. C., 199
Wien Lake, Alaska, USA, 259
Wilson, S. H., XI
Woods Hole, Massachusetts, USA,
208
Wright, S. W., 236
- XAD resins, 50–51
xanthophyll cycles, 224, 227
xenobiotic compounds, 267, 284
- Yellowstone Park, USA, 5
York River, Virginia, USA, 45
- Zea mays*, 254
zooplankton, 25
Zostera marina, 190