

Subject index

Symbols

1–2 TEST 226

1% *N,N,N,N*-tetramethyl-*p*-phenylenediamine dihydrochloride aqueous solution 400

3M TECRA *Salmonella* 226

3M TECRA™ *Listeria* 201

4-methylumbelliferyl- β -D-glucuronide 92

4-methylumbelliferyl- β -D-glucuronide 91

5-Bromo-4-chloro-3-indolyl- β -D-glucopyranoside 199

5-bromo-4-chloro-3-indolyl- β -D-galactopyranoside 92

5% α -Naphthol Alcoholic Solution, 40% Potassium Hydroxide Aqueous Solution 432

6-chloro-3-indolyl- β -D-galactopyranoside 89

β -galactosidase 89

β -Galactosidase Reagent (ONPG Reagent) (*o*-Nitrophenyl- β -D-Galactopyranoside) 373

β -galactosidase test 264

β -glucuronidase 90

β -lysine CAMP test 207

A

A. acidiphilus see *Alicyclobacillus acidiphilus* 279, 305

A. acidocaldarius see *Alicyclobacillus acidocaldarius* 279, 305, 315

A. acidoterrestris see *Alicyclobacillus acidoterrestris* 292, 305, 315

acetamide agar/broth 188, 347

acetamide test 190

acid food 311

Acidicase 336

Acidified MRS Agar 159

Acidified MRS Agar with 1% Fructose 159

acid products, foods 20, 316

Acinetobacter 58

A. contaminans see *Alicyclobacillus contaminans* 279

Aeribacillus 278

aerobic mesophilic bacteria 59, 63

AOAC official methods 990.12 - 989.10 - 986.33 63

plate count method APHA 2001 59

aerobic mesophilic count 57

aerobic plate count 57–59

aerobic psychrotrophic bacteria 64

plate count method APHA 2001 64

aerobic sporeforming mesophiles 325

Aeromonas 58, 250

Aeromonas hydrophila 58

A. fastidiosus see *Alicyclobacillus fastidiosus* 279

agar 59

agar *Listeria* Ottaviani & Agosti (ALOA) 199, 200, 203, 209, 214, 348

agar plug 136, 296, 297, 299, 302–304, 349

agar plug with thioglycolate 349

A. herbarius see *Alicyclobacillus herbarius* 279, 305

Alcaligenes 58

Alcoholic Solution of Iodine 3:1 349, 350

Alicyclobacillus 279, 292

methods IFU 12:2007 304

Alicyclobacillus acidiphilus 279, 280, 305

Alicyclobacillus acidocaldarius 279, 280, 305, 315

Alicyclobacillus acidoterrestris 279, 292, 305, 315

Alicyclobacillus contaminans 279, 280

Alicyclobacillus fastidiosus 279, 280

Alicyclobacillus herbarius 279, 280, 305

Alicyclobacillus pomorum 279, 280

Alicyclobacillus sacchari 279, 280

alkaline peptone water (APW) 255, 256, 259, 350

alkaline saline peptone water (ASPW) 261, 263, 350

all purpose tween (APT) agar/broth 350

ALOA see agar *Listeria* Ottaviani & Agosti (ALOA) 199, 200

alpha toxin 129, 130

Alternaria 68

Alteromonas 58

ammonium iron (iii) sulfate solution 351

anaerobic atmosphere-generating systems 132, 136, 161

anaerobic glucose fermentation 124

anaerobic mesophilic sporeforming bacteria 323

anaerobic thermophilic sporeforming bacteria 325

analytical unit 2, 10, 18, 19

Aneurinibacillus 281

Aneurinibacillus thermoaerophilus 281

Anoxybacillus 281

Anoxybacillus contaminans 281

AOAC official method 59, 68, 84, 92, 109, 201

- API® 20E 226
A. pomorum see *Alicyclobacillus pomorum* 279
 APT Agar Acidified 351
 APT Agar Glucose 159, 351
 APT Agar Sucrose BCP 159, 351
 APT (All Purpose Tween) Agar 159, 350
 Arginine dihydrolase and lysine/ornithine decarboxylase tests 180
 arginine dihydrolase test 264
 arginine glucose slant (AGS) 258, 259, 351
Arthrobacter 58
A. sacchari see *Alicyclobacillus sacchari* 279
Asciidiacea 22
 asparagine broth 188, 352
Aspergillus 68
 ASPW see alkaline saline peptone water (ASPW) 263
 Assurance GDS® *Salmonella* 226
 Assurance® Gold *Salmonella* 226
 Assurance® *Salmonella* 226
 Assurance® *Listeria* EIA 201
 Aureus Test™ 109
 AutoMicrobic System 201
- B**
Bacillus 58, 282, 311, 316
Bacillus acidoterrestris (BAT) agar/broth 305–307, 352
Bacillus anthracis 119, 120, 122
Bacillus cereus 119–121, 126, 316
 MPN method APHA 2001 126
 plate count method APHA 2001 121
Bacillus coagulans 282, 292, 312, 315, 317
Bacillus licheniformis 299, 315, 316
Bacillus mycoides 119, 120
Bacillus pseudomycooides 119
Bacillus smithii 283
Bacillus sporothermodurans 283
Bacillus thuringiensis 119, 120
Bacillus weihenstephanensis 119, 120
 bacterial spore 277, 314
 bacteriological can opener 322
 Baird-Parker (BP) agar 110, 115, 353
 BAX® System 201, 226
B. cereus see *Bacillus cereus* 119, 120, 121
B. cereus Group 119, 121
 BCIG 90, 91, 339
 BCM® 199, 200
B. coagulans see *Bacillus coagulans* 292, 315, 317
B. fulva see *Byssochlamys fulva* 69
 BGS see brilliant green sulfa (BGS) agar 224, 245
- Bile and bile salts 338
 bile esculin agar 353
 bile esculin azide agar 148, 354
 bile salts 338
 Biosynth Chromogenic Medium (BCM) 203, 354
 bismuth sulfite (BS) agar 224, 237, 354
 bivalves 19, 22
 BLEB 199
B. mycoides see *Bacillus mycoides* 119, 120
 Bolton broth 170, 355
Botrytis 68
 bovine carcasses 13
 bovis group 137, 156
B. pseudomycooides see *Bacillus pseudomycooides* 119
 BPW see buffered peptone water (BPW) 199, 224
 brain heart infusion (BHI) agar/broth 110, 239, 356
Brevibacillus 283, 316
 brilliant green (BG) agar 356
 brilliant green bile (BGB) broth 90, 97, 99, 103, 357
 Brilliant Green Solution 1% 357
 brilliant green sulfa (BGS) agar 224, 245, 357
 brilliant green water 236, 358
Brochothrix 58
 bromcresol purple dextrose broth (BCP) 358
 bromthymol blue indicator 0.04% 134, 358
Brucella broth 358
 BS see bismuth sulfite (BS) agar 224, 238
B. thuringiensis see *Bacillus thuringiensis* 119, 120
 buffered *Listeria* enrichment broth (BLEB) 200, 203, 359
 buffered peptone water (BPW) 178, 199, 209, 224, 227, 236, 242, 359, 360
 butter 21
 Butterfield's Phosphate Buffer (Butterfield's Phosphate Buffered Dilution Water) (Phosphate Dilution Water) 360
 Butterfield's phosphate buffer with 40% glucose 360
 buttermilk 20
 butyric bacteria 317
 butyric clostridia 304
B. weihenstephanensis see *Bacillus weihenstephanensis* 119, 120
Byssochlamys 67, 69
Byssochlamys fulva 68, 69, 315, 317
Byssochlamys nivea 68, 315
- C**
C. acetobutylicum see *Clostridium acetobutylicum* 286, 312, 316
 calcium requirement test 274

- calculating results 29, 30, 33–35, 43, 44
- calculations 29, 34, 35, 42, 43, 45
- CAMP test 204, 207, 210
- Campylobacter* 167–169
 - epidemiology 169
 - presence/absence method ISO 10272-1:2006 169
 - taxonomy 167
- Candida* 68
- Candida krusei* 69, 70
- canned foods 317
- Capsular (surface or envelope) antigens 220
- carbohydrate fermentation medium 360
- Carbohydrate fermentation tests 51
- Carnobacterium* 58, 151, 152, 154
- Casamino Acids 336
- casein 21
- caseinates 21
- casein hydrolysate 336
- Casitone 336
- catalase test 51, 112, 172, 203
- C. beijerinckii* see *Clostridium beijerinckii* 286
- C. bifermentans* see *Clostridium bifermentans* 316
- C. botulinum* see *Clostridium botulinum* 131
- C. butyricum* see *Clostridium butyricum* 286, 311, 315, 316
- cefsulodin irgasan novobiocin (CIN) agar 271, 361
- cellobiose colistin (CC) agar 255, 256, 362
- cellulase solution 362
- cephalopods 19
- cephalothin sodium fusidate cetrimide (CFC) agar 192, 362
- cereal 20
- cheeses 18
- chocolate 20
- Christensen urea agar 363
- Chromagar™ *Listeria* 199, 200, 203, 363
- Chromobacterium* 58
- Chromogenic and fluorogenic substrates 339
- chromogenic plating media 199, 200
- chromogenic substrate 91
- C. histolyticum* see *Clostridium histolyticum* 316
- citrate 91
- citrate azide agar 142, 144, 364
- citrate test 51, 96, 180, 241, 273
- Citrobacter* 58, 83, 89
- Citrobacter freundii* 83, 89
- Cladosporium* 68
- Clostridium* 58, 284, 311, 316
- Clostridium acetobutylicum* 286, 312, 316
- Clostridium algidicarnis* 286
- Clostridium beijerinckii* 286
- Clostridium bifermentans* 316
- Clostridium botulinum* 58, 131, 132, 134, 284, 302, 311, 315, 319, 322
- Clostridium butyricum* 286, 311, 315, 316
- Clostridium estertheticum* 286
- Clostridium frigidicarnis* 286
- Clostridium gasigenes* 286
- Clostridium histolyticum* 315, 316
- Clostridium pasteurianum* 286, 315
- Clostridium perfringens* 129, 131, 134
 - Presence/absence method APHA 2001 134
 - toxins 129
- Clostridium sporogenes* 315, 316
- Clostridium tyrobutyricum* 286, 304, 311, 316
- CMM see cooked meat medium (CMM) 304
- CMM supplemented with 0.1% soluble starch and 0.1% glucose 304, 365
- coagulase positive staphylococci 105, 109, 113, 115
 - MPN method APHA 2001 113
 - plate count method APHA 2001 109
 - presence/absence method APHA 2001 115
- coagulase test 110
- Cobmella* 287
- ColiComplete 92
- coliforms 89–91
- COLILERT 91, 92
- Colletotrichum* 68
- colony forming units 23
- columbia blood agar (CBA) 170, 364
- commercially sterile foods 6, 311
- commercial sterility 311, 318, 326
 - definition 311
 - method APHA 2001 318, 326
- Composite samples 225
- confirmation 50, 55
- cooked meat medium (CMM) 302–304, 365
- coomassie brilliant blue solution 125, 365
- Corynebacterium* 58
- counting colonies 29, 35
- C. pasteurianum* 286
- C. perfringens* see *Clostridium perfringens* 129–131
- C. perfringens* type A food poisoning 130
- C. perfringens* type C necrotic enteritis 130
- C. putrefasciens* 316
- crabs 19
- cream 21
- Cronobacter* 175, 177
 - epidemiology 175

microbiological criteria 176
 Presence/absence method ISO 22964:2006 177
 taxonomy 175
 crustaceans 19
Cryptococcus 68
 crystal protein staining 125
C. sporogenes see *Clostridium sporogenes* 316
C. tyrobutyricum see *Clostridium tyrobutyricum* 286,
 311, 316
 culture media 335
 custard 21

D

dairy products 20
Debaromyces 68
 decarboxylase broth Falkow 239, 365
 decarboxylase, decarboxylation tests 239, 264, 273
 decarboxylation medium 366
 decarboxylation tests 51
 decimal dilution 16
 decimal reductions 312, 316
 decimal reduction time 312
 deep tissues 18
 Dehydrated bile 338
 de Man Rogosa & Sharpe (MRS) agar/broth 157,
 159, 160, 162, 389, 390
 desserts 21
Desulfotomaculum 287
Desulfotomaculum nigrificans 287, 298, 315, 318
 Dextrose Tryptone Agar (DTA) 292–295, 304, 366
 Dextrose Tryptone Broth (DTB) 366
 dicloran glycerol 18% agar (DG18) 68, 72, 74, 366
 dicloran rose bengal chloramphenicol agar (DRBC)
 68, 72, 74, 367
 differential agents 338
 diluents 15, 19
 diluent with α -amylase 367
 dilution 15–17, 19, 40
 Dilution Water (see Magnesium Chloride Phosphate
 Buffer) 368
 Dipeptone 337
 dipotassium hydrogen phosphate (K_2HPO_4) solution
 with antifoam agent 368
 DMLIA see double modified lysine iron agar
 (DMLIA) 224, 245
D. nigrificans see *Desulfotomaculum nigrificans* 318
 double modified lysine iron agar (DMLIA) 224, 245, 368
 drop plate 23, 27, 34
 DTA see dextrose tryptone agar (DTA) 294

D values 312, 313

E

E. avium see *Enterococcus avium* 141
 EC see *E. coli* broth (EC) 90, 91
E. coli 89–91
 MPN method APHA 2001 92
 MPN method APHA/AWWA/WEF 2005 99
 MPN method ISO 7251:2005 97
E. coli broth with 4-methylumbelliferyl- β -D-glucuronide
 (EC-MUG) 369
E. coli (EC) Broth 90, 91, 96, 99, 369
E. coli presumptive
 MPN method ISO 7251:2005 97
Edwardsiella 83
E. faecalis see *Enterococcus faecalis* 141
E. faecium see *Enterococcus faecium* 141
E. gallinarum see *Enterococcus gallinarum* 141
 egg 18, 20
E. italicus see *Enterococcus italicus* 141
 Elliker agar/broth 157, 369
 enrichment 49
Enterobacter 58, 83, 89
Enterobacter aerogenes 89
Enterobacter cloacae 89
Enterobacteriaceae 58, 83–85, 87
 AOAC official method 2003.1 87
 Most probable number (MPN) method
 APHA 2001 85
Enterobacteriaceae enrichment broth (EEB) 84, 87, 370
Enterobacter sakazakii 83, 175, 177
Enterobacter sakazakii isolation agar (ESIA) 177, 370
 enterococci 137, 139–142, 148
 Membrane filtration method ISO 7899-2:2000 148
 enterococci and fecal streptococci 143, 145
 Membrane filtration method APHA/AWWA/WEF
 2005 145
 Plate count method APHA 2001 143
Enterococcus 137–139, 141, 143, 151–153, 156, 157
Enterococcus avium 137, 141
Enterococcus casseliflavus 137
Enterococcus durans 137
Enterococcus faecalis 137, 141
Enterococcus faecium 137, 141
Enterococcus gallinarum 137, 141
Enterococcus italicus 138
 enterotoxins 107
Erwinia 83
Escherichia 58, 83

- Escherichia coli* 89, 91
 MPN method APHA 2001 92
 MPN method APHA/AWWA/WEF 2005 99
 esculin 198
 esculin hydrolysis 199
 ethanol 70% 371
- F**
 facultative thermophiles 317
 facultative thermophilic aerobic sporeforming bacteria 315
 fatty foods 19
 fecal coliforms 83, 89
 fecal streptococci 137, 141, 142
 “fecal streptococci” group 137
 fermentation 194, 204
 Fermentation Medium for *C. perfringens* 134
 fermentation tests 132, 134, 180, 210, 239, 240, 273, 274
 fermented 20, 21
 filamentous fungi 67, 68
 Flagellar (“H”) antigens 220
 flat-sour 317, 326
 flat sour thermophilic aerobic sporeformers 294
 methods APHA 2001 296
Flavobacterium 58
 flours 20
 formalinized physiological saline solution 239, 372
 Fraser broth 206, 212, 372
 frozen foods 5
Fructobacillus 151–153
 fungi 67, 68
Fusarium 67, 68
- G**
 gastropods 19, 22
 gelatin liquefaction test 132
 Gelysate 337
 GeneQuence® *Salmonella* 226
 GENE-TRAK *Listeria* 201
 GENE-TRAK *Salmonella* 226
Geobacillus 287
Geobacillus stearothermophilus 288, 292, 314–316, 318
Geotrichum 68
 glucose agar 373
 Glucose Meat Extract (TGE) Agar 300
 glucuronide 339
 glycerol salt solution buffered 374
 grains 20
 Gram-staining 55
 Gram stain reagents 374
 ground products 18
 group D antigen 137
 “group D streptococci” 137
G. stearothermophilus see *Geobacillus stearothermophilus*
 292, 315, 316, 318
 gum tragacanth and gum arabic mixture 294, 375
- H**
Hafnia 83
 half fraser broth base 209, 212
 Half Fraser Broth (Demi-Fraser Broth) 375
 halotolerance saline peptone water 376
 halotolerance test 264
Hansenula 68
 hard food products 18
 HE see Hektoen enteric (HE) agar 224, 238
 heat resistance 312
 heat-resistant mold 68, 69, 76, 314, 315, 317
 plate count method APHA 2001 318
 heat treatments 316
 Hektoen enteric (HE) agar 224, 237, 238, 376
 hemolysis 258
 hemolysis test 203, 206, 210
 hemolytic activity 125
 hippurate hydrolysis 172
 Holbrook & Anderson rapid confirmatory test 121, 124
Holothuroidea 22
 homogenization 10, 11, 18
 horse blood overlay medium (HL) 206, 376
 hydrochloric acid solution 377
 Hydrogen Peroxide (H₂O₂) 3% 377
- I**
 ice cream 21
 IMVC 90, 91, 96
 indicators 90
 indole Kovacs reagent 96, 99, 239, 378
 indole test 52, 91, 96, 230, 239, 264
 Indole test at 44°C 99
 indolyl 339
 indoxyl 339
 Indoxyl Acetate Discs (2.5 to 5.0 mg) 378
 Indoxyl acetate hydrolysis 172
 infant foods 21
 intestinal streptococci 137
 intestinal *Streptococcus* 143

irgasan ticarcillin potassium chlorate (ITC) broth
271, 378
iron milk medium modified 379
ISO 7218 35

J

Janthinobacterium 185
Janthinobacterium lividum 185
Jeotgalibacillus 288

K

K agar 305, 306, 379
KF *Streptococcus* agar 142, 144, 379
KF Streptococcus Broth 145, 380
KG see Kim-Goepfert (KG) agar 121, 122, 124
Kim-Goepfert (KG) agar 121, 122, 124, 380
King's B medium 381
Klebsiella 58, 83, 89
Klebsiella pneumoniae 89
Kligler's iron agar (KIA) 273, 381
Kluveromyces 68
Koser's citrate broth 96, 382

L

lactic acid bacteria 151, 157, 159, 160
Lactic acid bacteria in foods 162
MPN methods APHA 2001 162
plate count method APHA 2001 160
Lactobacillus 58, 151, 152, 154, 156, 157, 159, 160,
311, 315
Lactococcus 151, 152, 154, 156
lactose 20
lactose broth (LB) 236, 304, 382
lactose gelatin medium 132, 383
Lancefield's group D 137
L- α -phosphatidylinositol 199
lauryl sulfate tryptose (LST) broth 90, 93, 97, 383
leakage 317
L-EMB see Levine's eosin-methylene blue (L-EMB)
agar 91, 96
Lentibacillus 288
Leuconostoc 58, 151–153, 155–157, 159, 315
Levine's Eosin-Methylene Blue (L-EMB) Agar 89, 91,
96, 383
LIMONO-Ident-Agar 200
Listeria 58, 197, 198
Listeria-TEK 201
Listeria monocytogenes 197–199, 200, 204, 207, 212
methods of analysis 199

plate count method ISO 11290-2:1998
Amendment 1:2004 207
presence/absence method BAM/FDA 2011 200
presence/absence method ISO 11290-1:1996
Amendment 1:2004 212
presence/absence method MLG/FSIS/USDA
2009 204
Lithium Chloride Phenylethanol Moxalactam (LPM)
Agar 203
liver broth 136, 296, 297, 302–304, 384
liver veal agar (LVA) 322, 384
L-Lysine decarboxylase test 230
L. monocytogenes see *Listeria monocytogenes* 198, 199
LOCATE® *Salmonella* 226
lot
lot sample 1
low-acid food 311, 316
lysine arginine iron agar (LAIA) 385
lysine iron agar (LIA) 238, 246, 385
Lysinibacillus 289
lysostaphin sensitivity test 112
lysozyme resistance 124

M

MAA see malt acetic agar (MAA) 70
MacConkey agar (MAC) 238, 385
MacFarland standards 386
magnesium chloride phosphate buffer
(PBMgCl) 386
Malachite Green Dye 124
malonate broth 240, 386
malonate test 52, 240
malt acetic agar (MAA) 70, 78, 387
malt extract agar (MEA) with antibiotics 69, 76, 387
malt extract broth (MEB) 388
malt extract yeast extract 40% glucose (MY40G) agar
80, 388
Malthus System 226
mannitol egg yolk polymyxin (MYP) agar 121, 122,
124, 126, 388
media 347
membrane filtration 23, 27, 35, 59, 60, 62
m-*Enterococcus* agar 143, 146, 148, 390
mesophilic aerobic sporeformers 299
methods APHA 2001 299
mesophilic aerobic sporeforming bacteria 315
mesophilic anaerobic sporeformers 302
mesophilic anaerobic sporeforming bacteria 316
methyl red indicator 96

- Methyl red (MR) and Voges-Proskauer (VP) tests
96, 241
- methyl red solution 241, 390
- methyl red test 53, 91, 241
- m-HPC agar 59, 62, 377
- microaerobic, microaerophilic atmospheres 161, 170
- Microbacterium* 58
- Micrococcus* 58
- MICRO-ID® 226
- MICRO-ID *Listeria* 201
- milk 20, 21
- mixed microflora 317, 323, 325
- MKTTN see Muller-Kauffmann tetrathionate
novobiocin (MKTTN) broth 224
- modified cellobiose polymyxin colistin (MCPC) agar
255, 256, 390
- modified charcoal cefoperazone deoxycholate agar
(MCCDA) 170, 391
- modified lauryl sulfate tryptose broth vancomycin
(MLSTV) 178, 392
- modified MRS agar 160
- modified oxford agar (MOX) 199, 203, 206, 392
- Modified Rappaport Vassiliadis Broth 224
- modified university of Vermont (UVM) broth 199,
206, 393
- molds 67, 68
- mollusks 22
- Monascus* 68
- Moorella* 289
- Moorella thermoacetica* 289, 315
- MOPS-BLEB see morpholinepropanesulfonic
acid-buffered *Listeria* enrichment broth
(MOPS-BLEB) 199
- Moraxella* 58
- Morganella* 83
- morpholinepropanesulfonic acid-buffered *Listeria*
enrichment broth (MOPS-BLEB) 199, 206, 393
- most probable number 39, 40, 42, 46–48, 90
- motility 203
- Motility Medium for *B. cereus* 125
- motility nitrate medium 132, 394
- motility test 125, 206, 210, 259, 263
- Motility test and nitrate reduction test 132
- motility test medium 394, 395
- MOX see modified oxford agar (MOX) 199
- MPN see most probable number 39, 40, 42, 46–48
- MPN tables 43, 44, 46
- MR test see methyl red test 241
- MR-VP broth 96, 241, 395
- M. thermoacetica* see *Moorella thermoacetica* 289
- Mucor* 67, 68
- Mueller Hinton blood agar 395
- MUG 90–92, 339
- Muller-Kauffmann tetrathionate novobiocin
(MKTTN) broth 224, 227, 396
- multiple dilution test 40, 43
- mycotoxins 68
- MYP see mannitol egg yolk polymyxin (MYP) agar
121, 122, 124
- N**
- Nagler's reaction 130
- Neopeptone 337
- Neosartoria fisheri* 68, 69, 317
- Nessler reagent 397
- N. fisheri* see *Neosartoria fisheri* 69
- Ninhydrin Solution (3.5% mass/volume) 397
- nitrate broth 124, 397
- nitrate test 53, 124, 204
- nitrate test reagents 124, 398
- nitrophenyl 339
- non-proteolytic clostridia 304, 316
- nutrient agar (NA) 124, 125, 273, 302, 398
- nutrient broth (NB) 124, 236, 398
- Nutrient Agar with Manganese (NAMn) 322
- NWRI 59, 61, 62, 399
- O**
- Oceanobacillus* 289
- Oenococcus* 151, 155
- O/F 52
- o*-nitrophenyl- β -D-galactopyranoside 92
- ONPG 89, 92
- orange serum agar (OSA) 59–61, 160, 399
- orange serum broth 304, 399
- ortho-nitrophenyl- β -D-galactopyranoside (ONPG)
89, 91
- osmophilic yeasts 71, 80
- membrane filtration method APHA 2001 80
- plate count method APHA 2001 71
- OXA see oxford agar (OXA) 199
- oxbile 338
- oxford agar (OXA) 199, 203, 399
- oxgall 338
- oxidase Kovacs reagent 400
- oxidase test 52, 172, 178, 190, 192, 194, 258,
263, 273
- oxidation/fermentation test 52

- P**
- packages 14, 34
- Paenibacillus* 290
- Paenibacillus alvei* 290
- Paenibacillus macerans* 290, 299, 315
- Paenibacillus polymyxa* 299, 315
- P. aeruginosa* see *Pseudomonas aeruginosa* 183, 184
- Palcam *Listeria* Selective Agar 199, 203
- P. alvei* see *Paenibacillus alvei* 290
- Paenibacillus alvei* 290
- pancreatic digest of casein 336
- Pantoea* 83
- Pantoea agglomerans* 89
- papain solution, 5% 400
- pasty 18
- pathogenic *Listeria* 199, 200
- pathogenic *Vibrio* 250, 251
- PE-2 304
- PE-2 medium 296, 297, 302–304, 401
- Pectobacterium* 83
- pediococci 156
- Pediococcus* 151, 152, 156, 157, 159
- penicillin pimarcin agar (PPA) 194, 401
- Penicillium* 68
- Peptones 335–337
- peptone sorbitol bile (PSB) broth 271, 402
- Peptone Water (PW) 0.1% 402
- petrifilm™ 59, 63, 64, 68, 84, 87, 91, 92, 109
- phenol red carbohydrate broth 124, 239, 240, 402
- phenylalanine deaminase test 51
- pH indicators 338
- phosphate-buffered saline (PBS) 259, 402
- phosphate buffered solution according
ISO 6887-4:2003 403
- phosphate buffered solution according
ISO 6887-5:2010 403
- Phosphate Saline Buffer 0.02M (pH 7.3–7.4) 404
- phosphatidylcholine-phospholipase C (PC-PLC) 197
- phosphatidylinositol-phospholipase C (PI-PLC) 197
- phosphatidylinositol-phospholipase (PI-PLC) 199
- phospholipase C 129
- Photobacterium* 58
- Phytone 337
- Pichia* 68
- Pichia membranaefaciens* 69, 70
- PIPLC (phosphatidyl inositol phospholipase C) 209, 214
- P. lactis* 290
- plate count 23, 59, 68
- plate count agar (PCA) 60, 61, 64, 96, 404
- Plate Count Agar (PCA) supplemented with 0.1%
soluble starch 300
- plate counts 23
- Plesiomonas* 83, 250
- P. macerans* 290
- Polypeptone 337
- Potassium Cyanide Broth (KCN) growth test 240
- Potassium Cyanide (KCN) Broth (caution, poison) 405
- potassium hydroxide saline solution 271, 405
- potato dextrose agar (PDA) acidified 405
- potato dextrose agar (PDA) with antibiotic 69,
76, 406
- poultry carcasses 12
- pour plate 23, 29, 30, 33, 34, 59, 60, 64
- powdered products 18
- P. polymyxa* 290
- pre-enrichment 49, 54
- preparation 347
- preparation of sample 9
- preparation of samples 9
- presence/absence 49
- presence or absence 23
- preservative resistant yeast medium (PRY) 69, 71, 78, 406
- plate count method Pitt and Hocking 2009 78
- presence/absence method Pitt and Hocking 2009 78
- presumptive *E. coli* 97
- Proteolytic (putrefactive) clostridia 316
- Proteose peptone 337
- Proteus* 83
- PRY 69
- Pseudomonas* 181, 183, 184
- plate count method ISO 13720:2010 190
- plate count method ISO 11059:2009 192
- taxonomy 197
- Pseudomonas aeruginosa* 183, 184, 186, 188
- Membrane filtration method ISO 16266:2006 188
- MPN method APHA/AWWA/WEF 2005 186
- Pseudomonas* CN agar 188, 407
- Pseudomonas* spp. 190, 193
- Plate count method ISO 11059:2009 193
- Plate count method ISO 13720:2010 190
- Psychrobacter* 58
- Psychrophilic and psychrotrophic clostridia 286
- psychrotrophic 58, 83
- psychrotrophic bacteria 58
- plate count method APHA 2001 64
- psychrotrophic fungi 68, 74
- plate count method APHA 2001 71
- psychrotrophics 58, 64
- Psychrotrophics 58
- psychrotrophs 58

- pure cultures 54
 purple agar/broth for carbohydrate fermentation 407
 Purple Broth 124, 239, 240
 putrefactive clostridia 304
 pyrazinamidase agar 408
 pyrazinamidase test 274
- R**
- R2A 59–62, 408
 Rapid[®]L.mono 199, 200, 203, 409
 Rapid Urea Broth 239
 Rappaport-Vassiliadis (R-10) broth 245, 409
 Rappaport-Vassiliadis (RV) medium 224, 409
 Rappaport-Vassiliadis soya (RVS) broth 224, 227, 245, 410
 reagents 347
 reconstituted nonfat dry milk 236, 411
 reducing agents 338
 References 434
 refrigerated foods 5
 Reinforced Clostridial Medium with sodium lactate 304, 412
 Reinforced Clostridium Medium (RCM) 322
 Rhizoid growth 125
Rhizopus 67, 68
Rhodotorula 68
 Ringer's Solution Quarter-Strength 412
 Rogosa SL agar/broth 160, 162, 413
 RV see Rappaport-Vassiliadis (RV) medium 224
 RVS see Rappaport-Vassiliadis soya (RVS) broth 224
- S**
- saccharolytic 316
 saccharolytic clostridia 286
Saccharomyces 68
 Safranin Dye 124
 saline decarboxylase broth 413
 saline nutrient agar (SNA) 414
 Saline Peptone Water (SPW) (Peptone Salt Solution) 414
 Saline Peptone Water with Bromcresol Purple (SPW-BCP) (Peptone Salt Solution with Bromcresol Purple) 414
 salinc triple sugar iron (STSI) agar 264, 415
 saline tryptophan broth 415
Salmonella 217, 227, 232, 242
 alternative methods 225
 biochemical characteristics 221
 Presence/absence method ISO 6579:2002 Amendment 1:2007 227
 presence/absence method MLG/FSIS/USDA 2011 242
 serological classification 219
 taxonomic classification 217
 traditional methods 223
Salmonella serovar 220
Salmonella Shigella desoxycholate calcium chloride (SSDC) agar 271, 416
Salmonella-TEK 226
 Salmon-Gal 89
 salt requirement test 258, 259
 sample unit 1
 sampling 1, 3, 4
 sampling plans 1, 2
S. aureus see *Staphylococcus aureus* 106, 107, 109, 113, 115
Schizosacharomyces pombe 69, 70
 Sea cucumbers 22
 sea urchins 19, 22
 Selective agents 338
 selective differential plating 50, 54
 selective enrichment 50, 54
 selenite cystine broth (SC) 416
 sensitivity 172, 258
 serologic agglutination tests 258
 serological polyvalent flagellar (H) test 231, 239
 serological polyvalent somatic (O) test 231, 240
 serological Vi test 231
Serratia 58, 83, 89
 sheep blood agar 203, 204, 210, 258, 417
Shewanella 58, 184
Shewanella putrefaciens 184
Shigella 83
 Simmons citrate agar 241, 417
 SimPlate 59, 68, 92
 single dilution test 42, 44
 Slanetz & Bartley medium 148
 sodium citrate solution (Na₃C₆H₅O₇·2H₂O) 417
 sodium desoxycholate 338
 Sodium Desoxycholate Solution 0.5% 418
 sodium dodecyl sulfate polymixin sucrose (SDS) agar 263, 418
 sodium hippurate solution 419
 sodium hydroxide solutions 419
 sodium tripolyphosphate solution 419
 solid foods 18
 somatic ("O") antigens 219
 soya peptone 337
 Soytone 337
 special peptone 337
 sponge sampling 12
 spore 277, 314, 315

- spore and lipid globules stain 124
 spore formation 277
 sporeforming bacteria 278
 spore germination 278
 spore resistance 278
 Spore-staining 56
 spore stain reagent 124, 420
 spore ultrastructure 277
Sporolactobacillus 290, 311, 316
Sporolactobacillus inulinus 315
Sporotrichum 68
 spread plate 23, 25, 34, 59, 60, 61, 64, 68
 standard plate count 57
 staphylococcal food poisoning 107, 108
Staphylococcus 105
Staphylococcus aureus 105–107, 109, 113, 115
 food poisoning 108
 MPN method APHA 2001 113
 pathogenicity 105
 plate count method APHA 2001 109
 presence/absence method APHA 2001 115
 taxonomy 105
Staphylococcus aureus enterotoxins 107
Stenotrophomonas 186
Stenotrophomonas maltophilia 186
 storage 1, 5
 stormy fermentation 131
 streak plating technique 54
 streptococci 137, 141
Streptococcus 58, 137, 140, 142, 151, 152, 154, 156, 315
 strictly aerobic thermophiles 326
 strictly thermophiles 317
 strictly thermophilic aerobic sporeformers 326
 strictly thermophilic aerobic sporeforming bacteria 314
 strictly thermophilic anaerobic sporeforming bacteria 315
 string test 258
 subculturing 55
 sudan black B solution 124, 420
 sulfide indole motility medium (SIM) 420
 sulfide spoilage anaerobic sporeformers 298
 methods APHA 2001 298
 sulfite agar 298, 299, 420
 supplement 361
 survival curve 312, 313
 swabbing 11, 16, 33, 44, 45
 swab sampling 11, 33
 swine carcasses 13
- T**
 T₁N₀ and T₁N₃ Broth 421
 T₁N₁ agar 256
Talaromyces bacillisporus 68
Talaromyces flavus 68, 317
 TECRA™ *Salmonella* 226
 TECRA™ Staph Enterotoxin 109
 TECRA Unique *Salmonella* 226
 temperature coefficient 312
 TEMPO 92
 tetragenococci 157
Tetragenococcus 151, 152, 156
 tetrathionate broth Hajna and Damon (1956) (TTH) 224, 422
 tetrathionate (TT) broth 224, 421
 TGYA see tryptone glucose yeast extract acetic acid (TGYA) 70
Thamnidium 68
 thermal death curve 312
 thermal destruction curve 312, 314
 thermal process 316
 Thermoacidurans Agar (TAA) 423
 Thermoacidurans Broth (TAB) 423
Thermoanaerobacter 290
Thermoanaerobacterium 291
Thermoanaerobacterium thermosaccharolyticum 291, 296, 315
 thermonuclease test 112
 thermophilic aerobic sporeformers, total and flat sour 292
 methods APHA 2001 292
 thermophilic anaerobic sporeformers 296
 methods APHA 2001 296
 thermostable nuclease test 112
 thermotolerant *Campylobacter* 167, 169
 Presence/absence method ISO 10272-1:2006 169
 thermotolerant coliforms 83, 89–91
 thickeners 19
 thioglycollate medium (TGM) 132, 423
 thiosulfate citrate bile sucrose (TCBS) agar 255, 256, 259, 263, 424
 Thiotone 336, 337
 Thomas formula 44
 toluidine blue DNA agar 424
Torulopsis 68
 Total Aerobic Mesophilic Plate Count 57
 total and thermotolerant coliforms and *E. coli* 99
 total coliform 83, 89, 90; 97, 102
 MPN method APHA 2001 113
 MPN method APHA/AWWA/WEF 2005 99

- MPN method ISO 4831:2006 97
 plate count method APHA 2001 102
 Total coliforms, thermotolerant coliforms 92
 toxin crystals 125
 transport 1
 Transportation 5
Trichosporon 68
Trichothecium 68
 triphenyltetrazolium chloride soya tryptone agar (TSAT) 263, 424
 triple sugar iron agar (TSI) 230, 238, 246, 425
 Tryptcase Soy Agar (TSA) with Magnesium and Oxalate 426
 Trypticase 336, 337
 trypticase soy agar (TSA) 64, 102, 110, 178, 425
 trypticase soy agar (TSA) with 5% sheep blood 125, 426
 trypticase soy agar with 0.6% Yeast Extract (TSA-YE) 203, 209, 214, 426
 trypticase soy broth (TSB) 115, 236, 239, 425
 trypticase soy broth (TSB) with 10% NaCl and 1% sodium pyruvate 113, 426
 trypticase soy broth (TSB) with polymyxin 126, 426
 Tryptone 336, 337
 tryptone glucosc extract agar (TGE) 427
 tryptone glucose yeast extract acetic agar (TGYA) 70, 78, 427
 tryptone glucose yeast extract acetic broth (TGyAB) 70, 78, 427
 tryptone (tryptophan) broth 91, 96, 99, 239, 428
 Tryptose 337
 tryptose sulfite cycloserine (TSC) agar 131, 132, 136, 428
 TSA see trypticase soy agar 178
 TSC see tryptose sulfite cycloserine (TSC) agar 131
 TSI reactions 230
T. thermosaccharolyticum see *Thermoanaerobacterium thermosaccharolyticum* 291, 296
 tween esterase test 273
 tween esterase test medium 429
 tyrosine agar 124, 429
- U**
- underprocessing 317
 Universal Peptone 337
 universal pre-enrichment broth 199, 236, 429
 Urea Agar Christensen 230
 urea broth 239, 430
 urea broth rapid 430
 urea indole broth 273, 430
 Urease and indole Test 273
 urease test 53, 230, 239
 urease test (rapid) 239
 UVM see universal pre-enrichment broth 199
- V**
- vaspar 296, 297, 299, 302–304, 431
V. cholerae see *Vibrio cholerae* 253, 254
 veal infusion broth 273, 431
 vegetative cells 314, 315
 Vi antigen 220
Vibrio 58, 249
Vibrio cholerae 249, 253–255, 261
 presence/absence method APHA 2001 and BAM/FDA 2004 255
 presence/absence method ISO 21872-1:2007 261
Vibrionaceae 250
Vibrio parahaemolyticus 249, 253, 254, 258, 261
 MPN method APHA 2001 and BAM/FDA 2004 258
 VIDAS *Listeria* (LIS) Assay 201
 VIDAS LMO2 Test 201
 VIDAS® *Salmonella* 226
 VIDAS *Listeria* (LIS) 201
 violet red bile glucose (VRBG) agar 84, 87, 432
 violet red bile (VRB) agar 91, 102, 431
 VIP for *Salmonella* 226
 VIP Gold for *Listeria* 201
Virgibacillus 291, 316
 Vitek System 226
 Voges Proskauer (VP) broth modified for *Bacillus* 124, 432
 Voges-Proskauer (VP) test 53, 91, 124, 230, 241
 Voges-Proskauer (VP) test reagents 96, 241, 432
 Voges-Proskauer (VP) Test Reagents ISO 433
V. parahaemolyticus see *Vibrio parahaemolyticus* 253, 254
- W**
- washing 12, 14, 16, 34, 44, 45
 water 4, 6
 Water for preparing media and reagents 335
Weissella 58, 151, 152, 154–157
Weissella viridescens 58
 Wet mounts 56
 whey 20
 White-Kauffmann-Le Minor System 220

X

X-GAL (5-bromo-4-chloro-3-indolyl- β -D-galactopyranoside) 89, 92
X-Glu 199
XLD 224, 238
XLT4 224, 245
X-Phos-Inositol 200
xylose lysine desoxycholate (XLD) agar 224, 227, 237, 433
xylose lysine tergitol 4 (XLT4) agar 224, 245, 434
X- β -D-Glucuronide 90

Y

yeast extract starch glucose (YSG) agar/broth 305, 306, 434
yeasts 67, 68

yeasts and molds 67, 71

Yersinia 58, 83

Yersinia enterocolitica 267, 270

epidemiology 270

presence/absence method ISO 10273:2003 270

taxonomy 267

Yersinia pseudotuberculosis 83, 267

Yersinia ruckeri 83

yogurts 18

Z

z value 312–314

Zygosaccharomyces 71

Zygosaccharomyces bailii 69, 71

Zygosaccharomyces bisporus 69–71

Zygosaccharomyces rouxii 71