

Subject Index

Boldface denotes illustration or figure

- N*-acetyl-*S*-allylcysteine (also called allyl mercapturic acid)
 in urine following consumption of garlic, 81
- addition reactions
 carbophilic, 196, **197**, 205, 223
 thiophilic, **205**
- ajoene (AHS(O)CH₂CH=CHSSAlI)
 antibiotic activity, 246, 399–401
B. subtilis, 399
E. coli, 399
H. pylori, 249, 399
K. pneumoniae, 399
M. phlei, 400
M. smegmatis, 400
P. aeruginosa, 399
S. aureus, 400
- anticancer activity
 basal cell carcinoma treatment, 258, **259**, **260**
 leukemia treatment, 262
 mechanism of, 262
- antifungal activity, 248, 319, 400, 401
- antithrombotic activity, 190, 270, 272
- antiviral activity, 253, 254
- cholesterol lowering and, 269
- discovery of, 190
- formation from allicin, 70, 172, **191**, **192**
- monomethyl and dimethyl analogs, 193
- name, derivation of, 190
- in oil-macerated garlic supplements, 239
- platelet aggregation effect of, 270, 272
- stability toward heat, 191
- stereochemistry of
 at C=C bond, 190
 at sulfoxide sulfur, 190, 191
- A. keratitis* (*Acanthamoeba keratitis*), garlic and, 253
- alembic, **62**, **64**
- S*-alk(en)ylcysteine sulfoxides, 141, 142
 in alliums, amounts and kinds, 396–398
- biosynthesis, **168–171**
 in *Brassica oleracea*, 170
- derivatization of, 144
- γ-glutamyl derivatives of, 165–171
- in *Leucocoryne*, 172
- in mushrooms, 172
- in *Petiveria alliacea*, 172
- in *Scorodocarpus borneensis* (wood garlic), 172
- in *Tulbaghia violacea* (society garlic), 172
- allelopathy, 26, 299, 300
- allicin (AHS(O)SAlI)
 ajoene from, 172
- allergy to, 288
- analysis of,
 by DART, 158, 159
 by LC-MS, from garlic and ramp, 145–147
 by SFC, from garlic, 165

- antibiotic activity of, 69, 72, 244, 318, 319, 399–401
 - E. coli*, 244, 245, 318, 399
 - E. faecalis*, 399
 - H. pylori*, 249, 399
 - K. pneumoniae*, 399
 - Leptotrichia buccalis*, 399
 - M. phlei*, 400
 - M. smegmatis*, 400
 - Pseudomonas aeruginosa*, 399
 - Pophyromonas gingivalis*, 399
 - P. intermedia*, 399
 - P. nigrescens*, 399
 - Proteus mirabilis*, 400
 - S. aureus*, 400
 - S. pyogenes*, 400
 - for antibiotic-resistant gastroenteritis, 246
 - for Gram-negative and -positive bacteria, 72, 245
- anticancer activity
 - in gastric adenocarcinoma, 259
 - mechanism of, 263
- antifungal activity of, 247, 318, 319, 400
 - polybutylcyanoacrylate nanoparticles of, 247
 - synergistic activity with amphotericin B, 247
- anti-inflammatory activity, 276
- antiparasitic activity of
 - A. keratitis* (due to *Acanthamoeba castellanii*), 253
 - amoebic dysentery (due to *Entamoeba histolytica*), 252, 401
 - Giardia lamblia*, 401
 - leishmanial strains, 401
- antitumor activity, 261
- antiviral activity, 254
- aroma and taste, 172
- common cold, treatment of, 254
- in crushed fresh garlic, 169
- cyanide poisoning, antidote for, 278, 279
- cysteine protease inhibitor, in malaria prevention, 253
- decomposition
 - during GC analysis, 154
 - at room temperature, 154, 172
- thioacrolein from, 155
- 3-vinyl-4*H*-1,2-dithiin and 2-vinyl-4*H*-1,3-dithiin from, 155
- formation
 - in *A. ursinum*, 136
 - in elephant garlic, 70
 - enzymatic from alliin, 69, 70, 71
 - rate of, 132, 135, 136
 - self-condensation of 2-propene-sulfenic acid, 106
 - targeted, using antibody-attached alliinase, 138
 - by oxidation of diallyl disulfide with P450 enzymes, 79
 - by oxidation of diallyl disulfide with peracids, 66, 100
- gastrointestinal mucosa, harmful effects on, 259
- germination inhibitor, for downy mildews, 319
- hydrogen-bonding acceptor, 70
- in situ* generation in antitumor therapy, 138, 261
- isolation of, 66–70, 100
- lifetime *in vivo* following injection in mice, 261
- lead poisoning antidote, 279
- mass spectral detection
 - direct, 70, 72, 158, 159
 - SFC with chemical ionization MS, 165
- microtubule-disruption by, 261
- molluscicide, 318
- optical inactivity of, 135
- permeability, skin and membranes, 73, 81, 138, 232
- as phytoanticipin, 300, 318
- platelet aggregation inhibition by, 273
- pseudo-, *see* 2-propenyl 2-propenethio-sulfonate
- reaction
 - with cysteine, 72, 74, 272, 273
 - with thiamin, 73
 - with thiols, 72, 74, 137, 138
- rearrangement to thiosulfoxylate, 156
- skin irritant, 291
- stability, in water, 69, 70, 172
- sulfur-sulfur bond, weakness of, 117, 173

- supercritical fluid extraction (SFE) of, 70, 145
 toxicity
 to rabbits, intravenously administered, 384
 to stored-product insect pests, 313
 tubulin polymerization inhibition, 261
 alliin (*S*-allylcysteine sulfoxide)
 see also S-alk(en)ylcysteine sulfoxides, 143
 activation by alliinase as aldimine, 133
 alliin precursor, 70, 71, 113
 chirality at sulfur
 absolute configuration, 104
 significance of, 104
 content in fresh garlic, 102, 145
 content in fresh onion, 150
 diastereomers of, 103
 discovery of, 101, 102
 enzymatic breakdown, rate of, 132
 in *A. sativum*, 136
 in *A. ursinum*, 136
 in garlic supplements, 239
 glycoside of, 170
 localization in cells, 132
 stereochemistry at sulfur, 102, 103, 104
 synthesis of, 102
 thermal stability of, 98, 99
 thiazoles from, on heating with glucose, 99
 alliinase, 132–138
 activation by pyridoxal-5'-phosphate, 133
 allergy to, 288
 characterization by X-ray crystallography, 132, 133
 cleavage rates of alliin analogs
 by *A. sativum* alliinase, 136, 137
 by *A. ursinum* alliinase, 136, 137
 conjugated to antibody, 138
 deactivation of, 144
 on immobilized support, 137
 in garlic supplements, 239
 localization in plants, 133
 purification of, 104
 stereoselectivity with cysteine sulfoxides, 104
 temperature, optimum, for activity, 137
 allithiamin, 73
 allitridin, *see* diallyl trisulfide
 Allium acutangulum, 425
 Allium acutiflorum, 416
 Allium atyncolicum
 flavor precursor content, 396
 Allium ampeloprasum, 414
 see also elephant garlic
 flavor precursor content, 396
 Ulpicum of Romans, 6
 Allium angulosum
 flavor precursor content, 396
 Allium arenarium, 415
 Allium ascalonicum, 416
 see also shallot
 Allium asperum, 408
 Allium atropurpureum, 430
 Allium besculium, 15, 16
 Allium caeruleum, 15, 16, 17
 Allium canadense, 15
 toxicity to animals, 289
 Allium carinatum, 407
 as weed, 12
 flavor precursor content, 396
 Allium carneum, 429
 Allium cepa, 419
 see also onion
 Allium chamaemoly, 426
 Allium chevsuricum
 flavor precursor content, 396
 Allium chinense (rakkyo)
 as food crop, 3, 24, 26
 methiin content, 141
 thiosulfates from, cut, 141
 Allium controversum, 413
 Allium cristophii, 15, 17
 Allium descendens, 418
 Allium fistulosum (Japanese bunching onion), 420
 as food crop, 3, 26
 non-bulbing, 11
 selenium compounds in, 217, 219
 flavor precursor content, 141, 396
 thiosulfates from, cut, 141
 Allium flavescens, 424
 Allium flavum, 410
 Allium fuscum, 410

- Allium giganteum*, 5, 15, 17
pigments from, 212, 213
- Allium globosum*, **422**
flavor precursor content, 396
- Allium gramineum*, 15, 16
- Allium hymenorrhizum*
flavor precursor content, 396
- Allium intermedium*, **411**
- Allium jesdianum*
flavor precursor content, 396
- Allium junceum*, 11, 12
- Allium juncifolium*, 12
- Allium karelinii*
flavor precursor content, 396
- Allium kermesinum*, **423**
flavor precursor content, 396
- Allium kurrat*
as food crop, 3
- Allium longicuspis*, 6
- Allium longifolium*, 15, 16
- Allium longispathum*, **412**
- Allium macleanii*
pigments from, **212**, 213
- Allium margaritaceum*, **416**
- Allium moly*, 15, **16**, 17, **426**
flavor precursor content, 397
- Allium montanum*, **425**
- Allium moschatum*, **423**
- Allium multibulbosum*, **431**
- Allium neapolitanum*, 15, **16**, **432**
flavor precursor content, 397
- Allium nigrum*, **430**
- Allium nutans*, 15, 31
- Allium obliquum*
flavor precursor content, 151, 397
- Allium ochroleucum*, **423**
- Allium oleraceum*, **412**
flavor precursor content, 397
- Allium pallens*, **409**
- Allium paniculatum*, **409**
flavor precursor content, 397
- Allium paradoxum*
flavor precursor content, 397
- Allium pedemontanum*, **429**
- Allium pendulinum*, **428**
- Allium permixtum*, **427**
- Allium porrum*, **414**
see also leek
- Allium praescissum*, **411**
- Allium pulchellum*, **408**
- Allium ramosum*, 15, 17
- Allium rosenbachianum*, 5, 15, 17
pigments from, 212, 213
thiosulfates from, cut, 141
- Allium rosenorum*
pigments from, 212, 213
- Allium roseum*, **429**
flavor precursor content, 397
- Allium rotundum*, **417**
- Allium sativum*, **413**
see also garlic
- Allium saxatile*, **422**
flavor precursor content, 397
- Allium schoenoprasum*, **421**
see also chives
flavor precursor content, 141, 397
- Allium schubertii*, 15
- Allium scorodoprasum* (sand leek), **12**, **415**
flavor precursor content, 151
- Allium sellovianum*, 12
- Allium senescens*
flavor precursor content, 397
- Allium sibiricum*, **421**
- Allium siculum* (*Nectaroscordum siculum*), 113, 114, 132
flavor precursor content, 152, 397
- Allium spathaceum*, 12
- Allium sphaerocephalum*, **417**
flavor precursor content, 397
- Allium stipitatum*, **214**
flavor precursor content, 397
2-pyridyl disulfides from, 213, 214
- Allium strictum*, **418**
- Allium suaveolens*, **424**
- Allium subhirsutum*, **427**
flavor precursor content, 397
- Allium tricoccum*, see ramp
- Allium triquetrum*, **15**, **428**
as weed, 12
flavor precursor content, 397
- Allium tuberosum*, see Chinese chives
- Allium tuncelianum*, 7

- Allium ursinum* (ramson; bear's garlic),
305, 432
 allelopathic effects of, 304-307
 edible plant, 3, 31, 32
 elevated sulfur emissions from, 306
 flavor precursor content, 152, 398
 growth characteristics, 12, 304-307
 herbal remedies involving, 231
 methyl ajoenes from, 193
 platelet aggregation inhibition by, 273
- Allium victorialis* (caucas), **433**
 flavor precursor content, 141, 151, 152, 397
 food crop, 3
 thiosulfinates from, cut, 141
- Allium vineale* (crow garlic), **415**
 flavor precursor content, 398
 toxicity to animals, 289
 weed, 12, 18, 19, 38
- Allium violaceum*, **407**
- alliums
 antimicrobial activity of, 92
 antiparasitic activity of, 251-253
Acanthamoeba keratitis (due to *Acanthamoeba castellanii*), 252, 253
 amoebic dysentery (due to *Entamoeba histolytica*), 252
 giardiasis (due to *Giardia intestinalis*), 252
 leishmaniasis (due to *Leishmania* species), 252, 253
 loiasis (due to *Loa loa*), 252
 malaria (due to *Plasmodium* species), 252, 253
 sleeping sickness (due to *Trypanosoma brucei*), 252, 253
 antitumor activity, **255, 256**
 in Bible, 1, 34
 botany of, 4-12
 center(s) of origin of species, 5, 6, 10
 characteristics of genus, 1, 2, 7
 chemotaxonomy of, 2, 152
 consumption and risk of cancer, 256-258
 cultivation
 ancient, 19-26
 modern, 27-32
 defense against predators, 75
 flowers of, 15
 geographic distribution, 11
 geographic origin of, determination of, 78
 herbs and spices, 91-93
 insect pests of, 11
 insect repellent, 26, 323, 324
 invasive weeds, 18-19
 in Koran, 1, 34
 iron absorption reduction following consumption of, 284
 metabolism of, 79
 names, derivation of, 1, 3
 non-sulfur-containing compounds in, 223
 odor of, when cut, 1-3, 13, 14, 18, 19, 26, 75
 ornamentals, 14-16, 17, 18, 212-214
 phytochemistry of, 12-14
 poisoning from
 anemia from, 289
 in cats and dogs, 289
 diagnosis of, 289
 Heinz-bodies in blood from, 290
 in livestock, 289, 290
 in small animals, 289
 trace metal profiles of, 78
- allicin, in garlic, 90
- allyl alcohol ($\text{CH}_2=\text{CHCH}_2\text{OH}$), 63, 64, 98
- anticandidal activity, 247
- antiparasitic activity
Giardia intestinalis, 252
 formation from allicin, 156, 172, **173**
- S*-allylcysteine (SAC)
 in aged garlic extract garlic supplements, 239
 in crushed fresh garlic, 169
 heat stability of, 98
 in human plasma after garlic consumption, 81
- S*-allylcysteine sulfoxide, *see* alliin
- allyl group ($\text{CH}_2=\text{CHCH}_2$), derivation of name, 64
- allyl isothiocyanate
 ($\text{CH}_2=\text{CHCH}_2\text{N}=\text{C}=\text{S}$), 74
- S*-allylmercaptocysteine, 69, 72
- allyl methyl disulfide (AllSSMe or $\text{CH}_2=\text{CHCH}_2\text{SSMe}$)
 in sweat following garlic consumption, 83

- allyl methyl selenide (AllSeMe or $\text{CH}_2=\text{CHCH}_2\text{SeMe}$)
in human garlic breath, 81
- allyl methyl sulfide (AllSMe or $\text{CH}_2=\text{CHCH}_2\text{SMc}$; AMS),
breath odor following garlic consumption, 83
inability to oxidize due to metabolic defect, 83
metabolic formation of from diallyl disulfide, 79, 81
oxidation by cytochrome P450 enzymes, 79
perspiration odor following garlic consumption, 83
- allyl methyl thiosulfates (MeS(O)SAll, MeSS(O)All)
in alliums, by paper chromatography, 141
in alliums, by LC-MS, 147
in crushed fresh garlic, 169
direct mass spectrometric detection with DART, 158, 159, 161
formation from reaction of allicin with methanesulfenic acid, 161
- allyl methyl trisulfide (AllS₃Me), synthesis of, 181
- allyl 1-propenyl thiosulfates (MeCH=CHS(O)SAll, MeCH=CHSS(O)All)
in alliums, by LC-MS, 147
E/Z isomerization of, 148, 150
synthesis of, 149
- Alzheimer's disease, onions and, 267
- aminoacrylic acid, 106, 134, 158
- analytical methods, *see* capillary electrophoresis, chromatography, infrared, nuclear magnetic resonance, ultraviolet and X-ray absorption spectroscopy, circular dichroism spectra, atomic force microscopy
- anthocyanins, in garlic and onions, 89, 90
- antioxidants, 193–195, 266
allicin as, 193
2,4-dihydroxy-2,5-dimethylthiophene-3-one (thiacremonone) as, 194
from garlic, 267
health benefits of, 266
metal-coordinating ability and, 194
organoselenium compounds in alliums as, 194
pro-oxidants and, 194, 195
2-propenesulfenic acid as peroxy radical trap, 193
quercetins and other flavonols from onion, 94, 194
reactive oxygen species (ROS) and, 193
from skins of garlic and onion, 90
- Apitz-Castro, Rafael, 190
- Aristophanes, on alliums, 35, 58, 225
- artifact formation in *Allium* chemistry, 154, 175, 176, 201
- atomic emission detector (AED), *see* under chromatography
- atomic force microscopy (AFM), examination of antimicrobial action of garlic extracts with, 245
- Auger, Jacques, 154, 198, 301
- Bayer, Thomas, 196, 199, 204
- beekeeping (apiculture)
garlic extracts sprays as miticides for, 317
- biosensors, specific for cysteine sulfoxides, 165
- birds, garlic extracts and oils as repellents for, 321, 322
- bis(1-propenyl) disulfide $[(\text{MeCH}=\text{CHS})_2]$, 176, 199–202
elevated levels of, from tearless onions, 208, 209
oxidation of, 202, 203
synthesis of individual stereoisomers, 200
in volatiles from forest air near *A. ursinum*, 304, 306
- bis-sulfine (2,3-dimethyl-1,4-butane-dithial 1,4-dioxide)
mechanism of formation, 205
from onion, 204–206
role in greening of garlic and pinking of onions, 209–212
stereochemistry of, 204, 205
synthesis, 205
- Blank, Les, on garlic, 43, 44

- Block, Eric, 68, 132, 154, 176, 186, 190, 191, 199, 210, 217
- bond strengths, in *Allium* sulfur compounds
 diallyl disulfide, S-S and C-S, 186
 α -disulfoxide, S-S, 206
 sulfenic acids, O-H, 194
 tetrasulfides, S-S, 190
 thiosulfates, S-S, 117
 trisulfides, S-S, 190
- Bower Manuscript*, 57, 228, 229
- botulism from garlic-in-oil preparations, 285, 286
- British Pharmaceutical Codex*, garlic uses, 232
- Brodnitz, M. H., 113
- Browning, Elizabeth Barrett, on alliums, 37
- Bulbus Allii Cepae* (World Health Organization)
 health benefits of onion, 237, 238
- Bulbus Allii Sativi* (World Health Organization)
 health benefits of garlic, 237-239
- butanethial S-oxide (PrCH=S=O), 114, 132
- 1-butensulfenic acid (EtCH=CHS-O-H), 112, 114
- butiin (S-(1-butyl)cysteine sulfoxide), 143
 enzymatic breakdown, rate of, 132
A. sativum alliinase, 136
A. ursinum alliinase, 136
 in *A. siculum*, 152
- S-(buten-1-yl)cysteine sulfoxide, 112, 143, 151, 152
- cadmium (Cd) ion toxicity, diallyl tetrasulfide as antidote for, 183
- Cahours, Auguste, 61, 62, 64, 65
- Calvey, Elizabeth, 198
- cancer and garlic consumption, 256-258
- capillary electrophoresis (CE), 165
- Carson, J.F., 109
- catenation, 176
- Cavallito, Chester J., 66, 67, 69, 72, 100-102, 135
- cepaenes [RS(O)CHEtSSR'], 153, 196, 197, 198
 anti-inflammatory properties, 197, 280
 discovery of, 196-198
 formation, mechanism of, 196, 197
 platelet aggregation inhibitors, 196, 198
 stereoisomers of, 197, 198
 synthesis, 198
 in wound-healing preparations, 281
- Cervantes, Miguel de, on alliums, 36
- Chaucer, Geoffrey, on alliums, 36
- chemotaxonomy, 2, 152
- Child, Julia, 93
- China
 growing and harvesting garlic in, 27, 28
- Chinese chives
 allelopathic effects of, 307
 flavor precursor content, 141, 397
 as food crop, 3, 24, 31
 traditional medicine usage in Korea, 260
- Chipollino* (*The Little Onion*), 40, 41, 44, 53, 54
- chives
 culinary usage of, 31
 cultivation of, 31
 geographic distribution, 12
 herbal remedies involving, 225
 selenium compounds from, 219
- cholesterol, garlic and garlic supplements and, 267-269
- Chopping Garlic* (David Young), 42
- chromatography
 gas (GC), 152-155, 175, 176
 analytical method for LF, 128, 129
 atomic emission detection (GC-AED), 217, 218, 219
 artifact formation using, 154, 176, 201
 chiral-phase, 200
 with coupled mass spectrometer (GC-MS), 128, 131, 152-154, 185
 headspace sampler with (HS-GC), 217, 218
 preparative, 114, 152
- high performance liquid (HPLC), 142, 144-148
- cation-exchange, 167
- chiral-phase, 198
 with ICP-MS, 219, 220
 normal-phase, 144, 145
 preparative, 148, 198
 reversed-phase, 144, 145, 176

- with coupled mass spectrometer (LC-MS), 142, 144–146, 154, 303
- with inductively coupled plasma mass spectrometer (HPLC-ICP-MS), 219
- ion-exchange, 108, 167
- paper, 108, 139, 131, 141, 167
- supercritical fluid (SFC), 165
- thin layer (TLC), 141
 - preparative, 148
- ultra performance liquid (UPLC), 177, 178, 185
- circular dichroism (CD) of chiral sulfoxides, 198
- clinical trials
 - garlic supplements and constituents, 267–271, 296
 - bacterial infections, 249, 250
 - basal cell carcinoma, 258, 259
 - Chinese, 250
 - cholesterol and lipid lowering, 267–271, 275
 - colorectal cancer, 258
 - common cold, 254
 - diabetes, 278
 - gastric (stomach) cancer including adenocarcinoma, 257–259
 - hypertension, 275
 - nonmelanoma skin cancer, 258–260
 - precancerous lesions, 249
 - types of, 241, 242
 - onion preparations, wound healing, 281, 282
 - types, 241, 242
- Codex Ebers (Ebers Papyrus)*, 225
- Cody, R.B., 159
- Colchicum autumnale* (meadow saffron)
 - mistaken in wild for *Allium ursinum*, 32
 - companion planting with alliums, 322–325
 - cooking, effects on *Allium* compounds, 93–99
- Cremer, Dieter, 126
- cultivars, 3
- cyanide poisoning, diallyl disulfide as
 - antidote for, 183, 278, 279
- [2+2]-cycloaddition, intramolecular, in zwiebelane formation, 203, 204, 206
- [3+2]-cycloadditions, *see* 1,3-dipolar cycloadditions
- [4+2]-cycloadditions, *see* Diels-Alder reaction
- cycloalliin, 109, 167
- Dane, A.J., 159
- DART, *see* mass spectrometry, direct analysis in real time
- Dasuansu, *see* diallyl trisulfide
- De Materia Medica*, 228
- dc Maupassant, Guy, on alliums, 38
- deuterium isotope effect, 128
- diallyl disulfide [DADS; All_2S_2 or $(\text{CH}_2=\text{CHCH}_2\text{S})_2$]
 - allergy to, 288
 - antibiotic activity, 399–401
 - antiparasitic activity
 - Giardia intestinalis*, 252
 - bird repellent, 321, 322
 - bond strengths, S–S and C–S, 186
 - cyanide poisoning, antidote for, 183, 278, 279
 - environmental persistence, 315
 - formation from allicin, 172, 173
 - fumigant, 312, 313
 - fungicide, 312, 319
 - garlic oil component, 66, 68, 172, 175–180
 - germination trigger for onion white rot fungus, 319, 320
 - glove penetration by, 288
 - hydrogen sulfide formation from, 81
 - metabolism of, 79
 - oxidation to allicin
 - by peracids, 68
 - by P450 enzymes, 79
 - pungency of, 74
 - reduction to H_2S , by glutathione, 83
 - thiosulfoxide isomer ($\text{All}_2\text{S}=\text{S}$)
 - formation, 182
 - reaction with cyanide ion, 183
 - reaction with elemental sulfur, 182
 - toxicity toward mosquito larvae and pupae, 315
- diallyl hexasulfide (All_2S_6), 176, 177–180
- diallyl pentasulfide (All_2S_5), 176, 177–180

- diallyl polysulfides (polysulfanes; All_2S_n)
 analysis by UPLC-(Ag^+)CIS-MS, 177, 185
 antibiotic activity, 182, 399–401
 anticandidal activity, 247
 antiparasitic activity of, in *A. keratitis*,
 toward *Acanthamoeba castellanii*,
 253
 biological activity as a function of
 number of sulfur atoms, 182, 183
 disproportionation of, 186, 190
 formation
 from allicin, 172, **173**
 from alliin, cystine and alliinase, 183,
184
 from diallyl disulfide and sulfur, **182**
 from 2-propenethiol and S_2Cl_2 , **181**
 garlic oil component, 66, 70, 172,
 175–180, 182
 isomerization of, to thiosulfoxide forms,
 186
 mechanism of anticancer activity, 263
 metal chelating ability, biological
 relevance of, 183
 separation
 HPLC, **183**
 thermal instability of, 176
 diallyl sulfide (All_2S ; DAS)
 antibiotic activity, 399–401
 early studies of, 62–66
 in garlic oil, 64–66, 175–180
 pungency of, 74
 pyrolysis of, **155**, 156
 in swear following garlic consumption, 83
 synthesis of, **63**
 thioacrolein from, **155**, 156
 toxicity toward mosquito larvae, 315
 diallyl tetrasulfide (All_2S_4)
 antibiotic activity, 175, 399–401
 toward *H. pylori*, 249
 anticandidal activity, 247
 bird repellent, 321, 322
 cyanide poisoning, antidote for, 278, 279
 disproportionation of, to trisulfide and
 pentasulfide, 186, 190
 in garlic oil, 66, 175–180
 synthesis of, 181
 diallyl trisulfide (also DAT, allitridin or
 Dasuansu; All_2S_3), 66, 74
 antibiotic activity, 246, 399–401
 toward *H. pylori*, 249
 anticandidal activity, 247
 antifungal activity, 246
 antiparasitic activity, 246
 amoebic dysentery (*Entamoeba*
histolytica), 252
 sleeping sickness (*Trypanosoma*
brucei), 253
 antitumor activity, 262
 bird repellent, 321, 322
 Chinese proprietary drug Dasuansu, 246
 cryptococcal meningitis treatment by, 246
 disproportionation of, 190
 formation from allicin, 172, **173**
 fumigant, 312
 garlic oil, dominant component in, 66,
 172, 175–180
 gastric cancer and, 257
 mechanism of anticancer activity, 262,
 263
 platelet aggregation inhibition by, 273
 pungency of, 74
 reactive oxygen species (ROS)
 generation by, 195
 reduction to H_2S by glutathione, 83
 synergistic activity with amphotericin B,
 247
 toxicity
 human, 246, 27
 mosquito larvae, 315
 3,5-diethyl-1,2,4-trithiolanes (from onions),
 159, **160**
 Dietary Supplement Health Education
 Act of 1994 (DSHEA), 234
 Dietary Supplement and Non-
 prescription Drug Consumer
 Protection Act of 2006, 235
 dietary supplements
 characterization of, requirements for
 publications on, 236
 garlic, 232, **233**, 234
trans-3,4-diethyl-1,2-dithietane 1,1-dioxide
 (LF dimer), **131**

- 2,3-dimethyl-1,4-butanedithial 1,4-dioxide,
from onion, *see* bis-sulfine
- dimethyl disulfide (MeSSMe)
oxidation with peracids, 68
S-S bond strength in, 117
in sweat following garlic consumption,
83
toxicity toward stored-product insect
pests, 313
- 2,2-dimethylpropanethial S-oxide
(Me₃CCH=S=O)
absence of lachrymatory activity, 125
(*E*)- and (*Z*)-isomers of, 125
preparation, 125
- dimethyl selenide, in human garlic breath,
81
- 3,4-dimethylthiophene
from forest air near *A. ursinum*, 306
from onion oil, 153, 201
- Dioscorides, 228
- 1,3-dipolar cycloadditions, 131, 203, 204
- Directive on Traditional Herbal Medicinal
Products 2005 (E.U.), 236
- α -disulfoxides
intermediacy of, 205, 206
S-S bond energy in, 206
- 1,3-dithietane 1-oxide, 121
- 1,3-dithietane 1,3-dioxide, 121, 130
- dithiins, 213, 239, 270, 275
see also 3-vinyl-4*H*-1,2-dithiin and 2-
vinyl-4*H*-1,3-dithiin
- 2,2'-dithio-bis-pyridine derivatives in *A.*
stipitatum, 213, 214
- 3*H*-1,2-dithiole
formation of, 156
in garlic extracts, 156
- 3,3'-dithio-2,2'-pyrrole, 213
- Doran, J. A., 150, 151
- Dumuzid's ('Shepherd's') Dream, 35
- dyes, onion skin derived, 86
- Egypt
ancient use of alliums, 21, 22, 23
modern use of alliums, 24, 25
- elephant garlic, 30, 31, 350
selenium compounds in, 217
- epidemiological studies involving alliums,
249, 258, 265, 266
- Esquivel, Laura, on alliums, 42
- essential oil, definition of, 69
- ethanethial S-oxide (MeCH=S=O)
(*E*)- and (*Z*)-isomers of, 114, 125
enhanced stability of (*Z*)-isomer of
(‘syn effect’), 126
formation from ethansulfinyl
chloride, 114
rearrangement from ethenesulfenic
acid, transition state for, 129, 130
- ethenesulfenic acid (CH₂=CHS-O-H)
acetaldehyde from, 124
decomposition, FVP, to thioketene, 123
formation
from *t*-butyl ethenyl sulfoxide, by
pyrolysis, 123
from *S*-ethenylcysteine sulfoxide and
alliinase, 112
reassignment as ethanethial S-oxide,
114
rearrangement to ethanethial S-oxide,
transition state for, 129, 130
trapping, 123
- S*-ethenylcysteine sulfoxide, 112
- ethiin (*S*-ethenylcysteine sulfoxide), 143
in leek, 151
reactivity toward alliinase, 136
- European Scientific Cooperative on
Phytotherapy (ESCO; E.U.)
information on health benefits of garlic,
237, 238
- extraction, supercritical fluid (SFE), 70,
145, 153
- Food and Drug Administration ((U.S.)
FDA), 234, 235, 240–242
- flash distillation
apparatus for, 124
- flash vacuum pyrolysis (FVP)
apparatus for, 117, 118
of 1,3-dithietane *S*-oxides, 121
of *t*-butyl ethenyl sulfoxide, 122, 123
of *t*-butyl 1-propenyl sulfoxide, 122
thioacrolein formation by, 155, 156

flavonoids

- from onions and shallots, 88, 94, 95
- loss on cooking onions, 95

Franklin, Benjamin, on alliums, 37

fructans in garlic, 97, 98

Garlic is as Good as Ten Mothers (film), 43

The Garlic Song, 43

garlic

- allergies to, 288
- antidote for cyanide, arsenic and lead-poisoning, 278, 279
- antihypertensive activity of, 273–275, 296
- hydrogen sulfide and, 274
- TRPA1 and, 274
- antitumor and cancer-preventive activity, 254, 255, 256, 264
- aspirin, risks of bleeding from combination, 272
- bacterial infection treatment, paucity of clinical trials on, 249, 250
- bleeding, risk from use of, 295
- botulism from garlic-in-oil products, 285, 286
- burns from, 291, 292, 293, 294
- choking on cloves, 286, 287
- cholesterol lowering, 267–269, 296
- cardiovascular benefits, 264, 277
- center of origin, 10
- clay models of, ancient, 21
- contact dermatitis from, 288
- cooking, 96, 97
- crushing, methods of, 95, 96
- cultivars, 8, 9
- cultivation, distribution today, 24, 28–30
- dehydration (drying) of
 - commercial methods, 98
 - historical, 21
- diabetes and, 277, 278
- Diels-Alder reactions, of thioacrolein
 - dimerization, 155
 - with pyrroles, 210
 - thioallylic double bonds, 186, 189
- dietary supplements, 232, 233, 234–240
 - legal ruling on, 239
 - types, 239
- distillation of, 62, 65, 66

dome (architecture)

Casa Batlló (Barcelona), 51, 52
and 'evil eye,' 57, 58

extracts

- aged, 239
 - in cancer trial, 249
 - in cholesterol-lowering trial, 267–269
 - in hyperhomocysteinemia, 276
 - sulfur-containing components, 168, 169

anti-feeding effect toward sandflies, 314

antifungal activity, 245, 247, 319

antimicrobial action

- atomic force microscopy (AFM)
 - examination of, 245
 - toward oral bacteria causing periodontitis, 248

antiparasitic activity

- Giardia intestinalis*, 252
- Leishmania major*, 253
- Loa loa*, 253

arsenic poisoning antidote, 279

insect and nematode repellent, 308, 309, 314, 316, 323

insecticide

- Asian bee mite (*Tropilaelaps clareae*), 317
- cabbage root fly (*Delia radicum*), 316
- housefly (*Musca domestica*), 316
- legume pod borer moth (*Maruca vitrata*), 312, 314
- northem fowl mites (*Ornithonyssus sylvarum*), 316
- poultry red mite (*Dermanyssus gallinae*), 316, 317

lead poisoning antidote, 279

molluscicide, 317, 318

nematicide, 308–311

nitric oxide synthase stimulation by, 252

pesticides, batch inconsistency with, 315, 316

toxicity

- animal, 288, 289
- mosquito larvae, 315
- stored-product insect pests, 313

- face mask, for treatment of tuberculosis, 250, 251
- flavor precursor content, 141, 397
- alliin, 141, 397
 - N*-(γ -glutamyl)-*S*-allylcysteine (Glu-AC), 167, 168
 - N*-(γ -glutamyl)-*S*-(*E*)-1-propenylcysteine (Glu-PEC), 167, 168
- food, ancient, 4, 19–22, 24
- fructans from, 97, 98
- as germination inhibitor, 307
- glue from, used in ancient gildings, 47, 90, 91
- green (meaning 'uncured'), 30
- greening of
- cause of, 209–212
 - prevention of, 211, 212
 - use in making 'Laba' pickled garlic, 212
- harvesting of, 12
- heartburn (gastric reflux) and, 285
- hematoma, from excess consumption of, 295
- herb-drug interactions, adverse, from
- 290, 291, 294, 295
 - anti-HIV drugs, 294
 - Plavix[®], 294
- hepatopulmonary syndrome and, 277
- herbal remedies involving, 227–232
- high-altitude sickness and, 276, 277
- 'impure food', 57
- irritation of
- digestive tract, 284
 - skin, 291, 292, 293, 294
- jewelry, 52
- Jews
- anti-Semitism and, 56
 - 'garlic eaters', 54
 - garlic talisman and 'evil eye', 57, 58
 - Talmudic discussions concerning, 54, 56
 - tuberculosis and, 56
- largest, 11
- liver damage, from excessive consumption, 283
- macerate
- effect on blood pressure, 275
 - effect on lipid levels, 275
- marketing of, 24, 25
- metabolism, 79–84
- acetone from, 81
 - N*-acetyl-*S*-allylcysteine from, 81
 - allyl methyl sulfide from, 81
 - dimethyl selenide from, 81
 - hydrogen sulfide from, 81–83
- odor of
- in amniotic fluid of pregnant women following ingestion of, 284
 - in breath, 79, 80
 - allyl methyl sulfide in, 80, 81, 83
 - ancient fertility test, 85
 - chlorophyll effect on, 84
 - forensic significance of, 84, 85
 - gut (stomach) origin of, 80
 - halitosis due to impaired sulfoxidation ability, 284
 - hydrogen sulfide in, 82, 83
 - ingestion of arsenic, phosphorus, selenium, or tellurium compounds as cause, 85
 - mouth (buccal) origin of, 80
 - mushroom effect on, 84
 - neutralization of, 84
 - of newborn babies, 284
 - organoselenium compounds in, 81
 - 2-propenethiol in, 80, 81
 - pulmonary (alveolar) origin of, 80
- in human breast milk, suckling
- behavior of infants and, 284, 285
- plant, 14, 78
- in skin from perspiration, 79, 83, 85
- enhanced due to impaired sulfoxidation ability, 284
- oil of garlic, distilled, 66, 70
- analysis of
 - by GC and HPLC, 175–178
 - by LC-coordination ion spray mass spectrometry (LC-(Ag⁺)CIS-MS), 177, 178, 180, 185
- anticancer activity in clinical trials, 249
- bird repellent, 321, 322
- diallyl trisulfide as major component of, 175
- formation from allicin, 172, 173, 174

- H. pylori* activity in clinical trial, 249
 in garlic supplements, 239
 sulfur-treated, 178
 yield of, from fresh garlic, 175
 origin of
 derivation of name, 1, 3, 4
 Moslem legend, 57
 pickled (*also* Laba), 97, 212
 platelet aggregation and, 271
 pre-eclampsia and, 285
 press. 95, 96
 propagation of, 9–11
 pungency of, 73, 75
 repellency by, 75
 consumed, toward mosquitoes, 315
 religious bans on usage, 2, 56, 57
 scapes, 8
 Skira (Skiraphoria; Greek festival), 58
 sterility of, 9–11
 storage of, 30
 sub-species, 7, 8
 supplements
 antihypertensive activity of, 273–275
 anti-inflammatory activity, 276
 cholesterol lowering and, 267–269
 herb-drug interactions, adverse, from
 use, 290, 291
 hyperhomocysteinemia and, 276
 platelet aggregation and, 270, 271
 as talisman, 57, 58
 in Talmudic legend, 40
 tuberculosis treatment and, 250, 251
 wild ancestors, 10
 garlic chives, repellency toward Japanese
 beetles, 324, 325
 Garlicin (garlic supplement), 169, 268
 Gaudí, Antonio, 51, 52
 germanium (Ge) compounds in alliums,
 222
 giardia, garlic and, 252
 Gillies, Charles, 126
 Gillies, Jennifer, 126
N-(γ -glutamyl)-*S*-allylcysteine (Glu-AC).
 166, 167, 168, 169, 171
N-(γ -glutamyl)-*S*-allylcysteine sulfoxide
 (Glu-ACSO), 166, 167
N-(γ -glutamyl)-*S*-(β -carboxypropyl)-
 cysteinylglycine, 170, 171
N-(γ -glutamyl)-*S*-(methyl)cysteine (Glu-
 MC), 166, 167, 171
N-(γ -glutamyl)-*S*-(methyl)cysteine
 sulfoxide (Glu-MCSO), 166, 167, 171
N-(γ -glutamyl)-*S*-(*E*)-1-propenylcysteine
 (Glu-PEC), 166, 167, 168, 169, 171
N-(γ -glutamyl)-*S*-(*E*)-1-propenylcysteine
 sulfoxide (Glu-PECSO), 166, 167,
 169, 171
 γ -glutamyl transpeptidase enzymes, 170,
 210
 Granroth, Bengt, 175
 Grant, Ulysses S., 27
 Greek magical papyrus, 225
 Hardy, Thomas, on alliums, 38
 Harpp, David, 181
 Hawthorne, Nathaniel, on alliums, 37
 HDL. *see* cholesterol
 Health Canada, Internet information on
 health benefits of garlic, 237, 238
 hepatitis A, from green onions, 286
 2-*n*-hexyl-5-methyl-3(2*H*)furanone, in
 onions, 153
 Hofmann, August Wilhelm von, 62, 63,
 65
 Horace, on garlic, 41
 hydrogen sulfide (H₂S)
 in human breath following garlic
 consumption, 82
 as cell signaling agent, 81
 formation
 from diallyl disulfide and trisulfide, 81
 from garlic by red blood cells, 81, 82
 from hydrolysis of onion LF, 83
 from 2-mercapto-3,4-dimethyl-2,3-
 dihydrothiophene, 201
 in onion volatiles, 112, 159, 160
 prevention of damage from heart
 attacks by, 81, 82
 reaction, with 2-methyl 2-pentenal, 207
 source of sulfur for alliums, 169
 as vasodilator, 81, 265
 hyperlipidemia, *see* cholesterol

- Imai, S., 138
- inductively coupled plasma mass spectrometry (ICP-MS), *see under* chromatography
- infrared spectroscopy
- isoalliin S=O, 109
 - onion LF, 113
 - onion LF dimer, 130
 - thiosulfinate versus sulfoxide S=O, 191, 198
- Inside the Onion* (Howard Nemerov), 42
- intercropping with alliums, 322–325
- International Symposium on Edible Alliaceae, 2
- Internet, quality of information on garlic supplements, 236, 237
- IR, *see* infrared spectroscopy
- isoalliin (*S*-(*E*)-1-propenylcysteine *S*-oxide) *see also* *S*-alk(en)ylcysteine sulfoxides, **143**
- concentration in leek, 151
 - concentration in onions, 150, 208
 - characterization by IR spectroscopy, 109
 - double-bond stereochemistry by NMR spectroscopy, 109
 - enzymatic breakdown
 - by garlic alliinase in absence of LFS, 138
 - rate of in *A. sativum*, **136**
 - rate of in *A. ursinum*, **136**
 - role in greening of garlic and pinking of onions, 209–212
 - mis-identification as propiin in alliums, **144**
 - isolation, 108
 - onion LF precursor, 70, **71**, 77, 113–115, 138, 139
 - synthesis, **110**
- Iyer, Raji, 185
- Jain, Mahendra K., 190
- Kawakishi, Shunro, 196
- Khachatryan, Karen, on onions, 44, 53, 54
- Kice, John, 191
- Kipling, Rudyard, on alliums, 30, 308
- Kyolic (garlic supplement), 168, 169, 268 *see also* 'garlic, extracts, aged'
- lachrymatory factor (LF) of onion
- analytical method for, 128, 129
 - detection using X-ray absorption spectroscopy, 163
 - deuterium-labeled, 127
 - dimer of, 131
 - direct mass spectrometric detection with DART, 129, **158**
 - formation, 71, 110–115, 122, 127
 - GC-MS analysis, **128**
 - isolation, 107, 122, 128
 - levels of, in onions, 129
 - mechanism of action, 76, 125, 126
 - neutralizing effect, 76
 - precursor, 70, 127
 - pyruvate levels, correlation with, 129
 - reaction with cysteine, 74
 - reduction in levels of, through genetic engineering, 77
 - structure, 110–115, 122
- lachrymatory factor synthase (LFS)
- of onion, 71, 138–139, **140**
 - silencing, 77, 78, 207–209
- Lawson, Larry D., 161, 247
- LDL, *see* cholesterol
- leishmaniasis, garlic and, 253
- leek
- antitumor activity, **255**, 256
 - coin, 52, **53**
 - culinary usage of, 31
 - cultivation of, 31
 - food, ancient, 4, 20, 26
 - herbal remedies involving, 53, 225, 227, **230**
 - moth (*Acrolepiopsis assectella*), 301, **302**
 - origin of name, 4
 - response to herbivore attack by, 301, **302**, 303, 304
 - storage of, 31
- LF, *see* lachrymatory factor (LF) of onion
- Lindgren, Carl, 244
- loiasis (African eyeworm), garlic and, 253
- Loudon, Mrs. Jane Webb, 14–16
- Maillard reaction of alliums, 98, 99
- Markovnikov and anti-Markovnikov radical additions, 186

- malaria, garlic and, 252, 253
 mass spectrometry
 ambient
 desorption electrospray ionization (DESI), 157, 161, 162
 direct analysis in real time (DART), positive ion (PI-DART) and negative ion (NI-DART), 121, 132, 157–161
 extractive electrospray ionization (EESI), 157, 162
 silver ion facilitated, 162, 180
 plasma-assisted desorption/ionization (PADI), 157, 162
 chemical ionization (CI) (also atmospheric pressure chemical ionization (APCI)), 154, 165
 coordination silver ion spray (LC-(Ag⁺)CIS-MS), 177, 178, 180, 185
 deuterium isotope exchange studies and, 111
 high resolution (HRMS), 158–160
 isotopic dilution methods of analysis, 207
 onion LF measurement, 108, 110–112
 medical studies, of food and dietary supplements
 case-control studies, 242
 disease risk determination, 243
 in vitro, 243
 in vivo, 242, 243
 prospective (retrospective) observational studies, 241, 242
 randomized controlled trials, 241
Melanocrommyum, as *Allium* subgenus, 17, 18
 2-mercapto-3,4-dimethyl-2,3-dihydrothiophene
 elevated, from tearless onions, 208, 209
 precursor of 3,4-dimethylthiophene, 201
 3-mercapto-2-methylpentan-1-ol, 207
 methane (CH₄)
 reduction in ruminant production of, by alliums, 19
 methanesulfinic acid (MeSO₂H), 119, 120
 acidity of (pK_a), 120
 methanesulfinic acid (MeS–O–H), *see also* sulfinic acids
 acidity of (pK_a), 120
 formation, 115–120, 191, 192
 deuterium exchange, 119
 lifetime in gas phase, 119
 pyrolysis giving thioformaldehyde, 119
 self-condensation giving methyl methanethiosulfinate, 119–121
 structure, 119, 120
 trapping, 116, 117, 192
 methanesulfonic acid (MeSO₃H), 119, 120
 acidity of (pK_a), 120
 methiin (*S*-methylcysteine *S*-oxide)
 see also S-alk(en)ylcysteine sulfoxides
 absolute configuration at sulfur by X-ray crystallography, 104, 105
 concentration in leek, 151
 concentration in onions, 150
 concentration in ornamental alliums, 151
 enzymatic breakdown, rate of
 in *A. sativum*, 136
 in *A. ursinum*, 136
 synthesis of, 104
 methyl methanethiosulfinate (MeS(O)SMe)
 see also thiosulfonates
 reactions
 disproportionation to MeSSMe and MeSO₂SMe, 207
 methanesulfinic acid and thioformaldehyde from, 115, 116
 2,3,5-trithiahexane 5-oxide from, 191, 192
 formation
 from dimethyl disulfide, 68, 116
 from methiin, 104
 platelet aggregation inhibition by, 273
 properties, 115
 methyl methanethiosulfonate (MeSO₂SMe)
 see also thiosulfonates
 in alliums, by paper chromatography, 141
 from disproportionation of MeS(O)SMe, 115, 116
 synthesis from dimethyl disulfide, 116
 2-methyl-2-pentenal
 hydrogen sulfide adduct of, 207
 propanal (aldol) self-condensation product, 112, 306

- methyl 1-propenyl thiosulfates
 (MeCH=CHS(O)SMe,
 MeCH=CHSS(O)Me)
see also thiosulfates
 in alliums, by LC-MS, 147
E/Z isomerization of, 148, 150
 synthesis of, 149
- microwave spectroscopy
 description of, 117, 126
 structure of methanesulfenic acid by,
 119, 120
 structure of propanethial *S*-oxide (LF)
 by, 122, 127
 structure of thioformaldehyde by, 117
 structure of thioformaldehyde *S*-oxide
 by, 121, 122
- milk
 garlic-fortified, for Brahmins, 229
 tainting of, by wild garlic, 18, 85
- Minchin, William C., 250, 251
- Morimitsu, Yasujiro, 196
- mosquitoes
 repellency of consumed garlic towards,
 315
 toxicity of garlic extracts towards, 312
- Nash, Thomas, 51
- nematodes
 avoidance of garlic by, 308, 309
 damage to carrots, 309
 numbers in soil, 308
 toxicity of garlic preparations towards,
 308–310
 toxicity of onion oil towards, 310
 toxicity of thiosulfates and
 thiosulfonates towards, 310
- National Center for Complementary and
 Alternative Medicine (NCCAM;
 U.S.A.), garlic health benefit
 information, 237, 238
- The Natural History* (Pliny the Elder),
 225, 226
- Nectaroscordum siculum*, *see Allium
 siculum*
- nematicides (preferred over 'nematocides'),
 garlic oil based, 223, 308–311
- Nemerov, Howard (*Inside the Onion*), 42
- Neszmelyi, Andras, 199
- nitric oxide (NO) synthase
 cardiovascular disease role, 265
 parasite killing role, 253
 stimulation by garlic extracts, 252, 265,
 277
- NMR, *see* nuclear magnetic resonance
 spectroscopy
- nociceptors (pain receptors), 73
- nuclear magnetic resonance (NMR)
 spectroscopy
 of allicin, 199
 of garlic oil, 177, 178, 179, 180, 181
 isoalliin C=C stereochemistry, 109, 110
 low temperature, 202
 nonlinearity of sulfines, 113
 of onion oil, 181
 of onions, LF identification by, 123–125
 of propanal from onions, 125
 of 1-propenyl 1-propenethiosulfate
 isomers, 202
 of synthetic 1-propenyl thiosulfates,
 148
 of zwibelanes, 199
- O'Henry (William Sydney Porter), on
 onion, 40
- olfactory sensitivity to sulfur compounds
 low threshold, 207
 as protection against toxins, 75
 role of metal ions in, 75
- onion
 antibiotic and antifungal activity of
 extracts and oils, 246, 247
 anti-inflammatory activity, 279, 280
 mechanism of, 280
 antitumor activity, 255, 256
 bone loss decrease from, 282, 283
 burial relic, 23
 braiding (tying), 22, 23
 burns, treatment for involving onion
 extracts, 229
 cardiovascular benefits of, 264, 265
 cells, sulfur imaging using XAS and
 XFS, 163, 164
Cipollino (Italian, 'little onion') story, 40
 cooking temperature, proper, 93, 94

- depiction of, ancient, 21
 discoloration by carbon steel knives,
 89, 93
 distilled oil of, 66, 153
 dome (in architecture), 47–54, **55**
 Church of Saint Mary Magdalene
 (Jerusalem), **50**
 Church of the Savior on Spilled
 Blood (St. Petersburg), **50**
 lacquer boxes, 54, **55**
 porcelain, 54, **55**
 Royal Pavilion, Brighton, England, **50**
 Saint Basil's Cathedral (Moscow), **49**
 Taj Mahal (Agra), 48, 49
 extracts and homogenates, antiparasitic
 activity
 Leishmania major, 253
 Loa loa filariasis, 253
 flavor precursor content, 141, 169, 396
 fly (*Delia antiqua*), 299
 food, ancient, 3, 20
 genetic engineering of, 77
 germination inhibitor, 307
 growth in sulfur-deficient soils, 77
 heartburn (gastric reflux) and, 285
 hepatitis A from, 286
 herbal remedies involving, 227–232
 insect repellency
 capuchin monkeys, use by, 320
 toward earrot flies, in intercropping,
 324
 insect stings, anti-inflammatory activity
 toward, 279, 280
 mechanism of action, 280
 lacrymatory factor (LF), *see as*
 separate index entry
 see also propanethial *S*-oxide
 largest, 11
 laws on usage, 58, 59
 name, derivation of, 4
 pinking, 209–212
 pungency of, 73, 129
 red onion pigments, **90**
 religious bans on usage, 2
 selenium compounds from, 219
 skins, as source of ancient dye, **86**
 snake repellent, 307
 storage, 27
 sweet, 27
 tearless, 77, 207–209
 wound-healing, using onion preparations,
 281, 282
The Onion, 33
The Onions, 45
 organoselenium compounds, *see* selenium
 compounds
 oxidase enzymes
 in biosynthesis of cysteine sulfoxides, 170
 oxathiiranes, 113, 123

 Pascale, J. V., 113
 Pasteur, Louis, 244
 Penn, Robert, 118, 121, 122
S-(*E*)-3-pentencycysteine sulfoxide, 142,
 151, 152
 Perrin, Mrs. Henry, 2
 perthiol, *see* 2-propene-1-sulfenothioic acid
 perthiyl radical (RSS•), 195
 phase I and II detoxification, 263
 phytoalexins, 300
 phytoanticipins, 300
 phytochemistry, 12
 plants, defensive strategies, 299
 Plautus, Titus Maccius, 56
 Pliny the Elder (Gaius Plinius Secundus),
 56, 57, 225, 308
 Plutarch, on alliums, 35
 polysulfides (polysulfanes; R₂S_n)
 redox chemistry of, 195
 synthesis of, 181, 182
 Pomponius, Titus, 56
 pro-oxidants, 194, 195
 propanal (EtCH=O)
 from onion LF decomposition, 112, 113,
 125
 self-condensation to 2-methyl-2-pentenal,
 112
 propanethial *S*-oxide (EtCH=S=O)
 decomposition to propanal, 113
 deuterium-labeled, 127
 dimerization, 113, **131**
 GC-MS detection of, 128
 isomers of, (*Z*) and (*E*), 122–125

- formation of
 from propanesulfinyl chloride, 113, 114, 122
 from 1-propenesulfenic acid, by FVP, 122
- onion LF, 113, 122
- 'syn effect' in, 126
- propene ($\text{CH}_3\text{CH}=\text{CH}_2$), from garlic, 159, 172, 173
- 1-propenesulfenic acid ($\text{CH}_3\text{CH}=\text{CHS}-\text{O}-\text{H}$)
see also sulfenic acids
 as intermediate in onion chemistry, 71, 111, 115, 127, 138
 deuterium exchange, 127
 rearrangement to propanethial *S*-oxide
 LFS-promoted, 139, 140
 transition state for, 129, 130
 self-condensation of, 77, 138, 199
 structure of, 111, 115
- 2-propenesulfenate ($\text{CH}_2=\text{CHCH}_2\text{SO}^-$),
 direct detection in garlic by NI-DART, 159, 160
- 2-propenesulfenic acid ($\text{CH}_2=\text{CHCH}_2\text{S}-\text{O}-\text{H}$)
see also sulfenic acids
 from allicin, 155, 156
 antioxidant, 172
 direct observation of, 120, 159, 160
 as intermediate in garlic chemistry, 71, 106, 133, 134
 self condensation, 136, 172
 structure of, 106
- 2-propene-1-sulfenothioic acid
 ($\text{CH}_2=\text{CHCH}_2\text{SSH}$), 174, 195
- 2-propenesulfinate ($\text{CH}_2=\text{CHCH}_2\text{SO}_2^-$),
 direct detection in garlic by NI-DART, 159, 160
- 2-propenesulfinic acid ($\text{CH}_2=\text{CHCH}_2\text{SO}_2\text{H}$)
 in garlic
 direct detection by NI-DART, 159, 160
 instability of, 173, 174
- 2-propenethiol ($\text{CH}_2=\text{CHCH}_2\text{SH}$)
 allergy to, 288
 antiparasitic activity
Giardia intestinalis, 252
 metabolic formation of, from diallyl disulfide, 79, 81
 role in biosynthesis of *S*-allylcysteine, 170
- 2-propenyl compounds, *see* corresponding allyl compounds
- 1-propenyl 1-propenethiosulfinate
see also thiosulfonates
 characterization of by low-temperature NMR, 202
 formation from isoalliin, and subsequent reactions of, 77
 [3,3]-sigmatropic rearrangement, 203, 204
 role in greening of garlic and pinking of onions, 209–212
 synthesis of individual stereoisomers of, 202
 tearless onions, 208
 unknown allicin isomer from 1-propenesulfenic acid, 113, 199
- 2-propenyl 2-propenethiosulfonate (pseudoallicin)
see also thiosulfonates
 biological activity, 174
 formation from garlic, 173, 174
 synthesis of, 173, 174
- 1-propenyl propyl thiosulfonates
 [$\text{MeCH}=\text{CHS}(\text{O})\text{SPr}$,
 $\text{MeCH}=\text{CHSS}(\text{O})\text{SPr}$], 148, 149, 159
see also thiosulfonates
- 1-propenyl *n*-propyl disulfide
 ($\text{MeCH}=\text{CHSSPr}$), 66
 elevated levels, from tearless onions, 208, 209
- propiin (*S*-1-propylcysteine *S*-oxide), 143
see also S-alk(en)yleysteine sulfoxides
 absolute configuration, 104, 105
 content in leek, 150, 151, 301–303
 content in onions, 150
 enzymatic breakdown, rate of
 in *A. sativum*, 136
 in *A. ursinum*, 136
 misassignment for isoalliin in alliums, 144
 synthesis of, 104
- propyl polysulfides (Pr_2S_n), 150, 153
- propyl propanethiosulfinate ($\text{PrS}(\text{O})\text{SPr}$)
 in alliums, by paper chromatography, 141
 from propiin, 104
 GC analysis from leek, decomposition during 154
 synthesis from dipropyl disulfide, 68

- PubMed* (United States National Library of Medicine), *Allium* information source, 237
- pyrazines, from heating garlic, 99
- S-(3-pyrrolyl)cysteine sulfoxide, 212, **213**
- pyrroles
- conversion to multi-pyrrole compounds, 209–212
 - role in greening of garlic and pinking of onions, 209–212
- pyruvate [MeC(O)CO₂]
- direct detection in onions by (NI-DART), 159
 - enzymatic formation from alliinase action, 106, 133, **134**
 - pungency of onions, measure for, 129
- quercetin, in onions
- antioxidant, 94, 264
 - basis for onion dyes, 88, **89**
 - protection of onion against pathogens, 88
 - in wound-healing preparations, 281
- randomized controlled trials (RCT), 241
- ramp
- cultivation of, 32
 - as food crop, 3, 32
 - selenium compounds in, 219
 - thiosulfates from, 145, **146**, 147
- reactive oxygen species (ROS), 193, 195
- Regel, Eduard, 4, 5, 14
- Reichenbach, Ludwig, 12, 405
- Renoir, Pierre-Auguste, on alliums, 45, 46
- Rodari, Gianni,
- children's story about onion character, 40
- scallions
- bacterial contamination of, 29
 - cultivation of, 29
 - storage of, 29
- Schieberle, Peter, 207
- secondary metabolites, 13, 299, 300
- storage of, within plants, 300
- Seebeck, Ewald, 101, 102, 104, 106, 110
- Selenium and Vitamin E Cancer Prevention Trial (SELECT), 264
- selenium (Se) compounds
- accumulation of Se in tissues and liver, structural dependence of, 221, 263
 - in alliums, 214–222
 - anticancer activity of, 221, 263
 - atomic emission detection head space GC analysis (HS-GC-AED), 217, **218**
 - concentrations relative to sulfur compounds, 217
 - enriched through fertilization with Se compounds, 218
 - γ -glutamyl-Se-methylselenocysteine from, 219
 - inductively coupled plasma mass spectrometry HPLC analysis (HPLC-ICP-MS), 219
 - prostate cancer and, 264
 - Se-methylselenocysteine from, 219
 - Se-methylselenocysteine Se-oxide from, 220
 - μ -XANES studies of, 220, 221
 - X-ray absorption spectroscopy (XAS) of, 220
 - anticancer activity, 215, 216, 221
 - antioxidant activity, 221
 - biosynthesis of natural organoselenium compounds, 216
 - 'garlic breath' from, 216
 - metabolism of, 221
 - risk of diabetes and, 216
 - role as micronutrient, 214, 215
 - selenoamino acids, derivatization of, 219
 - selenate (SeO₄²⁻), 216
 - selenite (SeO₃²⁻), 216
 - ⁷⁵Se selenite, 216
 - selenium-enriched garlic, 219, 221
 - selenium-enriched onion, 219
 - selenium-enriched yeast, 215
 - selenocysteine, **215**
 - selenomethionine, **215**, 218, 221
 - selenoproteins, 215, 216
 - synthesis of standard selenoamino acids, 219
 - toxicity of, 216

- Semmler, F.W., 66
- Shakespeare, William
on alliums, 36, 37, 53, 60
- shallot
botany of, 29
cooking of, 29
storage of, 29
- [3,3]-sigmatropic rearrangements
of bis(1-propenyl) disulfide, 201, 202, 206
of bis(1-propenyl) disulfoxide, 206
generalized, 201, 202
of 1-propenyl 1-propenethiosulfinate, 206
of bis-pyrrole thiosulfinate, 213
- Sheridan, Robert, 178
- Stanford Clinical Trial, 267–269
- Stoker, Bram, on garlic and vampires, 39, 40
- Stoll, Arthur, 100, **101**, 102, 137
- sugars in alliums, 94, 98
- sulfate (SO_4^{2-})
reduction to sulfite by APS reductase
in plants, 170
source of sulfur for alliums from soil,
168–170
sulfate transporter proteins in sulfur
fixation, 169
sulfur-35, for biosynthetic studies, 168,
169
- sulfenic acids (RS-O-H), 111, 115, 119, 144
see also specific compounds
stable, 120
- sulfines ($\text{RR}'\text{C=S-O}$), 113, 121–126, 131
bis-, 159
- sulfinyl chlorides (RS(O)Cl), 113, 114
- sulfinyl radical ($\text{RSO}\cdot$), delocalization in,
194
- sulfite (SO_3^{2-})
from reduction of sulfate by APS
reductase in plants, 170
reduction to sulfide in plants by
sulfite reductase, 170
- sulfur dioxide (SO_2)
from allicin decomposition, 154, 172, 173
direct detection from onion using NI-
DART, 159, 160
- sulfur (S_8), elemental, from heating garlic
oil, 175, **176**
- Sumerian stone tablets, 34
- supercritical fluid extraction (SFE), 70,
145, 153
- Swift, Jonathan, on alliums, 37
'syn effect' of sulfines, 126
- tellurium (Te) compounds in alliums, 222
- Thibout, E., 301
- thioacrolein ($\text{CH}_2=\text{CHCH=S}$)
Diels-Alder addition to allylic double
bonds, 186, **189**
dimerization of, **155**, 156
formation
from allicin, 155
from diallyl disulfide, 186
from diallyl sulfide, **155**, 156
possible role in greening of garlic and
pinkening of onions, 209–212
- thioformaldehyde ($\text{CH}_2=\text{S}$)
formation
from 1,3-dithietane 1-oxide, 121
from methyl methanethiosulfinate,
115, 116
lifetime in gas phase, 119
microwave structure, 117
trimerization to 1,3,5-trithiane, 116, 117
- thioformaldehyde S-oxide ($\text{CH}_2=\text{S=O}$;
sulfine)
formation, 121, 122
lifetime in gas-phase, 122
structure, 121, 122
- thiosulfonates, 68, 73, 115
see also individual compounds
anti-inflammatory action, 280
artifact problems during GC analysis
of, 154
from alliums, by paper
chromatography, 141
antitumor activity, 260, 261
apoptosis induction by, 260
chiral, 135
from cytochrome P450 oxidation of
disulfides, 79
decomposition during GC analysis, 154,
155
from leeks, 154, 155, 303

- mixtures, from mixed precursors, 141, 142, 145
 from onions, by GC-MS, **128**
 platelet aggregation inhibition by, 273
 1-propenyl, 153
 S-S bond strength in, 117
 toxicity toward stored-product insect pests, 313
 thiosulfonates, 73
 see also individual compounds
 from disproportionation of thiosulfonates, 207
 odor threshold for, 207
 in onion extracts, 207
 as reagents in synthesis, **149, 200**
 transient receptor potential ion-channel proteins, 73
 see also TRPA1, TRPV1
 1,3,5-trithiane, 116–118
 from trimerization of thioformaldehyde, 116–118
 TRPA1, 73–76, 274, 300
 TRPV1, 73, 74, 76

 Ultraviolet (UV) spectroscopy
 detectors for HPLC, 145, 147, 148, 168
 pigments from greening of garlic and pinking of onions, 211
 pigments from drumstick alliums, 212
United States Dispensatory, garlic and onion uses, 232

 Van Gogh, Vincent, on alliums, **46**
 Velásquez, Diego, on garlic, **44**
 vampire legend, 39
 vasodilation, by garlic extracts, 75, 81, 265, 277
 Vidalia onions, 77
 Vinegar of Four Thieves, 26
 3-vinyl-4*H*-1,2-dithiin, **155**, 172, 190
 in oil-macerated garlic supplements, 239
 2-vinyl-4*H*-1,3-dithiin, **155**, 172, 190
 in oil-macerated garlic supplements, 239
 Virtanen, Artturi, I., **107**, 108, 114, 198, 199, 216, 217, 220
 Volk, Gayle, 8

 Wagner, Hildebert, 196, 199
 warfarin, interaction with garlic, 295
 Wertheim, Theodor, 62, 64–66
 Wilkens, W. F., 113
 Woodville, William, 78
 World Onion Congress, 2
 wound-healing (scar-healing)
 using onion preparations, 281, 282

 X-ray crystallography
 alliinase, 132, 133
 methiin absolute stereochemistry determination by, 104, 106
 sulfonic acids, stable, 120
 X-ray absorption spectroscopy (XAS), 162–164
 X-ray fluorescence imaging (XFI), 163

 Yale culinary tablets, 20
 Young, David (*Chopping Garlic*), 42

 zwiebelanes
 chirality of, 200
 direct mass spectrometric detection with DART, **158**
 discovery of, 198–200
 name
 detailed chemical, 200
 derivation of, 199
 isomers, 199, 200
 from onions, by GC-MS, **128**
 from 'tearless onions', 207, 208
 significance of, 207
 structures of, 199, **200**