

Index

- ABTS. *see* 2,2'-azinobis-(3-ethylbenzothiazoline-6-sufonate) (ABTS)
- ACE. *see* angiotensin-converting enzyme (ACE)
- ACE-inhibiting, 238, 240, 246, 254, 259, 260
- actin, 31, 34, 36, 50
- adipose tissue, 46, 47, 97, 177, 191, 195, 227, 228
- aggregation, 32, 34, 250, 255, 256, 262
- aldehydes, 2, 3, 11–14, 26, 30, 53, 103, 106, 128, 181
- algae, 164, 219–28, 284, 285, 287–9, 291–6, 298–302, 304–7
- alkaline, 67, 68, 70, 157, 245, 246, 248, 250, 252–4
- α -tocopherol, 8, 48, 49, 52, 66, 68, 72, 109, 110, 112, 115, 117, 136, 137, 141, 142, 144, 183, 192, 195, 223, 226, 291, 303, 305
- Alzheimer’s disease, 283, 304
- amino acids, 8, 12, 14, 24, 25, 27, 28, 30, 31, 33, 51, 52, 102, 103, 106, 113, 139, 181, 194, 201, 237, 238, 240, 241, 250, 252, 256, 257, 259, 260, 263–5, 284, 296, 306–10
- angiotensin-converting enzyme (ACE), 238, 240, 246, 247, 259–60, 306
- animal studies, 165, 169, 179, 185–7, 195–6, 199, 202, 310
- anisidine value, 5
- anticoagulating, 238, 262, 298
- antihypertensive, 204, 224, 259
- antiinflammatory, 127, 184, 224, 227, 297, 298, 302
- antimicrobial, 55, 114, 238, 260–261, 263, 297
- antioxidants, 2, 23, 44, 96, 128, 151, 175, 219, 257, 283
- antioxidant strategies, 127–46
- antioxidative, 28, 29, 48, 52, 54, 55, 57, 65, 67, 72, 95, 96, 106, 109, 113, 127–46, 151–69, 192–6, 203, 246, 252, 256–60
- antitumor, 224, 263, 297, 298, 304
- antiviral, 297, 298
- aquatic food, 1–16, 23–38, 43–73, 95–118, 127, 151–69, 175, 219, 237, 283
- arsenic, 182, 190, 191
- ascorbic acid, 8, 47, 48, 56, 57, 59, 65, 69, 72, 110, 112, 131, 133–5, 140, 177, 183, 192, 195, 223, 291, 292, 294, 309
- ascorbyl palmitate, 131–8, 140–142, 144
- astaxanthin, 35, 48, 57, 62, 66, 67, 117, 183, 192, 195, 224–8, 284
- autolysis, 240, 246, 247
- autoxidation, 1, 2, 7, 9, 47, 53, 98, 130, 294, 309
- 2,2'-azinobis-(3-ethylbenzothiazoline-6-sufonate) (ABTS), 154, 162, 163, 303, 306, 309

- beverages, 263, 264, 291
BHA. *see* butylated hydroxy anisole (BHA)
BHT. *see* butylated hydroxytoluene (BHT)
 bioactives, 151, 152, 219, 220, 222, 237, 238, 252, 259, 260, 265, 266, 296, 297, 306, 310
 bioactivity, 169, 238, 240, 244, 247, 257, 298
 biomarkers, 181, 186, 190–203
 biomolecules, 163, 254, 283
 bitterness, 238, 247, 252–4
 bleeding, 27, 108
 blood, 95, 101, 108, 116, 117, 188, 189, 193, 196–8, 200, 204, 259, 262, 264, 292
 brown algae, 222–4, 284, 285, 287–9, 292–6, 298–300, 302, 304, 306
 butter, 129
 butylated hydroxy anisole (BHA), 54, 69, 136, 141, 143, 283, 291
 butylated hydroxytoluene (BHT), 54, 62, 65, 136, 283, 291, 294, 296, 306
 by-products, 53, 54, 67, 176, 238–40, 243, 244, 246, 250, 252, 256–9, 261, 297

CAA. *see* cellular antioxidant assay (CAA)
 cadmium, 182, 190, 191, 202
 caffeic acid, 140, 141
 calcium (Ca), 50, 68, 183, 250, 261–2, 266
 calcium binding, 261–2, 266
 calcium chloride (CaCl_2), 68, 250
 cancer, 127, 153, 175, 178, 184, 194, 199, 200, 202, 204, 221, 227, 228, 265, 266, 283, 305, 307
 canned fish, 72
 canning, 43, 51, 70–73, 114
 canthaxanthin, 34, 35, 226
 carbon dioxide (CO_2), 63, 67, 114, 297
 carbon monoxide (CO), 57, 67
 cardiovascular, 95, 127, 175, 178, 183, 186, 192, 201, 202, 204, 227, 228
 β -carotene, 113, 224–6, 302, 309
 carotenoids, 8, 11, 34, 48, 59, 62, 67, 102, 117, 183, 195, 219–29, 284, 297, 302, 303
 casein, 261, 265, 306
 catechins, 144, 223, 284
 cell cultivations, 265
 cell model, 154, 202
 cellular antioxidant assay (CAA), 157, 166, 167
 chelation, 52, 131, 142, 167, 293, 302
 chilled fish, 13, 14, 115, 117
 chilled storage, 13, 45, 115–17
 chilling, 13, 14, 45, 113, 115–17
 chitin, 219, 225, 251
 chitosan, 219, 251
 citric acid, 68, 69, 72, 134–6, 138, 141, 142, 144, 250
 collagen, 24, 219, 240, 261, 266
 color, 1–3, 12, 50, 56, 58, 67, 95, 101–3, 105, 109, 111, 112, 115, 117, 156, 157, 162, 163, 225, 251, 283
 conjugated dienes, 10–11, 15, 181, 195, 203, 306
 conjugated trienes, 5, 10–11
 connective tissue, 68, 97, 252
 copper (Cu), 7, 27, 46, 47, 52, 99, 109, 306
 cosmetics, 224, 263, 291, 297
 cross-linking, 24, 28, 30–32, 34, 36, 38, 106
 cured fish, 51, 114
 curing, 49–53, 55, 143
 cyclooxygenase, 1, 7, 99, 180

 dairy, 136–8, 261, 266
 debittering, 252–4
 defatting, 249–50
 defenses, 23, 176–9, 186, 189, 191, 194–6, 200, 203, 260, 283, 288
 degradation, 2, 7, 8, 12, 28, 32, 33, 36, 44, 46, 48, 54, 61–4, 158, 181, 183–5, 194, 240, 298
 degrees of hydrolysis (DH), 51, 238, 240–242, 246–50, 254–6, 262, 265
 deoxymyoglobin, 101, 112
 deoxyribonucleic acid (DNA), 14, 153, 155, 179–82, 188, 190, 196, 200, 203, 209, 221, 307
DHA. *see* docosahexaenoic acid (DHA)
 diabetes, 153, 175, 178, 190, 204, 228
 dietary intervention, 197, 200, 204

- dioxin, 176, 182, 184, 190–192, 195, 199, 222, 285, 294
- 2,2-diphenylpicrylhydrazyl (DPPH), 139, 153, 154, 157, 160–162, 167, 223, 226, 246, 256, 257, 290–297, 300, 302, 303, 306, 309
- discoloration, 7, 47, 105, 109, 114, 117, 143, 256
- docosahexaenoic acid (DHA), 54, 56, 64, 72, 95, 101, 127, 183–6, 188–90, 192, 194, 195, 198, 201, 219, 227
- DPPH. *see* 2,2-diphenylpicrylhydrazyl (DPPH)
- dressing, 128, 129, 132, 133, 135, 140, 142, 144, 264
- drying, 49–53, 57–8, 63, 243
- EDTA. *see* ethylenediaminetetraacetate (EDTA)
- eicosapentaenoic acid (EPA), 56, 72, 95, 127, 152, 184, 185, 187–90, 194, 195, 198, 201, 219
- emulsification, 130–131, 141, 255
- emulsifiers, 129–32, 138, 144
- emulsion(s), 109, 110, 113, 128–32, 135, 136, 141–5, 255, 256
- endogenous, 52, 56, 59, 60, 62–4, 66, 69, 72, 102, 117, 131, 176–8, 186, 193, 200, 201, 203, 221, 247, 250, 301
- endopeptidase, 241, 246
- enriched food, 128–45
- enzyme concentration, 248
- enzyme modification, 136, 238
- enzymes, 7, 8, 23, 28, 32, 33, 45, 46, 48, 50, 52, 54, 58, 59, 64, 98, 101, 136, 155, 176, 177, 179, 180, 184, 186, 187, 191, 195, 198, 222, 238, 240–248, 250, 256, 258, 259, 296, 297, 306
- EPA. *see* eicosapentaenoic acid (EPA)
- ergothioneine, 109–12
- ESH, 109, 111, 112, 115–17
- ethylenediaminetetraacetate (EDTA), 60, 69, 132–4, 136–44
- exogenous, 59, 62–3, 66, 115, 144, 177
- exoprotease, 264
- extraction, 4–6, 8, 11, 14, 67–70, 222, 249, 254, 285, 295–9, 310
- fat, 8–10, 44, 46, 50, 56, 57, 59, 61, 64, 97, 114, 132, 133, 135–8, 141, 144, 185, 186, 188, 195–7, 200, 201, 249, 250, 255
- fatty acids, 1–4, 6, 9, 10, 13, 15, 23, 30, 44–6, 50, 51, 54, 56, 58, 59, 61, 62, 64, 65, 71–3, 95, 97, 98, 101, 105, 107, 108, 111, 115, 127–46, 175, 181, 183, 201, 219, 220, 222, 226, 249, 250, 304
- Fenton reaction, 100, 165
- fermentation/fermenting, 43, 52–5, 139, 247, 265, 306
- ferric-reducing antioxidant power (FRAP), 153, 157, 158, 163, 194, 299
- fish
- enzymes, 59, 242–4
 - extracts, 176, 192–4
 - oil, 16, 34, 35, 127–46, 183–90, 193, 194, 201, 203, 219, 294
 - peptides, 265
 - protein, 24, 29, 30, 32, 33, 68, 167, 237–66
- fish protein hydrolysates (FPH), 167, 237–66
- flavor, 1, 2, 14, 15, 49, 51–3, 55, 56, 58, 102, 114, 117, 135, 136, 138, 250, 254, 264, 283
- fluorescence spectroscopy, 5, 13–14
- foaming, 255, 256
- foods, 1, 23, 43, 97, 103, 109, 128, 141, 158, 166, 177, 192, 219, 237, 238, 264, 284, 310
- FPH. *see* fish protein hydrolysates (FPH)
- FRAP. *see* ferric-reducing antioxidant power (FRAP)
- free amino acids, 8, 51, 52, 139, 194, 238, 263, 264
- free fatty acids (FFA), 3, 44, 54, 59, 64, 65, 71–3, 98, 105
- free radicals, 1, 3, 4, 9, 24–6, 29, 31, 61, 63, 95, 97, 101, 102, 105, 106, 109, 111–13, 128, 130, 131, 140, 142, 144, 153, 155, 156, 158, 159, 162, 165, 176, 182, 187, 191, 220–222, 225, 226, 228, 246, 257, 259, 283, 292, 293, 301–4, 309
- freeze-thaw, 7, 45, 60, 264

- freezing, 31, 43–9, 52, 58, 60, 72, 102, 112, 114
 frozen fish, 31, 33, 34, 46–8, 70, 102
 frozen storage, 8, 13, 30–36, 46–8, 72, 111, 115, 143, 256, 264
 fucoxanthin, 154, 224–8, 284, 302–4
 fucoxanthinol, 224, 302, 303
 functional properties, 31, 38, 238, 241, 255–6
 γ -tocopherol, 8, 115, 132, 133, 135, 136, 140, 142, 144, 145
 gelatin, 114, 240, 242, 246, 254, 255, 257, 261, 264, 266
 glucosamine, 219
 glutathione (GSH), 8, 48, 72, 102, 106, 109, 117, 163, 177, 179, 183, 184, 187, 191, 192, 195, 196, 198, 292, 300
 glycine, 240, 254, 307, 310
 GSH. *see* glutathione (GSH)
- heating, 63–5, 130, 180
 heme, 28, 38, 46, 48, 54, 58, 60, 67, 69, 100, 105, 128, 238, 249
 heme proteins, 4, 7, 11, 27–9, 32, 36, 38, 46, 50, 53, 67, 69, 70, 99, 100, 103, 108, 117, 249, 252
 hemoglobin (Hb), 7, 27, 29, 47, 48, 53, 69, 70, 100, 108, 193
 HepG2, 166–8
 high pressure processing (HPP), 58–60
 human studies, 187–90, 192, 197, 199, 202, 203
 hydrogen-atom transfer (HAT), 155–8, 160–166
 hydrogen peroxide, 23, 27, 28, 31, 48, 98, 101, 109, 111, 117, 169, 176, 221, 246, 307
 hydrolysates, 113, 167, 192, 240, 242–4, 246–50, 252, 254–7, 261–6, 306
 hydrolysis, 51, 52, 237–44, 246–52, 254–7, 260, 263, 264, 296, 301, 306
 hydrolysis time, 240, 246, 248–9
 hydrolyze, 59, 241, 244, 246–8, 252
 hydrophobicity, 253, 255
 hydroxyl radical (\bullet OH), 7, 9, 23, 24, 27, 96, 98, 100, 109, 111, 165, 176, 221, 246, 257, 300, 302, 307
 ice(ed) storage, 54, 63, 71, 104–7, 109, 193
 inflammation, 182, 184, 199
 inflammatory, 182, 227, 260
 inhibitors, 8, 59, 97, 101–2, 109, 183, 221
 interface, 129–31, 135, 138, 144, 255
 intervention, 178, 185, 196, 200–202, 204
in vitro, 25, 109, 112, 153, 166, 167, 178, 183, 186, 187, 191–5, 224, 228, 259, 262, 289–92, 299–301, 305, 309
in vivo, 23, 25, 33, 95, 98, 109, 165, 166, 178, 180, 182, 183, 187, 191, 192, 195, 240, 259, 288, 292, 300–301, 309, 310
 iodine value, 8, 71
 iron (Fe), 7, 26, 27, 46, 47, 49, 98–101, 109, 113, 128, 131, 132, 134, 135, 139, 140, 142, 144, 163, 164, 188, 189, 191, 195, 197, 202
 irradiation, 23, 43, 54, 61–5, 182
 isolate, 68–70, 141, 143, 239, 249, 252, 253
 ketones, 2, 14, 103
 LC n-3 PUFA. *see* long-chain n-3 polyunsaturated fatty acids (LC n-3 PUFA)
 LDL. *see* low-density lipoprotein (LDL)
 lipid hydroperoxide, 2, 4, 10, 29, 44, 48, 64, 71, 97, 100, 101, 103, 105, 106, 109–112, 128, 138, 143, 293
 lipid oxidation, 1–16, 23–6, 29, 30, 32–8, 43–73, 95–118, 128–31, 134, 135, 139, 142–5, 164, 191, 220–222, 238, 249, 250, 252, 256, 257, 264
 lipoxygenase, 1, 3, 7, 45, 46, 99, 101, 103
 long-chain n-3 polyunsaturated fatty acids (LC n-3 PUFA), 175, 182–90, 193–7, 199, 201, 203
 low-density lipoprotein (LDL), 157, 180, 181, 193, 195, 306
 macroalgae, 283–310
 malondialdehyde (MDA), 180, 300
 MAP. *see* modified atmosphere packaging (MAP)
 margarine, 128, 129, 135–6, 264
 mayonnaise, 72, 128, 129, 132–6, 142, 144
 meat, 27, 32, 101, 197–200
 membrane, 98, 100, 183, 226, 262, 264
 mercury, 140, 141
 metal chelate, 111, 140, 141, 175, 176
 metals, 2, 111, 140, 141, 175, 176
 mince, 31, 245, 261
 modified atmosphere packaging (MAP), 65–7, 111, 183–6, 244–7
 muscle, 1, 67–72
 mycosporine, 284, 300
 myoglobin, 261
 myosin, 261
 NADP, 47, 157, 223
 NADPH, 47, 157, 223
 natural antioxidants, 1
 near infrared, 1
 nitric oxide, 184
 NOS, 184
 nutrients, 1
 nutritional status, 237, 249
 obesity, 224
 odor, 1, 103, 249, 261

- meat, 27, 32, 53, 55, 58, 61, 65, 67, 98, 99, 101, 102, 105–115, 117, 130, 141–4, 192, 197–202, 244–6, 249, 252, 260, 264, 265
membranes, 7, 9, 29, 45, 46, 53, 68–70, 97, 98, 102, 115, 153, 155, 166, 176, 177, 183, 226, 243, 250–252, 254, 259, 262, 287, 305, 306, 310
mercury, 182, 184, 190–191, 196, 198
metal chelation, 52, 167, 293
metal ions, 7, 60, 108, 128–32, 134, 139, 140, 144, 165, 182, 293, 302
metals, 2, 7, 25–8, 52, 60, 99, 106, 108, 111, 128, 130, 131, 134, 135, 139, 140, 142, 144, 155, 156, 164–5, 167, 175, 182, 190, 257, 292, 293, 302
metmyoglobin, 101, 105, 111, 112
microbial cultivations, 265
microbial proteases, 244, 247, 248
milk, 59, 113, 128, 129, 136–9, 144, 145, 261, 264
mince, 31, 66, 68, 69, 193, 238, 239, 243, 245, 249, 250, 252, 264
modified atmosphere packaging (MAP), 43, 65–7, 113–14, 145
muscle, 1, 7–9, 11, 23–37, 44–52, 55–64, 67–72, 95, 97, 99–102, 104–6, 108, 111, 112, 115–17, 142, 176, 177, 183–6, 192–5, 227, 238–9, 242, 244–7, 250–252, 256, 258–62, 264
mycosporine-like amino acids (MAAs), 284, 307–310
myoglobin (Mb), 7, 27, 28, 100, 105, 111, 112
myosin, 26, 28, 30–34, 36–8, 50

NADP, 47, 177
NADPH, 47, 176, 177
natural antioxidants, 109, 118, 144, 151, 157, 284, 291, 294, 297, 298, 309, 310
near infrared (NIR) spectroscopy, 15
nitric oxide (NO·), 153, 176
NOS, 184
nutrients, 105, 106, 153, 287, 288
nutritional value, 30, 33, 95, 102, 117, 128, 237, 238, 263, 283

obesity, 228
odor, 1, 10, 14–16, 49, 56, 101, 135, 238, 249, 250, 283
off-flavor, 2, 14–16, 23, 52, 95, 103–105, 128, 130, 135, 138, 153, 256
off-odor, 250
oil-in-water, 109, 110, 129, 141
oil quality, 129, 145
oligosaccharides, 298, 299
omega 3 fatty acids, 9, 15, 23, 30, 56, 62, 95, 127–46, 219
oxidation, 1–16, 23–38, 43–73, 95–118, 127–46, 153, 175–204, 220, 238, 305
oxidation products, 3–5, 8–16, 23, 25, 27, 29, 30, 32, 33, 36, 45, 52, 53, 59, 63, 103, 108, 128, 135, 139, 142, 169, 175, 179–81, 201, 238
oxidative stress, 117, 139, 175–204, 221, 228, 292
oxygen, 1–4, 9, 10, 32, 47, 48, 50, 55, 61, 63, 65, 66, 95–102, 108, 110, 111, 114, 129–31, 134, 139, 153, 154, 157–60, 164, 176, 179, 220–222, 225, 226, 228, 291, 293, 300, 302, 303, 307
oxygen radical absorbance capacity (ORAC), 153, 157–9, 162, 164, 167, 179, 186, 193, 194, 197, 203, 290, 291, 293, 296
oxymyoglobin, 98, 101, 112

packaging, 43, 44, 47, 58, 63–7, 96, 111, 113–14, 118, 129, 145
PCA. *see* principal component analysis (PCA)
PCB. *see* polychlorinated biphenyls (PCBs)
pelagic, 249, 260
peptides, 8, 14, 29, 30, 48, 52, 55, 102, 113, 139, 151, 156, 167, 183, 192–5, 219, 237, 238, 241–3, 246–9, 252–9, 260–266, 284, 292, 293, 306–7
peroxide value, 3, 4, 6, 9–10
peroxy radical (LOO·), 1, 2, 23, 97, 98, 108, 109, 128, 155, 158, 161, 162, 164, 166, 168, 195, 291, 293, 296, 309, 310
pharmaceuticals, 224, 237, 261, 265–6, 291, 292, 297, 302, 310
phlorotannins, 152, 222, 223, 228, 284–9, 292, 294–6
phosphatidylcholine, 181, 185, 306–309

- phospholipids, 9, 13, 14, 46, 47, 54, 68–71, 97, 102, 130, 180–183, 185, 201, 223, 226, 250–252, 305
 pH shift, 67–70, 252
 physicochemical properties, 7
 plant enzymes, 241–2
 plasma, 157, 162–4, 169, 175, 179, 180, 185–92, 196–201, 203, 204, 265, 292
 polychlorinated biphenyls (PCBs), 182, 190–192, 195, 199
 polyphenols, 55, 65, 72, 111, 151, 152, 154, 165, 167, 169, 219–29, 284–98
 polysaccharides, 151, 152, 154, 222, 284, 292, 293, 296–302
 polyunsaturated fatty acids (PUFAs), 1, 2, 9, 45, 46, 54, 56, 61–4, 68, 71, 95, 98, 106, 107, 109, 113, 127, 180, 188, 189, 198, 220, 250
 postharvest, 115
 press juice, 45–7, 193–5
 primary oxidation, 9, 12, 13, 15, 29, 108, 128
 principal component analysis (PCA), 290, 291
 processing, 27, 30, 32, 38, 43–73, 101, 129, 130, 145, 239, 255, 283, 310
 prooxidants, 102, 112, 134, 304
 propyl gallate, 69, 133–6, 283
 proteases, 33, 222, 238–42, 244–8, 250, 252, 254, 256–8, 262–4, 296, 306
 protein
 carbonyls, 24–6, 29, 35, 36, 54, 181, 185, 188, 189, 196
 hydrolysate, 113, 152, 154, 167, 237–66
 isolate, 68–70, 141, 143, 239, 249, 252, 253
 oxidation, 4, 8, 23–38, 52, 72, 187, 188, 203
 proteolytic enzymes, 32, 50, 59, 64, 240–242, 244, 248
 proteomics, 182, 185, 203
 PUFAs. *see* polyunsaturated fatty acids (PUFAs)
 radicals, 1–4, 7, 23–6, 28–31, 52, 54, 55, 61, 63, 95, 97, 98, 101, 102, 105, 106, 108, 109, 111–13, 117, 128, 130, 131, 135, 139, 140, 142, 153–65, 167–9, 176, 177, 179, 182, 189–91, 194, 195, 220–223, 225, 226, 228, 246, 256, 257, 259, 283, 291–7, 300–304, 306, 307, 309, 310
 radical scavenging, 52, 55, 111, 113, 117, 139, 140, 142, 153, 154, 156, 157, 160, 161, 167, 194, 195, 222, 223, 226, 246, 256, 257, 259, 291–7, 301–7, 309
 rancidity, 4, 10, 12, 47, 49, 51–4, 57, 59–61, 63, 65–70, 96, 113–15, 142, 249, 294
 reactive oxygen species (ROS), 23, 24, 98, 100, 153–6, 159, 164, 166–8, 176–86, 189, 191, 194–6, 201–3, 220, 221, 225, 246, 283, 284, 300, 307, 309
 redox, 99, 101, 163, 165, 177–80, 182, 184, 194, 196, 203, 309
 reducing agent, 7, 46, 99, 100, 309
 reducing power, 139, 163, 167, 179, 246, 257, 291, 293, 302
 ripening, 36–8, 51
 mRNA, 182
 ROS. *see* reactive oxygen species (ROS)
 rosemary extract, 58, 62, 141–3, 145
 safety, 113, 118, 151, 266, 310
 salted fish, 32, 49–51, 57
 salting, 36, 49–53, 57, 254
 Schiff bases, 13, 30, 180
 SDS-PAGE, 36, 37
 seafood, 43–50, 52–9, 61–72, 191, 192, 194, 201, 239
 seaweed, 163, 167, 168, 219, 222, 223, 225, 227, 284, 287–93, 295–8, 304, 306, 310
 secondary oxidation, 11–13, 15
 sensory, 3, 6, 10, 15, 16, 51, 53, 103, 113, 128, 129, 136, 143, 145, 238, 252
 analysis, 2, 5, 6, 13, 15–16, 135, 142
 SET. *see* single electron transfer (SET)
 shelf-life, 4, 50, 52, 55, 58, 59, 65, 96, 109, 113–15, 129, 130, 132, 134, 145, 264
 shellfish, 70, 192, 201, 225
 single electron transfer (SET), 155–7, 161–3, 165
 singlet oxygen, 1, 55, 98, 99, 108, 111, 176, 221, 222, 225, 226, 228, 293, 302, 303, 307
 smoked fish, 51, 56–8

- smoking, 43, 49, 51, 55–8, 202
SOD. *see* superoxide dismutase (SOD)
solubility, 27, 30, 31, 103, 109, 114, 129,
 131, 163, 222, 226, 238, 255, 256
sterols, 284, 304–6
superoxide, 7, 9, 23, 48, 98, 100, 108, 111,
 153, 176, 223, 226, 291, 294, 300,
 302, 303, 306, 307, 309
superoxide dismutase (SOD), 176, 180,
 186, 196, 300, 301, 306
synthetic antioxidants, 54, 113, 283, 296
- taurine, 183, 192, 195, 254
TBARS. *see* thiobarbituric acid reactive
 substances (TBARS)
tert-butyl hydroquinone (TBHQ), 54, 134,
 141, 142, 283
texture, 27, 32–3, 36–8, 55, 59, 60, 95, 103,
 105–6, 283
thiobarbituric acid reactive substances
 (TBARS), 7–9, 12, 13, 45, 51, 54,
 57, 63–7, 72, 73, 106, 110, 111,
 142–4, 180, 183, 185–9, 191, 196,
 197, 200, 292
thiol groups, 31, 111, 180
tissue, 7, 12, 24–7, 29, 36, 44–8, 50, 51,
 57–9, 61–3, 68, 69, 71, 72, 95–7,
 99, 101, 106, 111, 114–17, 127,
 176–80, 184–92, 194–6, 202, 203,
 222, 227, 228, 252, 259, 283,
 285–9, 301, 303
tocopherol, 35, 48, 49, 51, 54, 56, 57, 62,
 65, 66, 69, 72, 102, 106, 115, 131–3,
 135, 137, 138, 140–144, 177, 183–5,
 187, 219, 220, 222, 227, 297
total phenolic content (TPC), 287–93,
 295, 296
- total radical-trapping antioxidant parameter
 (TRAP), 153, 157, 164
totox value, 11–12
toxic, 30, 54, 109, 153, 177, 190, 192, 256,
 295, 297
toxicity, 30, 184, 185, 191
TPC. *see* total phenolic content (TPC)
TRAP. *see* total radical-trapping antioxidant
 parameter (TRAP)
Trolox®, 109, 153, 158–60, 162–3, 168,
 179, 306, 309
- ubiquinol, 44, 102, 183, 192, 195
ubiquinone, 48, 106, 183
uric acid, 48, 109, 183, 192, 195, 199,
 200, 308
urine, 175, 179–181, 187, 190–192, 199,
 200, 203, 204
- vacuum packaging, 47, 65–6, 111, 114
viscera, 237, 240, 242–6, 249, 256,
 258, 260
vitamin C, 8, 44, 177, 300, 301
vitamin E, 158, 177
volatile compounds, 6, 14, 53, 101, 103, 108
volatiles, 5, 6, 8, 11, 14, 15, 35, 53, 56, 61,
 65, 73, 101, 103, 128, 130, 132, 135,
 138, 142
- water-holding, 27, 105
water-in-oil (w/o), 129
water soluble, 45, 48, 49, 51, 69, 135, 192,
 222, 296, 307, 308
- yoghurt, 128, 136–9
- zeaxanthin, 224–6, 297, 302