

Index

- AA, *see* aristolochic acid
- AAS, *see* atomic absorption spectrometry
- absorption A, 152
- aconitine, 7
- adsorption column chromatography, 120
- Aesculus hippocastanum*, *see* Semen Hippocastani
- affinity, 252
- AFLP, *see* amplified fragment length polymorphism
- AFS, *see* atomic fluorescence spectrometry
- aging, 444
- age-related macular degeneration (AMD), 12, 445
- agonists, 240, 242
- alkaline phosphatase (AP), 250, 254
- alkaloids, 82–85, 144, 175, 196
- allopathic medicine, 2
- alumina, 118, 121
- AMD, *see* age-related macular degeneration
- American ginseng (*Panax quinquefolius*), 249, 252, 253, 257–259
- Ames test (bacterial reverse mutation assay), 327
- γ -aminobutyric acid (GABA), 241
- Amomum villosum*, *see* Fructus Amomi
- amplified fragment length polymorphism (AFLP), 72, 73
- analyzers, 167, 402
- androecium, 64
- Angelica Pubescens* (Duhuo), 231
- Angelica sinensis* (AS), *see* dong-quai
- antagonists, 240, 242
- anthranol, 148
- anthraquinones, 176, 194
- anthocyanidins, 91
- anthocyanins, 141
- anti-HIV, 230
- AP, *see* alkaline phosphatase
- AP-PCR, *see* arbitrarily primed polymerase chain reaction
- APCI, *see* atmospheric pressure chemical ionization
- API, *see* atmospheric pressure ionization
- Arabic medicine, *see* Islamic medicine
- arbitrarily primed polymerase chain reaction (AP-PCR), 72, 73
- aristolochia, 7, 330
- Aristolochiae manshuriensis*, 57, 58
- aristolochic acid (AA), 7, 330, 334
- aromatic damp-dissolving herbs, 451
- astringent herbs, 453
- atmospheric pressure chemical ionization (APCI), 165, 166, 400, 401
- atmospheric pressure ionization (API), 165, 166, 401
- atomic absorption spectrometry (AAS), 403, 412, 424
- atomic fluorescence spectrometry (AFS), 403
- anthranol, 148
- anthraquinones, 97, 148
- anthrone, 148
- aurones, 91, 141
- Ayurveda, 16
- bacterial reverse mutation assay, *see* Ames test
- benzoquinones, 97
- bioassay, 3, 22, 225, 261, 446
- black cohosh (*Cimicifuga racemosa*, CR), 6, 225, 230, 249, 252, 235, 257–268
- blood (in TCM), 429
- blood biochemistry test, 323
- blood-invigorating and stasis-removing herbs, 454
- body fluid (in TCM), 14, 429

- bone
 - mass and bone strength, 295
 - mineral density, 296
- bracts, 63–64
- calcium oxalate, 53, 57
- calyces, 63
- calorimetric assay, 238, 239
- calibration curve method, 419
- CAM, *see* complementary and alternative medicine
- cambium, 56, 58
- cAMP, *see* cyclic adenosine monophosphate
- capillary electrophoresis (CE), 70, 395
- carcinogenicity, 324, 329
- cardiac glycosides (cardenolides), 103
- cardiovascular system, 442
- Cassia angustifolia*, *see* Senna Leaf
- catechins, 90
- Catharanthus roseus*, 81
- Caulis Spatholobi (Spatholobus suberectus)*, 38
- cells, 228
- cellulose, 118
- CD, *see* circular dichroism
- CE, *see* capillary electrophoresis
- CE-MS, 403
- centrifugal partition chromatography (CPC), 114
- chalcones, 90, 141, 178
- character identification, 405
- chaste berry (*Vitex agnus-castus*), 230, 249, 252, 253, 257–259
- CHD, *see* coronary heart disease
- chemical ionization (CI), 165, 166, 400, 401
- chemical reactions, 69, 405
- chemical shift (δ), 158
- chemical shift correlation spectroscopy (COSY), 160
 - ^{13}C - ^1H COSY, 161
 - ^1H - ^1H COSY, 160
- chemical standardization, 7
- chemiluminescence assay, 238, 239
- Chinese herb(s)
 - direction, 447, 449
 - formulas, 23, 454
 - meridian attribution, 447, 449
 - nature, 447, 448
 - preparation, 24
 - processing, 25
 - properties, 447
 - tastes, 447, 448
- Chinese materia medica, 19, 21
- Chinese Pharmacopoeia*, 21
- chromatography
 - chromatographic assay, 238
 - chromatographic identification, 70
 - chromatographic methods, 408
- chromosome aberrations in mammalian cells, 327
- CID, *see* collision-induced dissociation
- Cimicifuga racemosa* (CR), *see* black cohosh
- circular dichroism (CD), 4, 140, 168, 169
- circulatory systems, 442
- clinical studies, 8, 23
- coil planet centrifugal partition, 114
- collaterals, 14, 441
- collision-induced dissociation (CID), 168
- color reaction, 407
 - with alkaline reagent, 148
 - with acidic reagent, 148
- colorimetric assay, 238
- column chromatography, 116, 117
- comparability, 284
- complementary and alternative medicine (CAM), 1
- complex reaction with metal salt reagent, 142
- comprehensive quality systems (CQS), 378
- concentrated hydrochloric acid, 146
- concentrated nitric acid, 146
- concentrated sulfuric acid, 146
- control
 - excipient control, 279
 - model control, 279
 - negative control, 279, 284
 - positive control, 279
 - vehicle control, 279
- conventional medicine, 2
- cork cells or layer, 51, 56, 58
- corolla, 64,
- coronary heart disease (CHD), 431
- cortex, 29, 56
- Cortex Eucommiae (*Eucommia ulmoides*), 59
- Cortex Magnoliae Officinalis, 40

- COSY, *see* chemical shift correlation spectroscopy
- coumarins, 91–92, 177, 203
 dimeric, 92
 furanocoumarins, 92, 150
 pyranocoumarins, 92, 150
 simple, 92, 150
 trimeric, 92
- coupling constant (*J*), 158
- COX, *see* cyclooxygenase
- CPC, *see* centrifugal partition chromatography
- CQS, *see* comprehensive quality systems
- crystals, 53
- crystallization, 111
- cyclic adenosine monophosphate (cAMP), 240, 260, 262, 264
- cyclolignolides, 150
- cyclooxygenase (COX), 6, 231, 238
- cytotoxic assay, 250, 252
- DAD, *see* diode array detector
- DCC, *see* droplet countercurrent chromatography
- DEPT, *see* distortionless enhancement by polarization transfer
- derivative spectrometry, 412
- detectors, 131, 392, 420, 421
- dextran gels, 118
- dialysis, 116
- dibenzocyclooctene, 150
- dietary supplement, 21
- Dietary Supplement Health and Education Act (DSHEA) of 1994, 21
- digestive herbs, 452
- dihydrochalcones, 90, 141
- diode array detector (DAD), 131
- directions (in TCM), 448
- dissociation constant, 243
- distortionless enhancement by polarization transfer (DEPT), 159
- DNA
 chip, 75
 microarray, 75, 245
 molecular fingerprinting, 72
 molecular genetic markers, 71
 molecular marking identification, 28
 sequencing identification, 74
 sequencing technique, 72
- dominant lethal test, 327
- dong-quai (*Angelica sinensis*, AS), 249, 252, 253, 257, 258
- dosage, 282, 283
- Doshas, 16
- downward draining herbs, 451
- droplet countercurrent chromatography (DCC), 4, 113
- EC₅₀, 243
- Echinacea pallid*, 230
- efficacy, 244
- EI, *see* electron ionization
- EIA, *see* enzyme immunoassay
- electron ionization (EI), 165, 400
- electrospray ionization (ESI), 165, 166, 400, 401
- ELISA, *see* enzyme-linked immunosorbent assay
- ELSD, *see* evaporative light scattering detector
- endocarp, 66
- endosperm, 67
- endotesta, 68
- entire herbs, 30
- enzymes, 226–228, 233–240
 binding assay, 233
 immunoassay (EIA), 238, 240
 inhibitors, 234, 236
 kinetics, 233
 -linked immunosorbent assay (ELISA), 238, 240
- enzymolysis electropherogram, 76
- ephedra, 7
- epidermal cells, 63, 64, 66
- epidermis, 61, 64, 68
- ER, *see* estrogen receptors
- ER competitive binding assay, 250
- ER α mRNA, 249
- ESI, *see* electrospray ionization
- estrogen, 248
- estrogen receptors (ER), 6, 9, 225, 230, 248
- estrogenic agonist, 6
- etiology and pathogenesis, 429, 442
- eupomatene, 150
- evaporative light scattering detector (ELSD), 115, 131, 175
- exocarp, 65, 66
- exterior-releasing herbs, 450

- external standard method, 419
 extraction, 81, 105
 extraction under refluxing, 105, 107
Eucommia ulmoides, *see* Cortex
 Eucommiae
 European Medicines Agency (EMA), 378
- fast atom bombardment (FAB), 400, 401
 fatty acids, 231
 FC, *see* flash chromatography
 FD, *see* field desorption
 FDA, *see* Food and Drug Administration
 FI, *see* field ionization
 fiber(s), 52, 56, 58
 fibroids, 11, 432
 field desorption (FD), 400
 field ionization (FI), 400, 401
 fingerprint chromatograms, 7, 24
 five elements, 13, 429, 434
 five tastes, 447
 flash chromatography (FC), 121
 flavanones, 89, 141, 178
 flavanonols, 89, 141
 flavones, 88, 141, 178
 flavonoids, 85–87, 140, 173, 174, 177
 flavonols, 88, 141, 178
 Flos Lonicerae Japonica (*Lonicera japonica*), 42, 65
 Flos Matricariae (*Matricaria recutita*), 42
 flowers, 30
 fluorescence reaction, 407
 fluorescent detectors, 131
 fluorimetric assay, 238, 239
 fluorospectrometry, 70
 foam reaction, 407
 Food and Drug Administration (FDA), 21, 378, 379, 386
 formulas, *see* Chinese herb(s), formulas
 four natures or temperatures, 448
 Fourier transform ion cyclotron resonance (FT-ICR), 167, 400
 free radical scavenging assay, 133
 Fröhde Reagent, 145
 Fructus Agni Casti (*Vitex agnus-castus*), 44, 45
 Fructus Amomi (*Amomum villosum*), 68, 69
 Fructus Crataegi, 43, 44
 Fructus Lycii, 66, 68
 Fructus Schizandrae, 66, 68
- Fructus Serenoae Repentis (*Serenoa repens*), 44, 45
 fruits and seeds, 30
 FT-ICR, *see* Fourier transform ion cyclotron resonance
 Fu organs, 14
- GABA, *see* γ -aminobutyric acid
 GAP, *see* good agriculture practice
 gas chromatography (GC), 4, 70, 394, 410, 422
 GC, *see* gas chromatography
 GC-MS, 402
 GE, *see* gel electrophoresis
 gel electrophoresis (GE), 70
 gel-filtration chromatography, 124
 gel-permeation, 124, 128
 gene(s), 226–228
 chipping, 72
 expression, 245
 genetic identification, 71
 genotoxicology, 324
 geo-authenticated herbal medicines, 77
 ginseng (*Panax ginseng*, PG), 249, 252, 253, 257–259
 saponins (ginsenosides), 284, 288, 290
 glandular hair, 64, 65
 glandular scale, 64
Glycyrrhiza glabra (GG), *see* licorice
 GMP, *see* good manufacturing practice
 good agriculture practice (GAP), 27
 good manufacturing practice (GMP), 21, 377, 378–382
 grille cells, 68
 gynecium, 64
- heat-clearing herbs, 450
 hematologic test, 322
 hemolysis index, 407
 Herba Leonuri (*Leonurus japonicas*), 48
 Herba Menthae (*Mentha haplocalyx*), 63, 64
 herbal formulas, 454
 heteronuclear multiple bond correlation (HMBC), 161
 heteronuclear multiple quantum coherence (HMQC), 161
 heteronuclear single quantum coherence (HSQC), 161

- high performance liquid chromatography (HPLC), 4, 70, 121, 127, 393, 410, 420
 HPLC-DAD, 172
 HPLC-DAD-MS, 209, 210
 HPLC-MS, 421
- high-speed countercurrent chromatography (HSCC), 4, 113
- high-throughput screening (HTS), 227, 247
- HILIC, *see* hydrophilic interaction liquid chromatography
- HMBC, *see* heteronuclear multiple bond correlation
- HMQC, *see* heteronuclear multiple quantum coherence
- holism, 431
- homonuclear chemical shift correlation spectroscopy (^1H - ^1H COSY), *see* COSY
- hormone replacement therapy (HRT), 249
- homoisoflavone, 141
- hops (*Humulus lupulus*, HL), 230, 249, 252, 253, 257–259
- hormone replacement therapy (HRT), 249
- HPLC, *see* high-performance liquid chromatography
- HSCC, *see* high-speed countercurrent
- HSQC, *see* heteronuclear single quantum coherence
- HRT, *see* hormone replacement therapy
- 5-HT, *see* serotonin
- HTS, *see* high-throughput screening
- Humulus lupulus* (HL), *see* hops
- hydrochloric acid–magnesium reaction, 141
- hydrophilic interaction liquid chromatography (HILIC), 173
- hypodermis, 68
- ICH, *see* International Conference on Harmonization of Technical Requirements for Registration of Pharmaceuticals for Human Use
- ICP, *see* inductively coupled plasma
- ICP-MS, 425
- identification, 23, 27, 75–77, 139, 172–206
- Indian medicines, 16, 17
- induction of alkaline phosphatase (AP), 250, 254
- inductively coupled plasma (ICP), 400, 401
- infrared (IR), IR spectrum, 4, 70, 139, 153–157, 179
- inhibitors
 competitive inhibitor, 235
 irreversible inhibitor, 235
 mixed inhibitor, 235
 noncompetitive inhibitor, 235
 partially competitive inhibitor, 235
 reversible inhibitor, 235
 uncompetitive inhibitor, 235
- insomnia, 433
- interconnectedness, 16
- interior-warming herbs, 452
- internal standard method, 418
- International Conference on Harmonization of Technical Requirements for Registration of Pharmaceuticals for Human Use (ICH), 20, 378
- inter-simple sequence repeats (ISSR), 72, 73
- intracellular cAMP assays, 262
- in vivo* experiment, 274
- ion-exchange chromatography, 126, 127
- ion exchange column, 126, 128
- ion-exchanging resin, 118, 126
- ion source, 165, 400
- ion trap, 400, 402
- ionization, 165
- IR, *see* infrared
- iridoids, 199
- irreversible inhibitors, 235
- Islamic medicine (Arabic medicine), 18
- isocoumarin, 92
- isoflavanones, 90, 141
- isoflavones, 89, 141, 178
- isolation, 23, 81, 110
- isonym, 31
- ISSR, *see* inter-simple sequence repeats
- Kahlenberg reaction, 142
- Kampo, 15
- kinetics, 233, 262
- LC-MS, 4, 251, 253, 254, 403
- LC-NMR, 4, 214–219

- leaves, 30
- legitimacy, 284
- Leonurus japonicas*, *see* Herba Leonuri
- lethal dose (LD)
 - half or median (LD₅₀), 283, 312, 315
 - maximum (LD₉₅), 315
 - minimal (LD₅), 315
- licorice (*Glycyrrhiza glabra*, GG), 249, 252, 253, 257, 258
- Liebermann–Burchard reaction, 142
- lignans, 6, 93–94, 177, 204
 - bisepoxylicignans, 150
 - neolignans, 94
 - norlignans, 94
 - oligomeric lignans, 94
- ligands
 - competitive, 235, 240, 243
 - noncompetitive, 240, 243
- Lineweaver–Burk plot, 234
- linolic acid, 256, 231
- 5-lipoxygenase (5-LO) assays, 238
- liquid chromatography (LC)
 - high-pressure (HPLC), 121
 - low-pressure (LPLC), 121
 - medium-pressure (MPLC), 4, 121
- liquid–liquid partition, 112
- LIT, *see* Q linear ion trap
- liver-calming and wind-extinguishing herbs, 453
- Lonicera japonica*, *see* Flos Lonicerae Japonica

- maceration, 105, 107
- MAE, *see* microwave-assisted extraction
- magnesium acetate reagent, 148
- magnolol, 150
- main vein, 63, 64
- MALDI, *see* matrix-assisted laser desorption
- Mandelin reagent, 145
- Marquis reagent, 146
- mass analyzer, 167
- mass spectrometry (MS), 70, 400–403
- mass spectroscopy (MS), 4, 70, 131
- mass spectrum (MS), 140, 140, 165–168, 179
- materials
 - of bark, 39, 59
 - of caulis, 37, 55
 - of flowers, 41, 63
 - of fruit, 43, 65
 - of herbs, 47
 - of leaves or leaflets, 40
 - of rhizomes, 36, 54
 - of root, 34, 49
 - of seeds, 46, 67
 - of wood, 38, 57
- matrix-assisted laser desorption (MALDI), 165, 166, 400, 401
- maximum absorption wavelength (λ_{max}), 173
- maximum dose of administration, 316
- maximum tolerance dose, 315
- membrane receptors, 241
- Mentha haplocalyx*, *see* Herba Menthae
- meridians, 14, 429, 435, 441
 - attribution, 449
- mesocarp, 66
- mesophyll, 61–62
- N ω -methylserotonin, 230
- Mexican folk medicine, 19
- Michaelis–Menten equation, 233
- microarrays, 229
- microchemistry, 407
- microscopic identification, 28, 48–67
- microsublimation, 407
- microwave-assisted extraction (MAE), 105
- mobile phase, 129, 130
- molar rotation, 171
- morphological identification, 28, 33–48
- MRM, *see* multiple-reaction monitoring
- mRNA expressions, 251, 254, 256, 257
- MS, *see* mass spectrometry; mass spectroscopy; mass spectrum
- multiple-reaction monitoring (MRM), 168
- mutagenicity, 324, 334
- Muti, 17

- NaBH₄ (or KBH₄) reaction, 141
- naphthoquinone, 97
- National Cancer Institute (NCI), 227
- National Center for Complementary and Alternative Medicine (NCCAM), 16
- National Institutes of Health (NIH), 1
- NCCAM, *see* National Center for Complementary and Alternative Medicine

- NCI, *see* National Cancer Institute
 near-infrared (NIR), 131
 near-infrared spectroscopy (NIRS), 392, 398, 412
 neutral-loss scan, 168, 211
 NIH, *see* National Institutes of Health
 NIR, *see* near-infrared
 NMR, *see* nuclear magnetic resonance
 NOE, *see* nuclear Overhauser effect
 NOESY, *see* nuclear Overhauser effect spectroscopy
 nonglandular hair, 64, 65
 normal phase (NP), 121, 128, 173
 Northern blotting, 245
 NP, *see* normal phase
 nuclear magnetic resonance (NMR), 4, 70, 139, 158–164, 182–185
¹³C-NMR, 161, 163
¹H-NMR, 158
 two-dimensional NMR, 159
 nuclear Overhauser effect (NOE), 160
 nuclear Overhauser effect spectroscopy (NOESY), 160
- obstruction of circulation, 444
 octadecasilica (ODS), 118, 173
 ODS, *see* octadecasilica
 oil cell layer, 68
 opiate receptor, 6
 optical rotatory dispersion (ORD), 140, 168, 169, 170
 optimization, 284
 ORD, *see* optical rotatory dispersion
 ovariectomized (OVX) Sprague-Dawley rats, 6, 259, 295, 297–300
 over the counter (OTC), 21
- paclitaxel, 373
 palisade tissue, 64
Panax ginseng, *see* ginseng; Radix Ginseng
Panax quinquefolius (PQ), *see* American ginseng
 paper chromatography (PC), 70, 409
 partial agonists, 240, 242
 partition chromatography, 122, 123
 partition coefficient (K), 111, 112, 114
 PCR, *see* polymerase chain reaction
 PD, *see* pharmacodynamics
 percolation, 105, 107
 pericarp, 66
 pericarpium, 66
 pharmacodynamics (PD), 6, 271, 305
 pharmacognosy, 271
 pharmacokinetics (PK), 6, 271
 pharmacology, pharmacological study, 6, 23, 305
 pharmacotherapeutics, 271
 phelloderm, 58
 phenanthraquinones, 97
 phenylpropanoids, 149, 177
 phlegm, 443, 453
 phlegm-resolving and coughing- and wheezing-relieving herbs, 453
 phloem, 56, 58
 physical and chemical identification, 28
 physical constants, 69, 405
 pigment layer, 68
Pinellia ternate, *see* Rhizoma Pinelliae
 pith, 56
 PK, *see* pharmacokinetics
 PLE, *see* pressurized liquid extraction
 pollen grain, 65
 polyamides, 118, 173
 polymerase chain reaction (PCR), 72
 polyphenol E, 371
 potency, 242, 243
 PQR, *see* product quality review
 Prakriti, 16
 precipitation, 111
 precipitation reaction, 146, 407
 precursor-ion scan, 168
 preparative thin layer chromatography (PTLC), 117, 120
 pressurized liquid extraction (PLE), 105
 product-ion (daughter ion), 168,
 product quality review (PQR), 378, 384
 proembryum cells, 68
 PTLC, *see* preparative thin layer chromatography
 pyranocoumarins, 92, 150
- Q, *see* quadruple
 Q ion trap (QIT), 167
 Q linear ion trap (LIT), 167
 QA, *see* quality assurance
 QC, *see* quality control

- qi*, 14, 429, 430, 435, 435–441
 anti-pathogenic, 443
 defending, 436, 437, 438
 evil, 430, 436, 438, 442
 inborn (primary), 436, 437
 jing (meridian), 436, 438
 luo (collateral), 436, 438
 nourishing, 436, 437
 pathogenic, 443
 pectoral, 436, 437
 righteous, 436, 438, 442
 -regulating herbs, 452
 QIT, *see* Q ion trap
 QRM, *see* quality risk management
 QU, *see* quality unit
 quadruple (Q) analyzers, 167, 400, 402
 quadruple ion trap, 400
 quality assurance (QA), 377, 382
 quality control (QC), 7, 24, 377, 383, 392
 quality risk management (QRM), 378, 386
 quality unit (QU), 378, 386
 quinones, 94–97

 radiochemicals, 131
 radiometric assay, 238
 Radix *Achyranthis Bidentatae*, 53
 Radix *Asparagi*, 53
 Radix *Astragali*, 52
 Radix *Aucklandiae.*, 51, 53
 Radix *Codonnopsis*, 52, 53
 Radix *Ginseng* (*Panax ginseng*), 35, 50, 53, 70
 Radix *Glycyrrhizae*, 51–53
 Radix *Menispermii*, 52
 Radix *Morindae Officinalis*, 52
 Radix *Notoginseng*, 53
 Radix *Panacis Quinquefolii*, 70
 Radix et Rhizoma *Rhei*, 71
 Radix *Saposhnikoviae*, 53
 Radix *Scutellariae*, 52
 Radix *Stemonae*, 28
 Radix *Trichosanthis*, 53
 random amplified polymorphic DNA (RAPD), 72, 73
 randomization, 280
 RAPD, *see* random amplified polymorphic DNA

 raw herbal materials
 collection, 27, 28–31
 identification, 27
 processing, 30, 31
 RDA, *see* retro-Diels-Alder
 receptors, 226–228, 240–242, 261, 265
 binding assay, 240, 244
 enzyme-linked, 241
 G-protein-coupled, 241
 immune, 242
 ionotropic, 241
 kinetics, 262
 steroid hormone, 241
 red clover (*Trifolium pratense*, TP), 9, 10, 225, 230, 249, 252, 253, 257–259
 refractive index (RI) detector, 131
 regulation, 20
 reproducibility, 280, 392, 417
 resins, 126, 127
 restriction fragment length polymorphism (RFLP), 72
 retardation factor (Rf), 118, 172
 retention time (tR), 172
 retro-Diels-Alder (RDA) reactions, 179
 reverse transcriptase-polymerase chain reaction (RT-PCR), 245, 251
 reversed phase (RP) chromatography, 123, 128, 172
 Rf, *see* retardation factor
 RFLP, *see* restriction fragment length polymorphism
 Rhizoma *Chuanxiong*, 27
 Rhizoma *Coptidis*, 35–37, 55, 56
 Rhizoma *Pinelliae* (*Pinellia ternate*), 37
 rodent micronucleus test, 327
 Rosen-Heimer reaction, 144
 rotonaldehyde, 335
 RP, *see* reversed phase
 RT-PCR, *see* reverse transcriptase-polymerase chain reaction

 safety, 303
 safety pharmacology, 304
 study, 305–306
 Salkowski reaction, 144
 saponin, 142, 175
 SEC, *see* size exclusion chromatography
 secondary pharmacodynamic study, 305
 secretory tissues, 53

- selected-reaction monitoring (SRM), 168
 Semen Hippocastani (*Aesculus hippocastanum*), 47
 Semen Strychni (*Strychnos nux-vomica*), 46
 Senna Leaf (*Cassia angustifolia*), 41
 Sephadex, 124
 Sephadex LH-20, 124
 seven emotional factors, 15, 443
Serenoa repens, see Fructus Serenoae Repentis
 serotonin (5-HT), 6, 225, 260–268
 serotonin receptor, 260, 261, 263
 serotonin selective reuptake inhibitors (SSRI), 260, 262, 266
 SFC, see supercritical fluid chromatography
 SFE, see supercritical fluid extraction
 Shen-calming herbs, 453
Shen Nong Ben Cao Jing (The Divine Farmer's Materia Medica), 303
 Siddha, 17
 silica gel, 118, 121, 123, 173
 simple sequence repeats (SSR), 72, 73
 six exogenous factors, 15, 443
 size exclusion chromatography (SEC), 122, 124
 solubility, 405
 solvent partition method, 112
 sonication-assisted solvent extraction, 105, 107
 SOP, see standard operating procedures
 Soxhlet extraction, 105, 108
Spatholobus suberectus, see Caulis Spatholobi
 specific rotation, 170
 spectrometric assay, 238
 spectroscopy method, 69
 spongy tissue, 64
 SRM, see selected-reaction monitoring
 SSR, see simple sequence repeats
 SSRI, see serotonin selective reuptake inhibitors
 St. John's Wort, 8
 stagnant blood (blood stasis), 443, 444
 standard addition method, 419
 standard operating procedures (SOP), 377, 388, 390, 391
 standardization, 23, 24
 starch grains, 53, 57
 State Administration of Traditional Chinese Medicine (SATCM), 21
 stationary phase, 121, 128
 steroid hormone receptor, 241
 steroidal saponins, 187
 steroids, 101
 sterols, 99
 stomas, 63
 stomata, 64
 stone cells, 52, 56–58, 61, 66, 68
 stop-bleeding herbs, 453
Strychnos nux-vomica, see Semen Strychni
 subterranean organs, 29
 supercritical fluid chromatography (SFC), 397
 supercritical fluid extraction (SFE), 105, 109
 tandem mass spectrometry (MS/MS), 167
 tannins, 231
 taxol, 81
Taxus brevifolia, 81
 TCM, see traditional Chinese medicine
 terpenoids, 97–99, 101, 146
 diterpenoids, 98, 99, 101
 hemiterpenoids, 98
 monoterpenoids, 98, 99
 polyterpenoids, 98
 sesquiterpenoids, 98, 99, 100
 sesterterpenoids, 98, 99, 101
 tetraterpenoids (carotenoids), 98, 99, 102
 testa, 67, 68
 tetramethylsilane (TMS), 159
 TFA, see trifluoroacetic acid
 thermospray ionization (TSP), 165, 166
 thin layer chromatography (TLC), 70, 117, 409, 424
 time-of-flight (TOF) mass spectrometry, 400, 402
 tolerance test, 370
 tonic herbs, 454
 total correlation spectroscopy (TOCSY), 160
 toxicity, 231, 303
 acute, 312, 315, 316, 330
 chronic, 319, 320
 genotoxicity, 290, 324, 335
 reproductive, 324, 328
 special, 324
 sub-chronic, 319

- toxicology, 6, 271
tR, *see* retention time
traditional Chinese medicine (TCM)
 diagnosis, 15
 theories, 13, 429
 treatment, 15
trichome, 63, 64
Trifolium pratense (TP), *see* red clover
trifluoroacetic acid (TFA), 118
triple energizer, 14, 435
triterpenes, 191
Tschugaeff reaction, 144
- ultrafiltration, 251–253
ultrahigh performance (or pressure) liquid chromatography (UPLC), 394, 422
 UPLC-MS, 421
ultraviolet (UV), UV spectrum, 4, 70, 139, 150–153
ultraviolet-visible (UV-Vis) spectrometry, 398, 411, 420, 423
Unani, 17
urine test, 323
UV, *see* ultraviolet
UV-Vis, *see* ultraviolet-visible spectrometry
- vacuum liquid chromatography (VLC), 121, 122
vessels, 51
vinblastin and vincristine, 81
Vitex agnus-castus, *see* chaste berry or Fructus Agni Casti
- water-regulating and damp-resolving herbs, 452
wavenumber, 153
wind-damp dispelling herbs, 451
World Health Organization (WHO), 1, 20
- xanthenes, 91, 141
X-ray, 70
xylem, 56, 58
 The Yellow Emperor's Inner Classic, 430, 431, 436, 443
- yin and yang, 13, 429, 433
- Zang-Fu, 14, 429
Zang organs, 14
zheng, 10, 276, 278, 448
Zhong Hua Ben Cao, 21, 450