

Index

A

- Absorption
 - of tea catechins, 113
 - Androgen regulated gene, 216
 - AGE formation, 246
 - effects of tea on, 249
 - Amadori rearrangement, 246
 - γ -Aminobutyric acid, 32
 - Androgens, 211
 - Anthocyanidin
 - tea, 134
 - Anti-angiogenic activity, 169
 - EGCG on, 169
 - Anticarcinogenesis mechanism
 - by tea polyphenols, 170
 - Antifibrinolytic, 235
 - Anti-inflammatory activity
 - of EGCG, 168
 - of epigallocatechin gallate, 180-181
 - of tea, 180-185
 - of theaflavins, 168, 180-182
 - Antimicrobial activity
 - of white tea, 27
 - Antiobesity effect
 - of tea, 238
 - Pu-erh tea, 13-14
 - Antioxidant activity
 - tea polyphenols, 140-153, 163
 - Antioxidant response element, 153
 - AP-1, 167
 - Apoptosis, 169-171
 - Arachidonic acid, 178
 - metabolites, 179
 - Aromatase, 212, 217
 - in estradiol biosynthesis, 212-213
 - inhibition by tea polyphenols, 213
 - Arthritis, 180
 - Assam tea drink
 - potent odor compounds, 294
 - Atherosclerosis, 235
 - ATP synthesis, 239
- ## B
- Bcl-2, 169
 - tea polyphenols as inhibitors of, 169
 - Bcl-XL, 169
 - Benzotropolone, 62, 149
 - formation pathway, 70
 - Bioavailability, 113
 - food matrix effect, 124
 - of tea catechins, 112-122

- Biotransformation
 - of tea catechins, 113-120
- Bistheafavin A, 64
- Black tea drink
 - manufacturing, 277
 - odor description, 291
 - odor intensity, 291
- Black tea polyphenols, 61, 71-72
- Blood pressure moderation
 - by GABA tea, 44-49
 - by theanine, 264
- Blood vessel,
 - vasoconstriction, 178
- Brain wave
 - theanine on, 263

C

- Caco-2 cells, 113
- Caffeine
 - thermogenesis, 223, 226
 - interaction with theanine, 269
- Camellia sinensis*, 1, 9
- Cancer chemoprevention, 161
 - molecular mechanism, 163-171
 - by tea, 161-173
 - by tea polyphenols, 161-173
- Caspase activation, 170
- Catalase, 153
- Catechin
 - tea, 132
 - in young tea leaves, 133
- Catechin analysis
 - by capillary electrophoresis, 88
 - by CZE, 88
 - by gas chromatography, 93
 - by high speed countercurrent chromatography, 91-92
 - by HPLC, 80-82
 - by HPLC-chemiluminescence detection, 87-88
 - by HPLC electrochemical detection, 85-86
 - by HPLC-fluorescence detection, 86-87
 - by HPLC-MS, 82-85
 - by MEEKC method, 89-90
 - by MEKC method, 89
 - by near-infrared reflectance spectroscopy, 90-91
 - by NMR, 91
 - by planar chromatography, 92-93
 - by spectrophotometry, 93-94
- Catechin oligomers, 72
- Catechol-*O*-methyltransferase, 114

effect of catechins on, 222-223
 Catecholamines
 urinary, 224
 Cdk inhibitor p21, 168
 Cell cycle, 163
 progression, 167
 Cell proliferation, 166
 Chelating metal ions, 153
 Chlorogenic acid, 13
 Cholesterol
 suppression by teas, 14
 Chymotrypsin-like activity
 inhibition by tea polyphenols, 199
 of proteasome, 199
 Cox, 178
 CTC machine, 4
 Cyclin D1, 167
 Cyclin-dependent kinase 2, 167
 Cyclin-dependent kinase 4, 167
 Cyclin E, 167
 Cytochrome C, 170
 Cytokines, 178

D

Darjeeling tea drink
 odor description, 291
 odor intensity, 291
 potent flavor compounds, 294
 retorting process, 291
 Dehydrotheaflavin, 64
 Dehydrotheasinensins, 68
 Depside
 tea, 135
 Diabetes
 effects of tea on, 249
 effects of tea polyphenols on, 249
 5 α -dihydrotestosterone, 212, 215
 (-)-5-(3',4',5'-dihydroxyphenyl)- γ -valerolactone,
 85
 2,2-diphenyl-1-picrylhydrazyl, 142
 reaction with catechin, 143
 reaction with epigallocatechin, 144
 reaction with epigallocatechin gallate, 144
 DNA flow cytometric analysis, 167
 Doxorubicin, 267
 effect of theanine on, 268
 release, 268
 DPPH, 142
 reaction with catechin, 143
 reaction with epigallocatechin, 144
 reaction with epigallocatechin gallate, 144

E

Ear edema
 mouse, 182
 Ear inflammation

TPA-induced, 183-185
 effect of theaflavins on, 183-185
 Edema, 161
 EGCG in human plasma
 by LC-MS, 83-84
 EGF-induced transformation
 of JB6 mouse epidermal cells, 167
 EGF receptor, 236
 Electrophoretic mobility shift assay, 168
 Energy expenditure, 227
 cellular, 236
 enhancement by tea drinking, 236-237
 Estradiol
 biosynthesis, 212
 5-*N*-ethylglutamine, 255
 Excretion
 of tea catechin, 122
 Extracellular mitotic signals, 163

F

Fatty acid synthase, 14
 suppression by EGCG, 171
 suppression by TF-3, 171, 236
 Fermented tea, 233
 Finasteride, 214
 Flavonol
 tea, 132
 glycoside, 132
 Flavor stability, 278-293
 black tea drinks, 291-29
 green tea drinks, 278-291

G

GABA tea
 accumulation, 38
 formation pathway, 36-38
 on alcoholism, 34
 on depression, 33
 on diabetes, 35
 on epilepsy, 36
 on growth hormone, 34
 on hypertension, 33
 on Parkinson's disease, 35
 on sleep, 34
 Gabaron tea, 32
 Gallic acid, 136
 Glucurination
 of catechins, 114, 223
 Glutamate transporter
 inhibiting by theanine, 267
 γ -glutamylethylamide, 255, 270
 Glutathione, 153
 Glutathione peroxide, 153
 Glutathione-S-reductase, 153
 Glutathione-S-transferase, 153
 Glyoxal, 246-248

- analysis of, 247-248
- Green tea drink
 - flavor dilution factor, 280
 - manufacturing, 276
 - odor intensity, 279
 - odor description, 279
- H**
- Hepatic fatty acid synthase
 - suppressing by Pu-erh tea, 14
- Heterocyclic amines, 26
- Hippuric acid, 121
- Human epidermal keratinocytes, 167
- Human epidermoid cell, 166
- Human leukemia Jurkat T cells, 194
- Human umbilical vein endothelial cells, 168
- Hydrogen peroxide, 146
 - reaction with epigallocatechin, 149
 - reaction with epigallocatechin gallate, 149
 - reaction with theaflavin-3,3'-digallate, 150
- Hydroxyl radical, 151
- Hyperlipidemic effect, 235
 - Pu-erh tea, 13
- I**
- κB activation, 168
 - suppression by EGCG, 168-169
 - suppression by theaflavins, 168-169
- κB inhibitor
 - theaflavon on, 168
- Immune enhancement
 - by theanine, 269
- Inducible nitric oxide synthase, 168
 - tea polyphenols on, 168
- Inflammation, 177-180
 - and cancer, 179
 - symptom, 177
- Insulin-like growth factor-1, 217
- Intercellular adhesion molecule-1, 168
- Interleukin-1, 161
- Interleukin-6, 162
- Interleukins, 178
- Interscapular brown adipose tissue, 223
- Invasion
 - cancer, 163
- Ischemia, 266
- K**
- Kamairi-cha
 - flavor compounds, 290
- L**
- LADME, 113
- Learning ability improvement
 - theanine on, 263
- Leucoanthocyanidin
- Leukotrienes, 178
 - tea, 134
- Lipogenesis
 - suppression by teas, 14
 - suppression by tea polyphenols, 236
- Lipopolysaccharide, 163
- LNCaP human prostate cancer cell, 216
- Low-density lipoprotein
 - suppression by teas, 14
- LTP machine, 4
- M**
- Manufacturing
 - black tea, 3-5
 - GABA tea, 37-44
 - green tea, 2-3
 - oolong tea, 2
 - Pu-erh tea, 10-12
 - white tea, 2, 18-20
 - metabolism of tea catechins, 114-115
- MARK signaling
 - inhibition by EGCG, 167
 - inhibition by TF-3, 167
- Matrix metalloproteinase, 169
 - inhibition by EGCG, 169
- Mental condition
 - theanine on, 263
- Metabolites
 - of epicatechin, 115
 - of epicatechin gallate 115
 - of epigallocatechin, 115
 - of epigallocatechin gallate, 115
- Metastasis, 163
- Methylation
 - of catechins, 223
 - of EGCG, 228
- Methylglyoxal, 246-248
 - adduct with epigallocatechin gallate
 - analysis of, 247
 - reaction with tea polyphenols, 249-250
 - trapping of, 250
- Methyl xanthine analysis
 - by CE, 99-100
 - by LC-MS, 98-99
 - by HPLC-UV detection, 97-98
- Microbial metabolism
 - of tea catechins, 120-121
- Mitogen-activated protein kinase, 167
- Mitotic signal transduction, 171
 - blockage by tea polyphenols
- MMP-1, 169
 - inhibition by EGCG
- MMR-9, 169
 - inhibition by EGCG, 169

N

- Neuroprotection
 - by theanine, 264
- Neurotransmitter release
 - theanine on, 262
- NF- κ B activation, 167
 - suppression by EGCG, 168
 - suppression by theaflavins, 168
- NIH 3T3 cells, 167
- Nitric oxide synthase, 163
- Nitrite ion, 151
- Nonenzymatic glycation, 246

O

- Obesity
 - and catechins, 228-230
- Oolong tea drink
 - manufacturing, 277

P

- p-38 kinase inhibitor, 167
- p-53, 204
- Passive avoidance test, 265
- Peroxidase-hydrogen peroxide, 61
- Peroxynitrite, 151
 - reaction with epigallocatechin gallate, 152
- Peroxyl radical, 145
 - reaction with epicatechin, 145, 147
 - reaction with epigallocatechin, 148
 - reaction with epigallocatechin gallate, 148
- Pharmacokinetic study
 - of tea catechins, 113-114
- Phenolic acid
 - tea, 135
- Phosphatidylinositol-3-kinase, 167
- Plasma lipid
 - inhibition by Pu-erh tea, 14
- Plasma uric acid
 - suppression by Pu-erh tea, 14
- Polyphenoloxidase, 61
- Polyvinylpyrrolidone adsorption, 61
- Prostaglandins, 178
- Prostate
 - cancer, 212
 - carcinogenesis, 211-218
 - hyperplasia, 212
- Prostate carcinogenesis, 211-218
 - suppression by tea polyphenols, 211
- Prostate-specific gene, 216
 - suppression by TF3, 216
- Proteasomal activity, 169, 201
 - inhibition by black tea polyphenols, 198-199
 - inhibition by EGCG, 169, 191, 193-195
 - inhibition by theaflavins, 191, 193
 - mechanism of inhibition, 205

- Protein tyrosine kinase, 166
- PSA, 216
 - suppression by TF3
- Pu-erh tea, 9-15, 163
 - age of, 9
 - antiobesity effects, 13
 - consumption of, 10
 - culture, 9
 - fermented, 10
 - green tea-like, 10
 - hypolipidemic effects, 13
 - lipid-lowering, 14
 - lipogenesis suppressing, 14
 - manufacturing, 10
 - pain of gout attenuation, 14
 - uric acid suppression, 14
 - xanthine oxidase inhibition, 14
 - Yunnan, 10
- Pu-erh ring cake tea, 10
- Pu-erh tea making
 - classical pressing method, 10-11
 - wet-piling method, 12-13
- Pu-erh tou-tea, 10
- Pyroglutamic acid, 269

Q

- Quinone reductase, 153

R

- Ras-MAP kinase signaling, 167
- RAW 264.7 cells, 168
- Rb protein, 167
- Reactive nitrogen species, 178
- Reactive oxygen species, 141, 178
- Redox potential
 - tea polyphenols, 140
- 5 α -reductase, 212
 - Inhibition by tea polyphenols, 215
- Respiration rate, 223-226

S

- Scavenging reactive oxygen species, 141
- Sen-cha drink
 - flavor compounds, 290
- Signal transducers
 - oxidative, 166
- Superoxide dismutase, 153
- Sulfation
 - of tea catechins, 114
- Sulfotransferases, 114
- Superoxide anion, 151

T

- Tea consumption, 5-8
 - black tea, 7-8

- green tea, 6-7
 - world tea, 6
 - Tea drinks
 - manufacturing, 275-278
 - sale in Japan, 276
 - Tea polyphenols
 - anticarcinogenesis mechanism, 170
 - cancer chemoprevention, 163-171
 - on aromatase inhibition, 213
 - on mitotic signal transduction, 171
 - on 5 α -reductase inhibition, 215
 - Tea production
 - world tea, 6
 - 12-*O*-tetradecanoylphorbol-13-acetate, 161
 - Testosterone, 211, 215
 - Theaflavin, 162, 165, 170
 - Theaflavin monogallates, 162, 165, 170
 - Theaflavin 3,3'-digallate, 162, 165, 166, 170
 - Theaflavins, 62-64, 138, 162, 164-165, 170
 - analysis by CE, 96
 - analysis by high speed countercurrent chromatography, 96
 - analysis by HPLC-UV, 94
 - analysis by LC-electrochemical detection, 95
 - analysis by LC-MS, 95
 - analysis by spectrophotometry, 96-97
 - formation mechanism, 139
 - oxidation of, 65
 - reaction with iron, 154
 - xanthine oxidase inhibition, 14
 - Theanaphthoquinone, 63-64
 - Theanine
 - absorption, 262
 - biosynthesis, 259
 - caffeine interaction, 264
 - chemical synthesis, 259-261
 - effect on dopamine, 262
 - effect on serotonin, 262
 - enantiomer, 256
 - enzymatic synthesis, 259
 - metabolism, 262
 - relaxation effect, 262
 - Strecker aldehyde of, 68
 - Theasinensin A, 163, 170
 - Theasinensins, 66-68, 138
 - Thearubigin analysis
 - by mass spectrometry, 101
 - by spectrophotometry, 1001-101
 - Theogallin, 136
 - Thermogenesis, 223-228
 - Tissue distribution
 - of tea catechins, 121-122
 - Toxicity
 - of tea catechins, 126
 - TPA, 161
 - (-)-5-(3',4',5'-trihydroxyphenyl)- γ -valerolactone, 85
 - Tumor necrosis factor α , 178
 - Tumor progression, 166
 - Tumor inhibition
 - by theanine, 267
 - Tumor suppressor genes, 162
- ## U
- Ubiquitin-proteasome pathway, 192-193
 - UDP-glucuronosyltransferases, 114
 - Uva tea drinks
 - potent odor compounds, 294
- ## V
- Vascular cell adhesion molecule-1, 168
 - EGCG on, 168
 - TF-3 on, 168
- ## W
- White tea
 - main constituents, 20-25
 - silver needle with white hair, 19
 - white peony, 19
- ## X
- Xanthine oxidase
 - inhibition by Pu-erh tea, 14
 - inhibition by theaflavins, 155, 166