

Index

- 16S rRNA gene homology, 79, 274
 2,3-butanediol, 308
 2,4,6-trinitrobenzene sulfonic acid, 57, 61, 138
- α_1 -antitrypsin, 257
- abdominal, 8–9, 157, 183, 204, 317
 cramps, 2–3
 distension scores, 191
 distension symptoms, 249
 pain(s), 8, 65, 157–8, 163
- Acceptable Macronutrient Distribution
 Range, 112
- accuracy, 91, 274, 292
- acetogenesis, 61
- acute intestinal disease(s), 2
- adaptive response, 63
- additives, 77, 128, 172, 179, 224–6, 229–30,
 232–4, 242–7, 278, 284–5, 291
 nutritional additives, 242
 sensory additives, 243
 zootechnical additives, 234, 243
- adenocarcinoma, 7, 10
- adhesion, 11, 38, 51, 55, 64, 82, 174,
 250, 269, 295–6
 to human (intestinal) mucus, 46, 55, 250,
 269, 289, 296
- adjuvant, 4, 9, 216, 218
- Aeromonas*, 202
- Aeromonas hydrophila*, 140
- aflatoxin(s), 10–11, 28, 171–6, 252–3
 exposure, 172, 175–6, 253
 aflatoxin-B1, 28, 172–6, 252, 269
- Agence Française de Sécurité Sanitaire des
 Aliments (AFSSA), 286
- α -glucosidase, 60
- alanine, 12
 alanine transaminase, 140, 253
- alcohol, 8, 113–15, 225, 235
- aldehyde reductase, 11–12
- allergen status, 41
- allergic disease, 161, 184–6, 257
- allergic reactions, 6, 26
- allergy
 cedar pollen, 124
 prevention, 160
- α -linolenic acid, 112
- allochthonous bacteria, 294, 313
- Alternaria*, 171
- American Cancer Society, 108
- American Diabetes Association, 108, 113–14
- American Heart Association, 108,
 112–13
- Aminoglycosides, 254
- Aminopenicillins, 187
- Ammonia, 20, 193, 224, 241
- Amoxicillin, 181, 200, 203–4, 255
- amplified ribosomal restriction analysis
 (ARDR), 82, 274
- amylase, 139–140
- anaerobes, 60, 179, 212
- anesthetic, 1
- animal studies, 6, 7–8, 22, 24, 32, 95,
 122–3, 135, 268
- Anthropometric, 144
 indicators, 143
- antibiotic(s), 4–5, 55, 64, 94, 127, 136,
 155–6, 179, 181, 187–9, 194, 200–201,
 203–4, 207, 209, 213, 223–5, 245–7,
 251, 254–5, 257, 277–8, 284, 286,
 288–9, 319
 antibiotic-associated diarrhea, 4, 9, 52, 58,
 94, 155, 187, 200, 215

- antibiotic(s) (*cont'd*)
 resistance(s), 30, 51, 82–83, 95, 227, 236, 254, 273, 284
 transferability, transmissible antibiotic resistance, 82, 236, 273
 treatment, 4–5, 51, 155, 187, 201, 251, 256, 311
- antibody, 11, 20, 24, 26
 production, 11–12, 25, 31, 136–7
 titre (titer) 25, 135, 232
- anticancer biological response modifiers, 26
- anticarcinogenic activities, 304
- anti-collagen antibody, 25
- anti-flatulence properties, 65
- anti-inflammatory, 10, 12, 46, 55, 65, 138, 163, 207, 209, 269
 cytokines, 55, 138, 252
 properties, 60–61
- antimicrobial(s), 7, 52, 54, 64, 163, 193, 203, 213, 223, 246, 293, 313
 activity, 7, 269, 313
 properties, 54
 substances, 13, 45, 235, 277, 284
- antioxidant(s), 129, 138, 242, 276
 activities, 287
- antitumour immune responses, 19
- antiviral activity, 13
- ANVISA, 77–8
- API identification, 304
- apoptosis, 55, 61, 219
- ARDRA, *see* amplified ribosomal restriction analysis
- arthritis, 8–9, 25
- aspartate, 140
- Aspergillus*, 171
Aspergillus flavus, 252
Aspergillus oryzae, 137
- atopic, 161, 192, 257
 dermatitis, 46, 161–2, 164, 185–7, 194, 249, 254, 257
 diseases, 49, 52, 58, 257
 eczema, 6, 7, 46, 85, 161, 164, 184–7, 257
- authorisation process, 225, 234, 242–5, 247
- autoimmunity, 25
 amelioration, 32
- autopsy, 56–57
- azoreductase, 252, 311
- azoxymethane-induced colon tumors, 7
- B vitamins, 275
- Bifidobacterium*, 1, 2, 9–10, 13, 38–9, 49, 54, 59–61, 78, 81, 98, 119, 144, 157–9, 180–181, 204, 207, 227, 250, 254–5, 269, 273–4, 278, 317
- Bifidobacterium adolescentis*, 29, 39, 63, 128, 141, 147, 227
- Bifidobacterium animalis*, 6–7, 47, 160, 192, 203, 215–17
- Bifidobacterium animalis* Bb12, 204
- Bifidobacterium animalis* subsp. *lactis* (*Bb12*), 46, 250–251, 253, 258
- Bifidobacterium bifidum*(s), 1, 137, 128, 156, 166, 186–7, 215
- Bifidobacterium bombi*, 59–60
- Bifidobacterium breve*, 29, 62, 64, 119, 128, 210, 218, 250, 251, 258, 296
- Bifidobacterium infantis*, 64, 128, 158, 163, 207, 210, 217–18
- Bifidobacterium longum*, 7, 64, 187, 268–9, 296
- Bifidobacterium thermophilum*, 55
- Bacillus*
Bacillus subtilis, 138, 140, 157, 227, 233–4
Bacillus circulans, 140
Bacillus spores, 234–5
Bacillus toyoi, 225, 242
- bacteremia, 8, 56, 183–4
- bacterial biomass, 63, 200
- bacterial, 1–2, 6, 8, 10, 13, 20–21, 23, 30, 32, 42, 44, 50, 52, 54, 56, 58–64, 67, 79, 81, 89, 99, 128, 136, 139–42, 154–6, 173–5, 178–82, 193, 200–201, 205, 207, 210, 212–13, 214, 217, 218, 223–5, 230–232, 236, 238, 240–241, 247, 249, 251, 272–3, 275–7, 279–80, 283, 285, 287–9, 291–5, 298, 305–7, 314, 317
- cell wall, 12, 173
- diversity, 57, 59–60
- enzyme(s), 7, 20
- isolates, 267, 288
- toxins, 11
- translocation, 8, 51, 56
- bacteriocins, 13, 54, 277, 313
- Bacteroides*, 29, 60, 179, 297
Bacteroides fragilis, 30, 180
- Bacteroides-Prevotella*, 60
- Bacteroidetes, 298
- batch fermentation, 54, 239
- benzpyrene, 11
- β -galactosidase, 53, 60, 138, 206
- β -glucosidase, 60, 140, 251
- β -glucuronidase, 20, 137–8, 251–2
- β -glucuronidase activity, 20, 137–8, 251

- Bifantis®, 217
 bile acids, 6, 9, 28, 311
 bile resistance, 38, 95
 bioactive peptides, 275
 biochemical medicines, 127
 biodiversity, 145
 bioequivalence, 289–90
 biomarkers, 47, 93, 96–7, 175, 287, 291–2, 298, 307, 310, 314
 biopolymers, 308
 biopreservatives, 279
 biotherapeutic agents, 5
 bloating, 2, 65, 157–8, 163, 190, 206–7, 209, 217, 256
 blood mononuclear cells, 23–4, 251
 blood products, 127
 body passage phase, 276
 bone density, 96, 129–30
 bone marrow transplantation, 8
 bovines, 229, 245
 bowel discomfort, 18, 24
 bowel dysfunction, 65
 bowel movement, 22, 31, 158, 207, 217, 269
 branched-chain amino acids, 316
 Brazil, 31–2, 76–8, 85
 bread, 1, 250
 breast milk, 60, 181, 204
 breast-fed, 1, 7, 17, 179–81, 192, 274, 297, 303
 breath hydrogen excretion, 205–6
 broilers, 136–137
Brucella abortus, 67
 Bulgarian yogurt, 17
 business opportunities, 264, 266
 butyrate, 57, 61
- Clostridium difficile*, 5, 155, 180, 187, 199–200, 215, 312
C. difficile-associated diarrhea, 155
 Caco-2 cells, 55
 cadmium, 269
 Caesarean section, 1, 179–80, 185, 257
 calcium, 91, 104–105, 124, 131, 307
 calprotectin, 8
 calves, 135, 139–40, 230–231, 233, 245
 cancer, 7, 9, 11, 19, 26, 28, 30, 32, 49, 52, 91, 107–8, 113–15, 124, 129, 171, 209, 218, 313
 cancer cell proliferation, 26
Candida, 6, 11–12, 228, 255–6
 Candida celanoides, 228
 infections, 256
- capsules, 5, 45–6, 64, 78, 89, 113, 120, 123, 175, 191, 200, 203, 213, 250, 254–5, 272, 276
 carbohydrate metabolism, 51, 54
 carbohydrate sweeteners, 91
 non-cariogenic, 91
 carbohydrate-induced
 hypercholesterolemia, 111
 carbon tetrachloride, 8
 carboxymethyl cellulase, 140
 carcinogen, 11, 28
 compounds, 28, 30
 cardiovascular disease (health), 102, 104, 106–10, 112–13, 115, 122, 286
 caries, 7, 9, 11, 66, 83, 85, 91, 193, 214
 carrier matrices, 275
 case-by-case basis, 126
 cassava, 309
 catabolite repression, 307–8
 catalase, 62
 catalytic activities, 63
 catheter, 40, 183–4
 caustic, 241
 CBER, *see* Center for Biologics Evaluation and Research
 cecum, 3, 136, 205
 cell aggregates, 64
 Cell bank, 237–8, 240
 cell immobilization, 63–4
 cell injury, 241
 cell layer integrity, 55, 252
 cell membrane integrity, 37
 cell proliferation, 26, 313
 cell wall fragments, 275
 cellular stress response, 62
 cellulase activity, 139
 Center for Biologics Evaluation and Research, 94
 cephalosporins, 187, 200
 CFU, *see* colony-forming units
 chaperone, 62
 cheese, 1, 44–6, 48, 250, 253, 256, 306
 Gouda, 44
 chemotherapy-induced diarrhea, 65
 chewing gum, 85, 218
 chicks, 135–7, 172
 children, 4, 7, 8, 18, 47, 52, 55–6, 82, 85, 94, 130, 141–4, 152, 154–5, 157–8, 160, 162, 164, 166–7, 178–9, 181, 183–94, 254, 256–7, 286, 292, 298, 307, 316
 children's development, 77

- China, 31–2, 85, 126–7, 129–32, 175–6
- Chinese health claim categories, 129
- Chinese medicine, 126–7, 130
- Chinese Medicine Administration Law, 126
- Chinese regulations, 126
- Chlamydia*, 6
- cholesterol, 6, 46, 52, 82–3, 85, 91, 104–5, 107–15, 121–2, 124, 136, 143–4, 311
- chronic abdominal pain, 8, 190, 206, 217
- chronic fatigue syndrome, 24
- chronic inflammation, 30, 207, 209
- chronic liver disease, 8
- claims, 32, 75, 76–81, 84–5, 88–94, 96–100, 102–4, 106, 108–9, 118–19, 121–4, 126–31, 263, 266, 283, 287, 291, 293, 299
- disease claim, 93, 99, 124
- health/food claim, 2, 31–2, 40, 46, 49, 75–85, 89–93, 96, 102–4, 106–9, 118–32, 134, 145, 171, 173, 175–6, 199, 215, 223, 226, 263–8, 273, 283, 285, 289–93, 296–9
- nutrient content claim, 93, 102, 104–6
- off-label claim, 124
- structure/function claim, 90–4, 96, 100, 102, 104
- clarithromycin, 203–4, 255
- clavulanate, 187
- clindamycin, 178, 200, 278
- clinical, 2, 4, 5, 7, 10, 21, 23, 38, 49, 53, 56, 58, 67, 82, 93–4, 99, 123, 134, 136–7, 143, 145, 149–50, 152, 154, 156, 158–9, 161, 166, 171–2, 182–90, 192–4, 199, 203, 210, 212, 215–18, 249, 252–4, 257, 264–5, 267–9, 271, 279, 290, 293, 299
- indications, 199–200
- protocols, 298
- research, 2, 46, 58
- score, 7, 186–7
- study(ies), 18, 20, 51, 84, 99, 122, 135, 141, 145, 199–200, 207, 212, 214–15, 226, 254, 263, 276, 290, 299
- cloning, 312
- genome fragments, 312
- Clostridium*, 180
- C. coccooides*, 60
- C. difficile*, 5, 9, 155, 180, 188, 200–201, 215
- disease(s), 199–200, 215
- C. leptum*, 60, 297
- C. perfringens*, 124, 297
- clue cells, 212–13
- coadministration, 163
- coated, 45, 272
- Cochrane Collaboration, 149–50
- Cochrane Handbook, 151, 165
- Cochrane Neonatal Review Group, 182
- Cochrane review, 154, 159, 160, 162, 187, 189, 218
- Codex, 78, 85
- co-fermentation, 43
- cohorts, 4, 310
- coliform count, 141, 143
- colitis, 3, 4, 7, 9, 10, 26, 30, 56–7, 61, 138, 155, 159–60, 187, 192, 194, 199, 201, 206–8, 217, 289, 312
- colon, 2, 3, 7, 8, 10, 28, 30, 54, 61, 65, 122, 138, 160, 207–11, 216–17, 250–251, 294–295
- cancer (tumour), 7, 28, 30, 209
- colonisation, 38, 250, 256, 286, 292, 294–5, 303, 311, 313, 318
- colony-forming units (CFU), 44, 99, 136–42, 144, 154, 163, 174–5, 185, 188–9, 201, 207, 210, 212–14, 229, 246, 253–7, 308, 310
- enumeration, 44, 276–8, 310
- colorectal cancer, 30
- commensal gut microflora, 161
- commercial-scale production, 268
- Community Register of Feed Additives, 232, 243–5
- community-acquired diarrhea, 188–91, 194
- competitive exclusion, 38, 79, 137, 182
- confidence interval, 144, 151–3, 156, 183
- constipated patients, 19, 20, 160
- constipation, 2, 18–20, 22, 31, 104, 129–30, 160, 182, 190, 192, 206–7, 217
- consumer guidelines, 99
- Consumer Health Information for Better Nutrition Initiative, 106–7
- consumer protection, 30, 78, 284
- consumer watchdog organizations, 98
- conventional food, 88–90, 93, 118
- cooling temperature, 272
- coronary
- artery disease, 6
- heart disease, 85, 91–2, 96, 109, 113
- Corynebacterium*, 39, 227
- cosmetic claims, 130
- cows' milk, 7, 186–7, 257
- C-reactive protein, 144, 257

- Crohn's disease, 3–4, 10, 27, 57, 61, 159, 192–3, 199, 206, 209–11, 218, 310, 312
- crossover protocol (trial), 6, 19, 190, 298
- cross-protection phenomena, 63
- cross-talking, 304, 309
- CRP, *see* C-reactive protein
- crude fiber, 139
- crude protein, 139
- cryoprotectants, 42
- crypt foci, 7
- culturability, 37, 75, 84, 275
- culture methods (techniques), 59, 250, 275, 277, 310
- cultured milk products, 1
- culture(s), 1, 17, 43–4, 54, 59, 62–3, 81, 84, 94, 120, 134–5, 137, 139, 141, 145, 183, 199–200, 213, 237–41, 249–50, 252–3, 255–6, 267, 271, 273, 275, 277, 279, 284–5, 288, 292, 304–10, 314
- yogurt-type, 273
- curcumin, 10, 12
- cyanoglycosides, 309
- cystic fibrosis, 8, 9
- cytochrome P450 reductase, 11, 12
- cytokine, 3, 8, 10–11, 19, 26, 51, 55, 57, 66, 138, 163, 192, 207, 209, 251–2, 269, 289
- cytotoxic T-cell activity, 24
- dahi, 134, 138, 141, 142, 144
- daily feed intake, 137, 231
- daily weight gain, 139, 230, 231
- daily-dose, 43
- dairy matrix, 41, 309, 309
- dairy products, 3, 45, 49, 59, 111, 113, 119, 130–131, 173, 228, 253, 256, 271, 273, 277, 299, 306, 307
- D-alanine, 12
- data, 4, 21, 25, 28, 30, 58, 67, 81–4, 92, 94–6, 103, 106, 108–10, 114–15, 122–4, 131, 141, 145, 149–52, 154, 156–8, 160–166, 171, 176, 181–4, 187–91, 214, 225, 229, 232, 234, 249, 254, 267, 274, 287, 291, 293–7, 299, 305, 314
- pooling, 163, 164
- Debaryomyces hansenii*, 228
- deconjugation, 61
- deconjugate(d) bile acids, 6, 9
- defecation frequency, 20–2, 124, 160
- defense mechanisms, 62–3
- defensins, 207, 209, 313, 318
- deficiencies, 11–12, 108, 199, 287
- deficiency-related diseases, 315
- dehydration, 143, 187, 190, 209, 237
- delivery matrix, 97
- denaturing gradient gel electrophoresis (DGGE), 288, 291
- dendritic cells, 24, 30, 192, 252, 289
- dental caries, 7, 9, 11, 66, 85, 91, 193
- Department of Health and Human Services, 108
- dextran sulfate, 10
- DGGE, *see* denaturing gradient gel electrophoresis
- diabetes, 9, 24–5, 57, 108, 113–14, 122, 138, 312, 313
- diabetic symptoms, 25
- diagnostic aids, 127
- diarrhea (diarrhoea), 1, 4, 5, 9, 52, 58, 65, 79, 88, 94, 134, 136–7, 139, 142–4, 150–151, 153–7, 163–4, 166, 182, 187–91, 194, 199–207, 209, 213, 215–17
- antibiotic-associated, 4, 9, 52, 58, 94, 155, 187, 200, 215
- diarrheal diseases, 4, 142, 154
- dietary, 11, 89, 91, 92, 100, 102–4, 106, 108–16, 135–6, 138–9, 157, 171, 173, 175–6, 191, 206, 254, 258, 263, 268, 311, 318
- fiber (fibre), 29, 65, 107
- guidance, 102, 103, 108, 116
- lipids, 91
- supplements, 65, 88–90, 92–3, 99–100, 107, 112, 118, 228, 291, 316
- toxins, 252, 269
- Dietary Guidelines Advisory Committee, 110
- Dietary Guidelines for Americans, 108
- Dietary Supplement Health and Education Act, 96, 104
- differential fluorescence induction, 306
- digestive, 49, 56, 59–60, 92, 97, 98, 205, 229–30, 264, 309, 311, 318
- ecosystems, 59, 60
- function, 32, 194
- tract, 54, 56, 59–60, 210, 235, 311, 313
- digestive tract, bumblebee, 60
- dimethyl sulfoxide, 42
- disease risk, 77, 79–80, 83, 102, 108, 110, 119

- disorders, 2–3, 8, 10, 12–13, 24, 49, 52, 67, 85, 145, 157, 159–61, 190, 236, 258, 286, 298, 310, 312
- disruption in cellular membranes, 42
- D-lactate, 54
- DNA fragments, 238, 306
- DNA–DNA hybridization, 79, 82
- docosahexaenoic acid, 112
- dormancy, 41, 43, 275
- dosage, 41, 44, 127–8, 130–131, 154, 163, 183, 199–201, 267, 299
- dose–response studies, 287
- double-blind randomized, 5, 207, 293
- downstream processing, 41, 50–51, 62–3, 236–7, 241
- Dr. Minoru Shirota, 17
- drugs, 10, 19, 88–90, 93–4, 118, 120, 127, 179, 207, 223–4, 252, 264, 289, 298, 315–17
- drug therapies, 58
- dual-type microflora, 273
- dullness, 136–7
- duodenum, 2, 136, 203
- dysbiosis, 65, 310, 312, 314
- dysentery, 134, 144
- dyslipidemia, 138
- Escherichia coli* (*E. coli*), 2, 23, 54, 124, 135–6, 156–7, 160, 173, 179–80, 187, 202, 209, 269, 291, 303, 308, 312
- E. coli* Nissle (1917), 2, 3, 160, 209, 217
- enterotoxigenic, 23, 30, 156, 202–3
- early infancy, 186
- EC Regulation No. 1924/2006, 76
- eczema/atopic dermatitis, *see* atopic
- effectiveness, 3, 58, 121–2, 140–141, 149–50, 159, 188, 191, 307
- efficacy, 5, 7, 28, 49–53, 56, 58, 65–7, 79, 81, 84–5, 88–9, 92–7, 100, 103, 118, 124, 126, 128–30, 137, 141, 143–5, 154, 156, 158–60, 163, 165–6, 173–4, 183, 189, 192, 202, 207, 209–10, 215–17, 224–5, 228, 231, 234, 236, 245–7, 249, 255, 258, 268, 279, 287, 289, 292–3, 298–9, 315–17
- of probiotics, 4, 8, 67, 84, 138, 159, 162, 166, 185, 188, 218, 232, 292, 298
- EFSA, *see* European Food Safety Authority
- egg-laying performance, 135
- Egypt, 1, 175, 176, 203
- eicosapentaenoic acid, 112
- EMBASE, 150
- encapsulation, 64, 276, 308–9
- endocarditis model, 30
- enhancement, 23–4, 124, 130, 249, 258, 264
- of anoxia endurance, 130
- of sleep, 130
- Enterobacteriaceae, 20, 296
- Enterococcus* (enterococci), 2, 18, 20, 81, 224, 227, 235, 251
- Enterococcus faecalis*, 29, 136
- Enterococcus faecium*, 137, 187, 224, 232–3, 239
- enterohepatic cycle, 311
- enzyme(s), 2, 7, 10–11, 20, 28, 52–53, 65–6, 79, 82, 140, 204–5, 217, 251, 284–5, 288, 295, 311, 313, 317
- activity, 20, 37, 140, 252
- deficiency (ies), 11–12
- replacement technology, 11
- epirubicin, 28
- eradication, 157, 193, 203–4, 216, 255–6, 258
- therapy, 216, 251, 255, 258
- essential nutrients, 111, 112, 178, 316
- ETEC, *see E. coli*, enterotoxigenic
- ethanol, 8, 234, 308
- ethics committee, 299
- etiology, 7, 11, 24, 30, 159, 190, 192, 203, 206
- European Food Safety Authority (EFSA), 77, 79, 81, 83–5, 227–8, 232, 243–5, 253, 272–4, 283, 285–7, 290–291, 293, 298–9
- European Union (EU), 38–40, 75–6, 178, 224, 263, 284–5
- Eubacterium rectale*, 296
- eukaryotes, 304, 309
- European Regulation (EC) No. 1924/2006, 76, 263
- European Society for Paediatric Gastroenterology, Hepatology and Nutrition, 154, 189
- European Society of Paediatric Infectious Diseases, 154, 189
- Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults, 108, 110–111, 113–14
- faecal pH, 18, 20
- Faecalibacterium prausnitzii*, 60
- FAO, *see* Food and Agriculture Organization
- fatal myocardial infarction, 99, 226
- FDA, *see* Food and Drug Administration

- faecal (fecal) flora, 135, 137–8, 141, 181
 faecal (fecal) marker, 8
 Federal Trade Commission (FTC), 90, 98, 102
 feed, 3, 21, 37, 40, 84, 135, 137, 139–40, 161, 172, 184–5, 223–32, 235–8, 240–243, 245–7, 252, 275, 292
 additives, 224–6, 229, 232–3, 242–7, 285, 291
 consumption, 134
 conversion ratio, 135–6, 140, 231
 management, 229
 supplement(s), 223, 229, 232, 292, 299
 utilization, 139–40
 FEEDAP panel, 243
 fermentation, 3, 17, 41, 43–4, 50, 52–5, 59, 61–3, 81–2, 139, 199, 224–5, 228, 230, 235–7, 239–41, 273, 275, 279, 296–7, 304–9, 313, 318
 fermented milks, 1, 2, 6, 17–18, 23, 43, 45, 59, 134–5, 141–2, 167, 214, 272, 277–8, 307
 fermenter, 41, 54, 241, 307
 ferritin levels, 144
 Firmicutes, 227, 298
 fish, 106, 110, 112–14, 130, 140, 229, 245
 FISH, *see* fluorescent *in situ* hybridisation
 flatus, 2, 206
 fluidised bed-drying, 241–2
 fluorescent *in situ* hybridisation (FISH), 277, 279, 291
 fluorescent reporter protein, 306
 fluoroquinolones, 200
 FNFC, *see* Foods with Nutrient Function Claims
 folic acid, 9, 91, 109, 124
 food allergens, 6
 Food and Agriculture Organization (FAO), 2, 37, 75, 79, 81–2, 88–9, 94, 98, 134, 145, 226, 249, 284–5, 290, 292, 296, 298–9
 Food and Drug Administration, 30, 83, 85, 88–94, 96, 98–100, 102–4, 106–9, 126, 227, 253, 289–90
 Food and Drug Administration Modernization Act, 106
 Food and Nutrition Board, 108, 111
 Foods for Specified Health Use (FOSHU), 31, 78, 85, 118–124
 Food Guide Pyramid, 115
 Foods with Nutrient Function Claims (FNFC), 118, 121
 forest plot, 152, 153, 163
 Formula(s), 65, 66, 88, 152–3, 178, 180–184, 190, 275, 303
 probiotic (fortified), 189–90
 formulation, 5, 41, 44, 46, 130, 150, 163, 199, 214, 237, 242, 255, 258
 FOSHU, *see* Food for Specified Health Use
 FOSHU logo, 120
 freeze-drying, 42, 62, 64, 200, 237, 241, 309
 frequency, 2, 4, 8, 20–22, 124, 143, 160, 189–92, 203, 207, 255, 292
 fructo-oligosaccharides, 122, 180, 295
 fructose-6-phosphate phosphoketolase, 60
 fruit and vegetable juices, 45
 FTC, *see* Federal Trade Commission
 function, 18, 31–2, 38, 43, 49–50, 52, 60, 62, 65, 67, 77–8, 90–92, 94, 96–7, 100, 102, 104, 118–22, 124, 126–31, 138, 171, 181, 184, 194, 200, 207, 217, 219, 224, 230, 232, 255, 268–9, 279, 286, 297, 303–4, 307, 309–18
 body-enhancing, 120
 taste function, 120
 functional, 46, 49, 51–2, 54, 58, 64, 93, 97, 118, 120–123, 129, 134, 157, 160, 191, 206, 226, 234, 236, 242–3, 249, 254, 258, 263–4, 272, 293, 295–7, 304, 307, 310–312, 314, 316
 claim, 77
 food, 31, 45, 47, 49, 58, 66, 75, 77–8, 88, 93, 120, 126, 129, 131, 134, 178, 263–4, 265–6, 280, 292, 313
 gastrointestinal disorders, 157, 190, 254
 genomics, 295, 296, 305, 307
 probiotic dairy product, 41, 266
Fusarium, 171

Galactomyces geotrichum, 228
Gardnerella vaginalis, 6
 gas production, 18, 20
 gastric, 23, 54, 62, 64, 82, 129–30, 203–4, 236, 256
 gastric carcinoma, 203
 gastric ulcer, 4, 203
 gastroenteritis, 4–5, 154, 189
 acute, 4, 154, 188–9, 194
 gastrointestinal, 38, 46, 51, 54, 56, 64–5, 121–2, 124, 129–30, 141–2, 152–3, 157, 174, 178, 184, 187, 192, 194, 206–7, 209, 236, 250, 254–6, 258, 272, 276, 298
 discomfort, disorders, disorders, alleviation, 52, 141, 157, 191, 236, 287, 292

- gastrointestinal (*cont'd*)
 health, 121–2, 144
 tract, 17, 37, 49, 51–4, 59–60, 62, 64–6, 137, 141–2, 145, 173–4, 178–9, 181, 184, 206, 223, 230, 234–5, 237, 250–251, 275, 295–6, 305–7
- gastrostomy tube, 183
- GC content, 67
- gene expression, 61, 307
- Generally recognized as safe, 50, 90, 194
- Genesis, 1, 66
- genetic modification (GM), 10, 62, 66
- genetically modified organism (GMO), 62, 245
- GenMont Biotech, 132
- genome, 66, 81, 289, 295–8, 307, 312
 sequence, sequencing, 20, 40, 51, 81, 250, 305
- genotoxicity, 30, 226
- genus, 39–40, 43, 59, 89, 94–5, 97, 99, 173, 235, 274
- germ-free animals, 51, 57, 295
- gestational age, 179
- gingivitis, 214, 218
- gluconeogenesis, 297
- glutathione-S-transferase, 11, 12
- gluten, 41
- glycation, 311
- glycerol, 54
- glycine betaine uptake transporter, 62
- glycolytic activities, 311
- gnotobiotic animal models, 56
- goats, 233, 245
 goats milk, 1
- Good Manufacturing Practice (GMP), 50, 95, 127
- Good Supply Practice (GSP), 127
- grain products, 91, 92, 107, 115
- Gram-negative rods, 18
- GRAS, *see* Generally recognized as safe, 50, 83, 85, 90, 194, 226–7, 273
- growth, 1, 5, 6, 8, 10, 12–13, 17, 19, 40–41, 44–5, 53–4, 59, 63, 65–6, 77–8, 81–2, 97, 120–121, 129, 134–40, 171, 180–182, 202, 223, 228–30, 235–6, 240, 242, 246, 250, 275, 277, 286–9, 292, 295, 304–8
 medium, 237, 239, 304
 promoters, 44, 223–4, 230, 246–7
- GSP, *see* Good Supply Practice
- guava-polyphenols, 122
- gut, 17, 20, 30–32, 49, 51–6, 58–66, 79, 89, 97, 129–30, 136–7, 140–141, 145, 159, 161, 179–81, 183–4, 188, 192, 199–200, 208–9, 211–12, 216–17, 223, 225–6, 230–2, 234–6, 243, 250, 265, 269, 276, 284, 286, 289–92, 294–8, 303–4, 307–14, 316–18
- gut–brain axis, 258
- gut comfort, 317–18
- ecosystems, 50, 59
- transit time, 205, 317
- H. pylori*, *see Helicobacter pylori*
- habitual intake, 22
- haem, 308
- Haemophilus influenzae*, 257
- Hanseniaspora*, 40, 228
- humanised microbiota (HBM), 297
- harmful, 66, 141, 171–4, 152, 291
 bacteria, 2, 17, 20, 31–2, 124
 microbial enzymes, 28
- HDL cholesterol, 144
- health advocacy organization, 103
- health, 1, 2, 8–10, 13, 17–18, 31–2, 38, 40–41, 47, 49–50, 52, 58, 60–61, 66–7, 75–84, 88–9, 91, 93–4, 96–100, 102–4, 106–8, 110, 112, 114, 116, 118–24, 126–31, 134, 139, 141, 144, 156, 171–72, 178–9, 193, 201, 223, 225–6, 228, 230–232, 235–6, 243, 247, 252, 255, 264, 267–9, 272, 275, 283–7, 291–2, 296–8, 303, 307, 310–313, 315–17
 benefit(s), 2, 8, 18–19, 32, 37–8, 46, 49–50, 52–3, 58, 64, 66, 75, 78–80, 85, 88–90, 92, 95–100, 106, 115, 119, 145, 178, 199, 249–50, 264–9, 271–2, 287, 296, 297, 304, 316
 claims, 2, 31–2, 40, 46, 49, 75–85, 89–93, 96, 102–4, 106–9, 118–32, 134, 145, 171, 173, 175–6, 199, 215, 223, 226, 263–8, 273, 283, 285, 289–93, 296–9
 claims, Article 13, 77
 claims, Article 14, 77
 drinks, 132
 food(s), 118, 120, 126–130, 132, 134
 food advertisement, 127, 130
 maintenance, 32
 professionals, 272
 -related quality of life (HRQOL), 255
- healthcare expenditure, 316
- healthy volunteers, 20–21, 58, 60, 251
- heat-shock proteins, 62, 67
- heat-treatment, 173

- Helicobacter pylori*, 4, 23, 157, 193, 203–4, 216, 251, 255, 269
- helminth infections, 257
- hemoglobin, 8, 144
- hen-day egg production, 135, 137
- HEPA filtration, 43
- hepatic encephalopathy, 193
- hepatitis B virus, 253
- hepatotoxicity, 174
- heterocyclic amines, 11
- heterologous expression
- high-density cholesterol, 62, 312
- high-density lipoprotein, 110
- Hippocrates, 280, 315
- homeostasis, 297, 312
- hormones, 10, 311
- horses, 233, 245
- hospital, hospitalization, 5, 18–20, 45, 141–5, 179–80, 183, 190, 200–201, 268–9
- host functions, 309
- HPV types, 67
- human, 1, 2, 4, 6–7, 10–11, 13, 17–18, 22–23, 25–26, 30, 38, 40, 46, 49–61, 64–67, 75–80, 82–5, 88–9, 94–7, 99, 104, 106, 108, 114, 118–19, 122–4, 126–8, 130–131, 134–5, 141, 143, 145, 171–6, 180–181, 184, 194, 200, 203, 207, 209, 219, 223–6, 228–9, 247, 250–251, 253, 255, 263, 268–9, 271–2, 275–6, 278, 284, 286–7, 289–92, 294–8, 303–4, 306–7, 309–18
- autoimmune disorders, 24
- feeding trials, 40,
- intervention studies, 76, 82–3, 85, 121, 252, 254, 266, 268
- intestinal tract chip, 251
- origin, 38, 51, 200, 236
- peripheral blood mononuclear cells, 23, 251
- T-cell lymphotropic virus, 24
- Human Microbiome Project, 297
- humidity control, 42
- humoral immune response, 25, 232
- hydrogen 3, 42, 61–2, 112–13, 205–6, 304
- metabolism, 61
- hydrolyse lactose, 9
- hygiene hypothesis, 184
- hyperglycemia, 138
- hyperinflammatory status, 317
- hyperinsulinemia, 138
- hypertension, 92, 97, 129
- hypocholesterolemic supplement, 144
- IBD, *see* inflammatory bowel disease, 3, 4, 9–10, 26, 30, 57–8, 60–61, 64–6, 138, 159, 192, 199, 206–7, 209–10, 219, 298
- IBS, *see* Irritable Bowel Syndrome
- ice crystal formation, 42
- identification, 2, 19–20, 38, 40, 50, 56, 61, 79–82, 94, 131, 152, 164, 173, 264, 266, 273–4, 284–5, 287–8, 304, 306, 310, 312–14, 317
- IDF, *see* International Dairy Federation
- IFN- γ , 24, 26
- IgA, 232, 257, 275, 296
- mucosal responses
- augmentation of, 182
- IgE, 26, 161, 186, 232
- hypersensitivity, 187
- response, 257
- IL-10, 57, 66, 138, 207, 219, 257
- levels, 3
- IL-5, 26
- IL-6, 24, 26, 138
- levels, 257
- IL-8, 219
- production, 61
- Ileum, 136, 205, 209–10
- ileo-anal pouch, 209–10
- illness, 5, 18, 23, 41, 58, 94, 99, 144
- ILSI, *see* International Life Sciences Institute
- immobilised (immobilized), 308
- cells, 308–9
- human feces, 54–5
- immune, 10, 19, 23–4, 26, 31–2, 38, 47, 49, 65, 97, 124, 129–30, 138, 171, 207, 232, 252, 264–7, 269, 289, 312–13
- response, 6, 19, 23, 25, 30, 57, 135, 137, 182, 186, 188, 230, 232, 249, 254, 257, 313
- stimulation, 32, 53, 252, 295
- system, 3, 30, 49, 51, 58, 64, 66–7, 92, 99, 160–161, 184, 192, 232, 235, 268–9, 275, 286–7, 292, 294, 304, 309, 312, 316–18
- immunocompetence, 136
- immunocompromised, 184
- immunomodulatory effect, 135, 138, 163
- immunosuppression, 184
- immunosuppressive agent, 51, 209
- in situ* conditions, 305
- in vitro* experiments, 50, 61, 235
- inactivation kinetics, 43
- inappetence, 136
- inconclusive results

- Indian Council of Agricultural Research, 145
 Indian Council of Medical Research, 145
 industrial fermenter, 307
 infant(s), 3, 4, 7, 46, 65, 88, 90, 142, 152–4,
 156–7, 161, 176–92, 194, 204, 253–4,
 257–8, 274–5, 286
 breast-fed, 1, 180, 181, 274
 feces (faeces), 1
 nutrition, 179, 181
 infantile, 200
 colic, 192
 rotavirus infection, 23, 199, 200
 infectious diseases, 22, 32, 100, 154, 189, 316
 inflammation, 3, 8, 10, 30, 56, 61, 66, 159–60,
 184, 187, 207, 209–10, 218, 256–7,
 313, 318
 inflammatory, 10, 12, 27, 46, 60–61, 65,
 138, 163, 185, 207, 209, 214, 269,
 275, 291, 297
 bowel disease (syndrome), *see* IBD
 cytokines, 8, 11, 55, 57, 138, 209,
 252, 289
 diseases, 297, 318
 process, 8, 26
 response, 30, 184, 275
 Influenza virus, 23
 Institute of Medicine, 108
 insulin, 12, 25
 intention-to-treat analysis, 151, 155, 158,
 165, 188
 interferon (IFN)- γ , 26, 56, 138, 186
 Interleukin, 23, 138, 186, 207
 interleukin (IL)-10, 3, 56, 207, 251
 production, 289
 International Code of Nomenclature, 80, 284
 international culture collections, 81, 94,
 285, 292
 International Dairy Federation, 81, 277, 292
 International Food Information Council, 92
 International Life Sciences Institute, 75, 88
 International Standards Organization (ISO),
 277–8, 288
 intervention trial, 7, 96, 106, 153, 249, 269
 intestinal, 2–3, 5, 7–8, 10, 13, 17–18,
 30–32, 40, 51, 54–7, 60–61, 64–6,
 75, 78, 94, 97, 121, 124, 137, 141,
 179, 182, 184–5, 187, 192, 194, 204,
 206, 217, 230–231, 249–51, 254,
 256–8, 275, 286, 291, 295–6, 299,
 304, 310, 312–13
 ailments, disorders, 134, 141, 142,
 286, 310
 gas production, 18
 lumen, 174, 252
 microbial balance, 2, 49, 229
 microbiota, 17–20, 30–32, 84, 89, 156–60,
 164, 182, 250–251, 255, 258, 268, 298,
 310, 312, 314
 mucus, 46, 55, 174, 250, 252–3
 origin, 51–52, 236
 tract, 3, 5, 17, 37, 49, 51–54, 59–60,
 62, 64–6, 79, 141, 231, 235, 251,
 274, 286, 292, 295–6
 intravaginal instillation, 6
 intrinsic stress tolerance, 63, 275
 inulin, 7, 60, 207, 218
 iron, 104–5, 144, 287, 309
 absorption, 287, 309
 bioavailability, 9
 irradiation, 8, 129, 179
 irritable bowel syndrome (IBS), 3, 49, 58,
 60–61, 64–5, 157–9, 163, 190–192,
 199, 206–7, 217, 249, 251, 254–5,
 258, 312–13
 IBS patients, 61, 65, 207, 251, 254–5
 IBS symptom score, 244
 ischemic heart disease, 49, 58
 ISO, *see* International Standards Organization
 isolation, 2, 37, 38, 59, 60–61, 95, 236, 271,
 305, 306
 Isomalt, 132
Issatchenkia, 228

 Japanese Pharmaceutical Affairs Law, 118
 Japanese Self Defence Force, 18, 22
 jejunum, 136
 Joint Research Centre, 243
 JRC, *see* Joint Research Centre, 243

Kluyveromyces, 40, 228, 234
Kluyveromyces marxianus, 228, 234
 knockout, 3, 10, 57
 mice, 3
 mutant, 289, 296, 306
 rodents, 57

Lactobacillus, 9–11, 17–19, 38–39, 49, 54,
 59–61, 67, 78, 81, 98–9, 121, 135–7,
 141–2, 154–5, 157–61, 163–4, 174,
 181, 183–93, 201–4, 206–7, 210, 212,
 215–17, 227, 249–54, 256–8, 273–5,
 292, 297, 305
Lactobacillus acidophilus, 2, 29, 32, 39, 55,
 128, 144, 166, 185, 187, 203–4, 206–7,

- 210, 215–18, 224, 227, 233–4, 277–8, 288, 295
- L. acidophilus* C2, 135
- L. acidophilus* La5, 204
- L. acidophilus* P, 135
- Lactobacillus animalis*, 60
- Lactobacillus casei*, 6, 7, 17, 19–20, 30, 38–9, 62, 64, 66, 121, 137–9, 142, 157, 160, 173, 183, 187, 201, 207, 210, 215, 218, 278
- L. casei* Shirota, 18–19, 21, 23, 25–7, 29, 31, 160
- Lactobacillus casei/paracasei* group, 19–20
- L. paracasei*, 63, 278, 288, 297
- L. paracasei* F19, 186
- Lactobacillus crispatus*, 29, 227, 278, 288
- Lactobacillus (delbrueckii* subsp.)
- bulgaricus*, 2, 3, 17, 29, 39, 44, 46, 64, 121, 128, 137–9, 142, 144, 210, 218, 227, 273–7, 305, 142
- Lactobacillus fermentum*, 29, 39, 60, 227,
- Lactobacillus gasseri*, 39, 54, 62, 227, 278,
- Lactobacillus johnsonii*, 39, 157, 227, 278, 295, 296
- L. johnsonii* LA 1, 210
- Lactobacillus jugurti*, 139
- Lactobacillus murinus*, 60
- Lactobacillus plantarum*, 39, 55, 59, 62, 65, 135, 155, 190–191, 207, 210, 218, 227, 279, 296, 309,
- Lactobacillus reuteri*, 4, 39, 54, 60, 128, 181, 187, 190, 192, 212–14, 218–19, 227, 289
- Lactobacillus rhamnosus*, 25, 39, 46–47, 138, 173–5, 212–13, 218, 227, 233–4, 249–50, 253, 278, 288, 297
- L. rhamnosus* GG, 4, 46, 143, 155, 173, 179, 185, 187, 193, 207, 215, 252–4, 275
- L. rhamnosus* GR-1, 212–13, 218
- Lactobacillus salivarius*, 3, 7, 62, 163, 207
- Lactobacillus sporogenes*, 137, 140, 188
- labeling of products, 79
- lactase, 2, 3, 53, 98, 204–6, 217, 318
- levels, 3, 142
- lactate, 54, 60–61, 139, 234, 308
- lactic acid bacteria, 2, 17, 26, 30, 32, 52, 81, 139, 163, 172–3, 224, 226, 231, 234–6, 242, 273, 275, 305, 307–9
- Lactinex, 202
- lactococci, 44
- Lactococcus*, 2, 67, 135, 227
- Lactococcus lactis*, 10, 11, 39, 66–67, 135–6, 142, 157, 186, 256, 227, 277, 305–6, 308
- lactose 3, 9, 52–3, 60, 204–6, 216–17, 241, 295, 304, 308, 318
- hydrolysis, 205–6
- intolerance, 2, 3, 52, 58, 79, 199–200, 205–6, 216–17
- malabsorbers, malabsorption, 2, 9, 199, 204–6, 304
- maldigestion, maldigestors, 53, 98, 205, 206, 217
- lactose-free diets, 192
- lamina propria, 3, 275
- Langerhans β -cell, 25
- large-scale production, 40, 64
- lead, 6, 20, 30, 43, 46, 52, 61, 64, 97, 129, 165, 188, 193, 199, 205–6, 209, 227, 229, 231–2, 235, 238, 241, 253, 258, 266, 269, 305, 309, 312
- lemon, 315
- leucocrit values, 140
- Leuconostoc*, 227, 308
- L. mesenteroides*, 39, 142, 227, 305
- life cycle, 201, 275
- lifestyle, 20, 22, 111–13, 116, 129–30, 185, 264, 291, 303
- line of no effect, 152
- lipid profile(s), 143, 297
- lipopolysaccharide, 8
- Listeria*, 54
- L. monocytogenes*, 23
- live beneficial bacteria, 19
- liver, 8, 56, 136, 171, 253, 311, 315, 317
- chemical injury, 129, 130
- enzymes, 311
- livestock husbandry, 229
- living microorganisms, 2, 50, 226, 229, 241, 234, 275, 304
- number, enumeration of, 275
- L-lactate, 54
- longevity, 2, 17, 19, 32
- low-birth-weight neonates, 142
- low-density
- blood lipids, 96
- lipoprotein (LDL), 6, 110, 136
- low-fat diets, 110
- luciferase gene, 306, 307
- Lung and Blood Institute, 108, 110
- Lupus erythematosus, 26
- Lyophilisation, lyophilized, 5, 138, 175, 203, 225, 240, 241

- Maastricht III Consensus Report, 216
Macrobrachium rosenbergii, 140
 macrophages, 19, 24, 26, 138, 232
 macrorestriction methodologies, 274
 maltodextrin, 185
 mannan, 137
 manufacturing process, 41
 marker gene, 306
 marketing strategies, 76, 263, 266
 maternal diet, 76, 263, 266
 matrix, 22, 41, 43, 45–6, 94, 97, 272, 283, 307, 309, 317
 measles, 144
 meat(s), 59, 105, 110, 113–14, 130, 228, 230–232, 306
 media and chemicals, 277
 medical, 1, 3, 4, 9, 13, 68, 89, 92, 116, 142–145, 159, 183–4, 190, 202, 254, 279, 298, 315
 applications, 3, 8, 12
 food, 92
 Medline, 150, 202
 megacolon, 187, 209
 menaquinone, 308
 mesalamine, 4, 209
 meta-analysis, 4, 5, 149–67, 182–3, 185, 187–9, 215–16
 metabolic, 7, 30, 37, 51, 54, 56–7, 60, 78, 97, 157, 204, 224, 234–5, 252, 295, 305–8, 310–314
 pathways, 61, 297, 315
 potential, 307
 metabolism, 3, 20, 32, 51, 54–5, 61, 66, 122, 173, 187, 205, 251–3, 295, 297, 307, 311–13
 metabolome, 305, 306, 314
 metaplasia, 203
 meta-proteome, 310
 meta-transcriptome, 310
 Metchnikoff, 1, 17–19, 32, 286, 303, 310
 methane, 61, 311
 method(s), 10, 37, 41–2, 44, 50–51, 55–6, 59, 75, 79–81, 84, 94, 123, 128, 149, 152, 155–6, 158, 165, 181, 188, 205, 219, 223, 226, 231, 236, 238, 241–4, 250–251, 254–5, 273–9, 284, 288–9, 294
 microarray-based, 251
Metschnikowia, 228
 mice, 3, 7, 8, 10, 19, 24–7, 53, 67, 130, 135, 138, 219, 275, 289, 295, 297
 microbial ecosystem, 54, 60–61, 296
 microbiota, 17–21, 24, 30–32, 38, 49, 52–6, 58, 60–61, 64–5, 79, 82, 84, 89, 92, 97, 156, 159–60, 164, 172–3, 179–82, 250–252, 255, 257–8, 268–9, 291–8, 303–4, 307, 310–314, 316–18
 microencapsulation, 37, 62, 64, 242, 272
 microencapsulated bacterial preparations, 272
 microorganisms, 1, 2, 6, 13, 26, 32, 37, 39, 49–51, 56, 59–61, 63, 66, 67, 75, 79–81, 85, 89, 92, 94, 99, 131, 134–5, 145, 154, 156, 163–4, 180–182, 223–9, 231–2, 234–6, 238, 240–243, 245–7, 253, 272–3, 275–7, 284–5, 303–5, 307, 309–12, 314, 317–18
 cultivable microorganisms, 227
 fermentation microorganisms, 279
 food-grade microorganisms, 279
milieu interieur, 311
 milk, 1–3, 6–7, 9, 17–18, 20, 23, 41, 43–5, 59–60, 110, 119, 121, 131, 134–5, 137, 139, 141–4, 167, 178, 180–181, 184, 186–7, 190, 193, 200, 204–6, 214, 217, 226, 229, 245, 253, 255, 257, 272–3, 275, 277–8, 304–5, 307–9
 milk-based products, 271
 milky vaginal discharge, 212
 minimum level, 52
 misuse, 68, 78, 89
 model(s), 8, 10, 19, 23–6, 30, 49–51, 53–8, 76, 135, 138, 151, 155, 160, 172, 174, 230, 271, 290, 294, 297, 306, 310, 313
 mouse model, murine model, 3, 8, 19, 26–7, 56, 297, 307
 systems, 271
 modulation of the immune response, 6, 186
 molecular techniques, 38, 79, 94
 monoclonal antibody, 20, 24, 26
 morphology, 286
 mortality, 8, 58, 135–7, 156, 182–3, 275
 mortality rate, 8, 139
 mucins, 296, 311
 mucosa, 2, 8, 39, 55, 61, 129–30, 174, 182, 227, 231, 236, 256, 317–18
 multiple probiotic strains, 3
 multispecies, 249–58
 muscular function, 315, 317
 mutagenicity, 28, 29, 30
Mycoplasma hominis, 6
 mycotoxin, 12, 171–4
 bioavailability, 172

- NADPH, 11–12
 National Cholesterol Education Program, 108, 110
 National Heart, 108, 110
 National Institutes of Health, 93, 110, 297
 National People's Congress, 126, 127
 natural, 1, 10, 12, 38, 45, 60, 89, 112, 130, 138, 157, 199, 204, 218, 225, 234–5, 247, 286, 291, 306, 318
 defense, 78, 317
 killer cells (NK) (activity), 19, 23–4, 28, 30–31, 47
 nausea, 4, 94, 157, 202, 204, 209
 necrotizing enterocolitis, 156, 182, 194
 neoplasias, 297
 nervous systems, 304, 317
 neural tube defects, 91, 124
 neurological, 22
 New York, 5
 NF- κ B, 61
 NH₃, *see* Ammonia
 nisin promoter, 11
 nitric oxide, 8
 synthetase, 10
 nitrosamines, 11
 NK, *see* natural, killer cells
 Nobel Prize, 1
 nocturia, 91
 non-adherent strain, 38
 non-cultivable, 68, 291
 non-lactic acid bacteria probiotic, 2
 non-urease-producing bacteria, 193
 Novel Food Regulation, 128, 131–2
 Novel foods, 78, 126, 128, 131–2
 Nugent score, 212–13, 292
 Nulab, 224
 nutrition function, 120
 Nutrition Labeling and Education Act, 104, 106
 nutritionally adverse products, 272

 oat gruel, 309
 obesity, 49, 114, 297–8, 312–13, 318
 observational studies, 18, 83
 ochratoxin A, 171
 odds ratio, 144, 151, 186
 oligofructose, 7, 207
 opportunistic infections, 20, 216
 oral antibiotics, 4, 18
 oral cavity, 7, 11, 38, 59, 214, 218
 orange, 315
 osmoprotectants, 276
 osteoporosis, 91, 96, 104, 124
 outcomes, 58, 94, 98, 108, 112, 115, 150, 152, 154, 158–9, 161, 185, 189, 214, 271, 283, 293, 295–96
 continuous, 151, 158
 dichotomous, 150–151, 158
 oxidative, 62, 64, 138, 276
 oxygen, 41, 42, 44, 51, 62, 64, 179, 230, 235–7, 239, 241

Propionibacterium freudenreichii, 39, 157, 174, 227, 250
 packaging, 37, 41–3, 99, 118, 122
 pancolitis, 207–8
 pancreatic insufficiency, 11
 pancreatitis, 58
 acute pancreatitis, 58
 Paneth cells, 318
 papillomavirus, 67
 parenteral nutrition, 183
 particle size distribution, 42
 PASSCLAIM project, 291
 Pasteur Institute, 303
 pathogen invasion, 49
 pathogenic activity, 95
 pathophysiological effects, pathophysiology, 61, 316
 patients, 2–8, 10, 18–20, 23–4, 26, 28, 30–31, 38, 40, 59–61, 65–7, 91, 123, 141–3, 154–5, 157, 159–60, 162, 188, 191, 193, 200–201, 204, 207, 209–10, 212–14, 251, 254–6, 275, 279, 286, 299, 310, 316
 patulin, 171
p-coumaric acid, 11
 PCR amplification, 288
 PCR, *see* polymerase chain reaction
p-cresol production, 20
Pediococcus, 39, 227, 233
 peer-reviewed, 99, 122, 269, 292
Penicillium, 171
 performance enhancers, 225, 246
 peripheral blood mononuclear cell, 23, 24, 55, 251
 persistence, 38, 55, 137, 204–5, 217, 250, 289, 294–5, 296
 pesticides, 179
 pets, 229, 231–2
 PFGE, *see* pulsed-field gel electrophoresis
 pH, 18, 20, 41, 44–5, 54, 63, 82–3, 136, 140, 142, 160, 182, 202, 212, 235, 241–2, 272

- pH (*cont'd*)
 reduction, 18
 ruminal pH, 139
- phagocytic activity, 138, 268
- phagocytic ratio, 140
- Pharmaceutical Affairs Law, 118, 120, 122
- pharmaceutical preparations, 199, 276
- pharmacology, 317
- phenotype, phenotypic, 50, 79, 82, 284–5, 289, 295–6, 306
- physical fatigue
 alleviation of, 129–130
- physiological, 50, 54–5, 64, 78, 92–3, 95, 97, 105, 122, 127, 200, 230, 235, 271, 274, 284–5, 296, 301, 305, 307, 309, 316
 capacity, 97
 methods, 50
 pathways, 311
- phytase activity, 309
- Pichia*, 40, 228
- PICO, 150
- Piglets, pigs, 11, 22, 66, 138, 224, 229–31, 233–4, 245–6
- placebo, 4–5, 7–8, 19, 22–3, 25–6, 28, 46, 58, 66, 96, 142–4, 155, 158–63, 175–6, 186, 188–91, 193, 201–2, 204, 207, 209–10, 212–14, 216–17, 253–7, 293, 298, 317
 group, 4, 7, 21–4, 143, 185–6, 188, 190–191, 193, 201–4, 207, 210, 213–15, 251, 254–5, 257, 269
 -controlled, 4, 18–21, 23–4, 26, 28, 46, 58, 122, 142–4, 181, 187–8, 190, 192–3, 201–2, 204, 207, 210, 212–14, 254, 256–7
- plants, 59, 131, 234
- plaque, 83, 85, 214, 218
- plasma, 8, 25, 138, 253, 257
 cholesterol, 6
 glucose, 25
- pollen allergy, 26, 124
- polymerase chain reaction (PCR), 37, 238, 251, 274, 277, 279
- polymeric compounds, 42
- polyphasic approach, 50
- polysaccharide(s), 19, 26, 60, 173, 252
- pooled relative risk, 5, 156
- Popper, K., 319
- pouchitis, 65, 160, 192, 199, 206, 209–10, 218
- poultry, 105, 110, 114, 130, 224, 229–31, 235, 245–6
- powdered products, 43, 272
- prebiotic(s), 6, 45, 65–6, 91–2, 99, 142, 144, 161, 257–8, 285, 295–7, 314, 316
 supplementation, 297
- precision, 151, 152, 292
- pre-cultures, 237
- predominant gut bacteria, 54
- pregnancy, 181, 186
- premature neonates, 184
- premenopausal women, 6
- preservation, preservatives, 42, 179, 242, 251, 279
- prevention, 3–8, 28, 49, 52, 58, 63, 66–7, 79, 84, 94, 108, 112, 114, 118, 120–121, 124, 126, 128–9, 137, 142, 145, 149, 152, 155–6, 160–162, 164, 166, 172, 184–8, 194, 201–2, 210, 212, 215–16, 218, 312, 313
- Prevention of Food Adulteration Act, 145
- primary endpoint, 188, 210
- probiosis, 49–50, 53–8
- probiotic(s)
 -aflatoxin interaction, 171–2, 176
 cheese, 44, 256
 definition, 19
 mixtures, 13
 efficacy, 53, 84, 97, 236, 287
 feed(s), 37, 224, 229, 232, 241, 245–7
 smoothie, 269
 properties, 38, 61–2, 65, 172, 280, 284, 290, 292
 vectors for, 272
- procarcinogens, 7, 11, 79, 82, 252
- proctitis, 207
- proctosigmoiditis, 207–8
- product phase, 276
- production of folates, 308
- prognostic biomarkers, 310
- proinflammatory, 46, 55, 57, 138, 163, 207, 252, 269, 289
- prokaryote, 304, 309
- prophylactic, 155, 183, 199, 216
 administration, 202, 216
 effect, 22, 26, 190, 191, 202
- propionibacteria, 2, 12–13, 173, 254
Propionibacterium freudenreichii, 39, 157, 227
P. freudenreichii subsp. *shermanii*, 174, 250
- proprietary strains, 264–8, 270
- prostatic hyperplasia, 91
- protective, 7, 45, 55–6, 65, 225, 242, 279, 303, 310
 effect, 63, 135, 190, 308–9
 environment, 46

- protein, 11, 27, 42, 44, 62, 66, 92, 104–5, 107, 112, 122, 131, 138, 190, 140, 144, 173, 181, 224, 228–9, 241, 250, 257, 275, 289, 295–7, 305–8
 biosynthesis, 55
 matrix, 272
- proton-pump inhibitor, 193, 203
- pseudomembranous colitis, 155, 187, 201
- Pseudomonas aeruginosa*
 bacteremia, 8
- psychosomatic involvement, 206
- public health, 91, 102, 116, 120
- pulsed-field gel electrophoresis (PFGE), 82, 238–9, 274, 284, 288
- purine limitation, 307
- QPS, *see* qualified presumption of safety
- quadruple therapies, 204
- qualified presumption of safety (QPS), 38, 39, 79, 81, 83, 85, 226–8, 242, 245, 253, 269, 273–4
- questionnaire, 202, 204, 210, 255–6
- rabbits, 233, 245
- radioactive drugs, 127
- randomisation, 293, 298
- randomized controlled trials, 103, 149–50, 171, 183
- randomly amplified polymorphic DNA (RAPD)-PCR, 82, 238, 274, 289
- RAPD-PCR, *see* randomly amplified polymorphic DNA (RAPD)-PCR
- RDA, *see* Recommended Dietary Allowance
- RDI, *see* Reference Dietary Intake
- reactive oxygen, 62
- real-time PCR method, 277
- recombinant probiotics, 11–12
- Recommended Dietary Allowance (RDA), 106, 111–12
- redox potential tolerance, 272
- reduction of risk of disease, 93
- Reference Dietary Intake (RDI), 106
- regulated foods, 118
- rehydration, 5, 42, 143, 154, 189–90, 316
- relationship to health, 283, 285, 291
- relative risk, 4, 5, 152–3, 156, 183, 186, 215
- remission, 3, 4, 159–60, 193, 209, 212, 217–18
- repeatability, 292
- repetitive genomic element PCR, 274
- repPCR, *see* repetitive genomic element PCR
- reproducibility, 292
- reproductive toxicity including teratogenicity, 226
- research and development, 263, 269, 283, 293
- resistance, 30, 38, 41, 50–51, 54–5, 62–4, 82–3, 95, 137, 223, 227, 234–6, 245, 254, 272, 237, 284, 288–9, 294, 309, 311, 313–14, 318
- respiratory infections, 4, 258
- respiratory tract infections, 162, 257
- rheumatoid arthritis, 8–9, 25
- ribotyping, 82, 289
- risk, 4–6, 10, 18, 28, 30, 32, 38, 44–7, 49, 58, 67–77, 79–80, 82–5, 91–4, 102–4, 107–10, 112–15, 119, 123, 138, 144, 150–156, 160, 162, 164–5, 172, 179, 182–9, 193–4, 201, 203, 214–16, 226, 249, 245, 253–4, 256–8, 275, 286–7, 298, 301, 311–12, 315, 319
 assessment, 13, 243
 ratio, 153, 183, 151
- robust strains, 37
- role of diet, 134, 206
- Rome criteria, 190
- rotaviral gastroenteritis, 189
- rotavirus, 4, 52, 58, 143, 189, 194
 infection, 23, 199–200
- Royal Academy of Medicine, 315
- Saccharomyces*, 40, 228, 235
S. bayanus, 40, 228
S. boulardii, 2, 4–5, 9, 40, 154–7, 163, 166, 184, 187–9, 201–2, 204, 215–16,
S. carlsbergensis, 136
S. cerevisiae, 11, 40, 66, 135–6, 138–40, 228, 233
S. pastorianus, 228
- Shigella*, 22, 202
S. dysenteriae, (*S. dysenteriae*), 10, 12, 138
S. flexneri, 18
 Shiga toxin, 10, 12
 shigellosis, 2, 18, 22
- sachets, 45, 200, 202, 204, 210
- safe history, 85, 273
- safety, 30, 38–9, 49–51, 56–8, 61, 66–7, 77, 79, 81–3, 85, 88–9, 92, 94–5, 115, 120, 122–4, 126–9, 131–2, 145, 158, 160, 172, 174, 181, 183–4, 209, 212, 217, 225–8, 236, 242–3, 245, 247, 249, 253, 268–9, 271–4, 279, 283, 289, 299, 313
 tests, 30
- Salmonella*, 23, 53–5, 136–7, 202, 235, 303

- salmonellosis, 2
- sample size, 122, 142, 152, 158, 163, 165–6, 185, 187, 293
- sanitary control, 78
- scale-up, 41
- SCAN, *see* Scientific Committee for Animal Nutrition
- Schizosaccharomyces*, 40, 228
- Scientific Committee for Animal Nutrition (SCAN), 243
- scientific substantiation, 76, 263–4, 268, 283, 287, 292–3
- screening, 51, 53, 63, 67, 85, 174, 271, 304, 306, 312
- sensory/organoleptic preferences, 263
- septicemia, 183–4, 209
- serum(s), 6, 8, 27, 127, 144, 186, 205, 256, 269
cholesterol, 6, 136, 144
- severity, 3–5, 7–8, 151, 161–2, 183, 185–7, 190–191, 194, 206, 210, 212, 217
- sheep, 136–7, 139, 233, 245, 278
- shelf-life, 41–5, 82, 92, 95, 97, 274–6, 279, 283, 285, 309
- SHIME, *see* Simulator of the Human Intestinal Microbial Ecosystem
- shopping habits, 264
- short-chain fatty acids, 7, 192, 251, 310, 317
- short-gut syndrome, 183–4
- sigmoidoscopy, 207, 209
- signature tagged mutagenesis, 76, 263
- Simulator of the Human Intestinal Microbial Ecosystem (SHIME), 54
- skim milk, 135, 137, 308
- small and medium-size enterprises (SME), 76, 203, 263–9, 299
- SME, *see* small and medium-size enterprises
- smoking, 28
- sodium, 57, 92, 104–5, 107, 114–15, 241, 278, 289
- sour milk, 2
- soy, 29, 41, 228
protein, 92, 107, 122, 224
- Species, 2, 6, 9, 17, 19, 30, 32, 38–40, 43, 49–50, 54, 59–63, 67, 79–83, 89, 94–5, 97, 99, 131, 142, 157, 161, 164, 173, 182, 185, 193, 202–3, 210, 225–9, 234–6, 238, 245–6, 251, 253–4, 269, 274, 277, 285, 288, 291, 294, 296–8, 304, 307–8, 310, 314
- spin-off companies, 264
- spontaneous fermentation, 81
- spray-drying, 42, 200, 237, 240–241, 275
- stabilization, 64, 67, 97
of membranes, 62
technologies, 62
- standardized mean difference, 151
- Standing Committee in Animal Nutrition, 285
- stanols/sterols, 92
- Staphylococcus*
Staphylococcus hyicus, 11
Staphylococcus aureus, 269
- State Food and Drug Administration, 126
- stool(s), 22, 141, 143, 160, 179–82, 189, 201–2, 206–7, 209, 286, 297, 303, 317
consistency, 20–21, 160, 192
frequency, 21–2, 192
- strain, 2–3, 10–12, 17–20, 26, 30–32, 37–8, 40–41, 43–7, 49–57, 59–68, 76, 79–84, 88–9, 92, 94–5, 97–100, 119, 121, 124, 128, 131–2, 135–7, 140–142, 145, 154–5, 158, 163–4, 167, 171, 173–9, 181–6, 188–9, 199–201, 206–7, 209, 212–14, 216–19, 224–8, 231–2, 234–42, 245, 249–58, 263–77, 279–80, 283–5, 287–99, 304–9, 314, 317, 319
collection, 40, 238
development, 41
-dependent properties, 271
- Streptococcus*, 2, 7, 19, 121, 157–8, 227, 242
Streptococcus gordonii, 11
Streptococcus mutans, 11, 12, 66, 83, 85, 193, 214–15, 218
S. (salivarius subsp.) thermophilus, 3, 9, 39, 44, 65, 98, 119, 121, 128, 138, 142, 144, 155, 181, 187–8, 190, 201, 203, 210, 215–18, 227, 273, 277, 305
- stress-specific response, 62
- structure/function claims, 90–94, 96, 100, 102, 104
- studies, 2–8, 10–11, 18–20, 22–5, 30, 32, 42, 47, 50–51, 53–4, 57–8, 62, 64–6, 76–8, 80–85, 88, 93–7, 99, 114, 118, 121–4, 135, 141, 145, 149–53, 155–66, 171–6, 178, 180–185, 187–93, 202, 207, 215–18, 225–6, 229–30, 232, 242, 245, 249, 251–8, 263, 266–9, 271, 274, 287, 291–4, 297–9, 305–7, 310, 312
case-control studies, 83, 93
clinical studies, 18, 20, 51, 84, 99, 122, 135, 141, 145, 199–200, 206–7, 212, 214–15, 226, 254, 263, 276, 290, 299
cohort studies, 83
cross-sectional studies, 83

- human intervention studies, 76, 82–3, 85,
 121, 252, 254, 266, 268
 human observational studies, 83
 study, 2–8, 11, 18–28, 30, 47, 53–9, 67, 83–4,
 88, 93–4, 96, 99, 114, 120, 122–3,
 135–44, 150, 152–3, 157–8, 161,
 163–6, 171, 175–6, 181, 185–7,
 190–191, 193, 202–7, 209–10, 213–15,
 217, 232, 250–7, 267, 269, 275, 277,
 289, 290, 293, 297–8, 306, 308
 design, 83, 88, 96, 150, 152, 154, 217,
 256, 293
 double-blind (placebo-controlled), 20,
 142–3, 181, 186, 188, 193, 201–4,
 207, 210, 213–14, 256–7
 sublethal damage, 275
 subtropical climates, 5
 sugar utilisation, 295
 sulfate reduction, 61
 superficial bladder cancer, 7, 26, 28
 superoxide dismutase, 62
 surface (S)-layer protein, 289
 survival, 10, 26, 37–8, 43–6, 51–3, 56–7,
 65–6, 82, 99, 140, 224, 250, 272,
 275–7, 289, 295, 306, 309
 swollen joints, 8
 synbiotic(s), 31, 65–6, 68, 207, 209, 217–18
 Syndrome(s), 2–3, 24, 49, 64, 115, 157,
 183–4, 190–192, 199, 206, 217,
 249, 254, 257, 312–13
 synergism, 66
 synthetic fertilizers, 179
 systematic review, 3, 103, 108, 149–51, 153–8,
 160, 162, 164–6, 183, 188, 191, 216–17
 systemic effects, 276

 T lymphocytes, 186
 tablets, 42, 120, 123, 200, 272, 276
 tailored probiotics, 53, 67
 taxonomic identification, 38, 273
 taxonomy, 19, 271, 273–4, 285
 T-cell subpopulations, 144
 technological, 13, 37, 46, 51, 61, 63, 82,
 236, 250, 268, 275, 309
 additives, 242
 boundaries, 279
 properties, 38, 40, 49–52, 236
 terminology, 76, 79, 80, 127
 tetracycline resistance, 254
 Th17 response, 30
 therapeutic purposes, 128
 Therapeutic Lifestyle Change Diet, 111
 therapy, 5, 52, 143, 154–5, 157–60, 189,
 192–3, 202–4, 207, 212, 216, 218,
 229, 254–6
 eradication therapy, 216, 251, 255, 258
 probiotic therapy, 155, 158, 160, 218
 throat sprays, 88
 thymidine, 10, 66
 thymidylate synthetase (gene), 10, 12
 thymine, 66
 tolerance, 8, 41, 54, 62–4, 82, 181, 206,
 226, 234, 236, 269, 272,
 275–76, 312
 tooth decay, 7, 83, 85
Torulaspora delbrueckii, 228
Torulopsis spp., 137
 toxic activity, 95
 toxicity, 30, 51, 131, 172, 226
 acute, 226
 chronic, 30
 oral, 226
 genotoxicity, 30, 226
 subchronic oral toxicity, 226
 toxigenic potential, 273
 toxin sequestration, 10, 12
 toxins A and B, 200
trans fatty acids, 108, 110, 112–14
 transcription, 201, 295
 regulation of, 55
 transcriptome, 305–6, 310
 transferable antibiotic-resistance genes, 254
 translocation, 8, 51, 56, 275
 transplantation, 8
 transurethral resection, 26
 traveler's diarrhea, 5, 9, 156, 166,
 199–202, 215–16
Trichomonas, 6
 trichothecenes, 171
 triple, 193, 203–4, 255
 tropical, 5, 201
 trypsin activity, 252
 tumor necrosis factor, 11, 56, 138, 209
 tumo(u)rs, 7, 23, 26, 30
 tumour growth, 19
 Turkey, 5, 202, 233, 245

 ulcerative colitis, 3–4, 61, 159–60, 192, 199,
 206–8, 217, 312
 United States Food and Drug Administration,
 30, 289
 unpublished data, 150, 164–6
 unregulated foods, 118
 unsaturated fatty acids, 108, 110

- urease breath tests, 23, 256
urinary (urogenital) tract infections, 6, 94
urogenital tract, 38
US Department of Agriculture, 108
US regulatory law, 89
- vaccination, 66–7, 232, 257
vaccines, 67, 93, 127
vacuum-drying, 42
 vaginal, 60, 180, 212, 213, 291
 bacteria, 179
 delivery, 179–80
 flora, 6, 212–14, 218
 infections, 1, 6, 100
vaginosis, 212–13, 218
validity, 67, 90, 151, 155, 165, 255, 291–2
vancomycin, 5, 254, 278–9, 288
Vedic culture, 134
vegetables, 59, 91, 92, 107, 113, 115–16,
 130, 179
vegetal products, 309
veggie-caps, 42
very low density lipoprotein, 136
veterinary drugs, 179
viability, 37, 43, 45, 50–51, 53, 55,
 62–4, 75, 84, 199–200, 236–7,
 239, 241–2, 271, 275–7, 279,
 285, 294, 309
viable but non-culturable, 37
Vibrio cholerae, 23, 306
virginiamycin, 136
virulence,
 factors, 51, 83, 273
Vitamin(s), 9, 104–5, 109, 127, 228, 236,
 242, 246, 275, 278, 290, 316
 C, 290, 315
 D, 91, 307
 K, 307–8
 water-soluble vitamins, 9
vomiting, 143, 182
VSL#3, 3, 64, 65, 143, 157–8, 160, 210, 218
- ω -3 fatty acids, 106, 109, 112–13
water activity, 43, 45, 200, 242, 275
weaning period, 186
weight, 77, 98, 113–15, 129, 135–40,
 142–4, 152–3, 174, 181–4, 228–32,
 253, 318
 loss, 3, 174, 210, 231
weighted mean difference, 151
weight-for-age (percent), 143
well-being claim, 96
Western lifestyle, 185
WHO, *see* World Health Organization
wine, 1
World Health Organization (WHO), 37, 67, 75,
 79–80, 84, 88, 94, 98, 145, 193, 226,
 249, 284–85, 290, 292, 298–9, 316
world's oldest probiotic, 17, 19, 32
- Xanthophyllomyces*, 40, 228
xenobiotics, 311
xylanase, 140
xylitol, 85
- Yakult (drink), 17–24, 26, 28, 30–32, 119,
 121, 142
Yarrowia lipolytica, 228
Yeasts, 213, 228, 230, 234–6
yogurt (yoghurt), 2–3, 5–6, 17, 43–4, 52, 88,
 94, 96, 98–9, 121, 130–131, 134, 138,
 142, 205–6, 214, 216–17, 228, 250,
 273, 304, 306, 318
- Z-score, 143
Zygosaccharomyces rouxii, 228

GENERAL FOOD SCIENCE & TECHNOLOGY AND FOOD PROCESSING

Food Flavour Technology 2E	Taylor	9781405185431
Food Mixing: Principles and Applications	Cullen	9781405177542
Functional Food Product Development	Smith	9781405178761
Confectionery and Chocolate Engineering	Mohos	9781405194709
Industrial Chocolate Manufacture and Use (4th Edition)	Beckett	9781405139496
Chocolate Science and Technology	Afoakwa	9781405199063
Essentials of Thermal Processing	Tucker	9781405190589
Calorimetry in Food Processing: Analysis and Design of Food Systems	Kaletunc	9780813814834
Fruit and Vegetable Phytochemicals	de la Rosa	9780813803203
Water Properties in Food, Health, Pharma and Biological Systems	Reid	9780813812731
Nutraceuticals, Glycemic Health and Type 2 Diabetes	Pasupuleti	9780813829333
Nutrigenomics and Proteomics in Health and Disease	Mine	9780813800332
Food Science and Technology (textbook)	Campbell-Platt	9780632064212
IFIS Dictionary of Food Science and Technology 2nd Edition	IFIS	9781405187404
Sensory Evaluation: A Practical Handbook	Kemp	9781405162104
Statistical Methods for Food Science	Bower	9781405167642
Drying Technologies in Food Processing	Chen	9781405157636
Biotechnology in Flavor Production	Havkin-Frenkel	9781405156493
Frozen Food Science and Technology	Evans	9781405154789
Sustainability in the Food Industry	Baldwin	9780813808468
Kosher Food Production 2nd Edition	Blech	9780813820934
Dictionary of Flavors 2nd Edition	DeRovira	9780813821351
Whey Processing, Functionality and Health Benefits	Onwulata	9780813809038
Nondestructive Testing of Food Quality	Irudayaraj	9780813828855
High Pressure Processing of Foods	Doona	9780813809441
Concept Research in Food Product Design and Development	Moskowitz	9780813824246
Water Activity in Foods	Barbosa-Canovas	9780813824086
Food and Agricultural Wastewater Utilization and Treatment	Liu	9780813814230
Multivariate and Probabilistic Analyses of Sensory Science Problems	Meullenet	9780813801780
Applications of Fluidisation in Food Processing	Smith	9780632064564
Encapsulation and Controlled Release Technologies in Food Systems	Lakkis	9780813828558
Accelerating New Food Product Design and Development	Beckley	9780813808093
Chemical Physics of Food	Belton	9781405121279
Handbook of Organic and Fair Trade Food Marketing	Wright	9781405150583
Sensory and Consumer Research in Food Product Design and Development	Moskowitz	9780813816326
Sensory Discrimination Tests and Measurements	Bi	9780813811116
Food Biochemistry and Food Processing	Hui	9780813803784
Handbook of Fruits and Fruit Processing	Hui	9780813819815
Food Processing - Principles and Applications	Smith	9780813819426
Food Supply Chain Management	Bourlakis	9781405101684

SEAFOOD, MEAT AND POULTRY

Handbook of Seafood Quality, Safety and Health Effects	Alasalvar	9781405180702
Fish Canning Handbook	Bratt	9781405180993
Fish Processing - Sustainability and New Opportunities	Hall	9781405190473
Fishery Products: Quality, safety and authenticity	Rehbein	9781405141628
Thermal Processing for Ready-to-Eat Meat Products	Knipe	9780813801483
Handbook of Meat Processing	Toldra	9780813821825
Handbook of Meat, Poultry and Seafood Quality	Nollet	9780813824468

BEVERAGES & FERMENTED FOODS/BEVERAGES

Beverage Industry Microfiltration	Starbard	9780813812717
Wine Quality: Tasting and Selection	Grainger	9781405113663
Handbook of Fermented Meat and Poultry	Toldra	9780813814773
Microbiology and Technology of Fermented Foods	Hutkins	9780813800189
Carbonated Soft Drinks	Steen	9781405134354
Brewing Yeast and Fermentation	Boulton	9781405152686
Food, Fermentation and Micro-organisms	Bamforth	9780632059874
Wine Production	Grainger	9781405113656
Chemistry and Technology of Soft Drinks and Fruit Juices 2nd Edition	Ashurst	9781405122863
Technology of Bottled Water 2nd Edition	Senior	9781405120388
Wine Flavour Chemistry	Clarke	9781405105309

BAKERY & CEREALS

Whole Grains and Health	Marquart	9780813807775
Gluten-Free Food Science and Technology	Gallagher	9781405159159
Baked Products - Science, Technology and Practice	Cauvain	9781405127028
Bakery Products Science and Technology	Hui	9780813801872
Bakery Food Manufacture and Quality 2nd Edition	Cauvain	9780632053278
Pasta and Semolina Technology	Kill	9780632053490