

Index

A

- Adzuki beans, superoxide-scavenging compound from, 261–269
- Aged garlic extract (AGE)
 - antioxidant activity of, 65–67
 - health benefits of, 68–74
 - mice stress and, 64–65
 - organosulfur compounds in, 67
 - and peripheral microcirculation, 67, 72–74
 - pharmacological effects of, 62–63
- Allicin, 61, 67
- Alliinase, inactivation of, 67
- Anthocyanins, cancer prevention and, 154–161
- Antifeedants
 - citrus limonoid aglycones, 91
 - forest foliage phenolics, 398–406, 408–414
 - Salvia neo-clerodane* diterpenoids, 375–382
- Antioxidant(s)
 - activity of (-)-epicatechin in plasma, 202–206, 208, 210–211
 - adzuki bean, 261–269
 - aged garlic extract, 65–67, 69–72
 - anthocyanin and flavonol, 154–161
 - assessment with hypochlorous acid, 39–40
 - assessment using peroxynitrite, 40–41
 - betel leaf extract, 342–346
 - cancer prevention by, 239, 242–247
 - characterization of, 33–34, 36
 - evening primrose, 278–284, 286–291
 - highbush blueberry, 271–276
 - methods for assessing prooxidant actions, 38–39
 - in plant extracts, 32
 - polyphenols, *see* Polyphenol antioxidants
 - properties of dietary, 34, 36
 - reserves and cardiovascular disease, 146–153
 - rosemary phenolic diterpene, 296–298
 - synergism, 185
 - carotenoid-tocopherol interaction, 185–190

- α -tocopherol in liposomes, 132–136, 138–143

- AP-1 activation, inhibition by tea polyphenols, 198
- Apigenin, anticancer potential of, 242
- Apoptosis
 - curcumin induced, 244–245
 - effect of flavonoids on, 157–160
 - reactive oxygen species and, 246, 247
 - tea polyphenols and, 198

B

- Bactericidal activity, of tea polyphenols, 214, 216–218, 220–221
- Betel, antioxidant activity of, 342–346
- Biological screening
 - for antiaging and memory-enhancing compounds, 53
 - for antibacterial compounds, 53
 - for anticancer activity, 52
 - for antifungal compounds, 53
- Black cohosh
 - anti-inflammatory effect of, 367–368
 - chemistry and analysis of active principles, 360–361, 363, 365
 - endocrine activity of, 365, 367
 - therapeutic uses, 368–370
- Black tea. *See also* Green Tea; Tea
 - bioavailability and relevance to humans, 198–200
 - inhibition of tumors by, 195–198
 - polyphenols in, 192
- Blood circulation
 - antioxidant reserves and strokes, 146–153
 - effects of aged garlic extract on, 67, 72–74
- Blueberry, antioxidative and cytotoxic compounds, 271–276
- Boswellia serrata* gum exudate
 - antitumor activity of, 310–313
 - major constituents of, 310
- Bursera simaruba*, 336

C

- Caffeic acid esters, affinity for lipid bilayers, 352

- Cancer chemopreventive agents, 1–2, 239, 242–247
 apigen, 242
 citrus limonoids, 4–5, 79–80, 82–83, 85, 95–103
 curcumin, 242
 apoptosis induction by, 244–245
 flavonols and anthocyanins, 154–161
 flaxseed lignans, 5–6
 flaxseed oil, 108
 garlic compounds, 6
 aged garlic extract, 62, 71–72
 generic Paclitaxel, 56–57
 2''-O-glycosyl-isovitixin, 243
 isovitixin, 243
 possible mechanisms of, 2
 antioxidant activity, 239
 screening for, 52
 soy isoflavones, 2–3
 genistein, 242–243
 resveratrol, 243
 rosemary, 299–300, 302, 305
 tea constituents, 6–7, 192–200
 polyphenols, 243–246
 tomato lycopene, 3–4
Capraria biflora, 337–338
 Carnosic acid, 296
 Carnosol, 296
 β -Carotene, 3
 Carotenoids
 antioxidant properties in membranes, 175–181, 183
 cancer and lycopene, 3–4
 β -carotene and lung cancer, 3
 interaction with tocopherols, 185–190
 Catechin(s)
 activities of Adzuki bean, 265–269
 affinity for lipid bilayers, 356, 358
 effect on fecal flora, 218, 220–221
 free radical-scavenging by, 222–236
 aroxyl radical-scavenging rates with, 226–229
 structure-activity relationship of, 229–235
 vitamin E regeneration, 225–226, 235–236
H. pylori inhibition by, 216–217
 tea, *see* Tea catechins
 Cell proliferation
 effects of tea on, 195–198
 flavonols and anthocyanins and, 154, 157–161
 α -Chaconine, 419–421
 Chemiluminescence
 of Glc-catechin in adzuki beans, 261, 265–266
 of a hydrogen peroxide/gallic acid/horseradish peroxidase system, 321–330
 in Maillard reaction, 252–260
Chiococca alba, 336–337
 Cholesterol hydroperoxides
 inhibition by (-)-epicatechins, 208, 210–211
 oxidation by copper ions, 206–208
 Cholinesterase inhibition, and potato glycoalkaloids, 417–419
Cimicifuga racemosa. *See* Black cohosh
 CimiPure. *See* Black cohosh
 Citrus limonoids. *See* Limonoids
Cnidioscolus aconitifolius, 336
 Coniferous needles
 phenolics of, 398–404, 406, 408
 as pest control agents, 408–413
 Consumer(s)
 interest in nutrition, 22–24
 and health-promoting foods, 24–26
 new product benefits to, 26–29
 genetically modified sources, 29–30
 Curcumin
 apoptosis induction by, 244–245
 mechanisms of action of, 242
 Curcuminoids, affinity for lipid bilayers, 355
 Cyanidin, and cancer prevention, 154–161
 Cyanogenic compounds, in flaxseed, 114–115
- D**
 Daidzein, 2–3
 in Japanese diet, 164–165, 168–173
 Deciduous leaves
 phenolics of, 398–404, 406, 408
 as pest control agents, 408–413

- Delayed bitterness, and limonoids, 82, 89
 Diet, and cancer prevention, 1–7
 Dietary Supplement Health and Education Act (DSHEA), 13
 Disease prevention. *See* Health
 Diterpenes, antioxidant activity of rosemary phenolic, 296–297
 Drugs. *See* Phytopharmaceuticals
- E**
- Enterodiol, 5
 Enterolactone, 5
 (-)-Epicatechin
 plasma antioxidative activity of, 202–206, 208, 210–211
 absorption profile and metabolites, 204–206
 consumption during plasma oxidation, 208–210
 (-)-Epigallocatechin-3-gallate (EGCG),
 anticancer effects of, 245–246
- Epirosmanol, 296
- Estrogenic phytochemicals
 black cohosh, *see* Black cohosh
 genestein, 242–243
 lignans, 5
- Evening primrose, antioxidants of,
 278–284, 286–291
- F**
- Flavones, in rosemary, 298
- Flavonoids, 32, 61
 antioxidant activity in plasma, 202–206, 208, 210–211
 antioxidant activity of rosemary, 298
 apigenin, 242
 bioavailability in soybean milk, 172
 catechins, *see* Catechins; Tea Catechins
 effects on cell, 154
 proliferation and apoptosis, 157–160
 free radical-scavenging action of, 222–223
 in Japanese diet, 164–173
 bioactivity study, 168, 170
 nutritional study, 164–165, 168–169
 pharmacokinetic study, 165, 168, 169
- Flavonols, 26, 27
 and cancer prevention, 154–161
- Flavonones, in rosemary, 298
- Flaxseed, 5
 components and health benefits, 106–112, 114–116
 cyanogenic compounds, 114–115
 dietary proteins, 108–110
 flavonoids, 112
 lignans, 5–6, 115
 medicinal, 122–123, 125–126, 128–129
 α -linolenic acid, 106–108
 lipoxygenase, 114
 oil, 106–108
 phenolic acids, 111–112
 phytic acid, 112
 polysaccharides, 110–111
 tocopherols, 114
- Free radical-scavenging, by catechins,
 222–236
- Functional foods, regulation and research incentives, 13–20
- G**
- Gallic acid esters, affinity for lipid bilayers,
 352, 354
- Garlic
 aged extract, *see* Aged garlic extract
 anticancer activity of, 6
 preparations and effects, 62–74
 antioxidation, 65–67
 antistress, 64–65
 on peripheral microcirculation, 67, 72–74
- Genetically modified foods, benefits of,
 29–30
- Genistein, 2–3, 26
 anticancer potential of, 2–3, 242–243
 estrogenic activity, 242–243
 in Japanese diet, 164–165, 168–173
- Glutathione-S-transferase, effect of
 limonoids on, 103
- Glycoalkaloids, potato
 analysis of, 419–423
 pharmacologic aspects, 417–419
- 2''-O-Glycosyl-isovitexin, antioxidant activity of, 243
- Green tea. *See also* Black tea; Tea

polyphenols in, 192
 tumorigenesis inhibition by, 193–196,
 197–198

H

Halichondrin B, synthesis of antitumorigenic,
 386–395

Health

antioxidant supplementation and strokes,
 146–153
 claims, 13–20
 consumer interest in, 22–24
 foods, 24–26
 genetic modification of, 29–30
 new product development of, 26–29
 plant components and, 1–7

Health claims, regulation and industry
 research, 13–20

Health-promoting foods, 24–26

Helicobacter pylori, inhibition by tea, 214,
 216–217

Hesperitin, 298

Horseradish peroxidase, chemiluminescence
 of, 321–325, 326, 328–330

I

Intellectual property, and new ingredients,
 27–28

Isoflavones. *See* Soy isoflavones

Isoflavonoids. *See also* Daidzein; Genistein
 in Japanese diet, 164–173

Isorosmanol, 296

Isovitexin, antioxidant activity of, 243

K

Kaempferol, and cancer prevention, 154–161

Keystone National Policy Dialogue on
 Food, Nutrition and Health, 14, 15

L

Labiatae, insect control by, 371–383

Lamiaceae. *See also* Labiatae

Salvia diterpenoids, 372–375
 antifeedant activity of, 375–383

Scutellaria diterpenoids, 375

Lepidopteran species

life cycle of, 380–381

management using forest foliage
 phenolics, 398–406, 408–414

Lignan glycoside, in rosemary, 299

Lignans, flaxseed

anticancer activity of, 5–6, 115
 extraction of medicinal, 123–129
 and purification of, 128–129
 nature of, 5, 115, 122

d-Limonene, antitumor activity and
 metabolites of, 4–5

Limonin

anticancer activity of, 80, 82–83, 85, 95
 and delayed bitterness, 89

Limonoid aglycones

anticancer activity of, 80, 82–83, 85
 antifeedant activity of, 91
 in debittering process, 89

Limonoid glucosides

anticancer activity of, 83
 oral carcinogenesis and, 95–103
 average intake of, 102
 bulk isolation of, 85–88
 in citrus, 79, 86–88, 102
 degradation of, 90–91
 genetic engineering of, 88–90
 toxic evaluation of, 85
 utilization of, 87–88

Limonoid glucosyl transferase, 89–90

Limonoids. *See also* Limonoid aglycones;

Limonoid glucosides
 anticancer activity of citrus, 4–5

α -Linolenic acid, health benefits of, 106–108

Lipids, antioxidants and, 32, 278

Liposomes, carotenoids and α -tocopherol
 in, 175–183

Lycopene

cancer risk and tomato, 3–4
 interaction with carotenoids, 188–190

M

Maillard reaction substances (MRS), radical-
 scavenging activity of, 252–260

Medicinal plants

black cohosh, 368–370
 evaluation for new pharmaceuticals, 332
 screening for medicines, 48–53
 from Yucatecan, 332–338

- Menopause treatment, with black cohosh, 368–370
- Miltirone, 297
- N**
- Nitric oxide, toxicity of, 146, 149
- Nomilin
 anticancer activity, 80, 82–83, 85, 95
 glucoside of, 86
 in limonoid biosynthesis, 88
- Nutraceuticals. *See* Functional foods
- Nutrition
 categories of health-promoting foods, 24–26
 consumer concerns for, 22–24
 new product opportunities, 26–29
 genetically modified, 29–30
 research policy initiatives, 13–20
- O**
- Ocimum basilicum*, metabolites of, 334–336
- Ocimum micranthum*, metabolites of, 334–336
- Organosulfur compounds, and cancer, 6
- Oxidative defense, regeneration of tocopherols and, 185–190
- Oxygen toxicity, 146–147
 antioxidant supplementation and, 146–153
 evaluating serum, 152–153
- P**
- Paclitaxel, generic version of, 56–58
- Phenolic(s)
 antioxidants, *see* Polyphenol antioxidants
 forest foliage extracted, 398–406, 408–414
 in coniferous and broadleaf trees, 406, 408
 host plant resistance and variation of, 412–413
 identification and assay of, 401–406
 and insect feeding and growth, 408–411
 and insect oviposition, 411–412
- Phospholipids, peroxidation and α -tocopherol, 133
- Phytic acid, health benefits of, 112
- Phytochemicals
 antiestrogenic, 5
 definition of, 2
 market segmentation for, 25–26
 research incentives, 14–17
 role in health, 2–7
 sources of, 24–25
- Phytopharmaceuticals
 Xechem's strategy for discovering, 47–60
 drug development rationale, 47–48
 screening process, 48–56
 specific illustrations of, 56–58
- Phytopolyphenols. *See* Polyphenol antioxidants
- Piper betle* L.. *See* Betel
- Polyphenol antioxidants
 affinities for lipid bilayers, 349–350, 352, 354–356, 358
 antibacterial actions of tea, 214, 216–218, 220–221
 with anticancer potential, 239, 242–247
- Polysaccharides, flaxseed, 110–111
- Potato glycoalkaloids, *see* Glycoalkaloids
- Prooxidant activity, of dietary antioxidants, 34, 36, 38–40
- Prooxidative mitotic signaling, and phytopolyphenols, 246–247
- Q**
- Quercetin
 affinity for lipid bilayers of, 356, 358
 cancer prevention by, 154–161
- R**
- Radical-scavenging activity
 of catechin and related compounds, 222–236
 of Maillard reaction substances, 252
- Reactive oxygen-scavenging compounds, from adzuki beans, 261–269
- Reactive oxygen species (ROS), 246–247
- Resveratrol, cancer prevention and, 243, 314–319
- Rosemanol, 296
- Rosmarinonide A, 299
- Rosemary (*Rosmarinus officinalis* L.), 302, 305
 anticancer activity of, 299–300, 302, 305

antioxidant activity of, 296–299
Rutin, cancer prevention and, 154–161

S

Salvia, agrochemical potential of, 371–383
Secoisolaricresinol diglucoside, extraction of, 122–123, 125–126, 128–129
Signal transduction, and phytopolyphenols, 246–247
Singlet oxygen, antioxidants and membrane damage by, 175–181, 183
 α -Solanine, 419–421
Soy, 2–3, 26, 27
Soy hypocotyl tea, antioxidant activity of, 164, 168, 172–173
Soy isoflavones, 2–3, 164–173
Stress, effects of aged garlic extract on, 64–65, 71
Stroke disease, 149
Superoxide, toxicity of, 146–147
Superoxide dismutase (SOD)-like activity, in adzuki beans, 261–269

T

Tea, 6–7. *See also* Black tea; Green tea
bowel improvement by, 217–218, 220–221
carcinogenesis inhibition by, 192–200
induced lung tumorigenesis, 194–195
spontaneous lung tumors and rhabdomyosarcomas, 197
health effects of, 192
inhibition of foodborne pathogens by, 214
Tea catechins, 6–7. *See also* Catechin(s); Tea polyphenols
Tea polyphenols
antibacterial applications in humans, 214, 216–218, 220–221
fecal composition and odor, 217–218, 220
foodborne pathogens, 214
H. pylori in stomach, 216–217
carcinogenesis inhibition by, 192–200, 243–244
investigations of action mechanisms, 245–246

Tetrahydrocurcumin, antioxidant activity of, 355

Theaflavins

antibacterial action of, 214
anticancer effects of, 192–200
bioavailability of, 199

Thearubigins

anticancer effects of, 192–200
bioavailability of, 199

Thevetia gaumeri, 337

α -Tocopherol

antioxidant activity of, 132–136, 138–143
singlet oxygen and, 175–181, 183
and formation of α -tocopherones, 136, 138
interaction with carotenoids, 185–190
serum levels and cardiovascular disease, 147–149
supplementation in stroke patients, 149–150

Tocopherols

and carotenoid interaction, 185–190
flaxseed, 114
regeneration, 225–226, 235–236

Tocotrienols, supplementation effect, 149–150

Tomato lycopene. *See* Lycopene

Triterpene glycosides, in black cohosh, 360–361, 363, 365

Tumors

inhibition by
Boswellin serrata extract, 310–313
halichondrin B, 386–395
resveratrol and related compounds, 314–319
rosemary, 299–300, 302, 305
tea and tea constituents, 192–200

U

Ubiquinones, affinity for lipid bilayers of, 354–355

Urechites andrieuxii, 338

Ursolic acid, 299

V

Vaccinium corymbosum L.. *See* Blueberry

- Vigna angularis*. *See* Adzuki beans
- Vitamin C, and regeneration of tocopherol,
185, 235–236
- Vitamin E. *See also* Tocopherols
regeneration rates, 235–236
- X**
- Xechem
- phytopharmaceutical research by, 47–60
drug development rationale, 47–48
screening process, 48–56
specific illustration of, 56–58
- Y**
- Yucatecan medicinal plants, bioactive
metabolites of, 332–335, 336–338