

# Index

- $\alpha$ -zearalenol, 115–16
- ABI SOLID sequencing system, 318
- accelerated solvent extraction *see*
  - pressurised liquid extraction
- acceptance probability, 24
- accepted reference value, 203
- accuracy, 17
- 15-acetyl-deoxynivalenol (15-ADON), 390
- 4-acetyl-nivalenol (4-ANIV), 307
- ACN–water extraction, 41
- actin genes, 293
- Acuity 4.0, 342
- affinity sensors, 360
- Affymetrix GeneChip microarray, 318
- aflatoxin, 305–6
- 25-gene aflatoxin, 336
- aflatoxin B<sub>1</sub>
  - animal exposure biomarker, 247–50
  - animal diseases, 247–8
  - mechanism of action and metabolism pathways, 249
  - mechanisms, 248–50
  - toxicokinetics, 248
- aflatoxins, 7, 108, 139
  - extraction, 40
  - human exposure biomarker, 228–34
    - albumin adduct level in different countries/regions, 233
    - biomarker application in human studies, 229
  - metabolism showing potential biomarkers, 227
  - sampling plan, 14–15
    - incremental sample size and aggregate sample size, 15
    - maximum levels, required number and sample size, 14
    - minimum number and size of incremental samples, 14
    - number of incremental samples depending on lot weight, 13
- AFLP, 293
- alkaline hydrolysis, 391
- alkaline phosphatase, 141
- Alternaria* spp, 312
- amperometry, 367
- analytical variance, 23
- anti-Stokes scattering, 405
- antibody, 136, 361–2
  - see also* specific antibodies
  - production and characterisation, 136–9
- AOAC International, 180–4
- AOAC Official Method 970.47, 185
- AOAC Official Method 975.37, 185
- AOAC Official Method 985.17, 185
- APCI *see* atmospheric pressure chemical ionisation
- aptamers, 57, 364–5
- artificial neural networks (ANN), 375
- Aspergillus*, 7, 260, 281
- Aspergillus flavus*, 247, 281
- Aspergillus parasiticus*, 247
- Aspergillus* spp, 228
  - multiplex polymerase chain reaction, 312
  - PCR–RFLP, 314
  - PCR using anonymous DNA sequences, 304
  - PCR using conserved genes

- β-tubulin, 303
  - calmodulin, 303
  - rDNA, 303
- atmospheric pressure chemical ionisation, 96, 104–5
- attenuated total reflectance, 409
- β-glucosidase, 390
- β-tubulin, 293
- β-tubulin, 353
- balanced design, 19, 20
- Barcode of Life Data System, 352
- Biacore 2000 instrument, 369
- Biacore optical biosensor, 362, 369
- bilayer lipid membrane, 365
- biological markers *see* biomarkers
- biomarkers
  - animal exposure to mycotoxins, 245–66
    - aflatoxin B<sub>1</sub>, 247–50
    - deoxynivalenol and other trichothecenes, 251–5
    - fumonisin, 255–60
    - future trends, 265–6
    - mechanism of action and current state of development, 247
    - ochratoxin A, 260–2
    - toxicology knowledge components, 246
    - zearalenone, 262–5
  - human exposure to mycotoxins, 225–39
    - aflatoxin exposure, 228–34
    - aflatoxin metabolism, 227
    - deoxynivalenol exposure, 238–9
    - fumonisin exposure, 234–7
- biosensors
  - as diagnostic tool in analysis, 360–71
    - molecular recognition element, 361–5
    - peptide receptors interactions with mycotoxin, 363
    - surface plasmon resonance schematic illustration, 370
    - transducers, 365–71
  - developed for mycotoxins analysis, 366
  - device construction, 365
  - IUPAC definition, 360
  - lab-on-a-chip for multiplex detection, 372–4
  - mycotoxin analysis, 359–77
    - electrochemical microarray with 35 arrays, 373
    - electronic nose method, 374–5
    - future trends, 376
    - nanomaterials, 374–5
  - biotoxins, 179
  - Bond Elut, 49
  - bound mycotoxins, 386
  - bromination methods, 80
  - CAC/RCP 55-2004, 29
  - CAC/RCP 63-2007, 29
  - calibration standard, 204
  - calmodulin, 293
  - cantilever technology, 371
  - capillary electrophoresis, 82
  - CcIA, 342
  - cellulase, 390
  - CEN *see* Comité Européen de Normalisation
  - ChemElut, 45
  - chemiluminescent detection, 145
  - chloroform-free extraction technique, 45
  - chromatographic separation techniques
    - see also* specific chromatographic technique
    - mycotoxins determination in food and feed, 71–83
      - electrophoretic separations, 82–3
      - future trends, 83
      - gas chromatography, 74–6
      - high-performance liquid chromatography, 76–81
      - thin layer chromatography, 72–4
  - citrinin genes, 307–8
  - cleaved amplified polymorphic sequence (CAPS), 314
  - cluster analysis, 375
  - coconut agar medium (CAM), 306
  - Codex Alimentarius Commission, 29, 173–4, 178
  - Codex Standard 193-1995, revision 2009
    - total aflatoxins in peanuts, 13–14
      - maximum levels, required number and sample size, 14
      - minimum number and size of incremental samples, 14
      - number of incremental samples depending on lot weight, 13
  - colloidal gold, 147, 149, 156
  - colorimetric readers, 145
  - Comité Européen de Normalisation, 178–80
  - Commission Decision 2002/657/EC, 102
  - Commission Directive 2002/32/EC, 91

- Commission Recommendation 2006/576/  
EC, 91
- Commission Regulation 2002/657/  
EC, 115, 116
- Commission Regulation 2006/1881/  
EC, 91
- Commission Regulation 2007/1126/  
EC, 91
- comparative genomics, 342–4
- complete equipment qualification, 202
- conserved genes  
  polymerase chain reaction, 299–304  
   $\beta$ -tubulin, 300–1  
  calmodulin, 300  
  elongation factor, 301  
  ribosomal gene family, 300
- constitution heterogeneity, 20
- creatine sucrose agar (CREA), 292
- cyclodextrins, 80–1
- cyclopiazonic acid, 44–5
- cytochrome c oxidase 1 (CO1), 350–1
- Czapek yeast extract agar (CYA), 292
- decision limit (CC $\alpha$ ), 211
- denaturing gradient gel electrophoresis–  
amplification refractory mutation  
system (DGGE-ARMS), 316
- deoxynivalenol-3-glucoside  
(DON-3-G), 387, 388, 389, 392, 396
- deoxynivalenol (DON), 105, 108, 139,  
307, 369, 372, 389, 409
- animal exposure biomarker, 251–5  
  animal diseases, 251  
  toxicokinetics, 251–2
- extraction, 39, 41
- human exposure biomarkers, 238–9  
  validation, 239
- mechanisms and biomarkers, 252–5  
  biomarkers of effect, 254–5  
  mode of action and metabolism, 252
- proinflammatory gene  
  expression, 253  
  protein kinase activation, 253–4  
  ribotoxic stress response, 254
- design qualification, 202
- desorption electrospray ionisation  
(DESI), 119–20, 122
- detection capability (CC $\beta$ ), 211
- dichloran rose Bengal yeast extract  
  sucrose agar (DRYES agar), 292
- differential display, 337
- diffuse reflectance, 409
- diffuse reflectance spectroscopy  
(DRS), 409
- dilute-and-shoot, 54
- Dionex, 42
- direct competitive ELISA (*dc*ELISA),  
  137, 141
- direct transcript profiling, 345
- discriminate function analysis (DFA), 375
- dispersion IR, 404
- distribution heterogeneity, 20–1
- DNA barcode, 349
- DNA barcode of Life, 350
- DNA barcoding, 319  
  future trends, 351–3  
  new opportunity for fungi species  
  discrimination, 350–1  
  toxigenic fungi, 349–53
- DNA microarray, 318–19
- Doehlert matrix design, 390
- duplicate method, 19
- dynamic sampling, 10–11
- e-nose *see* electronic nose method
- EC 152/2009, 11
- EC 401/2006, 11, 12, 22
- EC 882/2004, 6
- electrochemical transducers, 367–8
- electronic nose method, 374–5
- electrophoretic separations, 82–3
- electrospray ionisation, 104–5
- ELEM *see* equine leukoencephalomalacia
- ELISA *see* enzyme-linked immunosorbent  
  assay
- elongation factor 1- $\alpha$  (EF-1- $\alpha$ ), 353
- empirical approach, 19, 21
- enzyme immunoassay (EIA), 315
- enzyme-linked immunosorbent  
  assay, 136, 230, 362, 393  
  competitive ELISA principle, 138  
  main characteristics, 142–3
- equine leukoencephalo-  
malacia, 234, 255–6
- equipment qualification, 202–3
- ergot alkaloids, 96
- ESI *see* electrospray ionisation
- Eurachem/Citac guide, 19, 28
- evaporative light scattering detector  
(ELSD), 81
- expressed sequence tags (EST), 338–9
- EXTrelut, 45
- fast Fourier transformed spectra, 411
- fatty liver syndrome, 248
- feed  
  masked mycotoxins challenges and  
  analytical approaches, 385–96

- mycotoxigenic fungi molecular identification, 298–320
- mycotoxin detection by immunochemical methods, 135–59
  - antibody production and characterisation, 136–9
  - future trends, 158–9
  - microtiter plate enzyme-linked immunosorbent assay, 140–6
  - non-instrumental rapid tests, 146–58
- mycotoxins determination by chromatographic separation techniques, 71–83
- validated methods for mycotoxins detection, 171–89
- feed sampling
  - international guidance, 11–15
  - principles, 5–11
- FflaeA*, 342
- fingerprint region, 409
- fishbone diagram, 216
- fit for purpose principle, 23, 206
- flame ionisation (FID), 75
- Florisil, 389
- fluorescence-based detection method, 230
- fluorescence detectors, 77, 79
- food
  - masked mycotoxins challenges and analytical approaches, 385–96
  - mycotoxin detection by immunochemical methods, 135–59
    - antibody production and characterisation, 136–9
    - future trends, 158–9
    - microtiter plate enzyme-linked immunosorbent assay, 140–6
    - non-instrumental rapid tests, 146–58
  - mycotoxins determination by chromatographic separation techniques, 71–83
  - mycotoxigenic fungi molecular identification, 298–320
  - validated methods for mycotoxins detection, 171–89
    - future trends, 188–9
    - methods performance criteria establishment, 174–6
  - mycotoxin regulations enforcement, 184–5
  - mycotoxin validation studies
    - literature publications, 184, 186–7
  - official control laboratories, 173–4
  - official methods, 176–84
  - results confirmation, 185–8
- food control laboratories
  - ensuring quality of results, 194–219
    - importance of accreditation in laboratories, 195–6
    - measurement uncertainty, 215–17
    - routine method vs reference method, 214–15
  - future trends, 217–19
  - laboratory accreditation and ISO 17025, 197–203
    - management requirements, 197–200
    - technical requirements, 200–3
  - statistical method validation approach, 203–14
    - accuracy profile as a decision making tool, 211–14
    - basic statistical concepts, 203–4
    - definitions, 204–11
- food control systems, 4, 28–9
- food safety, 4–5
- food sampling
  - international guidance, 11–15
  - principles, 5–11
- Fourier transform infrared, 404
- Fourier transform Raman spectroscopy, 410
- FUM* gene cluster, 309
- 17-gene fumonisin, 335
- fumonisin B<sub>1</sub>, 388
- fumonisin gene cluster, 335
- fumonisin genes, 308–10
- fumonisin paradox, 386
- fumonisin (FUM), 73–4, 81, 139–40, 172, 184, 188, 281, 386, 388, 410
  - animal exposure biomarker, 255–60
    - animal diseases, 255–6
    - mechanisms, 257–60
    - proximate cause/key event and mechanism of action, 258
    - toxicokinetics, 256–7
  - extraction, 40–1, 48–9
  - human exposure biomarker, 234–7
    - plasma and urinary Sa:So ratio in representative human studies, 236
    - urinary FB<sub>1</sub> biomarkers validation, 237
- fundamental sampling error (FSE), 21
- fungal secondary metabolites, 333–4
  - future trends, 344–5
  - structures, 333
- fungal spore analysis
  - MALDI-TOF mass spectrometry, 120–1
  - mass spectrometry, 90–123

- Fusarium*, 7, 107, 251, 262, 281, 351  
*Fusarium avenaceum*, 97  
 FUSARIUM-ID, 302  
*Fusarium proliferatum*, 234  
*Fusarium* spp  
   multiplex polymerase chain reaction, 311–12  
   PCR–RFLP, 313–14  
   PCR using anonymous DNA sequences, 304  
   PCR using conserved genes, 301–3  
      $\beta$ -tubulin, 302  
     calmodulin, 302  
     rDNA primers, 301–2  
     TEF1- $\alpha$ , 302–3  
*Fusarium verticillioides*, 234, 256
- gaoA gene, 317  
 gas chromatography (GC), 74–6  
 gas chromatography–mass spectrometry (GC–MS), 74–5, 76, 91, 262  
 gel-based tests, 156–8  
   columns for gel-based immunoassay, 157  
   data summary, 158  
   gene complementation, 337  
   gene deletion, 337, 343  
 454 Genome Sequencer FLX system, 318, 319  
 glucose biosensor, 367  
 glucuronic acid conjugates, 264  
 glutathione S-transferase (GST), 250  
*GmPKS3* *see* *PGL1*  
*GmPKS7*, 341  
 growth hormone, 255  
 Gy's formula, 21  
 Gy's sampling theory *see* theory of sampling
- haptens, 140  
 hepatitis B virus, 229  
 high-performance liquid chromatography (HPLC), 76–81, 91, 145, 230, 281  
   columns and mobile phases, 77–9  
   detectors, 79–81  
 horseradish peroxidase, 141  
 Horwitz equation, 178  
 HRP *see* horseradish peroxidase  
 human hepatocellular carcinoma (HPC), 232  
 hybridoma screening, 137  
 hydrophilic interaction chromatography (HILIC), 393  
 5-hydroxymethylfurfural (HMF), 78
- Illumina Solexa 1G Genome Analyser, 318  
 immuno-ultrafiltration (IUF), 54–5  
   cleanup procedure, 55  
 immunoaffinity chromatography (IAC), 51–3  
   cleanup, 52  
 immunoaffinity columns (IAC), 144, 238, 389  
 immunochemical methods  
   advantages, 136  
   disadvantages, 136  
   mycotoxin detection in food and feed, 135–59  
     antibody production and characterisation, 136–9  
     future trends, 158–9  
     microtiter plate enzyme-linked immunosorbent assay, 140–6  
     specificity, 139–40  
   non-instrumental rapid tests, 146–58  
     gel-based tests, 156–8  
     immunochemical membrane-based tests, 147–53  
     immunofiltration membrane-based tests, 153–6  
 immunochromatographic membrane-based tests, 147–53  
   alternative labels, 149, 152  
   assay sensitivity and specificity, 149  
   competitive assay principle, 148  
   data summary, 150–1  
   multi-analyte applications, 152–3  
   principles, applications and challenges in mycotoxin analysis, 147–9  
 immunofiltration membrane-based tests, 153–6  
   assay sensitivity, 154–6  
   competitive assay, 154  
   data summary, 155  
   multi-analyte applications, 156  
   principles, applications and challenges in mycotoxin analysis, 153–4  
 immunosensors, 368  
 impaired hematopoiesis, 251  
 incremental sample, 9  
 indirect competitive ELISA (*ic*ELISA), 137, 141  
 infrared/Fourier transform infrared spectroscopy, 409–10  
 infrared spectroscopy, 403–5  
   harmonic and anharmonic models, 404  
 installation qualification, 202  
 inter-laboratory precision method, 175–6

- interferogram, 405  
 internal standard (IS), 112–13  
   isotope labelled, 113–15  
 internal transcribed spacer regions (ITS), 352–3  
 International Standards Organisation, 195  
 intra-laboratory precision method, 175  
 Invitrogen, 342  
 ion trap detector (ITD), 91  
 ion-trap time-of-flight (IT-TOF), 395  
 ion traps, 103  
 Ishikawa diagram, 216  
 ISO *see* International Standards Organisation  
 ISO 5725, 206, 207, 210, 212  
 ISO 9001:1994, 196  
 ISO 9001:2000, 196, 197, 198  
 ISO 9002:1994, 196  
 ISO 17025, 175  
   and laboratory accreditation, 197–203  
   management requirements, 197–200  
     corrective action, 198–9  
     document control, 198  
     internal audits, 199  
     management reviews, 199–200  
     management system and improvement, 197–8  
     nonconforming testing control and/or calibration work, 198  
     organisation, 197  
     preventive action, 199  
     technical requirements, 200–3  
     equipment, 201–3  
     general, 200  
     personnel, 200  
     test and calibration methods and method evaluation, 201  
 ISO 24333:2009, 10, 11, 13  
 ISO 5725-6:1994, 214  
 ISO/IEC 17025, 28  
 ISO/IEC 17025:2005, 195, 196  
 ISO/TS 21748, 216  
 isoeopydon dehydrogenase (*idh*)  
   gene, 310  
 isotope dilution tandem mass spectrometry (IDMS), 234  
 i.STAT clinical analyser, 367  
 laboratory accreditation  
   and ISO 17025, 197–203  
   management requirements, 197–200  
   technical requirements, 200–3  
 LaeA, 342  
 laser-induced fluorescence (LIF), 82  
 LC–MS atmospheric pressure chemical ionisation (LC–MS–APCI), 392  
 LC–MS electrospray ionisation (LC–MS–ESI), 391  
 leukocytes, 251  
 limit of detection (LOD), 175, 210  
 limit of quantification (LOQ), 174, 175, 211  
 liquid chromatography (LC), 391  
 liquid chromatography–ion trap detector (LC–ITD), 96  
 liquid chromatography–mass spectrometry (LC–MS), 262  
   future trends, 117–22  
     desorption electrospray ionisation in mycotoxins analysis, 122  
     extraction scheme, 118  
     fungal spores identification and differentiation, 120–1  
     ionisation techniques, 119–20  
   MALDI–TOF in direct mycotoxin analysis, 121–2  
   mass spectrometers, 118–19  
   multi-methods, 117–18  
   limitations, 116–17  
   multi-mycotoxin methods, 97–101  
     extraction, cleanup, chromatographic system, and settings, 98–100  
 liquid-phase microextraction (LPME), 45  
 liquid-liquid extraction (LLE), 44–6  
 loop-mediated isothermal amplification (LAMP) assay, 317  
 Luminex technology, 313  
 MALDI–TOF *see* matrix-assisted laser desorption ionisation time-of-flight  
 malt extract agar (MEA), 292  
 masked mycotoxins, 385–6  
   analysis in food and feed, 389–95  
   analytical perspectives, 393–5  
   determination, 391–3  
   extraction and cleanup of sample extracts, 389–91  
   challenges and analytical approaches in food and feed, 385–96  
   occurrence in food and feed, 386–8  
   food processing conjugates, 388  
   plant conjugates, 386–8  
 mass sensitive transducers, 370–1  
 mass spectrometry, 75, 234, 237  
   aspects, 103–6  
   detector types, 104  
   ionisation interfaces, 104–6

- optimising instrument settings, 107
- patulin, 106
- liquid chromatography–mass spectrometry, 97–101, 107–17
  - calibration curves of standards, 110–11
  - extraction, cleanup, chromatographic system, and settings, 98–100
  - future trends, 117–22
  - internal standard, 112–13
  - isotope labelled internal standard, 113–15
  - limitations, 116–17
  - matrix effect, 107–12
  - method validation in multi-toxin analysis, 115–16
- multi-mycotoxin and fungal spore analysis, 90–123
  - liquid chromatographic aspects, 101–3
  - mycotoxins, matrices, additional information and references, 92–5
- matrix-assisted laser desorption/ionisation (MALDI), 119–20
- matrix-assisted laser desorption ionisation time-of-flight
  - direct mycotoxins analysis, 121–2
  - fungal spores identification and differentiation, 120–1
- matrix effect, 107–12, 120
- matrix matched calibration, 108
- matrix solid phase dispersion (MSPD), 50
- metagenomic, 319
- method repeatability *see* intra-laboratory precision method
- method reproducibility *see* inter-laboratory precision method
- methods performance criteria
  - establishment, 174–6
    - inter-laboratory method validation, 175–6
    - single laboratory validation, 175
  - future trends, 188–9
- mycotoxin validation studies literature publications, 184, 186–7
  - method performance characteristics for inter-laboratory validated methods, 186–7
- mycotoxins detection in foods and feed, 171–89
  - mycotoxin regulations enforcement, 184–5
  - official control laboratories, 173–4
  - official methods, 176–84
    - AOAC, 180–4
    - AOAC official methods for mycotoxins, 182–3
    - Comité Européen de Normalisation, 178–80
    - criteria-based approach, 178
    - international bodies adopting and endorsing mycotoxins analysis methods, 177
    - minimum method performance criteria, 179
    - results confirmation, 185–8
  - 6-methylsalicylic acid synthase (6msas) gene, 310
  - micellar electrokinetic capillary chromatography (MECC), 82
  - microarray analysis, 341–2
  - microcystin-LR toxins, 371
  - microemulsion electrokinetic chromatography (MEECK), 83
  - microsatellite, 316
  - microtiter plate enzyme-linked immunosorbent assay, 140–6
    - assay time and detection systems, 145
    - comparison with other methods, 145–6
    - enzyme-linked immunosorbent assay, 140–4
    - extraction and sample pre-treatment, 144
  - microwave assisted extraction (MAE), 43
  - mitogen-activated protein kinases (MAPKs), 253
  - modelling approach, 19
  - molecular imprinted polymers (MIP), 56–7, 363–4
    - imprinting process key steps, 57
  - moniliformin (MON), 78
  - monitoring, 6
  - monoclonal antibodies, 137, 138–9
  - Morse function, 406
  - multi-mycotoxin analysis
    - liquid chromatographic aspects, 101–3
    - liquid chromatography–mass spectrometry, 97–101
    - liquid chromatography–mass spectrometry (LC–MS), 107–17
      - extraction, cleanup, chromatographic system, and settings, 98–100
      - future trends, 117–22
      - internal standard, 112–13
      - isotope labelled internal standard, 113–15

- limitations, 116–17
  - matrix effect, 107–12
  - method validation, 115–16
- mass spectrometry, 90–123
  - aspects, 103–6
- multifunctional columns, 47–50
  - purification steps, 48
- multiplex polymerase chain reaction, 311–12
  - Alternaria* spp, 312
  - Aspergillus* spp, 312
  - Fusarium* spp, 311–12
  - multispecies multiplex, 312
- multiplex tandem polymerase chain reaction (MT-PCR), 313
- MultiPlexBeads, 374
- Multisep, 47
- Mycosep, 47, 49, 107
- Mycosep 227, 109
- Mycosep 230 column, 389
- mycotoxigenic fungi
  - identified species producing the major mycotoxins, 282–92
  - molecular identification in food and feedstuffs, 298–320
    - future prospects, 320
    - multiplex detection, 311–13
    - multistep strategies, 310–11
    - polymerase chain reaction, 299–310
    - polymerase chain reaction-based methods, 313–17
  - novel technologies, 317–19
    - DNA barcoding, 319
    - DNA microarray, 318–19
    - metagenomic, 319
  - rationale for polyphasic approach in identification, 279–93
    - identification methods, 292–3
    - molecular methods for identification, 293
    - mycotoxigenic fungi, 281–92
- mycotoxin sampling plan, 8
- mycotoxin synthesis
  - involved genes and gene clusters
    - identification, 332–45
      - early-genomics, 338–41
      - future trends, 344–5
    - genetic basis for secondary metabolite biosynthesis, 334–6
    - post-genome genomics, 341–4
    - pre-genomics, 336–8
- mycotoxin test procedure, 8
  - reducing variability, 22–3
- mycotoxins
  - analysis by bio-sensing methods, 359–77
  - chromatographic separation techniques
    - in food and feed, 71–83
    - electrophoretic separations, 82–3
    - future trends, 83
    - gas chromatography, 74–6
    - high-performance liquid chromatography, 76–81
    - thin layer chromatography, 72–4
  - detection by immunochemical methods
    - in food and feed, 135–59
    - antibody production and characterisation, 136–9
    - future trends, 158–9
    - microtiter plate enzyme-linked immunosorbent assay, 140–6
    - non-instrumental rapid tests, 146–58
  - detection by spectroscopic techniques, 401–12
  - developing biomarkers of human exposure, 225–39
    - aflatoxin exposure, 228–34
    - aflatoxin metabolism, 227
    - deoxynivalenol exposure, 238–9
    - fumonisin exposure, 234–7
  - developing mechanism-based and exposure biomarkers of animals, 245–66
    - aflatoxin B<sub>1</sub> biomarkers exposure and effect in animals, 247–50
    - deoxynivalenol and other trichothecenes, 251–5
    - fumonisin biomarkers of exposure and effect in animals, 255–60
    - future trends, 265–6
    - mechanism of action and current state of development, 247
    - ochratoxin A biomarkers of exposure and effect in animals, 260–2
    - zearalenone, 262–5
  - holistic approach to mycotoxins control, 29
  - measurement process, 15
  - sample preparation and cleanup, 37–58
    - extraction and cleanup methods, 39–54
    - recent developments, 54–7
    - sample pre-treatment, 38
  - sampling strategies, 3–29 (*see also* sampling)
    - food and feed sampling principles, 5–11



- food safety and international food trade requirements, 4–5
- international guidance, 11–15
- quality assurance and quality control, 26–8
- training sample inspectors and strengthening national food control systems, 28–9
- uncertainty estimation and sound sampling plans, 15–26
- validated detection methods for foods and feed, 171–89
  - future trends, 188–9
  - methods performance criteria establishment, 174–6
  - mycotoxin regulations enforcement, 184–5
  - mycotoxin validation studies literature publications, 184, 186–7
  - official control laboratories, 173–4
  - official methods, 176–84
  - results confirmation, 185–8
- nanomaterials, 374–5
- near infrared spectroscopy, 406, 410–11
- NimbleScan bioanalyser software, 342
- nivalenol (NIV), 140, 307
- normal phase liquid chromatography (NP-LC), 393
- nuclear copies of mitochondrial DNA (NUMT), 352
- nuclear large ribosomal subunit (LSU rDNA), 353
- nuclear magnetic resonance (NMR), 262
- nuclear magnetic resonance spectroscopy, 406–7, 408, 411
- nuclear small ribosomal subunit (SSA rDNA), 353
- o-phthalaldehyde (OPA), 81
- oat meal agar (OAT), 292
- ochratoxin A (OTA), 7, 105, 140, 387–8, 409–10
  - animal exposure biomarker, 260–2
    - animal diseases, 260–1
    - mechanisms, 262
    - metabolism and hypothesised mechanisms, 261
    - toxicokinetics, 261–2
  - extraction, 42, 44, 45, 49
  - molecular imprinted polymers, 363–4
  - multiplex detection, 372
  - quartz crystal microbalance sensor, 371
- ochratoxin B, 113
  - ochratoxin genes, 307–8
  - oligonucleotide microarray, 318
  - OLISA, 318
  - open reading frames (ORF), 337, 340
  - operating characteristic curves, 23–4
    - lot acceptance probability with a mycotoxin, 24
  - operational qualification, 202
  - optical transducers, 368–70
  - Orbitrap, 394
  - overpressured layer chromatography (OPLC), 74
  - Oxanica Quantum dots, 374
- P-postlabelling method, 230–1
- padlock probes, 313
- papain, 390
- part linearity, 205
- patulin (PAT), 45, 106, 362
- Penicillium*, 7, 260, 280–1, 351
- Penicillium chrysogenum*, 292
- Penicillium* spp
  - PCR-RFLP, 314
  - PCR using conserved genes, 303–4
- Penicillium verrucosum*, 281
- peptide receptors, 364
- peptides, 363
- performance qualification, 202–3
- Performance Tested Methods, 184
- Pfam database, 340
- PGLI*, 340
- photoacoustic spectroscopy (PAS), 409
- photochemical derivatisation, 80
- PKS4* gene, 310
- polyclonal antibodies, 137, 139
- polyketide synthases (PKS), 334, 337, 340
- polymerase chain reaction, 299
  - detection and quantification using anonymous DNA sequences, 304–5
    - Aspergillus* spp, 304
    - Fusarium* spp, 304
    - other mycotoxigenic fungal species, 304–5
  - detection and quantification using conserved genes, 299–304
    - Aspergillus* spp, 303
    - conserved genes, 300–1
    - Fusarium* spp, 301–3
    - Penicillium* spp, 303–4
  - detection and quantification using mycotoxin biosynthesis pathway genes, 305–10
    - aflatoxin and sterigmatocystin genes, 305–6

- fumonisin genes, 308–10
- ochratoxin and citrinin genes, 307–8
- other mycotoxin genes, 310
- trichothecene genes, 306–7
- multiplex detection, 311–13
  - combined multiplex methods, 312–13
  - multiplex PCR, 311–12
- PCR-based methods, 313–17
  - denaturing gradient gel electrophoresis–amplification refractory mutation system, 316
  - loop-mediated isothermal amplification assay, 317
  - PCR-enzyme immunoassay, 315
  - PCR-microsatellite, 316
  - PCR-restriction fragment length polymorphism, 313–14
  - PCR-single strand conformational polymorphism, 315
  - real-time reverse transcriptase PCR, 315
  - single-nucleotide polymorphism, 316–17
- polymerase chain reaction-enzyme immunoassay (PCR-EIA), 315
- polymerase chain reaction-microsatellite, 316
- polymerase chain reaction-restriction fragment length polymorphism (PCR-RFLP), 313–14
  - Aspergillus* spp, 314
  - Fusarium* spp, 313–14
  - Penicillium* spp, 314
- polymerase chain reaction-single strand conformational polymorphism (PCR-SSCP), 315
- polymers, 155
- polyphasic identification, 279–93
  - methods, 292–3
  - molecular methods, 293
  - mycotoxigenic fungi, 281–92
- porcine pulmonary oedema (PPE), 234, 256
- potato carrot agar (PCA), 292
- potato dextrose agar (PDA), 292
- precision, 17
- pregnancy test strip, 148
- pregnane X receptor (PXR), 265
- pressurised liquid extraction (PLE), 41–2
- principal component analysis (PCA), 375
- proinflammatory cytokines, 254
- Q-traps, 103–4
- QCMA 1 Sensor instrument, 371
- quadrupole linear ion-trap (Q-LIT), 395
- quadrupole time-of-flight (Q-TOF), 394
- quality assurance, 26–8
- quality control, 26–8
- quantitative structure retention relationship (QSSR), 103
- quantum dots, 374
- quartz crystal microbalance (QCM), 364, 370
- QUECHERS, 97, 117
- radio-immunoassays (RIA), 230
- Raman spectroscopy, 405–6, 410
- random sampling, 10
- rapid immunoassay-based tests, 148
- Rayleigh scattering, 405
- resonance, 407
- restriction fragment length polymorphism (RFLP), 313–14
- reverse transcription polymerase chain reaction (RT-PCR), 299, 313, 315
- reversed phase liquid chromatography (RP-LC), 393
- ribotoxic stress response (RSR), 254
- RNAi technology, 345
- Robust Multichip Analysis, 342
- rotational energy, 402–3
- 18S rDNA, 351
- sample acceptance limit, 24
- sample extraction, 40–6
  - liquid–liquid partitioning, 44–5
  - microwave assisted extraction, 43
  - pressurised liquid extraction/accelerated solvent extraction, 41–2
  - supercritical fluid extraction, 42–3
  - ultrasonic extraction, 43–4
- sample preparation, 8
  - extraction and cleanup methods, 39–54
    - dilute-and-shoot, 54
    - extraction, 40–6
    - solid-phase extraction/multifunctional columns, 46–53
  - mycotoxin analysis, 37–58
    - sample pre-treatment, 38
  - recent developments, 54–7
    - aptamers, 57
    - immuno-ultrafiltration, 54–5
    - molecular imprinted polymers, 56–7
    - sol-gel-based immunoaffinity chromatography, 56
  - variability, 23
  - variance, 21–2

- sample reduction techniques, 21–2
- sample selection, 9–11
  - dynamic sampling, 10–11
    - conveyor belt, 11
  - static sampling, 10
    - eight-point probing pattern, 10
    - five- and eight-sampling probe patterns, 9
- sampling
  - see also* sampling plans
  - food and feed, 5–11
    - established sampling plans, 11
    - mycotoxin analysis, 5–6
    - sample selection, 9–11
    - sampling plan, 8–9
    - theoretical distributions, 8
    - understanding variation, 7–8
  - international guidance, 11–15
    - Codex Stan 193-1995, revision 2009, 13–14
    - European regulation, 11–12
    - ISO 24333:2009 standard, 13
    - USDA sampling plans for aflatoxins, 14–15
  - quality assurance and quality control, 26–8
    - analysis, 28
    - arrival at laboratory and sampling preparation, 27
    - procedures, 26–7
  - strategies to control mycotoxins, 3–29
    - food safety and international food trade requirements, 4–5
  - training inspectors and strengthening national food control systems, 28–9
    - holistic approach, 29
    - sampling responsibility, 28
    - training sampling inspectors, 28
  - uncertainty estimation and sound sampling plans, 15–26
    - analytical variance, 22
    - balanced design, 20
    - fit for purpose concept, 23
    - mycotoxin measurement process, 15
    - operating characteristic curves, 23–4
    - random and systematic aspects, 17
    - reducing variability of mycotoxin test procedure, 22–3
    - sample preparation variance, 21–2
    - sound sampling plans design, 24–6
    - uncertainty of test procedure, 15–17
    - variability, 16
  - variability, 23
  - variance, 17–21
    - measurement uncertainty arising from sampling, 19
    - theory of sampling, 20–1
- sampling plans, 8–9
  - cereals and cereal products, 12
  - design, 24–6
  - established, 11
  - mycotoxins in different commodities, 25
  - total aflatoxins in peanuts, 13–14
  - USDA sampling plans for aflatoxins, 14–15
    - incremental sample size and aggregate sample size, 15
- Sa:So ratio, 235
- screen-printing technology, 367–8
- second largest subunit of RNA polymerase II (RPB2), 353
- secondary metabolite biosynthesis
  - comparative genomic and microarray analysis of *pgl1* gene, 343
  - fumonisin gene cluster, 335
  - gene clusters
    - characteristics, 334
    - SMURF in *Fusarium*, 340
  - genetic basis, 334–6
    - early-genomics, 338–41
    - pre-genomics, 336–8
  - perithecial pigment gene cluster
    - differential expression, 344
  - post-genome genomics, 341–4
    - transcriptomics and comparative genomics, 342–4
    - transcriptomics via microarrays, 341–2
- secondary metabolite unique regions finder (SMURF), 340
- secondary metabolites, 411
- SELEX technique *see* systematic evolution of ligands by exponential enrichment
- self-assembling array, 318
- Sepharose, 156
- sequences characterised amplified region (SCAR), 304–5
- serum albumin adduct, 231, 234
- signal suppression or enhancement (SSE), 112
- single-molecule real-time SMRT sequencing technology, 318
- single-nucleotide polymorphism (SNP), 316–17
- single strand conformational polymorphism (SSCP), 315

- soil splitting, 22
- sol-gel immunoaffinity chromatography, 56
- solid phase extraction (SPE), 46–53, 389
  - immunoaffinity chromatography, 51–3
  - matrix solid phase dispersion, 50
  - multifunctional columns, 47–50
  - one-step cleanup, 47
  - solid-phase microextraction, 50–1
- solid phase microextraction (SPME), 50–1
- solid-supported liquid–liquid extraction, 45–6
- solvent extraction, 40
- Specifikke nutrient-armed agar (SNA), 292
- spectroscopic techniques
  - see also* specific spectroscopic technique
  - applications, 408–12
    - infrared/Fourier transform infrared spectroscopy, 409–10
    - near infrared spectroscopy, 410–11
    - nuclear magnetic resonance spectroscopy, 411
    - Raman spectroscopy, 410
    - ultraviolet spectroscopy, 411–12
  - electromagnetic spectrum, 403
  - fungi and mycotoxins detection, 401–12
    - nuclear magnetic resonance spectroscopy, 406–7, 408
    - ultraviolet spectroscopy, 407–8
    - vibrational spectroscopy, 403–6, 408
- Stachybotrys*, 251
- static sampling, 10
- statistical method validation
  - accuracy profile as a decision making tool, 211–14
  - accuracy profile graphic representation, 213
- definitions, 204–11
  - accuracy, 210
  - detection limit, 210–11
  - linearity, 205–6
  - one-way ANOVA table, 209
  - precision, 207–10
  - response function and calibration, 204–5
  - specificity and selectivity, 204
  - total variance, 208
  - trueness, 206–7
- ensuring quality of results from food control laboratories, 203–14
  - basic statistical concepts, 203–4
- sterigmatocystin, 292, 305–6
- Stokes Raman scattering, 405
- stripping voltammetry, 374
- Student *t*-test, 207
- sub-sampling, 9
- subcritical water extraction (SWE), 42
- supercritical fluid extraction (SFE), 42–3
- surface acoustic devices (SAW), 370
- surface-enhanced Raman scattering (SERS), 410
- surface plasmon resonance (SPR), 368, 369
  - schematic illustration, 370
- surfactants, 155
- surveillance, 6
- Synergi Hydro-RP, 393
- Synergi Polar-RP, 393
- synthetic evolution of ligands (SELEX) process, 364
- systematic evolution of ligands by exponential enrichment, 57
- tandem mass spectrometry, 75, 77
- targeted sampling, 6
- Taylor cone, 104
- Technical Committee 275 (TC275), 179
- tenazonic acid, 78
- terrequinone A, 342
- tetramethylsilane (TMC), 407
- theory of sampling (TOS), 20–1
- thin layer chromatography (TLC), 72–4, 135, 176
- time-of-flight (TOF), 104
  - analysers, 394
- total sampling error (TSE), 20
- toxigenic fungi, 349–53
- traditional immunochromatographic strip test, 147
- transcriptomics
  - and comparative genomics, 342–4
  - via microarrays, 341–2
- transducers *see* specific transducer
- trichloroacetic acid, 390
- trichothecene genes, 306–7
- trichothecenes
  - animal exposure biomarker, 251–5
  - animal diseases, 251
  - mechanisms, 252–5
  - mode of action and metabolism, 252
  - toxicokinetics, 251–2
- trichothecenes (TRICs), 75, 81
- trifluoroacetic acid (TFA), 80
- triple quadrupole analyser, 394
- Trizol reagent, 342

- ultra performance liquid chromatography (UPLC), 79, 393
- Ultra-Turrax, 41
- ultrasonic extraction (USE), 43–4
- ultraviolet detectors, 79
- ultraviolet spectroscopy, 407–8, 411–12
- uncertainty estimation, 15–26
  - analytical variance, 22
  - fit for purpose concept, 23
  - operating characteristic curves, 23–4
  - random and systematic aspects, 17
  - reducing variability of mycotoxin test procedure, 22–3
  - sample preparation variance, 21–2
  - sampling variance, 17–21
    - measurement uncertainty arising from sampling, 19
    - theory of sampling, 20–1
  - sound sampling plans design, 24–6
  - test procedure, 15–17
- urinary DNA adducts, 231, 234
- validation, 201
- validation standard, 204
- verrucarol, 113
- vibrational energy, 402
- vibrational spectroscopy, 403–6, 408
- volatile mapping system *see* electronic nose method
- vomitoxin, 251
- water slurry technique, 21–2
- xylanase, 390
- yeast extract peptone (YEP), 306
- yeast extract sucrose (YES), 292, 306
- zearalenone, 42, 105, 139, 389
  - animal exposure biomarker, 262–5
  - animal diseases, 263
  - mechanisms, 264–5
  - metabolism and mechanism of action, 264
  - toxicokinetics, 263
- zearalenone-4-glucoside (ZON-4-G), 387, 389