

# INDEX

- Absorbent sampling, gases and vapors, 415
- Absorption. *See also* specific body systems,  
e.g., Respiratory tract  
aerosol optical properties, 228–230  
biological variability, 470–473  
chemicals, 44–47  
parenteral routes, 65–66
- Absorption, distribution, metabolism, and excretion  
(ADME) modeling:  
biological monitoring, organic compounds, 501–506  
metabolic interactions, 507–508  
toxicokinetics, 467–470
- Accelerated silicosis, 279
- Acceptability criteria, lung function testing, 251
- Accreditation, laboratory accreditation, gases and vapors  
sampling, 423–424
- Activated carbon, odor measurement and  
control, 549–553
- Activated charcoal, gases and vapors adsorber  
sampling, 416–419
- Active sampling, gases and vapors, 411–419
- Active transport:  
cell membranes, 49, 51  
kidney-based xenobiotic elimination and  
excretion, 82–83
- Acute silicosis, 279
- Adaptation, odor measurement and control, 531–532
- Additive model, gases and vapors sampling, 408
- Additivity, biological monitoring, mixed  
compounds, 506–507
- Adjustment factor calculations, urine analysis, 492
- Administrative controls, nanomaterials, 395
- Adsorbents, odor measurement and control, 549–553
- Adsorber sampling, gases and vapors, 415–419
- Adsorption systems, odor measurement and  
control, 549–553
- Aerodynamic diameter, defined, 190
- Aerosols:  
Brownian motion and diffusion, 216–218  
coagulation, 235–239  
condensation and evaporation, 218–221  
Cunningham correction factor, 201–203  
cyclones, 211–212  
definitions, 189–190  
electrical properties, 221–227  
impactors, 208–211  
particle bounce, 210  
Knudsen number, 199–200  
optical properties, 227–235  
particle motion, 202–208  
particle size, 191–192  
average diameters, 199  
coagulation, 236–238  
distributions, 194–199  
impactors for small sizes, 210–211  
physical properties, 191–193  
respirable sampling, 212–216  
respiratory tract penetration and absorption, 53–57  
Reynolds number, 201  
shape, 193

- Aerosols: (*Continued*)  
 Stokes law, 200  
 surface properties, 193  
 toxicants as, 46–47  
 units, 190–191
- Agglomerates, defined, 190, 377
- Aggregates, defined, 377
- Airborne contaminants. *See also* Aerosols  
 odor measurement and control, 536–538
- Air pollution studies, confounding and weak associations, 117–118
- Air sampling:  
 environmental exposure strategy, 457  
 man-made mineral fiber identification, 363–365
- Albumin, xenobiotic transport in, 68–69
- Alcohol consumption, biological monitoring and, 508
- Alpha-1-antitrypsin deficiency, emphysema susceptibility, 463
- Alveolar air measurement, exposure assessment, 31
- Alveolar deposition, respirable dust studies, 290–293
- Alveoli, alveolar wall penetration, biological consequences, 58–59
- American Academy of Industrial Hygiene (AAIH):  
 educational programs, 36–37  
 formation, 24–25
- American Board of Industrial Hygiene (ABIH), 24–25
- American Conference of Governmental Industrial Hygienists (ACGIH):  
 Biological Exposure indices, 30–31  
 biomarker reference values, 488–489  
 educational programs, 36–37  
 industrial hygiene history and, 5, 8–9  
 particle size collection criteria, respirable dust studies, 297–300
- American Industrial Hygiene Association (AIHA):  
 accreditation program, 25  
 Code of Ethics, 24–25  
 educational programs, 36–37  
 formation of, 5, 24  
 guidelines established by, 7–8  
 statistics, 6–8, 36
- Amine compounds, skin absorption, 65
- Amphibole, mineralogy, 259
- Analytical methods, industrial hygiene:  
 availability of, 498  
 chromatography, 434–439  
 electron microscopy, 440–441  
 gravimetric methods, 442  
 ICP mass spectrometry, 432–433  
 inductively coupled argon plasma spectrophotometry, 431–432  
 industrial hygiene chemistry, future trends, 443–444  
 infrared spectrophotometry, 433–434  
 ion-selective electrodes, 441–442  
 metal compounds, biological monitoring, 499–500  
 mold analyses, 439–440  
 nanotechnology/nanomaterials, 441  
 optical microscopy, 439  
 performance evaluation, 447–449  
 quantitative analysis, 429  
 research background, 427–429  
 sampling media classification, 449–451  
 selection criteria, 444–446  
 special handling protocols, 452  
 spectrophotometric methods, 429–434  
 thermal optical analyzer, elemental/organic carbon, 442–443  
 X-ray diffraction, 433
- Angiosarcoma of liver, vinyl chloride and, 92
- Angular scattering, aerosol optical properties, 231–233
- Anisokinetic sampling, aerosol particle motion, 207–208
- Antagonism, biological monitoring, mixed compounds, 507
- Arsenic, chemical speciation, biological monitoring, 499
- Asbestiform crystalline habit, mineralogy, 259
- Asbestos:  
 diseases and conditions from, 258–260  
 Helsinki Criterion, exposure-response analysis, 127–136  
 lung cancer hypothesis, study design consistency, 137–138  
 lung disease, 258–268  
 asbestosis, 264–266  
 lung cancer, 266–267  
 malignant mesothelioma, 267–268  
 pleural disease, 263–264  
 mineralogy, 259–260  
 occupational exposures and exposure limits, 261–262  
 physical properties, 261  
 production and use, 259–261  
 respirable dust studies, 320–323  
 toxicology studies, 42–43
- Asbestosis:  
 discovery of, 7–8  
 epidemiology and pathology, 264–266
- Asphalt fume exposure, shift studies, acute health effects, 108–111
- Association:  
 Bradford Hill epidemiology study, 116–117  
 case-control studies, 103–104  
 causality and strength of, 117–118  
 consistency and, 136–138  
 defined, 94  
 difference-based, 95  
 hidden uncertainties in estimation of, 145–151  
 ratio-based, 95
- Asthma, methacholine bronchial challenge test, 253–254
- Atelectasis, rounded, asbestosis-related disease, 264
- Atmospheric dispersion models, odor measurement and control, 545–546
- Atmospheric pressure ionization (API), mass spectrometry, 438
- Atomic absorption spectrophotometry, industrial hygiene analysis, 430–431
- Atomic Energy Commission (AEC), particle size collection criteria, respirable dust studies, 295–297
- Atomization techniques, atomic absorption spectrophotometry, 431
- Attapulgitte, lung disease and, 268–269

- Attenuation coefficient, aerosol optical properties, 228–230
- Attributable risk, associations, 95
- Atypical human responses, intentional exclusion of, 164
- Bayesian Exposure Assessment Toolkit (BEAT), gases and vapors sampling, 410
- Bayesian statistics, *p*-values and, 140–141
- Beer's Law, spectrophotometry, 429–430
- Behavioral models, multiple chemical sensitivities, 176
- Bentonite, lung disease and, 271–272
- Benzene, skin absorption, 65
- Beryllium Blood Lymphocyte Proliferation Test (BeLPPT), biological monitoring, 463
- Bias:
  - case-control studies, 107–108
  - hidden uncertainties, 145–151
  - odor measurement and control, 527–529
  - synergy of combined biases, 150–151
- Biliary tract, xenobiotic elimination and excretion, 83
- Bimolecular structure, cell membranes, 47–49
- Binding sites, competition for, 508
- Biochemical change biomarkers, biological monitoring, 461
- Biofilter systems, odor measurement and control, 552–553
- Biological Exposure Indices (BEIs):
  - BATs vs., 473–475
  - BATs with, 481–482
  - compliance with, 456
  - current list, 30–31
  - reference values, 473–474, 488–489
- Biological gradient, causality and, 120–151
- Biologically effective dose, biomarker studies, 114–115, 460–461
- Biological monitoring:
  - biomarker classification, 459–463
  - biomarker selection criteria, 496–499
  - blood samples, 492–493, 495–496
  - exhaled air samples, 493–496
  - exposure to disease continuum, 459
  - future research issues, 508–510
  - metals and inorganic compounds, 499–501
  - mixtures exposures, 506–508
  - occupational exposure assessment, 457–463
  - organic compounds, 501–506
  - reference values, biological determinants, 473–491
    - BATs vs. BEIs, 475–480
    - carcinogenic substances/suspected carcinogens, 483–487
    - ethical issues, 490–491
    - European countries, 474, 482, 488
    - Germany, 474, 489
    - history, 473–488
    - Japan, 488, 490
    - United States, 473–474, 488–489
  - research background, 455–457
  - sampling times, 495–496
  - tissue matrices, 494–495
  - toxicokinetics, 464–470
  - ADMET modeling, 467–470
  - clearance and volume of distribution, 465
  - rate constant and half-life, 464–465
  - saturable kinetics, 465–467
  - urine samples, 491–492, 495–496
  - variability, sources of, 470–473
- Biological plausibility, exposure-response analyses, 138
- Biological response mechanisms, environmental stresses, 18
- Biological theories, multiple chemical sensitivities, 173–175
- Biologische Arbeitsstoff-Toleranz-Werte (BATs):
  - BEIs vs., 474–480
  - BEIs with, 481–482
  - defined, 489
- Biomacromolecule adducts, organic compounds, 504–505
- Biomarker studies:
  - analytical method availability, 498
  - biologically effective dose, 460–461
  - effects biomarkers, 461–462
  - exposure biomarkers, 459–461
  - individual susceptibility biomarkers, 462–463
  - internal dose biomarkers, 460
  - occupational epidemiology, 113–115
  - reference values/interpretation:
    - BATs vs. BEIs, 475–480
    - BATs with BEI, 481–482
    - carcinogenic substances/suspected carcinogens, 483–487
    - ethical issues, 490–491
    - European countries, 474, 482
    - Germany, 474, 489
    - history, 473–488
    - Japan, 488, 490
    - United States, 473–474, 488–489
  - selection criteria, 496–499
  - sensitivity and background levels, 497–498
  - specificity criteria, 496–497
  - specimen stability, 498–499
  - time representativity, 472–473
  - urine analysis, 491–492
- Biopersistence, man-made mineral fibers, carcinogenic potency, 349–352
- Biotransformation:
  - metabolic transformation of xenobiotics, 76–78
  - toxics and, 45
  - organ/tissue distribution and deposition, 70–71
- Blood:
  - biomarker monitoring in, 492–493
  - sampling times for, 495
  - toxic chemicals in, 45
  - xenobiotic transport and distribution in, 67–69
- Blood-brain barrier, toxicant distribution and deposition, 71
- Blood flow, toxicant distribution and deposition and, 70–71
- Blowing/spinning, ceramic fiber production, 343
- Body burden, biological monitoring, chemical exposure, 455–456

- Body fat, toxicant deposition and accumulation, 73
- Body mass, toxicant distribution and deposition and, 70-71
- Body protective mechanisms, environmental stresses, 18-19
- Bone, toxicant deposition and accumulation, 73-75
- Bottom-up production, nanomaterials, 389
- Bouger's law, aerosol optical properties, 228-230
- Bradford Hill criteria, causality and, 116-117
- British Medical Research Council (BMRC), particle size collection criteria, respirable dust studies, 294-295
- Bronchiolitis obliterans:
  - occupational epidemiology studies of, 93
  - toxicology studies, 42-43
- Bronchoconstriction, lung structure and function, 54-56
- Bronchodilator administration, lung function testing, 253
- Brownian motion, aerosol particles, 216-218
- Bubbler systems, gases and vapors sampling, 411-413
  - absorbent sampling, 415
- Buildings, man-made mineral fiber identification in, 363
- Bureau of Labor (U.S.), 5
- Bureau of Mines (U.S.), 5
- Calcium ions, toxicant deposition and accumulation in bone, 74-75
- Carbon, nanomaterials, 382
- Carbon disulfide, ischemic heart disease, intervention studies, 116
- Carbon monoxide, blood transport and distribution, 67
- Carcinogenic effects, man-made mineral fibers, 345-349
- Carcinogenicity evaluation, man-made mineral fibers, 356-359
- Carcinogenic substances, biomarkers for, 483-487
- Carrier-mediated transport, cell membranes, 51-52
- Case-control (case-referent) study design, 101-108
  - disadvantages, 102
- Catalytic incineration, odor measurement and control, 554
- Causality:
  - defined, 91
  - diesel hypothesis in lung cancer, 104-105
  - occupational epidemiology, 116-151
    - biological gradient/exposure-response, 120-151
      - asbestos and Helsinki criterion, 127-136
      - biological plausibility, 138
      - coherence, 138
      - consistency in, 136-138
      - employment/exposure duration, 121-123
      - ever/never analyses, 120-121
      - hidden uncertainty (bias and confounding), 145-151
      - nonasbestiform amphiboles, talc exposure study, 126-127
      - qualitative/quantitative estimates, 124
      - quantitative exposure effects, 123-124
      - sampling methods, 124-126
      - semiquantitative exposure effects, 123
      - statistical uncertainty (chance), 139-145
    - Bradford Hill study, 116-117
      - strength of association, 117-118
      - temporality, 118-120
- Cell membrane transit:
  - active transport, 49, 51
  - carrier-mediated transport, 51-52
  - endocytosis, 52
  - membrane structure, 47-49
  - passive transport, 49-51
  - principles of, 47-52
  - toxic interactions and, 52
- Cellular inflammatory response, lungs, 257-258
- Cement, asbestos, Helsinki criterion, asbestos exposure-response analysis, 129-131
- CEN/ISO/ACGIH particle size criteria, respirable dust studies, 297-300
- Central nervous system (CNS), toxicant deposition and accumulation, 73
- Ceramic fibers:
  - defined, 335
  - production and use, 343
- Certification guidelines, industrial hygiene history and, 8-10, 24-25
- Chance. *See* Statistical uncertainty
- Charge equilibrium, aerosol particle, 223-224
- Chemical composition, nanomaterials, 380-381
- Chemical exposure, biological monitoring:
  - biomarker selection criteria, 496-499
  - blood samples, 492-493, 495-496
  - exhaled air samples, 493-496
  - future research issues, 508-510
  - metals and inorganic compounds, 499-501
  - mixtures exposures, 506-508
  - occupational exposure assessment, 457-463
  - organic compounds, 501-506
  - reference values, biological determinants, 473-491
  - research background, 455-457
  - sampling times, 495-496
  - tissue matrices, 494-495
  - toxicokinetics, 464-470
  - urine samples, 491-492, 495-496
  - variability, sources of, 470-473
- Chemical speciation, metal compounds, biological monitoring, 499
- Child labor, industrial hygiene history and, 4-5
- Chromatography, industrial hygiene analysis, 434-439
  - gas chromatography, 435-436
  - gas chromatography/mass spectrometry, 436
  - high-pressure liquid chromatography, 436-437
  - high-pressure liquid chromatography/mass spectrometry, 437-438
  - ion chromatography, 438-439
- Chronic fatigue syndrome (CFS), multiple chemical sensitivities and, 178-179
- Chronic obstructive pulmonary disease (COPD):
  - coal dust, 276
  - silica exposure, 280
- Chronic silicosis, 278-279
- Chrysotile:
  - asbestos levels, exposure-response analysis, 121-123
  - mineralogy, 259

- Citric acid, blood transport of xenobiotics, 69
- Clearance mechanisms:  
nanomaterials, 385  
respiratory tract penetration and absorption, 59–61  
toxicokinetics, 465
- Clinicians in industrial hygiene:  
lung function testing, clinical assessment, 251  
multiple chemical sensitivities management:  
diagnosis, 181  
treatment, 182–183
- Cloud condensation nuclei (CCN), aerosol condensation and evaporation, 219–220
- Coagulation, aerosols, 235–239  
external factors, 238–239  
monodisperse spherical particles, 235–236  
particle size, 236–238
- Coal dust, lung disease and, 273–276  
silica dust vs., 280–281
- Coal workers pneumoconiosis (CWP):  
cross-sectional (prevalence) study design, 111–112  
pathophysiology, 274–275
- Coaptation, health/environmental stresses, 19–20
- Coarse mode particles, respirable aerosol particles, 214–216
- Coefficient of drag, aerosol particle motion, 204–206
- Coherence, exposure-response analyses, 138
- Cohort studies:  
design quality criteria, 96–97  
diesel exhaust-lung cancer case study, 97–101  
etiological studies, 92–93  
lung cancer exposure-response case study, 126–127  
occupational epidemiology, 96–101  
qualitative/quantitative exposure estimates, 124
- Colloidal absorption, osteotrophic toxicant deposition and accumulation, 75
- Colloidal evaporation, ceramic fiber production, 343
- Comité Européen de Normalisation (CEN), particle size collection criteria, respirable dust studies, 298–300
- Community-based case-control study, 103–104  
asbestos, Helsinki criterion, exposure-response analysis, 133–135
- Complexity, of nanomaterials, 378–380
- Composite materials, nanomaterials, 382
- Computed tomography (CT):  
asbestosis diagnosis, 265–266  
lung function testing, 255–256
- Concentration:  
case-control studies, 103–105  
odor measurement and control, 542–543
- Condensation, aerosols, 218–221  
drying times, 221  
gas phase formation, 220  
heterogeneous nucleation, 219–220  
homogeneous nucleation, 219  
ion nucleation, 220
- Condensation nuclei (CN), aerosol condensation and evaporation, 219–220
- Condensation particle counter (CPC), nanomaterials monitoring, 392–393
- Condensed phase toxicants, basic properties, 46–47
- Confidence, in case-control studies, 103–104
- Confidence intervals, statistical uncertainty, 141–143
- Confounding:  
cohort studies, diesel exhaust-lung cancer case study, 100–101  
hidden uncertainties, 145–151  
weak associations, particulate matter air pollution studies, 117–118
- Consistency, exposure-response analyses, 136–138
- Contrast, aerosol optical properties, 230–231
- Control banding (CB), gases and vapors sampling, 410
- Control selection:  
bias and, 149–150  
man-made mineral fibers, 365–367  
nanomaterials regulations, 393–395
- Cough, as defense mechanism, 245
- Counteraction, odor measurement and control, 557–558
- Creatinine clearance, urine analysis, 492
- Cross-sectional (prevalence) study design and surveillance, 111–112
- Crumb rubber modified (CRM) asphalt exposure, 109–110
- Cunningham correction factor, aerosol particles, 201–203  
Brownian motion and diffusion, 216–218  
coagulation, 236–238
- Cyclones:  
aerosol analysis, 211–212  
respirable dust studies, 308–310
- Cytochrome P450 enzymes:  
metabolic transformation of xenobiotics, 76–78  
susceptibility biomarkers, 463
- Cytotoxicity biomarkers, biological monitoring, 462
- Data evaluation, exposure measurements, 35–36
- Dead space, exhaled air monitoring, 493–494
- Decision processes, odor measurement and control, 527–529
- Department of Labor (U.S.), 5
- Deposition, nanomaterials, 383–385
- Derivatization, gases and vapors adsorber sampling, 417–419
- Descriptive studies, occupational epidemiology, 91–92
- Desorption, odor measurement and control, airborne particulates, 537
- Detection theory, odor measurement and control, 527–529
- Deutsch equation, aerosol electrical properties, 227
- Diameters, aerosol particle size, definitions, 199
- Diatomaceous earth, lung disease and, 272
- Diesel hypothesis in lung cancer:  
nested case-control studies and, 104–108  
temporality and causality and, 118–120
- Diet, metal compounds, biological monitoring, 500–501
- Diethanolamine, skin absorption, 65
- Difference-based association, 95
- Diffusing capacity, lung function testing, 254–255
- Diffusion:  
aerosol particles, 216–218  
bone toxicant deposition and accumulation, 74–75  
particulate penetration and absorption in lung, 57–58

- Diffusion: (*Continued*)  
 passive transport, 50  
 pulmonary physiology, 247  
 unipolar charging, 224
- Diffusive sampling, gases and vapors, 419–420
- Digital radiography, lung function testing, 255–256
- Dilution sampling, odor measurement and control, 542, 548
- Dimensional parameters:  
 fiber counting rules, 322–323  
 man-made mineral fibers, carcinogenic potency, 349–350
- Dimensionless field charging, aerosol particles, 225–226
- Direct exposure measurements, 30–31
- Direct-fired air heater, odor measurement and control, 553–554
- Direct microscopic analysis, mold cultures, 440
- Direct reading instrumentation, respirable dust studies, 314–320
- Direct scaling, odor measurement and control, 529–530
- Dispersal techniques, odor measurement and control, 548
- Disposal systems, man-made mineral fibers, 367
- Distribution:  
 biological variability, 470–473  
 defined, 44–47
- DNA adducts, organic compounds, 504–505
- Dorr-Oliver Cyclone, respirable dust studies, 308–310
- Dose:  
 defined, 44–47  
 man-made mineral fibers, carcinogenic potency, 352–356
- Dose-response analysis:  
 individual vs. population thresholds, 161–165  
 occupational epidemiology studies, 94  
 odor measurement and control, 559
- Downey process, mineral wool production, 336, 341
- Drop temperature, aerosol condensation and evaporation, 221
- Drying times, aerosol condensation and evaporation, 221
- Dual-bed activated carbon adsorber, odor measurement and control, 551–553
- Durability, man-made mineral fibers, carcinogenic potency, 350–352
- Duration of exposure/employment, exposure-response analysis, 121–123
- Duration of sampling, gases and vapors sampling, 413
- Dust. *See also* specific types of dust  
 defined, 189  
 pulmonary effects:  
 asbestos, 258–268  
 bronchodilator administration, 253  
 coal dust, 273–276  
 crystalline silica, 276–281  
 diffusing capacity, 254–255  
 ILO pneumoconiosis classification, 256–257  
 inflammatory/fibrotic responses, 257–258  
 lung defenses, 245–246  
 lung function abnormalities, classification, 255  
 lung function testing, 248  
 lung volume measurement, 254  
 methacholine bronchial challenge test, 253–254  
 physiology, 246–248  
 pulmonary anatomy, 242–245  
 radiographic examination, 255–256  
 silicate minerals, 268–273  
 spirometry, 253  
 testing standardization, 249–252
- respirable dust:  
 alveolar deposition, experimental determination, 290–293  
 asbestos and other fibers, 320–323  
 future research issues, 323–325  
 particulate size criteria, 293–300  
 sampling instrumentation, 300–320  
 theoretical background, 289–290  
 toxicants as, 46–47
- Dyspnea, asbestosis and, 265–266
- Early childhood trauma, multiple chemical sensitivities and, 176
- Ecologic study design, 112
- Economic effects, odor measurement and control, 546–547
- Educational programs:  
 industrial hygiene and, 36–37  
 man-made mineral fibers health and safety, 365–366
- Effects biomarkers, biological monitoring, 461–462
- Efficiency curve:  
 aerosol impactors, 209–211  
 odor measurement and control, 558–559
- Efficiency factor, aerosol optical properties, 229–230
- Electrical drift velocity, aerosol motion, 226
- Electrical field, aerosol motion in, 226
- Electrical properties of aerosols, 221–227  
 charge equilibrium, 223–224  
 diffusion charging, 224  
 electrostatic precipitator efficiency, 227  
 field charging, 224–226  
 maximum charge, 222–223  
 motion in electric field, 226  
 unipolar charging, 224–226
- Electronic noses, odor measurement and control, 534
- Electron microscopy:  
 industrial hygiene applications, 440–441  
 nanomaterials, 377–378, 392
- Electrophilic metabolites, organic compounds, deactivation of, 503–504
- Electrostatic precipitator, aerosol electrical properties, 227
- Elemental carbon (Ce) markers:  
 in case-control studies, 105–108  
 thermal optical analyzer, 441–442
- Elimination:  
 nanomaterials controls, 393–394  
 xenobiotics, 78–84
- Endocytosis, cell membrane transport, 52
- Endogenous chemicals, defined, 43
- End-user exposures, man-made mineral fibers, carcinogenic potency, 353–354

- Engineering controls:  
 man-made mineral fibers, 366  
 nanomaterials, 380, 388–396
- Entry portals, toxic chemicals, 44–47
- Environmental control:  
 biological variability and, 471–473  
 industrial hygiene programs, 35–36  
 metal compounds, biological monitoring, 500–501
- Environmental exposure monitoring:  
 benefits and limitations, 458  
 man-made mineral fiber identification, 365  
 occupational exposure assessment, 457–459  
 quantification, 32–34
- Environmental Protection Agency (EPA), nanomaterials regulations, 388
- Environment/health factors, industrial hygiene, 12–20  
 biological responses, 18  
 body protective mechanisms, 18–19  
 coaptation of stresses, 19–20  
 lifestyle stresses, 16–17  
 macrocosmic sources, 14–15  
 microcosmic sources, 15–16  
 multiple chemical sensitivities, 169–170  
 off-the-job stresses, 17  
 workplace stresses, 17–18
- Enzyme-linked immunosorbent assay (ELISA), industrial hygiene applications, 442–443
- Epidemiology. *See also* Occupational epidemiology  
 causality guidelines, 116–151  
 biological gradient/exposure-response, 120–151  
 asbestos and Helsinki criterion, 127–136  
 biological plausibility, 138  
 coherence, 138  
 consistency in, 136–138  
 employment/exposure duration, 121–123  
 ever/never analyses, 120–121  
 hidden uncertainty (bias and confounding), 145–151  
 nonasbestiform amphiboles, talc exposure study, 126–127  
 qualitative/quantitative estimates, 124  
 quantitative exposure effects, 123–124  
 sampling methods, 124–126  
 semiquantitative exposure effects, 123  
 statistical uncertainty (chance), 139–145  
 Bradford Hill study, 116–117  
 strength of association, 117–118  
 temporality, 118–120  
 defined, 89–90  
 difference-based associations, 95  
 man-made mineral fiber carcinogenicity, 347–349  
 multiple chemical sensitivities, 177–179  
 nanomaterial toxicity, 386  
 ratio-based associations, 95  
 research overview, 94–95  
 study designs, 95–116  
 case-control (case-referent) studies, 101–108  
 cohort studies, 96–101  
 cross-sectional (prevalence) design and surveillance, 111–112  
 ecologic studies, 112  
 intervention studies, 115–116  
 molecular epidemiology/biomarker studies, 113–115  
 occupational disease surveillance, 113  
 short-term prospective studies (shift studies), 108–111
- Equipment performance criteria, lung function testing, 250
- Error rates:  
 odor measurement and control, 527–529  
 statistical uncertainty, 139–141
- Estimation and assessment of substance exposure (EASE) expert system:  
 gases and vapors sampling, 410  
 respirable dust studies, 324–325
- Ethical issues, biomarker reference values, 490–491
- Ethyl alcohol, metabolic transformation, 75–78
- Etiological studies, occupational epidemiology, 92–93
- Etiology, defined, 92
- European countries, biomarker reference values, 474, 482, 488–490
- Evaporation, aerosols, 218–221  
 drying times, 221  
 gas phase formation, 220  
 heterogeneous nucleation, 219–220  
 homogeneous nucleation, 219  
 ion nucleation, 220
- Ever/never analyses, exposure-response analysis, 120–121
- Exchange diffusion, cell membrane transport, 51–52
- Excretion:  
 biological variability, 471–473  
 organic compounds, metabolite monitoring, 503–506  
 xenobiotics, 78–84  
 biliary tract, 83  
 gastrointestinal tract, 84  
 kidney, 81–83  
 kinetics, 78–81  
 lungs, 83–84  
 in milk, 84  
 perspiration and saliva, 84
- Exercise, pulmonary physiology and, 247–248
- Exhaled air:  
 biomarker monitoring and, 493–494  
 sampling times for, 495–496
- Exhaled breath condensate, biological monitoring, 494
- Exogenous chemicals, defined, 43
- Explosions, nanomaterials, 386
- Exposure limits:  
 asbestos, 261–262  
 history of, 7–9  
 man-made mineral fibers, 360–362  
 toxicology and, 41–43
- Exposure measurements, 30–32. *See also* Biological monitoring, industrial chemical exposure  
 biomarkers of, 113–115  
 data evaluation, 35–36  
 defined, 44–47  
 direct measurements, 30–31

- Exposure measurements (*Continued*)  
 environmental exposure quantification, 32–34  
 indirect measurements, 31–32  
 information bias, 150  
 long-term studies, 32–33  
 nanomaterials, routes of, 383  
 in nested case-control study, 106–108  
 spot sampling, 35  
 standards compliance, 34–35
- Exposure-response (E-R) analysis:  
 causality guidelines, occupational  
 epidemiology, 120–151  
 asbestos and Helsinki criterion, 127–136  
 biological plausibility, 138  
 coherence, 138  
 consistency in, 136–138  
 employment/exposure duration, 121–123  
 ever/never analyses, 120–121  
 hidden uncertainty (bias and confounding), 145–151  
 nonasbestiform amphiboles, talc exposure  
 study, 126–127  
 qualitative/quantitative estimates, 124  
 quantitative exposure effects, 123–124  
 sampling methods, 124–126  
 semiquantitative exposure effects, 123  
 statistical uncertainty (chance), 139–145  
 cohort studies, diesel exhaust-lung cancer case  
 study, 99–101  
 confounding and, 145–151  
 nested case-control study, 106–108  
 occupational epidemiology studies, 94
- Exposure-to-disease continuum, biological monitoring,  
 industrial chemical exposure, 459
- Extinction, aerosol optical properties, 228–230
- Extrusion, fibrous glass production, 340
- Facilitated diffusion, cell membrane transport, 51–52
- Factory Act (1833), 4–5
- False-negative errors, statistical uncertainty, 139–141
- False-positive errors, statistical uncertainty, 139–141
- Feldspars, lung disease and, 273
- Fibers:  
 counting criteria, 439  
 man-made mineral fibers:  
 applications, 344–345  
 ceramic fibers, 343  
 control systems, 365–367  
 fibrous glass, 336–342  
 glass fibers, 343  
 health effects, 345–359  
 carcinogenic effects, 346–349  
 carcinogenicity evaluation, 356–359  
 dose and exposure, 352–356  
 durability and biopersistence, 350–352  
 nonmalignant respiratory diseases, 345  
 historical data, 335–336  
 mineral wool, 336  
 production, 336–344  
 regulations, guidelines, and classifications, 359–362  
 secondary processes, 343–344  
 surveys and inspections, 363–365  
 terminology, 333–335  
 mineral sources, lung contamination and, 270–271  
 respirable dust studies, 320–323  
 respiratory tract penetration and absorption, 53
- Fibrosis:  
 asbestosis and, 264–266  
 coal dust, progressive massive fibrosis, 275–276
- Fibrous glass:  
 carcinogenic effects, 345–348  
 defined, 334–335  
 historical background, 335–336  
 production and use, 336–342  
 special-purpose fibers, 343  
 synthetic fiber production, 344–345
- Fibrous silicates, lung disease and, 268–270
- Fick's law of diffusion, passive transport, 50
- Field charging, aerosol particles, 224–226
- Filamentous glass, carcinogenic effects, 347–348
- Filters and filtration:  
 cell membrane transport, 51  
 gases and vapors adsorber sampling, 418–419  
 kidney-based xenobiotic elimination and  
 excretion, 81–83  
 sampling media, 449–451
- Fine mode particles, respirable aerosol  
 particles, 214–216
- Fine particle, defined, 377
- Fires, nanomaterials, 386
- First-order elimination, xenobiotics, 80
- Fixed nanomaterials, 382
- Flame attenuation process, fibrous glass production, 342
- Flame ionization detector (FID), industrial hygiene  
 analysis, 435–436
- Flocs, defined, 190
- Fog:  
 defined, 190  
 toxicants as, 47
- Forward scattering, aerosol optical properties, 231–233
- Fourier transform infrared spectroscopy (FTIR), respirable  
 dust studies, 325
- Free nanomaterials, 382
- Frequency of exposure, case-control studies, 103–105
- Fumes:  
 defined, 190  
 toxicants as, 46–47
- Gamble et al.* shift study, asphalt fume exposure, 109
- Gamma-emitting radioisotopes, respirable dust studies,  
 alveolar deposition, 292–293
- $\gamma$ -glutamic acid, blood transport of xenobiotics, 69
- Gas chromatography (GC):  
 gases and vapors sampling, 422–423  
 industrial hygiene analysis, 435–436
- Gas chromatography/mass spectrometry (GC/MS),  
 industrial hygiene analysis, 436
- Gases:  
 biological monitoring, 501  
 defined, 407–408  
 odorous gases, odor measurement and control, 535–536



- respiratory tract penetration and absorption, lung structure and function, 54–56
- sampling and analysis:
  - absorbent sampling, 415
  - active sampling, 414–419
  - adsorber sampling, 415–419
  - diffusive sampling, 419–420
  - duration of sampling/sampling rate, 413
  - gas chromatography, 422–423
  - instrumentation, 411–413
  - method validation, 423
  - qualitative survey, 409–410, 413–420
  - quality assurance and laboratory accreditation, 423–424
  - quantitative survey, 410–411
  - research background, 405–408
  - solvent desorption, 420–421
  - thermal desorption, 421–422
  - whole-air sampling, 414–415
- toxicants as, 46
- Gas phase:
  - aerosol condensation and evaporation, 220
  - nanomaterials production, 389
- Gastrointestinal absorption:
  - gastrointestinal tract structure and function, 61–62
  - toxicokinetics and, 61–63
- Gastrointestinal tract:
  - structure and function, 61–62
  - xenobiotic elimination and excretion, 84
- Genetic polymorphism, organic compounds, enzyme activity, 506
- Germany, biomarker reference values in, 474, 489
- Glucose-6-phosphate dehydrogenase deficiency, oxidative insult susceptibility, 463
- Glutamic acid, blood transport of xenobiotics, 69
- Glutathione conjugates, organic compounds, 504
- Glutathione S-transferase (GST):
  - lung cancer susceptibility, 463
  - toxicant metabolic transformation, 76
- Grab sampling, odor measurement and control, 541–542
- Granular sorbents, gases and vapors adsorber sampling, 418–419
- Gravimetric analysis:
  - industrial hygiene applications, 441
  - man-made mineral fiber identification, 363–364
- Hair analysis, biological monitoring, 495
- Half-life:
  - toxicokinetics, 464–467
  - xenobiotic elimination and excretion, 80
- Handling controls, nanomaterials production, 389–390
- Hazard analysis, occupational epidemiology, 93
- Hazard Communication Standard, industrial hygiene history and, 9
- Haze, defined, 190
- Health and safety training programs, man-made mineral fibers, 365–366
- Health hazard evaluation (HHE):
  - asphalt fume exposures, 109–110
  - nanomaterials, 383–386
  - odor measurement and control, 538–540
  - recognition, 29–30
- Healthy worker effect (HWE):
  - bias in, 147
  - cohort studies, diesel exhaust-lung cancer case study, 99–101
- Helsinki Criterion, asbestos exposure-response analysis, 127–136
- Henry's law, gases and vapors sampling, absorbent sampling, 415
- Heterogeneous nucleation, aerosol condensation and evaporation, 218–221
- Hidden uncertainty:
  - associations estimations, 145–151
  - quantification, 147–151
- High-pressure liquid chromatography (HPLC), industrial hygiene analysis, 436–437
- High-pressure liquid chromatography/mass spectrometry, industrial hygiene analysis, 437–438
- Hippocrates, industrial hygiene history and, 4
- Histograms, aerosol particle size distribution, 196
- Hollow-cathode lamp, atomic absorption spectrophotometry, 430–431
- Homogeneous nucleation, aerosol condensation and evaporation, 218–221
- Horizontal elutriator, respirable dust studies, 307–308
- ICP mass spectrometry, industrial hygiene analysis, 432–433
- Ideal stirred settling, aerosol particle motion, 207
- Immune hypothesis, multiple chemical sensitivities, 173–174
- Impaction, particulate penetration and absorption in lung, 57–58
- Impactors:
  - aerosol particles, 208–211
  - respirable dust studies, 310–311
- Impinger device:
  - exposure-response analysis, sampling methods, 124–126
  - respirable dust studies, 303–304
  - sampling media, 449–451
- Incorrect assumptions, case-control studies, 107
- Indirect exposure measurements, 31–32
- Individual susceptibility biomarkers, biological monitoring, 462–463
- Inductively coupled argon plasma spectrophotometry, industrial hygiene analysis, 431–432
- Industrial expansion, industrial hygiene history and, 4–5
- Industrial hygiene:
  - data evaluation, 34–35
  - defined, 11–12, 25–27
  - demographics, 6–7
  - future trends and issues, 9–10
  - historical perspective, 3–10
  - practice rationale, 27–37
  - program elements, 28–29
  - public health rationale, 11–12
  - scientific and professional research in, 21–25

- Industrial hygienist, multiple chemical sensitivities management:  
 diagnosis, 180–181  
 treatment, 181–182
- Information bias:  
 exposure measurement error, 150  
 hidden uncertainties, 146
- Informed consent, exposure assessment, 31
- Infrared spectrophotometry, industrial hygiene analysis, 433–434
- Ingestion, nanomaterials, 385
- Inhalation, nanomaterials, 383–385
- Injection, toxin penetration and absorption, 65–66
- Inorganic compounds, biological monitoring, 499–501
- Inspections, man-made mineral fiber identification in, 363–365
- Inspirable aerosol particles, defined, 213
- Instrumentation:  
 gases and vapors sampling, 411–413  
 nanomaterials monitoring, 391–392  
 respirable dust studies, 300–320  
   cyclones, 308–310  
   direct reading instruments, 314–317  
   historical background, 300–302  
   horizontal elutriator, 307–308  
   impactors, 310  
   particle counting, 302–306  
   performance evaluation, 317–320  
   porous foam, 311–314  
   virtual impactors, 310–311
- Insulation, asbestos, Helsinki criterion, exposure-response analysis, 131–133
- Insulin-like growth factor-1 (IGF-1), cellular inflammatory response in lungs, 258
- Integrated biopsychological theory, multiple chemical sensitivities, 176–177
- Interleukins, cellular inflammatory response in lungs, 258
- Internal dose biomarkers, biological monitoring, 460
- International Commission on Radiation Protection (ICRP), alveolar deposition studies, 290
- International Labour Organization (ILO), pneumoconiosis classification, 256–257
- International Standards Organization (ISO), particle size collection criteria, respirable dust studies, 297–300
- Interstitial fluid, bone toxicant deposition and accumulation, 74–75
- Interstitial lung fibrosis, asbestosis and, 265–266
- Interstitialium, pulmonary, anatomy, 243–244
- Intervention studies, occupational epidemiology, 115–116
- Interviewer bias, 147
- Intramuscular injection, toxicokinetics, 66
- Intraperitoneal injection, toxicokinetics, 65–66
- Intratracheal injection, toxicokinetics, 66
- Intravenous injection, toxicokinetics, 66
- Inventories, odor measurement and control, 544–546
- Ion chromatography, industrial hygiene analysis, 438–439
- Ionization, passive transport, 50–51
- Ion mobility spectrometry (IMS), industrial hygiene applications, 442–443
- Ion nucleation, aerosol condensation and evaporation, 220
- Ion-selective electrodes, industrial hygiene analysis applications, 441–442
- Ion traps, mass spectrometry, 438
- Ischemic heart disease, carbon disulfide, intervention studies, 116
- Isokinetic sampling, aerosol particle motion, 207–208
- Isolation, nanomaterials controls, 394
- Japan, biomarker reference values, 488, 490
- Job exposure matrix (JEM), asbestos, Helsinki criterion, exposure-response analysis, 135–136
- Kaolin, lung disease and, 272–273
- Kelvin's equation, aerosol condensation and evaporation, 218–221
- Kidney:  
 toxicant distribution and deposition, 72  
 xenobiotic elimination and excretion, 81–83
- Knudsen number, aerosol particle diameter, 199–200  
 Cunningham correction factor, 201–203
- Konimeter, respirable dust studies, 302–303
- Koschmieder theory, aerosol contrast, 231
- Lab-on-a-chip (LOC), industrial hygiene applications, 442–443
- Laboratory accreditation, gases and vapors sampling, 423–424
- Lactic acid, blood transport of xenobiotics, 69
- Langmuir equation, aerosol condensation and evaporation, 221
- Lead, elimination and excretion, 81
- Lifestyle stresses, industrial hygiene and, 16–17
- Ligandin, liver/kidney toxicant distribution and deposition, 72
- Light scattering photometers:  
 aerosol optical properties, 233–235  
 respirable dust studies, 315–316
- Limit values, gases and vapors sampling, 408
- Lipid-rich organs and tissues, toxicant deposition and accumulation, 73
- Lipid solubility:  
 passive transport, 50  
 respiratory tract penetration and absorption, 53  
 toxicant deposition and accumulation, 73
- Liquid chromatography/mass spectrometry (LC/MS), industrial hygiene analysis, 437–438
- Liquid phase, nanomaterials production, 389
- Liquids, toxicants as, 46–47
- Liquid scrubbing, odor measurement and control, 554–556
- Liver:  
 toxicant distribution and deposition, 72  
 xenobiotic elimination and excretion, 83
- Log-normal size distribution, aerosol particles, 196–197
- Log probability paper, aerosol particles, 197
- Long running thermal precipitator (LRTP), respirable dust studies, 304

- Long-term exposure studies, 32–33
- Losses, selection biases and, 149
- Lowest observable effect levels (LOELs), individual vs. population thresholds and, 162–165
- Low-level exposure settings:
  - assessment guidelines for worker complaints, 167–169
  - multiple chemical sensitivities:
    - biological theories, 173–177
    - case examples, 165–167
    - epidemiology, 177–179
    - management guidelines, 179–183
- Low molecular weight organic compounds:
  - lipid-rich organs and tissues deposition and accumulation, 73
  - skin absorption, 65
- Lung cancer:
  - asbestos/lung cancer hypothesis, 137–138, 266–267
  - diesel hypothesis:
    - nested case-control studies and, 104–108
    - temporality and causality and, 118–120
  - exposure-response analysis:
    - cohort case study, 126–127
    - duration of exposure/employment, 121–123
  - Helsinki criterion, asbestos exposure-response analysis, 127–136
  - silica, silicosis:
    - pathophysiology, 280
    - study design consistency, 137
- Lungs:
  - aerosol absorption in, 56–57
  - alveolar wall penetration, biological consequences, 58–59
  - anatomy, 242–245
  - assessment of, 248–257
    - bronchodilator administration, 253
    - diffusing capacity, 254–255
    - function abnormalities classification, 255
    - ILO pneumoconiosis classification, 256–257
    - lung function testing, 248
    - lung volume measurement, 254
    - lung volume subdivisions, 252
    - methacholine bronchial challenge test, 253–254
    - radiographic examination, 255–256
    - spirometry, 253
    - testing standardization, 249–252
  - cellular response of inflammation, 257–258
  - defenses in, 245–246
  - inflammatory/fibrotic responses, 257–258
  - particle deposition in, 257
  - particulate penetration and absorption, 57–58
  - physiology, 246–248
  - structure and function, 53–56
  - volume measurement techniques, 252–254
  - xenobiotic elimination and excretion, 83–84
- Lymphatic system:
  - particulate transport in, 61
  - xenobiotic transport, 69
- Macrocosmic environmental stresses, 14–15
- Macrophages:
  - asbestosis-related disease, 262–263
  - cellular inflammatory response, 257–258
  - pulmonary defense and, 245–246
- Magnetic resonance imaging (MRI), lung function testing, 256
- Malignant mesothelioma, asbestos and, 267–268
- Manipulation controls, nanomaterials production, 390
- Man-made mineral fibers (MMMFs):
  - applications, 344–345
  - ceramic fibers, 343
  - control systems, 365–367
  - fibrous glass, 336–342
  - glass fibers, 343
  - health effects, 345–359
    - carcinogenetic effects, 346–349
    - carcinogenicity evaluation, 356–359
    - dose and exposure, 352–356
    - durability and biopersistence, 350–352
    - nonmalignant respiratory diseases, 345
  - historical data, 335–336
  - mineral wool, 336
  - production, 336–344
  - regulations, guidelines, and classifications, 359–362
  - secondary processes, 343–344
  - surveys and inspections, 363–365
  - terminology, 333–335
- Masking systems, odor measurement and control, 557
- Mass median aerodynamic diameter (MMAD):
  - aerosol particle size distribution, 198
  - respirable dust samplers, 318–320
- Mass spectrometry (MS), inductively coupled plasma-MS, 432–433
- Mastic asphalt, exposure studies with, 111
- Material Safety Data Sheet (MSDS):
  - gases and vapors sampling, 409–410
  - industrial hygiene history and, 9
- Maximum charge, aerosol particles, 222–223
- Mean, aerosol particle size distribution, 194, 198
- Measurement procedures, lung function testing, 250–251
- Mechanical noses, odor measurement and control, 534
- Median diameter, aerosol particle size distribution, 194, 198
- Medical monitoring:
  - man-made mineral fibers, 367
  - nanomaterials, 393
- Medications, biological monitoring and, 508
- Membrane filter device, exposure-response analysis, sampling methods, 124–126
- Mercury, chemical speciation, biological monitoring, 499
- Mesothelioma:
  - asbestos and, 267–268
  - asbestos exposure and, 7–8
- Metabolism:
  - biological monitoring, metabolic interactions, 507–508
  - biological variability, 470–473
  - transport mechanisms and, 45–47
  - of xenobiotics, 75–78

- Metabolites:**  
 biological monitoring, organic compounds, 503–506  
 metabolic transformation of xenobiotics, 77–78
- Metallic compounds:**  
 biological monitoring, 499–501  
 gastrointestinal absorption, 62  
 liver/kidney toxicant distribution and deposition, 72  
 nanomaterials, 382  
 plasma protein transport, 68–69
- Metallothionein, liver/kidney distribution and deposition, 72**
- Metal ore deposits, lung disease and, 271**
- Methacholine bronchial challenge test, 253–254**
- Methanol, metabolic transformation, 76–78**
- Method detection limit (MDL), calculation of, 446**
- Methylene chloride, exposure limits, 42–43**
- Mica, lung disease and, 272**
- Michaelis-Menten equation, toxicokinetics, 467**
- Microcosmic environmental stresses, 15–16**
- Micronuclei, cytotoxicity markers, 462**
- Microscopic analysis, man-made mineral fiber identification, 364**
- Mie theory, aerosol optical properties, 227–235**
- Milk, xenobiotic elimination and excretion, 84**
- Mineral dust-induced lung disease, 258–281**  
 asbestos, 258–268  
 coal dust, 273–276  
 crystalline silica, 276–281  
 silicate minerals, 268–273
- Mineral wool:**  
 carcinogenic effects, 347–348  
 defined, 335  
 production and use, 336
- Misclassification of exposure, in nested case-control studies, 107**
- Mist:**  
 defined, 190  
 toxicants as, 47
- Mixed compounds, biological monitoring, 506–508**
- Mold analyses, industrial hygiene applications, 439–440**
- Molecular epidemiology, study design, 113–115**
- Monitoring systems:**  
 biological monitoring, industrial chemical exposure:  
 biomarker selection criteria, 496–499  
 blood samples, 492–493, 495–496  
 exhaled air samples, 493–496  
 future research issues, 508–510  
 metals and inorganic compounds, 499–501  
 mixtures exposures, 506–508  
 occupational exposure assessment, 457–463  
 organic compounds, 501–506  
 reference values, biological determinants, 473–491  
 research background, 455–457  
 sampling times, 495–496  
 tissue matrices, 494–495  
 toxicokinetics, 464–470  
 urine samples, 491–492, 495–496  
 variability, sources of, 470–473  
 nanomaterials, 391–393
- Monodisperse aerosols:**  
 coagulation, 235–236  
 defined, 190
- Mucociliary escalator, as defense mechanism, 245**
- Multi-Chamber Concentration and Exposure Model (MCCEM), gases and vapors sampling, 410**
- Multicompart ment analysis, xenobiotic elimination, 80–81**
- Multiple chemical sensitivities (MCS):**  
 biological theories, 173–175  
 case examples, 165–167  
 defined, 165, 170–173  
 diagnosis, 180–181  
 epidemiology, 177–179  
 historical background, 169–170  
 integrated biopsychological theory, 176–177  
 low-level exposure settings, 168–169  
 management, 179–183  
 pathogenesis, theories regarding, 173–177  
 psychological theories, 175–176  
 treatment, 181–183
- Muscles, respiratory, anatomy, 244–245**
- N*-acetyl transferase enzymes, amine susceptibility, 463**
- Nanomaterials:**  
 anticipation and recognition, 389–391  
 basic principles, 376–378  
 bulk composition and structure, 381–382  
 classification, 381–382  
 complexity, 378–380  
 control systems, 393–395  
 evaluation, 391–393  
 future research issues, 396–397  
 health effects, 383–386  
 history of industrial hygiene and, 9–10  
 industrial hygiene analysis methods, 441  
 life cycle risk assessment, 373–375  
 origins, 381  
 particles not otherwise regulated, 387–388  
 poorly soluble, low toxicity, 385–386  
 properties, 380–381  
 regulation, 386–388  
 research background, 373–376  
 risk management, 375, 396  
 safety hazards, fires, and explosions, 386
- Nanoparticle, defined, 377**
- Nanoscale, defined, 377**
- Nanoscience, defined, 377**
- Nanotechnology, defined, 377**
- Nasopharynx, clearance mechanisms in, 59**
- National Institute for Occupational Safety and Health (NIOSH), 8**  
 analytical methods accuracy criteria, 447–448  
 analytical methods selection criteria, 444–446  
 nanomaterials regulations, 387–388  
 monitoring guidelines, 393  
 occupational epidemiology studies by, 93  
 respirable dust studies, 320–323
- Negative feedback, odor measurement and control, 533–534**

- Nernst equation, ion-selective electrodes, 441–442
- Nerve agents, skin absorption, 65
- Nested case-control studies:
- asbestos, Helsinki criterion, exposure-response analysis, 135–136
  - defined, 102–108
  - diesel exhaust-lung cancer case study, 97–101
  - talc exposure, cohort-based exposure-response analysis, 126–127
- Neurogenic inflammation, multiple chemical sensitivities, 174–175
- Neurointoxication, multiple chemical sensitivities, 174
- Nonasbestiform amphiboles, cohort-based exposure-response analysis case study, 126–127
- Nonfibrous silicates, lung disease and, 271–273
- Nonmalignant respiratory disease (NMRD), man-made mineral fibers, 345
- Nonoccupational exposures, man-made mineral fibers, carcinogenic potency, 354–356
- Nonrespondent bias, hidden uncertainties, 147, 149
- No observable effect levels (NOELs), individual vs. population thresholds and, 162–165
- Normal temperature and pressure (NTP), gases and vapors sampling, 408
- Norseth et al.* shift study, asphalt fume exposure, 108–109
- Nucleation, aerosol condensation and evaporation, 219–220
- Null hypothesis, *p*-values and, 140–141
- Obstructive ventilatory defect, defined, 255
- Occupational epidemiology:
- defined, 90–91
  - dose-response/exposure-response analysis, 94
  - etiology identification applications, 92–93
  - hazard discovery and evaluation, 93
  - prevention applications, 91–92
  - surveillance, 94
- Occupational exposure limits (OELs):
- asbestos, 261–262
  - biological monitoring, 457–463
  - nanomaterials, 374–375
  - respirable aerosol particles, 214–216
  - respirable dusts, 287–289
- Occupational Safety and Health Act (1970), 8
- Occupational Safety and Health Administration (OSHA):
- analytical methods:
    - selection criteria, 444–446
    - validation process, 448–449
  - industrial hygiene history and, 6–9, 25, 36–37
  - methylene chloride exposure limit, 42–43
- Odds ratio, case-control (case-referent) study design, 101–108
- Odorant-receptor binding, odor measurement and control, 532–534
- Odor intensity/odor concentration factors, odor measurement and control, 529–530
- Odor measurement and control:
- adsorption systems, 549–553
  - air oxidation and temperature elevation, 553–554
  - dispersal and diffusion techniques, 548
  - economic effects, 546–547
  - future research issues, 558–559
  - inventories and surveys, 544–546
  - liquid scrubbing, 554–555
  - masking and counteraction, 557–558
  - odorless substances, 534–540
  - olfactory perception, 524–534
    - adaptation mechanisms, 531–532
    - anatomy, 524–525
    - decision processes and thresholds, 527–529
    - mechanical/electronic noses, 534
    - odorant concentration and odor intensity, 529–530
    - psychophysics and perception measurement, 526–527
    - pure/impure perceptions, 530–531
    - sensory characteristics of odors, 525–526
    - theoretical background, 532–534
  - ozonation, 555–556
  - process change and product modification, 547–548
  - research background, 523–524
  - sampling methods, 541–543
  - sensory evaluation, 543–544
  - sensory/physicochemical measurements, 540–541
  - social effects, 546
- Odorous substances:
- airborne particulates, 536–538
  - gases and vapors, 535–536
  - health effects, 538–540
  - sources, 534–535
- Odor threshold concept, odor measurement and control, 537–538
- Off-the-job stresses, industrial hygiene and, 17
- Olfactory adaptation, odor measurement and control, 531–532
- Olfactory-adaptation model, multiple chemical sensitivities, 176–177
- Olfactory perception, odor measurement and control, 524–534
- adaptation mechanisms, 531–532
  - anatomy, 524–525
  - decision processes and thresholds, 527–529
  - mechanical/electronic noses, 534
  - odorant concentration and odor intensity, 529–530
  - psychophysics and perception measurement, 526–527
  - pure/impure perceptions, 530–531
  - sensory characteristics of odors, 525–526
  - theoretical background, 532–534
- One-compartment ADME model, toxicokinetics, 467–470
- Open cell polyurethane foam, respirable dust studies, 311–314
- Optical instruments:
- aerosol optical properties, 233–234
  - microscopy, 439
  - nanomaterials monitoring, 392–393
  - thermal optical analyzer, 441–442
- Optical properties of aerosols, 227–235
- angular scattering, 231–233
  - contrast, 230–231
  - extinction, scattering, and absorption, 228–230
  - instrumentation for, 233–235
  - refractive indices, 227–228

- Organic acids, blood transport of xenobiotics, 69
- Organic carbon (OC), thermal optical analyzer, 441–442
- Organic compounds, biological monitoring for, 501–506
- Organ systems, toxicant distribution and deposition, 69–75
- blood-brain barrier, 71
  - body mass and blood flow factors, 70–71
  - bone deposition, 73–75
  - lipid-rich systems, 73
  - liver and kidney, 72
  - placental barrier, 71–72
  - xenobiotics redistribution, 72
- OSHA Versatile Sampler (OVS), gases and vapors adsorber sampling, 418–419
- Outdoor dispersion models, odor measurement and control, 548
- Oxidation, odor measurement and control, 553–554
- Oxygen, blood transport and distribution, 67
- Ozonation, odor measurement and control, 555–556
- Pachypleuritis, asbestosis-related disease, 264
- Parathion, metabolic transformation, 76
- Parent compounds, biological monitoring, organic compounds, 503–506
- Parenteral routes, toxin penetration and absorption, 65–66
- Particle bounce, aerosol impactors, 210
- Particle counting techniques, respirable dust studies, 302–306
- Particle deposition, in lungs, 257
- Particle motion, aerosols, 202–208
- electrical field, 226
  - ideal stirred settling, 207
  - isokinetic sampling, 207–208
  - outside Stokes region, 204–206
  - relaxation time, 202–203
  - stop distance, 204
  - terminal settling velocity, 202
- Particle size:
- aerosols, 191–192
  - average diameters, 199
  - coagulation, 236–238
  - distributions, 194–199
  - impactors for small sizes, 210–211
  - respirable sampling, 212–216
  - respirable dust studies criteria, 293–300
  - Atomic Energy Commission criteria, 295–297
  - British Medical Research Council criteria, 294–295
  - CEN/ISO/ACGIH criteria, 297–299
  - legal status issues, 299–300
  - respiratory tract penetration and absorption, 53–54
- Particulate matter (PM):
- gastrointestinal absorption, 61–62
  - intratracheal injection, 66
  - lymphatic system transport, 61
  - odor measurement and control, 536–538
  - respirable aerosol particles, 214–216
  - respirable dusts, defined, 287–289
  - respiratory tract penetration and absorption, 57–58
  - weak associations, particulate matter air pollution studies, 117–118
- Passive sampling, gases and vapors sampling, 411–413
- Passive transport, cell membranes, 49–51
- Penetration:
- parenteral routes, 65–66
  - skin structure and function, 64–65
- Perception theories, odor measurement and control, 532–534
- Performance evaluation:
- analytical methods, 447–448
  - nanomaterials, 391–393
  - respirable dust samplers, 317–320
- Peristalsis, gastrointestinal absorption, 62
- Permissible exposure limits (PELs), 8–9
- nanomaterials, 386–388
- Persistent organic pollutants (POPs), organ/tissue distribution and deposition, 70–71
- Personal monitoring devices, respirable dust studies, 323–325
- Personal protective equipment:
- man-made mineral fibers, 367
  - nanomaterials, 395
- Perspiration, xenobiotic elimination and excretion, 84
- Phagocytosis:
- cell membrane transport, 52
  - respiratory tract clearance and, 60
- Phase-contrast microscopy (PCM), industrial hygiene analysis, 439
- Phospholipids, molecular structure, 47–48
- pH partition theory, passive transport, 50
- Physicochemical measurements, odor measurement and control, 540–541
- Physiologically based pharmacokinetic (PBPK) modeling, toxicokinetics, 469–470
- Pinocytosis, cell membrane transport, 52
- Placental barrier, toxicant distribution and deposition, 71–72
- Plaque formation, pleural, asbestosis-related disease, 263–264
- Plasma, xenobiotic transport, elimination and excretion, 67–68, 79–80
- Plasma proteins, xenobiotic transport in, 68–69
- Platelet-derived growth factor, cellular inflammatory response in lungs, 258
- Pleural surfaces:
- anatomy, 244
  - asbestosis-related disease, 263–264
- Pneumoconiosis:
- coal dust, pathophysiology, 274–275
  - cross-sectional (prevalence) study design, 111–112
  - ILO classification, 256–257
- Polarized light microscopy (PLM), industrial hygiene analysis, 439
- Polar materials, passive transport, 50
- Pollutants, metabolic interactions, 507–508
- Polydisperse aerosol:
- concentration and effects of, 198
  - defined, 190
- Polymers:
- nanomaterials, 382
  - whole-air sampling, gases and vapors, 414–415

- Popcorn workers lung, occupational epidemiology study, 93
- Population-based case-control study, 102–108
- Pore diameter, passive transport, 50–51
- Porous foam device, respirable dust studies, 311–314
- Post hoc* power estimates, fallacy of, 143–144
- Powell process, mineral wool production, 336, 340
- Prevalence studies:
  - cross-sectional design, 111–112
  - multiple chemical sensitivities, 178–179
- Prevention, occupational epidemiology, 91–92
- Privacy issues, exposure assessment, 31
- Process controls:
  - nanomaterials, 389
  - odor measurement and control, 547–548
- Production controls:
  - nanomaterials, 389
  - odor measurement and control, 547–548
- Progressive industrial hygienist, defined, 25–26
- Professionalization of industrial hygiene:
  - education and training, 36–37
  - scientific principles and, 21–25
- Progressive massive fibrosis, coal dust, 275–276
- Progressive systemic sclerosis, silica exposure, 280
- Proteins:
  - adducts, organic compounds, 505
  - bimolecular structure, 47–49
- Proximal toxicants, metabolic transformation of xenobiotics, 77–78
- Psychological theories, multiple chemical sensitivities, 175–176
- Psychophysics, odor measurement and control, 526–530
- Public health, industrial hygiene and, 11–12
- Pulmonary alveoli, 54–56
- Pulmonary parenchyma, 243–244
- Pulmonary vascular bed, 244
- Pump systems, gases and vapors sampling, 412
- “Pure”/“impure” odor perceptions, odor measurement and control, 530–531
- p*-values:
  - confidence interval and, 141–143
  - statistical uncertainty, 139–141
- Quadrupole instrumentation, mass spectrometry, 438
- Qualitative analysis, gases and vapors sampling, 409–410
- Qualitative Occupational Exposure Assessment (QLEA), respirable dust studies, 323–324
- Quality control:
  - gases and vapors sampling, 423–424
  - lung function testing, 250–252
- Quantification techniques:
  - environmental exposure, 32–34
  - hidden uncertainties, 147–151
- Quantitative analysis:
  - cohort studies, diesel exhaust-lung cancer case study, 100–101
  - exposure-response analysis, 123–124
  - gases and vapors sampling, 411–420
  - industrial hygiene applications, 429
  - nested case-control study, 106–108
- Quantum dots, chemical composition, 380–381
- Questionnaires, odor measurement and control, 544–546
- Radiographic examination:
  - asbestosis, 265–266
  - lung function testing, 255–256
- Rales, asbestosis and, 265–266
- Randomized clinical trials, causality and, 115–116
- Rate constant, toxicokinetics, 464–465
- Rate measurement:
  - defined, 94
  - gases and vapors sampling, 412–413
- Ratio-based association, 95
- Ratio of upper to lower confidence interval (CLR), statistical uncertainty, 141–143
- Raulf-Heimsoth et al.* shift study, asphalt fume exposure, 110–111
- Rayleigh limit, aerosol particle, maximum electrical charge, 223
- Rayleigh scattering, aerosol optical properties, 229–230
- angular scattering, 232–233
- Reactive airway dysfunction syndrome (RADS), low-level exposure settings, 168–169
- Reanalysis procedures, cohort studies, diesel exhaust-lung cancer case study, 98–101
- Recall bias, hidden uncertainties, 146
- Red blood cells, xenobiotic transport and distribution in, 67
- Redistribution of xenobiotics, organ/tissue distribution and deposition, 72
- Reference value/interpretation:
  - biological determinants:
    - BATs vs. BEIs, 475–480
    - BATs with BEI, 481–482
    - carcinogenic substances/suspected carcinogens, 483–487
    - ethical issues, 490–491
    - European countries, 474, 482
    - Germany, 474, 489
    - history, 473–488
    - Japan, 488, 490
    - metal compounds, biological monitoring, 501
    - United States, 473–474, 488–489
  - lung function testing, 251
  - odor measurement and control, 527–530
- Refractive indices, aerosol optical properties, 227–228
- Refractory fibers:
  - carcinogenic effects, 347, 349
  - defined, 335
- Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) program, gases and vapors sampling, 410
- Registry design, occupational surveillance studies, 113
- Regulatory issues and guidelines:
  - industrial hygiene history and, 8–10
  - man-made mineral fibers, 359–362
  - nanomaterials, 386–388

- Relative risk (RR):  
 asphalt fume exposure case study, 109  
 associations, 95, 117–118  
   confounding and, 117–118  
 carbon disulfide and ischemic heart disease case study, 116  
 cohort mortality studies, 97–101  
 ever/never analyses, 120–121  
 exposure-response analysis, 125  
 Helsinki criterion, 128–136  
 hidden uncertainties in, 145–151  
*p*-value methodology, 141–143  
 statistically significant negative/positive RR, 142–143  
 statistical power and, 143–144
- Relaxation time ( $\tau$ ), aerosol particle motion, 202–203
- Renal clearance, biological monitoring and, 491–492
- Replication, consistency and, 136
- Reproducibility criteria, lung function testing, 251
- Residual volume, lung function testing, 252
- Respirable dust, exposure assessment:  
 alveolar deposition, experimental determination, 290–293  
 asbestos and other fibers, 320–323  
 future research issues, 323–325  
 particulate size criteria, 293–300  
 sampling instrumentation, 300–320  
 theoretical background, 289–290
- Respirable sampling:  
 aerosols, 212–216  
 threshold limit values, 287–288
- Respiratory tract. *See also* Lungs  
 aerosols, respirable sampling, 212–216  
 asbestosis-related disease, 262–268  
 inhaled mineral dusts in:  
   asbestos, 258–268  
   bronchodilator administration, 253  
   coal dust, 273–276  
   crystalline silica, 276–281  
   diffusing capacity, 254–255  
   ILO pneumoconiosis classification, 256–257  
   inflammatory/fibrotic responses, 257–258  
   lung defenses, 245–246  
   lung function abnormalities, classification, 255  
   lung function testing, 248  
   lung volume measurement, 254  
   methacholine bronchial challenge test, 253–254  
   physiology, 246–248  
   pulmonary anatomy, 242–245  
   radiographic examination, 255–256  
   silicate minerals, 268–273  
   spirometry, 253  
   testing standardization, 249–252  
 man-made mineral fibers, health effects, nonmalignant disease, 345  
 multiple chemical sensitivities, 174–175  
 toxic penetration and absorption, 53–61  
   aerosol absorption in lung, 56–57  
   alveolar wall penetration, 58–59  
   clearance mechanisms, 59–60  
   gas/vapor absorption in lung, 56  
   lung structure and function, 53–56  
   nasopharyngeal clearance, 59  
   particulate absorption and penetration in lung, 57–58  
   particulate transport to lymphatics, 61  
   phagocytic clearance, 60  
   tracheobronchial tract clearance, 59
- Response matrix, odor measurement and control, 527–529
- Restrictive ventilatory defect, defined, 255
- Retroactive demarcation of exposure, bias and confounding with, 147
- Reynolds number, aerosol particles, 201  
 coefficient of drag, 204–206
- Risk factors, association and, 94
- Risk management, nanomaterials controls, 396
- Rotary process, fibrous glass production, 341–342
- Rounded atelectasis, asbestosis-related disease, 264
- Safety guidelines and standards:  
 man-made fibers, 365–366  
 nanomaterials, 386
- Saliva:  
 biological monitoring, 494–495  
 xenobiotic elimination and excretion, 84
- Sampling media, industrial hygiene analysis, 449–451
- Sampling methods:  
 exposure-response analysis, 124–126  
 gases and vapors:  
   absorbent sampling, 415  
   active sampling, 414–419  
   adsorber sampling, 415–419  
   diffusive sampling, 419–420  
   duration of sampling/sampling rate, 413  
   gas chromatography, 422–423  
   instrumentation, 411–413  
   method validation, 423  
   qualitative survey, 409–410  
   quality assurance and laboratory accreditation, 423–424  
   quantitative survey, 410–420  
   research background, 405–408  
   solvent desorption, 420–421  
   thermal desorption, 421–422  
   whole-air sampling, 414–415  
 odor measurement and control, 541–543  
 respirable dust studies, 300–320  
   cyclones, 308–310  
   direct reading instruments, 314–317  
   historical background, 300–302  
   horizontal elutriator, 307–308  
   impactors, 310  
   particle counting, 302–306  
   performance evaluation, 317–320  
   porous foam, 311–314  
   virtual impactors, 310–311  
 Saturable kinetics, biological monitoring, 465–467
- Saturation:  
 aerosol condensation and evaporation, 218–221  
 xenobiotic elimination, 80



- Scanning electron microscopy (SEM), industrial hygiene applications, 441
- Scattering functions, aerosol optical properties, 227–235
- Science:
- industrial hygiene as, 21–25
  - nanoscience, 377
- Secondary processes, man-made mineral fibers, 343–344
- Sedgewick Rafter Counting Cell, respirable dust studies, 301
- Sedimentation:
- aerosol particle motion, ideal stirred settling, 207
  - diameter, defined, 190
  - particulate penetration and absorption in lung, 57–58
- Selection biases, hidden uncertainties, 149–151
- “Self-preserving” aerosol particle size distribution, coagulation and, 238
- Semiconductors, nanomaterials, 382
- Semiquantitative analysis, exposure-response analysis, 123
- Sensory evaluation, odor measurement and control, 525–526
- general conditions, 543
  - judge selection and training, 543–544
  - physicochemical measurements, 540–541
- Sepiolite, lung disease and, 268–269
- Shape, aerosol particles, 193
- Shift studies, acute health effects, 108–111
- Short-term prospective studies, design of, 108–111
- Silica:
- crystalline:
    - infrared spectrophotometry, 434
    - lung disease and, 276–281
    - lung disease and, 268
- Silica gel, gases and vapors adsorber sampling, 416–419
- Silicate minerals, lung disease and, 268–273
- Silicosis, 277–279
- Silicotuberculosis, 279–280
- Single-particle counters, aerosol optical properties, 233–235
- Sister chromatid exchanges (SCEs), cytotoxicity markers, 462
- Skin absorption and penetration:
- environmental exposure strategy, 457–458
  - exposure-response analysis, sampling methods, 124–126
  - nanomaterials, 385
  - skin structure and function, 64–65
  - toxic chemicals, 44–45, 64–65
- Smog:
- defined, 190
  - toxicants as, 47
- Smoke:
- defined, 190
  - toxicants as, 47
- Smoking:
- asbestosis and, 265–266
  - cohort studies, diesel exhaust-lung cancer case study, 98–101
  - toxicology studies, 42–43
- Social effects, odor measurement and control, 546
- Social Security Act, industrial hygiene history and, 5, 25
- Solids:
- gases and vapors adsorber sampling, 415–419
  - toxicants as, 46–47
- Solvent desorption, gases and vapors sampling, 420–421
- Solvent drag effect, cell membrane transport, 51
- Somatoform illness, multiple chemical sensitivities, 175–176
- Sorbent materials:
- gases and vapors adsorber sampling, 417–419
  - sampling media, 449–451
- Special handling protocols, industrial hygiene analysis, 450–451
- Spectrophotometry:
- industrial hygiene analysis, 429–434
  - reaction chemistries, 430
- Spirometry:
- lung function testing, 253
  - standardization, 249–252
- Spot sampling, exposure measurements, 35
- Standard deviation, aerosol particle size distribution, 194–195
- Standardized mortality ratio (SMR):
- cohort studies, 96–97
  - ecologic study design, 112
  - occupational epidemiology, 95
  - occupational surveillance studies, 113
- Standards and standardization:
- exposure measurements, compliance with, 34–35
  - lung function testing, 249–252
- Statistical power, causality and, 143–144
- Statistical uncertainty:
- confidence intervals, 141–143
  - exposure-response analyses, 139–145
  - p*-values, 139–141
  - statistical power and, 143–144
- Steady-state diffusion, aerosol particles, 216–218
- Steam jet process, mineral wool production, 336, 340
- Steenland et al.* nested case-control study, 106
- Stokes diameter, defined, 190
- Stokes law:
- aerosol particles, 200–206
  - particulate penetration and absorption in lung, 57–58
- Stokes number, aerosol impactors, 209–211
- Stop distance, aerosol particle motion, 204–206
- Study designs, epidemiology, 95–116
- case-control (case-referent) studies, 101–108
  - cohort studies, 96–101
  - cross-sectional (prevalence) design and surveillance, 111–112
  - ecologic studies, 112
  - intervention studies, 115–116
  - molecular epidemiology/biomarker studies, 113–115
  - occupational disease surveillance, 113
  - short-term prospective studies (shift studies), 108–111
- Subcutaneous injection, toxicokinetics, 66
- Subject/patient maneuvers, lung function testing, 250
- Substitution, nanomaterials controls, 393–394
- Sugar tube technique, respirable dust studies, 301

- Surface properties:  
 aerosol particles, 193  
 environmental exposure strategy, 457–458  
 nanomaterials, 380–381
- Surveillance:  
 cross-sectional (prevalence) study design, 111–112  
 nanomaterials, 393  
 occupational epidemiology studies, 94, 113
- Surveys, odor measurement and control, 544–546
- Survivability, consistency and, 136
- Synergism, biological monitoring, mixed compounds, 507
- Talc:  
 cohort-based exposure-response analysis, 126–127  
 lung disease and, 270–271
- Tapered element oscillating microbalance (TEOM®), respirable dust studies, 317
- Technological advances, industrial hygiene, 20–21
- Temporality, causality in epidemiology and, 118–120
- Tepper *et al.* shift study, asphalt fume exposure, 109–110
- Terminal settling velocity, aerosol particle motion, 202
- Textiles, asbestos, Helsinki criterion, asbestos exposure-response analysis, 128–129
- Thermal desorption, gases and vapors sampling, 421–422
- Thermal incineration, odor measurement and control, 553–554
- Thermal optical analyzer, industrial hygiene applications, 441–442
- Thermal precipitators, respirable dust studies, 303
- Thin-bed activated carbon unit, odor measurement and control, 550–553
- Thoracic aerosol particles, defined, 213
- Threshold limit values (TLVs):  
 history of, 7–9  
 individual vs. population thresholds, 161–165  
 odor measurement and control, 538–540  
 reference values, 473–474, 488–489  
 sensitivity and background levels, 497–498
- Thresholds of odor perception, odor measurement and control, 527–529
- Tidal volume, lung function testing, 252
- Time-of-flight instruments, aerosol optical properties, 233–235
- Time representativity, of biomarkers, 472–473
- Time-series studies, confounding and weak associations, 117–118
- Time weighted average (TWA), nanomaterials regulations, 387–388
- Tissue:  
 biological monitoring, 494  
 dynamics of, 43  
 metal compounds, biological monitoring, 500–501  
 toxicant distribution and deposition, 69–75
- Titanium dioxide, nanomaterials regulations, 387–388
- Tool selection criteria, man-made mineral fibers, 366
- Top-down production, nanomaterials, 389
- Total lung capacity (TLC), lung function testing, 252
- Toxicants. *See also* specific toxicants, e.g., Xenobiotics  
 cellular entry of, 47–66  
 defined, 43  
 entry portals and absorption mechanisms, 44–47  
 metabolic transformation, 75–78  
 organ/tissue distribution and deposition, 69–75  
 physical properties, 45–47
- Toxicokinetics:  
 biological monitoring, industrial chemical exposure, 464–470  
 ADMET modeling, 467–470  
 clearance and volume of distribution, 465  
 mixed compounds, 506–508  
 rate constant and half-life, 464–465  
 saturable kinetics, 465–467  
 defined, 42–43  
 membrane interactions, 52
- Toxicology:  
 defined, 41–43  
 nanomaterials, 385–386
- Tracheobronchial tract:  
 anatomy, 243  
 clearance mechanisms in, 59–60
- Transforming growth factor-beta (TGF- $\beta$ ), cellular inflammatory response in lungs, 258
- Translocation, nanomaterials, 385
- Transmission electron microscopy (TEM), industrial hygiene applications, 440–441
- Transport mechanisms, metabolism and, 45–47
- Tuberculosis, silicotuberculosis, 279–280
- Tumor necrosis factor-alpha (TNF- $\alpha$ ), cellular inflammatory response in lungs, 258
- 2x2 table, case-control (case-referent) study design, 101–108
- Two-compartment ADME model, toxicokinetics, 468–470
- Type I enzymes, metabolic transformation of xenobiotics, 76–78
- Type I errors. *See* False-positive errors
- Type II enzymes, metabolic transformation of xenobiotics, 76–78
- Type II errors. *See* False-negative errors
- Ultrafine particle, defined, 377
- Ultraviolet/visible spectrophotometer:  
 high-pressure liquid chromatography, 437  
 industrial hygiene analysis, 428–430
- Uncertainty:  
 cohort studies, diesel exhaust-lung cancer case study, 99–101  
 hidden uncertainties, 145–151  
 statistical uncertainty, 139–145
- Unipolar charging, aerosol particle, 224–226
- United States, reference values for biomarkers in, 473–474, 488–489
- Units, systems of, aerosols, 190–191
- Upper respiratory tract, multiple chemical sensitivities, 174–175
- Uptake, defined, 44–47

- Urine:  
 biological monitoring with, 491–492  
 sampling times for, 495
- Validity:  
 analytical methods, 448–449  
 exposure estimates, case-control studies, 107  
 gases and vapors sampling, 423  
 lung function testing, 250
- van der Waals forces, gases and vapors adsorber  
 sampling, 416–419
- Vapor-phase deposition, ceramic fiber production, 343
- Vapors:  
 defined, 407–408  
 odorous vapors, odor measurement and  
 control, 535–536  
 respiratory tract penetration and absorption, lung  
 structure and function, 54–56  
 sampling and analysis:  
 absorbent sampling, 415  
 active sampling, 414–419  
 adsorber sampling, 415–419  
 diffusive sampling, 419–420  
 duration of sampling/sampling rate, 413  
 gas chromatography, 422–423  
 instrumentation, 411–413  
 method validation, 423  
 qualitative survey, 409–410, 413–420  
 quality assurance and laboratory accredita-  
 tion, 423–424  
 quantitative survey, 410–411  
 research background, 405–408  
 solvent desorption, 420–421  
 thermal desorption, 421–422  
 whole-air sampling, 414–415  
 toxicants as, 46
- Variability in biological monitoring, 470–473
- Ventilation:  
 nanomaterials controls, 394–395  
 odor measurement and control, 548  
 pulmonary physiology, 246
- Ventilation/perfusion relationships, pulmonary  
 physiology, 247
- Vermiculite, lung disease and, 270
- Vibratory mass detectors, respirable dust studies,  
 316–317
- Video exposure monitoring (VEM), respirable dust  
 studies, 314–315
- Vinyl chloride, liver angiosarcoma and, 92
- Virtual impactors, respirable dust studies, 310–311
- Vital capacity (VC), lung function testing, 252
- Volatile organic compounds (VOCs), exhaled air  
 monitoring, 493–494
- Volatile particles, odor measurement and control,  
 536–537
- Volcanic ash, lung disease and, 273
- Volume of distribution, toxicokinetics, 465
- Walsh-Healy Act of 1936, 25
- Water molecules, gases and vapors adsorber  
 sampling, 416–419
- Water-soluble gases, respiratory tract penetration and  
 absorption, 53
- Whole-air sampling, gases and vapors, 414–415
- Wipe tests, environmental exposure strategy, 458
- Wollastonite, lung disease and, 269
- Work demographics, individual vs. population thresholds  
 and, 162–165
- Workmens' compensation, historical perspective, 4–5
- Workplace practices:  
 man-made mineral fibers, carcinogenic  
 potency, 352–353, 366  
 nanomaterials production, 390–391  
 stresses, industrial hygiene and, 17–18
- Xenobiotics:  
 defined, 43  
 elimination and excretion, 78–84  
 endocytosis, 52  
 gastrointestinal tract penetration and absorption,  
 61–62  
 lipid-rich systems, deposition and accumulation in,  
 73  
 metabolic transformation, 75–78  
 organ/tissue distribution and deposition, 69–75  
 osteotrophic, 73–75  
 rate constant and half-life, 464–465  
 respiratory tract penetration and absorption, lung  
 structure and function, 54–56  
 transport and distribution, 66–69  
 blood elements, 67–69  
 lymphatic system, 69
- X-ray diffraction, industrial hygiene analysis, 433
- Zeolites, lung disease and, 269–270
- Zero-order kinetics, xenobiotic elimination and  
 excretion, 81

# INDEX

- Absorption. *See also* specific body systems, e.g., Respiratory tract  
chemicals, pharmacokinetics models, 961–962  
percentage, dermal occupational exposure limits, 907–909  
spectrum, open-path Fourier transform infrared spectrometry, 648–650
- Acceptable daily intake (ADI), occupational exposure limits and, 874–877
- Acceptable exposure test, 850–857
- Acceptance testing, ventilation systems, 1141
- Accommodation, odor management and control, occupational exposure limits, 891–892
- Accounting records, emission estimates and, 1063
- Accumulation of chemicals, pharmacokinetics modeling, 974–976
- Acute exposure guidelines levels (AEGs), risk assessment and, 723–724
- Additive mixtures, occupational exposure limits, 902–905
- Adjustment factor, pharmacokinetics modeling, unusual work shifts:  
Hickey and Reist model, 1003–1008  
mixtures, 1022–1024  
model comparisons, 1014–1015  
moonlighting and overtime work, 1033–1036
- Administrative controls, occupational safety and health management systems, 1155–1167
- Advanced Exposure Gamma Instrument System (AEGIS), video exposure monitoring, radiation exposure case study, 611–613
- Advection, mathematical modeling, indoor air contaminants, turbulent eddy diffusion, 666–667, 689–692
- Aerodynamic diameter, defined, 1171
- Aerosols. *See also* Bioaerosol  
pharmacokinetics modeling, unusual work shifts, 1021  
respiratory protective equipment, 1182–1190, 1199–1202, 1210–1211  
video exposure monitoring, measurement instrumentation, 591
- Agent identification, emission inventory, 1050
- Agglomeration, mathematical modeling, indoor air contaminants, well-mixed room, particle size distribution, 672
- Airborne contaminants. *See also* Aerosols  
dilution ventilation control, 1137–1138  
engineering controls:  
ancillary equipment, 1096  
classification, 1074–1081  
diagnostic air sampling, 1092–1095  
equipment, 1096–1098  
facility layout and equipment placement, 1101–1107  
isolation and enclosure, 1076  
material transport, 1102

- Airborne contaminants (*Continued*)
- operations segregation, 1106
  - processes, 1098–1100
  - scope, 1077–1081
  - service and maintenance protocols, 1104–1105
  - standards and guidelines, 1107–1108
  - substitution and elimination, 1075–1076
  - toxic materials, 1081–1092
  - ventilation systems, 1106
  - workstation design, 1100–1101, 1103–1107
- exposure limits, unusual work schedule adjustments, 980–981
- job analysis for exposure limitation, 1156–1157
- local exhaust ventilation, capture of, 1125
- mathematical modeling, indoor concentrations:
- chemical emission rates, 662–664
  - constant emission rate, 667–670
  - dispersion patterns/worker location, 664–667
  - exponentially decreasing emission rate, 672–674, 676–678
  - hemispherical turbulent eddy diffusion, 678–681
  - Markov chain model, 685–689
  - NF/FF constant emissions, 674–676
  - particle size distribution, 671–672
  - research background, 661–662
  - turbulent eddy diffusion and advection, 689–692
  - WMR reversible sink model, 682–685
- respiratory hazards, 1214–1215
- video exposure monitoring, 599–600
- Air cleaners, local exhaust ventilation, 1117
- Airflow rate:
- dilution ventilation, 1139–1140
  - ventilation systems, 1112–1113, 1120–1122, 1124, 1142–1143
- Air inlet systems, dilution ventilation, 1140
- Airline respirator. *See* Supplied-air respirator
- Air pollution studies:
- computed tomography, 626–627
  - emission sources characterization, 1049–1070
- Air-purifying element, defined, 1172
- Air-purifying respirator (APR):
- classification and certification, 1198–1207
  - workplace testing, 1191–1192
- Air sampling, computed tomography, research background, 622–627
- Air supply requirements, ventilation systems, 1148–1149
- Air/water partition coefficients, chemicals, pharmacokinetics models, 959–960
- Algebraic reconstruction techniques (ART), computed tomography, industrial hygiene applications, 634–636
- Algorithms, computed tomography, industrial hygiene applications, 633–638
- Allergens:
- occupational exposure limits, 893–896
  - pharmacokinetics modeling, unusual work shifts, 1022
- Alternative materials, airborne contaminants control, 1082–1088
- American Cancer Society (ACS), risk assessment, 716
- American Conference of Governmental Industrial Hygienists (ACGIH):
- control banding task force, 1292–1293
  - future TLV research and initiatives, 939–942
  - hazard identification guidelines, 706
  - history and evolution of, 699–703
  - noise level guidelines, unusual work schedule adjustments, 979–980
  - occupational exposure limits and, 865–869
  - risk assessment, 716–718
- American Industrial Hygiene Association (AIHA):
- emergence response planning guidelines, 723–724
  - exposure risk model, 734–744
  - risk assessment resources, 783–821
- American National Standards Institute (ANSI):
- respiratory protective equipment, workplace protection factors, 1186–1190
  - Z9 standards, ventilation systems, 1136
- American Society for Testing and Materials (ASTM), chemical protective clothing selection:
- ASTM F1001 Standard, 1244
  - ASTM F1186 Standard, 1244–1246
  - overview, 1246, 1249–1252
- Analytical methods, industrial hygiene, risk assessment:
- history and evolution, 702–703
  - integrated design, 715
- Animal studies:
- occupational exposure limits, 873–877
  - respiratory sensitizers, 893–896
  - risk assessment history and evolution, 701–703
- Anthropometric parameters, quantitative fit testing, respiratory protective equipment, 1189–1190
- Applied dose, risk assessment and, 761–764
- Area under curve (AUC) measurement, pharmacokinetics modeling, 1019–1020
- Argentina, occupational exposure limits, 924
- Assessment strategy, video exposure monitoring, 589–590
- Assigned protection factor (APF), respiratory protective equipment, 1172, 1178–1179, 1186–1191
- Association, risk assessment, 755–757
- Atmosphere-supplying respirator, 1172, 1208–1211
- Australia, occupational exposure limits, 928
- Austria, occupational exposure limits, 928–929
- Authoritative exposure limits, risk assessment, 730–731
- Automation, airborne contaminants control, 1100–1101
- Average daily dose (ADD), risk assessment and, 760–761
- Background comparison sources, risk assessment, 765
- Barometric pressure, ventilation systems airflow, 1112–1113
- Barrier banding, development of, 1302
- Barrier materials, chemical protective clothing selection, 1238–1244
- Baseline risk assessment, cost-benefit analysis, 750, 751
- Belgium:
- control banding strategies in, 1300
  - occupational exposure limits, 929

- Bernoulli's equation, velocity pressure, ventilation systems, 1113-1114
- Beryllium, occupational exposure limits, 894-896
- Bias:  
 exposure distributions, risk assessment using, 738-739  
 quantitative fit testing, respiratory protective equipment, 1185-1190
- Bioaerosol, defined, 1172
- Biological agents, respiratory protective equipment, 1215-1216
- Biological exposure indices (BEIs):  
 risk assessment, 716-718  
 sensory irritants, 883-888
- Biologically-based cancer models, risk assessment, 703
- Biological monitoring:  
 health hazard analysis, 766-767  
 unusual shifts, exposure limits, 1036-1037
- Biologic half-life, pharmacokinetics models, unusual work shift adjustments, 962-963  
 determination of, 1009-1011  
 limitations of, 1019-1020  
 physiologically-based pharmacokinetic modeling, 1024-1028
- Blood lymphocyte proliferation test (BLPT), occupational exposure limits, respiratory sensitizers, 895-896
- Body burden:  
 occupational exposure limits, 893-894, 918-920  
 pharmacokinetics modeling, 918-920, 968  
 unusual work shifts, 996-1015, 1019-1020
- Booth-type hoods, local exhaust ventilation, 1119
- Bradford Hill criteria, risk assessment, 757
- Brazil, occupational exposure limits, 929
- Breathing air quality, respiratory protective equipment, 1226-1227
- Breathing zone, local exhaust ventilation, contaminant containment, 1125
- Brief and Scala model:  
 comparison with other models, 1014-1015  
 occupational exposure limits, 917-920  
 unusual work schedule adjustments, 982-985
- Canada, occupational exposure limits, 929-930
- Cancer, risk assessment, 700-703, 769-770. *See also* Carcinogens
- Capture/control velocities, local exhaust ventilation, 1120
- Capture/exterior hoods, local exhaust ventilation, 1119-1121
- Carbon monoxide:  
 gas and vapor respirators, 1207  
 occupational exposure limits for, 866-869  
 respiratory protective equipment, breathing air quality, 1226-1227
- Carbon tetrachloride, pharmacokinetics modeling, unusual work shifts, 1023-1024
- Carcinogens:  
 occupational exposure limits, 896-902  
 pharmacokinetics modeling, unusual work shifts, 1028-1032  
 risk assessment, history and evolution of, 700-703
- Case-control (case-referent) study design, occupational exposure limits, 732
- Causality, risk assessment, 755-757
- Ceiling occupational exposure limit (C-OEL):  
 risk assessment and, 729-731  
 sensory irritants, 882-888  
 unusual work schedule adjustments, 1024-1028
- Certification guidelines, respiratory protective equipment, 1195-1212
- Chamber studies, computed tomography geometries, 642-644
- Chance. *See* Statistical uncertainty
- Chemical, biological, radiological, nuclear (CBRN) hazards, respiratory protective equipment, 1172, 1211
- Chemical accumulation, pharmacokinetics modeling, 974-976, 1020-1021
- Chemical cartridge respirators, 1203-1207
- Chemical composition, chemical protective clothing selection, 1244, 1253-1255
- Chemical emission rate functions, mathematical modeling, indoor air contaminants, 662-664
- Chemical protective clothing (CPC):  
 barrier materials, 1244  
 checklist for, 1234  
 chemical classification, 1244-1246, 1253-1255  
 performance evaluation, 1244  
 permeation, penetration, and degradation, 1236-1238  
 research background, 1235  
 selection criteria, 1235-1244  
 standards, 1246-1256  
 terminology, 1256-1262
- Chemical-specific toxicity values, risk assessment, 766
- Chemisorption, gas and vapor respirators, 1202-1203
- Chile, occupational exposure limits, 930-931
- Chronic disease, risk assessment, 756-757
- Classical least squares (CLS), quantitative analysis, open-path Fourier transform infrared (OP-FTIR) spectrometry, 651-652
- Closed-circuit self-contained breathing apparatus, 1209
- Coefficient of entry, local exhaust ventilation, hood-related equations, 1123
- Cold temperatures, respiratory protective equipment and, 1227
- Communications problems, respiratory protective equipment and, 1228
- Compliance testing:  
 occupational exposure limits, 828, 845-847  
 overexposure probability and, 850-852
- Comprehension testing, employee information and training, 1164
- Comprehensive Environmental Response Compensation and Liability Act (CERCLA), risk assessment guidelines, 719-720
- Compressed-breathing gas, defined, 1172

- Computed tomography (CT):  
 algorithms, 633–638  
 background optical remote sensing instrumentation, 646–651  
 chamber studies, 642–645  
 design criteria, 627–630  
 field studies, 645–646  
 future applications and research, 651–654  
 historical background, 624–627  
 image quality parameters, 631–633  
 iterative methods, 633–637  
 ORS geometries, 638–645  
 research background, 621–627  
 simulation studies, 640–642  
 smooth basic function minimization, 637–638  
 test concentration maps, 630–631
- Computer simulations:  
 computed tomography design, 630–633  
 risk assessment history and evolution, 702–703
- Concentration mapping, 622–633
- Conceptual modeling, risk assessment design, 715
- Condensation, mathematical modeling, indoor air contaminants, well-mixed room, particle size distribution, 672
- Condensation nucleus counter (CNC) technology, quantitative fit testing, respiratory protective equipment, 1183–1184, 1188–1190
- Conditional probability, mathematical modeling, indoor air contaminants, Markov chain method, 686–689
- Conditions of use, respiratory protective equipment, fit testing, 1182–1190
- Consensus standards, risk assessment, 789–790
- Consequence rating, risk assessment and, 722–724, 772–775
- Conservative risk assessment, cost-benefit analysis, 750–751
- Constant emission rate, mathematical modeling, indoor air contaminants:  
 functions, 662–663  
 hemispheric turbulent eddy diffusion, no advection, 678–681  
 NF/FF parameters, 674–676  
 well-mixed room, 668–670
- Construction toolbox, control banding, 1303
- Contaminant generation, release, and exposure model, airborne contaminants, 1073–1074
- Continuous exposure monitoring, pharmacokinetics modeling, 963–967
- Continuous flow supplied-air respirator, 1211
- Control banding (CB):  
 ACGIH exposure/control banding task force, 1292–1293  
 construction toolbox, 1303  
 control recommendations, 1308  
 COSHH essentials strategy, 1274–1281  
 international response to, 1295–1301  
 COSHH standards, 1264–1268  
 ergonomics issues, 1302  
 expert opinions, 1293  
 exposure assessment vs. exposure control, 1306–1307  
 exposure predictions, 1307–1308  
 future research and recommendations, 1308–1310  
 hazard + exposure → risk → control strategy, 1273–1274  
 hazard predictions, 1308  
 historical evolution, 1263–1264, 1269–1281  
 ICCT as alternative to, 1281–1282, 1304  
 international response to, 1268, 1295–1301  
 nanotechnology, 1302–1303  
 occupational exposure bands, 1272–1274  
 occupational exposure limits, 731–732, 937–938  
 comparisons, 1266–1267, 1304–1305  
 professional development issues, 1305–1306  
 safety (barrier banding), 1302  
 scope and objectives, 1265–1266  
 silica materials, 1301–1302  
 terminology, 1265  
 toxicity measurements, 1269  
 toxicological data-control level continuum, 1272–1273  
 training programs, 1308  
 validation and verification, 1281–1293, 1307
- Controlled negative pressure (CNP), quantitative fit testing, respiratory protective equipment, 1184
- Control of Substances Hazardous to Health (COSHH):  
 control banding and, 1264, 1304  
 essentials strategy, 1264–1265, 1274–1281  
 differences, 1304  
 international response to, 1268, 1295–1301  
 international agenda, 1295–1296  
 standards, 1264–1268  
 United Kingdom response to, 1267–1268  
 validation studies, 1290–1293
- Corporate exposure limits, 731, 913–916
- Corporate toxic use reduction program, airborne contaminants control, 1085–1088
- Corrective action completion measures, risk assessment, 747
- Corrective lenses, respiratory protective equipment and, 1227–1228
- Correlation, occupational exposure limits, 733
- Cost-benefit analysis (CBA), risk assessment and, 749–755, 777–778
- Cost-effectiveness analysis (CEA), risk assessment, 751, 755
- Cost of injury (COI), health hazard evaluation, cost-benefit analysis, 754
- Count median aerodynamic diameter (CMAD), mathematical modeling, indoor air contaminants, well-mixed room, particle size distribution, 671–672
- Cultural metrics, risk assessment, 748
- Cumulation, pharmacokinetics modeling, 974–976
- Cumulative dose studies:  
 occupational exposure limits, Haber's law model, 921–922  
 radiation exposure case study, video exposure monitoring, 613–617
- Cumulative risk:  
 classification, 712

- overexposure and, 847-848, 853-854  
 risk assessment and, 721-724
- Curve-fitting computer programs, two-compartment pharmacokinetics modeling, 969-970
- Cyclohexane, body burden, unusual work shifts, occupational exposure limits, 997-998
- Dashboard indicators, risk assessment, 749
- Data analysis software, video exposure monitoring, 596, 602-604
- Data communications equipment (DCE), video exposure monitoring, 592
- Data evaluation:  
 emission estimates and, 1064-1066  
 occupational exposure limits, 732-733, 913-916  
 video exposure monitoring, 596-598
- Data terminal equipment (DTE), video exposure monitoring, 592
- Day-to-day increases, pharmacokinetics models, accumulation of chemicals, 975-976
- Decay equation, mathematical modeling, indoor air contaminants, well-mixed room, 668-670
- Decision processes:  
 respiratory protective equipment, exposure levels and selection criteria, 1220-1223  
 risk assessment, history and evolution, 697-703
- Degradation, chemical protective clothing, 1236-1238
- Demand respirator, 1172, 1208-1211
- Denmark, occupational exposure limits, 931
- Density correction, ventilation systems, air at non-STP, 1113
- Dental offices, nitrous oxide exposure, video exposure monitoring case study, 604-606
- Derived no-effect levels (DNELs), REACH initiative, 938-939
- Dermal occupational exposure limits (DOELs), establishment of, 905-909
- Deterministic models, risk assessment, AIHA exposure assessment model, 742-743
- Developmental toxicants, occupational exposure limits, 888-889
- Diagnostic air sampling, airborne contaminants control, 1092-1096
- Diffusion, chemicals, pharmacokinetics models, 959-960
- Digital video cameras, video exposure monitoring studies, 607-611
- Dilution ventilation, 1136-1141
- Dimethylaminothioacetamide hydrochloride (DMATA), video exposure monitoring, 599-600
- Dioctylphthalate (DOP), quantitative fit testing, respiratory protective equipment, 1182-1184
- Dioxin. *See* Tetrachlorodibenzo-*p*-dioxin
- Direct cost of illness, health hazard evaluation, 753-754
- Direct-reading instrumentation, video exposure monitoring, 591-592
- Discounting parameters, health hazard evaluation, cost-benefit analysis, 754-755
- Dispersion patterns, mathematical modeling, indoor air contaminants, 664-667
- Disposable respirator, defined, 1172
- Dissociation constant, occupational exposure limits, sensory irritants, 886-888
- Dose, risk assessment and, 760-761
- Dose-dependent change, nonlinear pharmacokinetics models, 977-978
- Dose-response analysis:  
 occupational exposure limits, carcinogens, 900-902  
 risk assessment, 707, 751-755
- Ductwork, local exhaust ventilation, 1117
- Dust. *See also* specific types of dust  
 airborne contaminants control, 1088-1089  
 control banding assignment criteria, 1274  
 defined, 1172  
 diagnostic air sampling, 1092-1096
- Dynamic geometry, computed tomography design, 653-654
- Ecological benchmarks, risk assessment, 765, 767-768
- Economic feasibility. *See also* Cost-benefit analysis (CBA)  
 risk assessment and management, 728, 776-778
- Ecuador, occupational exposure limits, 931
- Eddy diffusion. *See* Turbulent eddy diffusion
- Educational programs. *See also* Training programs  
 employee information and training programs, 1157-1165  
 risk assessment, 813-821  
 video exposure monitoring, 591
- Effectiveness measurement:  
 employee information and training, 1164  
 respiratory protective equipment, 1225  
 risk assessment, 744-749
- Efficacy assessment, threshold limit values, 909-913
- Efficiency parameters, risk assessment and, 714-715
- Elastomeric facepiece, defined, 1172
- Elimination, airborne contaminants control, 1075-1076, 1081-1082
- Emergency, defined, 1172
- Emission factors:  
 air pollution studies, 1053-1058  
 ventilation systems, 1125
- Emission inventories:  
 agent identification, 1050  
 air contaminant characterization, research background, 1049-1051  
 case study and sample calculations, 1066-1070  
 plant/company records and reports, 1059-1066  
 quantification techniques, 1051-1059  
 site identification, 1050-1051  
 time factors, 1051
- Emission rates:  
 determination, 1067  
 mathematical modeling, indoor air contaminants:  
 chemical emission rate, 662-664  
 constant emission rate, 662-663, 668-670, 674-676, 678-681  
 exponentially decreasing emission rate, 663-664, 672-674, 676-678  
 Markov chain method, ongoing emissions, 688-689



- Employee information and training programs, management of, 1157-1165
- Enclosure hoods, local exhaust ventilation, 1118, 1124-1125
- Enclosure systems, airborne contaminants control, 1076
- End-of-service-life indicator (ESLI), gas and vapor respirators, 1172, 1204-1206
- Endpoint analysis:
  - integrated risk assessment, 715
  - occupational exposure limits, 733
- Engineering controls, airborne contaminants:
  - classification, 1074-1081
  - diagnostic air sampling, 1092-1095
  - equipment, 1096-1098
  - facility layout and equipment placement, 1101-1107
  - isolation and enclosure, 1076
  - material transport, 1102
  - operations segregation, 1106
  - processes, 1098-1100
  - research background, 1073-1074
  - scope, 1077-1081
  - service and maintenance protocols, 1104-1105
  - standards and guidelines, 1107-1108
  - substitution and elimination, 1075-1076
  - toxic materials, 1081-1092
  - ventilation systems, 1106
  - workstation design, 1100-1101, 1103-1104, 1106-1107
- Environmental exposure monitoring:
  - airborne contaminants control, 1082-1088
  - risk assessment and, 723-724
  - unusual shifts, occupational exposure limit adjustments for, 1033-1036
- Environmental Protection Agency (EPA):
  - acute exposure guidelines levels, 723-724
  - history and evolution, risk assessment, 698-703
  - occupational exposure limits and, uncertainty factors, 877-880
  - risk assessment guidelines, 718-719, 764-766
- Environment/health factors, industrial hygiene:
  - interdependent risks, 713-714
  - risk assessment, history and evolution, 697-703
- Epidemiology. *See also* Occupational epidemiology defined, 697
  - risk assessment, 755-757
- Episodic risk scenario, risk assessment using, 721-724
- Equal angle projection geometry, computed tomography history and, 626-627
- Equipment demonstrations, employee information and training, 1163-1164
- Equipment specifications:
  - airborne contaminants control, 1096-1098, 1101-1107
  - emission estimates and, 1062
- Ergonomics analysis:
  - control banding and, 1302
  - management policies and, 1166
  - radiation exposure case study, video exposure monitoring, 614-617
- Error function, mathematical modeling, indoor air contaminants, hemispheric turbulent eddy diffusion, no advection and constant emission rate, 679-681
- Errors:
  - computed tomography, 631-633
  - quantitative fit testing, respiratory protective equipment, 1186-1190
- Escape-only respirator, 1172, 1212-1213
- European Chemicals Agency (ECHA), risk assessment initiatives, 720-721
- European countries:
  - occupational exposure limits, 931-932
  - risk assessment initiatives, 720-721
- Exceedance estimation:
  - acceptable exceedance, 856-857
  - acceptable exposure test, 850-852
  - overexposure probability, 849-850
- Executive Order 12291 (1981), risk assessment history and evolution, 701-703
- Exhalation valves, respirator facepieces, 1198
- Exhaust air recirculation, ventilation systems, 1149-1151
- Exhaust hoods:
  - dilution ventilation, 1140-1141
  - fugitive emissions, 1058
  - local exhaust ventilation, low volume high velocity exhaust systems, 1125-1126
- Exhaust-rate standards, 1120
- Expert opinions:
  - on control banding, 1292
  - professional judgment vs., 743
- Exponentially decreasing emission rate, mathematical modeling, indoor air contaminants, 663-664
- NF/FF zones, 676-678
- well-mixed room construct, 672-674
- Exponential purging, mathematical modeling, indoor air contaminants, well-mixed room, 668-670
- Exposure control, exposure assessment vs., 1306-1307
- Exposure distributions:
  - analysis of variance table, 844-845
  - basic principles, 835-845
  - job analysis for limitation of, 1156-1157
  - limit of detection, 837-838
  - log-normal distributions, 836-839, 842-843
  - one-way random effects model, 841-845
  - probability and, 848-849
  - random processes, 835-836
  - risk assessment, 735-739
  - worker variations, 839-845
- Exposure measurements. *See also* specific exposure measurements, e.g., Occupational exposure limits control banding strategies, 1290
  - exposure control vs., 1306-1307
  - interpretation guidelines, 827-828
  - occupational exposure levels, comparisons, 845-854
  - risk assessment, 707-708, 726-728, 751-755
  - sample size and, 855
  - testing methods, 857
  - time trends and, 855-856
- Exposure monitoring. *See also* Biological monitoring, industrial chemical exposure

- Exposure prediction, control banding, 1307–1308
- Exposure ratings, AIHA exposure assessment model, 741–743
- Exposure reconstruction of total exposure, risk assessment, 763–764
- Eye protection:  
corrective lenses and, 1227–1228  
respiratory protective equipment, 1222–1223
- Facepieces, respiratory protective equipment. *See also* Masks  
certification guidelines, 1195–1212  
definitions, 1172–1175  
filtering facepiece respirators, 1216  
fit testing, 1179–1190  
full facepieces, 1192–1194  
half facepieces, 1191–1192  
loose-fitting facepieces, 1193–1194  
quarter facepieces, 1191  
supplied-air respirators, 1210–1211  
valves, 1198  
workplace testing, 1191–1192
- Face seal, respiratory protective equipment, quantitative fit testing, 1188–1190
- Facial hair, respiratory protective equipment and, 1227
- Facility layout and design, airborne contaminants control, 1077–1081  
equipment placement and, 1101–1107  
material transport, 1102  
operations segregation, 1106  
service and maintenance, 1104–1105  
worker isolation, 1106  
workstations, 1103–1104
- Failure analysis, risk assessment, reactive metrics, 747–748
- Fanning friction factor, ventilation systems, 1115
- Fans, local exhaust ventilation, 1117–1118
- Far field (FF) zone, mathematical modeling, indoor air contaminants:  
constant emission rate, 674–676  
dispersion patterns/worker location, 665–666  
exponentially decreasing emission rate, 676–678  
hemispheric turbulent eddy diffusion, no advection and constant emission rate, 679–681  
Markov chain method, 688–689
- Fast sinks, mathematical modeling, indoor air contaminants, Markov chain method, 688–689
- Feasibility, OSHA permissible exposure limits, 831–832
- Federal Insecticides, Fungicide, and Rodenticide Act (FIFRA), 698–699
- Federal regulations, risk assessment, 783–786
- Female reproductive function, occupational exposure limits, reproductive toxicants, 890
- FF. *See* Far field zone
- Field studies, computed tomography applications, 645–646
- Film badges, radiation exposure, video exposure monitoring studies case study, 610–613
- Filtering facepiece respirator (FFR), 1172, 1216
- Filters and filtration:  
high efficiency particulate air (HEPA) filter, defined, 1173  
respiratory protective equipment, particulate respirators, 1198–1202
- Finland, occupational exposure limits, 928
- Fires, fugitive emissions, 1058
- First-order kinetics, 960–961, 977–978
- First-order loss rates, mathematical modeling, indoor air contaminants:  
Markov chain method, 685–689  
reversible sink (well-mixed room), 682–685  
turbulent eddy diffusion and advection, 689–692  
well-mixed room, 669–670
- First-pass effects, systemic toxicants, occupational exposure limits, 881–882
- Fit factor, defined, 1172
- Fit test, respiratory protective equipment, 1172, 1179–1190, 1224
- Flame ionization detector (FID), video exposure monitoring, airborne particulates case study, 601–600
- Flanging, ventilation systems, 1123–1124
- Flir Systems camera equipment, video exposure monitoring studies, 607–610
- Flowchart analysis, emission estimates and, 1061
- Flux-based techniques, dermal occupational exposure limits, 907–909
- Food Additive Amendment (1958), 699–703
- Food and Drug Administration (FDA), risk assessment, history and evolution of, 700–703
- Formulations documentation, emission estimates and, 1059
- France, control banding strategies in, 1300
- Free surface area (FSA), mathematical modeling, indoor air contaminants, hemispherical near field zone, 665–666
- Frictional losses, ventilation systems, 1115
- FSA. *See* Free surface area
- Fugitive sources, emission inventories, 1054, 1058–1059
- Fume, defined, 1173
- Gases:  
defined, 1173  
pharmacokinetics modeling, unusual work shifts, 1022  
respiratory protective equipment, 1202–1207, 1216–1217  
video exposure monitoring, 604–606
- Gas masks, classification and certification, 1203–1204
- Generally recognized as safe (GRAS) standard, history and evolution, 699
- Geometric mean, exposure distributions, 735–739
- Geometric standard deviation (GSD):  
exposure distributions, 735–739  
mathematical modeling, indoor air contaminants, well-mixed room, particle size distribution, 671–672

- Geometries, computed tomography design, 627-633  
 chamber studies, 642-644  
 dynamic geometry, 653-654  
 optical remote sensing, 638-645  
 simulation studies, 640-642
- Germany:  
 control banding strategies in, 1299  
 occupational exposure limits, 932
- Globally Harmonized System (GHS):  
 control banding and, 1281  
 employee information regarding, 1158-1159  
 occupational exposure limits, 936-937
- Graphic summation principle, pharmacokinetics modeling, 965-967
- Gravitational force, mathematical modeling, indoor air contaminants, well-mixed room, particle size distribution, 672
- Grid translation (GT), computed tomography, maximum likelihood expectation maximization, 636-637
- Grid translation-multigrid (GT-MG) method, computed tomography, maximum likelihood expectation maximization, 636-637
- Groundwater regulations, risk assessment, 766
- Group mean test, acceptable exposure, 852-853
- Guinea pig sensitization test, occupational exposure limits, respiratory sensitizers, 895-896
- Haber's law model, occupational exposure limits, 916-918, 1000-1008
- Half-life. *See also* Biologic half-life  
 occupational exposure limits, 919-924  
 pharmacokinetics models, 962-963, 975-976, 982-985, 999-1011
- Half-mask supplied-air respirator (SAR), workplace testing, 1193
- Hands-on training, employee information and training, 1163-1164
- Hazard, defined, 696
- Hazard analysis:  
 management policies and, 1165-1166  
 respiratory hazards, 1214-1217  
 risk assessment, 755-770
- Hazard bands, COSHH essentials strategy and, 1277-1278
- Hazard communication information and training, 1162-1163
- Hazard identification, risk assessment, 706, 751-755
- Hazard index (HI), risk assessment and characterization, 708
- Hazardous atmosphere, defined, 1173
- Hazard prediction, control banding, 1308
- Haz-Dust II real-time personal dust monitor, video exposure monitoring, airborne particulates case study, 601-600
- Health and Safety Executive (HSE) (United Kingdom):  
 control banding development and, 1264, 1274  
 COSHH regulations and, 1267-1268  
 international agenda, 1295-1296
- Health-based exposure limits, risk assessment, 730-731
- Health effect rating, risk assessment, occupational exposure limits, 726-728
- Health hazard evaluation:  
 cost-benefit analysis, 753-755  
 exposure effects, 589  
 physiological/psychological basis of risk, 780-783  
 resources for, 783-821  
 risk assessment:  
 AIHA exposure risk model, 734-744  
 analytical methods and tools, 757-766  
 basic definitions, 696-697  
 biomonitoring, 766-767  
 cost benefit analysis integration, 749-755  
 dose-response assessment, 707  
 ecological risk assessment, 767-768  
 effectiveness measurement, 744-749  
 epidemiology, association-causation continuum, 755-757  
 episodic and cumulative risk methods, 721-724  
 exposure assessment, 707-708  
 hazard identification, 706  
 history and evolution, 697-703  
 modern procedures, 703-705  
 network theory, 768  
 nonoccupational assessment, 768-770  
 occupational exposure limits, 724-734  
 quantitative analysis, strengths and weaknesses, 709-711  
 regulatory and legal issues, 716-721  
 research background, 695  
 resources for, 783-821  
 risk characterization, 708  
 risk profiling, 771-775  
 unitary vs. integrated risk, 711-716  
 risk management, 775-780  
 threshold limit values, 830
- Heat stress, job analysis for exposure reduction, 1157
- Helmet, respiratory protective equipment, 1173, 1192-1194
- Hemispherical near field zone, mathematical modeling, indoor air contaminants, dispersion patterns/worker location, 665-666
- Hemispheric turbulent eddy diffusion, mathematical modeling, indoor air contaminants, no advection and constant emission rate, 678-681
- Henle-Koch's postulates, risk assessment, infectious disease, 755-756
- Hickey and Reist model, unusual work shifts, occupational exposure limits, 997-1008, 1011-1015
- High efficiency particulate air (HEPA) filter:  
 powered air-purifying respirator, 1207  
 respiratory protective equipment, quantitative fit testing, 1173, 1188-1190
- Hoods:  
 local exhaust ventilation, 1117-1123  
 respiratory protective equipment, 1173, 1192-1194
- Hose masks, powered and unpowered, respiratory protective equipment, 1210
- Hypersensitivity reactions, occupational exposure limits, 893-896

- Ideal gas law, mathematical modeling, indoor air contaminants, 663–664
- Image quality, computed tomography design, 631–633
- Immediately dangerous to life or health (IDLH) conditions: defined, 1173
- gas and vapor respirators, contraindications, 1203
- oxygen deficiency, 1214
- powered air-purifying respirator, limitations, 1207
- respiratory protective equipment, exposure levels and selection criteria, 1218–1223
- self-contained breathing apparatus, 1208–1211
- Incidental exposure, 588
- Independence, exposure measurements, 855–856
- Indirect exposure pathways, risk assessment, 703
- Indoor airborne particulates, mathematical modeling: chemical emission rates, 662–664
- constant emission rate, 667–670
- dispersion patterns/worker location, 664–667
- exponentially decreasing emission rate, 672–674, 676–678
- hemispherical turbulent eddy diffusion, 678–681
- Markov chain model, 685–689
- NF/FF constant emissions, 674–676
- particle size distribution, 671–672
- research background, 661–662
- turbulent eddy diffusion and advection, 689–692
- WMR reversible sink model, 682–685
- Industrial engineering records, emission estimates and, 1062–1063
- Industrial hygiene: control banding and, 1304–1306
- COSHH essentials strategy and, 1278–1279
- risk assessment classifications in, 722–728
- Industry-based programs, airborne contaminants control, 1085–1088
- In-facepiece sampling techniques, respiratory protective equipment, 1184–1190
- Infectious disease, risk assessment, 755–756
- Information requirements, risk assessment, 745–746
- Infrared camera, video exposure monitoring studies, 607–610
- Inhalation: chambers, risk assessment history and evolution, 702–703
- model, risk assessment, 762–764
- valves, respirator facepieces, 1198
- Instantaneous dose rate, radiation exposure case study, video exposure monitoring, 614–617
- Insurance issues, risk management, 775–776
- Integrated control systems, airborne contaminants control, 1080–1081
- Integrated risk: classification, 711–715
- cost-benefit analysis, 749–755
- Interdependent risks, defined, 713–714
- International Chemical Control Toolkit (ICCT): control banding and, 1281–1282, 1304
- COSHH validation and, 1291–1292
- International standards: control banding and, 1268
- Control of Substances Hazardous to Health (COSHH) strategy and, 1266
- COSHH essentials, 1295–1301
- occupational exposure limits, 921–931
- simplified risk reduction solutions, 1293–1295
- International Standards Organization (ISO): chemical protective clothing standards, 1256
- risk management standards, 779–780
- Investigation timelines, risk assessment, 747
- In vitro* techniques: occupational exposure limits, respiratory sensitizers, 895–896
- quantitative risk assessment and, 710–711
- In vivo* techniques, occupational exposure limits, respiratory sensitizers, 895–896
- ISCST dispersion model, computed tomography geometries, field studies, 645–646
- Isoamyl alcohol, pharmacokinetics modeling, unusual work shifts, 1023–1024
- Isolation, airborne contaminants control, 1076
- worker isolation, 1106
- Iterative algorithms, computed tomography, industrial hygiene applications, 633–637
- Iulucci model, occupational exposure limits, unusual work schedule, 996
- Japan, occupational exposure limits, 932–933
- Job analysis: airborne contaminants control, 1077–1081, 1100–1101
- chemical protective clothing selection, 1238–1244
- emission estimates and, 1062
- exposure limitation through, 1156–1157
- management policies and, 1165–1166
- Korea: control banding strategies in, 1301
- occupational exposure limits, 933
- Laboratories, records, emission estimates based on, 1059–1061
- Layout and design records, emission estimates and, 1061–1062
- Leading indicators, risk assessment using, 746–747
- Leaks, fugitive emissions, 1059
- Legal issues. *See also* Regulatory issues and guidelines risk assessment and management, 716–721, 775–776
- Light scattering, video exposure monitoring, aerosol measurement instrumentation, 591
- Linear least squares regression, occupational exposure limits, sensory irritants, 884–888
- Literature sources, risk assessment, 799–821
- Local exhaust ventilation (LEV), 1116–1136
- air cleaners, 1117
- air distribution, 1124
- airflow characteristics, 1120–1122
- capture/control velocities, 1120
- components, 1116–1118
- contaminant capture, 1125
- design criteria, 1127–1136

- Local exhaust ventilation (LEV) (*Continued*)  
 ductwork, 1117  
 emission enclosure, 1125  
 fans, 1117-1118  
 flanging effects, 1123-1124  
 hood-related equations, 1122-1123  
 hoods, 1117-1119  
 low volume high velocity systems, 1125-1126  
 makeup air provision, 1125  
 performance factors, 1119-1127  
 regulations and standards, 1134-1136  
 stacks, 1118  
 transport velocities, 1126-1127
- Logit modeling, occupational exposure limits, carcinogens, 900-902
- Log-normal distribution, exposure distributions, risk assessment using, 736-739
- Long-term average (LTA), occupational exposure limit, 729-731
- Loose-fitting facepiece, defined, 1173
- Loss factors, local exhaust ventilation:  
 design criteria, 1127-1136  
 hood-related equations, 1122-1123
- Low-dose extrapolation, occupational exposure limits, 733  
 carcinogens, 900-902
- Low volume high velocity exhaust systems, local exhaust ventilation, 1125-1126
- Maintenance procedures:  
 airborne contaminants control, 1104-1105  
 respiratory protective equipment, 1225-1226  
 ventilation systems testing, 1146
- Makeup air:  
 local exhaust ventilation, 1125  
 ventilation systems requirements, 1146-1148
- Management policies:  
 corporate occupational exposure limits, 913-916  
 employee information and training, 1157-1165  
 job analysis for exposure limitations, 1156-1157  
 occupational safety and health management systems, 1166-1167  
 research background, 1155-1156  
 risk assessment and management, 748-749, 778-780  
 work practices and procedures, 1165-1166
- Markov chain method, mathematical modeling, indoor air contaminants, 685-689  
 turbulent eddy diffusion and advection, 689-692
- Masks, respiratory protective equipment. *See also* Facepieces  
 gas masks, 1203-1204  
 hose masks, powered and nonpowered, 1210
- Mason and Dershin model, unusual work shifts, occupational exposure limits, 997
- Mass median aerodynamic diameter (MMAD), mathematical modeling, indoor air contaminants, well-mixed room, particle size distribution, 671-672
- Mass transfer phenomena, Hickey and Reist model, occupational exposure limits, 1000-1008
- Material safety data sheets (MSDS), employee information regarding, 1160-1162
- Materials balance, emission inventories, 1053  
 records and reports, 1062
- Materials distribution, emission estimates and, 1063
- Material spills, fugitive emissions, 1058-1059
- Materials replacement, airborne contaminants control, 1082-1088
- Material transport, airborne contaminants control, 1102-1103
- Mathematical modeling:  
 airborne particulates, indoor concentrations:  
 chemical emission rates, 662-664  
 constant emission rate, 667-670  
 dispersion patterns/worker location, 664-667  
 exponentially decreasing emission rate, 672-674, 676-678  
 hemispherical turbulent eddy diffusion, 678-681  
 Markov chain model, 685-689  
 NF/FF constant emissions, 674-676  
 particle size distribution, 671-672  
 research background, 661-662  
 turbulent eddy diffusion and advection, 689-692  
 WMR reversible sink model, 682-685  
 occupational exposure limits:  
 adjustment models, 917-925  
 carcinogens, 897-902  
 sensory irritants, 886-888  
 risk assessment, 702-703, 742-743
- Maximum allowable concentration (MAC), historical evolution of, 867-869
- Maximum flux, dermal occupational exposure limits, 908-909
- Maximum likelihood expectation maximization (MLEM) algorithm, computed tomography, industrial hygiene applications, 635-637
- Maximum tolerated dose (MTD), nonlinear pharmacokinetics models, 977-978
- Maximum use concentration (MUC), gas and vapor respirators, 1173, 1204-1206
- Maximum work rate (MWR), respiratory protective equipment, classification and certification, 1197
- Mechanically controlled ventilation, 1137
- Medical evaluation, respiratory protective equipment, 1223
- Mercury, occupational exposure limits, OSHA model, 995-996
- Metabolites, pharmacokinetics models, unusual work shifts, half-life determination, 1009-1011  
 [4,4'-Methylene dianiline] (MDA), dermal occupational exposure limits, 907-909
- Methylene chloride, video exposure monitoring, 599-600
- Methyl ethyl ketone (MEK), reference concentration for, 878-880
- Metrics-base measurements, risk assessment, 746-747
- Michaelis-Menten equation, nonlinear pharmacokinetics models, 977-978
- Michelson interferometer, open-path Fourier transform infrared spectrometry, 650

- Military regulations and guidelines, risk assessment, 786-787
- MiniRAE™, video exposure monitoring, 592
- Miran SapphRe Ambient Air Analyzer, nitrous oxide, video exposure monitoring studies, 606-607
- Mixing software/instrumentation, video exposure monitoring, 593-596
- Modifying factor (MF), occupational exposure limits and, 877-880
- Moisture content, dust control and, 1088-1089
- Molecular diffusion, mathematical modeling, indoor air contaminants, 663-664
- Molecular number concentration, mathematical modeling, indoor air contaminants, Markov chain method, 687-689
- Monitoring systems:
  - risk assessment, biological monitoring, 766-767
  - ventilation systems, 1141-1146
  - video exposure monitoring, 587-618
- Monomers, as polymer residuals, airborne contaminants control, 1090-1091
- Moolgavkar-Knudson-Venzon (MKV) modeling, risk assessment history and evolution, 702-703
- Moonlighting, occupational exposure limit adjustments for, 1033-1036
- Mouthpiece and nose-clamp assembly, defined, 1173
- Multigrad reconstruction:
  - algorithm development, 652-653
  - computed tomography, maximum likelihood expectation maximization, 636-637
- Multihit modeling, risk assessment history and evolution, 702-703
- Multiple-dosing curves, pharmacokinetics modeling, 965-967
- Multiplicative algebraic reconstruction technique (MART), computed tomography, industrial hygiene applications, 635
- Multistage modeling:
  - occupational exposure limits, carcinogens, 900-902
  - risk assessment history and evolution, 702-703
- MVTA software system, video exposure monitoring, 595-596
- Nanomaterials:
  - control banding, 1302-1303
  - quantitative risk assessment of, 711
  - respiratory protective equipment, 1216
- National Academy of Sciences (NAS), risk assessment history and evolution, 702-703, 713
- National Agri-Environmental Standards Initiative (NAESI) (Canada), ecological risk assessment, 767-768
- National Fire Protection Association (NFPA), chemical protective clothing standards, 1255
- National Institute for Occupational Safety and Health (NIOSH):
  - dermal exposure limits, 906-909
  - overlay technique, video exposure monitoring, 593
  - respiratory protective equipment development, 1170-1171
  - 42 CFR 84 adoption, 1175-1176
  - approval numbers, 1176
  - certification guidelines, 1195-1212
  - facepiece valves, 1198
  - filter classification, 1200-1202
  - filtering facepiece respirator, 1216
  - fit testing, 1179-1190
  - gas and vapor respirators, 1203-1207
  - oxygen deficiency definitions, 1214
  - performance evaluation, 1176-1177
  - powered air-purifying respirator, 1207
  - selection criteria, 1219-1223
  - self-contained breathing apparatus, 1194-1195
  - supplied-air respirators, 1193-1195, 1209-1211
  - workplace protection factors, 1186-1190
  - workplace testing, 1190-1195
- National Safety Council, risk assessment, 716
- National Toxicology Program (NTP), 702
- Natural disasters, risk management, 711-712
- Natural ventilation, 1136-1137
- Near field (NF) zone, mathematical modeling, indoor air contaminants:
  - constant emission rate, 674-676
  - dispersion patterns/worker location, 665-666
  - exponentially decreasing emission rate, 676-678
  - hemispheric turbulent eddy diffusion, no advection and constant emission rate, 679-681
  - Markov chain method, 688-689
- Nearness parameter, computed tomography design, 631-632
- Negative pressure respirator, 1173, 1188-1190
- Netherlands:
  - control banding strategies in, 1298-1299
  - occupational exposure limits, 933-934
- Network theory, risk assessment, 768
- Neurophysiology, risk assessment and, 780-783
- New chemical manufacture, airborne contaminants control, 1077-1081
- NF. *See* Near field zone
- Night shifts. *See* Shift studies
- 95th percentile estimation, exposure distributions, risk assessment using, 736-739
- Noise level limits:
  - job analysis for exposure reduction, 1157
  - unusual work schedule adjustments, 979-980
- Noncancer effects, risk assessment, nonoccupational exposures, 769-770
- Nonlinear pharmacokinetics models, shift studies, 976-978
- Nonoccupational exposures, risk assessment and, 768-770
- No observable adverse effect level (NOAEL), history and evolution, 699-703
- No observable effect levels (NOELs):
  - history and evolution, 699-703
  - occupational exposure limits and, 877-891
  - risk assessment, dose-response analysis, 707
- Not immediately dangerous to life or health (non-IDLH) condition, defined, 1173

- Nuclear pharmacy, radiation exposure, video exposure monitoring studies case study, 610-613
- Observational analysis:  
 occupational exposure, 832-833  
 risk assessment, history and evolution, 697-703
- Occupational exposure:  
 agents, 588  
 compliance testing and, 845-847  
 health effects, 589  
 observational groups, 832-833  
 sampling methods, 832-835, 855  
 types of, 588  
 variability, 589  
 video exposure monitoring, 589-591
- Occupational exposure bands, development of, 1272, 1274
- Occupational exposure limits (OELs). *See also* Permissible exposure limits; Threshold limit values (TLVs)  
 adjustment models, 917-925  
 basic principles, 828-832  
 carcinogens, 896-902  
 characterization and development, 729-734  
 compliance testing and, 845-847  
 control banding, 731-732, 937-938, 1266-1267, 1304-1305  
 corporate OELs, 913-916  
 dermal occupational exposure limits, 905-909  
 developmental toxicants, 888-889  
 exposure level comparisons, 845-854  
 future research issues, 935-942  
 Globally Harmonized System, 936-937  
 historical evolution, 863-869  
 intended use, 869-871  
 international standards, 925-935  
 management, 833  
 methodology, 873-909  
 mixtures, 902-905  
 neurotoxic agents, 890-891  
 odor management and control, 891-892  
 OSHA standards, 831-832  
 performance evaluation, 909-913  
 persistent chemicals, 892-893  
 reproductive toxicants, 889-890  
 respiratory sensitizers, 893-896  
 risk assessment and, 723-739  
 sensory irritants, 882-888  
 systemic toxicants, 880-882  
 theoretical background, 871-872  
 threshold limit values, 871-872  
 uncertainty factors, 877-880  
 in United States, 872-873  
 unusual work schedule adjustments:  
 carcinogens, 1030-1032  
 models, 981-1015  
 moonlighting, overtime and environmental exposures, 1033-1036  
 physiologically-based pharmacokinetic modeling, 1024-1028  
 rationale, 978-981  
 video exposure monitoring, 590-591  
 worker protection effectiveness, 909-913
- Occupational hazards, risk assessment, history and evolution, 698-703
- Occupational health, risk assessment, 759-764
- Occupational Risk Management Toolbox, control banding, 1303
- Occupational Safety and Health Administration (OSHA):  
 Hazard Communication Standard, 717-718  
 history and evolution, 699-703  
 occupational exposure standards, 831-832, 883-888, 916-918  
 overexposure studies, 847-848  
 respiratory protective equipment development, 1171  
 air-purifying respirators, 1191-1192  
 assigned protection factors, 1178-1179  
 gas and vapor respirators, 1203-1207  
 oxygen deficiency definitions, 1214  
 quantitative fit testing, 1184-1190  
 respirator program guidelines, 1217-1227  
 selection criteria, 1218-1223  
 self-contained breathing apparatus, 1194-1195  
 Standard 1910.134 revisions, 1175  
 supplied-air respirators, 1193-1195  
 workplace testing, 1190-1195  
 risk assessment guidelines, 717-718  
 substance toxicity table, 988  
 unusual work schedule adjustments models:  
 classification and examples, 985-996  
 comparison with other models, 1014-1015  
 occupational exposure limits, 981-1015  
 work schedule categories, 986-987  
 ventilation systems regulations, 1134-1136
- Occupational safety and health management systems (OSHMS), 1166-1167
- Odor management and control, occupational exposure limits, 891-892
- Off-the-job stresses, pharmacokinetics modeling, unusual work shifts, moonlighting and overtime work, 1033-1036
- One-compartment pharmacokinetics modeling, 965-969, 1000-1008
- One-hit modeling, 702-703, 900-902
- Ongoing emission rates, mathematical modeling, indoor air contaminants, Markov chain method, 688-689
- Open-circuit self-contained breathing apparatus, 1208-1209
- Open-path Fourier transform infrared (OP-FTIR) spectrometry:  
 air sampling applications, 622-627  
 computed tomography geometries, 642-646  
 design criteria, 627-633, 646-647  
 quantitative analysis, 651-652
- Operating conditions, emission estimates and, 1061
- Optical remote sensing (ORS):  
 air sampling applications, 622-627  
 background instrumentation, 646-651  
 computed tomography, 627-633, 638-645
- Oral dose model, risk assessment, 762-764

- Organic acids, occupational exposure limits, sensory irritants, 886-888
- Organic compounds, occupational exposure limits, sensory irritants, 886-888
- Outlet systems, dilution ventilation, 1140-1141
- Overexposure:
  - acceptable exceedance, 856-857
  - exceedance estimation, 849-850
  - probability, acceptable exposure test and, 853-854
  - risk assessment, 847-848
- Overlay technique, video exposure monitoring, 593
- Overtime work, occupational exposure limit adjustments for, 1033-1036
- Oxygen-deficient atmosphere, 1173, 1214
  
- Partial immersion in liquid, risk assessment and, 761-764
- Particle motion, mathematical modeling, indoor air contaminants, settling model, 691-692
- Particle size:
  - airborne contaminants control, 1089-1090
  - distributions, mathematical modeling, indoor air contaminants, well-mixed room construct, 671-672
  - respiratory protective equipment, 1190, 1199-1202
- Particulate matter:
  - pharmacokinetics models, unusual work shifts, 1020-1021
  - respiratory protective equipment, 1214-1215
  - video exposure monitoring, aerosol measurement instrumentation, 591
- Particulate respirators, classification and certification, 1195-1198
- Pathway analysis, risk assessment, 750
- Peak exposure assessment, 856
- Peak exposure/height error, 632, 1092-1096
- Peak location error, computed tomography design, 631-632
- Penetration, chemical protective clothing, 1236-1238
- Percentiles, exposure distributions, risk assessment using, 736-739
- Performance evaluation:
  - local exhaust ventilation, 1119-1127
  - respiratory protective equipment, 1176-1195, 1225
  - risk assessment, 745
  - threshold limit values, 909-913
  - ventilation systems, 1144-1146
- Permeation, chemical protective clothing, 1236-1238
- Permissible exposure limits (PELs):
  - Brief and Scala model, 917-920
  - defined, 1173
  - Haber's law model, 921-922
  - Hickey and Reist model, 1003-1008
  - interpretation guidelines, 832
  - OSHA standards, 831-832
  - sensory irritants, 883-888
  - skin absorption time, 908-909
  - unusual work schedule adjustments to, 988-997
- Persistent organic pollutants (POPs), occupational exposure limits, 892-893
- Personal monitoring devices, video exposure monitoring, airborne particulates case study, 601-600
- Personal protective equipment:
  - chemical protective clothing, 1235-1262
  - respiratory equipment, 1169-1217
    - air-purifying respirators, 1191-1193, 1198-1202, 1207
    - atmosphere supply systems, 1208-1209
    - breathing air quality, 1226-1227
    - chemical cartridge respirators, 1203-1207
    - classification and certification, 1195-1212
    - cold temperatures, 1227
    - communication problems, 1228
    - corrective lenses, 1127-1128
    - definitions, 1171-1175
    - escape respirators, 1212
    - facial hair interference, 1227
    - fit testing, 1179-1190, 1224
    - gas mask, 1203-1204
    - historical review, 1169-1171
    - maintenance and care guidelines, 1225-1226
    - medical evaluation, 1223-1224
    - oxygen deficiency, 1214
    - performance evaluation, 1176-1195, 1225
    - protection factors, 1177-1179
    - regulatory guidelines, 1175-1176
    - respirator program, 1217-1223
    - selection and use, 1212-1228
    - self-contained breathing apparatus, 1194-1195, 1208-1209
    - supplied-air respirators, 1193-1194, 1209-1211
    - supplied-air suits, 1212
    - training, 1224-1225
    - workplace testing, 1190-1195
  - video exposure monitoring, airborne particulates case study, 601-604
- Personnel records, emission estimates and, 1063-1064
- Pharmacokinetic models:
  - occupational exposure limits, 922-924
  - unusual work shifts:
    - air contaminant exposure limits, 980-981
    - biologic studies, 1036-1037
    - Brief and Scala model, 982-985
    - carcinogen exposure limits adjustments, 1028-1032
    - chemical absorption, 960-962
    - chemical accumulation in body, 974-976
    - exposure limits adjustments, 978-981
    - gases and vapors, 1022
    - half-life values, 962-963, 1009-1011
    - Hickey and Reist model, 997-1008, 1011-1015
    - Iulucci model, 996
    - Mason and Dershin model, 997
    - mixtures, 1022-1024
    - model comparisons, 1011-1015
    - noise exposure limits, 879-880
    - nonlinear models, 976-978
    - one-compartment model, 968-969
    - OSHA model, 985-996
    - overtime and moonlighting, 1033-1036
    - particulates, 1020-1021



- Pharmacokinetic models (*Continued*)  
 physiologically-based pharmacokinetic approach, 1024–1028  
 quantitative techniques, 1019–1020  
 research background, 957–959  
 Roach model, 1008–1009  
 seasonal occupations, 1036  
 short-term exposure limits, 1015–1019  
 spreadsheet approach, 1024  
 steady-state concept, 963–967  
 toxicological response uncertainty, 1037–1039  
 two-compartment model, 971–974
- Philippines, occupational exposure limits, 930
- Photoionization detector, video exposure monitoring, 591
- Physician/other licensed health care professional (PLHCP):  
 defined, 1173–1174  
 respiratory protective equipment selection and evaluation, 1223–1225
- Physiologically-based pharmacokinetic (PBPK) modeling:  
 occupational exposure limits, 874–877, 892–893, 924–925, 1024–1028  
 persistent chemicals, 892–893  
 unusual work shift adjustments, 1024–1028  
 risk assessment, 703, 759
- Physiological reaction to risk, 780–783
- Picture Mix Exposure (PIMEX) software system, video exposure monitoring, 593–595
- Pitot tube, ventilation systems testing and monitoring, 1142–1143
- Plant/company records and reports, emission estimates, 1059–1066
- Point sample mapping, computed tomography geometries, 642–644
- Poisons, pharmacokinetics modeling, unusual work shifts, 1022
- Polychlorinated biphenyls (PCBs), occupational exposure limits, unusual work schedule adjustments to, 994–995
- Polymers, airborne contaminants control, residual monomers in, 1090–1091
- PORTER scavenging system, nitrous oxide exposure monitoring, 605–606
- Positive pressure respirator, 1174, 1196–1197
- Powered air-purifying respirator (PAPR):  
 classification and certification, 1196–1197, 1207  
 defined, 1174  
 workplace testing, 1192–1193
- “Practical threshold” concept, occupational exposure limits, carcinogens, 896–899
- Pragmatic Exposure Control Concentrations (PECCs), control banding, 1269
- Preconstruction evaluation, ventilation systems testing, 1142
- Preliminary remediation goals (PRG), risk assessment guidelines, 764–765
- Pressure demand respirator, 1174, 1208–1211
- Probability:  
 exposure distribution, 848–849  
 mathematical modeling, indoor air contaminants:  
 Markov chain method, 685–689  
 turbulent eddy diffusion and advection, 690–692  
 overexposure, acceptable exposure test and, 853–854  
 risk assessment and, 696–697, 723–724, 773–775
- Probability vs. consequence matrix, risk assessment and, 721–724
- Probit modeling:  
 occupational exposure limits, carcinogens, 900–902  
 risk assessment history and evolution, 702–703
- Process controls, airborne contaminants, 1096–1100
- Process leaks, fugitive emissions, 1059
- Process records, emission estimates and, 1061–1062
- Process safety guidelines, risk assessment and, 723–724
- Production records, emission estimates and, 1061
- Product specifications, emission estimates and, 1059
- Professional judgment vs. expert opinion, 743
- Projection data distance, computed tomography design, 632
- Project records, emission estimates and, 1062
- Proportionality, mathematical modeling, indoor air contaminants, well-mixed room, constant emission rate, 670
- Prospective metrics, risk assessment, 746–747
- Protection factor (PF), respiratory protective equipment, 1177–1179
- Provisional/working occupational exposure limits, 731–732
- Psychological reaction to risk, 780–783
- Purchasing records, emission estimates and, 1063
- Qualitative analysis:  
 AIHA exposure assessment model, screening process, exposure ratings, 741–743  
 risk assessment, 758–759  
 ventilation systems testing, 1144
- Qualitative fit factor (QLFF), defined, 1174
- Qualitative fit test (QLFT):  
 defined, 1174  
 respiratory protective equipment, 1182, 1224
- Quality adjusted life years (QALYs), health hazard evaluation, cost-benefit analysis, 754
- Quality controls:  
 records management, emission estimates and, 1065  
 respiratory protective equipment, 1226–1227  
 risk assessment and, 714
- Quantification techniques:  
 emission inventories, 1051–1059  
 risk assessment, history and evolution, 698–703
- Quantitative analysis:  
 AIHA exposure assessment model, 742–743  
 dermal occupational exposure limits, 906–909  
 open-path Fourier transform infrared spectrometry, 648–649  
 risk assessment, 759

- unusual work schedules, pharmacokinetics modeling, 1019-1020
- ventilation systems testing, 1145-1146
- Quantitative fit factor (QNFF):
  - defined, 1174
  - respiratory protective equipment:
    - classification and certification, 1197
    - in-facepiece sampling, fit testing, 1186-1190
    - protection factor, 1178-1179
- Quantitative fit test (QNFT):
  - defined, 1174
  - respiratory protective equipment, 1178-1179, 1182-1190, 1224
- Quantitative risk assessment (QRA):
  - cost-benefit analysis, 751
  - history and evolution, 703
  - strengths and weaknesses, 709-711
- Radial distance, mathematical modeling, indoor air contaminants, turbulent eddy diffusion, 666-667
- Radiation exposure. *See also* Ionizing radiation; Nonionizing radiation
  - video exposure monitoring studies case study, 610-613
- Radionuclides, risk assessment, soil screening guidelines, 765
- Radio telemetry, video exposure monitoring, 592
- Random sampling, occupational exposure, 834
- Raoult's law, risk assessment, 760
- Ratio method, video exposure monitoring, 596-597
- Raw materials analysis, emission estimates and, 1059
- Reactive metrics, risk assessment, 747-748
- Real-time exposure assessment:
  - historical development, 587-588
  - video exposure monitoring, 597-598, 610-613
- Receiving hoods, local exhaust ventilation, 1119
- Recirculation, exhaust air, ventilation systems, 1149-1151
- Recordable events ratio, risk assessment, 747
- Records management, emission estimates and, 1064-1066
- Red Book* (National Academy of Sciences), risk assessment history and evolution, 702-703, 713
- Reduction and replacement strategies, airborne contaminants control, historical toxic chemicals, 1082-1088
- Reference concentrations (RFCs), occupational exposure limits, 877-882
- Reference doses (RfDs), occupational exposure limits and, 877-880
- Registration, Evaluation, Authorization and Restriction of Chemicals (REACH):
  - control banding and, 1266-1267
  - COSHH strategy and, 1296-1297
  - no-effect levels, 938-939
  - risk assessment initiatives, 720-721
- Regression functions, video exposure monitoring, 597-598
- Regulatory issues and guidelines. *See also* Standards and standardization
  - airborne contaminants control, 1107-1108
  - COSHH essentials strategy and, 1279-1280
  - emission estimates and, 1064, 1067
  - history and evolution of, 699-703
  - occupational exposure limits, 731
  - respiratory protective equipment, 1175-1176
  - risk assessment, 716-721
  - ventilation systems, 1134-1136
- Relative exposure dose/level, video exposure monitoring, 596-597
- Replacement technologies, airborne contaminants control, corporate toxic use reduction program, 1085-1088
- Reproductive toxicants, occupational exposure limits, 889-890
- Reputational controls, risk management, 711-712
- Research and development records, emission estimates and, 1059-1060
- Resource Conservation and Recovery Act (RCRA), risk assessment guidelines, 719
- Respirator, defined, 1174
- Respiratory inlet covering, defined, 1174
- Respiratory protective equipment (RPE):
  - airborne contaminants, 1214-1215
  - air-purifying respirators, 1191-1193, 1198-1202, 1207
  - atmosphere supply systems, 1208-1209
  - breathing air quality, 1226-1227
  - chemical cartridge respirators, 1203-1207
  - classification and certification, 1195-1212
  - cold temperatures, 1227
  - communication problems, 1228
  - corrective lenses, 1127-1128
  - definitions, 1171-1175
  - escape respirators, 1212
  - facial hair interference, 1227
  - fit testing, 1179-1190, 1224
  - gas mask, 1203-1204
  - historical review, 1169-1171
  - maintenance and care guidelines, 1225-1226
  - medical evaluation, 1223-1224
  - oxygen deficiency, 1214
  - performance evaluation, 1176-1195, 1225
  - protection factors, 1177-1179
  - regulatory guidelines, 1175-1176
  - respirator program, 1217-1223
  - selection and use, 1212-1228
  - self-contained breathing apparatus, 1194-1195, 1208-1209
  - supplied-air respirators, 1193-1194, 1209-1211
  - supplied-air suits, 1212
  - training, 1224-1225
  - workplace testing, 1190-1195
- Respiratory rate decrease (RD50), occupational exposure limits, sensory irritants, 886-888
- Respiratory sensitizers, occupational exposure limits, 893-896
- Response delay, direct-reading instruments, video exposure monitoring, 591-592
- Retention guidelines, records retention, emissions estimates and, 1065-1066

- Reversible sink, mathematical modeling, indoor air contaminants:  
 Markov chain method, 685-689  
 well-mixed room construct, 682-685
- Risk assessment:  
 COSHH strategy and, 1296-1297  
 defined, 696  
 framework for, 712-713  
 handbooks, textbooks, and review articles, 799-809  
 health hazards:  
 ALHA exposure risk model, 734-744  
 analytical methods and tools, 757-766  
 basic definitions, 696-697  
 biomonitoring, 766-767  
 cost benefit analysis integration, 749-755  
 dose-response assessment, 707  
 ecological risk assessment, 767-768  
 effectiveness measurement, 744-749  
 epidemiology, association-causation continuum, 755-756  
 episodic and cumulative risk methods, 721-724  
 exposure assessment, 707-708, 727-728  
 hazard identification, 706  
 history and evolution, 697-703  
 modern procedures, 703-705  
 network theory, 768  
 nonoccupational assessment, 768-770  
 occupational exposure limits, 724-734  
 quantitative analysis, strengths and weaknesses, 709-711  
 regulatory and legal issues, 716-721  
 research background, 695  
 resources for, 783-821  
 risk characterization, 708  
 risk profiling, 771-775  
 unitary vs. integrated risk, 712-716  
 matrix for management of, 778-780  
 OSHA permissible exposure limits, 831-832  
 overexposure studies, 847-848  
 results expression and interpretation, 713  
 risk management vs., 710-711
- Risk characterization:  
 cost-benefit analysis, 752-753  
 ecological risk assessment, 767-768
- Risk management:  
 defined, 696  
 economic issues, 776-778  
 insurance and legal issues, 775-776  
 integrated system of, 716  
 risk assessment vs., 710-711  
 standards for, 778-780
- Risk profiling, 771-775
- Risk ranking matrix, risk profiling and, 771-772
- Roach model, pharmacokinetics, usual work shifts, 1008-1009
- Robotics, airborne contaminants control, 1100-1101
- Root mean square (RMS) techniques, peak location, computed tomography design, 631-632
- R-phrases, COSHH essentials strategy and, 1276-1278
- Russia, occupational exposure limits, 934-935
- "Safe" levels:  
 occupational exposure limits, carcinogens, 900-902  
 risk assessment, 698-703, 709
- Safe Sedate Dental Nasal Mask, nitrous oxide exposure monitoring, 605-606
- Safety factor methods, occupational exposure limits, developmental toxicants, 889
- Safety guidelines and standards:  
 control banding and, 1302  
 exhaust air recirculation, ventilation systems, 1150-1151  
 occupational exposure limits, 733  
 risk assessment and, 722-724
- Sampling methods:  
 emission inventories, source sampling, 1052-1053  
 exposure distributions, risk assessment using, 737-739  
 occupational exposure, 832-835, 855
- SATEL-3ASd instrumentation, video exposure monitoring, 592
- Scale-up, airborne contaminants control, 1077-1081
- Scheduling data, emission estimates and, 1061
- Seasonal work schedules, occupational exposure limits, 995, 1036
- Secondary data and records, emission estimates and, 1065
- Self-assessment, occupational exposure, 834-835
- Self-contained breathing apparatus (SCBA):  
 classification and certification, 1174, 1196-1197, 1208-1211  
 oxygen deficiency conditions, 1214  
 quantitative fit testing, 1183-1184  
 workplace testing, 1194-1195
- Self-contained self-rescuer, 1209
- Self-paced instruction, employee information and training, 1160
- Semi-quantitative analysis, ventilation systems testing, 1144-1145
- Semi-quantitative risk assessment (SQRA), 1300
- Sensory irritants, occupational exposure limits, 882-888, 1022
- Sentinel organisms, risk assessment and, 714
- Service of equipment, airborne contaminants control, 1104-1105
- Shift studies, pharmacokinetic models, unusual work shifts:  
 air contaminant exposure limits, 980-981  
 biologic studies, 1036-1037  
 Brief and Scala model, 982-985  
 carcinogen exposure limits adjustments, 1028-1032  
 chemical absorption, 960-962  
 chemical accumulation in body, 974-976  
 exposure limits adjustments, 978-981  
 gases and vapors, 1022  
 half-life values, 962-963, 1009-1011  
 Hickey and Reist model, 997-1008, 1011-1015  
 Iulucci model, 996  
 Mason and Dershin model, 997  
 mixtures, 1022-1024  
 model comparisons, 1011-1015

- noise exposure limits, 879–880
- nonlinear models, 976–978
- one-compartment model, 968–969
- OSHA model, 985–996
- overtime and moonlighting, 1033–1036
- particulates, 1020–1021
- physiologically-based pharmacokinetic approach, 1024–1028
- quantitative techniques, 1019–1020
- research background, 957–959
- Roach model, 1008–1009
- seasonal occupations, 1036
- short-term exposure limits, 1015–1019
- spreadsheet approach, 1024
- steady-state concept, 963–967
- toxicological response uncertainty, 1037–1039
- two-compartment model, 971–974
- Short-term exposure limit (STEL):  
defined, 829–831  
occupational exposure limits and, 729–731  
sensory irritants, 882–888  
unusual work schedule adjustments, 1015–1019
- Silica, control banding of, 1301–1302
- Similar exposure group (SEG) concept, AIHA exposure assessment model, 740–743
- Simulated workplace protection factor (SWPF), respiratory protective equipment testing, 1174, 1190–1195
- Simulation studies:  
optical remote sensing geometries, 640–642  
reconstruction algorithms, computed tomography, 637–638
- Simultaneous algebraic reconstruction technique (SART), computed tomography, industrial hygiene applications, 635
- Simultaneous iterative reconstruction algorithm, computed tomography, industrial hygiene applications, 635
- Singapore, control banding strategies in, 1300
- Single-step intake, risk assessment, 762–764
- Single-step transition probability, mathematical modeling, indoor air contaminants, Markov chain method, 686–689
- Sinks, mathematical modeling, indoor air contaminants, 682–689
- Site identification, emission inventory, 1050–1051
- Skewness, exposure distributions, risk assessment using, 737–739
- Skin absorption and penetration. *See also* Dermal exposure limits  
dose model for entry route, risk assessment and, 761–764  
occupational exposure limits, 895–896, 905–909
- Slow sinks, mathematical modeling, indoor air contaminants, Markov chain method, 688–689
- Slurry form, airborne contaminants control, 1090
- Small data sets, exposure distributions, risk assessment using, 737–739
- Small group sessions, employee information and training, 1163
- SMART process, risk assessment, 749
- Smoke, defined, 1174
- Smooth basic function minimization (SBFM), computed tomography, 637
- Sodium bicarbonate, video exposure monitoring, 599–600
- Soil screening levels, risk assessment, 765
- Solvent characteristics, airborne contaminants control, 1088–1089, 1091–1092
- Sorbent properties, gas and vapor respirators, 1202–1203
- Source-pathway-receptor model, risk assessment, 757–759
- Source sampling, emission inventories, 1052–1053
- Spills, fugitive emissions, 1058–1059
- Sporadic peak exposures, unusual work schedule adjustments, 1015–1019
- Spreadsheet analysis, pharmacokinetics modeling, unusual work shifts, 1024
- Stacks, local exhaust ventilation, 1118
- Standard operating procedures (SOPs), emission estimates and, 1059
- Standards and standardization. *See also* Regulatory issues and guidelines  
airborne contaminants control, 1107–1108  
chemical protective clothing, 1246–1256  
control banding, 1280–1281  
COSHH essentials strategy and, 1280–1281  
international standards, occupational exposure limits, 925–935  
risk management, 778–780, 789–790  
ventilation systems, 1134–1136
- Standard temperature and pressure (STP), ventilation systems, airflow rate, 1112–1113
- Start-up testing, ventilation systems, 1141
- State toxic use reduction programs, airborne contaminants control, 1084–1085
- Static pressure, ventilation systems, 1114–1115, 1123
- Steady-state concentration:  
mathematical modeling, indoor air contaminants, NF/FF zones, constant emission rate, 675–676  
pharmacokinetics modeling, 963–967  
risk assessment, 759–764
- Step model, substitution process, airborne contaminants control, 1084–1088
- STP. *See* Standard temperature and pressure
- Structural fires, fugitive emissions, 1058–1059
- Structure-activity relationship (SAR), occupational exposure limits:  
respiratory sensitizers, 895–896  
systemic toxicants, 881–882
- Subject/patient selection, video exposure monitoring, 598
- Substitution, airborne contaminants control, 1075–1076, 1082–1088
- Superfund:  
resources on, 783–821  
risk assessment guidelines, 719, 764–765
- Supplied-air respirator (SAR):  
classification and certification, 1196–1197, 1209–1211  
defined, 1175

- Supplied-air respirator (SAR) (*Continued*)  
 oxygen deficiency conditions, 1214  
 quantitative fit testing, 1183–1184  
 workplace testing, 1193–1195
- Supplied-air suits, 1212
- Surface water regulations, risk assessment, 766
- Symmetry, optical remote sensing, computed tomography design, 638–639
- Systemic toxicants, occupational exposure limits, 880–882
- Task-related exposures, 588  
 airborne contaminants control, 1092–1096, 1100–1101  
 chemical protective clothing selection, 1238–1244
- Technical feasibility, risk assessment, occupational exposure limits, 728
- Temperatures, respiratory protective equipment and, 1227
- Terminal settling velocity, mathematical modeling, indoor air contaminants:  
 particle settling model, 691–692  
 well-mixed room, constant emission rate, 670
- Testing protocols:  
 employee information and training, 1164  
 ventilation systems, 1141–1146
- Test mapping, computed tomography design, 630–633, 637–638
- Tetrachlorodibenzo-*p*-dioxin (TCDD), occupational exposure limits, 892–893
- Thermoluminescent dosimeters (TLDs), radiation exposure, video exposure monitoring studies case study, 610–613
- Three-dimensional random walk, mathematical modeling, indoor air contaminants, turbulent eddy diffusion, 666–667
- Three-dimensional tomography, future research issues, 652–653
- Threshold limit values (TLVs):  
 basic principles, 829–831  
 Brief and Scala model, 917–920, 982–985  
 carcinogens, 896–902, 1030–1032  
 control banding vs., 1266–1267  
 corporate exposure limits, 913–916  
 dermal exposure limits, 905–909  
 future research issues, 939–940  
 hazard identification, 706  
 health basis for, 830  
 Hickey and Reist model, 1003–1008  
 intended use, 869–871  
 long-term vs. short-term, 829–830  
 methodology for, 873–877  
 methylene chloride, 599–600  
 mixtures, 902–905  
 nitrous oxide exposure, video exposure monitoring case study, 604–606  
 nonoccupational exposures, 769–770  
 performance evaluation, 909–913  
 physiologically-based pharmacokinetic modeling, 1025–1028  
 risk assessment, 716–718  
 sensory irritants, 882–888  
 theoretical background, 871–872  
 uncertainty factors and, 877–880  
 unusual work shifts, pharmacokinetic models, 922–924, 980–985  
 variability in, 830–831  
 worker protection efficacy, 909–913
- Tight-fitting facepiece, defined, 1175
- Tight-fitting respiratory inlet covering, defined, 1175
- Time and motion studies, emission estimates and, 1062
- Time factors, emission inventory, 1051
- Time-series maps, computed tomography design, 630–633, 640–642
- Time trends, occupational exposure studies, 855–856
- Time-weighted average (TWA):  
 occupational exposure limits, 729–731  
 threshold limit values, 829–831
- Toluene diisocyanate (TDI), occupational exposure limits, unusual work schedule adjustments to, 995
- Total exposure estimates, risk assessment, 763–764
- Total inward leakage (TIL) regulations, 1176–1190
- Total pressure, ventilation systems, 1114–1115
- Toxicants. *See also* specific toxicants, e.g., Xenobiotics  
 engineering controls, 1081–1092  
 occupational exposure limits, 880–882, 888–890  
 pharmacokinetics modeling, 967–968
- Toxicity:  
 chemical-specific toxicity values, 766  
 control banding and measurement of, 1269  
 defined, 696  
 EPA profiles, 765–766
- Toxicokinetics:  
 occupational exposure limits, 732  
 unusual shifts, uncertainty regarding, 1036–1037
- Toxicology:  
 control banding linked to, 1272–1273  
 COSHH essentials strategy and, 1276–1278  
 defined, 692
- Toxics Release Inventory (TRI) database, airborne contaminants control, 1083–1088
- Toxic Substances Control Act (TSCA), 699
- Training programs:  
 control banding, 1308  
 employee information and training programs, 1157–1165  
 respiratory protective equipment, 1224–1225  
 risk assessment, completion measures, 747
- Transport velocities, local exhaust ventilation, 1126–1127
- Turbulent eddy diffusion, mathematical modeling, indoor air contaminants:  
 advection and, 689–692  
 dispersion patterns/worker location, 666–667,  
 hemispheric turbulent eddy diffusion, no advection and  
 constant emission rate, 678–681
- Two-compartment pharmacokinetics modeling, basic principles, 971–974
- Two-dimensional concentration mapping, air sampling applications, 622–627
- Two-step intake/uptake, risk assessment, 762–764

- Uncertainty:  
 occupational exposure limits, 733, 877–891  
 risk assessment, 708, 735–739  
 unusual work shift exposure studies, toxicological response, 1037–1039
- Unconditional probability, mathematical modeling, indoor air contaminants, Markov chain method, 686–689
- Unitary risk, classification, 712
- United Kingdom:  
 Control of Substances Hazardous to Health (COSHH) strategy in, 1267–1268  
 occupational exposure limits, 935  
 United States, occupational exposure limits in, 872–873
- Unusual work shifts, pharmacokinetic models:  
 air contaminant exposure limits, 980–981  
 biologic studies, 1036–1037  
 Brief and Scala model, 982–985  
 carcinogen exposure limits adjustments, 1028–1032  
 chemical absorption, 959–962  
 chemical accumulation in body, 974–976  
 exposure limits adjustments, 978–981  
 gases and vapors, 1022  
 half-life values, 960–961, 1009–1011  
 Hickey and Reist model, 997–1008, 1011–1015  
 Iuliucci model, 996  
 Mason and Dershin model, 997  
 mixtures, 1022–1024  
 model comparisons, 1011–1015  
 noise exposure limits, 879–880  
 nonlinear models, 976–978  
 one-compartment model, 968–969  
 OSHA model, 985–996  
 overtime and moonlighting, 1033–1036  
 particulates, 1020–1021  
 physiologically-based pharmacokinetic approach, 1024–1028  
 quantitative techniques, 1019–1020  
 research background, 957–959  
 Roach model, 1008–1009  
 seasonal occupations, 1036  
 short-term exposure limits, 1015–1019  
 spreadsheet approach, 1024  
 steady-state concept, 963–967  
 toxicological response uncertainty, 1037–1039  
 two-compartment model, 971–974
- Uptake simulation, Hickey and Reist model, occupational exposure limits, 1000–1008
- User seal check, defined, 1175
- Validation, control banding strategies, 1281–1293, 1307
- Value of Statistical Life Year (VSLY), health hazard evaluation, cost-benefit analysis, 753–754
- Valves, respirator facepieces, 1198
- Vapors:  
 defined, 1175  
 emission rate, mathematical modeling, indoor air contaminants, 662–664  
 pharmacokinetics modeling, unusual work shifts, 1022  
 physiologically-based pharmacokinetic modeling, 1026–1028  
 respiratory protective equipment, 1202–1207
- Variability:  
 exposure levels, 589  
 risk assessment, exposure distributions, 736–739  
 threshold limit values, 830–831
- Variable emission rate, mathematical modeling, indoor air contaminants, functions, 663–664
- Velocity, ventilation systems, 1113–1114, 1120
- Velocity pressure (VP):  
 local exhaust ventilation, hood-related equations, 1123  
 ventilation systems, 1113–1114
- Vendor information, emission estimates and, 1060–1061
- Ventilation rate, pharmacokinetics modeling, 961–963
- Ventilation removal rate constants, mathematical modeling, indoor air contaminants, NF/FF zones, constant emission rate, 674–676
- Ventilation systems:  
 airborne contaminants control, 1107  
 airflow rate, 1112–1113  
 air supply principles, 1148–1149  
 comparisons, 1141  
 definitions and physical relationships, 1112–1113  
 density correction, non-STP air, 1113  
 dilution ventilation, 1136–1141  
 energy losses, 1115  
 exhaust air recirculation, 1149–1151  
 local exhaust ventilation, 1116–1136  
 makeup air, 1146–1148  
 research background, 1111–1112  
 static pressure, 1114–1115  
 testing and monitoring, 1141–1146  
 total pressure, 1114–1115  
 velocity and velocity pressure, 1113–1114  
 video exposure monitoring, 591, 599–600
- Verification, control banding strategies, 1281–1293, 1307
- Video equipment, video exposure monitoring, 592–593
- Video exposure monitoring (VEM):  
 aerosol measurement instrumentation, 591  
 airborne contaminants control, 1080–1081  
 applications, 590–591  
 assessment strategy, 589–590  
 case studies, 599–618  
 data interpretation, 596–598  
 direct-reading instrumentation, 591–592  
 future research applications, 598  
 historical development, 587–588  
 indications for, 589  
 instrumentation applicability, 598  
 mixing software/instrumentation, 593–596  
 monitoring and mixed systems, 590  
 photoionization detector, 587  
 radio telemetry, 592  
 ratio method, activities/total exposure, 596–597  
 regression function, 597–598  
 response-delay, direct-reading instruments, 587–588  
 subject selection criteria, 598

- Video exposure monitoring (VEM) (*Continued*)  
 video equipment, 592-593  
 worker activities classification, 596
- Visual evaluation, computed tomography design, 633
- Volume flow rates, dilution ventilation, 1138-1139
- Warning labels and signs, employee information regarding, 1159-1160, 1164-1165
- Waste gas scavenging systems, dental offices, nitrous oxide exposure risk, 605-606
- Waste Reduction Innovative Technology Evaluation (WRITE) program, airborne contaminants control, 1082-1088
- Weibull modeling:  
 occupational exposure limits, carcinogens, 900-902  
 risk assessment history and evolution, 702-703
- Well-mixed room (WMR) construct, mathematical modeling, indoor air contaminants:  
 constant emission rate, 668-670  
 dispersion patterns/worker location, 664-665  
 exponentially decreasing emission rate, 672-674  
 Markov chain method, 685-689  
 particle size distribution, 671-672  
 reversible sink, 682-685
- Willingness to pay (WTP) estimates, health hazard evaluation, cost-benefit analysis, 753-754
- WMR. *See* Well-mixed room construct
- Worker activities classification:  
 airborne contaminants control, 1080-1081  
 management policies and, 1165-1166  
 video exposure monitoring, 596
- Worker (receptor) location:  
 airborne contaminants control, worker isolation, 1106  
 mathematical modeling, indoor air contaminants, 664-667
- Workplace exposure limits:  
 emissions estimates, 1067  
 history and evolution of, 699-703
- Workplace practices:  
 airborne contaminants control, task modification, automation and robotics, 1100-1101  
 emission estimates and, 1061-1062  
 exposure factors, 588  
 management policies and, 1165-1166  
 occupational exposure limits, 732  
 radiation exposure case study, video exposure monitoring, 612-613  
 respiratory protective equipment, 1176-1177, 1190-1195
- Workplace protection factor (WPF), respiratory protective equipment, 1175, 1186-1192
- Workstation design, airborne contaminants control, 1103-1104
- Worst case sampling, occupational exposure, 833-835  
 sensory irritants, 884-888
- Zero-order reaction rate, nonlinear pharmacokinetics models, 977-978

# INDEX

- Absolute pressure, barometric pressure  
 physiology, 1565–1568  
 submarines, 1572–1573
- Absorption, internal radiation, 1365–1366
- Absorption coefficient, defined, 1508
- Absorptive materials:  
 heat stress shielding, 1734  
 noise control systems, 1539–1541
- Accelerators, radiation from, 1348
- Accelerometers, vibration, 1596–1597  
 hand-arm vibration exposure assessment, 1608–1610
- Acclimatized workers, heat stress and, 1690, 1701–1703
- Actinic hazard function, ultraviolet radiation hazards, 1413–1414
- Acute heat disorders, heat stress and, 1707–1713**
- Adaptation, cold stress and, 1654–1655
- Administrative controls:  
 ergonomics analysis, 1770–1771  
 heat stress, 1740–1743  
 self-limitation techniques, 1741–1743  
 time-limited exposures, 1740–1741  
 work/recovery cycles, 1741  
 radiofrequency radiation, 1475  
 tuberculosis control and management, 1956–1957
- Aerosols, microbial indoor air quality and, 1872
- Aging:  
 ergonomics risk analysis, 1767–1768, 1774  
 heat-related illness risk and, 1711
- Agriculture pathogens, biosafety containment levels, 1897
- Airborne infectious disease:  
 bioterrorism agents, 1966–1968  
 control hierarchy, 1950  
 human/avian influenza, 1963–1964  
 immunocompromised workers, 1968  
 laboratory exposures, 1965  
 mycobacterial infections, 1950–1962  
 opportunistic pathogens, 1964  
 outdoor exposures, 1964–1965  
 research background, 1949–1950  
 SARS exposure, 1965–1966  
 viral infections, 1962–1963
- Airline employees, tuberculosis exposure risk, 1953
- Air sampling:  
 biohazardous agents:  
 Legionella control strategies, 1867–1871  
 microbial indoor air quality, 1871–1872  
 risk assessment, 1884–1886  
 radiation safety surveys, 1373–1374
- Air temperature:  
 heat stress measurement, 1718  
 heat stress prevention, 1743–1744
- Air velocity, heat stress measurement, 1720
- ALARA (as low as reasonably achievable) principle,  
 ionizing radiation safety standards, 1361
- Alcohol/drug abuse, heat-related illness and, 1712–1713
- Allergens, occupational infectious disease and, 1791, 1855–1863
- Alpha particles, basic properties, 1351–1352



## 1980 INDEX

- Ambient noise, defined, 1508
- American Conference of Government Industrial Hygienists (ACGIH):  
ANSI Z81.1-2003 standard, 1427-1428  
biohazardous agent risk assessment, 1882-1886  
hand-arm vibration syndrome exposure limits, 1633-1634  
heat stress standards, 1691-1692  
metabolic heat production guidelines, 1695-1696  
optical radiation hazards, 1414-1415  
radiofrequency radiation exposure limits, 1459
- American National Standards Institute (ANSI):  
ANSI S3.19, 1549-1551  
ANSI S12.6, 1551  
ANSI S12.16 guidelines, 1540  
ANSI Z136 laser safety standards, 1381  
laser eye protection (Z136.7), 1397-1399  
S2.70 hand-arm vibration syndrome exposure limits, 1634
- American Society of Heating, Refrigerating, and Airconditioning Engineers (ASHRAE),  
Legionella control strategies, 1867-1871
- Ampere's law, radiofrequency radiation hazard evaluation, 1445-1446
- Anechoic room, defined, 1508
- Anemometers, air velocity measurement, 1720
- Animal studies, biosafety containment levels in, 1896-1897
- Annual limit of intake (ALI), ionizing radiation safety standards, 1362
- Antennas, radiofrequency radiation:  
exposure limits, 1451-1452  
exposure measurement, 1461-1466
- Anthrax, as bioterrorism agent, 1966-1967
- Anthropogenic radiation sources, 1347-1349
- Anthropometric parameters, ergonomics risk analysis, 1768, 1772-1774
- Antivibration gloves, 1618
- Aphakic hazard, optical radiation, 1416-1417
- Arc lamps, optical radiation, 1410-1412
- Arc welding, optical radiation exposure, 1431-1433
- Arterial gas embolism, barometric pressure physiology, 1584-1588
- Arthropod containment, biosafety containment levels, 1897
- Artificial gas mixtures, barometric pressure physiology, 1569-1570
- Aseptic necrosis of bone, barometric pressure physiology, 1586-1587
- Attenuation:  
defined, 1508  
hearing protectors, 1552-1553
- Audiogram, defined, 1508
- Audiometer:  
defined, 1508  
hearing measurement, 1523-1525, 1527-1528  
hearing conservation programs, 1557-1558
- Automation, ergonomics risk analysis, 1772-1773
- Auxiliary heating systems, cold stress management, 1677-1678
- Averaging time, radiofrequency radiation exposure, 1456
- Avian/bird flu, 1963-1964  
transmission and epidemiology, 1876-1877
- Bacille Calmette-Guerin vaccine, tuberculosis testing and, 1954-1956
- Bacteria, occupational infectious disease and, 1791, 1806-1843
- Barometric pressure physiology:  
ascent barotrauma, 1574  
compression disorders, 1573-1574  
dive fitness, 1589-1591  
inert gas narcosis and high-pressure nervous syndrome, 1574-1575  
oxygen toxicity, 1576-1578  
pressurized environments, 1566-1573  
aseptic bone necrosis, 1586-1587  
basic principles, 1566-1568  
compressed air diving and artificial gas mixtures, 1569-1570  
decompression illness, 1583-1584  
decompression principles, 1581-1582  
hyperbaric chambers, 1571  
immersion and breath-hold diving, 1568-1569  
pulmonary barotrauma and gas embolism, 1584-1586  
saturation diving, 1570-1571  
submarines, 1572-1573  
tunnels and caissons, 1571-1572  
pulmonary function and gas exchange, 1575-1576  
recompression and hyperbaric oxygen therapy, 1587-1588  
research background, 1565-1566  
thermal problems and energy balance, 1578-1581
- Barotrauma, barometric pressure physiology, 1574  
pulmonary barotrauma and arterial gas embolism, 1584-1587
- Barrier materials:  
laser technology, 1397-1399  
noise control systems, 1541
- Beam profiles, laser technology, 1390-1391
- Beer-Lambert law, optical radiation, 1404-1406
- Behavioral patterns:  
cold adaptation, 1654-1655  
cold stress prevention, 1675
- Beta particles:  
basic properties, 1352-1354  
matter interaction, 1353-1354  
shielding from, 1365
- Bioaerosols:  
biohazardous agent risk assessment, 1882-1886  
control and containment of emissions, 1905-1906
- Biodynamic coordinate system, hand-arm vibration exposure assessment, 1604
- Bioeffects, ionizing radiation, 1359-1360
- Biohazardous agents  
basic properties, 1787-1789  
control strategies and systems:  
administrative controls, 1903-1913

- bioaerosols, 1905–1906
- biological safety cabinets, 1913–1921
- bioterrorism and biosecurity, 1900–1903
- compliance assessment, 1912–1913
- engineering controls, 1913–1929
- exposure assessment, 1908–1909
- filtration systems, 1923–1926
- immunization, 1909–1910
- infectious waste management, 1933–1940
- laboratory containment techniques, 1892–1900, 1905–1906, 1940
- medical surveillance, 1906–1910
- occupational exposure limits, 1891–1892
- personal protective equipment, 1921, 1929–1933
- programs and manuals, 1910–1913
- regulatory guidelines, 1940–1943
- sharps containers handling, 1921–1925
- tuberculosis transmission prevention, 1923
- ultraviolet irradiation, 1927–1929
- workplace practices, 1903–1913
- infectious disease transmission:
  - allergens, 1791, 1855–1863
  - bacteria, 1791, 1806–1843
  - chain of infection, 1791
  - fungi, 1791, 1844–1854
  - host susceptibility, 1790–1791
  - influenza, 1875–1882
  - mechanisms, 1789–1790
  - pathogenicity and virulence, 1790
  - reservoirs and hosts, 1789–1790
  - Staphylococcus aureus* disease and drug resistance, 1872–1875
  - viruses, 1791–1805
  - Legionellae/legionellosis, 1863–1871
  - microbial indoor air quality, 1871–1872
  - risk assessment, 1882–1886
  - safety issues, 1863–1886
- Biological monitoring, biohazard control and containment, 1906–1910
- Biosafety:
  - containment levels, 1892–1900
  - defined, 1891–1892
- Biotechnology industries, biosafety containment levels, 1897, 1900
- Bioterrorism:
  - biohazard control systems and, 1891–1892, 1900–1903
  - infectious agents, 1966–1967
- Blackbody sources, broadband optical radiation, 1409–1410
- Black box operation, laser technology, 1387–1391
  - beam profiles, 1390–1391
  - mode-locking, 1390
  - \* Q-switching, 1389–1390
- Blue-light hazard, optical radiation, 1415–1416
- Body cooling systems, heat stress prevention, 1743–1745
- Body fat, heat-related illness, 1712
- Body temperature:
  - cold stress and, 1640–1642, 1647–1649
  - heat stress and regulation of, 1699–1703
- Bohr atomic model, radioisotopes, 1349
- Bone, aseptic necrosis, barometric pressure physiology, 1586–1587
- Brazing, optical radiation exposure, 1431–1433
- Breath-hold diving, barometric pressure physiology, 1568–1569
- Bremsstrahlung, particle radiation, 1354–1355
- Broadband instrumentation, radiofrequency radiation measurement, 1460–1466
- Broadband optical radiation:
  - detectors and dosimeters, 1419–1420
  - nonionizing radiation:
    - control principles, 1423–1428
    - dental curing and bleaching, 1435
    - germicidal lamps, 1434–1435
    - glassblowing and foundries, 1435–1436
    - hazard assessment, 1413–1423
    - industrial hygiene models, 1436–1438
    - matter interaction, 1404–1406
  - physics:
    - optical radiation principles, 1402–1404
    - photocured coatings, 1432–1434
    - radiometric/photometric terms and units, 1406–1409
    - research background, 1401–1402
    - solar radiation exposure, outdoor workers, 1428–1431
    - sources, 1409–1412
    - stage and studio lighting, 1435
    - welding, cutting, and brazing, 1431–1432
  - spectral corrections, 1420–1421
- Broadcasting antennas, radiofrequency radiation exposure, 1451–1452
- Bronchospasm, cold stress and, 1654
- Bubble formation, barometric pressure physiology, decompression, 1583–1587
- Bulk sampling and analysis, biohazardous agent risk assessment, 1883–1884
- Caissons, barometric pressure physiology, 1571–1572
  - decompression illness, 1583–1587
- Calibration methods:
  - noise measurement, 1532–1533
  - radiofrequency radiation measurement, 1466
- Campylobacter* bacteria, outdoor exposure to, 1964–1965
- Carbon dioxide, barometric pressure physiology, immersion and breath-hold diving, 1568–1569
- Carbon monoxide exposure, heat stress, 1706–1707
- Cardiovascular response:
  - cold stress and, 1649–1650, 1654
  - heat stress and, 1700, 1704–1705
- Carpal tunnel syndrome, 1601
- Ceiling limits, heat stress standards, 1690
- Cerebral blood flow, body temperature regulation, heat stress and, 1699–1700
- Chain of infection, infectious agents, 1791
- Characteristic impedance, radiofrequency radiation hazard evaluation, 1446
- Chilled coil systems, heat stress control, 1736

- Chokes syndrome, decompression illness, barometric pressure physiology, 1584-1587
- Circulatory regulation, heat stress and, 1700, 1704-1705
- Class 1 lasers, measurements and classification, 1391
- Class 1M/2M lasers, measurements and classification, 1392-1394
- Class 2 lasers, measurements and classification, 1391-1392
- Class 3 lasers, measurements and classification, 1392
- Class 4 lasers, measurements and classification, 1392
- Climate, cold stress and, 1644
- Clothing, protective:
  - cold stress management, 1661, 1675-1677
  - radiofrequency radiation, 1475-1476
  - worker-environmental heat exchange, 1697-1699
- Clothing adjustment factors (CAF), worker-environmental heat exchange, 1698-1699
- Coal burning boilers, radiation sources, 1348
- Coatings, optical radiation exposure, 1432, 1434
- Coherence, laser technology, 1383-1384
- Cold stress:
  - adaptation, 1654-1655
  - basic properties, 1639-1640
  - body temperatures, 1640-1642
  - climate factors, 1644
  - health effects, 1651-1654
  - human heat balance, 1655-1664
  - physiological responses, 1646-1651
  - prevention, 1673-1679
  - risk assessment, 1664-1673
  - temperature regulation, 1645-1646
  - terms and definitions, 1640
  - tissue cooling, 1644-1645
  - work environment, 1642-1645
- Collection of airborne microorganisms on nucleopore filter estimato and analysis (CAMNEA), biohazardous agent risk assessment, 1885-1886
- Communications problems, hearing protectors, 1553-1554
- Communications systems, radiofrequency radiation exposure, 1451-1454
- Compressed air, barometric pressure physiology, 1569-1570
- Compression disorders, barometric pressure physiology, 1573-1574
- Compton scattering, electromagnetic radiation, 1356-1357
- Concentration demands, ergonomics risk analysis, 1762-1764
- Conduction, cold stress, human heat balance and, 1660
- Contact cooling, cold stress and, 1672-1673
- Contact current, radiofrequency radiation:
  - exposure limit, 1458-1459
  - exposure measurement, 1464-1466
  - hazard evaluation, 1445-1446
  - measurement, 1471-1472
- Containment strategies for biohazards, 1892-1900, 1905-1906, 1940
- Continuous noise, defined, 1508
- Continuous wave laser technology, 1375-1387
- Control systems:
  - airborne infectious disease, 1950
  - biohazardous agents, Legionellae/Legionellosis, 1877
  - ergonomics analysis, 1770-1771
  - laser technology, 1394-1395
  - Legionella control strategies, 1867
  - noise control, 1537-1543
    - absorptive materials, 1540-1541
    - acoustical silencers, 1541-1542
    - barrier systems, enclosures, and pipe lagging, 1541
    - quiet-by-design initiatives, 1539-1540
    - source identification and prioritization, 1538-1539
    - vibration damping, 1542-1543
    - vibration isolation, 1542
  - optical radiation, 1423-1428
    - solar radiation, 1430-1431
  - radiofrequency radiation, 1472-1476
    - administrative/procedural controls, 1475
    - engineering controls, 1472-1475
    - protective equipment, 1475-1476
- Convection:
  - cold stress, human heat balance and, 1658-1660
  - worker-environmental heat exchange, 1696-1697
- Cooled-water system, heat stress control, 1736
- Core temperature:
  - cold stress and, 1640-1641
  - heat stress and, 1705
- Cornea, infrared radiation hazards, 1418
- Corrected effective temperature (CET), heat stress standards, 1715
- Cosmic radiation, sources, 1346-1347
- Crest factor, vibration analysis, 1597
- Current transformer, radiofrequency radiation measurement, 1464-1466
- Daily vibration exposure calculation, hand-arm vibration exposure assessment, 1605-1607
- Damage-risk criteria, noise exposure assessment, 1533
- Data evaluation:
  - ergonomics risk prevention, 1770-1771
  - Legionella control strategies, 1869-1870
- DC shift phenomenon, vibration, 1608-1609
- Decay rate, ionizing radiation, 1349-1350
- Decibel (dB):
  - defined, 1508
  - hearing measurement, 1526-1527
  - sound pressure/sound pressure level measurements, 1512-1513
- Decompression, barometric pressure physiology, 1581-1587
- illness, 1583-1587
- Density thickness, beta particles, 1353
- Dental offices, optical radiation exposure, dental curing and bleaching, 1435
- Department of Energy (DOE) (U.S.), ionizing radiation safety standards, 1363
- Deterministic bioeffects, ionizing radiation, 1359-1360
- Didymium glass, optical radiation exposure, 1436

## 1982 INDEX

- Chokes syndrome, decompression illness, barometric pressure physiology, 1584-1587
- Circulatory regulation, heat stress and, 1700, 1704-1705
- Class 1 lasers, measurements and classification, 1391
- Class 1M/2M lasers, measurements and classification, 1392-1394
- Class 2 lasers, measurements and classification, 1391-1392
- Class 3 lasers, measurements and classification, 1392
- Class 4 lasers, measurements and classification, 1392
- Climate, cold stress and, 1644
- Clothing, protective:  
cold stress management, 1661, 1675-1677  
radiofrequency radiation, 1475-1476  
worker-environmental heat exchange, 1697-1699
- Clothing adjustment factors (CAF), worker-environmental heat exchange, 1698-1699
- Coal burning boilers, radiation sources, 1348
- Coatings, optical radiation exposure, 1432, 1434
- Coherence, laser technology, 1383-1384
- Cold stress:  
adaptation, 1654-1655  
basic properties, 1639-1640  
body temperatures, 1640-1642  
climate factors, 1644  
health effects, 1651-1654  
human heat balance, 1655-1664  
physiological responses, 1646-1651  
prevention, 1673-1679  
risk assessment, 1664-1673  
temperature regulation, 1645-1646  
terms and definitions, 1640  
tissue cooling, 1644-1645  
work environment, 1642-1645
- Collection of airborne microorganisms on nucleopore filter estimato and analysis (CAMNEA), biohazardous agent risk assessment, 1885-1886
- Communications problems, hearing protectors, 1553-1554
- Communications systems, radiofrequency radiation exposure, 1451-1454
- Compressed air, barometric pressure physiology, 1569-1570
- Compression disorders, barometric pressure physiology, 1573-1574
- Compton scattering, electromagnetic radiation, 1356-1357
- Concentration demands, ergonomics risk analysis, 1762-1764
- Conduction, cold stress, human heat balance and, 1660
- Contact cooling, cold stress and, 1672-1673
- Contact current, radiofrequency radiation:  
exposure limit, 1458-1459  
exposure measurement, 1464-1466  
hazard evaluation, 1445-1446  
measurement, 1471-1472
- Containment strategies for biohazards, 1892-1900, 1905-1906, 1940
- Continuous noise, defined, 1508
- Continuous wave laser technology, 1375-1387
- Control systems:  
airborne infectious disease, 1950  
biohazardous agents, *Legionellae*/*Legionellosis*, 1877  
ergonomics analysis, 1770-1771  
laser technology, 1394-1395  
*Legionella* control strategies, 1867  
noise control, 1537-1543  
absorptive materials, 1540-1541  
acoustical silencers, 1541-1542  
barrier systems, enclosures, and pipe lagging, 1541  
quiet-by-design initiatives, 1539-1540  
source identification and prioritization, 1538-1539  
vibration damping, 1542-1543  
vibration isolation, 1542  
optical radiation, 1423-1428  
solar radiation, 1430-1431  
radiofrequency radiation, 1472-1476  
administrative/procedural controls, 1475  
engineering controls, 1472-1475  
protective equipment, 1475-1476
- Convection:  
cold stress, human heat balance and, 1658-1660  
worker-environmental heat exchange, 1696-1697
- Cooled-water system, heat stress control, 1736
- Core temperature:  
cold stress and, 1640-1641  
heat stress and, 1705
- Cornea, infrared radiation hazards, 1418
- Corrected effective temperature (CET), heat stress standards, 1715
- Cosmic radiation, sources, 1346-1347
- Crest factor, vibration analysis, 1597
- Current transformer, radiofrequency radiation measurement, 1464-1466
- Daily vibration exposure calculation, hand-arm vibration exposure assessment, 1605-1607
- Damage-risk criteria, noise exposure assessment, 1533
- Data evaluation:  
ergonomics risk prevention, 1770-1771  
*Legionella* control strategies, 1869-1870
- DC shift phenomenon, vibration, 1608-1609
- Decay rate, ionizing radiation, 1349-1350
- Decibel (dB):  
defined, 1508  
hearing measurement, 1526-1527  
sound pressure/sound pressure level measurements, 1512-1513
- Decompression, barometric pressure physiology, 1581-1587  
illness, 1583-1587
- Density thickness, beta particles, 1353
- Dental offices, optical radiation exposure, dental curing and bleaching, 1435
- Department of Energy (DOE) (U.S.), ionizing radiation safety standards, 1363
- Deterministic bioeffects, ionizing radiation, 1359-1360
- Didymium glass, optical radiation exposure, 1436

- Dielectric heaters, radiofrequency radiation exposure, 1450
- Diffuse sound field, defined, 1508
- Digital waveform capturing (DWC) systems, extremely low frequency radiation, magnetic-field strength, 1490-1493
- Directionality, laser technology, 1383
- Distance from source measurements:  
optical radiation exposure, 1425-1426  
radiofrequency radiation, 1470, 1475
- Diving, barometric pressure physiology:  
fitness evaluation and, 1589-1590  
immersion and breath-hold diving, 1568-1569  
long-term health effects, 1590-1591  
saturation diving, 1570-1571  
thermal problems and energy balance, 1578-1581
- Dose, infectious disease transmission, 1790
- Dose-response analysis, hand-arm vibration syndrome, 1613
- Dosimetry:  
broadband optical technology, 1419-1420  
ionizing radiation, 1357-1359, 1368-1371  
electronic dosimeters, 1369-1370  
film badges, 1370  
optically stimulated luminescence, 1369  
personal dosimeters, 1369-1370  
pocket dosimeters, 1370-1371  
portable survey meters, 1369  
thermoluminescent dosimeters, 1370  
noise measurement, 1532
- Dry bulb temperature, heat stress indices, 1714
- Duration of exposure/employment:  
hand-arm vibration exposure assessment, 1610-1611, 1627-1628  
optical radiation control, 1424  
radiofrequency radiation, 1475
- Duty factor, radiofrequency radiation hazard evaluation, 1448-1449
- Ear, anatomy and physiology, 1517-1521
- Educational programs, cold stress management, 1678-1679
- Effective dose equivalent, radiation dosimetry, 1358-1359
- Effective irradiance, ultraviolet radiation hazards, 1413-1414
- Effective sound pressure, defined, 1508
- Effective temperature index, heat stress standards, 1688, 1714-1715
- Electrical discharges, broadband optical radiation, 1412
- Electric-field strength:  
extremely low frequency radiation, 1496-1499  
radiofrequency radiation hazard evaluation, 1445-1446
- Electromagnetic radiation, 1355-1356. *See also* Optical radiation
- Electronic dosimeters, radiation dosimetry, 1370-1371
- Electronic excitation, optical radiation, 1405-1406
- Electrostimulation, radiofrequency radiation exposure, 1455-1458
- Embolism, barometric pressure physiology, arterial gas embolism, 1584-1587
- Emergency medical services, tuberculosis exposure risk, 1952
- Emissivity, hot surfaces, heat stress control systems, 1732-1733
- Employee training and information programs:  
cold stress management, 1678-1679  
hand-arm vibration risk management, 1627  
hearing conservation programs, 1559
- Enclosure structures, noise control systems, 1539-1541
- Energy:  
cold stress, human heat balance, 1656-1664  
ionizing radiation, 1348-1349
- Engineering controls:  
ergonomics analysis, 1770-1771  
heat stress, 1731-1739  
hot/dry environment, 1738-1739  
moisture control, 1737  
source controls, 1732-1734  
ventilation systems, 1735-1737  
warm/humid environments, 1737-1738  
workstation localized cooling, 1734-1735  
radiofrequency radiation, 1472-1475
- Environmental/health factors, industrial hygiene:  
ergonomics risk analysis, 1765-1767  
Legionellae/Legionellosis, 1863-1871  
radiofrequency radiation sources, 1449-1450  
tuberculosis control and management, 1957-1958
- Environmental heat exposures:  
heat stress standards, 1690-1691  
worker-environmental heat exchange, 1696-1699
- Environmental Protection Agency (EPA), ionizing radiation safety standards, 1361
- Environment-driven work zones, heat stress standards, 1729-1730
- Epidemiology, Legionellae/legionellosis, 1863-1864
- Equipment specifications:  
cold stress management, 1678  
hand-arm vibration risk management, 1619-1625
- Equivalent pressure units, barometric pressure physiology, 1566-1567
- Ergonomics analysis. *See also* Workplace practices  
controls and interventions, 1770-1771  
current issues, 1772-1773  
future research issues, 1773-1774  
historical background, 1772  
research background, 1753-1754  
risk factors, 1754-1770  
environmental risk factors, 1765-1767  
evaluations, 1769-1770  
organizational risk factors, 1764-1765  
personal risk factors, 1767-1769  
physical risk factors, 1755-1762  
prevention, 1771-1772  
psychosocial risk factors, 1762-1764  
workplace practices, 1754-1755
- Errors, hand-arm vibration exposure assessment, 1611
- Erythral effective irradiance, optical radiation hazards, 1414-1415

- European Union, hand-arm vibration syndrome exposure limits, 1630-1633
- Evaporation, cold stress, human heat balance and, 1660-1661
- Evaporative cooling:  
heat stress control systems, 1736, 1738-1739  
worker-environmental heat exchange, 1697-1698
- Evaporative resistance, cold stress, heat exchange and, 1662, 1664
- Exposure action value/exposure limit value, hand-arm vibration exposure assessment, 1606-1607, 1616
- Exposure limits:  
biohazard control and containment, 1905-1906  
hand-arm vibration syndrome, 1630-1635  
heat stress and strain, 1726-1727  
management of, 1731  
time limited exposures, 1740-1741  
radiofrequency radiation exposure, 1455-1460  
averaging time, 1456  
electrostimulation, 1455-1458  
IEEE C95 standard, 1457-1459  
resonance, 1455
- Exposure measurements:  
biohazardous agent risk assessment, 1882-1886  
hand-arm vibration, 1602-1611  
noise exposure, 1533-1537  
optical radiation hazards, 1413-1418  
radiofrequency radiation, 1466-1472  
contact and induced currents, 1471-1472  
distance measurements, 1470  
numerical methods, 1467-1468  
source information, 1466-1468  
spatial averaging, 1471  
time averaging, 1472
- Exposure points system, hand-arm vibration exposure assessment, 1606
- Exposure Smart Protector (ESP), noise exposure assessment, 1535-1536
- Exposure-to-disease continuum, infectious agents, 1790
- Extensively drug-resistant tuberculosis (XDR-TB), 1958-1959
- External radiation, safety principles, 1363-1365  
distance from source maximization, 1364  
exposure time minimization, 1364  
gamma ray shielding, 1364-1365
- Extremely low frequency radiation:  
electric field measurements, 1496-1499  
fluxgate magnetometer, 1494-1495  
frequency and waveform, 1484-1485  
health effects, 1485-1486  
magnetic fields, 1486-1493, 1495-1496  
medical implants, 1503-1504  
multiphase magnetic field sensing, 1493-1494  
research background, 1483-1484  
residential fields, 1486-1488  
safety guidelines and standards, 1499-1502
- Extremity cooling, cold stress risk assessment, 1670-1673
- Eye protection:  
laser technology, 1397  
optical radiation:  
filter shade numbers, 1427-1428  
hazard assessment, 1413-1418  
pulsed laser technology, 1386-1387
- Fabrics, ultraviolet-protective clothing, 1426-1427
- Face mask, cold stress management, 1677
- Facility layout and design, ergonomics risk analysis, 1769-1770
- Far field (FF) zone, radiofrequency radiation hazard evaluation, 1446-1447
- Fast Fourier transform (FFT), noise analysis, 1530-1531
- Federal regulations, radiofrequency radiation exposure limits, 1459-1460
- Field-strength meters, radiofrequency radiation measurement, 1465-1466
- Field studies, hearing protectors, 1554-1556
- Film badges, radiation dosimetry, 1370
- Filter shade numbers, optical radiation exposure, 1427-1429
- Fitness parameters:  
barometric pressure physiology, diving fitness, 1589-1591  
heat-related illness and, 1713
- Flexible shielding, heat stress controls, 1734
- Flexion (trunk/low back), ergonomics risk analysis, 1760-1762
- Fluid replacement, heat stress and, 1700-1701
- Fluorescence, optical radiation, 1405-1406
- Fluxgate magnetometer, extremely low frequency radiation, 1494-1495
- Footwear, cold stress management, 1677
- Forceful exertions, ergonomics risk analysis, 1759-1762
- Foundries, optical radiation exposure, 1435-1436
- Free field, defined, 1509
- Freezing injuries, cold stress, 1653-1654
- Frequency:  
defined, 1509  
electromagnetic radiation, 1356-1357  
extremely low frequency radiation, 1484-1485  
hand-arm vibration exposure, range and weighting, 1603-1604  
ITU frequency band designations, 1483-1484  
noise analysis, 1517  
response characteristics, 1530-1531
- Frequency counters, radiofrequency radiation measurement, 1465-1466
- Fresh air supply, heat stress controls, 1735-1736
- Fungi, occupational infectious disease and, 1791, 1844-1854
- Gain, radiofrequency radiation hazard evaluation, 1447-1448
- Gamma rays:  
electromagnetic radiation, 1355-1356  
Geiger-Muller (G-M) counters, 1367-1368  
shielding from, 1364-1365
- Gas discharge lamps, optical radiation, 1410-1412

- Gases:
- artificial gas mixtures, barometric pressure physiology, 1569–1570
  - barometric pressure physiology, compression and pressurization, 1573–1581
  - respiratory penetration and absorption, barometric pressure physiology, 1575–1576
- Geiger-Muller (G-M) counters, ionizing radiation, 1367–1368
- Gender-based risk:
- ergonomics risk analysis, 1767
  - heat-related illness, 1711
- Germicidal lamps, optical radiation exposure, 1434–1435
- Glassblowing, optical radiation exposure, 1435–1436
- Goniometry, ergonomics risk analysis, 1761–1762
- Grip strength, ergonomics risk analysis, 1759–1762
- H5N1 influenza, 1963–1964
- transmission and epidemiology, 1876–1879
- Half-life, ionizing radiation decay rate, 1349–1350
- Hall-effect magnetic field sensors, extremely low frequency radiation, 1494
- Hand-arm vibration (HAV), 1597–1601
- dose-response relationships, 1613
  - exposure assessment, 1602–1611
  - health surveillance, 1628–1630
  - predictability, 1601
  - risk management, 1618–1628
  - Stockholm workshop scale, 1601
- Handwear, cold stress prevention, 1676–1677
- Hand/wrist flexure, ergonomics risk analysis, 1760–1762
- Harmonic motion, vibration, 1595–1597
- Hazard analysis:
- laser technology:
    - hazard classification, 1381–1382
    - measurements, 1391–1394
  - noise hazards, hearing conservation programs, 1556–1557
- Head protection, cold stress management, 1677
- Health care professionals:
- tuberculosis exposure risk, 1952–1954
  - viral infection risk in, 1962–1963
- Health hazard evaluation:
- cold stress, 1651–1654
  - diving fitness, 1589–1591
  - extremely low frequency radiation, 1485–1486
  - heat stress, 1706–1713
- Hearing conservation, noise exposure and:
- chemical ototoxicity and, 1522–1523
  - conservation program requirements, 1556–1560
  - ear structure and physiology, 1517–1521
  - exposure assessments, 1533–1537
  - hearing damage mechanisms, 1521–1522
  - hearing measurement, 1523–1525
  - hearing protection devices, 1543–1556
  - noise control techniques, 1537–1543
  - noise measurement, 1527–1533
  - program evaluation, 1561–1562
  - program implementation and development, 1560–1561
  - research background, 1507
  - sound physics, 1511–1517
  - terminology, 1507–1511
- Hearing threshold, defined, 1511
- Heat balance equation:
- barometric pressure physiology, 1579–1581
  - worker-environment heat exchange, 1694
- Heat cramps, 1710
- Heated air removal, heat stress control, 1736–1737
- Heat exchange:
- cold stress, human heat balance and, 1658–1664
  - worker-environment heat exchange, 1694–1699
- Heat exhaustion, 1710
- Heat rashes, 1710–1711
- Heat stress:
- administrative controls, 1740–1743
  - self-limitation techniques, 1741–1743
  - time-limited exposures, 1740–1741
  - work/recovery cycles, 1741
  - assessment:
    - exposure management, 1731
    - standards, 1728–1731
    - stress/strain correlation, 1726–1728
  - disorders and tolerance factors, 1706–1713
  - engineering controls, 1731–1739
  - hot/dry environment, 1738–1739
  - moisture control, 1737
  - source controls, 1732–1734
  - ventilation systems, 1735–1737
  - warm/humid environments, 1737–1738
  - workstation localized cooling, 1734–1735
  - nomenclature and abbreviations, 1686–1687
  - personal protective equipment, 1743–1745
  - research background, 1685–1694
- Heat stress indices (HSIs), 1703–1705, 1714–1717
- standards for, 1729
- Heatstroke, 1707
- Hertz, defined, 1509
- Highly pathogenic avian influenza (HPAI), 1963–1964
- High-pressure nervous syndrome, barometric pressure physiology, 1574–1575
- Hospital-acquired diseases, *Staphylococcus aureus*, 1874
- Host susceptibility, infectious agents, 1789–1791
- Hot-dry industries, heat stress in, 1686
- evaporative cooling systems, 1738–1739
- Hot surface emissivity reduction, heat stress control systems, 1732–1733
- Hot-wire anemometer, air velocity measurement, 1720
- Hughson-Westlake method, hearing measurement, 1527
- Human heat balance, cold stress, 1655–1664
- Human influenza, 1963–1964
- Humidity, heat stress measurement and, 1718–1719
- Hydrostatic pressure, immersion and breath-hold diving, 1568–1569
- Hygrometers, humidity measurement, 1719
- Hyperbaric chambers, barometric pressure physiology, 1571

- Hyperbaric oxygen therapy, barometric pressure physiology, 1587-1588
- Hypothalamus, body temperature regulation, heat stress and, 1699-1700
- Hypothermia, cold stress, 1652-1653
- Ice, heat stress prevention and, 1744-1745
- Immersion, barometric pressure physiology, 1568-1569
- Immunocompromised workers, infectious disease risk and, 1968
- Impedance. *See* Characteristic impedance
- Impulse noise, defined, 1509
- Induced current, radiofrequency radiation: exposure limits, 1458-1459 exposure measurement, 1464-1466 hazard evaluation, 1445-1446 measurement, 1471-1472
- Induction heating systems, radiofrequency radiation exposure, 1450-1451
- Inert gases, barometric pressure physiology: decompression, 1583-1587 narcosis, 1574-1575
- Infectious disease: airborne disease: bioterrorism agents, 1966-1968 control hierarchy, 1950 human/avian influenza, 1963-1964 immunocompromised workers, 1968 laboratory exposures, 1965 mycobacterial infections, 1950-1962 opportunistic pathogens, 1964 outdoor exposures, 1964-1965 research background, 1949-1950 SARS exposure, 1965-1966 viral infections, 1962-1963 allergens, 1791, 1855-1863 bacteria, 1791, 1806-1843 biosafety containment levels, 1892-1900, 1905-1906, 1940 chain of infection, 1791 fungi, 1791, 1844-1854 host susceptibility, 1790-1791 influenza, 1875-1882 pathogenicity and virulence, 1790 reservoirs and hosts, 1789-1790 *Staphylococcus aureus* disease and drug resistance, 1872-1875 transmission mechanisms, 1789-1790 viruses, 1791-1805
- Influenza: human and avian strains, 1963-1964 transmission and epidemiology, 1875-1882
- Infrared (IR) radiation: cornea and lens hazards, 1418 shielding equipment and materials, 1427
- Infrasound frequency, defined, 1509
- Ingestion, internal radiation, 1365-1366
- Inhalation, internal radiation, 1365-1366
- Injection, internal radiation, 1365-1366
- Injuries, cold stress, 1651-1654
- Inner ear, anatomy and physiology, 1521
- Insertion loss, defined, 1509
- Institute of Electrical and Electronic Engineers (IEEE): C95.1 standard, radiofrequency radiation, 1445, 1457-1459 C95.3 standard, 1470
- Instrumentation: noise measurement, 1532-1533 radiation dosimetry, 1357-1359, 1368-1371 electronic dosimeters, 1369-1370 film badges, 1370 optically stimulated luminescence, 1369 personal dosimeters, 1369-1370 pocket dosimeters, 1370-1371 portable survey meters, 1369 thermoluminescent dosimeters, 1370 radiation safety surveys, 1372-1374 radiofrequency radiation exposure measurement, 1460-1466 selection criteria, 1469
- Insulation, heat stress control systems, 1733
- Interactive health effects, heat stress, 1706-1707
- Interferon gamma release assays (IGRAs), tuberculosis testing, 1954-1956
- Internal radiation: assessment, 1374-1375 safety principles, 1365-1366
- International Atomic Energy Agency (IAEA), ionizing radiation safety standards, 1360-1361
- International Commission on Illumination (Commission Internationale de l'Éclairage) (CIE): photon energy classification, 1403-1404 ultraviolet radiation hazards, 1414-1415
- International Commission on Radiological Protection (ICRP), ionizing radiation, dosimetry units, 1357-1358
- International standards, heat stress standards, 1692-1694
- International Standards Organization (ISO): heat stress standards, 1692-1694 ISO 5349 hand-arm vibration exposure, 1603-1604, 1613-1614 ISO 20643, machine vibration emission, 1612
- Interventions, ergonomics analysis, 1770-1771
- Inverse square law, optical radiation, 1408-1409
- In vitro* techniques, internal radiation assessment, 1374-1375
- In vivo* techniques, internal radiation assessment, 1374-1375
- Ionization, particle radiation, 1353-1354
- Ionizing radiation: bioeffects, 1359-1360 dosimetry, 1357-1359, 1368-1371 electronic dosimeters, 1369-1370 film badges, 1370 optically stimulated luminescence, 1369 personal dosimeters, 1369-1370 pocket dosimeters, 1370-1371 portable survey meters, 1369 thermoluminescent dosimeters, 1370



- external radiation, safety standards, 1363-1365  
 future research issues, 1375  
 internal radiation:  
   assessment, 1374-1375  
   safety standards, 1365-1366  
 particle counting instruments, 1366-1369  
 particle radiation, 1351-1357  
   alpha particles, 1351-1352  
   beta particles, 1352-1354  
   bremsstrahlung production, 1354-1355  
   electromagnetic radiation, 1355-1356  
 physical principles, 1348-1351  
   decay rate, 1349-1350  
   energy, 1348  
   radioactivity, quantity of, 1350  
   radioisotopes, 1349  
   specific activity, 1350-1351  
 research background, 1345-1346  
 safety standards, 1360-1366  
   assessment, 1366  
   Department of Energy, 1363  
   external radiation, 1363-1365  
   international radiation, 1365-1366  
   Mine Safety and Health Administration, 1363  
   Nuclear Regulatory Commission, 1361-1362  
   Occupational Safety and Health Administration, 1362-1363  
 safety surveys, 1372-1374  
 sources, 1346-1348  
   anthropogenic sources, 1347-1349  
   natural radiation, 1346-1349  
 Irradiance, optical radiation, 1408-1409  
 Isolation, heat stress control systems, 1732-1733
- Japan, hand-arm vibration syndrome exposure  
 limits, 1633
- Job analysis, cold stress prevention, 1674-1679  
 Job control, ergonomics risk analysis, 1763-1764  
 Job satisfaction, ergonomics risk analysis, 1763-1764  
 Joint motion, ergonomics risk analysis, 1762  
 Joint posture, ergonomics risk analysis, 1759-1762
- Kerr cells, Q-switching, 1389-1390
- Laboratories:  
 biohazard agents in:  
   containment techniques, 1892-1900, 1905-1906, 1940  
   risk assessment, 1885-1886  
   infectious disease risk in, 1965-1966  
   tuberculosis exposure risk, 1952  
 Lambert's cosine law, optical radiation, 1409  
 Lamp classifications, optical radiation measurements, 1422-1423  
 Large-scale production, biosafety containment levels in, 1896  
 Laser technology, nonionizing radiation, 1379-1381  
   barriers, 1397-1399  
   beam measurements, 1395-1396  
   black box operation, 1387-1391  
   beam profiles, 1390-1391  
   mode-locking, 1390  
   Q-switching, 1389-1390  
   coherence, 1383-1384  
   control systems, 1394-1395  
   directionality, 1383  
   eye protection, 1396-1397  
   hazard evaluation measurements and classification, 1391-1394  
   hazardous properties, 1381-1383  
   pulsed and continuous-wave operations, 1375-1387  
   radiance, 1384-1385  
   wavelength, 1385  
 Latitude effect, ionizing radiation, 1347
- Legionellae/Legionellosis:  
 clinical syndromes and epidemiology, 1863-1864  
 control strategies, 1867  
 environmental biology, 1865-1866  
 environmental sampling, 1867-1871  
 Legionnaire's disease, 1961-1962  
 transmission mechanisms, 1864-1865  
 worker protection, 1871  
 Legionnaire's disease, 1961-1962
- Lens, infrared radiation hazards, 1418
- Liberty Mutual Psychophysical Tables, ergonomics risk analysis, 1755-1762
- Light-emitting diodes:  
 broadband optical radiation, 1412  
 ultraviolet radiation, 1434
- Lighting, ergonomics risk analysis, 1766-1767
- Lignite burning boilers, radiation sources, 1348
- Linear No Threshold (LNT) model, ionizing radiation safety, 1360-1366
- Line of sight measurements, optical radiation exposure, 1424-1425
- Liquid cooling systems, heat stress prevention, 1744
- Liquid-in-glass thermometer, air temperature measurement, 1718
- Local exhaust ventilation, heat stress controls, 1734
- Local magnitude, ergonomics risk analysis, 1755-1762
- Lost bell situation, barometric pressure physiology, 1580-1581
- Loudness, defined, 1509
- Lower back pain (LBP), ergonomics risk analysis, 1755-1762
- Lumbar motion monitor (LMM), ergonomics risk analysis, 1761-1762
- Lungs, barometric pressure physiology, compression disorders, 1573-1574
- Machine vibration emission, test codes, 1612
- Magnetic-field strength:  
 extremely low frequency radiation:  
   basic principles, 1486-1493  
   metering systems, 1490-1493  
   multiphase sensing, 1493-1494  
 radiofrequency radiation, electrostimulation, 1457-1459  
 radiofrequency radiation hazard evaluation, 1445-1446

- Magnetic flux density, extremely low frequency radiation, magnetic field strength, 1489-1493
- Maintenance procedures:  
 ergonomics risk prevention, 1770-1771  
 hand-arm vibration risk management, 1625
- Make-up air distribution, heat stress control, 1736
- Mass median aerodynamic diameter (MADD), radiation safety surveys, 1373-1374
- Matter interaction:  
 electromagnetic radiation, 1356-1357  
 optical radiation, 1404-1406  
 particle radiation, 1353-1354
- Maximum permissible exposure (MPE):  
 laser technology:  
 laser beam measurement, 1395-1396  
 pulsed/continuous-wave operation, 1383  
 radiofrequency radiation, 1457-1459
- Maxwell's theory, electromagnetic radiation, 1355-1357
- Mean body temperature, cold stress and, 1642
- Medical evaluation:  
 biohazard control and containment, 1906-1910  
 cold stress and, 1673  
 fitness to dive, 1589-1591
- Medical implants, extremely low frequency radiation, 1503-1504
- Mental stress, ergonomics risk analysis, 1763-1764
- Mercury vapor lamps, optical radiation exposure, 1434-1435
- Metabolic heat production, worker-environment heat exchange, 1694-1696
- Metabolism, cold stress, human heat balance, 1655-1664
- Methicillin-resistant *S. aureus* (MRSA), biosafety measures and, 1863, 1873-1875
- Microbial indoor air quality, biohazardous agent control, 1871-1872
- Microorganisms, basic properties, 1787-1789
- Microwave heaters, radiofrequency radiation exposure, 1451
- Middle ear, anatomy and physiology, 1519-1521
- Miliaria crystallina/Miliaria profunda*, heat stress and, 1710-1711
- Millirad, radiation dosimetry, 1357-1359
- Mine Safety and Health Administration (MSHA) (U.S.), ionizing radiation safety standards, 1363
- Mining industry, heat stress in, 1686
- Mode-locking, laser technology, 1390
- Modulation, radiofrequency radiation hazard evaluation, 1447-1448
- Moisture control, heat stress control and, 1737
- Moment arm, ergonomics risk analysis, 1756-1762
- Monitoring systems, heat stress exposure reduction, 1742-1743
- Monkeypox, as bioterrorism agent, 1966
- Multidrug-resistant tuberculosis (MDR-TB), 1958-1959
- Multiphase magnetic field sensing, extremely low frequency radiation, 1493-1494
- Multiple drug resistance, *Staphylococcus aureus* and, 1875
- Muscle temperature:  
 cold stress and, 1641  
 heat stress and, 1700
- Muscle tensing, cold stress and, 1646
- Musculoskeletal disorders, ergonomic risk factors, 1754-1755
- Musculoskeletal disorders (MSDs), ergonomic risk factors, 1754-1770  
 environmental risk factors, 1765-1767  
 evaluations, 1769-1770  
 organizational risk factors, 1764-1765  
 personal risk factors, 1767-1769  
 physical risk factors, 1755-1762  
 prevention, 1771-1772  
 psychosocial risk factors, 1762-1764  
 workplace practices, 1754-1755
- Mycobacterial infection, 1950-1962  
 Legionnaire's disease, 1961-1962  
 nontuberculous mycobacteria, 1959-1960  
 occupational tuberculosis, 1951-1959
- National Institute of Occupational Safety and Health (NIOSH):  
 hearing protector ratings, 1548-1551  
 heat stress standards, 1689-1691  
 local magnitude standard, 1755-1762  
 metabolic heat production guidelines, 1695-1696
- National Weather Service (NWS), heat stress indices, 1724-1725
- Natural radiation, sources, 1346-1347
- Near field (NF) zone, radiofrequency radiation hazard evaluation, 1446-1447
- 95th percentile estimation, radiation safety surveys, 1374
- Nitrogen uptake, barometric pressure physiology, decompression, 1581-1587
- Noise, defined, 1509
- Noise level limits:  
 hearing conservation and:  
 chemical ototoxicity and, 1522-1523  
 ear structure and physiology, 1517-1521  
 exposure assessments, 1533-1537  
 hearing damage mechanisms, 1521-1522  
 hearing measurement, 1523-1527  
 hearing protection devices, 1543-1556  
 noise control techniques, 1537-1543  
 noise measurement, 1527-1533  
 program evaluation, 1561-1562  
 program implementation and development, 1560-1561  
 program requirements, 1556-1560  
 research background, 1507  
 sound physics, 1511-1517  
 terminology, 1507-1511  
 measurement units, 1512-1517
- Noise reduction rating (NRR):  
 defined, 1509-1510  
 hearing protectors, 1549-1551
- Nominal hazard zone (NHZ), laser hazard measurement and classification, 1394
- Nonionizing radiation:  
 broadband optical technology:  
 control principles, 1423-1428

- dental curing and bleaching, 1435  
 germicidal lamps, 1434-1435  
 glassblowing and foundries, 1435-1436  
 hazard assessment, 1413-1423  
 industrial hygiene models, 1436-1438  
 matter interaction, 1404-1406  
 optical radiation principles, 1402-1404  
 photocured coatings, 1432-1434  
 radiometric/photometric terms and units, 1406-1409  
 research background, 1401-1402  
 solar radiation exposure, outdoor workers, 1428-1431  
 sources, 1409-1412  
 stage and studio lighting, 1435  
 welding, cutting, and brazing, 1431-1432
- extremely low frequency radiation:  
 electric field measurements, 1496-1499  
 fluxgate magnetometer, 1494-1495  
 frequency and waveform, 1484-1485  
 health effects, 1485-1486  
 magnetic fields, 1486-1493, 1495-1496  
 medical implants, 1503-1504  
 multiphase magnetic field sensing, 1493-1494  
 research background, 1483-1484  
 safety guidelines and standards, 1499-1502
- laser technology and, 1379-1381  
 barriers, 1397-1399  
 beam measurements, 1395-1396  
 black box operation, 1383-1391  
   beam profiles, 1390-1391  
   mode-locking, 1390  
   Q-switching, 1389-1390  
 coherence, 1383-1384  
 control systems, 1394-1395  
 directionality, 1383  
 eye protection, 1396-1397  
 hazard evaluation measurements and classification, 1391-1394  
 hazardous properties, 1381-1383  
 pulsed and continuous-wave operations, 1385-1387  
 radiance, 1384-1385  
 wavelength, 1385
- radiofrequency:  
 control systems, 1472-1476  
 exposure guidelines, 1455-1460  
 exposure measurement, 1466-1472  
 measurement instrumentation, 1460-1466  
 quantities and units, 1443-1449  
 research background, 1443  
 safety programs, 1476-1477  
 sources, 1449-1464
- Nonlinear effects, pulsed laser technology, 1386-1387
- Nonoccupational exposures:  
 noise exposure assessment, 1536  
 tuberculosis exposure risk, 1952-1953
- Nontuberculous mycobacteria (NTM), 1959-1960
- Nuclear reactors, as radiation source, 1348
- Nuclear Regulatory Commission (NRC), ionizing radiation safety standards, 1361-1362
- Numerical analysis, radiofrequency radiation measurement, 1467-1468
- Obesity:  
   ergonomics risk analysis, 1773-1774  
   heat-related illness and, 1712
- Object characteristics, ergonomics risk analysis, 1757-1762
- Observational studies, cold stress risk assessment, 1664-1665
- Occupational epidemiology, *Staphylococcus aureus* disease and drug resistance, 1874-1875
- Occupational exposure, radiofrequency radiation, 1450-1454
- Occupational exposure limits (OELs), biohazards control systems, 1891-1892
- Occupational Safety and Health Administration (OSHA):  
   biohazardous agent risk assessment, 1882-1886  
   diving fitness categories, 1589-1591  
   heat stress standards, 1688  
   ionizing radiation safety standards, 1362-1363  
   Legionella control strategies, 1867-1871
- Octave band, defined, 1510
- Oil and gas pipelines, radiation sources, 1348
- Open-circuit voltage, radiofrequency radiation exposure limits, 1459
- Opportunistic pathogens, epidemiology, 1964
- Optical density (OD):  
   laser eye protection, 1397  
   optical radiation-matter interaction, 1404-1406
- Optical instruments. *See* Laser technology
- Optically stimulated luminescence (OLS), radiation dosimetry, 1370
- Optical radiation:  
   control principles, 1423-1428  
   dental curing and bleaching, 1435  
   germicidal lamps, 1434-1435  
   glassblowing and foundries, 1435-1436  
   hazard assessment, 1413-1423  
     exposure guidelines, 1413-1418  
   industrial hygiene models, 1436-1438  
   matter interaction, 1404-1406  
   measurement of, 1419-1421  
   photocured coatings, 1432-1434  
   physics, 1402-1404  
   radiometric/photometric terms and units, 1406-1409  
   research background, 1401-1402  
   solar radiation exposure, outdoor workers, 1428-1431  
   sources, 1409-1412  
   stage and studio lighting, 1435  
   welding, cutting, and brazing, 1431-1432
- Optical spectrum, laser technology, 1379-1381
- Organizational risk factors, ergonomics risk analysis, 1764-1765
- Outdoor exposure mechanisms, infectious disease, 1964-1965
- Outer ear, anatomy and physiology, 1518-1519
- Oxygen, toxicity, barometric pressure physiology, 1576-1578
- Ozone, ultraviolet radiation and, 1418

## 1990 INDEX

- Pair production mechanism, electromagnetic radiation, 1356–1357
  - Pandemic, infectious disease transmission and epidemiology, 1877–1882
  - Parallel-plate capacitor, radiofrequency radiation measurement, 1464–1466
  - Particle counting instruments, ionizing radiation, 1366–1368
  - Particle radiation, 1351–1357
    - alpha particles, 1351–1352
    - beta particles, 1352–1354
    - bremstrahlung production, 1354–1355
    - electromagnetic radiation, 1355–1357
  - Pascal unit, defined, 1510
  - Pathogenicity, infectious agents, 1790
  - Peak sound pressure level, defined, 1510
  - Perception, cold stress and, 1650–1651
  - Performance evaluation:
    - cold stress and, 1650–1651
    - ergonomics risk prevention, 1770–1771
    - hearing conservation programs, 1561–1562
    - hearing protectors, 1551–1552
  - Perfusion, barometric pressure physiology, decompression, 1583–1587
  - Peripheral vasoconstriction, cold stress and, 1646
  - Permanent threshold shift (PTS), noise-induced hearing loss, 1521–1522
  - Permissible exposure limits (PELs):
    - biohazardous agent risk assessment, 1882–1886
    - internal radiation, 1366
  - Personality traits, ergonomics risk analysis, 1768–1769
  - Personal monitoring devices:
    - radiation dosimeters, 1369–1370
    - radiofrequency radiation measurement, 1465
  - Personal protective equipment:
    - cold stress prevention, 1661, 1675–1677
    - hand-arm vibration risk management, 1625–1628
    - hearing protectors, 1543–1556
      - advantages/disadvantages, 1547–1548
      - communication issues, 1553–1554
      - concha-seated protectors, 1545–1546
      - double protection systems, 1553
      - electronic earmuffs, 1547
      - field monitoring systems, 1554–1556
      - hearing conservation programs, 1558–1559
      - insert-type earplugs, 1543–1545
      - moderate/flat attenuation protectors, 1552–1553
      - passive earmuffs, 1546–1547
      - performance evaluation, 1551–1552
      - ratings, 1548–1551
    - heat stress prevention, 1743–1745
    - laser eye protection, 1397
  - Legionella control, 1871
  - optical radiation exposure:
    - shielding systems, 1426–1428
    - welding, cutting, brazing, 1431–1433
  - radiofrequency radiation, 1475–1476
  - tuberculosis control and management, 1957–1958
- Phase change materials, cold stress management, 1678
- Phosphate industry, radiation sources, 1348
- Photochemistry, optical radiation, 1405–1406
- Photocured coatings, optical radiation exposure, 1432, 1434
- Photoelectric absorption, electromagnetic radiation, 1356–1357
- Photometric terms and units, optical radiation, 1407–1408
- Photons, optical radiation, 1403–1404
- Physiological risk factors, ergonomic risk factors, 1755–1762
- Pinch force requirements, ergonomics risk analysis, 1759–1762
- Pink noise, defined, 1510
- Pipe lagging, noise control systems, 1539–1541
- Pitch, defined, 1510
- Planck's constant:
  - electromagnetic radiation, 1356–1357
  - optical radiation, 1403–1404
  - blackbody sources, 1409–1410
- Plane waves, radiofrequency radiation hazard evaluation, 1446–1447
- Pockel cells, Q-switching, 1389–1390
- Pocket dosimeters, radiation dosimetry, 1371
- Poisson statistics, radiation safety surveys, 1374
- Polarization, radiofrequency radiation hazard evaluation, 1447–1448
- Pontiac fever, 1961–1962
- Portable survey meters, radiation dosimetry, 1369
- Positron, electromagnetic radiation, 1356–1357
- Power density, radiofrequency radiation hazard evaluation, 1445–1446, 1461–1466
- Predicted heat strain index, 1717
- Prescriptive zone, heat stress standards, 1729–1730
- Pressurized environments, barometric pressure physiology, 1566–1573
  - aseptic bone necrosis, 1586–1587
  - basic principles, 1566–1568
  - compressed air diving and artificial gas mixtures, 1569–1570
  - decompression illness, 1583–1584
  - decompression principles, 1581–1582
  - hyperbaric chambers, 1571
  - immersion and breath-hold diving, 1568–1569
  - pulmonary barotrauma and gas embolism, 1584–1585
  - saturation diving, 1570–1571
  - submarines, 1572–1573
  - tunnels and caissons, 1571–1572
- Prevention:
  - cold stress and, 1673–1675
  - ergonomics analysis, 1770–1771
- Process controls, radiofrequency radiation, 1474
- Proximity measurement, optical radiation exposure, 1425–1426
- Psychophysiological effects:
  - ergonomics risk analysis, 1755–1762
  - heat stress, 1706
- Psychosocial risk factors, ergonomics risk analysis, 1762–1764, 1768–1769
- Psychrometers, humidity measurement, 1719

- Public health:  
 infectious disease transmission and epidemiology, 1878–1882  
*Staphylococcus aureus* infection and, 1873–1875
- Pulmonary function, barometric pressure physiology, 1575–1576  
 pulmonary barotrauma and arterial gas embolism, 1584–1587
- Pulmonary system. *See* Lungs
- Pulsed laser technology, 1385–1387
- Pulse repetition frequency (PRF), pulsed laser technology, 1386–1387
- Pure tone, defined, 1510
- Purified protein derivative (PPD) tuberculosis testing, 1954–1956
- Push/pull force, ergonomics risk analysis, 1757–1762
- Q-switching, laser technology, 1389–1390
- Qualitative analysis, ergonomic risk factors, 1770
- Quality factor (Q), radiation dosimetry, 1357–1359
- Quantitative analysis:  
 ergonomic risk factors, 1770  
 ionizing radiation, 1350  
 radiofrequency radiation, hazard evaluation quantities, 1443–1446
- Quantum theory, electromagnetic radiation, 1356–1357
- Quiet-by-design initiatives, noise control, 1539–1540
- Rad, radiation dosimetry, 1357–1359
- Radiance:  
 laser technology, 1384–1385  
 optical radiation, 1408  
 pulsed laser technology, 1386–1387
- Radiant exitance, optical radiation, 1408
- Radiant exposure, optical radiation, 1408–1409
- Radiant intensity, optical radiation, 1408
- Radiation. *See also* Ionizing radiation; Nonionizing radiation  
 cold stress, human heat balance and, 1659  
 heat stress measurements, 1720–1722  
 shielding systems, 1733–1734, 1739  
 worker-environmental heat exchange, 1696–1697
- Radiation weighting factor ( $w_R$ ), radiation dosimetry, 1357–1359
- Radiofrequency radiation (RFR):  
 band designations, 1443–1444  
 control systems, 1472–1476  
 environmental sources, 1449–1450  
 exposure guidelines, 1455–1460  
 basic restrictions, 1444–1445  
 exposure measurement, 1466–1472  
 hazard evaluation quantities, 1443–1446  
 measurement instrumentation, 1460–1466  
 occupational exposure, 1450–1454  
 physical characteristics, 1443–1444  
 quantities and units, 1443–1449  
 research background, 1443  
 safety programs, 1476–1477  
 sources, 1449–1464
- Radiofrequency safety officer (RFSO), duties of, 1476–1477
- Radioisotopes:  
 natural sources, 1347  
 physical properties, 1349  
 as radiation source, 1348
- Radiometric terms and units, optical radiation, 1407–1408  
 values calculation, 1422
- Random noise, defined, 1510
- Range-energy relationship, beta particles, 1352–1353
- Real-ear attenuation threshold, hearing protector ratings, 1548–1551
- Recommended alert limits (RALs), heat stress standards, 1689–1690
- Recommended exposure limits (RELs), heat stress standards, 1681–1682
- Recompression therapy, barometric pressure physiology, 1587–1588
- Records management, hearing conservation programs, 1559–1560
- Reflectance, optical radiation, 1404–1406
- Reflective shields, heat stress control systems, 1733–1734
- Refrigerated coils, heat stress control, 1736
- Regulatory issues and guidelines:  
 hand-arm vibration syndrome, 1630–1635  
 noise exposure assessment, 1533–1534
- Relative response, sound level meters, noise measurement, 1529–1530
- Relative spectral effectiveness function, ultraviolet radiation hazards, 1414
- Required clothing insulation (IREQ), cold stress risk assessment, 1655–1663
- Reservoirs, infectious agents, 1789–1790
- Resonance:  
 defined, 1510  
 radiofrequency radiation exposure, 1455
- Resonance-frequency shift, radiofrequency radiation, 1476
- Respiration, cold stress and, 1650, 1654, 1673  
 protective devices, 1677
- Retina, optical radiation hazards, 1415–1416
- Reverberation, defined, 1510
- Reynaud's phenomenon, secondary, 1599–1600
- Risk assessment:  
 cold stress, 1664–1673  
 ergonomics analysis, 1754–1770  
 environmental risk factors, 1765–1767  
 evaluations, 1769–1770  
 organizational risk factors, 1764–1765  
 personal risk factors, 1767–1769  
 physical risk factors, 1755–1762  
 prevention, 1771–1772  
 psychosocial risk factors, 1762–1764  
 workplace practices, 1754–1755  
 hand-arm vibration syndrome, 1615–1617  
 heat-related illness, 1711–1713
- Risk management, hand-arm vibration syndrome, 1618–1628
- Roentgen (R) unit, radiation dosimetry, 1357–1359

- Root mean square techniques, sound pressure,  
defined, 1510
- Safety guidelines and standards. *See also* Biosafety  
biohazardous agents, 1863–1886  
containment strategies, 1892–1900, 1905–1906,  
1940  
defined, 1891–1892  
Legionellae/legionellosis, 1863–1871  
extremely low frequency radiation, 1499–1502  
ionizing radiation, 1360–1366  
assessment, 1366  
Department of Energy, 1363  
external radiation, 1363–1365  
international radiation, 1365–1366  
Mine Safety and Health Administration, 1363  
Nuclear Regulatory Commission, 1361–1362  
Occupational Safety and Health  
Administration, 1362–1363  
radiofrequency radiation, 1476–1477
- Sampling techniques:  
biohazardous agents:  
Legionellae/Legionellosis, 1867–1871  
risk assessment, 1883–1886  
Legionella control strategies, 1867–1871
- Satellite communication systems, radiofrequency  
radiation exposure, 1452–1454
- Saturation diving, barometric pressure  
physiology, 1570–1571
- Scintillation counters, particle radiation, 1368
- Secondary Reynaud's phenomenon, 1599
- Security systems, biohazard control systems, 1891–1892,  
1900–1903
- Segment cooling, heat stress prevention, 1745
- Self-contained breathing apparatus, barometric pressure  
physiology, SCUBA systems, 1569–1570
- Self-limited exposure limits, heat stress exposure  
reduction, 1741–1742
- Self-reading dosimeter (SRD), radiation dosimetry, 1371
- Sensing instruments, heat stress  
measurement, 1717–1722
- Sensorineural hand-arm vibration damage, 1599
- Sensorineural hearing loss, noise effects on, 1521–1522
- Severe acute respiratory syndrome (SARS), laboratory  
exposure to, 1965–1966
- Shielding systems:  
heat stress control systems, 1733–1734, 1739  
optical radiation exposure, 1426–1428  
radiofrequency radiation, 1473
- Shift studies, ergonomics risk analysis, 1765
- Shivering, cold stress and, 1646
- Shoulder posture, ergonomics risk analysis, 1760–1762
- Single-axis sensors, extremely low frequency radiation  
magnetic field measurement, 1490–1493
- Skin absorption and penetration, optical radiation, hazard  
assessment, 1413–1418
- Skin disorders, heat stress and, 1710–1711
- Skin temperature, cold stress and, 1641–1642,  
1647–1649  
wind chill, 1671–1673
- Slow cooling, barometric pressure  
physiology, 1580–1581
- Smallpox virus, as bioterrorism agent, 1966
- Smear test, radiation safety surveys, surface  
contamination, 1373
- Solar radiation, 1402  
hazard controls, 1430–1431  
heat stress measurements, 1720–1722  
outdoor workers exposure, 1428, 1430
- Sound intensity and power:  
defined, 1510  
noise measurements, 1514–1515
- Sound levels:  
defined, 1511  
noise measurements, 1512–1512, 1528–1532
- Sound physics, noise control and, 1511–1517
- Sound pressure:  
defined, 1511  
noise measurements, 1512–1513
- Source output measurements, optical radiation, 1408
- Spatial averaging, radiofrequency radiation exposure  
measurement, 1471
- Specific absorption rate (SAR), radiofrequency  
radiation, 1443–1445, 1471
- Specific activity, ionizing radiation, 1350–1351
- Spectral correction, broadband detectors, 1420–1421
- Spectral transmittance, optical radiation, 1404–1406
- Spectral weighting function, optical radiation hazard  
assessment, 1418
- Spectroradiometers, optical radiation  
measurement, 1419
- Spectrum, defined, 1511
- Spectrum analyzers, radiofrequency radiation  
measurement, 1465–1466
- Speed of sound, defined, 1511
- Spinal cord injury, decompression illness, barometric  
pressure physiology, 1584–1587
- Stage lighting, optical radiation exposure, 1435
- Stand alone judgment, heat stress exposure  
reduction, 1741–1742
- Standard erythema dose (SED), optical radiation  
hazards, 1414–1415
- Standards and standardization:  
cold stress risk assessment, 1665–1673  
hand-arm vibration exposure, 1602–1603  
heat stress standards, 1688–1694, 1728–1729
- Staphylococcus aureus*, disease and drug  
resistance, 1872–1875
- Stochastic bioeffects, ionizing radiation, 1359–1360
- Stockholm workshop scale, hand-arm vibration, 1601
- Studio lighting, optical radiation exposure, 1435
- Submarines, barometric pressure physiology, 1572–1573
- Sunscreens, ultraviolet protection factor, 1427
- Surface properties:  
ergonomics risk analysis, 1766  
radiation safety surveys, 1372–1373
- Surveillance:  
biohazard control and containment, 1906–1910  
hand-arm vibration syndrome diagnosis and  
management, 1628–1630

- Sweating and sweat rate, heat stress and, 1700–1701, 1703–1704
- Swine flu:  
 pandemic status, 1881–1882  
 transmission and epidemiology, 1877–1879
- Système Internationale (SI) units:  
 extremely low frequency radiation, magnetic field strength, 1486–1493  
 optical radiation, 1407–1408
- Task analysis:  
 asymmetry, ergonomics risk analysis, 1757–1762  
 cold stress prevention, 1674–1679  
 frequency of tasks, ergonomics risk analysis, 1764–1765
- Technologically enhanced natural radioactive material (TENORM), sources, 1348
- Temperature:  
 cold stress and regulation of, 1645–1646  
 ergonomics risk analysis, 1766–1767  
 heat stress, 1714–1715
- Temporary threshold shift (TTS), noise-induced hearing loss, 1521–1522
- Terrestrial radiation, sources, 1347
- Test rooms, hearing measurement, 1525–1526
- Thermal anemometers, air velocity measurement, 1720
- Thermal hazard evaluation:  
 barometric pressure physiology, 1578–1581  
 heat stress, 1713–1726  
 air temperature, 1718  
 air velocity, 1720  
 dry and wet bulb temperatures, 1714  
 effective temperature, 1714–1715  
 heat stress index/predicted heat strain, 1717  
 humidity, 1718–1719  
 integrating instruments, 1722–1723  
 radiation, 1720–1722  
 sensing instruments, 1717–1722  
 weather effects, 1724–1726  
 wet bulb globe temperature, 1715–1716  
 wet globe temperature, 1716–1717  
 optical radiation, retinal exposure, 1417
- Thermal insulation, cold stress, heat exchange and, 1661–1663
- Thermistors, air temperature measurement, 1718
- Thermocouples:  
 air temperature measurement, 1718  
 air velocity measurement, 1720
- Thermodynamics:  
 barometric pressure physiology, 1578–1581  
 worker-environmental heat exchange, 1698–1699
- Thermoluminescent dosimeters (TLDs), radiation dosimetry, 1370
- Thermoneutral point, barometric pressure physiology, 1578–1581
- Thorium, primordial isotopes, 1347
- Three-Dimensional Static Strength Prediction Program (3DSSPP™), ergonomics risk analysis, 1759–1762
- Threshold limit values (TLVs):  
 biohazardous agent risk assessment, 1882–1886  
 hand-arm vibration syndrome exposure limits, 1634–1635  
 heat stress standards, 1691–1692  
 noise exposure assessment, 1536–1537  
 ultraviolet radiation hazards, 1414
- Time averaging, radiofrequency radiation exposure measurement, 1472
- Time limited exposure, heat stress and strain, 1740–1741
- Time-varying magnetic fields, extremely low frequency radiation, 1490–1493
- Time-weighted average (TWA), defined, 1511
- Tissue, cold stress and, 1644–1645
- Tissue weighting factor, radiation dosimetry, 1358–1359
- Tolerance factors, heat stress, 1706–1713
- Tool selection criteria, cold stress management, 1678
- Toxicity, oxygen, barometric pressure physiology, 1576–1578
- Training programs:  
 cold stress management, 1678–1679  
 ergonomics risk prevention, 1770–1771
- Transmission loss, defined, 1511
- Transparent shielding, heat stress controls, 1734
- Trunk moment, ergonomics risk analysis, 1756–1762
- Tuberculin skin test, tuberculosis risk and, 1951–1956
- Tuberculosis:  
 control and management, 1956–1959  
 incidence, 1955  
 infectiousness and virulence, 1953–1954  
 multidrug-resistant/extensively drug-resistant strains, 1958–1959  
 non-health care worker risk, 1953  
 nonoccupational risk factors, 1952–1953  
 occupational exposure and epidemiology, 1951–1959  
 testing for, 1954–1956  
 vulnerable occupational groups, 1951–1952
- Tularemia, as bioterrorism agent, 1967–1968
- Tunnel safety, barometric pressure physiology, 1571–1572
- Ultrasound:  
 defined, 1511  
 noise exposure assessment, 1536–1537
- Ultraviolet protection factor (UPF), 1426–1427
- Ultraviolet (UV) radiation. *See also* Optical radiation  
 basic properties, 1401–1402  
 hazard assessment, skin and eyes, 1413–1418  
 ozone hazards, 1418  
 personal protective equipment, 1427–1428  
 physics, 1403–1404  
 shielding materials, 1426–1427  
 welding, cutting and brazing, 1431–1433
- Unacclimatized workers, heat stress standards, 1690
- Uncertainty, hand-arm vibration exposure assessment, 1611
- United States, hand-arm vibration syndrome exposure limits, 1633–1634
- Upper limit of prescriptive zone (ULPZ), heat stress and, 1730
- Uranium, primordial isotopes, 1347

## 1994 INDEX

- US Nuclear Regulatory Commission, ionizing radiation, dosimetry units, 1357-1358
- Vaccination programs, infectious disease transmission and epidemiology, 1877-1879
- Valence band, optical radiation, 1405-1406
- Vane anemometers, air velocity measurement, 1720
- Velocity, vibration, 1596-1597
- Ventilation systems, heat stress controls, 1734-1739
- Vibration:  
assessment limitations, 1613-1615  
basic principles, 1595-1597  
carpal tunnel syndrome, 1601  
ergonomics risk analysis, 1765-1767  
hand-arm vibration, 1597-1601  
dose-response relationships, 1613  
exposure assessment, 1602-1611  
health surveillance, 1628-1630  
risk management, 1618-1628  
machine vibration emission evaluation, 1611-1613  
noise control systems, isolation and damping, 1542-1543  
regulatory guidelines and standards, 1630-1635  
risk assessment, 1615-1616
- Vibration-induced white finger (VWF), defined, 1599-1600
- Vibration meter, hand-arm vibration exposure assessment, 1607-1608
- Vibration total value standard, hand-arm vibration exposure assessment, 1604-1605
- Virulence:  
infectious agents, 1790  
tuberculosis exposure risk, 1953-1954
- Viruses:  
infectious diseases, 1962-1963  
occupational diseases and, 1791-1805
- Warm-moist industries, heat stress in, 1686  
ventilation systems, 1737-1738
- Warning signs, radiofrequency radiation, 1474-1475
- Water-cooled coil systems, heat stress control, 1736
- Water/electrolyte balance, heat-related illness and, 1712
- Waveguide below cut-off control, radiofrequency radiation, 1473-1474
- Wavelength properties:  
defined, 1511  
electromagnetic radiation, 1356-1357  
extremely low frequency radiation, 1484-1485  
laser technology, 1385  
laser beam measurement, 1397
- Weather, heat stress and, 1724-1726
- Welding, optical radiation exposure, 1431-1433
- Wet bulb global temperature (WBGT), heat stress standards, 1688-1694, 1715-1716, 1719, 1723-1724
- Wet globe temperature, heat stress indices, 1716-1717  
integrated instrumentation, 1722
- White noise, defined, 1511
- Whole-body cooling, cold stress risk assessment, 1667-1673
- Wind chill, cold stress and, 1671-1673
- Worker (receptor) location, heat stress management:  
localized cooling systems, 1734-1735  
prescriptive and environment-driven zones, 1729-1730
- Workplace exposure limits, heat stress and strain, 1727-1728
- Workplace practices. *See also* Ergonomics analysis  
biohazardous agents:  
control systems and techniques, 1903-1913  
Legionellae/Legionellosis exposure, 1871  
cold stress and, 1642-1645  
preventive measures, 1673-1679  
ergonomic risk factors, 1754-1755, 1770  
hand-arm vibration risk assessment, 1615-1630  
heat stress standards, 1691  
environmental standard *vs.*, 1730-1731  
infectious disease transmission and epidemiology, 1879-1882  
noise exposure assessment, 1534-1535  
hearing conservation programs, 1556-1557  
tuberculosis exposure, vulnerable workers and tasks, 1951-1953  
worker-environment heat exchange, 1694-1699
- Work/recovery cycles, heat stress exposure reduction, 1741
- World Health Organization (WHO), infectious disease transmission and epidemiology, 1878-1879
- X-rays:  
bremsstrahlung production, 1354-1355  
dosimetry, 1357-1359  
electromagnetic radiation, 1355-1357  
radiation from, 1347



# INDEX

- Accessibility issues, laboratory design  
guidelines, 2623–2626
- Accidents:  
agricultural hygiene, 2475–2477  
emergency response and preparedness, 2284–2293  
chemical spills, 2284–2289  
fires and explosions, 2289–2291  
industrial accidents, 2289  
radioactive materials, 2291–2293  
laboratories, design for prevention of, 2622–2623
- Accu-Namics* case, 2061
- Acrylonitrile, OSHA standards concerning, 2015
- Acute febrile illness, indoor air quality and, 2390–2391
- Aerosols:  
agricultural industry, respiratory tract hazards:  
inorganic aerosols, 2483–2484  
organic aerosols, 2484–2487  
indoor air quality:  
evaluation and control, 2447  
particulate matter, 2408–2409  
transmissible diseases, OSHA standards, 2037–2038
- Aesthetics, laboratory design and  
location, 2623–2624
- Affirmative defenses, OSHA contestation  
proceedings, 2081–2082
- Aflatoxin exposure, agricultural workers, 2501–2502
- AFL-CIO v. OSHA*, 2014–2015
- Agency for Toxic Substances and Disease Registry  
(ATSDR), indoor air quality, semivolatile organic  
compounds, 2397–2401
- Agricultural hygiene:  
acute trauma, 2475–2477  
cancer, 2498–2499  
certification, 2505  
control policies and strategies, 2503–2507  
cost reductions, 2505  
cumulative musculoskeletal trauma, 2477–2479  
education programs, 2504, 2506–2507  
emerging hazards, 2500–2502  
health status assessment, 2474–2475  
industrial development of, 2470–2472  
intervention protocols, 2502–2509  
mental stress, 2499–2500  
model programs, 2507–2509  
noise-induced hearing loss, 2496–2498  
overview, 2469–2470  
pesticides, 2487–2490  
regulatory issues and guidelines, 2506  
research initiatives, 2504  
respiratory hazards, 2479–2487  
gaseous hazards, 2479–2483  
inorganic aerosols, 2483–2484  
organic aerosols, 2484–2487  
skin disease, 2493–2496  
taxation policies, 2505  
veterinary biologicals, antibiotics, and  
pharmaceuticals, 2490–2492  
vibration disorders, 2498  
working conditions, 2472–2473  
zoonoses, 2492–2493

## 2718 INDEX

- Agricultural Safety and Health Council of America, agricultural hygiene practices, 2503–2509
- Airborne contaminants:  
emergency response and preparedness:  
  building environments, 2316–2320  
  chemical spills, evaluation, 2286–2287  
indoor air quality:  
  cleaning operations, 2418–2419  
  nonindustrial environments, 2408–2409
- Airborne infectious disease, OSHA standards, 2037–2038
- Airflow measurements:  
  indoor air quality, nonindustrial building ventilation systems, 2420–2423  
  laboratory ventilation system design, 2639–2642
- Air-handling units (AHUs), indoor air quality:  
  evaluation and control, 2448–2453  
  nonindustrial building ventilation systems, 2420–2423
- Air pollution:  
  carbon monoxide, 2550–2555  
  indoor air quality, evaluation and control, 2440–2454  
  lead, 2555–2561  
  nitrogen oxides, 2571–2577  
  overview, 2549–2550  
  ozone, 2562–2571  
  particulate matter, 2582–2594  
  sulfur dioxide, 2577–2582
- Airports, emergency response and preparedness, 2311–2315
- Air sampling:  
  hazardous waste management, 2370–2371  
  indoor air quality:  
    nonindustrial environments, 2391–2393  
    semivolatile organic compounds, 2399–2401  
    testing and sampling methods reference guide, 2453–2454
- Airway hyperresponsiveness (AHR):  
  nitrogen oxide exposure, 2576–2577  
  ozone exposure and, 2568–2571
- Alcohol, Tobacco, Firearms and Explosives (ATF) Bureau, emergency response and preparedness, incident investigation, 2256
- Aldehydes, indoor air quality, evaluation and control, 2445–2446
- Alkanes, Voluntary Children's Chemical Evaluation Program and, 2197–2199
- Alliance Health workplace health promotion case study, 2709
- Allergens:  
  agricultural agents, skin irritants, 2493–2496  
  indoor air quality, nonindustrial environments, 2388–2389  
  control and evaluation, 2452–2453
- American Chemistry Council (ACC), Code of Management Practices, 2179–2181
- American Industrial Hygiene Association (AIHA):  
  emergency response and preparedness initiatives, 2345–2346  
  indoor air quality standards, thermal environment, 2431  
  occupational health and safety management systems, 2111–2112, 2114, 2120–2121  
  standard for, 2142–2143  
  Z10 standard, OHSMS, 2120–2121, 2125, 2126, 2134–2140
- American National Standards Institute (ANSI):  
  international environmental health and safety programs, 2166–2168  
  occupational health and safety management systems, 2112, 2114, 2120–2121  
  Z10 standard, OHSMS, 2120–2121, 2125–2126, 2134–2140
- American Society for Testing Materials (ASTM), fire endurance test (ASTM-119), 2689–2691
- American Society of Heating, Refrigerating, and Air Conditioning Engineers (ASHRAE), indoor air quality standards:  
  airborne particle studies, 2409  
  combustion byproducts, 2405  
  historical background, 2378  
  perceived air quality studies, 2413–2415  
  Standard 62, 2423–2428  
  thermal environment, 2430–2431  
  tobacco smoke, 2406  
  ventilation systems, 2421–2428
- Americans with Disabilities Act (ADA), laboratory design and location guidelines, 2623–2624
- American Textile Mfrs. Inst., Inc. v. Donovan*, 2002–2004
- Anhydrous ammonia, agricultural industry, respiratory tract hazards, 2479–2483
- Antibiotics, agricultural industry exposure, 2490–2492
- Anti-discrimination rights of employees, 2085–2086
- Arsenic, OSHA standards, 2028–2029
- Asbestos, OSHA standards concerning, 2016–2018
- Atlantic & Gulf Stevedores, Inc.*, 2050–2051, 2082
- Atlas Roofing Company, Inc. v. OSHRC*, 2052
- Atomic Energy Act of 1954, 2095–2096
- Audits, occupational health and safety management systems, 2125  
  external audits, 2146  
  hybrid audits, 2146–2147  
  internal audits, 2145–2146  
  ongoing improvement applications, 2151  
  on-site activities, 2149–2150  
  postaudit actions, 2151  
  preaudit preparation, 2147–2149  
  procedures for, 2144–2151  
  reporting requirements, 2150–2151  
  scope and goals, 2147
- Babcock & Wilcox Company v. Marshall*, 2058–2059, 2068
- Bacteria, indoor air quality, 2386–2388
- Bagassosis, agricultural industry exposure, 2486–2487
- Behavioral patterns:  
  carbon monoxide effects, 2554–2555  
  lead toxicity, 2557–2559
- Bench layout, laboratory design projects, 2633–2635
- “Benchtop to bedside” concept, health care work settings, industrial hygiene practices, 2527–2531

- Beryllium, OSHA standard, 2038
- Best practices guidelines, workplace health promotion, 2707-2708
- Bethlehem Steel Corp. v. OSHRC and Brennan*, 2069
- Biological treatment, hazardous wastes, 2367
- Bioterrorism, emergency response and preparedness, 2294-2303
- Blood-borne pathogens:  
 agricultural workers, 2501-2502  
 emergency response and preparedness standards, 2232-2233  
 OSHA standards, 2019-2020
- Blueprint review, laboratory construction and design, 2645-2646
- Boiler systems, hazardous waste treatment, 2367
- Brennan v. Butler Lime & Cement Co. and OSHRC*, 2082
- Brennan v. OSHRC & Hendrix (d/b/a Aelsea Lumber Co.)*, 2082
- British Standards Institute (BSI):  
 BS 8800 standard, 2141-2142  
 international environmental health and safety programs, 2166-2168  
 occupational health and safety management systems, 2112, 2127-2130
- Building checklist, laboratory construction and design, 2646-2647
- Building environments:  
 emergency response and preparedness, 2316-2320  
 EPA Building Assessment and Survey Evaluation, 2412-2413, 2439-2440  
 fire safety and construction guidelines, 2687-2691  
 indoor air quality:  
   crisis buildings and mass psychogenic illness, 2415-2416  
   evaluation and control, 2448-2453  
   fungi formation, 2383-2386  
   symptoms and illnesses, 2378-2379
- Building-related illness (BRI), indoor air quality, 2378-2379  
 buildings, pollutants, and definitions, 2381  
 fungi formation, 2383-2386  
 qualitative investigation, 2432-2440
- Building-related symptoms (BRS):  
 economic issues and productivity, 2416-2418  
 indoor air quality, 2378-2379  
 buildings, pollutants, and definitions, 2380-2381  
 EPA studies, 2412-2413  
 fungi formation, 2383-2386  
 volatile organic compounds, 2393-2397
- Business continuity programs, emergency response and preparedness, 2240  
 insurance claims for interruption, 2269-2270
- 1,3-Butadiene, OSHA standards concerning, 2020
- n-Butyl benzyl phthalate (BBP), indoor air quality, semivolatiles organic compounds, 2397-2401
- Cadmium, OSHA standards concerning, 2020-2021
- California Aerosol Transmissible Disease Standard, 2037
- California Stevedore and Ballast v. OSHRC*, 2066-2067
- Campus settings, emergency response and preparedness, 2305-2311
- Canadian Chemical Producers' Association (CCPA), product stewardship and, 2179-2182
- Canadian indoor air quality guidelines, 2438-2440
- Cancer:  
 agricultural industry and risk of, 2498-2499  
 particulate matter exposure and, 2587
- Carbon adsorption, hazardous wastes, 2368
- Carbon dioxide, indoor air quality, ventilation systems, 2422-2423
- Carbon monoxide:  
 air pollution, 2550-2555  
 health effects, 2554-2555  
 level measurements, 2551-2553  
 sources, 2550-2551  
 indoor air quality, 2403-2405
- Carcinogens:  
 OSHA standards concerning, 2021-2022  
 storage, laboratory construction and design for, 2649-2651
- Cardiovascular system:  
 carbon monoxide effects, 2554  
 lead exposure and, 2560-2561  
 ozone exposure and, 2568-2569  
 particulate matter exposure, 2588-2591
- Career development, product stewardship, 2177-2178
- Cedar Construction Co. v. OSHRC and Marshall*, 2067-2068
- Ceiling-confined fires, fire safety procedures, 2684
- Cell-mediated immunity, nitrogen oxide exposure, 2576-2577
- Cellulosic materials, indoor air quality, fungi formation, 2383
- Centers for Disease Control (CDC), emergency response and preparedness, 2279-2284, 2314-2315
- Central nervous system (CNS):  
 carbon monoxide effects, 2554-2555  
 lead effects, 2557-2559
- Certification:  
 agricultural hygiene practices, 2505-2507  
 competency assessment programs, 2202-2207  
*Chamber of Commerce of the United States v. Department of Labor*, 2077
- Chamber testing, indoor air quality, semivolatiles organic compounds, 2398-2401
- Change management, occupational health and safety management systems, 2124
- Chemical agents:  
 laboratory hazardous waste management systems:  
   disposal and treatment, 2654  
   storage and containment, 2647-2651  
 terrorism involving, emergency response and preparedness, 2294-2295
- Chemical Facility Antiterrorism Standards (CFATS), 2236-2237
- Chemical Hygiene Plan (CHP), laboratory design guidelines, 2624-2628
- Chemical labeling, GHS standard, 2041-2042
- Chemical oxidation, hazardous waste treatment, 2367

- Chemical reduction, hazardous waste treatment, 2367
- Chemical Safety and Hazard Investigation Board (CSB), 2096–2097
- emergency response and preparedness, incident investigation, 2254–2255
- Chemical spills:
- airborne contaminants evaluation, 2286–2287
  - emergency response and preparedness, 2284–2289
  - regulatory guidelines concerning, 2285–2286
  - response training, 2287–2288
- Chicago Bridge & Iron Company v. OSHRC and Dunlop*, 2060–2061
- Chromium. *See* Hexavalent chromium
- Citations:
- contestation proceedings, 2077–2081
  - multiemployer citation policy, 2075–2076
  - OSHA enforcement provisions, 2063–2071
- Citizens groups, emergency response and preparedness duties, incident investigation, 2256
- Civil penalties, OSHA enforcement provisions, 2063–2071
- Civil unrest, emergency response and preparedness, 2305
- Claims management, emergency response and preparedness, insurance claims, 2273–2274
- Clean Air Act (1990), 2097
- emergency preparedness and response, 2234–2235
- Clean bench hoods, laboratory ventilation system design, 2642
- Cleaning operations, indoor air quality and, 2418–2419
- Clean Water Act, emergency preparedness and response, 2235
- Clinical imaging studies, industrial hygiene practices, 2531–2538
- Clinical trials, industrial hygiene practices, 2528–2531
- Code of Federal Regulations, hazardous waste guidelines, 2356–2362
- Code of Federal Regulations* (C.F.R.), OSHA Act provisions and, 2013–2015
- Code of Federal Regulations (CFRs), emergency response and preparedness standards, 2229–2240
- Coke oven emissions, OSHA standards concerning, 2022–2023
- Combustion products:
- dust hazard, OSHA standard, 2038–2039
  - fire safety procedures, 2685–2687
  - indoor air quality, 2403–2405
  - evaluation and control, 2446–2447
- Commercial general liability (CGL) insurance coverage, emergency response and preparedness, 2270
- Communications guidelines:
- emergency response and preparedness:
    - health care work settings, 2542
    - terrorism involving, 2298–2303
  - Hazard Communication Standard, 2026–2027
  - health care work settings, 2542
  - indoor air quality evaluation and control, 2442
  - laboratory construction and design, 2646
  - occupational health and safety management systems, 2124, 2157
  - product stewardship and, 2184–2185
- Community Awareness and Emergency Response (CAER) program, product stewardship and, 2200
- Community Emergency Response Team (CERT), emergency response and preparedness duties, 2216–2217
- natural disaster assessments, 2277–2278
- Compartmentation design, fire safety and building construction, 2688–2691
- Compartment-contained fires, fire safety procedures, 2684–2685
- Competency assessment:
- emergency response and preparedness, industrial hygienists' duties and responsibilities, 2343–2345
  - product stewardship and, 2202–2207
- Complaints, employees' rights concerning, 2085
- Compliance assessment:
- cooperative compliance program directives, 2076–2077
  - emergency response and preparedness plans, 2247
  - hazard-free environment, employers' failure to render, 2009–2011
  - variances from standards, 2051
  - voluntary compliance programs OSHA provisions, 2086–2087
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). *See also* Superfund hazardous wastes, 2362–2363
- provisions of, 2097–2098
- Compressed gas system, laboratory design and layout for, 2644
- storage design, 2649–2651
- Computed tomography (CT), safety issues, 2534–2537
- Computed tomography dose index (CTDI100), 2534–2537
- Condensation, indoor air quality: evaluation and control, 2443–2445
- fungi formation, 2383
- Conformity assessment, occupational health and safety management systems, 2143–2144
- ConocoPhillips Co. v. Henry*, 2044–2045
- Construction materials:
- fire safety criteria, 2687–2691
  - indoor air quality, buildings, pollutants, and definitions, 2379–2381
  - laboratory design and layout, 2644–2647
- Consultation services, emergency response and preparedness duties, 2218
- Consumer Labeling Initiative, product stewardship and, 2197
- Consumer Product Safety Act (CPSA), 2099–2100
- Consumer safety, product stewardship and, 2183
- Contact dermatitis, agricultural agents, 2493–2496
- Containment strategies, emergency response and preparedness, epidemics, 2283–2284
- Contestation proceedings, OSHA Act provisions, 2077–2082

- Continuous wall service corridors, laboratory design and layout for, 2637
- Control systems:
- agricultural hygiene practices, 2502-2509
  - indoor air quality pollutants, 2440-2454
  - international environmental health and safety programs, centralized vs. decentralized control, 2165
  - occupational health and safety management systems hierarchy, 2123-2124
- Corporate counsel:
- incident investigation, 2255-2259
  - industrial hygienists' litigation proceedings and, 2663-2664
- Corporate responsibility:
- international environmental health and safety programs, 2168-2169
  - occupational health and safety management systems, 2158-2159
- Corrective action implementation, occupational health and safety management systems, 2126
- Corrosive wastes, 2358, 2366
- Cost-benefit analysis, workplace health promotion, 2707-2708
- Cost issues:
- agricultural hygiene practices, 2505
  - indoor air quality and, 2416-2418
  - workplace health promotion, 2705-2707
- Cotton dust, OSHA standard concerning, 2023-2024
- Courts system, industrial hygienists' litigation proceedings and, 2665-2666
- Criminal actions:
- emergency response and preparedness, terrorism incidents, 2302-2303
  - OSH Act provisions, 2071-2073
- Crisis buildings, indoor air quality, 2415-2416
- Critical Infrastructure Assurance Office (CIAO), 2303
- Crowd control protocols, emergency response and preparedness, health care work settings, 2540-2541
- Crown Equipment workplace health promotion study, 2709
- Crystalline silica, OSHA standard, 2043-2044
- Cultural differences, international environmental health and safety programs, 2169-2176
- Cumulative musculoskeletal trauma, agricultural hygiene, 2477-2479
- Cutting operations, fire safety and, 2693
- Cyber terrorism, emergency response and preparedness, 2303-2304
- Dangerous goods, emergency response and preparedness:
- airport settings, 2311-2315
  - incident investigation, 2235, 2255
- Data analysis:
- incident investigation, 2263-2268
  - indoor air quality:
    - nonindustrial environments, 2391-2393
    - qualitative investigation, 2432-2440
- Deactivation, hazardous wastes, 2368
- Death rates:
- agricultural industry, 2475-2477
  - ozone exposure and, 2569-2571
  - sulfur dioxide exposure, 2579-2582
- Decipol unit, perceived air quality studies, 2413-2415
- Decontamination protocols, health care work settings, emergency response and preparedness, 2540-2541
- Degenerative osteoarthritis, agricultural hygiene, 2478-2479
- De minimis* violations, OSHA enforcement provisions, 2064
- Dental work settings, imaging devices, industrial hygiene practices, 2533-2538
- Department of Homeland Security (DHS), emergency response and preparedness duties, 2221-2229
- natural disaster assessments, 2277-2278
- Department of Transportation (DOT):
- emergency preparedness and response, 2235
  - laboratory hazardous waste management, 2652-2655
- Design for Environment Program, product stewardship and, 2197
- Developing countries, indoor air quality in, 2418
- Diacetyl, OSHA standard, 2039
- Diagnostic imaging studies, industrial hygiene practices, 2531-2538
- 1,2-Dibromo-3-chloropropane, OSHA standard, 2024
- Direct losses, emergency response and preparedness, 2214
- Disabled workers, laboratory design guidelines for, 2623-2626
- Disaster planning. *See* Emergency response and preparedness
- Disposal requirements, hazardous wastes, 2359-2362, 2366-2368
- Distribution systems:
- laboratory design and layout for, 2636-2638
  - product stewardship and, 2183
- Documentation requirements:
- emergency response and preparedness plans, 2246
  - incident investigation, 2263-2268
- Dosimetry studies, particulate matter health effects, 2584-2585
- Dow Chemical Company workplace health promotion study, 2709-2710
- Dust:
- agricultural industry, respiratory tract hazards, 2483-2487
  - combustible dust, OSHA standard, 2038-2039
  - indoor air quality, nonindustrial environments, 2388-2389
  - cleaning operations, 2418-2419
  - evaluation and control, 2447
  - radon decay products, 2407-2408
- Economic effects:
- indoor air quality, 2416-2418
  - workplace health promotion, 2707-2708
- Economic feasibility, OSHA standards, 2002-2004

- Ecthyma, agricultural industry exposure, 2491–2492
- Educational programs:  
 agricultural hygiene practices, 2504, 2506–2509  
 occupational health and safety management systems, 2124
- Egress issues, laboratory design guidelines, 2626–2628
- Electrical systems, laboratory design and layout for, 2636–2638, 2642–2643
- Emergency action plans, federal standards, 2231
- Emergency/disaster life cycle, 2212
- Emergency medical system personnel, hazardous substances standards, 2237–2240
- Emergency Planning and Community-Right-to-Know Act (EPCRA), 2098, 2233–2234
- Emergency response and preparedness:  
 accidents, 2284–2293  
 airports, 2311–2315  
 American Industrial Hygiene Association recommendations, 2345–2346  
 building environments, 2316–2320  
 campus setting, 2305–2311  
 change management, 2211–2212  
 chemical spills, 2284–2288  
 civil unrest, workplace violence, and strikes, 2305  
 direct/indirect losses, 2214  
 emergency/disaster life cycle, 2212  
 epidemics/pandemics, 2279–2284  
 federal statutes concerning, 2098–2099, 2218–2240  
 fires and explosions, 2289–2291  
   employee response guidelines, 2693–2695  
 hazardous waste sites, 2332–2335  
 hazard vulnerability assessments, 2247–2250  
 health care work settings, 2320–2332  
   communication and information systems, 2542  
   contemporary industrial hygiene practices, 2538–2543  
   crowd control, 2541  
   hazardous waste management and disposal, 2543  
   organizational structure, 2539  
   restrictions, screening, decontamination, and self-transport, 2540–2541  
   worker protection, 2541–2542  
 industrial accidents, 2288–2289  
 industrial hygienists' duties and responsibilities, 2335–2345  
 insurance provisions, 2268–2275  
 integrated contingency plans, 2240–2247  
 laboratory design guidelines, 2627  
   evacuation design, 2656  
   medical services and first aid, 2655–2656  
 legal issues and incident investigation, 2250–2268  
 local government role, 2214–2217  
 natural disasters, 2276–2278  
 occupational health and safety management systems, 2124  
 OSHA standard, 2039–2040  
 planned/unplanned events, 2213–2214  
 radiological materials incidents, 2291–2293  
 regulatory issues, 2214–2240  
 site-specific requirements, 2305–2335  
 situation-specific requirements, 2275–2305  
 state government role, 2215, 2217–2218  
 terrorism incidents, 2293–2305
- Emergency temporary standards (ETSs), Occupational Safety and Health Act, 2001
- Emission rates:  
 air pollution, carbon monoxide, 2551–2553  
 coke ovens, OSHA standard for, 2022–2023  
 indoor air quality, semivolatile organic compounds, 2397–2401
- Employee duties and rights:  
 occupational health and safety management systems, 2121  
 OSH Act provisions, 2083–2086
- Employee emergency action plans, federal standards, 2230
- Employee misconduct, hazard-free environment, employers' failure to render and, 2009–2011
- Endotoxins, indoor air quality, nonindustrial environments, 2387–2388
- Energy Policy Act of 2005, health care work settings, industrial hygiene practices, 2532–2538
- Energy Star program, product stewardship and, 2197
- Engineering controls, hazardous waste management, 2374
- Environmental health and safety (EHS):  
 federal standards, 2231  
 indoor air quality:  
   airborne particulates, 2408–2409  
   building environments and, 2378–2379  
   building-related symptoms and illness, 2378–2379  
   cleaning operations, 2418–2419  
   combustion products, 2403–2405  
   crisis buildings and mass psychogenic illness, 2415–2416  
   definitions, 2379–2381  
   developing countries, 2418  
   early studies, 2409–2412  
   economic issues and productivity, 2416–2418  
   EPA studies, 2412–2413  
   evaluation protocols and guidelines, 2431–2440  
   historical background, 2377–2378  
   microbials, 2381–2393  
   monitoring and control systems, 2440–2454  
   perceived air quality, 2413–2415  
   pesticides, 2401–2403  
   pollutant identification and classification, 2381–2409  
   radon, 2406–2408  
   tobacco smoke, 2405–2406  
   ventilation systems, 2419–2431  
   volatile organic compounds, 2393–2401  
 integrated systems, 2157–2158  
 international program management, 2163–2176  
 laboratory design and location, 2623–2624  
 occupational health and safety management systems, 2109–2111
- Environmentally preferable purchasing program, product stewardship and, 2197

- Environmental Protection Agency (EPA):  
 emergency response and preparedness standards, 2233–2235  
 incident investigation, 2250–2256  
 indoor air quality studies, 2412–2413  
   qualitative investigation guidelines, 2439–2440  
 laboratory design guidelines, 2624–2628  
   hazardous waste disposal requirements, 2651–2654  
 product stewardship and, 2196–2199
- Epidemics, emergency response and preparedness, 2279–2284
- Equipment maintenance, laboratory design and layout, 2657
- Ergosterol, indoor air quality, fungi formation, 2385–2386
- Ergonomics analysis:  
 agricultural hygiene, 2477–2479  
 OSHA standard, 2040–2041
- Ethical issues:  
 industrial hygienists' litigation process, 2661–2670  
 occupational health and safety management systems, 2158–2159  
 product stewardship, 2179–2206
- Ethylene oxide, OSHA standard, 2024–2025
- Evacuation guidelines, laboratory design and layout, 2656
- Evidence gathering, incident investigation, 2262–2268
- Executive Orders, OSHA standards and, 2006–2007
- Exit route planning, federal standards, 2231–2232
- Expansion planning, laboratory design projects, 2632–2633
- Ex parte* warrants, OSHA inspections, 2057–2058
- Experimental variance from compliance, 2051
- Expert witnesses, industrial hygienists as, 2662, 2666–2667
- Explosions, emergency response and preparedness, 2289–2291
- Exposure measurements:  
 carbon monoxide, 2554–2555  
 chemical spills, 2287–2288
- Exposure-response analysis, product stewardship and, 2195
- Extended product responsibility, product stewardship and, 2181–2182
- Extraction, hazardous wastes, 2368
- Eyewash stations, laboratory design and layout, 2654–2655
- Facilities layout and design:  
 emergency response and preparedness, 2241–2242  
 hazardous waste management, 2375  
 health care work settings, emergency response and preparedness, restrictions, screening, decontamination, self-transport, 2540–2541  
 laboratories:  
   accidents, 2622–2623  
   aesthetics and environment, 2623–2624  
   compressed gas system, 2644  
   distribution schemes, 2637–2638  
   egress and handicapped access, 2626  
   electrical systems, 2642–2643  
   emergency facilities, 2627  
   expansion planning, 2632  
   filtration systems, 2642  
   fume hoods, 2639–2642  
   furnishings and lighting, 2627  
   glove boxes, 2641–2642  
   instrumentation layout, 2635–2636  
   layout elements, 2627–2635  
   location, 2623  
   overview, 2621–2622  
   plumbing, 2643–2644  
   regulatory issues, 2624–2625  
   safety design and planning, 2647–2657  
   service specifications, 2636–2637  
   space and room size planning, 2630–2631  
   ventilation systems, 2626, 2636–2637  
 occupational health and safety management systems, 2152–2157
- Failure analysis, occupational health and safety management systems, 2157
- Failure-to-abate violations, OSHA enforcement provisions, 2070–2071
- Fatality studies:  
 agricultural industry, 2475–2477  
 ozone exposure and, 2569–2571  
 sulfur dioxide exposure, 2579–2582
- Feasibility:  
 hazard-free environment, employers' failure to render, 2009–2011  
 OSHA standards, economic and technological feasibility, 2002–2004
- Federal Aviation Act of 1958, 2099
- Federal Emergency Management Agency (FEMA), emergency response and preparedness duties, 2218–2221  
 terrorism incidents, 2304
- Federal government statutes and exemptions. *See also* specific agencies  
 emergency response and preparedness duties, 2218–2240  
 Occupational Safety and Health Act and, 2093–2107
- Federal Hazardous Substances Act, 2100
- Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), 2100  
 agricultural industry pesticide regulations, 2487–2490
- Federal Noise Control Act of 1972 (FNCA), 2100–2101
- Federal Railroad Safety Act of 1970 (FRA), 2101–2102
- Federal Register*, OSHA standards adoption and, 2002
- Feedback loop, occupational health and safety management systems, 2113–2114
- Fertilizers, agricultural industry, respiratory tract hazards, 2481–2483, 2502
- Fetal development/mortality, particulate matter exposure, 2587–2488
- Filtration systems:  
 indoor air quality:  
   evaluation and control, 2448–2453  
   nonindustrial building ventilation systems, 2420–2423  
 laboratory ventilation system design, 2642

- Fire drills, guidelines for, 2692
- Fire endurance ratings, fire safety and building construction, 2689-2691
- Fire plume formation, fire safety and, 2683-2684
- Fires:
- building construction and design, 2687-2691
  - ceiling-confined fires, 2684
  - combustion products, 2685-2687
  - emergency response and preparedness standards:
    - employee response, 2693-2695
    - federal standards, 2231
    - prevention, 2237-2240
    - procedures for, 2289-2291
  - flashover and full room involvement, 2684-2685
  - free burning/open burning, 2683-2684
  - heat release rate, 2683
  - ignitable wastes, 2358
  - ignition dynamics, 2682-2683
  - laboratory design and layout, extinguishers and suppression systems, 2655
  - safety and prevention practices, 2682-2687
  - workplace safety practices and:
    - codes, standards and regulations, 2676-2679
    - information resources, 2682
    - loss data, 2671
    - NFPA 550 Fire Safety Concepts Tree, 2673-2676
    - performance-based practices, 2679-2682
    - protection methods, 2671-2676
- First-aid procedures:
- emergency response and preparedness, 2320-2332
  - federal standards, 2232
  - hazard vulnerability assessment, 2321
  - mass casualty incidents, hospital-based first receivers, 2330-2331
  - regulatory requirements, 2320-2330
  - terrorism incidents, 2300-2303
  - training programs, 2331-2332
  - hazardous waste management, 2374-2375
  - laboratory design and layout, 2655-2656
- First responder awareness/operations training, emergency response and preparedness plans, 2331-2332
- Flammable liquids, storage, laboratory construction and design for, 2648
- Flashover dynamics, fire safety procedures, 2686-2687
- Food safety, emergency response and preparedness, terrorism incidents, 2302-2303
- Formaldehyde:
- indoor air quality, nonindustrial environments, 2393-2397
  - OSHA standard for, 2025-2026
- Frank Irey Jr., Inc. v. OSHRC*, 2067-2068
- Free burning dynamics, fire safety and, 2683-2684
- Full room fires, fire safety procedures, 2684-2685
- Fume hoods. *See* Hoods
- Fungi:
- agricultural hygiene, skin irritation, 2496
  - indoor air quality, 2382-2386
  - evaluation and control, 2442-2445, 2450-2451
  - ventilation system sources, 2429-2430
- Furnishings, laboratory design guidelines, 2627
- Fusion imaging, safety issues, 2537-2538
- Gap analysis, occupational health and safety management systems, 2153-2154
- Gases, agricultural industry, respiratory tract hazards, 2479-2483
- General Mills workplace health promotion study, 2710-2713
- Generators, hazardous waste requirements, 2359-2360
- Genetic polymorphisms, lead exposure and, 2559
- Genotoxicity, particulate matter exposure, 2592-2593
- Geographic organization:
- emergency response and preparedness, natural disaster assessments, 2276-2278
  - international environmental health and safety programs, 2164-2165
- George Hyman Construction Company v. OSHRC*, 2069
- Globally Harmonized System (GHS):
- chemical labeling, 2041-2042
  - OSHA hazard communication standard, 2027
  - product stewardship and, 2184-2185
- Global operations, international environmental health and safety programs, 2164-2165
- Glove boxes, laboratory ventilation system design, 2641-2642
- Government agencies:
- emergency response and preparedness standards, incident investigation, 2250-2256
  - product stewardship and, 2181-2182
- Governors, emergency response and preparedness duties, 2217-2218
- Gram-negative bacteria, indoor air quality, nonindustrial environments, 2387-2388
- Halogenated Solvents Industry Alliance (SHIA), methylene chloride standard and, 2031-2032
- Hazard analysis:
- agricultural industry, 2500-2502
  - emergency response and preparedness:
    - bioterrorism, 2297-2303
    - fire protection, 2237-2240
    - employees' right to refuse hazardous work, 2083-2084
    - hazard-free environment, employers' duty regarding, 2009-2011
    - product stewardship and, 2184-2185, 2204-2205
    - "recognized" hazard requirement, 2011
    - risk of death or injury, assessment, 2011-2012
- Hazard Communication Standard:
- emergency preparedness and, 2232
  - OSHA provisions, 2026-2027
- Hazardous materials and waste:
- characteristic wastes, 2358, 2365-2366
  - corrosive wastes, 2358, 2366
  - definitions, 2357-2358
  - emergency response and preparedness:
    - airport settings, 2312-2315
    - federal standards, 2103-2104, 2230
    - mass casualty incidents, hospital-based first receivers, 2330-2331



- site management, 2332–2335
- technician training, 2331–2332
- exclusions, 2359
- F-list, 2358
- health and safety issues, 2369–2375
- health care work settings, management and disposal, 2543
- ignitable wastes, 2358, 2365
- K-list, 2358
- laboratory design and layout for, 2651–2654
- legal liabilities and issues, 2355–2356
- listed wastes, 2358, 2365
- management protocols, 2364–2368
- P-list, 2358
- regulatory issues and guidelines, 2355–2364
- storage, laboratory construction and design for, 2649–2651
- toxic wastes, 2358, 2366
- U-list, 2358
- Hazardous Materials Transport Act of 1990 (HMTA), 2103–2104
- Hazardous Waste Operations and Emergency Response (HAZWOPER) Standard, 2027–2028, 2285–2289, 2364
- Hazard vulnerability assessments:
  - emergency response and preparedness plans, 2247–2250
  - health care facilities, 2321
- Health and safety training programs, workplace health promotion:
  - barriers to, 2705
  - best practices resources, 2707–2708
  - case studies, 2709–2713
  - health risk appraisals, 2703–2704
  - historical background, 2700–2701
  - incentives and motivational strategies, 2704–2705
  - international programs, 2702–2703
  - legal issues, 2708
  - management policies for safety and health, 2713–2714
  - outcomes assessment, 2705–2707
  - overview, 2699–2700
  - return on investment of, 2707–2708
  - wellness programs, 2703
- Health care work settings:
  - agricultural hygiene practices, 2506–2509
  - blood-borne pathogen exposure, OSHA standards, 2019–2020
  - emergency response and preparedness, 2320–2332
  - hazard vulnerability assessment, 2321
  - industrial hygiene practices, 2538–2542
  - mass casualty incidents, hospital-based first receivers, 2330–2331
  - regulatory requirements, 2320–2330
  - terrorism incidents, 2300–2303
  - training programs, 2331–2332
- hazardous waste management and disposal, 2543
- industrial hygiene practices:
  - “benchtop to bedside” paradigm, 2527–2531
  - diagnostic clinical imaging technologies, 2531–2538
  - overview, 2525
  - workplace practices, 2526–2527
- Health hazard evaluation:
  - agricultural hygiene, 2474–2475
  - carbon monoxide, 2554–2555
  - hazardous wastes, 2369–2375
  - indoor air quality, nonindustrial environments, 2386–2393
  - lead, 2557–2561
  - nitrogen oxide exposure, 2573–2577
  - ozone exposure, 2563–2571
  - particulate matter, 2584–2588
  - sulfur dioxide exposure, 2579–2582
- Health risk appraisals (HRAs), workplace health promotion and, 2703–2704
- Heat exchange, indoor air quality, nonindustrial building ventilation systems, 2420–2423
- Heating, ventilation and air conditioning (HVAC) systems:
  - emergency response and preparedness, building environments, 2317–2320
  - indoor air quality:
    - ASHRAE Standard 62, 2423–2428
    - buildings, pollutants, and definitions, 2379–2381
    - cleaning operations, 2418–2419
    - combustion products, 2403–2405
    - fungi, 2382–2386
    - microbial evaluation and control, 2444–2445
    - NIOSH studies, 2409–2410
    - nonindustrial buildings, 2419–2431
    - particulate matter, 2408–2409
    - pollutant sources, 2428–2430
    - system evaluation and controls, 2448–2453
    - thermal environment, 2430–2431
    - laboratory design and layout for, 2637–2642
  - Heat release rate (HRR), fire safety and, 2683
  - Heat stress, agricultural hygiene, skin irritation, 2496
  - Hexavalent chromium, OSHA standards, 2028
  - High efficiency particulate air (HEPA) filter:
    - indoor air quality, particulate matter, 2408–2409
    - laboratory ventilation system design, 2642
- Homeland Security Advisory System (HSAS), 2223–2225, 2236–2237
- Hoods, laboratory ventilation system design, 2639–2642
- Horizontal distribution, laboratory design and layout for, 2637
- Horne Plumbing and Heating Company v. OSHRC and Dunlop*, 2082
- Host defense mechanisms, nitrogen oxide exposure, 2575–2577
- Hot-dry industries, fire safety in, 2693
- Housekeeping requirements:
  - fire safety and, 2693
  - laboratory design and layout, 2656–2657
- Human resources, international environmental health and safety programs, 2173–2176
- Humidifier fever, indoor air quality, nonindustrial environments, 2390
- Humoral immunity, nitrogen oxide exposure, 2576–2577
- Hydrogen sulfide, agricultural industry, respiratory tract hazards, 2481–2483

- Hypersensitivity pneumonitis:**  
 agricultural industry exposure, 2484-2487  
 indoor air quality, nonindustrial environments, 2390
- Ignitable wastes,** 2358, 2365
- Ignition principles, fire safety and,** 2682-2683
- Imminent danger:**  
 employees' right to notification of and relief from, 2085  
 OSH Act provisions concerning, 2062-2063
- Immune system:**  
 lead effects, 2559-2560  
 nitrogen oxide exposure, 2576-2577
- Incentives, workplace health promotion,** 2704-2705
- Incident Command System, 2227-2229**  
 industrial hygienists' duties and responsibilities, 2238-2345
- Incident investigation:**  
 emergency response and preparedness, 2250-2253  
 industrial hygienists' duties and responsibilities, 2238-2345  
 occupational health and safety management systems, 2125  
 personnel involved in, 2254-2256  
 procedural management, 2256-2268
- Incident management systems, fire departments standards,** 2239-2240
- Incineration guidelines:**  
 hazardous wastes, 2367  
 laboratory hazardous waste management systems, 2653-2654
- Incompatible chemicals, storage, laboratory construction and design for,** 2649-2651
- Indirect losses, emergency response and preparedness,** 2214
- Indoor air quality (IAQ):**  
 nonindustrial environments:  
 airborne particulates, 2408-2409  
 building-related symptoms and illness, 2378-2379  
 cleaning operations, 2418-2419  
 combustion products, 2403-2405  
 crisis buildings and mass psychogenic illness, 2415-2416  
 definitions, 2379-2381  
 developing countries, 2418  
 early studies, 2409-2412  
 economic issues and productivity, 2416-2418  
 EPA studies, 2412-2413  
 evaluation protocols and guidelines, 2431-2440  
 historical background, 2377-2378  
 microbials, 2381-2393  
 monitoring and control systems, 2440-2454  
 perceived air quality, 2413-2415  
 pesticides, 2401-2403  
 pollutant identification and classification, 2381-2409  
 radon, 2406-2408  
 tobacco smoke, 2405-2406  
 ventilation systems, 2419-2431  
 volatile organic compounds, 2393-2401  
 OSHA standard for, 2042  
 testing and sampling methods reference guide, 2453-2454
- Industrial accidents, emergency response and preparedness,** 2288-2289
- Industrial fire brigades, federal standards for,** 2239-2240, 2695
- Industrial furnaces, hazardous waste treatment,** 2367
- Industrial hygiene:**  
 competency assessment in, 2202-2207  
 occupational health and safety management systems, 2109-2111, 2158
- Industrial hygienists:**  
 emergency response and preparedness, duties and responsibilities, 2335-2345  
 litigation issues, 2661-2670  
 corporate counsel interaction, 2663-2664  
 court-imposed limitations, 2665-2666  
 defendant guidelines, 2667-2668  
 expert witness proceedings, 2662, 2666-2667
- Industrial Union Dept. v. American Petroleum Institute,* 2028-2029
- Infant development/mortality, particulate matter exposure,** 2587-2488
- Infectious disease, emergency response and preparedness:**  
 airborne disease, 2037-2038  
 airport settings, 2314-2315  
 epidemic/pandemic management, 2279-2284
- Influenza:**  
 emergency response and preparedness for, 2280-2284  
 OSHA standard, 2037-2038
- Information Quality Act, OSHA standards and,** 2007
- Information requirements:**  
 emergency response and preparedness:  
 health care work settings, 2542  
 incident investigation, 2263-2268  
 terrorism incidents, 2298-2303  
 fire codes, standards, and regulations, 2682  
 health care work settings, 2542  
 laboratory chemical waste disposal, 2654  
 occupational safety and health management systems implementation, 2156-2157
- Infrastructure:**  
 international environmental health and safety programs, development guidelines, 2172-2176  
 terrorism incidents, protection and preparedness, 2303
- Injuries:**  
 agricultural industry, 2475-2479  
 recordkeeping requirements, 2047-2049
- Insects, indoor air quality, nonindustrial environments,** 2388-2389
- Inspections:**  
 employees' right to request, 2084  
 incident investigation, 2260-2268  
 OSH Act enforcement, 2052-2062
- Instrumentation, laboratory design and layout for,** 2635-2636
- Insurance issues, emergency response and preparedness:**  
 claims management, 2273-2274  
 incident investigation, 2256

- policy review procedures, 2272–2273
- provisions and policies, 2268–2275
- Integrated Contingency Plan (ICP):
  - emergency response and preparedness, 2229
  - template and core elements, 2240–2247
- Integrated environmental health and safety management systems, 2157–2158
- Integrated pest management (IPM) programs, indoor air quality, 2401–2403
- Interagency cooperation, health care work settings, emergency response and preparedness, 2539–2540
- Interim standards, Occupational Safety and Health Act, 2000–2001
- Internal audit, occupational health and safety management systems, 2125
- International Code Council®:
  - fire codes, standards, and regulations, 2678–2679
  - fire drill guidelines, 2692
- International environmental health and safety programs:
  - emergency response and preparedness standards, 2237–2240
  - management of, 2163–2176
- International health regulations, emergency response and preparedness, epidemics, 2283–2284
- International Labor Organization (ILO):
  - international environmental health and safety programs, 2166–2168
  - occupational health and safety management systems, 2111–2112, 2130–2134
- International Occupational Hygiene Association (IOHA), occupational health and safety management systems, 2111–2112
- International Safety Rating System (ISRS), occupational health and safety management systems development, 2110–2111, 2143
- International Standards Organization (ISO):
  - international environmental health and safety programs, 2165–2166
  - ISO 9001, product stewardship and, 2200–2201
  - occupational health and safety management systems, 2110–2114, 2158
  - 14001-based standards, 2127–2130, 2166–2167
- Inventory protocols, hazardous waste management, 2364
- Inventory Update Rule (IUR), product stewardship and, 2195
- Ionizing radiation, OSHA standard, 2043
- Isolation orders, emergency response and preparedness, 2279–2284, 2314–2315
- Johnson and Johnson workplace health promotion case study, 2709
- Key performance indicators (KPIs), international environmental health and safety programs, 2174–2176
- Labeling guidelines, product stewardship and, 2197
- Laboratories:
  - construction guidelines, 2644–2647
  - blueprint review, 2645–2646
  - communication during, 2646–2647
- design criteria:
  - accidents, 2622–2623
  - aesthetics and environment, 2623–2624
  - compressed gas system, 2644
  - distribution schemes, 2637–2638
  - egress and handicapped access, 2626
  - electrical systems, 2642–2643
  - emergency facilities, 2627
  - expansion planning, 2632
  - filtration systems, 2642
  - fume hoods, 2639–2642
  - furnishings and lighting, 2627
  - glove boxes, 2641–2642
  - instrumentation layout, 2635–2636
  - layout elements, 2627–2635
  - location, 2623
  - overview, 2621–2622
  - plumbing, 2643–2644
  - regulatory issues, 2624–2625
  - service specifications, 2636–2637
  - space and room size planning, 2630–2631
  - ventilation systems, 2626, 2636–2637
- safety design and planning, 2647–2657
  - chemical storage, 2647–2651
  - emergency evacuation design, 2656
  - fire extinguishers and suppression systems, 2655
  - first-aid planning, 2655–2656
  - maintenance procedures, 2656–2657
  - safety showers and eyewash stations, 2654–2655
  - waste disposal, 2651–2654
- Language issues, international environmental health and safety programs, 2169–2176
- LC50 values, fire safety procedures, 2686–2687
- Lead:
  - air pollution and, 2555–2561
  - health effects, 2557–2561
  - levels measurement, 2557
  - OSHA standard for, 2029
  - sources, 2555–2557
- Lean design concepts, laboratory design projects, 2628–2633
- Legal issues:
  - emergency response and preparedness, 2240–2247, 2250–2268
  - liability management and incident investigation, 2250–2253
  - employees' right to litigation before OSHA Review Commission, 2084–2085
  - future regulations and, 2107–2108
  - industrial hygienists' litigation process, 2661–2670
  - occupational health and safety management systems, 2122
  - workplace health promotion, 2708
- Legionella*, indoor air quality, nonindustrial environments, 2386–2388
- Liability issues:
  - emergency response and preparedness:
    - commercial airlines, goods shipments, 2312–2315

- Liability issues (*Continued*)
  - incident investigation procedures, 2250–2253
  - insurance claims, 2270–2275
  - hazardous waste, 2355–2356
- Lighting requirements, laboratory design guidelines, 2627
- Livestock operations, respiratory tract hazards, 2481–2487
- Local Emergency Planning Committee (LEPC), 2098, 2233–2234
- Local governments:
  - emergency response and preparedness, 2214–2217
  - emergency response and preparedness duties, incident investigation, 2056
- Long-term exposure studies, particulate matter, 2587–2589
- Loss assessment:
  - emergency response and preparedness, 2214
  - insurance claims, 2270
  - fire loss in workplace, 2671
- L. R. Wilson & Sons, Inc. v. OSHRC*, 2053
- Lung cancer, radon exposure and, 2407–2408
- Lung function:
  - nitrogen oxide exposure, 2576–2577
  - ozone exposure and, 2563–2571
- Lyme disease, agricultural workers, 2501–2502
- Maintenance procedures, laboratory design and layout, 2656–2657
- Management policies:
  - emergency response and preparedness, incident investigation, 2254–2256
  - employer duties under OSH Act, 2007–2036
  - fire safety and prevention, 2694
  - international environmental health and safety programs, 2165–2168
  - laboratory construction and design, 2644–2647
  - occupational health and safety management systems development, 2110–2111
  - early management approaches, 2141–2143
  - framework pyramid, 2116–2120
  - resources, responsibility, and authority, 2120–2121
  - review procedures, 2126–2127
  - recordkeeping requirements, 2045–2049
  - specific standards, employer duties arising from, 2045–2049
- Manufacturing systems, product stewardship and, 2183
- Marketing issues, product stewardship and, 2183
- Marshall v. Barlow's Inc.*, 2053–2056
- Marshall v. Western Waterproofing Co., Inc.*, 2061–2062
- Mass care systems:
  - emergency response and preparedness:
    - mass casualty incidents, hospital-based first receivers, 2330–2331
    - terrorism incidents, 2299–2303
  - indoor air quality, mass psychogenic illness, 2415–2416
- Material Safety Data Sheets (MSDS), fire safety procedures, 2686–2687
- Measurement procedures, radon products, 2407–2408
- Medical services and first aid:
  - emergency response and preparedness, 2320–2332
  - federal standards, 2232
  - hazard vulnerability assessment, 2321
  - mass casualty incidents, hospital-based first receivers, 2330–2331
  - regulatory requirements, 2320–2330
  - terrorism incidents, 2300–2303
  - training programs, 2331–2332
  - hazardous waste management, 2374–2375
  - laboratory design and layout, 2655–2656
- Megawest Fin., Inc.*, 2044–2045
- Mercaptans, agricultural industry, respiratory tract hazards, 2481–2483
- Methylene chloride, OSHA standard, 2031
- Methylenedianiline, OSHA standard for, 2032
- Microbials, indoor air quality, 2381–2393
  - allergens, 2388–2390
  - bacteria, 2386–2388
  - evaluation and control, 2442–2445
  - fungi, 2382–2386
  - health effects, 2390–2391
  - sampling and data interpretation, 2391–2393
  - ventilation system sources, 2429–2430
- Microencapsulation, hazardous waste treatment, 2367
- Minerals Management Service, emergency response and preparedness, incident investigation, 2256
- Mine Safety and Health Act of 1977, 2104–2105
- Mine Safety and Health Administration (MSHA),
  - emergency response and preparedness, incident investigation, 2255
- Mining, fatality studies, 2475–2477
- Moisture problems, indoor air quality:
  - evaluation and control, 2442–2445, 2448–2453
  - fungi formation, 2383–2384
- Mold, indoor air quality, evaluation and control, 2450–2451
- Monitoring procedures, occupational health and safety management systems, 2125
- Morbidity and mortality studies:
  - agricultural industry, 2475–2477
  - fire safety procedures, 2686–2687
  - ozone exposure and, 2569–2571
  - particulate matter exposure, 2587–2589, 2593–2594
  - sulfur dioxide exposure, 2579–2582
- Motivational strategies, workplace health promotion, 2704
- Motor Carrier Act of 1984, 2106
- Musculoskeletal disorders, agricultural hygiene, 2477–2479
- Mutagenicity, particulate matter exposure, 2592–2593
- Mycotoxins, indoor air quality, fungi formation, 2385–2386
- Nanotechnology, medical industrial hygiene practices, 2530–2531
- National Advisory Committee on Occupational Safety and Health (NACOSH), creation of, 1999
- National Aeronautics and Space Administration (NASA) workplace health promotion study, 2710

- National Defense variance from compliance. 2051
- National Emissions Inventory (NEI), carbon monoxide levels, 2551–2553
- National Emission Standards for Hazardous Air Pollutants (NESHAP), 2097
- National Environmental Policy Act (NEPA), rulemaking analysis, 2005
- National Fire Protection Association (NFPA):
  - codes, standards, and regulations of, 2677–2679
  - emergency response and preparedness standards, 2237–2240
  - employee fire safety training programs, 2694–2695
  - fire drill guidelines, 2692
  - Fire Safety Concepts Tree (NFPA 550), 2673–2676
  - laboratory design guidelines, 2626–2628
- National Incident Management System (NIMS), 2227–2229
- National Institute for Occupational Safety and Health (NIOSH):
  - agricultural hygiene practices, 2503–2509
  - creation of, 1999
  - duties and responsibilities, 2087–2088
  - indoor air quality studies, 2409–2410
- National Institutes for Health (NIH), health care work settings, industrial hygiene practices, 2527–2531
- National Realty and Construction Company*, 2010–2011, 2082
- National Response Plan (NRP)/National Response Framework (NRF), 2225–2227
- National Transportation Safety Board (NTSB), emergency response and preparedness, incident investigation, 2255
- Natural disasters, emergency response and preparedness, 2276–2278
- Natural Gas Pipeline Safety Act of 1968, 2106
- Negative pressurization, indoor air quality, ventilation systems, 2422–2423
- Neutralization, hazardous waste treatment, 2367
- Newcastle disease, agricultural industry exposure, 2491–2492
- Nicotine, indoor air quality, environmental tobacco smoke, 2406
- Nitrogen oxides:
  - agricultural industry, respiratory tract hazards, 2482–2483
  - air pollution, 2571–2577
  - health effects, 2573–2577
  - indoor air quality, 2403–2405
  - level measurements, 2573
  - sources, 2571–2573
- Noise level limits:
  - agricultural hygiene, 2496–2498
  - federal statutes concerning, 2100–2101
  - OSHA standard, 2032–2033
- Nonindustrial environments, indoor air quality:
  - airborne particulates, 2408–2409
  - building-related symptoms and illness, 2378–2379
  - cleaning operations, 2418–2419
  - combustion products, 2403–2405
  - crisis buildings and mass psychogenic illness, 2415–2416
  - definitions, 2379–2381
  - developing countries, 2418
  - early studies, 2409–2412
  - economic issues and productivity, 2416–2418
  - EPA studies, 2412–2413
  - evaluation protocols and guidelines, 2431–2440
  - historical background, 2377–2378
  - microbials, 2381–2393
  - monitoring and control systems, 2440–2454
  - perceived air quality, 2413–2415
  - pesticides, 2401–2403
  - pollutant identification and classification, 2381–2409
  - radon, 2406–2408
  - tobacco smoke, 2405–2406
  - ventilation systems, 2419–2431
  - volatile organic compounds, 2393–2401
- North American Free Trade Agreement (NAFTA), 2106
- NOSA occupational health and safety management system, 2143
- Notification systems, emergency response and preparedness, 2243–2244
- Nuclear Regulatory Commission (NRC), 2096
  - emergency preparedness and response, 2236
  - health care work settings, industrial hygiene practices, 2532–2538
- Nuclear weapons, emergency response and preparedness, terrorism involving, 2297–2303
- Occupational Safety and Health Act (1970):
  - agency duties and responsibilities in, 1998–2000
  - amendments to, 2089–2090
  - citations, violations, and civil penalties, 2063–2071
  - contestation proceedings, 2077–2082
  - coverage and scope, 1999–2000
  - economic and technological feasibility requirements, 2002–2004
  - employee duties and rights under, 2083–2086
  - employer duties under, 2007–2036
  - enforcement procedures, 2052–2077
  - future regulations and, 2107–2108
  - General Duty Clause, 2008–2012
  - imminent danger provisions, 2062–2063
  - inspection procedures, 2059–2062
  - overview, 1997–2000
  - recordkeeping provisions, 2045–2047
  - rulemaking analysis, 2004–2007
  - standards adoption requirements, 2001–2002
  - standards development, 2000–2002
  - state regulations and, 2090–2093
  - voluntary compliance programs, 2086–2087
- Occupational Safety and Health Administration (OSHA):
  - acrylonitrile standard, 2015
  - aerosol transmissible diseases, 2037–2038
  - agricultural hygiene, 2474–2475
  - arsenic standard, 2028–2029
  - asbestos, 2016–2018
  - benzene standard, 2018–2019
  - beryllium standard, 2038

Occupational Safety (*Continued*)

- blood-borne pathogens, 2019–2020
- 1,3-butadiene standard, 2020
- cadmium standard, 2020–2031
- carcinogens, 2021–2022
- chemical labeling standard, 2041–2042
- coke oven emissions, 2022–2023
- combustible dust standard, 2038–2039
- confined work spaces, 2023
- cotton dust standard, 2023–2024
- creation of, 1998–2000
- crystalline silica standard, 2043–2044
- development of, 2000–2007, 2037–2045
- diacetyl standard, 2039
- 1,2 dibromo-3-chloropropane standard, 2024
- emergency response and preparedness
  - guidelines, 2039–2040, 2229–2233
  - incident investigation, 2250–2256
- emergency temporary standards, 2001
- employer duties concerning, 2012–2036
- enforcement policies, 2073–2077
- ergonomics standard, 2040–2041
- ethylene oxide standard, 2024–2025
- fire codes, standards, and regulations, 2678–2679
- fire safety training requirements, 2695
- formaldehyde standard, 2025–2026
- hazard communication standard, 2026–2027
- hazardous waste operations guidelines, 2027–2028, 2369–2375
- hexavalent chromium standard, 2028
- indoor air quality standard, 2042
- interim standards, 2000–2001
- ionizing radiation standard, 2043
- judicial review of standards, 2049–2051
- laboratory design guidelines, 2624–2628
- lead standard, 2029–2030
- methylene chloride standard, 2031
- methylenedianiline standard, 2032
- noise levels, 2032–2033
- past, present, and future standards, 2037–2045
- permanent standards, 2001
- personal protective equipment, 2033–2034
- recordkeeping requirements, 2045–2047
- respiratory protective equipment, 2034–2036
- risk assessment standard, 2045
- specific substances, 2015–2036
- standards classification, 2000–2001
- vinyl chloride standard, 2036
- Voluntary Protection Program:
  - international environmental health and safety programs, 2167–2168
  - occupational health and safety management systems and, 2110–2111, 2140–2141
  - OSH Act provisions for, 2086–2087
  - product stewardship and, 2196–2199
  - workplace violence prevention, 2044–2045
- Occupational safety and health management systems (OSHMS):
  - AIHA system, 2142–2143
  - ANSI/AIHA Z10 standard, 2120–2121, 2125–2126, 2134–2140
  - auditing procedures, 2144–2152
  - British Standard BS 8800, 2142
  - conformity assessment, 2143–2144
  - development and rollout, 2154–2157
  - early management system approaches, 2141
  - employee participation, 2121
  - evaluation and checking, 2125–2126
  - evolution of, 2109–2112
  - future direction, 2157–2159
  - generic model, 2115–2116, 2118–2119
  - ILO OSHMS, 2130–2134
  - implementation and operational elements, 2123–2125, 2152–2157
  - ISO and standards development, 2112–2113
  - ISRA/NOSA systems, 2143
  - management review, 2126–2127
  - management system framework pyramid, 2116–2117, 2120
  - OHSAS 18001 and ISO 14001-based approaches, 2127–2130
  - OSHA Voluntary Protection Program, 2140–2141
  - planning strategies, 2121–2123
  - policy development, 2121
  - programs vs. systems, 2115
  - resources, responsibility, and authority, 2120–2121
  - system concepts and definitions, 2113–2114
- Odor measurement and control, indoor air quality, ventilation and building pressurization, 2450–2451
- OHSAS 18001:1999, 2112, 2127–2130
  - international environmental health and safety programs, 2166–2167
  - occupational health and safety management systems, 2112, 2114–2115
- Oil pipelines, emergency preparedness and response, 2235
- Olf unit, perceived air quality studies, 2413–2415
- Open burning dynamics, fire safety and, 2683–2684
- Organic dust toxic syndrome (ODTS), agricultural industry and, 2484–2487
- Organizational structure:
  - health care work settings, emergency response and preparedness, 2539
  - occupational health and safety management systems, 2153–2157
  - product stewardship and, 2183
- Organ systems, lead exposure and, 2561
- Other-than-serious violations, OSHA enforcement provisions, 2065
- Outcomes assessment, workplace health promotion, 2705–2707
- Outdoor air requirements, indoor air quality:
  - ASHRAE Standard 62, 2423–2428
  - HVAC system evaluation and controls, 2448–2453
- Outer Continental Shelf Lands Act, 2106–2107
  - emergency response and preparedness, incident investigation, 2256

- Overtime, OSHA provisions for, 1997–1998
- Oxidative stress, particulate matter exposure, 2592–2593
- Ozone:
- air pollution and, 2562–2571
  - health effects, 2563–2571
  - indoor air quality, volatile organic compounds and, 2400–2401
  - level measurements, 2563
  - sources, 2561–2563
- Pandemics, emergency response and preparedness, 2279–2284
- Paperwork Reduction Act, OSHA standards and, 2005–2006
- Particulate matter:
- air pollution, 2582–2594
    - cardiovascular effects, 2588–2591
    - health effects, 2584–2588
    - levels measurements, 2584
    - mutagenicity and toxicity effects, 2592–2593
    - respiratory effects, 2591–2592
    - sources and components, 2582–2583, 2593–2594
  - indoor air quality, 2408–2409
    - cleaning operations, 2418–2419
    - evaluation and control, 2447
- Pathogenic resistance, nitrogen oxide exposure, 2576–2577
- Penalties:
- contestation proceedings, 2077–2081
  - OSHA enforcement provisions, 2063–2071
- Perceived air quality concept, indoor air quality studies, 2413–2414
- ventilation system pollutants, 2429–2430
- Perchloric acid hoods, laboratory ventilation system design, 2641
- Performance evaluation:
- competency assessment programs, 2202–2207
  - emergency response and preparedness plans, 2246–2247
  - fire codes, standards, and regulations, 2679–2682
  - indoor air quality, protocols and guidelines, 2431–2440
  - international environmental health and safety programs, 2174–2176
  - occupational health and safety management systems, 2125
- Permanent standards, Occupational Safety and Health Act, 2001
- Permissible exposure limits (PELs):
- acrylonitrile, 2015
  - asbestos, 2016–2018
  - benzene, 2018–2019
  - OSH Act provisions concerning, 2014–2015
- Personal injury lawyers and experts, emergency response and preparedness duties, incident investigation, 2256
- Personal protective equipment:
- hazardous waste management, 2371–2373
  - OSHA standard for, 2033–2034
- Pesticides:
- agricultural industry exposure, 2487–2490, 2502
  - indoor air quality:
    - evaluation and control, 2446
    - nonindustrial buildings, 2401–2403
- Pharmaceuticals, agricultural industry exposure, 2490–2492
- Physical removal systems, hazardous wastes, 2368
- Planning-related elements:
- emergency response and preparedness, 2213
  - campus settings, 2309–2311
  - occupational health and safety management systems, 2121–2123
- Plumbing systems, laboratory design and layout for, 2643–2644
- Pneumonitis, hypersensitivity pneumonitis, indoor air quality, nonindustrial environments, 2390
- Pollutants, indoor air quality:
- definitions, 2379–2381
  - evaluation and control, 2440–2454
  - HVAC system sources, 2428–2430
  - microbials, 2381–2393
  - perceived air quality studies, 2413–2415
- Pollution, legal liability (PLL) insurance policies, 2271–2272
- Polycyclic aromatic hydrocarbons:
- indoor air quality, 2403–2405
  - mutagenicity and genotoxicity, 2592–2593
- Porous materials, indoor air quality, fungi formation, 2383
- Positron emission tomography (PET), safety issues, 2534–2537
- Potlatch Corporation*, 2069
- Premanufacture Notification (PMN), product stewardship and, 2185–2195
- Presidential Green Chemistry Challenge, product stewardship and, 2197
- Prevention:
- emergency response and preparedness plans, 2247
  - hazard-free environment, employers' failure to render, 2009–2011
- Probable cause requirement, OSHA inspection warrants, 2054–2056
- Process Safety Management (PSM), emergency response and preparedness, federal standards, 2231
- Product design and development:
- fire safety procedures, 2686–2687
  - product stewardship and, 2182, 2185–2195
- Productivity measurements, indoor air quality and, 2416–2418
- Product organization, international environmental health and safety programs, 2164–2165
- Product stewardship:
- Code of Management Practices, 2179–2181
  - communication guidelines, 2184
  - competency assessment, 2202–2206
  - definitions, 2178–2182
  - government-led programs, 2196–2199
  - hazard assessment and communication, 2184–2185
  - history, 2199–2200
  - interdisciplinary/organizational issues, 2183
  - inventory update rule, 2195

- Product stewardship (*Continued*)  
 ISO 9001 certification, 2200–2201  
 objectives, 2177  
 product development, 2185–2195  
 program elements, 2182–2183  
 REACH regulations, 2196  
 regulatory issues, 2183–2184  
 risk management, 2185  
 scope, 2178
- Professionalization of industrial hygiene:  
 competency assessment programs, 2202–2207  
 emergency response and preparedness, industrial hygienists' duties and responsibilities, 2343–2345  
 occupational health and safety management systems, 2109–2111  
 product stewardship, 2177–2206
- Program models, occupational health and safety management systems, 2113–2115
- Project management, occupational safety and health management systems implementation, 2155–2157
- Property recovery and disposition, emergency response and preparedness, damage claims, 2269–2270, 2275
- Protection systems and procedures:  
 emergency response and preparedness:  
 health care work settings, 2541–2542  
 terrorism incidents, 2299–2303  
 fire protection and safety, 2671–2676, 2690–2691  
 health care work settings, emergency response and preparedness, 2541–2542  
 tractor-related deaths, 2477–2479
- Psychogenic illness, indoor air quality, crisis buildings and, 2415–2416
- Psychosocial risk factors, agricultural hygiene, 2472–2473  
 mental stress, 2499–2500
- Public Health Emergencies of International Concern (PHEIC), epidemic/pandemic preparations, 2284
- Public health issues, emergency response and preparedness:  
 airport settings, 2313–2315  
 epidemics, 2279–2284  
 terrorism incidents, 2300–2303
- Pullman Power Products, Inc. v. Marshall and OSHRC*, 2061
- Purchasing systems, product stewardship and, 2182
- Pyramid model, occupational health and safety management systems, 2116–2123
- Qualitative studies, indoor air quality, 2432–2440
- Quarantine orders, emergency response and preparedness, 2279–2284, 2314–2315
- “Quick Fix” abatement incentive (OSHA), 2070–2071
- Radiation:  
 emergency response and preparedness:  
 federal standards and statutes, 2095–2096, 2236  
 incident management, 2291–2293  
 terrorism involving, 2297–2303  
 health care work settings, industrial hygiene practices, 2533–2538  
 indoor air quality, nonindustrial environments, radon decay products, 2407–2408
- Radon, indoor air quality, 2406–2408
- Reactive oxygen species (ROS), particulate matter exposure, 2592–2593
- Reactive wastes, 2358, 2366
- Rebuilding operations, emergency response and preparedness, 2275
- “Recognized” hazard, OSHA Act requirements for, 2011
- Recombinant DNA technology, industrial hygiene practices, 2529–2531
- Records management:  
 emergency response and preparedness, incident investigation, 2260–2268  
 employees' rights to access, 2085  
 occupational health and safety management systems, 2124–2125  
 OSHA Act provisions concerning, 2045–2049
- Recovery operations:  
 emergency response and preparedness, 2275  
 terrorism incidents, 2301–2303  
 industrial hygienists' duties and responsibilities, 2336–2345  
 laboratory hazardous waste management systems, 2654
- Recycling operations, laboratory hazardous waste management systems, 2653
- Reference exposure levels (RELs), indoor air quality, volatile organic compounds, 2393–2397
- Refrigeration systems, chemical storage, laboratory construction and design for, 2649–2651
- Registration, Evaluation, Authorization and Restriction of Chemical Substances (REACH), 2108  
 product stewardship and, 2196
- Regulatory Flexibility Act, OSHA standards, 2005
- Regulatory issues and guidelines. *See also* specific regulations and agencies, e.g. Occupational Safety and Health Administration  
 agricultural hygiene practices, 2506–2509  
 compliance variances, 2051  
 contestation proceedings, 2077–2087  
 emergency response and preparedness, 2214–2240  
 airport settings, 2311–2315  
 bioterrorism, 2295–2303  
 campus settings, 2309–2311  
 chemical spills, 2285–2286  
 fires and explosions, 2289–2291  
 hazardous waste sites, 2332–2335  
 health care facilities, 2320–2330  
 incident investigation, 2260–2268  
 industrial accidents, 2288–2289  
 local government, 2214–2217  
 radiation incidents, 2291–2293  
 state government, 2215, 2217–2218  
 employer duties, 2007–2036, 2045–2049  
 federal statutes and exemptions, 2093–2107  
 fire protection codes, standards, and regulations, 2676–2679



- future issues, 2107-2108  
 hazardous waste, 2355-2365  
 indoor air quality investigations, 2432-2440  
 international environmental health and safety programs, 2171-2176  
 judicial review of standards, 2049-2051  
 laboratory design and layout:  
   hazardous waste disposal, 2651-2654  
   location and site characteristics, 2623-2625  
 NIOSH overview, 2087-2088  
 OSHA amendments, 2089-2090  
 OSHA enforcement, 2052-2077  
 OSHA overview, 1997-2000  
 product stewardship and, 2183-2184  
 standards development, 2000-2007, 2037-2045  
 state regulations, 2090-2093  
 Relative limit values (RLVs), indoor air quality, nonindustrial environments, 2387-2388  
 Renal system, lead exposure and, 2560-2561  
 Repeated violations, OSHA enforcement provisions, 2067-2070  
 Reproductive toxicants:  
   carbon monoxide, 2555  
   particulate matter, 2587-2488  
 Resource allocation:  
   emergency response and preparedness, terrorism incidents, 2301-2303  
   international environmental health and safety programs, 2173-2176  
   occupational health and safety management systems, 2122  
 Resource Conservation and Recovery Act (RCRA):  
   emergency preparedness and response, 2234  
   hazardous waste guidelines, 2356-2362  
   laboratory hazardous waste disposal guidelines, 2651-2654  
 Respiratory protective equipment (RPE), OSHA standard for, 2034-2036  
 Respiratory tract:  
   agricultural hygiene and, 2479-2487  
   gaseous hazards, 2479-2483  
   inorganic aerosols, 2483-2484  
   organic aerosols, 2484-2487  
   nitrogen oxide exposure, 2576-2577  
   ozone exposure and, 2563-2571  
   particulate matter effects, 2587-2592  
 Response management system, emergency response and preparedness, 2244-2246  
 Return air systems, indoor air quality, evaluation and control, 2449  
 Return on investment, workplace health promotion, 2707-2708  
 Review procedures, occupational health and safety management systems, 2122  
 Rhinoviruses, indoor air quality, 2391  
 Risk assessment:  
   emergency response and preparedness:  
     campus settings, 2305-2311  
     chemical spills, 2284-2285  
     insurance issues, 2274-2275  
   natural disasters, 2276-2278  
   radiation incidents, 2292-2293  
   health risk appraisals, 2703-2704  
   occupational health and safety management systems, 2158-2159  
   OSHA standards for, 2045  
   product stewardship and, 2185, 2205  
 Roll-over protective structures (ROPS), tractor-related deaths, 2477-2479  
 Room size planning, laboratory design projects, 2630-2633  
 Rulemaking analysis:  
   occupational health and safety management systems, 2111  
   OSHA standards adoption, 2004-2007  
 Safety guidelines and standards:  
   agricultural hygiene, 2474-2475  
   agricultural hygiene practices, 2506-2509  
   employers' duties concerning, 2009-2036  
   fire safety fundamentals, 2682-2687, 2692-2693  
   hazardous wastes, 2369-2375  
   health care work settings, PET/CT safety issues, 2534-2535  
   laboratory design and location, 2624-2628  
   workplace promotion of, 2713-2714  
 Safety showers, laboratory design and layout, 2654-2655  
 Scheduling differences, international environmental health and safety programs, 2172-2176  
*Secretary of Labor v. L. R. Willson and Sons, Inc.*, 2010-2011  
 Security procedures:  
   emergency response and preparedness, building environments, 2317-2320  
   health care work settings, emergency response and preparedness, restrictions, screening, decontamination, self-transport, 2540-2541  
   laboratory design and layout, 2657  
 Semivolatile organic compounds (SVOCs), indoor air quality:  
   buildings, pollutants, and definitions, 2379-2381  
   emission testing, 2397-2401  
 Serious violations, OSHA enforcement provisions, 2066-2067  
 Severe acute respiratory syndrome (SARS), indoor air quality and, 2391  
 Sewage systems, laboratory hazardous waste management, 2654  
 Short-term exposure limits (STELs), particulate matter studies, 2586-2586  
 Sick Building Syndrome (SBS), indoor air quality, 2378-2379  
 "Significant risk" test, OSHA standards and, 2028-2029  
 Silica, crystalline, OSHA standard, 2043-2044  
 Silo gas, agricultural industry, respiratory tract hazards, 2482-2483  
 Site characterization:  
   hazardous waste management, 2370, 2375  
   incident investigation, 2265-2268  
   laboratory design and location, 2623

- Skin absorption and penetration, agricultural agents, diseases from, 2493–2496
- Small Business Regulatory Enforcement and Fairness Act (SMREFA), OSHA standards, 2005
- Smelting, hazardous waste treatment, 2367
- Smoking, indoor air quality, environmental tobacco smoke, 2405–2406
- Societal differences, international environmental health and safety programs, 2169–2176
- Soil-derived aerosols, agricultural industry, respiratory tract hazards, 2483–2484
- Solar radiation, agricultural hygiene, 2496
- Space planning, laboratory design projects, 2630–2633
- Stabilization, hazardous waste treatment, 2367
- Standards and standardization. *See also* specific standards  
 emergency response and preparedness, federal standards, 2229–2240  
 fire protection codes, standards, and regulations, 2676–2679  
 international environmental health and safety programs, 2165–2176  
 judicial review procedures, 2049–2051  
 occupational health and safety management systems, 2112–2113, 2117–2123, 2127–2143
- OSHA standards:  
 acrylonitrile, 2015  
 adoption requirements, 2001–2007  
 aerosol transmissible diseases, 2037–2038  
 arsenic, 2028–2029  
 asbestos, 2016–2018  
 benzene, 2018–2019  
 beryllium, 2038  
 blood-borne pathogens, 2019–2020  
 1,3-butadiene, 2020  
 cadmium, 2020–2021  
 carcinogens, 2021–2022  
 chemical labeling standard, 2041–2042  
 coke oven emissions, 2022–2023  
 combustible dust, 2038–2039  
 confined work spaces, 2023  
 cotton dust, 2023–2024  
 creation of, 1998–2000  
 crystalline silica, 2043–2044  
 development of, 2000–2007, 2037–2045  
 diacetyl, 2039  
 1,2 dibromo-3-chloropropane, 2024  
 emergency temporary standards, 2001  
 employer duties concerning, 2012–2036  
 ergonomics, 2040–2041  
 ethylene oxide, 2024–2025  
 formaldehyde, 2025–2026  
 hazard communication, 2026–2027  
 hazardous waste operations, 2027–2028  
 hexavalent chromium, 2028  
 indoor air quality, 2042  
 interim standards, 2000–2001  
 ionizing radiation, 2043  
 lead, 2029–2030  
 methylene chloride, 2031  
 methylenedianiline, 2032  
 noise level, 2032–2033  
 past, present, and future standards, 2037–2045  
 permanent standards, 2001  
 personal protective equipment, 2033–2034  
 respiratory protective equipment, 2034–2036  
 risk assessment, 2045  
 specific substances, 2015–2036  
 standards classification, 2000–2001  
 vinyl chloride, 2036  
 workplace violence prevention, 2044–2045  
 variances from compliance, 2051
- Start-up operations, emergency response and preparedness, 2275
- State Emergency Response Commission (SERC), 2098, 2233–2234
- State government, emergency response and preparedness duties, 2215, 2217–2218  
 incident investigation, 2256
- State regulations, occupational safety and health regulations, 2090–2093
- Statistical process control (SPC), occupational health and safety management systems, 2110–2111
- Steam stripping, hazardous waste treatment, 2367
- Storage issues:  
 chemical storage, laboratory construction and design, 2647–2651  
 hazardous wastes, 2359–2362, 2366–2368
- Stress:  
 agricultural hygiene:  
 mental stress, 2499–2500  
 working conditions and, 2472–2473  
 indoor air quality, crisis buildings and psychogenic illness, 2415–2416
- Strikes, emergency response and preparedness, 2305
- Subject matter experts (SMEs), incident investigation, 2263–2268
- Suicide, agricultural workers and, 2499–2500
- Sulfur dioxide:  
 air pollution, 2577–2582  
 health effects, 2579–2582  
 indoor air quality, 2403–2405  
 levels measurement, 2578–2579  
 sources, 2577–2578
- Superfund Amendments and Reauthorization Act (SARA). *See also* Comprehensive Environmental Response, Compensation, and Liability Act  
 emergency response and preparedness, 2098, 2217, 2233–2234  
 hazardous wastes, 2027–2028, 2363–2364
- Supply chain, occupational health and safety management systems, 2159
- Support teams, occupational safety and health management systems implementation, 2156–2157
- Survey of Occupational Injuries and Illness (SOII) survey, 2047
- Sustained actions guidelines, emergency response and preparedness, 2243
- Synthetic Organic Chemical Manufacturers Assn v. Brennan*, 2022

- Systems development, occupational health and safety management systems, 2113–2115
- Systems thinking, occupational health and safety management systems, 2159
- Taxation policies, agricultural hygiene practices, 2505–2506
- Technical feasibility, OSHA standards, 2002–2004
- Technical support services, international environmental health and safety programs, 2172–2176
- Temperature levels, indoor air quality, thermal environment, 2430–2431
- Temporary variance from compliance, 2051
- Terrorism, emergency response and preparedness standards, 2236–2237
- cyber terrorism, 2303–2304
- FEMA duties and responsibilities, 2304–2305
- incident management, 2293–2305
- infrastructure attacks, 2303
- weapons of mass destruction, 2293–2303
- Testing, indoor air quality, testing and sampling methods reference guide, 2453–2454
- Thermal environment:
- indoor air quality:
- evaluation and control, 2447–2448
- ventilation systems, 2430–2431
- laboratory hazardous waste management systems, 2653–2654
- Threat assessment, natural disasters, emergency response and preparedness, 2276–2278
- Threshold limit values (TLVs):
- indoor air quality, semivolatile organic compounds, 2399–2401
- OSH Act provisions concerning, 2014–2015
- Time zone differences, international environmental health and safety programs, 2172–2176
- Tobacco smoke, indoor air quality, 2405–2406
- building environments and, 2379
- evaluation and control, 2447
- Toxicity:
- carbon monoxide effects, 2555
- nitrogen oxide exposure, 2577
- Toxicity Characteristic Leachate Procedure (TCLP), laboratory hazardous waste management, 2652–2655
- Toxicological studies, particulate matter exposure, 2588–2594
- Toxic Substances Control Act (TSCA):
- 1,3-butadiene standard, 2020
- product stewardship and, 2185
- provisions of, 2102–2103
- Toxic wastes, 2358, 2366
- Tractor-related deaths, agricultural hygiene, 2477–2479
- Training programs:
- emergency response and preparedness plans, 2246–2247
- chemical spill response training, 2287–2288
- hazardous waste sites, 2332–2335
- health care facilities and professionals, 2331–2332
- fire safety training, 2694–2695
- hazardous waste management, 2373–2374
- occupational health and safety management systems, 2124
- workplace health promotion, 2703
- Transportation systems:
- emergency response and preparedness:
- airports, 2311–2315
- health care work settings, self-transport, 2540–2541
- incident investigation, 2235, 2255
- terrorism incidents, 2302–2303
- hazardous materials transport, 2103–2104
- hazardous wastes, 2359
- laboratory hazardous waste management, 2652–2655
- Trauma, agricultural hygiene, acute trauma, 2475–2477
- Treatment, storage, and disposal protocols, hazardous wastes, 2359–2362, 2366–2368
- Tuberculosis, OSHA standard, 2037
- UAW v. OSHA*, 2003–2004
- United Auto Workers (UAW), methylene chloride standard and, 2031–2032
- United Kingdom, indoor air quality studies, 2410–2412
- United States Government programs, international environmental health and safety programs, 2167–2168
- United States v. Dye Constr. Co.*, 2068
- Unplanned events, emergency response and preparedness, 2213
- Upper respiratory tract, indoor air quality, irritation and, 2451–2452
- U.S. Administrative Procedure Act, OSHA standards adoption and, 2001–2002
- U.S. Coast Guard, emergency response and preparedness duties, incident investigation, 2256
- Use conditions, product stewardship and, 2183
- Variable air volume (VAV), indoor air quality, nonindustrial building ventilation systems, 2420–2423
- Ventilation systems:
- agricultural industry, respiratory tract hazards, 2482–2483
- indoor air quality:
- ASHRAE Standard 62, 2423–2428
- building pressurization and odor control, 2450–2451
- nonindustrial buildings, 2419–2431
- pollutant sources, 2428–2430
- laboratory design and layout for, 2637–2642
- laboratory design guidelines, 2626
- Vertical distribution, laboratory design and layout for, 2637
- Veterinary biologicals, agricultural industry exposure, 2490–2492
- Vibration, agricultural hygiene and, 2478–2479, 2798
- Vinyl chloride, OSHA standard for, 2036
- Violations:
- egregious violation policy, 2073–2075
- multi-employer citation policy, 2075–2076
- OSHA enforcement provisions, 2063–2071

- Violence prevention:  
 emergency response and preparedness, 2305  
 workplace standards, 2044–2045
- Vitrification, hazardous waste treatment, 2367
- Volatile organic compounds (VOCs), indoor air quality:  
 buildings, pollutants, and definitions, 2379–2381  
 evaluation and control, 2445–2446  
 microbial VOCs, 2385–2386  
 nonindustrial environments, 2393–2401  
 ozone and, 2400–2401  
 ventilation system sources, 2429–2430
- Voluntary Children's Chemical Evaluation Program (VCCEP), product stewardship and, 2197–2199
- Voluntary Protection Program (VPP):  
 international environmental health and safety programs, 2167–2168  
 occupational health and safety management systems and, 2110–2111, 2140–2141  
 OSH Act provisions for, 2086–2087  
 product stewardship and, 2196–2199
- Vulnerability assessment:  
 emergency response and preparedness:  
 hazard vulnerability, 2247–2250  
 natural disasters, 2276–2278  
 ozone exposure and, 2570–2571
- WalMart workplace health promotion study, 2710
- Walsh-Healey Public Contracts Act, 1197, 2031, 2096
- Warrants, OSH Act enforcement, 2052–2062
- Waste and debris management:  
 emergency response and preparedness, insurance issues, 2274  
 hazardous waste, 2364–2368  
 minimization protocols, 2368  
 laboratory design and layout for, 2643–2644, 2651–2654  
 waste reduction systems, 2653
- Wastewater treatment systems:  
 emergency response and preparedness, terrorism incidents, 2302–2303  
 laboratory hazardous waste management, 2654
- Water leaks, indoor air quality:  
 evaluation and control, 2442–2445, 2448–2450  
 fungi formation, 2383–2384
- Water-sensitive chemicals, storage, laboratory construction and design for, 2649–2651
- Water systems:  
 emergency response and preparedness, terrorism incidents, 2302–2303  
 laboratory design and layout for, 2643–2644
- Weapons of mass destruction (WMD), emergency response and preparedness, 2293–2303
- Welding operations, fire safety and, 2693
- Wellness programs, workplace promotion of, 2699–2714
- Whirlpool Corp. v. Marshall*, 2084
- Whole-body vibration (WBV), agricultural hygiene and, 2498
- Willful violations, OSHA enforcement provisions, 2067–2068
- Witness interviews, incident investigation, 2263
- Wood products, indoor air quality, pesticide treatments and, 2401–2403
- Worker location, laboratory design considerations, 2631–2633
- Workers compensation, emergency response and preparedness, 2270–2271
- Workplace practices:  
 agricultural hygiene, 2469–2472  
 confined spaces, OSHA standards, 2023  
 emergency response and preparedness, 2305  
 employee duties and rights, OSH Act provisions, 2083–2086  
 failure to render hazard-free environment, 2009–2011  
 fire safety and prevention:  
 codes, standards and regulations, 2676–2679  
 employee emergency response, 2692–2695  
 information resources, 2682  
 loss data, 2671  
 NFPA 550 Fire Safety Concepts Tree, 2673–2676  
 performance-based practices, 2679–2682  
 protection methods, 2671–2676  
 health care work settings, 2526–2527  
 health promotion guidelines:  
 barriers to, 2705  
 best practices resources, 2707–2708  
 case studies, 2709–2713  
 health risk appraisals, 2703–2704  
 historical background, 2700–2701  
 incentives and motivational strategies, 2704–2705  
 international programs, 2702–2703  
 legal issues, 2708  
 management policies for safety and health, 2713–2714  
 outcomes assessment, 2705–2707  
 overview, 2699–2700  
 return on investment of, 2707–2708  
 wellness programs, 2703  
 indoor air quality:  
 crisis buildings and psychogenic illness, 2415–2416  
 qualitative investigation, 2432–2440  
 international environmental health and safety programs, 2172–2176  
 laboratory design considerations, 2631–2633  
 OSHA provisions for, 1997–1998  
 violence prevention, 2044–2045, 2305
- World Health Organization (WHO), workplace health promotion, 2702
- Zoonoses, agricultural industry exposure, 2492–2493