

INDEX

A

- AAS 610
- AATCC 184
- Abbot 49
- abiotic 318
 - aging 725
 - degradation 726
- ablation threshold 437
- ablative process 433
- abrasion 248, 313, 315, 553
 - cycles 631
 - resistance 372, 554, 591, 627, 630, 637, 638, 762
- abrasive action 644
- ABS 126, 223, 225, 229, 231, 239, 269, 273, 279, 280, 283, 310, 311, 314, 335, 337-41, 341, 473, 485, 553, 556, 623-4, 692, 753-4
 - light stability 681
- absolute zero 51
- absorbance 340
- absorbed energy 11
- absorption 62, 665
 - maximum shift 280
 - spectrum 400, 667, 675
- accelerated test 213, 223
- acceleration 154, 156, 213, 223
 - effect 376
 - factor 233, 624
 - ratio 515
- accelerators 15, 196, 335
- accreditation 130
- accumulation 319
- acetic acid, 358, 361, 368
- acetone 358
- acid concentration 561
 - etch 129, 559, 560
 - extraction 524
 - precipitation 190
 - rain 67, 72, 81, 120, 178, 190, 248, 268, 270, 295, 302, 313, 347, 364, 452, 558, 561, 610, 621-2, 647, 699, 702, 754, 762
 - resistance 560
 - source 559
 - stability 364
- acrylic 172, 2.69, 279, 280, 297, 336, 342, 345-6, 520, 622
 - copolymer 530
 - enamel 606
 - latex 347
 - paint 515
 - polyurethane 346
 - sealants 719
 - urethane 469
 - varnish 575
- acrylic/melamine 287
 - coating 562
- acrylonitrile 473
 - content 740
- acrylonitrile-styrene-acrylate 335, 336
- actinic fluorescent lamps 175
- actinomycetes 709
- action spectrum 23
- activation
 - energy 120, 216-7, 219, 347, 396, 398, 444-5, 517, 534, 585, 642, 684, 712
 - spectrum 23, 150, 214, 290, 415, 426, 472-3, 478
 - wavelength 335
- active stabilizer 696
- activity 713
- adaptation 710, 723
 - period 713
- additive 15, 61, 347, 513, 717
 - depletion 709
 - dispersion 197
- ADF test 190
- adhesion 100, 267, 304, 356, 420, 433, 584, 602, 622, 644, 710, 762
 - loss 558, 622
 - promoter 356, 542
 - test 314
- adhesive 313, 446, 541, 543
 - joint 315
- adiabatic transformation 36
- admixtures 292, 411
- adsorption 684
- aeration 710

- aerobic bacteria 714
- aerosol 74, 764
 - particles 72, 96
 - research 89
- aerospace 188, 546, 570
 - cables 642
- affinity 637
- AFM 268
- aggregation 634
- aging 337, 417, 642
 - index 618
- agricultural films 389
- agriculture 552
- aircraft coatings 162
- air 465
 - circulation 165
 - cooling 166
 - flow 165
 - movement 60
 - temperature 60
- aircraft 402, 546
 - emissions 560
 - flexing 546
- albedo 59
- alcohol 35, 352
- aldehyde 352, 367, 384
 - group 346, 359
- Alert 104-5
- algae 719, 720
 - growth 709
- aliphatic polyurethane 447, 449
- alizarin
 - dye 635
 - pigments 633
- alkalies 570
- alkenes 31
- alkyd
 - paint 557
 - resin 341, 534
- allyl radical 527
- altitude 56, 63, 74, 102
 - high 129
- aluminum
 - flakes 559, 602
 - oxide 544
 - panels 199
- ambient temperature 164, 165
- amidase 711
- amidation 711
- amide
 - bond 372
 - formation 355
 - growth 355
 - linkage 369
- amine cure 550
- amines 35, 678
- ammonia cycle 67
- ammonium sulfate 67
- amorphous 269
 - area 370
 - form 417
 - fraction 395
 - phase 218, 296, 463
 - plastics 756
 - polymers 635
 - region 254, 255, 295, 402, 714, 717
- Amudsen 103, 104
- amylases 714
- anaerobic bacteria 710, 714
- anatase 394, 517, 524, 634, 702
- angle of plane tilt 142
- Angstrom formula 93
- anhydride 384
- annealing 398, 446, 479
- anodic process 544
- anodization 544
- Antarctic ozone hole 85
- anthracene 292, 362, 437
- anthraquinone
 - derivatives 293
 - dyes 632
- anticorrosive coatings 762
- antifouling
 - agent 718
 - properties 762
- antioxidant 242, 251, 276, 294, 313, 319, 359, 421, 452, 471, 514, 531, 590, 595, 598, 608, 628, 665, 676, 679, 734
- antioxidation 674
- antistatics 62
- aphelion 53
- appearance 720
 - deterioration 709
- appliances 552
- aquatic 709
 - environment 710
- aramid 372, 629
 - fiber 572, 629
- arcing 548
- argon plasma 542
- Arizona 624
- aromatic
 - amines 531
 - group 365

- ring 14, 341
- urethane 447
- Arrhenius
 - equation 79, 215, 218, 347, 590, 597
 - law 350, 385, 684
 - model 642
 - plot 396, 712
- art objects 576
- artificial
 - leather 576
 - sources 148
- artists' pigments 275
- asphaltic materials 289
- assembly 749
- ASTM 188
- atactic
 - configuration 255
 - content 260
- attenuation length 158
- atmosphere
 - composition 64
- atomic
 - absorption spectroscopy 295
 - Bomb Dome 354
 - hydrogen 401
 - oxygen 173, 360, 363, 364, 401, 433, 445, 482, 547, 551, 570
- atomistic analysis 320
- attenuated total reflectance 279
- autoacceleration 294, 370
- autobody parts 140
- autocatalysis 468
- autocatalytic 457, 519
 - activity 457
 - effect 361
 - product 218
- autoclave effect 523
- automobile 211, 246, 482, 761
 - emission 66
- automotive
 - application 478, 542, 698
 - clearcoat 161, 219, 248, 307
 - coating 218, 285, 287, 292, 313, 364, 558, 699, 761
 - component 340
 - exhaust 561
 - gases 69
 - fabrics 639
 - glass 630
 - industry 122, 129, 335, 553
 - paint 81, 556, 561, 761
 - parts 172, 421, 734
 - pollution 556, 565
 - seat foams 587
 - tests 137
 - rim 187
 - upholstery 630
 - window 313
 - windshield 141
- autooxidative mechanism 673
- auxochrome groups 633
- average Miami daylight 188
- Avogadro's number 2
- awnings 718
- azimuth
 - angle 142
 - tracking devices 137
- azo
 - dye 631, 632
 - linkage 632
- B**
- back-biting 418
- backing 166
- backlit signs 718
- back pressure 730
- bacteria 709, 711, 715, 717
- bacterial
 - colonization 710
 - concentration 710
 - denitrification 65
 - growth 722
- bags 598
- ball indentation 322
- ball or pin impression 755
- balloons 56
- banana shrouds 726
- barium
 - metaborate 719
 - monohydrate 722
 - sulfate 87, 641
- base coat 178
- basicity 681, 702
- bathochromic shift 16
- bathtubs 718
- bedding compounds 187
- bedsheets 718
- beechwood 646
- Beer's Law 220
- Beer-Lambert Law 6, 56, 666
- Bell test 322
- bend test 312, 752
- bending 744
- bent strip 755, 756

- benzaldehyde 351
- benzene 351
 - ring 429
- benzoic acid 351
- benzophenone 250, 289, 351, 368, 409, 638, 669, 685
- benzotriazole 175, 380, 409, 609, 669, 685-6, 688, 690, 694
- Bergen elliptical strain ring 755
- berillium 96
- BHT 598, 630
- bicycle tires 141
- bimolecular reactions 712
- binder 517
 - degradation 518
 - durability 274
- bioassimilation 532
- biocide 62, 321, 600, 718-9, 721
 - action 721
 - protection 723
- biocompatibility 433
- biodegradability 615, 713
- biodegradable polymer 318, 457
- biodegradation 262, 305, 347, 458-9, 595, 709, 712
 - kinetics 716
 - rate 715, 716
- biodurability 595
- biogeological nitrogen cycle 65
- biological
 - assimilation 726
 - attack 543
 - corrosion 718
 - degradation 715
 - effect 89
 - life 51
- biomass burning 66, 72
- biopolymer 714
- biostability 723
- biotic
 - degradation 318, 725
 - environment 713
- biphoton excitation 41
- biradical 37
- bird droppings 560
- birefringence 199, 312, 634, 635
- bismuth vanadate 522
- bituminous materials 187
- black
 - body 52, 85
 - box 136
 - lacquer 91
 - panel 165, 186
 - temperature 172, 188
 - spots 713
- bleeding 622, 762
- blend 261, 269, 279, 314, 476, 478-9
 - degradation retardation 478
- blending 732
- blistering 356
- blisters 206, 600
- blow molding 742
- blower 165, 167, 174
- blunting 746
- Bohr's statement 7
- bond 763
 - cleavage 29, 214
 - compression 28
 - dissociation 28
 - energy 529, 685
 - distance 28
 - fission 627
 - isomerization 39
 - migration 39
 - rupture 387
 - scission 39, 347, 350, 434, 633, 638
 - strength 3, 542, 636
- books 72
- Born-Oppenheimer approximation 9, 11, 13
- bottle 536, 596, 731-2, 756, 758
 - crates 733
- branch points 394
- branched polyethylene 259
- branches 389
- branching 99, 416, 715, 739, 741
 - ratio 395
- Brewer spectrophotometer 89, 106
- Brewer-Dobson circulation 57
- brickwork 579
- bridges 571, 579, 764
- brittle
 - failure 741, 752, 753, 754
 - criterion 753
 - fraction 739
- brittleness 394
- Brownian motion 18
- brown-rot fungi 714
- brush marks 600
- brushing 206
- building 246, 591
 - appearance 611
 - components
 - degradation factors 580
 - life expectation 580

- industry 269
- materials 73, 275, 599, 767
- staining 574
- stones, numbering 768
- bulb rotation 164
- burner 155
 - aging 155
- burning
 - behavior 554
 - irradiance 92
- butadiene segment 336, 337
- C**
- cable 270, 290, 304, 402, 525, 642, 732
- cage effect 391
- cage escape efficiency 520
- cage reaction 367, 384, 409, 449, 461, 463
- calcination 524
- calcium carbonate 305, 452, 514, 561, 614, 697, 734
- calibration 85, 91
 - certificate 87
 - curve 315
 - shift 89
- camouflage cloth 718
- Campbell-Stokes sunshine recorder 92
- Canadian winter 191, 393
- capacitor 304
- capillary
 - action 542, 599
 - viscometer 315
- capping 624
- car
 - emission 66
 - interior 140
 - upholstery 315
 - wash 190, 248, 313, 560
- carbon 297
 - arc 151, 158, 184, 185, 202, 230, 234, 365, 563, 737
 - black 409, 416, 422, 444, 523, 566, 590, 673, 735
 - dioxide 63, 71, 96, 387
 - generation 346
 - disulfide 71
 - fiber 551
 - monoxide 70, 96, 97, 383, 387, 550
 - formation 373
 - oxide 321
 - radical trapping 680
 - tetrachloride 73, 197
- carbon/oxygen ratio 297
- carbonyl 302, 305, 391
 - absorbance 219, 232, 310, 625
 - absorption 279, 280, 395, 422
 - compound 293
 - concentration 252, 673
 - content 523
 - formation 279, 339, 352, 396, 416, 514, 520, 534, 584, 613-4, 625, 640, 726
 - rate 259
 - group 201, 239, 251, 260, 275, 338, 350, 358-9, 370, 373, 384, 392, 394, 397, 409, 417, 424-5, 435, 437, 441, 443, 445, 461-2, 465, 468, 486, 489, 514, 524, 623, 673, 685, 697, 730
 - formation 614
 - growth 355, 593, 396
 - index 77-8, 119, 176-7, 203, 274, 397, 477, 513-4, 726
 - intensity 608
 - radical 383
 - region 341, 357
 - sulfide 71
 - unit 696
- carboxylic
 - acid 368, 393
 - groups 730
- carpet 629
 - underlay 718
- catalyst 280, 362, 515, 534
- catalytic
 - activity 610, 611
 - function 516
 - oxidation 462
 - species 55
- cataract 85
- cathodic
 - delamination 761
 - reaction 544
- caulks 718
- cell number 722
- cellulose 62, 76, 119, 262, 296, 298, 347, 349, 350, 585, 615, 627, 635, 643, 714
 - diacetate 634, 635
 - triacetate 569, 626
 - reach surface 643
- cementitious boards 570
- CEN 184
- CFC 55, 57, 73
- chain
 - branch 679
 - branching 390
 - configuration 255

- diffusion 273
- ends 218, 254
- extender 453, 454
- flexibility 12, 15, 257, 716
- length 244
- mobility 74, 196, 258, 305, 525, 527, 746
- process 665
- scission 38, 78, 150, 239, 249, 258, 299, 306-7, 315-6, 318, 320, 343-5, 347, 351, 353, 357, 371, 377-8, 382-3, 386, 390-1, 393-4, 396, 406, 409, 412, 414, 417, 433, 440, 444, 457, 462, 476, 481, 484, 486, 551, 683, 716, 730, 741
 - rate 379
- segments 435
- folded conformation 255
- chalk 734
 - value 299
- chalking 176, 235, 267-8, 275, 336, 519, 603, 622, 644
- chamber 163
 - temperature 164
 - temperature control 172
- channel black 521
- charge
 - carrier 519
 - migration 21
 - transfer
 - complex 24, 390, 394, 401, 429
 - state 402
- charpy impact 340
- chemical
 - bond structure 191
 - changes 541
 - composition 195, 541
 - degradation 684, 729
 - reaction 21, 218
 - resistance 681
- chemicelluloses 599
- chemicrystallization 260, 421
- chemiluminescence 293, 294
- chemisorption 696
- chemoluminogram 294
- chiller 172
- chipping 761
 - resistance 559, 560
- chitosan 350
- chloride ions 298
- chlorinated polyethylene 530, 748
- chlorine content 73
- chlorofluorocarbons 96
- chromatic reflection 272
- chromatographic fingerprinting 318
- chromophore 16, 43, 197, 278-9, 293, 450, 474, 535, 614, 633, 643, 669, 684
 - degradation 639
 - groups 119
- chromophoric properties 16
- chromosphere 48, 49, 52
- chymotrypsin 713
- Ci3000 167, 170
- Ci4000 167, 170
- Ci5000 167, 170
- CIE 184, 188
 - scale 275
- CIRA filter 153, 174, 178
- cis-stilbene 39
- cis-trans 39
- Claissen condensation 366
- clays 515
- Clean Air Act 66
- cleaning
 - procedure 770
 - supplies 718
- clear zone 723
- clearcoat 162, 299, 365, 558, 562-3, 611, 689, 699, 701
 - thickness 559
- cleavage 347
- Clermont-Ferrand 168
- climate 127
 - extremes 127
 - polar 129
- climatic conditions 48, 117, 118, 120, 184, 248
- clouds 59, 103, 12
 - cover 60, 102, 103
 - point 477
- cloudy sky 126
- coal
 - burning 561
 - combustion 67
- coated fabrics 80, 234, 553-4, 564, 567, 576, 718
- coating 148, 187-8, 218, 234, 275-6, 279, 286-8, 304, 312-3, 321, 324, 364, 524, 574, 599, 605, 609, 749, 761, 765
 - damage 559
 - durability 611
 - measures 602
 - resistance 761
 - stresses 546
 - thickness 556, 565-6, 602, 698
- coextrusion 698, 735
- cohesive

- energy density 742
- failure 268
- coil
 - coated materials 567
 - coating 387
- cold
 - cathode fluorescent light 156
 - climate 594
 - drawing 285
- collision 11, 22
 - probability 13
- collisional
 - impact 77
 - transfer 14
- colonization 710
- color 120, 125-6, 200, 213, 217, 385, 415, 447, 602, 624, 640, 683, 720
 - change 166, 226, 228, 233, 248, 267, 272, 275-6, 292, 336, 346, 379, 415, 457, 469, 531, 558, 581-2, 598, 641
 - difference 275-6
 - fading 245, 521, 625
 - fastness 631
 - retention 591, 623
 - stability 554
- commercial
 - displays 585
 - filters 161
- compatibility 669, 672, 698, 720
- compatibilizer 269
- compliance 164
- composite 81, 241, 270, 301, 310, 313, 349, 353, 354, 416, 548, 550-1, 554, 571, 572, 594
- composition 126, 176
- compost 709
- composting 457
- compressed position 39
- compression 754
 - strength 594
 - /extension cycle 623
- computer simulation 603
- computers 158
- concentration 44, 77, 79, 532
 - limits 114
- concrete 570, 574, 698
- condensation 62, 114, 172, 527, 547, 559, 718
 - reaction 711
- condensed moisture 47
- conditioning 130
- conditions
 - extreme 117
- conduction band 516, 519
- conductive polymer 25
- conductivity 304, 365
- configuration 195, 600, 713
- configurational rearrangement 38
- conformation 44, 195, 197, 259, 463, 527
- conformational
 - flexibility 713
 - isomerism 39
 - rearrangement 38
- conjugated double bonds 30, 3279, 76, 415, 450, 463, 485, 683
- conjugation 16
- conservation materials 771
- constant tensile stress 756
- construction applications 702
- contact
 - angle 302, 544
 - lenses 698
- container 597, 758
- contaminants 195, 459, 716
- contamination 147, 195, 536, 557, 597, 730
- continuum 43
- contraction 61, 353
- contrast method 92
- control parameters 178
- controlled degradation 400
- convection 710
- conversion 43
- conveyor belt 81, 718
- cooling 61, 247, 353
 - rate 729
 - system 166
- core shell rubber 530
- corona 49, 52, 53
 - discharge 482, 599, 710
- correlation 160
- corrosion 273, 298, 304, 353, 709, 761-2
 - cracking 614
 - inhibitor 709
 - propagation 544
- corrosive
 - environment 570
 - liquid 754
 - material 72
- cosmetic corrosion 761
- cosmetics 701
- cosmic radiation 547
- cotton 279-80, 569, 629, 637
 - fabric 615, 636
- Coulombic
 - attraction 710
 - transfer 14

- countertops 718
 - coupling agent 584
 - covalent bonds 356
 - cover plates 625
 - crack 206, 272, 296, 402, 542, 556, 558, 629, 739, 771
 - formation 175, 242, 353, 745
 - growth 356, 488, 570, 739
 - rate 270
 - initiation 269, 551
 - length 323, 754
 - pattern 224, 626
 - propagation 269, 308, 312, 421, 752, 753
 - separation 712
 - speed effect 308
 - tip 269, 753
 - formation 748
 - cracking 61, 81, 248, 263, 268-9, 285, 545, 579, 602, 645, 746
 - behavior 563
 - mode 746
 - craters 206, 272
 - crates 598
 - craze 542, 739, 746, 752
 - area 746
 - consumption 753
 - density 741, 747
 - diameter 751
 - formation 312, 402, 751
 - growth 748, 752, 754
 - initiation 752
 - time 749
 - length 268
 - resistance 99, 248, 406, 407
 - stress 747
 - time 748
 - tip 751
 - advance rate 750
 - crazing 61, 545, 744, 746
 - initiation 748
 - creep 259, 306, 312, 315, 322, 393, 398, 554, 569
 - strain 752
 - test 754, 756
 - crevice corrosion 542, 544, 546, 763
 - critical
 - depth 253
 - strain 279, 743, 744, 752, 755
 - stress 562, 740, 751
 - criterion 747
 - thickness 562
 - crosslink 239, 249, 305, 370, 382, 431, 534, 599, 607
 - density 307, 534
 - crosslinked rings 415
 - crosslinker 320, 534
 - crosslinking 239, 307, 315, 318, 320, 343, 366, 377-8, 383, 390, 394, 414-5, 434, 438, 441, 457, 462, 475, 481-2, 485, 534, 551, 601, 683, 716, 730, 732
 - site 533
 - cryogenic vacuum pumping system 173
 - crystal
 - lattice 516
 - surface 516
 - crystalline 269, 525
 - area 254
 - phase 296
 - region 254, 255
 - structure 76, 195, 218, 255, 262, 290, 417, 454, 600, 634, 712, 729, 741
 - crystallinity 100, 199, 203, 253, 259, 260, 295-6, 301, 305, 349, 373-4, 385, 393-4, 396, 419, 433, 451, 455, 463, 515, 589, 615, 623, 714, 716, 725, 730, 741
 - crystallite 76, 277, 714, 717
 - distribution 256
 - size 254, 259, 433
 - crystallization 74, 296, 521, 568, 593, 729, 751
 - enthalpy 262
 - memory 256
 - seeds 256
 - temperature 255, 260, 261
 - crystals 712
 - CTH Glas-Trac 138
 - cumene hydroperoxide 532
 - curative 350, 763
 - cure 542
 - curing
 - agents 627
 - stress 762
 - cut off point 57
 - cyanoacrylate 669, 685
 - cycle selection 235
 - cyclic
 - ketone 31
 - movement 623
 - cycloaddition 31
 - cyclones 51
 - cystine 627
- ## D
- daily variation 60
 - damage

- categories 768
- depth 549
- severity 767, 770
- dark
 - cycle 170
 - spots 585
- darkness 393
- data comparison 195
- dating 770
- Daylight
 - illumination 85
 - spectrum 191
- DC impedance 304
- deactivation 11, 14, 665
- debonding 572, 579, 594
- debris impact 547
- decarbonylation 382
- decarboxylation 37, 382
- decomposition temperature 688
- defects 189, 394, 747
- definitive test 117
- degradants 601
- degradation
 - depth 201, 238, 240, 249, 294, 571
 - kinetics 223
 - mechanism 14, 147-8, 191, 213, 541, 602
 - rate 119, 290, 353, 684
- degradative changes 665
- degraded layer 223-4, 274, 385, 566, 600, 673
 - thickness 239, 273, 464
- degreasing 542
- dehydrochlorination 233, 253, 319-20, 460, 462, 467, 525-6, 640
- dehydrogenase 711
- dehydrogenation 715
- de-icing fluids 547, 762
- delamination 544, 558, 568, 597, 762
 - resistance 763
- delayed fluorescence 19, 42
- delustrants 630, 634
- denitrification 66, 67
- densification 75, 563
- density 203-4, 261, 301, 304, 394-5, 623
- dental materials 584
- depolymerase 711, 712
- depolymerization 345
- deposit 769
- deposition rate 168
- depth 201, 203
 - profile 285, 526
 - profiling 202, 249, 284, 291, 669, 693
- desert-like climate 167
- desiccant 87
- desiccator 207
- design
 - life 571
 - problem 755
 - weakness 556
- detergents 206, 739
- deterioration
 - depth 613
 - rate 573
- deuterium lamp 173
- dew 190
 - point 608
- dialyzers 596
- diamines 678
- diamond tip 279
- diamond-ATR 279
- dibutyltin dilaurate 527, 717
- dichloroethane 528
- dichroic reflectors 173
- dielectric
 - constant 525
 - dissipation 304
 - properties 304
- diffraction rings 254
- diffuse
 - illumination 272
 - radiation 170
 - reflectance standard 91
 - reflection 272
- diffuser 91
- diffusion 61, 218, 256, 301, 303, 312, 356, 396, 463, 692, 710, 745
 - coefficient 202-3, 219, 240, 303
 - distance 13
 - rate 13, 253, 696, 753
- diffusional barrier 81
- dilatometer 307
- dilution factor 525
- dimensional
 - movement 189
 - stability 189, 554
- dimethylformamide 196, 197
- DIN 184
- dioctyl phthalate 526
- diols 715
- dipole moment 43
- dipole-dipole transfer 22
- direct
 - radiation 93, 710
 - reaction 45
 - UV 129

- dirt 272
 - accumulation 133, 559
 - pick up 247, 611
 - resistance 601, 612
 - disc bend test 322
 - discharge plasma 546
 - discoloration 239, 245, 337, 360, 454, 464, 552, 568, 581, 640, 702, 713
 - disordered fraction 256
 - dispersibility 521
 - disproportionation 411
 - dissipation
 - factor 304
 - rate 749
 - dissociation 11, 319
 - energy 28, 29
 - distance 603
 - disulfide bond 627
 - ditch liners 718
 - diurnal concentration 69
 - DMA pinpoint 307
 - DMS 305
 - DNA damage 85
 - donor fluorescence 675
 - doors 141, 464
 - dose of radiation 214
 - dosimeters 89, 596
 - double bond 16, 29, 278, 289, 337, 339, 342, 373, 382, 432, 527-8, 683
 - migration 683
 - double displacement 713
 - dry film thickness 300
 - dry/wet cycle time 188
 - drying process 246
 - DSC 203, 234, 277, 305
 - DTA 305
 - DTG 305, 306
 - ductile fracture 754
 - durability classes 576
 - durable binder 517
 - dust
 - deposition 625
 - particles 205
 - dye 523, 631
 - fading 279, 577, 639
 - fastness 638
 - incorporation 459
 - loss 634
 - dynamic equilibrium 16
- E**
- Earth
- atmosphere 53
 - eccentricity 53
 - orbit 53
 - radiation 173
 - total energy 53
 - economic component 117
 - ecosystem 65, 701, 720
 - ecotoxicity 720
 - edge crack tension 312
 - Edison Institute 125
 - effective level 691
 - efflorescence 599, 771
 - elastic
 - behavior 617
 - energy 269
 - properties 75
 - elasticity index 617
 - electric utilities 72
 - electrical
 - cords 718
 - properties 304
 - thermometer 93
 - electrochemical impedance spectroscopy 611
 - electrocoat 542
 - electroluminescent intensity 585
 - electromagnetic radiation 1
 - electromotive force 86
 - electron 516
 - accelerator 549
 - beam 444-5, 550
 - density 36
 - ejection 633
 - exchange 678
 - radiation 547
 - spin resonance 29, 362, 643
 - imaging 341
 - transfer 633
 - mechanism 412
 - reaction 711
 - electron-deficient acceptor 21
 - electron-hole recombination 525
 - electronic
 - factors 14
 - game devices 158
 - industry 400
 - matrix element 13
 - relaxation 11
 - state 9
 - transition 6
 - electron-rich donor 21
 - electron-withdrawing group 36
 - electrostatic interaction 13

- elevation 104
- elongation 204, 228, 230-1, 242, 243, 280, 304, 308-9, 397, 410, 412, 419, 434, 442, 444-5, 447, 454, 475, 489, 524-6, 554-5, 593, 642, 714, 731-2, 735
 - depth profiling 310
- embrittlement 569
 - time 696
- emission 1
 - spectra 18, 257, 675
- emitted radiation 521
- EMMAQUA 108, 139, 168, 200, 313
- EMMAQUA-NTW 162
- encapsulant 626
- encapsulation 626
- enclosed carbon arc 152
- enclosures 583
- end
 - grain 644
 - groups 286, 394, 730, 740
- endoperoxide 32, 39
- energy 738
 - absorbed 28
 - absorption 521
 - consumption 553
 - conversion 449
 - dissipation 11, 18, 670, 749
 - gap 14
 - measurement 142
 - migration 13
 - mismatch 14
 - reflected 672
 - surplus 674
 - transfer 16, 197, 479, 592, 674, 675
 - mechanism 15
 - trapping 666
- engineering thermoplastics 235
- enol-form 670
- entanglements 740
- enthalpy 305
- environment
 - protection 212
- environmental
 - conditions 117
 - erosion 568
 - exposure 729
 - impact 541
 - pollutants 118
 - cracking 256, 306, 312, 322, 407, 515, 595, 597, 613, 642, 729, 739, 741-2
 - resistance 285, 591
- enzymatic
 - apparatus 711
 - degradation 349, 385
 - reactions
 - kinetics 713
- enzyme 711-2, 713
 - concentration 712
- EPDM 280, 482, 590
- EPM 418
- epoxidized soya bean oil 717
- epoxy 241, 270, 281, 300
 - adhesive 546, 763
 - coating 574
 - group 287, 486
 - resin 79, 278, 280, 289, 301, 305, 314, 350, 354-5, 543, 550, 567
- EPR 281, 358, 478, 482
- equator 142
- equilibration 691
- equipment selection 235
- equivalent light dose 218
 - factor 178
- erosion 268, 299, 375, 551, 581, 587, 646, 761
 - annual rate 602
 - damage 158
 - depth 353
 - mechanism 561
 - process 561
 - rate 336, 354, 548, 573
- erythema 85
 - action spectrum 90
- erythematul
 - curve 89
 - dose 88
- ESCA 291, 297, 299, 445
- ESR 150, 201, 267-8, 287-9, 291, 401, 405, 408, 422, 429, 435, 454, 460, 525, 527, 607, 617, 678, 686, 700
 - imaging 692
- esterase 711
- esterification 711
- etching 292, 313, 402
 - rate 698
- ethylene
 - propylene diene monomer 361
 - vinyl acetate copolymer 360-1, 626
 - propylene copolymer 290, 305, 306, 357, 359, 523, 624
 - propylene rubber 520
- European Community 114
- evaporation 62, 74, 684
- excess energy 674
- excimer 15, 20, 22, 197, 312

exciplex 15, 20, 25, 197
 excitation 1
 direct 365
 energy disposal 11
 wavelength 18, 335
 excited
 molecule 14, 529, 674
 singlet state 11
 species 15, 40, 520
 state 21, 41, 517, 674, 675, 678
 complex 24
 density 15
 quencher 665
 quenching 196, 197
 exciton 21
 migration transfer 14
 exhaust gases 81
 exosphere 53
 expansion 61
 coefficient 76, 554
 experimental error 89
 expired product 212
 exposure
 angle 135
 car 140
 conditions 267
 duration 122
 harshness 213
 initiation time 122
 northern 134
 racks 122
 severity 120
 site 117
 time 100, 121
 under glass 136
 variables 211
 extension 754
 extensometer 758
 external
 forces 75
 load 570
 stress 621
 extinction coefficient 7, 667, 698
 extraction 168, 197, 684
 rate 688
 extrusion 726

F

fabrics 187, 275, 314, 315, 577, 629
 Fade-Ometer 170, 171
 fading 575, 579, 635, 636
 rate 634
 time 639
 unit 275
 failure 739, 745
 location 758
 mode 212
 farmlands 65
 fast particles 547
 fatigue 762
 properties 314
 ferrocene compounds 289
 fiber 269, 279, 286, 296, 298, 301, 314, 347,
 353, 372-4, 385, 416, 521, 531, 570, 629-30,
 639, 681, 718
 damage 572
 optics 585
 prominence 581
 fibril 710
 diameter 751
 volume 751
 fibrillar structure 751
 Fick's law 364
 Fickean liquid 745
 field-of-view angle 92
 filament shrinkage 258
 filler 246, 286, 295, 349, 394, 513, 602, 696,
 734
 orientation 421
 film 62, 76-7, 81, 119, 231, 237, 291, 304, 397,
 520, 527, 531, 593, 741
 integrity 761
 thickness 567, 741
 filter 157-8
 combinations 159
 displacement 160
 durability 160
 fire polishing 160
 inner 160
 opacification 160
 selection 380
 transmission 160
 filtering 690
 filtration chamber 162
 fingerprinting 725
 finished products 541
 finishes 445
 first-order kinetics 685
 fitting 160
 flaking 267, 268, 579, 644
 flame retardant 394, 397, 421, 426, 434, 528-9
 flammability 554
 flares 49
 flexibility 454

- flexure 762
 - flexural
 - modulus 573
 - retention 573
 - strength 243, 310-1, 345-6, 373, 550, 57-3, 581
 - retention 582
 - flocculated pigment 519
 - flocculation 603, 604
 - gradient 299, 519
 - flock fibers 630
 - flocked yarn 372
 - flooding 50
 - system 172
 - floor coverings 718
 - Florida 176, 624, 636
 - Flory-Huggins
 - solubility parameter 744
 - Flory-Stockmayer method 320
 - flow
 - direction 556
 - lines 421
 - properties 666
 - fluorescent lamp 233
 - fluorescence 14, 16, 40, 294, 361, 449, 479, 563
 - decay 257
 - intensity 12
 - lifetime 41
 - quantum yield 18
 - quenching 675
 - spectra 257
 - fluorescent
 - dyes 702
 - lamp 154, 201, 298
 - device 172, 185
 - light 184
 - UV lamps 151, 155
 - fluorinated
 - acrylic monomer 347
 - ethylene propylene 158
 - copolymer 363
 - fluorination 364
 - fluorocarbons 73
 - fluoropolymer 158, 363, 602, 765
 - flux density 86
 - flying altitude 162
 - foam 534, 552-4, 587, 619, 737
 - gaskets 718
 - Foerster transfer 675
 - fog 190
 - fogging 482, 554, 557
 - foil printing 544
 - fold surface 255
 - folds 255
 - food slicers 718
 - forbidden transition 9, 16, 17
 - force 748
 - forced
 - air circulation 166
 - orientation 44
 - Ford Motor Company 161
 - forest fires 51
 - formic acid 368
 - formulation 213
 - fossil fuels 55, 72
 - fractal dimension 272
 - fracture
 - energy 562, 746
 - mechanics 755
 - Franck-Condon
 - factor 13
 - Principle 9, 13, 39
 - free radical 29, 197, 595, 678
 - mechanism 347
 - free surface energy 544
 - freeze/thaw 166
 - cycling 594
 - resistance 771
 - freshwater fish 718
 - fringe-micelle model 254
 - FTIR 201, 233-4, 239, 270, 279, 285, 305, 340-1, 344, 368, 370, 377-8, 382, 414, 423, 430, 448, 451, 461-2, 466, 485, 556, 563, 629, 687, 692
 - fuel
 - combustion 71
 - gas transportation 613
 - fugitive colorants 575
 - functional group 423, 425
 - functionality 212
 - fungal growth 717
 - fungi 321, 642, 709, 714, 717, 720
 - fungicide 600, 718, 721-2
 - fungistats 721
 - fusion 305
 - reactors 400
- G**
- Galileo 49
 - galvanized steel 199
 - gamma irradiation 404, 595
 - garbage bags 389
 - garment storage 598
 - gas

- bubbles 761
 - chromatography 97, 317
 - fading 531, 680, 702
 - permeability 599
 - solubility 256
 - gauche/trans ratio 199
 - GC 321
 - GC-IR 317
 - GC-MS 291, 299, 317, 318
 - GE cycle 235
 - gel 434, 455
 - coating 698
 - content 320, 477
 - formation 453-4
 - fraction 319, 435
 - general procedures 184
 - geographic
 - location 47, 100
 - geogrids 589
 - geomembranes 589
 - geotextiles 589, 590
 - glass
 - dome 87
 - fiber 241, 243, 277, 354, 515, 552, 554, 569, 574, 581-2, 594, 626, 734
 - gold-plated 199
 - transition temperature 305, 433, 530, 556, 561-2, 572, 601
 - glassy
 - polymers 739
 - state 75
 - glazing 277, 553
 - materials 591-2
 - system 698
 - Global
 - Atmosphere Watch 96
 - irradiance 88
 - Solar Radiation 85
 - warming 213
 - weathering 235
 - gloss 81, 120, 124, 176, 178, 190, 244, 246-7, 273-4, 288, 342, 346, 387, 469, 473, 519-20, 525, 533, 551, 558, 591, 602, 623, 761
 - change 606, 641
 - deterioration 246
 - loss 568
 - retention 336, 342, 374, 521, 559, 564, 592, 607, 702
 - glucose 347
 - glue solidification 749
 - golf balls 141
 - goniometer 302
 - good solvent 525
 - GPC 234, 267, 315, 318-9, 350, 551, 617
 - grafting 295
 - graphite fiber 549
 - grass 59
 - gravity waves 55
 - greenhouse 681, 700
 - film 234, 515, 591, 593, 701, 733, 735
 - gas 71, 96
 - Griffith theory 746
 - grit blasting 544
 - Grotthus-Draper principle 6
 - ground
 - cover 130
 - state 11, 21, 30, 529, 670
 - grouts 718
 - growth inhibition 721
- ## H
- hail 191, 588, 619
 - hailstorm 588
 - half life 349
 - HALS 219, 242, 287-8, 296, 318-9, 321, 341, 359, 361, 390, 392, 394-5, 398, 407, 410, 421, 514, 529, 535, 675, 680, 688
 - basicity 696
 - concentration 563
 - distribution 692
 - longevity 289
 - migration rate 695
 - molecular weight 422, 687, 702
 - spatial distribution 693
 - handling 758
 - Hansen theory 743
 - Hansen's space 743
 - hard block 556
 - hardening 579
 - hardness 204, 314, 623
 - hardwoods 643
 - harsh environments 599
 - harshness of exposure 120
 - haze 591
 - formation 557
 - HCl 361
 - HDPE 168, 261, 279, 569, 598, 731-3, 740-1
 - head-to-head structures 459
 - health and safety 162
 - heat capacity 61
 - heat deflection temperature 585
 - heat sink 305, 515
 - heat treatment 646
 - heating 61, 247

- heavy
 - atom 14, 44
 - effect 197
 - metals 96
- Heisenberg's uncertainty principle 8
- heliographic angle 50
- helium 48, 65
- helmet 164
- hemicelluloses 643
- Hemisphere 57, 60, 64, 69
 - Northern 103, 104
 - Southern 103, 104, 107
- herbicides 713
- heterolytic 28, 37
- hexagonal units 260
- high
 - altitude 547
 - pressure 642
- higher energy state 11, 674
- Hildebrand solubility parameter 742
- hindered
 - amine light stabilizers 676, 677
 - phenol 514, 531
- HIPS 281, 553
- histidine 627
- homolysis 383, 384, 448, 484
- homolytic 28, 37
 - dissociation 35, 357, 360, 371, 450
- horizontal mixing 64
- hose 100
- hospital sheeting 718
- hot
 - film lamination 568
 - melt extrusion 568
- HPLC 318, 430, 593
- Hubble Space Telescope 158, 359
- hull 762
- human
 - health 709
 - response 89
 - skin 164
- humidity 47, 62-3, 120, 148, 179, 189, 226, 347, 356, 542, 561, 606, 624, 626, 631, 639, 717, 764
 - control 166-7, 171-2
 - gauge 94
- humus 714
- hurricane 588
- hydration 545
- hydraulic fluids 547
- hydrocarbons 32, 35, 715, 737
- hydrogen 48, 65, 69
 - hydrogen abstraction 32, 35, 43, 290, 345, 357, 364, 366, 382, 428-9, 487, 521, 529, 533, 627, 633
 - hydrogen
 - abstraction 352
 - bond 370, 556
 - bonding 32, 254, 670, 685
 - chloride 457
 - donor 43
 - formation 549
 - labile 366
 - peroxide 148
 - radical 31, 431
 - sulfide 71
 - tertiary 290
 - transfer 670
 - hydrogenase 711
 - hydrolase 711
 - hydrolysis 63, 78, 287, 296, 341, 356, 376, 379, 385, 409, 416, 447, 545, 589, 594-5, 606, 711-2, 714, 736, 742
 - rate 79, 218, 253, 452
 - hydrolytic
 - aging 613
 - changes 556, 572
 - degradation 737
 - enzymes 349
 - process 639, 729
 - stability 452, 453, 475, 544
 - hydroperoxide 32, 278-9, 290-1, 319, 337, 344, 347, 350, 353, 357, 362, 368, 369-70, 384, 390-1, 394, 396, 398, 407, 409, 412, 417-8, 424, 441, 448, 450, 454, 460, 465, 485, 633
 - concentration 287
 - decomposition 390, 392, 418, 515, 680, 682
 - formation 250, 639
 - loss 251
 - titration 319
 - hydroperoxyl 69
 - hydrophilic 302, 716
 - environment 446
 - groups 254, 722
 - matrix 570
 - hydrophilicity 715
 - hydrophobic 302
 - environment 446
 - properties 600
 - hydrophobicity 189, 218, 601
 - hydrothermal stress 611
 - hydroxybenzophenone 287, 377
 - hydroxyl 69, 302, 346, 424
 - anion 610

group 32, 251, 299, 384, 386, 412, 440, 442,
643, 685, 696
radical 69, 72, 364, 516
hydroxylamine 680, 682
hygrometer 94
hygrothermal cycling 594
hyposhchromic shift 16

I

illuminating system 575
illumination 271
image
 acquisition 271
 analysis 233, 268, 270, 312, 313, 771
 capture 270
 processing 271
imaging system 271
imide group 368
impact 269
 damage 762
 energy 100
 modifier 436, 438, 485, 530-1, 583, 599
 resistance 434, 614
 strength 339, 554, 598, 640, 681, 733
impedance spectroscopy 304, 574, 764
imperfections 556, 751
implants 596
impurities 19, 317, 407, 428, 474, 535, 577,
725, 730
in-can stabilizers 720
incidence angle 124, 125
incineration 73, 212
incubation 723
indicator device 164
indoor actinic source 151
induction
 period 480, 589, 687, 697
 temperature 590
 time 532, 733
industrial
 emissions 624
 pollution 118, 559
 sites 624
inelastic strain 752
inert atmosphere 294
infrared 1, 59, 74, 125-6, 156
 absorption 61
 energy 14, 164, 515, 592
 radiation 60, 201
 spectroscopy 238
 thermography 771
 transmission 126

inhibition zone 322
inhomogeneity 206, 261, 751
initial gloss 91
initiation 390, 421, 463
 center 751
 rate 380
initiator 15, 196, 199, 335, 390, 457, 481, 485
 concentration 533
injection molding 434, 556, 682
inks 445
Innsbruck 102
inoculation 723
inorganic pigments 523, 673
insoluble fraction 414
insulating materials 579
insulation 402
 applications 626
 paper 585
integrated circuit 402
integrating sphere 173
interaction parameter 528
 sphere
 radius 743
interface 523, 581, 594
interfacial
 adhesion 560
 region 573
interference filter 88, 173
interhemispheric mixing 64
interlamellar region 255
intermigration 560
intermolecular
 energy transfer 11, 14, 15
 overlap 19
internal
 conversion 11, 14, 40
 damage 771
 order 254
 stress 594, 742, 748, 755
international mail trays 598
internuclear distance 28
interphase 261, 545, 568
interplanetary space 53
intersystem crossing 11, 13-5, 19, 40, 637, 674
intramolecular conversion 13
intramolecular energy transfer 11, 13-4, 21
intramolecular route 35
intrinsic viscosity 617
iodometric titration 253
ion annihilation 516
ionic
 forces 710

- mechanism 36, 347
- ionized
 - plasma 49
 - species 42
- ionizing radiation 345, 444
- ionosphere 53, 54, 63
- IP/DP box 137
- IR 267, 299, 337-8, 359, 440, 467, 607, 628, 643, 746
 - absorption 217
 - optical density 175
- iron 464, 522
 - ligand 726
 - oxide 287, 523, 525, 602
 - salt 535
- irradiance 14, 43, 105, 160, 171, 188, 190-1, 337, 340, 365, 380, 420, 425
 - calibrator 164
 - control 160, 164, 172
 - daily 101
 - extreme values 107
 - maximum 105
 - spectral 106
 - sensor 163
 - uniformity 179
- irradiation
 - daily 102, 103
 - dose 101
 - efficiency 293
 - time 43
- ISO 184, 189, 758
- isocyanates 446
- isomerase 711
- isomerization 11, 38, 39, 683
- isoparaffins 737
- isophorone diamine 350
- isorefractive system 667
- isotactic 419, 425
- isothermal
 - crystallization 261
 - polarization current 304
- isothiazolines 718

J

- Jablonski's diagram 11, 13
- Jeddah 99
- joint 354
- Jungfraujoeh 102

K

- kaolin 515, 592
- Kapton 403

- keratin 627
- ketoallyl formation 683
- keto-form 670
- ketone 197, 352
- keto-polyester 383
- Kevlar 270, 417
- key parameters 212
- kieselguhr 515, 592
- kinematic viscosity 528
- kinetic equation 79
- kinetics 40, 713
- Kramer's theory 751
- krypton-85 96

L

- labelling 130
- labile hydrogen atom 382
- laboratory
 - testing methods 120
 - weathering 771
- lacquers 187
- lactone 344, 680, 700
- Lambert cosine law 88
- Lambert's Law 124
- lamellae 255, 258, 260, 269, 741
 - separation 752
- lamellar
 - orientation 741
 - structure 712
 - surface 717
 - thickness 255, 725
 - unfolding 393
 - width 255
- laminates 81, 551, 582, 594
- lamination 698
- lamp 43, 162
 - power 43
- landfill 709, 710
- Langley 49
- lap shear 315
 - strength 545
- laser
 - ablation 274, 400, 401, 402
 - irradiation 572
- latitude 60, 68, 71, 78, 101-6, 110
 - angle 135
- LCD displays 156
- LDPE 231, 269, 279, 296, 304, 310, 320, 395-6, 529, 710, 725, 733
- leaching 718, 723
- lead 96
- leather 212

- binding 73
- leisure furniture 718
- lichen spores 710
- lidar 56
- life expectancy 619
- lifetime 20-1, 30, 40-1, 65, 204, 216, 220, 385, 541-2, 548, 554
 - predictions 211, 726
- ligase 711
- light
 - absorbing characteristic 521
 - absorption 515
 - distribution 164
 - dosimeter 277
 - fastness 172, 630, 634-6
 - intensity 671, 673
 - irradiance 189
 - lenses 553, 555
 - monitor 155, 162, 163
 - penetration depth 521
 - pipe 585
 - refraction 523
 - sources 85
 - transmission 245, 553, 626
 - retention 583
 - transmittance 581
 - retention 582
 - wave 1
- lightning 48, 66
 - flash 522
- lignins 269, 292, 347, 599, 614, 643
- linearity 87
- lipase 712, 737
- liquid
 - chromatography 291, 317
 - crystal displays 158
- lithography 345
- lithologic mapping 768
- LLDPE 252, 514, 599
- load 543
 - map 618
- localized stress 76
- long-range transfer 675
- low temperature flexibility 591
- lubricants 359, 445, 717
- luminescence 11, 13, 14, 16, 335
 - quantum efficiency 13
- luminescent
 - impurities
 - quenching 637
 - species 369
- luminosity 48
- Lyman emission 173, 401
- M**
- macropores 761
- macroradical 353
- macroradicals 239
- magnetic
 - field 1
 - moment 29
- magnetopause 53
- magnetosphere 53
- main chain
 - degradation 352
 - scission 404, 405
- maintenance 541, 580
- mar 313, 559, 560
- marine
 - environment 574, 764
 - life 85
 - organisms 718
 - testing 765
 - upholstery 718
- maritime concentrations 69
- Mark-Houwink equation 306
- mass
 - change 299
 - loss 237, 299, 420, 519, 545, 551
 - spectrometer 291, 315, 317, 365, 471, 547, 561
 - time-of-flight 291, 437
- material
 - color 164
 - compliance 755
 - erosion 610
 - loss 354, 769
 - rigidity 13
 - thickness 301
- mathematical 726
 - model 563, 594, 597, 603, 611
 - modelling 390, 726
- matting agent 515
- Mauna Loa 103, 104, 105
- maximal absorption 672
- maximum stress 82
- Maxwell 1
- MDI 454
- measurement
 - depth 299
 - method 148
- measuring rack 91
- mechanical
 - failure 99

- properties 238, 336, 346, 434, 450, 709, 729
- strength 525
- stress 192
- mechanism 227, 571
 - of degradation 703
- mechano-degradation 100
- mechano-sorption 555
- medical
 - application 444, 721
 - equipment 595
 - implant 452
 - plastics 595
- melamine
 - crosslinks 364
 - resin 297, 364
- melt 198
 - flow index 730, 731, 732
 - rheology 729
 - viscosity 729
- melting
 - enthalpy 623
 - point 203, 256, 394-5, 672
- mercury lamp 151, 155, 157, 171, 177, 301, 306, 316, 320
- mesolytic 37
- mesopause 53
- mesosphere 53, 54, 56, 63
- metal 195, 600, 761
 - catalyst 199
 - content 521
 - halide 151
 - lamp 154, 156, 170
 - ion 513, 515
 - content 514
 - oxide pigments 464
 - salt 407
 - stearates 717
- metallocene 393, 396, 398
- meteorological
 - rocket 56
 - station 93-4, 113
- methane 69, 70, 96, 97, 358
 - concentration 70
- methanol 197, 358
- methyl methacrylate copolymer 585
- methylene
 - chloride 73
 - group 289
- Miami 108
- micellar structure 256
- micelles 44
- Michaelis-Menten constant 711
- micro IR 284
- microbial
 - colonization 599
 - degradation 709
 - growth 709
- microbiological growth 600, 622, 717, 722
- microcolonies 710
- microcracking 80, 559, 713
- microfading tester 578
- micro-FTIR 239
- microhardness 314, 323, 756, 758
- micrometeorite 547
- microorganism 394, 457, 642, 764
 - growth 322, 711
- micropores 761
- microporous coating 601
- microprocessor 89, 162, 178
- micro-Raman 323
 - confocal spectroscopy 285, 746
- microroughness 710
- microscopical attachment 279
- microscopy
 - optical 268
- Mie scattering 5, 58, 59, 277
- Mie's theory 666
- migration 420, 684, 699, 740
 - rate 688
- mildew 134, 600
 - growth 644, 719
- mini-tray 168
- Mission to Planet Earth 108
- mobile
 - phones 158
 - radicals 639
- mobility 290
- model 211
 - prediction 213
- modelling 636
- modifiers 625
- moisture 61, 218, 238, 247-8, 258, 356, 359, 364, 379, 393, 416, 521, 555, 569, 587, 606, 609, 622, 718, 761, 762, 771
 - absorbed 573
 - cycling 569
 - diffusion 622
 - expansion 563
 - movement 762
 - penetration 515, 602, 617
 - pickup 644
 - uptake 304
- molar
 - absorptivity 672

extinction coefficient 672
 mold temperature 742
 molecular
 collision 19
 mobility 12, 296, 384, 566
 orbitals 11, 19, 37
 oxygen 20, 384, 436, 547, 551
 size 667, 745
 stress 741
 structure 14
 weight 195, 201-2, 207, 239, 242-3, 249-50, 286, 292, 300, 305, 307, 315-6, 343, 345-6, 350-1, 378, 393-4, 406, 410, 413-4, 424-5, 433-7, 442, 444, 451, 466, 486, 515, 529, 569, 592, 613, 615, 622, 637-8, 642, 666, 672, 683, 688, 701, 715-7, 729-32, 738-40
 depth profile 317
 monochromatic
 light 149, 173, 406
 model 685
 monoclinic units 260
 monofilaments 187
 monomer 197, 317
 yield 434
 monotonic creep 756, 758
 test 757
 Monte Carlo simulation 15
 monuments 698, 768, 771
 morphological changes 543, 605
 morphology 77, 100, 191, 195, 199, 233, 262, 268-9, 278, 285-6, 312, 341, 394, 476-7, 479, 521, 634-5, 638, 697, 715, 729, 741
 moss 719
 motorcycle helmets 269, 556
 mould resistance 600
 moulds 711
 mountings
 clamp 134
 pin 134
 movement 248
 MS 368, 370
 multifilaments 681
 multilayer film 735
 multiphoton excitation 42
 multiple scattering 89
 multiplication 720
 multisensor 163
 museum textiles 275, 577
 mutagenic process 710
 mutual solubility 742

N

N_2O 435
 nano-titanium 342
 narrow
 bandpass 88
 gaps 763
 national defense 170
 natural
 conditions 223
 resources 212
 NBR 281
 near infrared 108
 Net Radiation 85
 newsprint 615, 616
 Neyman distribution 603
 n-hexane 289
 nickel 701
 -based quencher 592
 Nimbus 3 56
 nitrate radicals 65-6
 nitric oxide 55, 65
 nitrogen 63, 297, 303
 oxides 65, 81, 96, 97, 420, 561
 nitrous oxide 65, 96, 298
 atmospheric lifetime 65
 concentration 65
 nitroxide 341
 concentration 288, 291, 692, 694
 decay assay 288, 532
 radical 288, 693
 nitroxyl radical 422, 678, 680, 682
 concentration 563
 NMR 201, 267, 286, 299, 305, 588, 636
 magic angle 287
 pulsed 286
 solid state 286
 NO_2 452, 589
 NOAA 90
 Nomex 629
 non-destructive measurement 771
 non-durable binder 517
 non-radiative energy dissipation 13
 non-radiative process 11
 nonylphenol 758
 noon 56
 Norrish type I 33, 259, 360, 382, 389, 392, 450, 484
 Norrish type II 34, 259, 342, 360, 382, 389, 428, 450
 Northern Hemisphere 101
 NO_x 261, 374, 375, 416, 417, 574, 629
 nuclear plant 444

nutrients 394, 713, 717, 723

O

O/C ratio 437

octas

altocumulus 102

stratocumulus 102

octyloctene 38

odor 482, 713

oil

absorption 246

staining 559

Okazaki Large Spectrograph 173, 397, 405, 406

operational altitude 546

optical

brighteners 702

density 149, 176, 634

properties 245, 681

orange dye 637

orbit 364

orbital symmetry 36

organic pigments 523

organotins 682

orientation 199, 259, 262, 269, 296, 374, 635,
714, 741, 751

orthopedic devices 596

orthotic devices 233

osmometry 315

Ottawa 168

outdoor

exposure 117

sites 235

testing 165

outgassing 547, 570

outward surge 13, 39

oven temperature distribution 165

oxanilide 685

oxidase 711

oxidation 99, 414, 438, 715

imaging 295

initial 304

initiation 176

process 678

products 168, 253, 337

profile 239, 307, 467

rate 364, 391

spontaneous 298

thickness 176

time 682

oxidative

induction test 595

processes 640

oxidized layer 176, 240, 462, 543, 622

thickness 249, 420

oxidizing flame discharge 542

oxygen 15, 47, 63, 65, 67, 200, 203, 207, 259,
290, 297, 303, 344, 346, 433, 447, 462, 542,
595, 600, 628, 639, 717, 730, 742, 762

absorption 423, 479, 480

atomic 68, 298

consumption 349, 611

depletion 544

diffusion 201, 239, 293, 337-8, 420, 444, 457,
462, 464, 468, 485, 606

rate 294, 634

induction time 613-4

molecular 67, 298

permeability 253, 483

permeation 337

quenching 15

starvation 337

transport 240

uptake 62, 292, 321, 349, 372, 374, 385-6,
395, 397, 413-4, 417, 423, 425, 466, 647,
703, 723

oxygen/carbon ratio 252, 298

oxygenated water 173

ozone 54, 63, 67, 73, 81, 85, 96-7, 100, 191,
256, 302, 347, 361, 420, 488, 589, 622, 633,
635

absorbance 55

Antarctica 57

concentration 65, 67, 68, 89, 162, 220

depletion 54, 68, 213

distribution 56, 104, 162

filter 161

filtering 161

holes 68, 107

layer 55

level forecast 90

lifetime 68

resistance 635

stream 162

studies 89

vertical distribution 56

P

packaging 588

materials 595, 596

density 254, 716

pail 756, 758

test 758

paint 129, 187-9, 199, 211, 231, 267-8, 273-5,
285, 295, 298-9, 302, 313, 342, 346, 482, 515,

- 524, 534, 599, 600, 718, 737
 - adhesion 646, 647
 - alkyd 341
 - creep 762
 - damage 313
 - removal 736
- paintings 575
- pancreatine resistance 559, 560
- panel cracking 644
- paper 244, 279, 614
 - biodegradation behavior 615
 - boards 718
 - brightness 614
- paraffin waxes 717
- parameters 148
 - combination 148
- Parson's lacquer 87
- particle
 - embedding 206
 - radius 58, 673
 - size 349, 524, 737
- particulate
 - contaminants 47
 - materials 73
 - matter 96
- passivation 524
- passive film 544
- patterning 400
- Pauli's Principle 11, 29
- peak traffic 68
- peeling 762
- pendant group 486
- penetration 716
 - depth 254
- perfect black body 86
- perforation corrosion 763
- performance 212
 - criteria 148
 - standards 644
- perhydroxyl radical 517
- pericyclic 38
- perihelion 53
- permeability 200, 254, 356, 433, 698, 746, 751, 755
- permissivity 304
- peroxidation 532
- peroxide 31, 32, 67, 69, 176, 367, 377, 534
 - concentration 535
 - crosslink 446
 - decomposition 391, 535, 680
 - group 434
- peroxy radical 357, 384
- peroxynitrates 67
- Perrin's
 - equation 675
 - kinetics 11
 - model 13
 - volume 13
- personal exposure 596
- pesticide spraying 701
- pesticides 681
- pH 544, 690, 711-2, 714, 717, 720, 750
- phase separation 480
- phenol 35
- phenolic antioxidant 383, 678
- phenoxy resin 365
- phenyl ring 441
- Phoenix 108
- phosphites 287, 422, 531, 676, 679-80, 682, 683, 700
- phosphonites 531, 680
- phosphor 88
 - efficiency 89
- phosphorescence 14, 16, 678
 - intensity 637
 - quantum yield 19
- photoaccelerator 405
- photoacoustical 279
- photoaddition 36, 37
- photobleaching 245, 359, 441, 456, 458, 463, 627, 641
- photocatalytic activity 521
- photocell 88
- photochemical
 - activity 524
 - changes 100
 - erosion 603
 - experiment 195
 - process 11
 - reaction 15
- photochemistry 27
- photo-Claisen rearrangement 440
- photocleavage 450
- photocondensation 38
- photocrosslinking 38
- photocyclization 39
- photocycloaddition 37
- photocyclodimerization 37
- photodegradable plastics 381
- photodegradation efficiency 370
- photodetector 162
- photodimerization 37
- photodiode 88
 - response 88

- photodissociation 28, 30, 32, 528
- photoelimination 37
- photoexcited
 - chromophore 665
 - dye cation 633
 - impurities 429
- photoextrusion 37
- photo-Fries rearrangement 35, 39, 150, 257, 342, 366-7, 371, 376, 378, 413, 447-8, 455
- photographic standards 267
- photoinitiation 190, 390
 - rate 532, 606
- photoinitiator 293, 377, 405, 527, 533
- photoisomerization 38-9
- photolysis 335
- photolytic
 - activity 197
 - degradation 239
- photon 6, 14, 41, 73
 - energy 148, 149
 - intensity 149
- photooxidation 30-1, 196, 335, 409, 420
 - depth 176
- photophysical
 - conversion 11
 - process 27
- photophysics 1
- photopolymerization 38
- photoprotective effect 636
- photoreactions 149
- photoreduction 293, 642
- photoreductive cleavage 632
- photoresist 400, 401
- photosensitization 27
- photosensitizer 31, 44, 639
- photosensor 86
- photosphere 48, 49, 52
- photostability 335
- photosubstitution 35
- photosynthesis 719
- phototautomerization 690
- phototendering 627, 631, 636
- photoyellowing 432, 477, 628, 630
- phthalocyanine
 - blue 514, 521, 697
 - pigments 422, 522
- physical
 - aging 569
 - damage 709, 761
 - loss 687, 701
 - properties 713
 - quenching 11
 - stability 701
- phytoplankton 85
- pigment 246, 280, 286, 295, 299, 359, 464, 521, 523, 578, 602, 603, 696
 - coating 523
 - concentration 274
 - cut-off 673
 - distribution 603, 605
 - load 517, 518
 - particle size 672
 - screening 671
 - volume fraction 671
 - pigment interaction 521
- pin indentation test 756
- pinholes 600
- pink staining 713
- pinking 642
- pipe 251, 270, 612-4, 735, 756, 759
 - storage 614
- piperazine 350
- pitting 267, 581
- planar bands 752
- Planck's Law 1, 7, 41, 51
- plasma
 - discharge 542, 544, 545
 - erosion 148
 - oxidation 298, 433
 - treatment 445
- plasmosphere 53
- plastic
 - behavior 617
 - deformation 75, 753
 - energy 749
- plasticization 312, 402, 544, 568, 594
- plasticizers 15, 61-2, 3 55, 463-4, 482, 525, 554, 566, 576, 639, 717, 732
 - secondary 525
- plasticizing effect 746
- plastics 187, 445
- plumbing fittings 410
- plywood backing 136
- Poisson's ratio 746
- polar
 - air 68
 - fraction 545, 546
- polarity 20, 43
- polarizability 43
- polarization current 304
- pollutants 48, 59, 61, 94, 114, 173, 177, 207, 248, 261, 303, 313, 347, 416, 452, 464, 574, 585, 599, 602, 610, 624, 629, 642, 754, 761, 762, 772

- concentration 416
- pollution 60, 212, 567
 - measurement 96
- polyacetal 278, 286
- polyacrylic acid 716
- polyacrylonitrile 368, 569
- polyacrylophenone 287, 292, 345
- polyalkylsilane 278
- polyamide 63, 81, 204, 244, 269, 276, 279, 281, 287, 293, 369-70, 418, 425, 523, 589, 629-30, 634-6, 638
 - thermal degradation 373
- polyamide 6 120, 150-1, 258, 261, 372-5, 569, 599, 629, 638-9, 734
- polyamide 6,6 307, 369, 371, 373-4, 636-7
- polyaxial stress 739
- polybenzimidazole 482
- polybutadiene 240, 286, 337, 433, 436, 438, 483, 485-6, 530, 692
 - domain 341
- poly(1-butene sulfone) 291
- poly(butyl acrylate) 344
- poly(butyl methacrylate) 575
- polybutylene 613, 615
- poly(butylene terephthalate) 197, 233, 242, 244, 381-2, 385-6, 425, 478, 515, 531
- poly(ϵ -caprolactone) 615, 712, 714, 737
- polycarbonate 63, 78, 118, 149-50, 196, 242, 244, 253, 277-81, 291, 297, 300, 305, 308, 314, 365, 367, 375, 378-80, 478-9, 524, 544, 553, 556, 585, 591, 626, 698, 752
 - absorption 378
 - thermal history 378
- polychloroprene 485, 533
- polycondensation 736
- polydimethoxysiloxane 287, 292
- polydimethylsiloxane 281, 283, 473, 474
- polydispersity 202, 394, 528, 730, 731
- polyene 239, 244, 253, 278, 360, 456, 463, 466, 640
 - concentration 252
 - formation 731
 - index 731, 732
 - sequence 461
 - length 463
- poly(enol-ketone) 716
- polyester 63, 199, 243, 276-7, 279, 286, 381, 387, 418, 545, 581, 589, 596, 629-30, 636, 711, 714
 - thermal history 385
 - sheet 582
 - velour 631
- polyetheretherketone 403
- polyethers 453
- polyethylene 76, 78, 119, 191, 202-4, 207, 226, 230, 234, 243-5, 250-1, 254-6, 259-60, 269, 279, 285-6, 289, 293, 298, 301, 303, 305-6, 314, 318, 321, 360, 388, 390-1, 394-8, 417, 423, 425, 478, 515, 522, 528-9, 531, 535-6, 545, 591, 593, 595, 597, 612, 614, 628, 642, 687, 710, 717, 726, 729-30, 732, 737, 739-41, 746, 758, 759
 - crystalline structure 393
 - density 388
 - fabric 628
 - glycol 408, 715
 - metals 392
 - naphthalate 381, 382, 385, 387
 - oxide 305
 - terephthalate 203, 223, 241, 243, 260, 279, 281, 283, 293, 296, 298, 302, 304, 309, 318-9, 381, 385-7, 393, 527, 597, 626, 630, 634-5, 714, 736, 750, 751, 753
 - embrittlement 393
 - infrared energy 398
 - surfactant 393
 - terminal double bond 256
 - thermal history 394
- polyfluoroethylene vinyl ether copolymer 363
- polyfluorovinyl 363
- poly(glycolic acid) 714
- poly(β -hydroxybutyrate) 711
- polyimide 86, 282, 318, 363-4, 400-1, 402, 404, 547-8, 642
- polyisobutylene 279, 282, 486
- polyisocyanurate 446, 737
- polyisoprene 282, 287, 485-6, 489, 533
- poly(lactic acid) 714, 726
- polymer
 - backbone 343
 - chain 254
 - environmentally friendly 714
 - matrix 43
 - mobility 433
 - morphology 257, 259
 - packing 634
 - semicrystalline 218
 - solvent pair 742
 - structure 218
 - texture 255
- polymerization 74
- polymethylmethacrylate 99, 223, 225, 248, 269, 274, 279, 287, 290-1, 293, 299, 300, 306-7, 316-7, 342, 345, 404, 406, 479, 516, 569, 583,

- 585, 591, 623, 626, 685-6, 688, 717, 743, 745, 749
 - direct chain scission 405
 - ester side chain scission 405
 - Fickian diffusion 407
- poly(methyl(phenyl)silane) 245
- polymonochlorotrifluoroethylene 363
- polyol 450, 535, 556
- polyolefins 24, 177, 198, 293, 349, 680, 700, 730
- polyols 446
- polyorganosilane 278
- polyoxyethylene 407
- polyoxymethylene 223, 226, 229, 269, 279, 282-3, 295, 407, 409-10, 555, 614
- poly(phenylene ether) 413, 414
- poly(phenylene oxide) 297, 410
- poly(phenylene sulfide) 414-5
- poly(p-phenylene sulfide) 699
- poly(p-phenylene terephthalamide) 416
- poly-p-phenylenebenzobisoxazole 629
- polypropylene 76, 77, 175, 176, 196, 232, 234, 239, 242, 250, 251, 253-5, 261-3, 273-4, 277, 279, 282, 286, 287, 290, 291, 294-5, 298-9, 300, 302, 304, 315, 317-9, 321, 417, 419, 423, 424, 426, 478, 513, 514, 515, 521, 528, 530, 531, 535, 544, 545, 546, 557, 589, 590, 595, 598-9, 628, 630, 680-1, 684, 687, 694, 695, 696, 697, 702, 715, 722, 734
 - glycol 408, 715
 - thermal history 423
- polysaccharides 710
- poly(siloxane imide) 481
- polystyrene 18, 22, 99, 197, 201-3, 224, 227, 232, 255, 269, 278-80, 282, 286-9, 291, 293, 297-8, 302, 307-8, 310-1, 316, 337-40, 428, 430, 433, 435-6, 437, 438, 485, 522, 528-30, 569, 588, 667, 685, 717, 737, 739-40
 - thermal history 434
- polysulfide 314, 416, 534, 622
- polysulfone 89, 278-9, 286, 293, 297, 439, 442, 549-50, 758
 - film 596
- polytetrafluoroethylene 91, 290, 299, 363, 444, 515, 629
- polytetramethylene 451
 - glycol 408, 715
- polyurea 446
- polyurethane 80, 151, 175, 234, 244, 257, 269, 277, 279, 286, 293, 297, 300, 301, 302, 305, 307, 318, 446, 447, 452, 453, 478, 482, 515, 534, 535, 545, 553, 554, 556, 566, 574, 587, 595, 605, 607, 619, 622, 670, 675, 690, 716, 737, 748
 - thermal history 452
- poly(vinyl alcohol) 162, 282, 287, 367, 456, 458, 569, 716
- poly(vinyl acetate) 360
- poly(vinyl butyral) 630
- poly(vinyl carbazole) 18
- poly(vinyl chloride) 30, 44, 73, 150, 168, 177, 197, 223-4, 228, 230, 233, 237, 239, 252-3, 269, 279, 283, 287, 301, 318-9, 336, 360-1, 459, 466, 478, 482, 520-3, 525-7, 531, 535-6, 567, 576, 581-3, 591, 597, 609, 614, 624-5, 627, 640, 642, 673, 682-3, 717, 723, 730-2, 734-5, 748, 750
 - coating 570
 - thermal history 464
 - window profile 148
- poly(vinyl fluoride) 300, 626
- poly(vinylidene fluoride) 299, 363, 469, 567, 698, 761
- poly(vinyl methyl ether) 470, 479
- poly(vinyl toluene) 18
- pores 514, 761
 - volume 599
- porosimetry 771
- porosity 268, 609, 698, 713, 717, 761, 771
- porphyrins 14
- positive
 - hole 516
 - resist 345
- positron annihilation spectroscopy 605
- post-production stress 749
- powder coating 564, 568, 701
- precipitation 62, 95, 112
 - gauge 95
- precision aperture 87
- preservation 768
 - plan 770
- pressure 546, 585
 - difference 168
- primary filter 88
- primer 542, 548, 646, 765
 - adhesion 644, 645
 - uptake 644
- principle of degradation 3
- printed matter 187
- prints 575
- prism spectrograph 88
- probability of collision 77
- processing
 - aids 625

- history 729
- product safety 541
- production 758
- profile measurement 273
- profiling 233
- profilometer 274
- prohesion test 764
- promoted atom 674
- propagating sites 569
- propagation 390
 - rate 463
- prosthetic devices 584
- prosthetics 233
- protective
 - barrier 515
 - coating 470, 553, 697
 - dressings 721
 - effect 638, 669
 - layer 303, 575, 698
 - organic material 524
- proton transfer 371
- pulp 296, 615
- pulse generator 174
- pyranometer 86, 87, 92
- pyrheliometer 87, 92
- pyrrole 244, 371

Q

- Q-Lab 173
- Q-SUN 166-7, 172
- quantum
 - efficiency 214, 520
 - theory 1
 - yield 40, 43, 289, 405-6, 525, 675, 688
- quartz containers 206
- quencher 11, 13, 19, 21, 44, 675
 - concentration 675
 - diffusion rate 13
- quenching 11, 27, 674
 - efficiency 13
 - process 44
 - rate constant 12
 - sphere 13, 675
- quinone structure 345
- QUV 166-7, 172, 175, 230, 233, 268, 289, 296, 533

R

- rack 165, 168
 - black box 137
 - inclination 130
 - instrumental panel/door panel 137

- offset design 135
- salt spray 137
- standard 132
- sun-tracking 138
- under glass 136
- variable angle 135, 137
- radar 56
- radiant
 - energy 220, 517, 674
 - flux 252
- radiation 47, 215
 - angle of incidence 124, 170
 - dose 120
 - energy 2
 - filters 162
 - intensity 4, 43, 165, 176
 - measurement 85
 - screening 521
 - sensor 86
 - source stability 157
 - spectral distribution 161
 - spectrum 190
 - sterilization 481, 530, 599
 - wavelength 1, 42, 102, 220, 242, 244, 546, 688
- radiationless
 - conversion 11
 - process 674
 - transition 13
- radiative
 - emission 51
 - conversion 13
 - energy 150
 - flux 48
 - transfer 14
- radical 151, 296
- radical composition 516
 - concentration 403, 465
 - decay 287, 434, 516
 - decay assay 477
 - formation 435, 518, 520
 - immobilized 687
 - lifetime 287
 - migration 370
 - quencher 665
 - reaction chain 516
 - scavenger 531
 - signal 151
- radioactive carbon 723
- radiograph 296
- radiometer 86, 91
- radionuclides 96

- radiosonde 56
- radiotrace 723
- radon 96
- railway track 755
- rain 62, 95, 148, 226, 248, 353, 462, 464, 527, 559, 575, 644
- rainfall 47, 50, 120, 240, 573
 - duration 113
- Raman 270
 - microscopy 285
 - shift 741
 - spectral mapping 535
 - spectroscopy 285, 371, 466
- random walk process 15
- ranking 227
- rapid cooling 80
- RAPRA 758
- rate
 - controlling step 711
 - limiting step 190
- Rayleigh
 - Law 57
 - scattering 5
- reaction 11
 - environment 39
 - injection molding 313
 - kinetics 199
 - mechanism 197
 - rate 43
 - yield 36
- reactive gas 96
- rebars 574
- recombination 21, 35, 370, 377, 431
 - center 518
 - rate 16
 - reaction 259, 517
- recovery 554
- recrystallization 569
- recyclate 729
- recycling 410, 481, 525, 541, 597, 703, 726, 729-30, 734
- red
 - cedar 199
 - disperse dye 631
 - rust 762
- reductase 711
- reference
 - instruments 85, 164
 - fabric 275
 - material 122, 184
 - spectral distribution 107
 - temperature 94
 - weathering locations 127
- reflectance
 - standards 85
 - spectrum 635
- Reflected Radiation 85
- reflection 91
- reflective
 - pigments 565
 - specimen 164
- refractive index 5, 124, 245, 277, 315, 402-3, 464, 521, 523, 625
- refrigerators 588
 - gaskets 718
- regeneration 700
- Regional Radiation Center 87
- regrind 735
- reinforced concrete 763
- reinforcement 762
- relative
 - energy difference 743
 - humidity 113, 172
 - control 170
- relaxation time 749
- release properties 199
- reliability 541
- repair 541
- replacement frequency 541
- replicate specimens 122, 164, 198
- reprocessing 212, 434
- reproducibility 171
- residence time 63, 70
- residual
 - catalyst 196, 394
 - monomer 290, 344
 - property 214
 - radiation 160
 - shift factor 120
 - solvent 246
 - stabilization 730
 - strength 573
 - stress 312, 421, 595, 611, 748
- resin plasticization 572
- resistivity 304
- restabilization 703
- retained value 213
- retention time 688
- reversion 623
- rheological properties 617
- rheology 720
- rigid matrix 520
- rigidity 454
- ring

- opening 39
- oxidation 415
- risk of exposure 90
- roof performance 191
- roofing 579, 587
 - material 191, 307
 - membrane 617
- root causes 212
- ropes 726
- rotating
 - rack 164, 166, 168
 - trac 140
- rotational state 9
- rotting 579
- rough surface 710
- roughness 273, 603
- routine testing 148
- Royston 113
- rubber 100, 188, 298, 482, 489, 569
 - membranes 619
 - particles 312
- rural area 60
- rust 762
 - staining 763
- rutile 394, 517, 524
- Rydberg's
 - constant 52
 - Law 52
- S**
- SAE 184, 187
- safety helmet 164
- sag 730
- salicylic acid 690
- salt 74, 356, 402
 - crystallization 771
 - migration 771
 - particles 129
 - solution 574
 - spray 341, 470, 546, 548, 764
 - water particles 762
- sample
 - backing material 126
 - blackening 610
 - depth 338
 - morphology 199
 - preparation 189, 195
 - rack 171
 - stretching 746
 - temperature 172
 - test method 267
 - thickness 126, 239, 243, 249
- sand 515
- sapphire 199
- satellites 49, 56, 90, 400, 401, 548
- savanna burning 70
- SAXS 295, 296
- scale up 147
- scanning method 92
- scattering 58, 62
 - effect 272
- Schott glass 87
- Schrödinger equation 9
- Scott-Gilead process 726
- scrap 737
- scratch 273, 560, 761
 - resistance 623
- scratching 313
- screening 525, 665
 - compound 672, 674
 - effect 477, 603, 609, 611, 673
 - efficiency 519
- sea water 559, 573, 594
- sealant 175, 187, 233, 268, 313-4, 416, 534, 619, 622, 718, 763
 - pores 268
- season 71, 77
- seasonal variability 53, 60, 119, 121, 638
- seat upholstery 554
- seawater 764
- second law of photochemistry 6
- secondary
 - ion mass spectrometry 291
 - radiation 674
- sediment 710
- seed imperfections 206
- segmental
 - mobility 197, 259
 - reactivity 255
- SEM 234, 268, 269, 572, 603, 630, 644, 746
- semi-conductor properties 521
- semicrystalline plastics 756
- sensitized reaction 45, 437
- sensitizer 21, 39, 289, 460, 518, 630
- SEPAP 166, 168, 170, 171
- service
 - life 579, 595, 709, 726, 765
 - performance 213
- severity 82, 192
 - scale 770
- shadowband 88
- shadowing effect 602
- shear 263
 - strength 313, 622, 763

- yielding 752
- shearing forces 523
- shelving 718
- shielding effect 672
- shift factor 235
- shipping 130
- ships 762
- shower curtains 718
- shrinkage 75, 246, 259, 364, 547, 622
 - stress 762
- sick building syndrome 709
- side
 - chain 361
 - cleavage 562
 - group 21, 36, 343
- siding 141, 166, 318, 464, 521, 624, 625, 648
- silane 356, 542, 584
 - layer 356
- silica 513, 514, 696
 - filler 422
- silicone 268, 316, 475, 551, 587, 622
 - coating 380
 - sealant 762
- silk 629
- similarity principle 147
- single
 - cantilever 755
 - beam 322
 - test 756
 - displacement 712
 - photon excitation 41
- singlet 637
 - excited state 415
- oxygen 30, 73, 393, 460, 516, 521, 627, 632, 680
 - formation 15
 - generation 637
 - quencher 276, 665
 - quenching 628, 690
 - sensitizer 627
- state 11, 20
 - to-triplet transition 44
- site elevation 141
- size exclusion chromatography 238
- skin 263, 478
 - layer 296
- skinning process 622
- sky
 - cover 103
 - radiation 85
- skylights 269, 583
- sliding properties 445
- slip line theory 747
- slow strain 378
 - testing 745
- SmartDampers 167
- smog 67
- Snell's law 4
- snow 59, 89, 95
- SO₂ 442, 589
- softdrinks 758
- softening time 758
- soft-rot fungi 714
- softwoods 643
- soil 709
 - burial 322, 457, 723
 - pH 66
- solar
 - cell 625-6
 - collector 277, 625
 - constant 49, 50
 - cut off 57, 106, 160, 191, 350, 377, 380
 - degradation depth 642
 - energy 56
 - Eye 164
 - influx 62
 - luminosity 50
 - position 89
 - radiation 54, 61, 161
 - simulating devices 169
 - spectrum 51, 149, 162
 - spectral regions 52
 - tracker 87
 - transmittance 277
 - winds 49, 53-4
 - zenith angle 56
- Solarbox 172
- SolarClimatic 170
- solarization 136
- solubility 77, 345, 720
 - parameter 740, 742
 - distance 743
- solution 196, 214
- solvatochromic shift 43
- solvent 15, 19-20, 43, 196, 402, 404, 411, 451, 459, 460, 467, 527-8, 597, 739
 - diffusion 746
 - evaporation 74, 246, 749
 - penetration 741
 - polarity 21
 - purification 198
 - traces 197
- sonic velocity 304
- South Pole 103, 104

- space 296, 298
 - craft 444, 445, 481
 - exposure 173
 - orbiting 401
 - environment 269
 - shuttle 444, 547
 - suits 576
 - vehicles 400
- spas 703
- Spearman coefficient 221
- specific
 - extinction coefficient 672
 - free energy 302
 - reaction 711
 - surface energy 751
- specificity 713
- specimen 195, 207
 - definition 208
 - dimensions 198
 - heating 165
 - holder 168
 - position on rack 130
 - rack 163
 - shape 198
 - thickness 201
- spectral
 - balance 108
 - characteristic 669
 - lines 7
 - overlap integral 44
 - power distribution 158
 - response 741
 - sensitivity 150, 335, 350, 454
 - transmittance 277
- spectrum strength 525
- spherulite 296, 481, 742
 - radius 261
 - size 420
- spherulitic structure 260
- spin 11, 30
 - inversion 11
 - orbit interaction 13
- spores 710
- spray 167, 171, 234
 - rate 168
- spruce 645
- stabilization 374
- stabilizer 61, 219, 234, 335-6, 245, 254, 361, 380, 415, 513, 524, 602, 610, 627, 665, 717
 - adsorption 422
 - concentration 290
 - cut off wavelength 686
 - depletion 729, 733
 - effect of matrix 689
 - efficiency 670
 - fate 422
 - useful life 703
- stabilizing
 - action 665
 - protection 717
- stable radical 288
- stackable film 242
- stacked film 238
- stain 342, 647, 698, 762
- staining 599, 622
- standard
 - lamp 91
 - practices 184
- standards 127, 143
- starch 726
- state of matter 44
- static
 - convection 165
 - electricity 205, 548
 - mechanism 11
- statistical uncertainty 213
- steel 298, 304
- Stefan-Boltzmann Law 51
- stereoregularity 713
- steric
 - exclusion chromatography 315
 - hindrance 39, 77, 463
- sterically hindered amines 531
- sterilization 444, 595
- Stern-Volmer
 - equation 12, 674
 - kinetics 11
 - relationship 44, 675
- sticky layer 576
- stiffness 304
- stilbene 38, 39, 376
- stone 698, 767
 - chipping 248, 313
 - classification scheme 768
 - weathering simulation 768
- storage 489, 595
 - modulus 557
- StoreLight 162
- strain 741, 748, 750
 - gauge 313
 - rate 745, 749
- stratopause 54
- stratosphere 53-7, 63-8, 71-2
- stray light 89

- strength 729
- stress 47, 191, 279, 289, 315, 374, 378, 393, 398, 407, 416, 420, 434, 452, 458, 543, 555, 562, 568, 574, 587, 599, 613, 625, 630
 - center 623
 - compressive 75
 - concentration 556
 - corrosion 554
 - cracking 410
 - cracking 554, 716
 - decay 749
 - dissipation 749
 - distribution 75, 263, 269, 308
 - formation 600
 - intensity factor 748, 750
 - internal 74
 - pattern 749
 - relaxation 75, 749-50
- stressed conditions 556
- stress-strain 309
- stretching device 285
- s-triazine 685
- structural
 - adhesive 542
 - rearrangement 38
 - similarity 716
 - uniformity 716
- Stylometer 314
- styrene 351
 - segments 337
- styrene-acrylonitrile copolymer 336, 337, 471-2, 740
- styrene-butadiene rubber 306, 489, 618
- styrene-butadiene-styrene block copolymer 482, 488
- styrene-isopropene-styrene block copolymer 283
- submarine power cables 642
- substrate 199, 698
 - contamination 199
- sulfur dioxide 71, 81, 96, 97, 441, 561
- sulfuric acid 364
 - concentration 561
- summer 56, 59, 68, 69, 77, 119, 149, 557, 559
 - exposure 639
- sun 48
 - concentration of elements 52
 - glasses 89
 - protection 669
 - radiative emission 52, 726
- sunrays 27, 29
- sunscreen 89
- sunshine
 - carbon arc 152
 - duration 92, 110
 - possible 110
- sunspots 49
- Suntest 163, 166, 167, 168, 171
- surface
 - analysis 544
 - appearance 622
 - area 514, 521, 524
 - buffing 91
 - change 247
 - coating 380, 525
 - composition 119, 564
 - concentration 691
 - contamination 299
 - corrosion 268
 - cracking 247, 258, 309, 452, 622, 626
 - cracks 260
 - crazing 613
 - defects 747, 761
 - deposit 205
 - deterioration 224
 - energy 302, 710, 721, 723
 - erosion 237, 240, 269, 401, 602, 603, 721
 - etching 274, 438
 - finish 61, 199
 - grafting 698
 - layer 250, 385, 514, 515, 521, 613, 673, 692, 735, 745
 - mapping 767
 - morphology 601
 - observations 90
 - oxidation 613
 - oxygen 563
 - passivation 401
 - preparation 542, 544
 - properties 521
 - rearrangement 435
 - renewal 353, 464
 - roughening 246, 542
 - roughness 124, 269, 272-3, 276, 279, 336, 602, 603, 643
 - shrinking 240
 - stress 570
 - temperature 770
 - tension 763
 - wetting 302
- surfactant 754
- suspended solids 173
- sustainable process 736
- swell ratio 729, 730

swelling 568, 762

swimming pool

chemicals 141

liners 718

syndiotactic 419, 425, 463

synergistic mixture 680

synergy 514

synthesis 27

T

Taber abrasion 313

tabletop 175

instruments 165

tacticity 359

talc 359, 421, 514, 697

tape 198, 259, 315, 681

tarpaulins 555, 556, 565, 718

taut tie molecule 259, 393

tautomeric form 670

tautomerism 39, 701

t-butylperbenzoate 532

tear strength 313, 314, 554, 627

TEM 260, 268, 270, 629, 630

temperate

climate 190

zone 188

temperature 43, 47, 63, 76, 78, 93, 99, 110, 120,

125, 131, 165, 176, 179, 189, 198, 199, 200,

215, 218, 235, 247, 277, 290, 300, 316, 321,

345, 347, 356, 362, 365, 380, 393, 402, 416,

418, 420, 425, 435, 438, 442, 460, 465, 467,

482, 487, 519, 520, 542, 557, 559, 561, 569-70,

573, 585, 590, 606, 616, 626, 628, 631, 642,

684, 711, 717, 720, 729, 730, 750, 751, 762

control 148, 164, 166, 171

cycle 191

difference 166

distribution 56, 77

extreme 111

fluctuating 99

gradient 771

mean 111

range 165

rapid change 559

regulation 165

shock 82

uniformity 165

tenacity 681

tensile

creep 758

strength 99, 100, 217, 219, 242-3, 304, 307-9,

316, 336, 372, 410, 412, 416-7, 437, 444-5,

475, 489, 515, 525-6, 530, 532, 572, 577,
584, 617, 627, 631, 637, 642, 714, 735, 746,
756

retention 567, 589, 590, 629

stress 259, 393, 741, 758

testing 275

termination 390

terminology 184

termistor 86

tertiary carbon 353, 357, 364, 408

testing

cost 164

manual 130

volume 171

tetrahydrofuran 31, 197, 464, 528, 667

textile 275, 372, 531, 575, 627, 718

industry 267, 275

material 383

texture 254, 272

TG 305

T_g 355, 385, 463, 480

TGA 305, 542

TGRG 305

thermal

conductivity 61, 588

coefficient 553

decomposition 438, 444, 732

degradation 237, 294, 349, 385, 390, 394,

416, 464, 517, 527-8, 535, 543, 618, 742

kinetics 350

load 618

diffusivity 61

energy 48

absorption 234

expansion 74, 307, 749

fatigue 191, 393

history 198, 335, 467

oxidation 409, 423, 730

rate 395

stability 445, 527, 734

stabilizer 197, 198, 336, 464

treatment 195, 630

thermochromic shift 43

thermocouple 94, 125

thermodynamic equilibrium 569

thermograph 93

thermojunction 86

thermometer 93

thermooxidation 100, 420, 617

thermopile 85, 86

thermoplastic elastomers 482, 739

thermosphere 53, 63

thickness 195, 223-4, 227, 339, 353-4, 360, 378,
465, 562, 584, 609
 measurement 274
 of degraded layer 671
thiyl radical 627
thioesters 531
three-point bending 322, 755, 757
 stress 747
threshold discriminator 92
tje molecules 258, 433, 741, 742, 751
tilt 53
 angle 133
time 179, 249
 of wetness 94
 -to-failure 211-2, 758
timer 92
time-temperature superposition 398
tipping-bucket 95
tjjanates 542
titanium 196
titanium dioxide 43, 239, 245, 260, 347, 359,
393-4, 421, 462, 464, 472, 514, 516, 517, 520,
523, 524, 566, 610-1, 625, 630, 634, 640, 673,
697, 702
titration 287, 441
titrimetry 318
TMA 258, 305
 α -tocopherol 532, 599
TOF-SIMS 292
toilet seats 718
topcoat 607
Toronto 104, 105
total
 cohesion energy 743
 rainfall 248
 solar radiation 132
toughening mechanism 312
toughness 554, 560, 729
towels 718
toxicity 720
transamination 566
transesterification 566, 737
transferase 711
transition
 metals 518
 probability 14
translational motion 14
transmittance 626
triad sequence 287
triazines 669
tricesyl phosphate 717
triethyl phosphate 737

trimethylmethane dye 633
triols 715
triplet 15, 30, 293
 energy 672, 675
 formation 637
 state 11, 19, 20, 450
 -triplet annihilation 19, 42
 -triplet quenching 19
tristimulus values 275
tritium 96
tropical
 conditions 762
 fatigue 555
 forest 65, 129
tropics 63
tropopause 54, 65, 68-9
troposphere 53, 56-7, 63, 65-7, 69, 72-3
tryptophan 627
tubular shade 93
turbidity 96
turbulent flow 528
tyrosine 627

U

UHMWPE 596
ultra-accelerated concentrating device 173
ultramarine blue 521
ultrasonic
 degradation 528
 velocity 771
Ultratest radiation 156
under glass exposure 482
unfiltered radiation 150
unimolecular
 kinetics 713
 reaction 711
unsaturated structure 344
unsaturations 341, 345, 359, 389, 391, 460, 483,
516
unzipping 434
upholstery fabrics 630-1
urban locations 69
urea linkage 447, 453
urethane
 acrylic 744
 linkage 447, 453
 outsoles 718
useful life 122
user needs 541
UV 1, 90, 577, 628, 638, 668, 669, 674, 762
 absorber 219, 250, 279, 291, 313, 359, 361,
 380, 409, 415-6

- consumption 426
- degradation 690
- effect of HALS 690
- molecular weight 687
- spectral data 672
- absorption 55, 279, 383
- curing 245
- direct 107
- dose 102, 142
- energy 118
- index 57, 90
- intensity 96
- irradiance 127
- light transmission 239
- measurement 88
- radiation 63, 73, 191
- range 85
- screeener 641, 685
- solar radiation 133
- spectrophotometry 267, 278
- stabilization 23
- stabilizer 318, 394, 513, 563, 734
 - migration 688
 - stability 684
- UV2000 166, 172, 173
- UVA 86, 108
- UVB 86, 88, 102, 108, 534

V

- vacuo 350, 465
- vacuum
 - compression molding 596
 - ultraviolet exposure 173
 - ultraviolet radiation 158
- valence band 516
- van der Waals forces 206
- vapor
 - condensation 87
 - pressure 63
- variability
 - seasonal 117
 - year-to-year 117
- variable angle 135
- varnishes 187, 188, 575
- VDA 184
- VDI 184
- vehicles 591
- vermiculite bed 322
- vertical
 - mixing 64
 - motion 63
- VibraSonic 167

- vibrational
 - energy level 14
 - factors 14
 - level 39
 - overlap integral 13
 - relaxation 11
 - state 9, 13
- vibronic coupling 13
- Vicker's tester 758
- vinyl siding 624, 625
 - Institute 624
- vinylidene
 - group 391
 - unsaturation 394
- viscoelastic materials 75
- viscosity 19, 305-7, 315, 525, 622, 638, 644, 730
 - number 637
- visible 1, 108
 - light 629, 643
 - spectrophotometry 277
- visual evaluation 267
- voids 260, 745-6, 751-2, 761
- volatiles 246, 250, 291, 306, 317, 343, 351, 358, 364, 369, 408, 419, 431, 433, 441, 462, 550
 - content 590
 - organic compounds 66
- volatility 528, 669, 681, 684
- volcanic
 - deposition 73
 - eruptions 55, 71-2, 213
- voltage breakdown 304

W

- wall covering adhesives 718
- Warburg respirometers 723
- warehouse discoloration 702
- warehousing 758
- warp 566
- warping 312, 644
- warranties 122
- washing 206
- waste treatment 729
- water 62, 258, 347, 355-6, 359, 365, 380, 385, 391, 406, 409-10, 449, 475, 519-21, 565-6, 600, 710, 763
 - absorption 515
 - barrier 601
 - diffusion 572, 594
 - evaporation 62
 - extraction 80
 - immersion 196, 622

- lifetime 62
- molecular size 542
- migration 254
- penetration 546
- resistance 600
- sorption 303
- spots 559
- spray 80, 172, 188
- uptake 300, 301, 531, 594, 611
- vapor 63
 - transmission rate 610
- watercolors 575
- wavelength 27, 58, 106, 148-9, 379, 529, 616, 639
 - effect 347
 - sensitive 350
 - sensitivity 372, 374, 405
 - spectrum 23
- wear surface 595
- weather
 - conditions 47
 - monitoring station 127
 - spills 213
 - stripping 718
- weathering
 - accelerated 147, 148
 - acceleration 14
 - apparatus 169
 - cycle 184
 - devices 155, 169
 - operation 184
 - parameters 101, 130
 - rate 101, 769
 - sites 128
 - time 175
- Weather-Ometer 166-7, 170-1, 175
- weft 566
- weigh factors 213
- weight
 - change 237, 581, 745
 - loss 80, 234, 248, 374, 401, 403, 409, 565, 581, 582, 602, 631, 714
- weld lines 556
- welding 613
- wet
 - biocide 720
 - compression set 555
 - condensation 341
 - cycle 189
 - roll coating 568
- wet/dry cycle 207
- wetness 132
- time 113, 114
- wettability 433, 435, 436, 545
- wettest
 - city 113
 - places 114
- wetting 545
 - event 559
- white
 - rot fungi 714
 - rusting 267
 - standard thermometer 165
- WHO guidelines 68
- wide-angle x-ray scattering 262, 295-6
- Wien Law 52
- wind 201, 764
 - driven debris 619
 - speed 168
- window 141, 464, 583, 640, 735
 - frames 579, 648
 - glass 170, 630
 - profile 530
 - seal 556
- windshield 141, 553
- winter 56, 59, 68-9, 77, 99-100, 121, 149, 557, 559
- wire 642
- Wolf sunspot number 50
- wood 189, 212, 234-5, 263, 268-9, 283, 296, 347, 599, 600, 646, 698, 718
 - biodegradation 714
 - coating 313, 611
 - degradation depth 642
 - fiber 569
 - finishes 267
 - flour 168
 - window frame 601
 - particles 515, 572
 - structural changes 643
 - wettability 643
- Woodward-Hoffmann rule 36
- wool 314, 577, 627, 628, 631, 636
- work of adhesion 545, 546
- World Health Organization 114
- World Meteorological Organization 127
- woven fabric 372
- wrap composite 571
- X**
- XenoCal 163
- xenon arc 151, 152, 153, 154, 159, 161, 184, 230
 - device 186

- lamp 162, 175, 177
- Xenosensiv 163
- Xenotest 163, 166-7, 171, 175
- XPS 253, 270, 297-8, 302, 345, 363, 482, 629
- X-ray 254
- x-ray fluence 547

Y

- yarn 372, 629
- yearly variation 105
- yeasts 711
- yellowing 150, 160, 235, 292-3, 335, 336-7, 339, 345, 368, 371, 376-8, 380, 382, 412, 431, 449, 471-2, 530, 533, 558, 598, 615, 627, 630, 639, 640, 643
 - rate 380
- yellowness index 118, 150, 244, 275-6, 358, 379, 436, 438, 452-3, 535, 595, 616, 627-8
- yield
 - strength 374
 - stress 560
- yielding 746
- Young's modulus 304, 355, 746

Z

- zenith angle 59, 69
- zero-order kinetics 350, 685, 689, 721
- zinc 199
- zippers 187
- ZnO 516, 521, 523, 524, 525