

Index

- ABS, 249, 254
- Acrylics, 260
- Acrylonitrile-butadiene rubber, 271
 - styrene, *see* ABS
- Adhesives, 336
- Age-hardening, 225
- Airbag, 392
- AISI-SAE, 20
- Alkyd resins, 265
- Allotropy, 9
- Alloys
 - binary, 102
 - term defined, 4, 92, 100
- Alumina, 7, 297, 302
- Aluminium
 - alloys, 217
 - bronzes, 210
 - cast alloys, 220, 227
 - coding, 218
 - copper alloys, 224
 - copper equilibrium diagram, 115, 234
 - crystals in, 47
 - duralumin, 224
 - extraction, 215
 - first produced, 3
 - heat treatment, 222
 - magnesium alloys, 220
 - modification, 221
 - oxide, 297
 - properties, 216
 - purification, 215
 - silicon alloys, 220
 - silicon equilibrium diagram, 221
 - sintered powder, 317
 - tin alloys, 239
 - wrought alloys, 222
 - Y-alloy, 227
- American
 - Iron and Steel Institute, 20
 - Society for Metals, 22
 - Society for Testing Materials, 22
- Annealing
 - bright, 75
 - castings, 141
 - cold-worked steel, 143
 - mechanism, 66
 - spheroidisation, 142
- Anti-static agents, 282
- Araldite, 337
- Aramid fibre composites, 326
- Asbestos, 283, 292
- Atomic number, 6
- Atoms
 - building blocks of, 6
 - defined, 6
 - electron structure of, 6
 - shells, 6
- Austempering, 156
- Austenite, 135
- Babbitt metals, 239
- Bainite, 148
- Bakeland Dr., 245, 263
- Bakelite, 3, 245, 263
- Basic oxygen steel making, 131
- Bauxite, 215
- Bearing
 - aluminium-tin alloys, 239
 - copper-based metals, 240
 - metals, 238
 - plastics, 240
 - sintered-bronze, 88
 - white metals, 239, 384
- Beer containers, 13
- Bend tests, 40
- Beryllium
 - aluminium alloys, 227
- Bronze, 212
- Bessemer process, 131
- Beverage cans, 220
- Bicycle materials, 377
- Bimetallic thermostat, 232
- Bismuth-cadmium
 - equilibrium diagram, 110
 - solution, 93, 109
 - tin equilibrium diagram, 116
- Blockboard, 332
- Body-centred cubic, 45
- Bolt, stages in manufacture, 71
- Boron
 - carbide, 299
 - fibre composites, 325
 - nitride, 299
- BOS, 131
- Brasses, 203
- Brazing, 339
- Brinell test, 28
- British Standards Association, 19, 22

- Brittle
 - fracture of steel, 145
 - material, 14, 41
- Bronze Age, 3
- Bronzes
 - aluminium, 210
 - beryllium, 212
 - coinage, 210
 - copper-tin, 206
 - gunmetal, 211
 - lead, 211, 240
 - manganese, 206
 - phosphor, 211
 - sintered, 240
 - tin, 206
- Buckyball, 11, 393
- Butadiene rubber, 271
- Butyl rubber, 271
- Cadmium-bismuth
 - equilibrium diagram, 109
 - solution, 93
- Calendering, 284
- Car bodywork, 4
- Carbolic acid, 263
- Carbon
 - atom, 6, 8
 - fibre composites, 324
- Carbonitriding, 185
- Carburising
 - gas, 181
 - heat treatment after, 181
 - liquid, 180
 - pack, 179
 - process, 178
- Carpet analogy of slip, 64
- Case hardening, 178, 183
- Casting
 - choice of process, 60
 - described, 48, 52
 - ingot crystals, 48, 50
 - polymers, 287
- Cast iron
 - Age, 3, 190
 - alloy, 198
 - blackheart malleable, 197
 - compacted-graphite, 196
 - composition, 190
 - cooling rates, 192
 - effect of cooling rate, 192
 - engineering, 194
 - fluid, 195
 - grey, 191
 - growth in, 193
 - important material, 189
 - malleable, 196
 - pearlitic malleable, 197
 - silicon, 191
 - spheroidal-graphite, 195
 - white, 191
 - whiteheart malleable, 197
- Cellulose
 - acetate, 256, 281
 - acetate-butyrate, 256
- Cellulose-base plastics, 255
- Cement, 302
- Cemented carbides, 87, 296
- Cementite, 133
- Centrifugal casting
 - described, 56
 - uses, 56
- Ceramics
 - chain-type, 290
 - defined, 5, 289
 - engineering, 295
 - failure, 356
 - groups, 289
 - properties, 5, 299
 - sheet-type, 291
 - silicate-based, 289
- Cermits, 315
- Charpy impact test, 33, 35
- Chill crystals, 50
- Chipboard, 333
- Cladding, 365, 370
- Clay, 289, 291, 294
- Close-packed hexagonal, 45
- Cluster mill, 80
- Coercive force, 175
- Coining, 84
- Cold-heading, 72
- Cold-pressing, 81
- Cold-working
 - effect on grain size, 67
 - processes, 68, 79
 - uses, 69
- Colourants, 283
- Columbia space shuttle, 244
- Columnar crystals, 50
- Comet air crash, 353
- Composites
 - defined, 5, 315
 - dispersion hardened, 316
 - failure, 356
 - fibre, 322
 - manufacture, 329
 - nano, 393
 - particle, 314
 - uses, 331
- Compression
 - defined, 13
 - tests, 40

- Concrete
 - reinforced, 334
 - structure, 318
- Conductivity
 - electrical, 16, 387
 - thermal, 17
- Continuous casting, 52
- Cope, 53
- Copolymer, 249
- Copper
 - alloys, 202
 - aluminium equilibrium diagram, 115
 - arsenical, 214
 - based bearing metals, 240
 - beryllium equilibrium diagram, 213
 - cadmium alloy, 214
 - chromium alloy, 214
 - chromium equilibrium diagram, 213
 - coding, 21
 - deoxidised, 202
 - extraction, 200
 - nickel equilibrium diagram, 106
 - oxygen-free high conductivity, 201
 - properties, 201
 - tellurium alloy, 214
 - tin equilibrium diagram, 207
 - tough-pitch, 201
 - zinc equilibrium diagram, 203
- Coring, 94, 108
- Corrosion
 - crevice, 368
 - electrolytic, 362
 - failure, 354
 - protection against, 369
 - resistance values, 18, 386
 - stress, 368
- Corrugated cardboard, 331
- Cost
 - per unit strength, 18
 - per unit stiffness, 18
 - relative, 19, 386
- Covalent bond, 8
- Coventry cathedral, cross, 59
- Cowper stoves, 130
- Creep, 36, 281, 300, 353, 383
- Critical cooling rate, 148, 149, 150
- Crystal
 - diamond, 10
 - metal, 44
 - size, 49
 - structure, 7
- Cupro-nickels, 212
- Cyanide hardening, 180
- Data sources, 19
- Degradation, 354, 361
- Dendrite, 45, 97
- Devitrification, 310
- Diamond, 10, 299
- Die-casting
 - cold-chamber machine, 55
 - defined, 54
 - gravity, 56
 - pressure, 55
 - uses, 57
- Die steels, 167
- Diffusion, 98
- Dislocations, 63
- Drawing
 - defined, 79
 - deep, 81
- Dry-cyaniding, 185
- Ductility, 14
- Durability, 18
- Duralumin, 224
- Durometer, 280
- Elastic
 - limit, 24
 - behaviour, 23, 62
- Elastomers
 - defined, 5, 246, 268
 - engineering, 270
 - structure, 269
 - vulcanisation, 270
- Electric conductivity, 16, 387
- Electric-arc steel making, 132
- Electrochemical series, 363
- Electrochromic materials, 392
- Electrolyte, 363
- Electron, 6
- Electrophoresis, 369
- Electroplating, 370
- Electro-rheostatic materials, 392
- Electrovalent bond, 6
- Element, defined, 5
- Embossing, 84
- Endurance limit, 37
- Epoxy resins, 266
- Equilibrium diagrams
 - alumina-silica, 301
 - aluminium-copper, 115, 224
 - aluminium-silicon, 221
 - cadmium-bismuth, 109
 - copper-chromium, 214
 - copper-beryllium, 213
 - copper-tin, 207
 - copper-zinc, 203
 - iron-carbon, 134
 - lead-tin, 105, 111

- Equilibrium diagrams (*Continued*)
 - nickel-copper, 106
 - obtaining, 102
 - ternary, 116
 - tin-lead, 105, 111
 - types of, 105
- Erichsen cupping test, 39
- Etching microscope specimens
 - etchants, 124
 - process, 123
- Ethylene-propylene rubber, 272
- Eutectics, 93, 101
- Eutectoid, 135
- Expansivity, linear
 - defined, 16
 - failure from, 354
 - values, 17
- Extrusion
 - process, 78
 - impact, 85
 - plastics, 284
- Face-centred cubic, 45
- Factor of safety, 42
- Failure, causes of, 352
- Fatigue
 - case study, 38
 - described, 37, 353
 - fracture surfaces, 38
 - limit, 37
 - resistance, 382
- Ferrite, 135, 147
- Ferromagnetic, 174
- Ferrous alloys, term, 4
- Fibre
 - described, 71
 - macro-examination, 72
- Fillers, 282
- Film blowing, 287
- Fireclay, 243
- Flame-hardening, 186
- Flame retardants, 283
- Float process, 311
- Flow-turning, 83
- Fluorocarbons, 254
- Forging
 - drop, 76
 - hot-pressing, 77
 - processes, 76
- Forth bridge, 19
- Four-high mill, 80
- Friction
 - coefficient values, 385
 - lubrication, 384
 - modifiers, 283
- Fullerene, 11
- Full mould casting
 - described, 59
 - uses, 59
- Furnaces, metallurgical
 - atmospheres, 74
 - basic oxygen, 131
 - batch, 75
 - blast, 129
 - continuous, 75
 - described, 74
 - electric-arc, 132
 - endothermic atmospheres, 75
 - exothermic atmospheres, 75
 - heat treatment, 160
- Fracture surfaces, 355
- Free-cutting, 89
- Galvanic
 - protection, 371
 - series, 363
- Galvanising, 366
- Glass
 - blowing, 311
 - ceramics, 310, 312
 - composition, 307
 - fibre composites, 324
 - manufacture, 310
 - metallic, 313
 - properties, 311
 - Pyrex, 312
 - soda, 310
 - structure, 308
 - transition temperature, 275, 309
 - uses, 312
- Gold, 244
- Grain
 - flow, 71
 - growth, 66
- Graphite, 10
- Gunmetals, 210
- Hancock, Thomas, 245
- Hardenability, 156, 159
- Hardening
 - steel, 146, 152
 - surface of steel, 178
- Hardness
 - defined, 15
 - tests, 27, 279
- Heat capacity
 - defined, 16
 - specific, 16
 - values of, 17
- High-speed steel, 167
- Hooker process, 86
- Hooke's law, 23

- Hot-working
 - defined, 70
 - fibre, 71
 - grain flow, 71
 - pressing, 77
 - processes, 71, 76
 - rolling, 77
 - uses, 71
- Hydroplastic forming, 294
- Hysteresis, magnetic, 175

- Impact tests, 15, 33, 279
- Incoloy, 318
- Induction-hardening, 187
- Ingot casting, 52
- Insolubility, 92
- Insulator, electrical, 16
- Intermetallic compounds, 100, 101
- Intermolecular forces, 9
- International Organisation for Standardisation, 19
- Investment casting
 - applications, 58
 - described, 57
- Ionic bond, 7
- Ion implantation, 6
- Ions, 7
- Iron
 - Age, 3
 - carbon equilibrium diagram, 134
 - cast, 189
 - ores, 129
 - smelting, 129
 - Isothermal heat-treatment, 154
 - Izod impact test, 33, 34

- Joining materials, 336
- Jominy test, 158

- Kaolinite, 294
- Kevlar, 326
- Kinetic theory of gases, 43
- Knoop hardness, 301

- Lead-tin
 - alloys, 102
 - equilibrium diagram, 105, 111
- L-D process, 131
- Leonardo da Vinci, 279
- Lever rule, 107, 109, 112, 135
- Liberty ships, 145, 336
- Light Alloys Age, 3
- Liquidus, 103, 106
- Limiting ruling section, 158
- Lithium fluoride crystal, 7
- Lost foam process, 60

- Lost wax process, 57

- Machinability, 91
- Machining, 88
- Macro-defect-free cement, 303
- Magnesite, 296
- Magnesium
 - alloys, 236
 - extraction, 236
 - oxide, 296
- Magnet
 - alloys, 174
 - hard material, 176
 - hysteresis, 175
 - soft material, 176
- Magneto-rheostatic material, 393
- Malleability, 15, 41
- Martempering, 154
- Martensite, 146
- Materials in general
 - classification, 4
 - history, 2
 - properties, 2, 13
 - selection, 1, 377
 - society, 12
- Melamine formaldehyde, 264
- Mer, 249
- Metal
 - bonds, 7
 - crystal structure, 44
 - deformation, 62
 - matrix composites, 328
 - properties, 4, 393
 - shaping, 76
- Methane, 9
- Mica, 291
- Microscope
 - care, 127
 - electron, 127
 - importance, 119
 - metallurgical, 124
 - specimen etching, 123
 - specimen grinding, 120
 - specimen mounting, 118
 - specimen polishing, 121
 - specimen selection, 118
 - using, 126
- Milk bottles, 12, 382
- Modification, 221
- Modulus of elasticity
 - defined, 14, 23
 - specific, 381
 - values, 14, 382
- Moh scale, 27
- Monatomic, 43
- Monel, 212

- Monomer, 248
- Mortar, 318
- Mott, Prof., 64
- Moulding
 - blow, 286
 - compression, 285
 - film blowing, 287
 - injection, 285
 - press, 331
 - resin-transfer, 331
 - slush, 287
 - stretch-blow, 286
 - transfer, 286
 - vacuum, 287
- Nail, old, 1
- Nanomaterials, 5, 393
- Nanotubes, 393
- Neoprene, 270
- Neutron, 6
- Nickel
 - copper equilibrium diagram, 106
 - corrosion resistant alloys, 230
 - electrical resistance alloys, 230
 - high-temperature alloys, 231
 - low expansion alloys, 231
 - properties, 229
 - silvers, 212
 - titanium alloys, 232
- Ni clad, 229
- Nimonic, 231, 383
- Nitriding, 183
- Nitrile rubbers, 271
- Non-destructive testing
 - acid pickling, 358
 - gamma rays, 359
 - magnetic dust, 357
 - penetrant methods, 356
 - surface cracks, 356
 - ultrasonic, 360
 - X-rays, 359
- Non-ferrous alloys, term, 4
- Nylon, 257, 373
- Normalising, 140
- Overstressing, 352
- Oxidation
 - degradation, 361
 - protection, 370
- Painting, 369, 386
- Parkes, Alexander, 249
- Particleboard, 332
- Pascal, unit, 13
- Patenting, 156
- Pattern, 53
- Pearlite, 136
- Percentage elongation
 - defined, 14, 25
 - values, 15, 392
- Peritectic reaction, 135
- Perspex, 260
- Phase, 100
- Phenol formaldehyde, 262
- Phosphor bronze, 210
- Photochromic material, 393
- Pierce-Smith converter, 200
- Piezoelectric material, 392
- Pipe, 52
- Plasma nitriding, 186
- Plastic behaviour, 24, 62
- Plasticisers, 249
- Plastics, *also see* Polymers
 - Age, 4
 - bottles, 247, 258
 - vinyl, 250
 - weathering, 372
 - welding, 349
- Plexiglass, 260
- Plumber, 102
- Plumbum, 102
- Plywood, 332
- Poltrusion, 330
- Polyacetals, 259
- Polyamides, 257
- Polycarbonate, 258
- Polychloroprene rubber, 270
- Polyesters, 258, 265
- Polyether ether ketone, 261
- Polyethylene
 - classification, 4
 - high-density, 251
 - low-density, 251
 - molecular chain, 9, 248, 251
 - properties, 5, 255
 - stress-strain curves, 277
 - vinyl acetate, 252
- Polyimides, 261, 267
- Polyisoprene, 269, 270
- Polymerisation, 247, 248
- Polymers, *also see* Plastics
 - additives, 282
 - amorphous state, 274
 - anti-static agents, 282
 - composition, 247
 - covalently bonded carbon, 9
 - crystal state, 274
 - defined, 5, 246
 - expanded, 283
 - fillers, 282
 - flame retardants, 283
 - foamed, 283

- glass transition temperature, 275
- hardness tests, 279
- impact tests, 280
- machining, 287
- melting point, 273
- properties, 5, 247, 274, 276
- raw materials, 246
- shaping, 284
- tensile testing, 278
- types, 245
- Vicat softening temperature, 276
- Polymethyl methacrylate, 260
- Polymorphism, 9, 45, 135, 140, 147, 234
- Polyoxymethylene, 259
- Polypropylene, 253
- Polypropylene-ethylene copolymer, 253
- Polystyrene, 253, 277, 283
- Polysulphide rubber, 272
- Polysulphones, 261
- Polytetrafluoroethylene, 241, 254
- Polythene, *see polyethylene*
- Polyurethane, 266, 284
- Polyvinyl acetate, 252
- Polyvinyl acetate/chloride copolymers, 249, 252
- Polyvinyl chloride
 - acetate, 249, 252
 - development, 4, 252
 - properties, 252
- Portland cement, 302
- Powder metallurgy
 - described, 86
 - uses, 87
- Precipitation
 - from liquid solution, 113
 - from solid solution, 114
 - hardening, 225
- Printed-circuit-boards, 202
- Processes
 - choice, 390
 - classification, 11
- Proof stress, 24
- Properties of materials, 2
- Proportional test pieces, 26
- Proton, 6
- PTFE, *see Polytetrafluoroethylene*
- PVS, *see polyvinylchloride*
- Pyrex, 312
- Quench
 - cracking, 150
 - media, 151
 - of steels, 146
- Rapid solidification processing, 51
- Recrystallisation, 66
- Recycling, 12, 272
- Refractoriness, 301, 383
- Relative density values, 392
- Remanence, 175
- Resistivity
 - defined, 15
 - values, 16
- Rockwell hardness test, 31, 279
- Rolling
 - cold, 79
 - hot, 77
- Rubber, 246, 268, 270, 373
- Ruling section, 157
- Rupture stress, 37
- Rusting, 354, 367, 385
- Sacrificial protection, 366
- Safety, factor of, 42
- Salts, 7
- Sand-casting
 - described, 53
 - uses, 54
- Scott's polar party, 10
- Secant modulus, 279
- Segregation, 48
- Selection of material, 1
- Semiconductor
 - chips, 304
 - doping, 304
 - properties, 16, 304
- Semi-solid metal casting, 60
- Service
 - life, 375
 - requirements, 379
- 'Shape memory' alloys, 206, 232, 392
- Sherardising, 370
- Shore
 - hardness, 280
 - scleroscope, 32
- Sialons, 298
- Silicates, 289
- Silicone nitride, 298
- Silicones, 267, 272
- Sintered
 - bronze bearings, 88
 - aluminium powder, 317
- Slip
 - bands, 62
 - carpet analogy, 64
 - casting, 294
 - described, 62
- Slush moulding, 287
- Smartmaterials, 5, 292
- S/N curves, 37
- Society of Automotive Engineers, 22

- Solder
 - materials, 338
 - plumber's, 102
 - tinman's, 103, 338
- Solidus, 106
- Solution
 - defined, 92
 - interstitial solid, 98
 - solid, 94, 98, 100
 - substitution solid, 96
 - treatment, 225
- Sorbite, 153
- Spinning, 81
- Stainless steel, 171
- Standard, 19
- Steel
 - Age, 3
 - alloy, 161
 - alloying elements, 176
 - boron, 165
 - brittle fracture, 144
 - carbon, 134
 - case-hardening, 178
 - chromium, 164
 - coding, 20
 - composition, 134
 - constructional, 162
 - dead-mild, 134
 - die, 167
 - eutectoid, 138
 - hardenability, 160
 - heat-resisting, 174
 - heat-treatment, 139, 146
 - high-carbon, 134
 - high speed, 167
 - high-strength low-alloy, 161
 - hyper-eutectoid, 138
 - hypo-eutectoid, 138
 - making, 131
 - manganese, 164
 - maraging, 166
 - medium-carbon, 134
 - micro-alloyed, 161
 - mild, 134
 - nickel, 162
 - nickel-chromium, 163
 - nickel-chromium-molybdenum, 165
 - nitralloy, 185
 - nitriding, 185
 - plain-carbon, 134, 147, 154
 - surface hardening, 178
 - stainless, 171
 - tool and die, 167
- Stents, 392
- Stiffness, 14, 381
- Stone Age, 3
- Stove enamelling, 367
- Strain, defined, 13
- Strength
 - defined, 13, 24
 - specific, 380
 - values, 14, 380
- Stress
 - concentration factor, 352
 - corrosion, 368
 - cracking, 373
 - defined, 13, 24
 - engineering, 24
 - relief, 66
 - rupture, 37
- Stretch-forming, 83
- Styrene-butadiene rubber, 271
 - styrene rubber, 272
- Sunglasses, 393
- Talc, 291
- Tarmacadam, 319
- Temper brittleness, 164
- Tempering
 - colours, 153
 - process, 153
- Tensile test
 - force-extension diagrams, 23
 - machines, 22
 - test-pieces, 26
- Tension, defined, 13
- Terylene, 258
- Thermal conductivity
 - defined, 17
 - values of, 17
- Thermal cycling, 354
- Thermochromic material, 392
- Thermoplastics
 - defined, 5, 245
 - high-temperature, 259
 - materials, 250
 - structure, 247
- Thermosets
 - defined, 5, 246
 - materials, 262
 - structure, 262
- Time-temperature-transformation curves, 149
- Tin
 - bronzes, 206
 - lead alloys, 103
 - lead equilibrium diagram, 105, 111
 - plate, 365
 - polymorphic, 9
- Titanium
 - alpha alloys, 234
 - alpha-beta alloys, 234

- beta alloys, 234
- diboride, 299
- discovery, 233
- near alpha alloys, 234
- properties, 233
- structure, 234
- uses, 234
- Tool materials
 - cemented carbides, 87
 - steels, 167
- Torsion tests, 41
- Toughness, 15, 381
- Transition temperature, 145
- Troostite, 153
- TIT diagrams, 149
- Tufnol, 324
- Twinning, 65

- Urea formaldehyde, 264

- Vacuum-forming, 287
- Valency, 10
- Van der Waals forces, 9, 247, 260, 269
- Vicat softening temperature, 276
- Vickers pyramid hardness test, 30
- Vinyl plastics, 250
- Viscoelastic, 278
- Vulcanisation, 270

- Wasa, 374
- Wear resistance, 33, 383
- Weld
 - decay, 173
 - structure, 349
- Welding
 - arc, 340
 - bronze, 347
 - butt, 345
 - CO₂ process, 342
 - cold-pressure, 348
 - electric-resistance, 344
 - electro-slag, 345
 - explosive, 349
 - flash, 345
 - friction, 348
 - gas-shielded arc, 341
 - induction, 346
 - laser, 348
 - metallic arc, 341
 - MIG, 339, 342
 - oxyacetylene, 346
 - plasma-arc, 343
 - plastics, 349
 - projection, 344
 - radiation, 347
 - seam, 344
 - solid-state, 348
 - spot, 344
 - submerged arc, 341
 - thermit, 347
 - thermo-chemical, 346
 - TIG, 339, 342
- White bearing metals, 239
- Widmanstätten structure, 141, 204
- Wood
 - as composite, 5, 321
 - fungus attack, 375
 - insect pests, 374
 - laminated, 332
 - preservation, 374
 - reinforced, 332
- Work hardening, 63, 65

- Yield point, 24
- Young's modulus, *see Modulus of elasticity*

- Zeppelins, 227
- Zinc
 - die casting, 236
 - high strength alloys, 237
- Zirconia, 299