

Index

- aerogels 39
- aluminum oxide 64
- analytical procedures
 - interactive nanomaterials 150, 158–60
 - nanostructured materials 113–27, 129–31, 136–7
 - supramolecular self-organization 113–27, 136–7
- Bechgaard salts 31–2
- Benkeser reaction 98–9
- bifunctional spacers 141
- bimetallic complexes 20
- biochips 179
- biomedical applications
 - future developments 175–6, 179
 - interactive nanomaterials 167–8
 - phosphorus dendrimers 8–9
 - vesicles 6
- birefringence measurements 113, 115–27
- bisacetylenes 110–11
- cadmium sulfide 139
- Calas-Dunogues reactions 96–7
- calixarene 83–4
- carbamates 131–3
- carbon fibers 9–11
- carboxylate chelatants 82–3
- cascade reactions 86, 178–9
- ceramic fibers 11–14, 23
- ceramics
 - from organometallic polymers 34–8
 - with interpenetrating networks 34–8
 - material chemistry 30, 34–8
 - nanocomposite 37–8
 - sol-gel process 49
- cerasomes 6
- chemical properties
 - future developments 176–9
 - grafted nanomaterials 78, 81–4, 86–7
 - heterogeneous catalysis 32–4
 - material chemistry 29
 - nano-objects 23
 - nanosciences 3–4
 - nanostructured materials 107–12
 - sol-gel process 49
 - supramolecular self-organization 107–12
- chip technologies 179
- chiral nanomaterials 106
- cobalt complexes 162–3
- controlled foaming 77
- copper complexes 134, 162

- cross polarization magic angle
 - spinning (CPMAS) 60, 62
- crystalline molecular materials 31–2
- crystals 30
- cubane 5
- cyclam
 - interactive nanomaterials 161–3
 - nano-objects 18–19, 23
 - nanostructured materials 134–6
 - selective separation 82–3
- cyclen 83
- dendrimers 7–9
- density 47, 49, 50
- dip coating 29–30
- disulfide bridges 130–1, 165
- doping 75
- drug delivery systems 167, 179
- electroluminescence 163
- electronic properties
 - future developments 173–4
 - material chemistry 29, 30, 64
 - nano-objects 19–20, 24
 - organic conductors 9–10
- europium complexes 134, 137
- EXAFS 136–7
- film materials 29
- foaming, controlled 77
- framework functionalization 154–8, 161–6
- frequency doubling 7
- functionalization
 - acid/base properties 164–6
 - framework 154–8, 161–6
 - grafting 150–1
 - joint 161–6
 - localization of properties 156–8
 - matrices 140–1
 - mesoporous materials 150–60
 - pores 150–4, 157, 161–9
 - synthetic methods 151–4
 - weight analysis 158–60
- glasses
 - intelligent 147
 - material chemistry 30–1
 - nanocomposites 76–7
- grafted nanomaterials 78–81
 - advantages of solid supports 78–80
 - chelation 78, 81–4
 - heterogeneous catalysis 78–80
 - hybrid materials 84–5
 - interactive nanomaterials 150–1
 - material chemistry 63
 - multistage syntheses 86–7
 - selective separation 78, 81–4
 - shaping and assemblage 72–3
 - silicon dioxide 78, 80–1
 - spacers 80–1
- granulometry 47, 49
- Grignard reagents 97–8, 99–100
- Heck reaction 98–9
- heterocondensation 42
- heterogeneous catalysis
 - future developments 176–9
 - grafted nanomaterials 78–80, 86–7
 - hybrid materials 32–4
 - nanostructured materials 98–9
 - sol-gel process 49
- homocondensation 42
- homogeneous catalysis 177
- hybrid materials
 - grafted nanomaterials 84–5
 - nanocomposites 76
 - nanostructured materials 92–106, 139–40
 - polycondensation of
 - monosubstituted trialkoxysilanes 84–5
 - shaping and assemblage 74, 76
 - silylation methods 95–100
 - synthetic methods 92–100
 - thermodynamically
 - controlled 31–4, 63
- hydrogen bonding 104–6
- hydrolysis of ethyl silicate 39
- hydrophilicity
 - nanostructured materials 111–12, 128–30
 - sol-gel process 47, 49, 50, 55
 - supramolecular
 - self-organization 111–12
- hydrothermal synthesis 32–4, 72

- ibuprofen 167
- indium oxide 64, 157
- information storage 174–5
- inorganic materials 30–1
- inorganic polymerization *see* sol-gel process
- intelligent glasses 147
- interactive nanomaterials 63, 145–71
 - analytical procedures 150, 158–60
 - applications 176–7
 - biological applications 167–8
 - definitions 147–8
 - functionalization
 - acid/base properties 164–6
 - framework 154–8, 161–6
 - joint 161–6
 - pores 150–4, 161–9
 - weight analysis 158–60
 - localization of properties 156–8
 - matrices other than silica 157, 166–7
 - mesoporous materials 148–60
 - shaping and assemblage 73
 - silicon dioxide 148–50, 157
 - smart materials 146–7
 - spacers 158, 164, 169
 - synthetic methods 148, 151–4
- ion-doped nanoparticles 75
- iron oxides 64, 76
- isotopic enrichment 83–4
- joint functionalization 161–6
- kinetic control
 - nanostuctured materials 104, 115, 122–5
 - sol-gel process 48, 51–7, 72, 73–4
 - supramolecular
 - self-organization 115, 122–5
 - textural characteristics 48, 51–7
- Kumada rearrangement 12
- ladder polymers 5
- lamellar materials 126, 128–33
- lanthanides
 - grafted nanomaterials 83
 - interactive nanomaterials 162–3
 - nano-objects 19
 - nanosciences 7
 - nanostuctured materials 136–7
- lead fluorophosphates 77
- liquid crystals 120–1, 147
- lithiation 96–7, 98, 100
- macroporous materials 33–4
- magic angle spinning 57–8, 60
- magnetic properties
 - interactive nanomaterials 157, 162, 166
 - material chemistry 30, 33–4, 64
 - nano-objects 19–20
 - nanocomposites 76
 - nanostuctured materials 133–4, 139
- material chemistry 27–69
 - ceramics 30, 34–8
 - crystalline molecular materials 31–2
 - decompartmentalization of research domains 27–8
 - hydrothermal synthesis 32–4
 - inorganic materials 30–1
 - nitrides, sulfides, phosphides 65–6
 - oxides other than silica 64–5
 - shaping and use 29–30
 - silicon dioxide 41–4, 62–4
 - sol-gel process 38–66
 - solid state NMR 57–61
 - thermodynamically controlled hybrid materials 31–4, 63
- matrices
 - functionalization 140–1
 - interactive nanomaterials 157, 166–7
 - material chemistry 30
 - mesoporous materials 157, 166–7
 - nanocomposites 75–6
 - nanostuctured materials 139–40
- mechanical properties
 - carbon fibers 10–11
 - ceramic fibers 11–14
 - nano-objects 20–1, 23
 - sol-gel process 49–50

- Merrifield-type resins
 - isotopic enrichment 84
 - peptide synthesis 78–80
- mesoporous materials 34, 148–60
 - applications 176–7
 - functionalization
 - acid/base properties 164–6
 - framework 154–8, 161–6
 - joint 161–6
 - pores 150–4, 157, 161–9
 - weight analysis 158–60
 - localization of properties 156–8
 - matrices other than silica 157, 166–7
 - periodic 155–6
 - silicon dioxide 148–50
 - spacers 158, 164, 169
 - synthetic methods 148
- metallic carbides 35–8
- metallic nanoparticles 7–8
- metallic nitrides 36–8
- metastability 30–1
- MFAs *see* shape memory
- microcrystalline materials 30, 31–2
- microprocessor power 3
- microsensors 175–6
- molecular engines 20–2
- molecular photonics 174–5
- Moore law 3
- multistage syntheses 86–7
- nano-objects 17–25
 - bottom-up approach 17–25
 - chelation 18–19, 23
 - exploration of the nanoworld 22–4
 - nanosciences 1–2
 - nanostuctured materials 133–4, 138
 - properties 18–21
 - shaping and assemblage 71–3, 75–6
 - starting product for
 - nanomaterials 23
 - synthetic methods 21–2
- nanocomposites 74–7
 - ceramics 37–8
 - doping 75
 - hybrid materials 63, 76
 - matrices other than silica 76
 - nanostuctured materials 139
 - role of matrix 75–6
 - shaping and assemblage 72–3, 75–6
 - silicon dioxide 74–6
- nanosciences
 - bottom-up approach 1, 3–4, 17–25, 174
 - nano-objects 1–2, 17–25
 - observation scales 2–3
 - top-down approach 1–3, 17–18, 173
- nanostuctured materials 91–144
 - analytical procedures 113–27, 129–31, 136–7
 - chelation 134–8
 - chemical behavior 107–12
 - coordination modes 134–8
 - examples 100–1
 - hybrid materials 63, 92–106, 139–40
 - hydrogen bonding 104–6
 - kinetic control 104, 115, 122–5
 - lamellar materials 126, 128–33
 - matrices other than silica 139–40
 - matrix functionalization 140–1
 - nano-objects 133–4, 138
 - nanocomposite materials 139
 - Oswald ageing process 116–17, 119–20, 125, 128
 - properties 91–2, 100–4
 - research prospects 133–41
 - shaping and assemblage 73
 - silicon dioxide 93–5, 139
 - silylation methods 95–100
 - sol-gel process 94–5, 104, 116–17, 124–5
 - spacers 113–20, 141
 - supramolecular self-organization 104–28, 134–7
 - synthetic methods 92–100, 138
 - textural characteristics 104, 115, 119–20, 125, 128
 - van der Waals type bonds 107–28
- natural killer (NK) cells 9
- nickel oxide 64

- nickel-titanium alloys 146
- NK *see* natural killer
- nonlinear optical (NLO)
 - properties 7, 163–4
- observation scales 2–3
- optic fibers 7, 29
- optical properties
 - future developments 174–5
 - material chemistry 29
 - nonlinear 7, 163–4
 - organic conductors 9–10
- optical storage 174–5
- optical telecommunications 175
- organic conductors 6–7
- organic polymerization 72
- organic textile polymers *see* carbon fibers
- organic-inorganic hybrids *see* hybrid materials
- organometallic polymers 34–8
- Oswald ageing process
 - nanostructured materials 116–17, 119–20, 125, 128
 - sol-gel process 41, 44–5, 55–7
- palytoxin 4–5
- PAN *see* polyacrylonitrile
- paramagnetism *see* magnetic properties
- peptide synthesis 78–80
- periodic mesoporous materials 155–6
- pharmaceutical applications
 - see* biomedical applications
- phosphine oxides 163
- phosphorus dendrimers 8–9
- photoluminescence
 - interactive nanomaterials 162, 163
 - nano-objects 18–19
 - nanocomposites 75
 - nanosciences 7
 - nanostructured materials 133–4
- photovoltaic properties
 - future developments 176
 - interactive nanomaterials 157
- material chemistry 64
- nanocomposites 76
- nanostructured materials 139
- piezoelectric properties
 - interactive nanomaterials 146–7
 - polymers 7
- pinacolic rearrangements 86–7
- polarization transfer 57–8, 60
- polyacrylonitrile (PAN) 9–11
- polycondensation
 - hybrid materials 84–5
 - mesoporous materials 148
 - monosubstituted
 - trialkoxysilanes 84–5
 - nanostructured materials 91–5, 100–4, 116–17, 124–5
 - sol-gel process 42–6, 48, 54–61
- polyfunctional catalysis 177
- polymer chemistry 27–8
- polysilanes 6–7
- polysilsesquioxanes 84–5, 109
- polythiophenes 107–9
- pore functionalization 150–4, 157, 161–9
- porosity 47–8, 49, 50–1
- pulsed lasers 7
- quantitative analysis 4
- rubbers 49–50
- SAXS *see* X-ray diffraction
- scanning tunnel microscopy 19–20, 24
- selective separation
 - future developments 177–8
 - grafted nanomaterials 78, 81–4
 - nano-objects 23
 - nanosciences 3–4
- semiconductors
 - interactive nanomaterials 157
 - material chemistry 30, 64
 - nano-objects 23
 - nanocomposites 76
- sensors 175–6
- shape memory (MFAs) 146
- silicon carbide 11–14, 34–8

- silicon dioxide 62–4
 - grafted nanomaterials 78, 80–1
 - mesoporous materials 148–50, 157
 - nanocomposites 74–6
 - nanostructured materials 93–5, 139
 - sol-gel process 41–4
- silicon nitrides
 - ceramic fibers 11–12, 13
 - material chemistry 34, 36–8, 65–6
- silicon phosphides 65–6
- silicon sulfides 65–6
- silsesquioxanes 84–5, 109
- silylation methods 95–100
- single electron transfer 19–20, 24
- smart materials 73, 146–7
- sol-gel process 38–66
 - ceramic fibers 12
 - hybrid materials 94–5, 104
 - hydrolysis of ethyl silicate 39
 - inorganic polymerization 38–46
 - kinetic control 48, 51–7, 72, 73–4
 - mechanisms 41–4
 - mesoporous materials 148
 - molecular chemistry 61–2
 - nanostructured materials 94–5, 104, 116–17, 124–5
 - nitrides, sulfides, phosphides 65–6
 - Oswald ageing process 41, 44–5, 55–7
 - oxides other than silica 64–5
 - polycondensation 42–6, 48, 54–61
 - shaping of materials 40
 - silicon dioxide 41–4, 62–4
 - solid phase evolution 41, 44–5, 55–7
 - solid state NMR 57–61
 - stagewise procedure 39–41
 - syneresis 39, 41, 48
 - texture of materials 50–7
 - texture of solid 46–50
 - versatility 45–6
- solid state chemistry 27–8
- solid state NMR 57–61
- sols 29–30
- spacers
 - bifunctional 141
 - grafted materials 80–1
 - interactive nanomaterials 158, 164, 169
 - linear 113–17
 - sol-gel process 52–3
 - supramolecular self-organization 113–20
- specific surface area 47, 49, 50–1, 54–7
- spin coating 30
- superconductors
 - ceramics 5
 - organic 6–7
- supramolecular polymerization 72
- supramolecular self-organization
 - analytical procedures 113–27, 136–7
 - bisacetylenes 110–11
 - chemical behavior 107–12
 - coordination modes 134–7
 - definition 107
 - generalized phenomenon 117–20
 - hydrogen bonding 104–6
 - hydrophilicity 111–12
 - kinetic control 115, 122–5
 - linear spacers 113–17
 - nanostructured materials 104–28, 134–7
 - tetrahedral systems 120–2
 - thiophenes 107–9
 - van der Waals type bonds 107–28
- syneresis 39, 41, 48
- synthetic methods
 - carbon fibers 9–11
 - ceramic fibers 11–14
 - cerasomes 6
 - chiral compounds 4–5
 - dendrimers 7–9
 - exotic compounds 5
 - functionalization 151–4
 - grafted nanomaterials 86–7
 - hybrid materials 92–100
 - interactive nanomaterials 148, 151–4
 - mesoporous materials 148

- metallic nanoparticles 7–8
- nano-objects 21–2
- nanomaterials 72
- nanostructured materials 92–100, 138
- organic conductors 6–7
- silylation 95–100
- TCNQ *see*
 - tetracyanoquinodimethane
- tetraazamacrocyclic (cyclam)
 - interactive nanomaterials 161–3
 - nano-objects 18–19, 23
 - nanostructured materials 134–6
 - selective separation 82–3
- tetracyanoquinodimethane (TCNQ) 31–2
- tetrahedral polymetallic clusters 5
- tetrathiafulvalene (TTF) 31–2, 35
- textural characteristics
 - determination 50–1
 - kinetic control 48, 51–7
 - materials 50–7
 - nanostructured materials 104, 115, 119–20, 125, 128
 - physical parameters 46–8
 - solid 46–50
 - solid state NMR 57–61
- therapeutic applications *see*
 - biomedical applications
- thermodynamically controlled hybrid materials 31–4, 63
- thiophenes 107–9
- tin fluorophosphates 77
- tin oxide 64, 76
- titanium dioxide
 - material chemistry 64
 - nanocomposites 76
 - nanostructured materials 139–40
- total specific surface area 50–1
- TTF *see* tetrathiafulvalene
- uranium fission 83
- van der Waals type bonds 107–28
- Verbeek process 11, 34
- vesicles 6
- vitreous materials *see* glasses
- vulcanization 49–50
- weight analysis 158–60
- X-ray diffraction (SAXS)
 - interactive nanomaterials 150, 159–60
 - nanostructured materials 113–15, 119–27, 129–31
- XANES 136
- xerogels 39–40
- Yajima process 11–14, 34–5
- zeolites 32–4