

Subject Index

- abacus 92–5
- abrupt shape transition 288–90
- acidity, generative force
 - characteristics 197–8
- acoustic control 243–5
- actin 152
 - see also* F-actins; polymer–actin complexes
- actin gels 465–7
- actuation
 - basics of 397–9
 - electrically induced robotic 130–2, 133
 - metal-hydride-actuation principle 387, 389–94
 - natural muscles 152–3
 - polyacrylonitrile 194, 196–8, 203
 - shape-memory effect in polymers 308–11
 - virtual two-way actuation 323–4
- actuators
 - artificial 460–1
 - carbon nanotubes as 499
 - design 405–6
 - diaphragm actuators 411–12, 413
 - dielectric elastomer 396–421
 - energy-to-volume ratio 332
 - ferroelectric relaxor polymers as 256–79
 - framed 414–15
 - linear 411
 - magnetic shape-memory alloy 496
 - performance capabilities 201–3
 - piezoelectric ceramic actuators 233–5, 236, 242, 247, 407
 - polymeric 153–4, 155–6, 163
 - polymeric microactuator 273–8
 - as products 169–70
 - see also* artificial muscles
- adaptive structural shape control 246
- adaptive structures 331–3
- aeronautical applications 320–1, 332–3, 334–6
- air, muscles working in 165, 167
- air valve 324–5
- aircraft couplings 320–1
- aluminium/titanium fibre system 482–4, 488
- amino acids 117–18
- amplification, signal 56–9
- amplifiers, unimolecular 223
- AND logic gate 62–3, 112
- anion effects
 - generative force characteristics 196–8
 - polymer gels 105
- antennas
 - cellular phone 327
 - for light harvesting 53–6
- aqueous solution, conducting
 - polymers in 143–6
- aromatic effectors sensitivity 453
- arrays
 - diaphragm actuators for 411–12, 413
 - enhanced-thickness mode arrays 412–14

- artificial actuators 460–1
- artificial muscles 153–70, 181
 - for biomimetic robots 409–10
 - chitosan-based 460–1
 - comparison of actuator technologies 407–8
 - contraction mimicked by ferrogels 294–5, 296
 - contraction/stretching of 77–8, 79
 - control of pseudomuscular contraction 295–9
 - ferroelectric relaxor polymers as 256–79
 - ionic polymer metal nanocomposites as 126–40
 - magnetic polymeric gels as 282–99
 - metal hydrides as 386–94
 - modified PAN as 191–203
 - structures and designs of 157
 - see also* actuators
- asymmetrical monolayers 157–8
- ATP-driven gel machine 464–75
- azobenzene polymers 424–38
 - photodeformable azo materials 434–7
 - photoswitchable azo materials 430–2
- basic conducting polymers 143
- batteries 172–4, 181
- bending structures 157–8
 - combination of 161, 162
- bilayers 158, 159, 164
- biochips 508–9
- biogenic materials 506–17
- biological machines 3–4
- biological materials 507
- biological motors 3–4
- biomedical applications *see* drug delivery systems; medical applications
- biomimetic robots 409–10
- biomimicking properties 151–2
- bionanoparticles 509–11
- biosensors 508–9
 - nanobiosensors 511–12
- bipolarons 150, 170, 171
- bismacrocycle transition metal complexes 86–8
- brakes, rotary 373–4
- breakdown properties, dielectric elastomers 420–1
- Brownian motion 2, 3
- buckyballs 497–9
- cables, extension 53, 54
- carbon nanotubes 497–9
- cardiovascular stents 329–31
- catenanes 12, 16
 - controlling rotational motion in 24–9
 - reversible rotary motor 28–9
 - rotary motor 27–8
 - ruthenium-containing 91–2, 93
 - transition metal complexed 83–9
- cellular-phone antennas 327
- ceramics *see* piezoelectric ceramics
- CFRP/aluminium laminate 481–3, 488
- chemical reactions, molecular motions from 77–83
- chemical transduction 151, 152, 174, 175
- chemomechanical polymers 100–20
 - concentration profiles 110–11
 - cooperativity and logical gate functions 111–13
 - particle-size effects and kinetics 107–8, 109
 - and pH 100, 101–7
 - selectivity by covalent interactions 118–19
 - selectivity with organic effector molecules 114–17
 - ternary complex formation for amino acids and peptides as effectors 117–18
 - water uptake and release 108–10
- chitin 448, 449
- chitosan 102–7
 - biological properties 449
 - biomedical applications 458–61
 - expansion kinetics 107–8
 - intelligent properties 450–6
 - physical and chemical properties 448–9
 - solvent and solubility 449–50
 - volume expansions 105–6, 115–16, 450–3

- chitosan-based hydrogels 447–61
- chitosan-based intelligent materials 456–8
- chromophores 150, 170, 171, 181, 425–7, 432–5
- circumrotation, directional 27–8
- clutches 373–5
- colour of light 56
- commercial products *see* industrial applications; medical applications
- compact hybrid actuators 247
- complexation/decomplexation process 78–82
- compliant electrodes 400–1
- composites 143, 478, 479
 - shape-memory polymers and particles 308
 - see also* intelligent composites; ionic polymer metal nanocomposites
- concentration profiles 110–11
- condensed phases 32–8
- conducting polymers
 - devices based on electrochemical properties of 153–74
 - electrochemical behaviour in aqueous solution 143–6
 - electrochemical properties 149–51
 - materials 143
 - membranes and electron/chemical transducers 174, 175
 - multifunctional and biomimicking properties 151–2
 - nonstoichiometric, soft and wet materials 147–9
 - theoretical models 174, 176–9, 180
- conductive particle networks 400
- configurational changes
 - controlling 9–12
 - inducing net positional change 19–20
- conformational control 4–9
- connectors, electrical 322–3
- conscious systems, primitive 164–5, 166, 167
- contacts 207–9
- contraction
 - mimicked by ferrogels 294–5, 296
 - of a muscle-like rotaxane dimer 77–8, 79
 - pseudomuscular contraction 295–9
- controlled motion
 - in solution 30–2
 - on surfaces, in solids and condensed phases 32–8
- controlling configurational changes 9–12
- controlling motion
 - in catenanes 24–9
 - in covalently bonded molecular systems 4–12
 - in mechanically bonded molecular systems 12–29
- cooperativity 111–13
- copolymers 143
- copper-complexed catenane 83–6
- copper-complexed rotaxane 88–9
- coulomb-blockade device 222
- couplings 320–1
- covalent bonds
 - and molecular shuttling 19
 - stimuli-induced conformational control around 4–7, 8–9
- covalent interactions 118–19
- covalently bonded molecular systems 4–12
- covalently crosslinked shape-memory polymers 306–7
- dampers 363–73
- damping 333–4
- decomplexation process 78–82
- deformation
 - ferrogels 284–8
 - interpretation of 288–90
 - nonhomogeneous, of ferrogels 290–3
 - photodeformable azo materials 434–7
- deformation ratio 289–90
- degenerate molecular shuttle 78–82
- dendrimers
 - as fluorescent sensors 56–9
 - for light harvesting 53–6
 - for a multiple use of light signals 59–61

- dental procedures 328
- design principles, molecular motors and machines 1–4
- dethreading/rethreading of pseudorotaxanes 65–6, 67
- diaphragm actuators 411–12, 413
- dielectric elastomers 396–421
 - actuator design 405–6
 - applications 406–17
 - basics of actuation 397–9
 - compliant electrodes 400–1
 - implementation challenges 417–18
 - materials development for 418–21
 - pre-stress bias 399
 - theory and modeling 401–5
- dielectric properties 420
- differential resistance devices 222
- diodes 212–21
- directional circumrotation 27–8
- distributed nanosensing 132–6
- divinylbenzene/styrene-based polymers 129, 130, 131
- DNA 507, 509–12
- drug delivery systems 102–3, 119, 458–9, 512–17
- drug release systems 458–9
- dual stimuli-responsive polymers 456–7
- dynamic yield stress 351–2
- effector molecules
 - amino acids and peptides as 117–18
 - concentration 107–8, 109, 110
 - selectivity with 114–17
 - solvation 108–10
- effectors sensitivity 453
- elastic properties 419–20
 - see also* superelasticity
- elastomers
 - liquid-crystal 491–3, 494–5
 - magnetorheological 344–7
 - see also* dielectric elastomers
- electric-current effect on force generation 199–201
- electrical connectors 322–3
- electrical measurements 209–10
- electrical responsive polymers 458
- electrically driven PAN actuator 194, 196, 197
- electrically induced robotic actuation 130–2, 133
- electroactive materials 500
- electrochemical basic molecular motors 156–7
- electrochemical models 177–8
- electrochemical properties, conducting polymers 149–51
 - in aqueous solution 143–6
 - devices based on 153–74
- electrochemically controllable artificial muscle 191–203
- electrochemically driven machine 88–9
- electrochemically induced motions 83–91
- electrochemomechanical muscles 153–5, 407
 - volume variation 155–6
- electrochemomechanical properties 150, 152, 453–4
- electrochromic devices 170–2, 181
- electrochromic properties 150, 152
- electrodes
 - compliant electrodes 400–1
 - contacts between 207–9
- electrokinetic artificial muscles 154
- electromagnetic devices 407
- electromechanical devices 273–8
- electromechanical muscles 153–5
- electromechanical response of HEEIP 262–6
 - in P(VDF-TrFE)-based terpolymers 266–8
- electron acceptors 206–7
- electron/chemical transduction 151, 152, 174, 175
- electron donors 206–7
- electron/neurotransmitter 152
- electronic devices
 - molecular solid-state 32–5
 - unimolecular 205–23
- electrons, and molecular shuttling 15–17
- electrorheological fluids 339, 340, 500–1

- electrorheological response 454–5
 electrosensitivity 453–5
 electrostatic devices 407
 electrostrictive polymers 407
 energy-to-volume ratio 332
 engineering applications *see*
 industrial applications
 enhanced-thickness mode arrays 412–14
 entropy-driven molecular shuttling 23–4
 excited states 20–2
 expansion *see* swelling
 extension cables 53, 54
 eyeglass frames 326–7
- F-actins 465–7
 motility assay 470–1
 polarity 472–4
 polymorphism 467–9
 fast-moving electrochemically driven
 machine 88–9
 ferroelectric phase 256–7
 ferroelectric relaxor behaviour 268–73
 ferroelectric relaxor polymers 256–79
 ferrogels 283–8
 abrupt shape transition 288–90
 control of pseudomuscular
 contraction 295–9
 muscle-like contraction mimicked
 by 294–5, 296
 nonhomogeneous deformation of 290–3
 fibre-reinforced metal 485–7
 field effect transistors 222
 films with metal supports 160–1
 flash memory devices 222
 flexible semiconductors 147
 fluids *see* electrorheological fluids;
 magnetorheological fluids
 fluorescent sensors with signal
 amplification 56–9
 force generation 194, 196–8
 electric-current effect on 199–201
 force-strain behaviour 194, 195
 four-probe electrical measurements 209–10
 framed actuator 414–15
 frames, eyeglass 326–7
 fullerenes 497–9
- gels *see* ferrogels; hydrogels;
 polymeric gels
 generative force *see* force generation
 generators 416–17
 glucose 118–19
 graft elastomers 407
- health monitoring, structural 246–7
 heterodinuclear bismacrocycle
 transition metal complexes 86–8
 high-energy electron-irradiated
 copolymer (HEEIP)
 electromechanical responses of 262–6
 microstructures of 258–62
 high-force devices 334
 high-performance structural materials
 478, 479
 home appliances 327
 HOMOs 206–7
 hybrid actuators 247
 hydrogels 101, 102–5
 chitosan-based 447–61
 pH-responsive 456, 457
 water uptake and release 108–10
- indirect actuation 308–11
 industrial applications 139–40
 IPMNCs 128–30
 linear actuators 411
 piezoelectric 247–52
 shape-memory alloys 331–6
 injectable gels 460
 intelligent bionanoparticles 509–11
 intelligent composites 478–90
 fabricated by new route 481–5
 ionic polymer metals 126–40
 liquid phases for self-repair 485–9
 new route to developing 479–81
 intelligent materials
 chitosan-based 456–8
 magnetic polymeric gels as 282–99
 metal hydrides as 386–94
 polyacrylonitrile-derived 191–203
 shape-memory alloys as 331–3
 shape-memory polymers as 301–14
 see also multifunctional materials

- intelligent properties 450–6
intelligent soft actuators 256–79
interconnects, organic 223
interfacial properties 37–8
intermittent degenerate molecular shuttle 78–82
interrupter, thermal 325–6
intramolecular
 complexation/decomplexation process 78–82
intramolecular motion 86–8
ion-metal translocation 82–3
ionic polymer conductor
 nanocomposites 126, 127, 132, 139
ionic polymer metal nanocomposites (IPMNCs) 126–40
 distributed nanosensing and transduction 132–6
 electrically induced robotic actuation 130–2, 133
 manufacturing methodologies 128–9, 130
 manufacturing steps 129–30
 medical, engineering and industrial applications 139–40
 modeling and simulation 136–8
 smart-product development 138–9
 three-dimensional fabrication of 128, 129
ionic strength sensitivity 452–3
jet-engines 334–6
kinetics 107–8, 109
lanthanum-pentanickel 386–7, 388, 389
lead zirconate titanate (PZT) 233, 234, 235, 237, 239
 applications 245–6
 commercial applications 248
length-change characteristics 194, 196
lenses, molecular 56
light, tuning the colour of 56
light-driven molecular machines 65–9, 91–5
light harvesting 53–6
light-induced shape-memory polymers 311–12
light signals
 multiple use of 59–61
 processing 50–65
lineal movements 158, 160, 164
linear actuators 411
liquid-crystal elastomers 491–3, 494–5
liquid phases in composites 485–9
logical gates 62–5, 111–13
low Reynolds number 3
LUMOs 206–7
machines *see* molecular machines
magnetic chitosan microsphere 457–8
magnetic polymeric gels 282–99
magnetic shape-memory alloy actuators 496
magnetic shape-memory (MSM) materials 493, 495–7
magnetorheological elastomers 344–7
magnetorheological fluid clutches 373–5
magnetorheological fluid dampers 363–5
 effect of temperature 369–73
 modeling of 365–9
magnetorheological fluid devices 363–76
magnetorheological fluids 339, 341–4
 effects of surface roughness 357–63
 field-induced microstructures 353
 historical perspective 340
 models for shear-yield stress 351–3
 rheological behaviour of 348–50
 rheometry of 354–7, 358
magnetorheological materials 341–63
magnetostrictive actuators 408
manufacturing *see* industrial applications
materials
 conducting polymers 143
 mechanical characterisation 168, 169
 mechanical properties of 35–7
 nonstoichiometric, soft and wet 147–9
 see also intelligent materials;
 multifunctional materials
Maxwell stress 396–8, 401–3

- mechanical characterisation, materials and devices 168, 169
- mechanical properties of materials 35–7
- mechanical switches
 - and interfacial properties 37–8
 - and mechanical properties of materials 35–7
 - and optical properties of materials 32
- mechanically bonded molecular systems 12–29
- mechanochemical polymer/gels 408
- medical applications 139–40
 - chitosans 458–61
 - magnetorheological fluids 375–6
 - piezoelectric ceramics 249
 - shape-memory alloys 313, 327–31
- medical devices, superelastic 328–9
- membranes 174, 175, 181
- memory devices 222
- metal electrodes 400–1
- metal-hydride-actuation principle 387, 389–94
- metal hydrides 386–94
- metal ions
 - and molecular shuttling 17–19
 - translocation 82–3
- metal nanocomposites 126–40
- metal supports 160–1
- microdevices 161
- microelectromechanical devices 273–8
- microstructure
 - field-induced 353
 - HEEIP 258–62
 - P(VDF-TrFE)-based terpolymers 268–73
- microtools 161
- modeling
 - dielectric elastomers 401–5
 - ionic polymer metal nanocomposites 136–8
 - magnetorheological fluid dampers 365–9
 - metal hydride actuators 390–2, 393
 - piezoelectric ceramics 235–42
 - shear-yield stress 351–3
 - theoretical, of conducting polymers 174, 176–9, 180
 - molecular abacus 92–5
 - molecular devices
 - photochemically controlled 48–65
 - processing light signals 50–65
 - unimolecular electronic 205–23
 - molecular dynamics treatment 179, 180
 - molecular electronic devices 32–5
 - molecular extension cables 53, 54
 - molecular lenses 56
 - molecular machines
 - controlled motion in solution 30–2
 - controlled motion on surfaces and in solids 32–8
 - current challenges 29–30
 - design principles for 1–4
 - electrochemically driven 88–9
 - light-driven 65–9, 91–5
 - metal-ion translocation 82–3
 - photochemically controlled 48–9, 65–9
 - transition metal complex-based 76–96
 - molecular motions
 - from a chemical reaction 77–83
 - electrochemically induced 83–91
 - see also* controlled motion; controlling motion
 - molecular motors
 - design principles for 1–4
 - electrochemical basic 156–7
 - reversible rotary 28–9
 - rotary 27–8
 - sunlight-powered 66–9
 - molecular recognition 82
 - molecular shuttles
 - adding and removing covalent bonds 19
 - adding and removing electrons 15–17
 - adding and removing metal ions 17–19
 - adding and removing protons 13–15
 - changing configuration and 19–20
 - complexation/decomplexation process for making 78–82
 - entropy-driven 23–4
 - and environment change 24
 - stimuli-responsive 13–24
 - via excited states 20–2

- molecular switches
 - photochemically controlled 51
 - translational 13–24
 - unimolecular 221
- molecular systems
 - covalently bonded 4–12
 - mechanically bonded 12–29
- motility assays 470–2
- motors *see* molecular motors
- MR fluids *see* magnetorheological fluids
- MSM materials *see* magnetic shape-memory (MSM) materials
- multifunctional materials
 - azobenzene polymers as 424–38
 - chitosan-based hydrogels as 447–61
 - electrorheological fluids as 500–1
 - fullerenes and carbon nanotubes as 497–9
 - intelligent composites 489
 - liquid-crystal elastomers as 491–3, 494–5
 - piezoelectric ceramics as 231–52
 - shape-memory alloys as 317–38
- multifunctional polymers with shape-memory effect 312–13
- multifunctionality 151–2, 312–13
 - magnetic shape-memory materials 496–7
- muscle-like contractions 294–5, 296
- muscle-like rotaxane dimer 77–8, 79
- muscle potential 163–5, 166–7
- muscles 152–3, 408
 - sensing 163–4, 165
 - tactile muscles 164–5, 166, 167
 - working in air 165, 167
 - see also* artificial muscles
- myosin gel 469–71
- nanobiosensors 511–12
- nanocomposites 126–40
- nanomotors 66–9
- nanoparticles 509–11
- nanosensing 132–6
- nanotubes 497–9
- natural muscles 152–3, 408
- negative differential resistance devices 222
- net positional change 13–15, 15–20
- NiTi alloy 317, 320–1, 326–30
 - engineering applications 333–8
 - virtual two-way actuation using 323–4
- nonbiased safety devices 324–5
- nonhomogeneous deformation of ferrogels 290–3
- noninterlocking systems 89–91
- nonionic polymer gels 500
- nonstoichiometric materials 147–9
- nucleic acids 507
- optical properties 32
- optics, framed actuator for 414–15
- organic effector molecules 114–17
 - ternary complex formation 117–18
- organic effectors sensitivity 453
- organic interconnects 223
- organometallic systems 8
- oriented myosin gel 469–71
- orthodontics 328
- PAN *see* polyacrylonitrile (PAN)
- paraelectric phase 256–7
- particle-size effects 107–8, 109
- peptides as effectors 117–18
- percolating conductive particle networks 400
- perfluorinated sulfonic ionic polymers 127–8, 129, 130–1
- performance capabilities, actuators 201–3
- pH
 - and chemomechanical polymers 100, 101–7
 - and cooperativity effects 112
 - hydrogels 456, 457
 - PAN fibres 191–4, 196
 - sensitivity 450–2
 - and water uptake 108–10
- photo-orientation 432–4
- photochemically controlled
 - molecular abacus 92–5
 - molecular devices 48–65
 - molecular machines 48–9, 65–9
 - molecular switches 51
- photodeformable azo materials 434–7

- photoinduced decoordination 91–2, 93
 photoisomerisation 426–7
 photomechanical effects 437
 photomechanical materials 424–38
 photosensitive azo materials 432–4
 photoswitchable azo materials 430–2
 piezoelectric ceramic actuators 233–5,
 236, 242, 407
 compact hybrid actuators 247
 piezoelectric ceramics 232–3
 applications 242–7
 commercial products 247–52
 modeling 235–42
 actuators 242
 sensors 239–41
 piezoelectric polymers 407
 piezoelectric single crystal 407
 piezoelectricity 232
 plug/socket systems 52–3
 polarity 472–4
 polyacrylonitrile (PAN) 191–203
 actuation properties 194, 196–8, 203
 force–strain behaviour 194, 195
 PAN bundle muscle crane 201
 performance capabilities 201–3
 performance of PAN bundle
 artificial muscle 198–201
 volume change 193–4, 195
 work performance 201, 202
 polyelectrolytes 100
 polymer–protein complexation 464–75
 polymer science 176
 polymer–actin complexes 465–7
 motility assay 471–2
 polarity of actin in 472–4
 polymorphism of 467–9
 polymeric actuators 153–4, 155–6, 163
 polymeric batteries 172–4, 181
 polymeric blends 143, 145, 146
 polymeric electrochemomechanical and
 electromechanical muscles 153–5
 polymeric gels 100, 102–7, 282–3
 ATP-driven 464–75
 magnetorheological 342–3
 nonionic 500
 see also magnetic polymeric gels
 polymeric microactuator 273–8
 polymers *see* azobenzene polymers;
 chemomechanical polymers;
 conducting polymers
 polymorphism 467–9
 polypeptides 465
 polypyrrole 144–5, 148, 149
 porosity 150–1, 152, 181
 porous devices 336–8
 positional switches 24–7
 pre-stress bias 399
 primitive conscious systems 164–5,
 166, 167
 protein–polymer complexation 464–75
 protons, and molecular shuttling 13–15
 pseudomuscular contraction 295–9
 pseudorotaxanes 65–6, 67
 pumps 411–12
 PVDF polymer 256–7
 P(VDF-TrFE)-based terpolymers 407
 electromechanical response in 266–8
 microstructure and ferroelectric
 relaxor behaviour of 268–73
 P(VDF-TrFE) copolymer 256–66
 rectifiers 212–21
 redox-driven translocation 89–91
 relaxation models 178–9
 relaxor ferroelectric polymers 256–79
 resistance devices 222
 resistors 210–12
 responsive gels 283–8
 rethreading of pseudorotaxanes 65–6
 reversible rotary motors 28–9
 Reynolds number 3
 rheological properties 341–2, 348–50
 rheometry 354–7, 358
 robotic actuation 130–2, 133
 rotary brakes 373–4
 rotary motors 27–9
 rotational motion in catenanes 24–9
 rotaxanes 12–24
 complexation/decomplexation
 process for making 78, 80
 molecular abacus 92–5
 muscle-like dimer 77–8, 79

- pseudorotaxanes 65–6, 67
- sunlight-powered nanomotor 66–9
- technology applications 31, 33–7
- transition metal complexed 83–9
- rotor-blade flap 245–6
- ruthenium-containing catenane 91–2, 93
- sacrificial mechanism 94–5
- safety devices 324–5
- salt effects in polymer gels 105–6
- scale effects 2
- seals 321–2
- selectivity
 - covalent interactions 118–19
 - organic effector molecules 114–17
- self-repair 485–9
- sensing 489
 - magnetic shape-memory materials 496–7
 - muscles 163–4, 165
 - unparalleled simultaneous 151
- sensors 239–41, 415–16
 - fluorescent 56–9
 - see also* biosensors
- shape control 246
- shape distortion, ferrogels 284–90
- shape-memory alloys 317–38, 407
 - applications 320–7
 - engineering applications 331–6
 - medical applications 313, 327–31
 - thin-film and porous devices 336–8
- shape-memory effect 303–4
 - multifunctional polymers with 312–13
 - thermally induced 308–11
- shape-memory materials, magnetic 493, 495–7
- shape-memory particles 308
- shape-memory polymers 301–14
- shear flow 469–70
- shear-yield stress 351–3
- shock absorbers 363–73
- shuttles *see* molecular shuttles
- signal amplification 56–9
- silicone dielectric elastomers 407
- simulation *see* modeling
- single covalent bond 4–7
- single-electron transistor 222
- smart fin 243–4
- smart materials *see* intelligent materials; multifunctional materials
- smart-product development 138–9
- socket/plug systems 52–3
- soft actuators 256–79
- soft materials 147–9
- solid-state molecular electronic devices 32–5
- solids, controlled motion in 32–8
- solutions, controlled motion in 30–2
- static yield stress 351, 352
- stents 329–31
- stimuli-induced conformational control
 - around a single covalent bond 4–7
 - around several covalent bonds 8–9
 - in organometallic systems 8
- stimuli-responsive molecular shuttles 13–24
- strain–force behaviour 194, 195
- stress
 - Maxwell stress 396–8, 401–3
 - shear-yield stress 351–3
- stretching, rotaxane dimer 77–8, 79
- structural damping 333–4
- structural health monitoring 246–7
- structural shape control 246
- structured metal electrodes 400–1
- styrene/divinylbenzene-based polymers 129, 130, 131
- sunlight-powered nanomotor 66–9
- supercapacitors 174
- superelastic medical devices 328–9
- superelasticity 317–20, 327
- surface mass transport 434–7
- surface properties 434
- surface roughness 357–63
- surfaces, controlled motion on 32–8
- swelling 101, 102–7
 - chitosan-based hydrogels 105–6, 450–3
 - and concentration profiles 110–11
 - and cooperativity 111–13
 - glucose-driven 118–19

- and kinetics 107–8, 109
- organic effector molecules 114–17
- in ternary complexes 117–18
- and water effects 108–10
- switches *see* mechanical switches;
molecular switches
- tactile muscles 164–5, 166, 167
- temperature, magnetorheological
fluids and 369–73
- ternary complex formation 117–18
- theoretical models, conducting
polymers 174, 176–9, 180
- thermal interrupter 325–6
- thermal recoordination 91–2, 93
- thermally induced shape-memory
polymers 303–11
- thermodynamics 176
- thermoplastic shape-memory
polymers 304–5
- thermoreponsive polymers 456–7
- thermosensitivity 455–6
- thin-film devices 336–8
- three-dimensional fabrication of
IPMNCs 128
- three-probe electrical measurements
209–10
- three-stage catenanes 83–6
- three-way catenane positional
switches 24–7
- tissue engineering 460
- titanium fibre/aluminium system
482–4, 488
- transduction 132–6
 - electron/chemical 151, 152, 174, 175
- transistors 222
- transition metal complexes
 - catenanes and rotaxanes 83–9
 - heterodinuclear bismacrocyclic 86–8
 - molecular machines 76–96
- translational molecular switches 13–24
- translocation
 - metal-ion 82–3
 - redox-driven 89–91
- triple layers 154, 158, 160, 164, 166
- tubes with metal supports 160–1
- two-probe electrical measurements
209–10
- two-way catenane positional switches
24–7
- two-way devices 323–4
- unimolecular amplifiers 223
- unimolecular electronic devices 205–23
- unimolecular rectifiers 213–21
- unparalleled simultaneous sensing 151
- valves 324–5
 - thin-film 336–7
- vibration/acoustic control 243–5
- virtual two-way actuation 323–4
- volume variation
 - electrochemomechanical muscles
155–6
 - PAN fibre gel 193–4, 195
 - see also* swelling
- water uptake and release 108–10
- wet materials 147–9
- wires 50
- work performance 201, 202
- XNOR logic gate 63–5
- XOR logic gate 63–5
- yield stress 351–3