

# INDEX\*

## A

- $\alpha$ -amino acids, 330
- $\alpha$ -iron, 459
- Ablative compound, 161
- Absorption coefficient, **618**
- Absorption spectra, **182**
- Acceptor, **598**
- Acid, organic, 319
- Acrylonitrile, 310
- Activated state, **396**
- Activation energy
  - barrier, **396**
  - for creep, **70**
  - for motion, **396**
  - for tracer diffusion, **402**
- Active (corrosion), **503**
- Addition polymerization, **303**
- Adherent oxide film 415, **502**
- Adipic acid, 320
- Aeration cell, **497**
- Aerospace, 46
- Age precipitation hardened alloys, **456**
  - examples, 457
- Age precipitation hardening, 168
- Aggregate, 347, 360
- Aging, **455**
- Aging heat treatment, **168**
- AISI code for steel, 551
- Al-Cu phase diagram, 454
- Allowed bands, **581**
- Alloy, **353**
- Alnico V,
  - microstructure of, 647
  - properties of, 135
- Altimeter, 390
- Aluminum-copper alloys,
  - Al-Cu phase diagram, 454
  - crystal structure, 240, 241
  - GP zone formation, 542
- Aluminum-copper alloys (*Contd.*)
  - heat treatment, 168, 454
  - precipitate strengthening, 541
  - substitutional solutions, 454
- Amines, **319**
- Amounts of phases, 439
- Ampere, 99
- Amplitude, **78**
- Anelastic behavior, 80
- Angular momentum quantum number, **195**
- Anions, **481**
- Anisotropic, **41**
- Anisotropy,
  - of hexagonal crystals, 266
  - relation to symmetry, 265
- Anneal(ed), **65**
- Anode, **481**
- Anodizing, **502**
- Antiferromagnetism, 636
- Arrhenius equation, **398**
- Artificial heart, 51
- Asbestos, 259
- Asphalt pavement, 560
- ASTM grain size, **349**
  - data, 350
- Atactic, **311**
- Atom vibrations, 392
- Atomic:
  - coordination, 251
  - percent, 441
  - radius, **253**
  - radius from lattice parameter, data, 253
  - scale, **341**
- Austenite, **458**
- Austenitic steel, **466**
- Austenitizing, **168, 465**
- Avalanche effect, **606**
- Average molecular weight, **307**

\*The boldface page numbers refer to the page on which the entry is defined and set in boldface type.

**B**

- Back voltage, **492**  
 Bainite, **461**  
 Bakelite, **325**  
 Band structure:  
   in divalent metals, 592  
   in insulators, 590  
   in monovalent metals, 587  
   in semiconductors, 590  
 Bar, **35**  
 Barium titanate, 345  
 Barometric formula, **390**  
 Basal plane, **245**  
 Base (npn junction), **609**  
 Basis, **237**  
 Batteries, 49  
   references, 505  
 Bauschinger effect, **86**  
 Beta-alumina, 480  
 Bimetallic strip, 153  
 Binary phase diagram, **432**  
 Binary system, **432**  
 Biomaterials, 50  
   references, 54  
 Bitter pattern, **342**  
 Bloch wall, **643**  
 Block polymer, **318-319**  
 Body-centered cubic, **238**  
 Bohr magnetron, **223**  
 Bohr postulate, **183**  
 Bohr radius, **185**  
 Boltzmann distribution, **391**  
 Bond:  
   angles, 210  
   dissociation energies, data, 212  
   lengths, data, 212  
 Bond straightening, 316  
 Bonding energy:  
   alkali halides, data, 207  
   metals, data, 214  
   secondary bonded materials, 216  
 Bonds:  
   covalent, 208  
   glassy, 284  
   ionic, 203  
   metallic, 213  
   secondary, 214  
 Born repulsive potential, **204**  
 Boron fiber composite, 357  
 Boron filaments, 357, 545  
 Boron filament composite micrograph, 29  
 Boundary, grain, 279  
 Boyle's law, 370  
 Bragg:  
   equation, **290**  
   law, **290**  
 Bragg (*Contd*)  
   law, **290**  
 Branched polymers, **304**  
 Brass, 268  
 Bravais lattices, **236**  
 Breakdown, **606**  
 Breeder reactor, 46  
 Bridgman method, **337**  
 Brinell hardness number, 64  
 Brittle fracture, impact, 67  
 Brittle materials, **59**  
 Bubble raft model of crystal, 280  
 Bubbles, **281**  
 Bulk modulus, **89**  
   relation to Young's modulus, 90  
 Burgers vector, **277**

**C**

- Cable construction, 115  
 Capacitance, 109  
 Capacitor, 109  
 Carbide, cemented, 546  
 Carbide precipitation, 507  
 Carbon-diamond phase diagram, 431  
 Carbon solubility in iron, 459  
 Carburization depth, **408**  
 Carriers, 593  
 Case:  
   carburized, 408, 551  
   hardened, **551**  
   nitrided, 527  
 Cast iron:  
   gray, 467, 527  
   nodular, 468, 528  
   white, 467  
 Cast irons, **467**  
 Casting, 350  
 Cathode, **481**  
 Cations, **481**  
 Caustic embrittlement, **500**  
 Cell:  
   aeration, 497  
   concentration, 483  
   differential pressure, 483  
   differential temperature, 483  
   dissimilar electrode, 483  
   oxygen, 497  
   unit, 236  
 Cellulose, 329  
 Cement, Portland, 360  
 Cemented carbides, 546  
 Cementite, **460**  
 Ceramic materials, **259**  
   references, 295  
 Cesium chloride crystal structure, **255**

- Chain stiffening, 314
- Chain structures, 304, 306, 313
- Charge:
  - flux, 100
  - mobilities in semiconductors, data, 595
  - mobility, 568
- Charpy test, 67
  - V-notch specimen, 68
- Chemical properties, 169
- Chloroprene, 318
- Cis* configuration, 317
- Closest-packed:
  - directions, 247
  - layer, 247
  - structure, 248
- Closure domains, 641
- Coatings:
  - abrasion resistant, 362
  - corrosion resistant, 361
  - oxidation resistant, 361
- Coercive:
  - field, 118
  - force, 126
- Coherence length, 660, 663
- Coherent precipitate, 455
- Coil, inductance of, 122
- Cold worked, 65
- Collective de Broglie wave, 663
- Collector, 609
- Color, 230
- Columnar grains, 352
- Comet airplane failure, 72
- Component, 431, 436
- Composites, 355
  - boron fiber, 357
  - coatings, 361
  - concrete, 360
  - GRP, 355
  - honeycomb, 359
  - laminates, 359
  - microelectronic circuit, 19, 363, 415
  - plywood, 363
  - prepregs, 359
  - prestressed concrete, 361
  - references, 365
  - sintered tungsten carbide, 362
  - strengthening, 528
  - synthetic hard superconductor, 363
- Composition, 436
- Compressive strength, 521
- Concentration cell, 483
- Concentration polarization, 491
- Concept of local equilibrium, 470
- Concrete, 360
  - references, 366
- Condensation polymerization, 320
- Conduction band, 582
- Conduction, electrical, by
  - electrons, 586
  - holes, 586
  - ions, 412
- Conductivity, electrical, 100
  - of ionic materials, 411
  - of metals, 104, 587, 592
    - data, 101
  - of semiconductors, 107, 590, 593, 596
    - data, 101
    - Ohm's law, 100
    - Nernst equation, 412
- Conductivity, thermal, 154
  - coefficient, 154
    - data, 155, 157, 158
  - Fourier heat conduction law, 154
- Congruent melting point, 444
- Conservative:
  - properties, examples, 172
  - system, 78
- Constants, (*see frontispiece*)
- Contact potential, 602
- Controlled eutectics, 451
- Cooling curve, 475
- Cooper pairs, 660
- Coordination:
  - number, 251, 257
  - polyhedron, 251
- Copolymer, 318
- Copper:
  - crystal structure, 240, 241
  - electrical resistivity, 101, 587
  - electron mean free path, 589
  - Fermi energy, 576
  - melting temperature, 164
  - oxidation, 170
  - Poisson's ratio, 61
  - shear modulus, 43
  - solution with nickel, 268, 451
  - thermal conductivity, 155, 157
  - with beryllium, 457
    - Young's modulus, 42
- Copper-beryllium alloys, 457
- Coring, 452
- Corrosion:
  - effect of liquid velocity, 492
  - fatigue, 499
  - protection, 501
  - references, 505
- Corrosion, types of:
  - caustic embrittlement, 500
  - decarburation, 499
  - dezincification, 498
  - fatigue, 499
  - intergranular, 498
  - oxygen starvation, 497

- Corrosion, types of (*Contd*)  
 season cracking, 500  
 stress corrosion cracking, 499
- Corundum, 612
- Coulomb, 95
- Coulomb attraction, 96
- Covalent bond, 210
- C-Ni phase diagram, 433
- Creep, 69  
 activation energy, 70  
 steady state, 69  
 theory of high temperature, 558
- Cristobalite, 283
- Critical resolved shear stress, 525
- Crosslinking, 315
- Cross slip, 532
- Cryogenic temperatures, 102
- Crystal:  
 covalent, 212, 240  
 homopolar, 212, 240  
 ionic, 254  
 metallic, 239, 240  
 molecular, 216, 379  
 poly-, 347  
 single, 337
- Crystal cell dimensions, data, 241
- Crystal data, references, 294
- Crystal growth:  
 Bridgman method, 337  
 from solution, 337  
 pulling from melt, 338  
 references, 365
- Crystal structure, 237
- Crystal structures:  
 body centered cubic, 238  
 cesium chloride, 255  
 diamond cubic, 240  
 face centered cubic, 239, 250  
 hexagonal closest packed, 241, 249  
 simple cubic, 245  
 sodium chloride, 206, 254  
 wurtzite, 256  
 zinc blende, 255
- Crystal systems, 235
- Crystallization:  
 in castings, 350  
 in polymers, strain induced, 316, 317
- Crystallographic:  
 direction, 242  
 plane, 243
- Cu-Au phase diagram, 441
- Cu<sub>3</sub>Au ordered solution, 269
- Cube-textured material, 649
- Cubic crystal:  
 body-centered, 238  
 diamond, 240  
 face-centered, 239
- Cubic crystal (*Contd*)  
 simple, 245
- Cubic lattice:  
 body-centered, 236  
 face-centered, 236  
 simple, 236
- Cu-Ni phase, 451
- Curie:  
 law, 628  
 temperature, 128
- Curie-Weiss relation, 629
- Curve:  
 S-N, 71  
 T-T-T, 549
- Cyclic:  
 loading, 71  
 stress fatigue, 71
- Cyclotron frequency, 618
- D**
- $\delta$ -iron, 459
- Damage, radiation, 47
- Damped oscillations, 79
- Darcy's equation, 77, 414
- Dark-resistance material, 617
- Data:  
 angle of loss  
 mechanical, 81  
 electrical, 113  
 ASTM grain size, 350  
 atomic radius from lattice parameter, 253  
 B-H data for silicon steel, 147  
 bond energies, 212  
 bonding energy  
 ionic bonds, 207  
 metals, 214  
 organic compounds, 212  
 secondary bonded materials, 216  
 bond lengths, 212  
 cell dimensions of some elements, 241  
 charge mobilities in semiconductors, 595  
 Curie temperature of ferromagnetic elements, 635  
 diamagnetic susceptibilities, 623  
 dielectric constants, 110  
 dielectric loss angle, 113  
 dielectric strength, 114  
 diffusion:  
 interstitial, 406  
 self- in metals, 410  
 in polymers, 414  
 elastic constants  
 Poisson ratio, 61

Data (*Contd*)

shear modulus, 43  
 Young's modulus, 42  
 electric dipole moments of molecules, 631  
 electric loss angle, 113  
 electrical resistivity, 101  
   of metals versus temperature, 102  
   of semiconductors versus temperature, 107  
 electron concentration, 576  
 energies of vacancy formation, 387  
 energies of vacancy motion, 398  
 energy gaps in semiconductors, 594  
 Fermi energy, 576  
 Fermi temperature, 576  
 Fermi velocity, 576  
 ferroelectric crystal data, 118  
 ferromagnetic Curie points, 128  
 ferromagnetic saturation induction, 128  
 ferromagnetic, soft:  
   hysteresis loss, 130  
   initial permeability, 130  
   saturation induction, 130  
 galvanic series of metals in salt water, 489  
 grain size, ASTM, 350  
 heat of fusion, 161  
 heat of vaporization, 161  
 hydrogen overvoltage, 493  
 ionic radii, 257  
 ionization energies of solutes in semiconductors, 598  
 ionization potentials, 201  
 lattice parameter of martensite versus carbon content, 462  
 lattice parameters of some elements, 241  
 loss angles:  
   electrical, 113  
   mechanical, 81  
 magnetization saturation of ferromagnetic elements, 635  
 maximum energy product, 135  
 mean free path of gas molecules, 377  
 melting temperatures, 164  
   interstitial compounds, 260  
   polymers, 308  
 minimum radius ratios, 258  
 molecular diameters, 379  
 molecular speeds, 372  
 Poisson ratio, 61  
 polymer production, 305  
 Q-factor, 84  
 relative permeability, 133  
 shear modulus, 43

Data (*Contd*)

specific stiffness, 73  
 specific tensile strength, 73  
 standard oxidation potentials, 486  
 strengths of filaments, wires and whiskers, 545  
 superconducting critical field, 137  
 superconducting critical temperature, 137, 140  
 tensile strength:  
   of filaments, wires and whiskers, 545  
   of sapphire whiskers, size effect, 358  
 thermal conductivity, 155  
   of copper, 157  
   of quartz, 158  
 thermal emf's of junctions, 166  
 thermal expansion, linear, 152  
 vibrational frequencies of atoms, 394  
 viscosity coefficients, 75  
 void radius ratios, 253  
 Young's modulus, 42  
 de Broglie relation, 186  
 Debye, 220, 631  
 Debye-Scherrer method, 291  
 Decarburized, 499  
 Deformation:  
   elastic, 35  
   elastoplastic, 85  
   plastic, 35  
   viscous, 74  
 Degree of crystallinity, 288  
 Degree of polymerization, 307  
 Dendrites, 352  
 Density of crystals, from X-ray diffraction data, 242  
 Density of states, 634  
 Desalination, 56  
 Devitrification, 288, 519  
 Dezincification, 498  
 Diamagnetic, 124  
 Diamagnetism:  
   perfect, 659  
   theory of, 621  
 Diamond:  
   band gap energy, 594  
   charge mobilities, 595  
   crystal structure, 240, 241  
   electrical resistivity, 101  
   metastability, 170  
   origin of electrical resistance, 590  
   production, 433  
   synthesis, 433  
   Young's modulus, 42  
 Diamond cubic structure, 240  
 Diamond structure, 212  
 Dielectric:  
   constants, 110

- Dielectric (*Contd*)  
 constants, data, 110  
 constants, theory, 631  
 loss angle, 112  
 loss angle data, 113  
 loss factor, 112  
 strength, 114  
 strength data, 114  
 susceptibility, 117  
 susceptibility owing to induced dipoles, 631  
 susceptibility owing to permanent electric dipoles, 631  
 theory, 631
- Dielectric:  
 ideal, 112  
 nonideal, 112
- Dielectrics, 109
- Differential:  
 concentration cells, 483  
 oxygen cell, 497  
 pressure cell, 483  
 temperature cell, 483
- Diffraction:  
 angle, 290  
 by X-rays, 288  
 references, 294
- Diffusion:  
 applications of, 418  
 controlled processes, 418  
 distance, 403  
 gases, 405  
 in ionic crystals, 411  
 in microelectronic circuit manufacture, 415  
 in polymers, 413  
   data, 414  
 interstitial solid, 406  
   data, 406  
 length, 601  
 references, 424  
 self- in metals, data, 410  
 solids, 404  
 steady-state, 400  
 time-dependent, 401  
 tracer, 402  
 vacancies in metals, 408
- Diffusionless transformation, 463
- Dipole moment, 215
- Dipoles:  
 dislocations, 533  
 electric field of permanent, 222  
 induced electric, 221  
 magnetic, 222  
 permanent electric, 215  
 relation of electric dipoles and polarization, 220
- Dipoles (*Contd*)  
 relation of magnetic dipoles and magnetization, 223  
 torque due to electric fields, 220
- Dislocation, 271  
 annihilation, 536  
 barriers, 528  
 climb, 409  
 cross slip, 532  
 density, 276, 534  
 dipole, 533  
 edge, 273  
 energy per unit length, 535  
 etch pits, 277  
 Frank-Read source, 534  
 glide, 274  
 impurity atmospheres, 530  
 in grain boundaries, 279  
 in subcells, 537  
 jogged, 409  
 mixed, 276  
 motion, 274, 276  
 multiplication, 277, 532, 533, 534  
 partial, 464  
 Peierls-Nabarro stress, 526  
 pileup, 522  
 pinning, 529  
 plastic deformation, 276  
 plastic strain, 531  
 rearrangement, 536, 554  
 references, 561, 562  
 screw, 275
- Dispersion forces, 216
- Dispersion hardened alloys, 557  
 SAP, 557  
 TD nickel, 558
- Dissimilar electrode cells, 479, 483
- Dissipative process, 81  
 examples, 173
- Distinct configurations, 383
- Distribution coefficient, 469
- DNA, 332
- Domain boundaries, 343  
 walls, 343, 346, 643
- Domains, 633  
 basis for occurrence of, 639  
 boundary pinning of, 648  
 closure, 641  
 magnetic bubble, 651  
 micrographs of, 26  
 observing, 644  
 single particle, 646
- Donors, 598
- Doping, 597
- Double chain structure, 300
- Drift velocity, 568
- Drude's model, 567

Ductile to brittle transition temperature, 68  
 Ductility, 63  
   measures of, 63  
   pressure induced, 63  
 Dulong and Petit, 160, 395  
 Dye molecules, color, 230

## E

Easy direction, 642  
 Edge dislocation, 273  
   moiré pattern of, 273  
 Effective mass, 586  
 Efficiency, thermal, 69  
 Eigenvalue problems, 188  
 Einstein frequency, 395  
 Einstein model of specific heats of solids, 395  
 Einstein relation, 182  
 Elastic:  
   anisotropy, 41  
   constant measurements, 120  
   deformation, 35  
   energy density, 37  
 Elastic constants:  
   bulk modulus, 89  
   Poisson's ratio, 60  
     data, 61  
   shear modulus, 40  
     data, 43  
   use in seismology, 90  
   Young's modulus, 36  
     data, 42  
 Elastomers, 315  
 Elastoplastic materials, 85  
 Electric current density, 100  
 Electric dipole, 215  
 Electric dipole moments of molecules, data, 631  
 Electric intensity, 95  
 Electrical conductivity, 100  
 Electrical materials, references, 142  
 Electrical resistivity, 100  
   data, 101  
   of metals versus temperature, 106  
   of semiconductors versus temperature, 107  
   origin, 588  
 Electrochemical cell, 479  
 Electrode, 480  
   potential, 485  
   reaction, 485  
 Electrodeposition, references, 506  
 Electrolytic cells, 483

Electromachining, 479  
 Electron:  
   concentration, data, 576  
   configuration, 200  
   configuration of light elements, 200  
   delocalization, 209, 214  
   gas, 213  
   in a periodic potential, 580  
   injection, 608  
   pair bond, 208  
   spin, existence of, 224  
 Electronic specific heat, 577  
   of superconductors, 661  
 Electrons in solids, references, 615  
 Electroplating, 479  
 Elongated single domains, 646  
   permanent magnet, 646  
 Emission spectra, 182  
 Emitter, 608  
 Energy:  
   activation, 396  
   bands, 580  
   gaps, 581  
   gaps in semiconductors, data, 594  
   gaps in superconductors, 660  
   Gibbs free, 386  
   internal, 380  
   levels, 185, 573, 580, 613  
   of formation of a vacancy, 269, 386  
   of formation of vacancies, data, 387  
   of motion of a vacancy, 397  
   of motion of vacancies, data, 398  
   references, 53  
 Enthalpy, 159  
 Entropy, 384  
   of mixing, 385  
 Equation of state, 374  
 Equiaxed, 349  
 Equilibrium, 170  
 Equilibrium behavior, 379  
 Error function, 407  
 Esaki diode, 618  
 ESD magnet, 646  
 Etch pit techniques, 277  
 Etchants, 342  
 Etching, 342  
 Ethane molecule, 211  
 Ethylene, 310  
 Eutectic:  
   alloy, 443  
   composition, 443  
   controlled, 451  
   lamellar, 450  
   line, 443  
   point, 443  
   rod-like, 450

Eutectic (*Contd*)  
 structure, 447  
 temperature, 443  
 transformation, 443  
 uniaxially solidified, 448  
 Eutectoid, 446  
 structure, 460  
 Exchange interaction, 634  
 Excluded volume, 375  
 Expansion, thermal  
 linear, 152  
 volume, 152  
 Extension ratio, 33  
 External surface, 278  
 Extrinsic, 411  
 semiconductor, 107, 596

**F**

Face-centered cubic, 239  
 Failure:  
 dielectric, 114  
 mechanical, 67, 72  
 Farad, 99  
 Faraday equivalent, 483  
 Fatigue:  
 cyclic stress, 71  
 Comet disasters, 72  
 limit, 72  
 Fe-C phase diagram, 459  
 Fe-Fe<sub>3</sub>C phase diagram, 459  
 Fe<sub>3</sub>C, 459  
 Fermi-Dirac distribution, 577  
 Fermi energy, 213, 577  
 at absolute zero of temperature, 575  
 data, 576  
 of n-type semiconductor, 600  
 of p-type semiconductor, 600  
 Fermi surface, 575  
 Fermi temperature, 575  
 data, 576  
 Fermi velocity, 576  
 data, 576  
 Ferrimagnetic materials, 637  
 Ferrimagnetism, 223, 636  
 Ferrite, 458  
 Ferrites, 636  
 Ferroelectric, 117  
 Curie point, 118  
 data, 118  
 domains, 346  
 Ferromagnetic, 124  
 Curie point, data, 128  
 domain, 343  
 elements, data, 635

Ferromagnetic (*Contd*)  
 saturation induction, data, 128  
 transition temperature, 128  
 Ferromagnetism, 223  
 occurrence, 635  
 origin, 633  
 references, 654  
 Fibers, glass, 521, 545  
 Fick's first equation, 400  
 law, 400  
 Field ion:  
 micrograph, 23  
 microscopy, 22  
 Filaments, 545  
 boron, 357, 528, 545  
 graphite, 528, 545  
 First Brillouin zone, 582  
 First-order transitions, 659  
 Flame hardening, 551  
 Flow:  
 plastic, 59  
 viscous, 74  
 Fluidity coefficient, 75  
 dependence on temperature, 76  
 Fluids, Newtonian, 75  
 Flux, 76  
 Flux line, 669  
 Flux line lattice, 669  
 Flux penetration, 665  
 Flux quantization, 666  
 Fluxoid, 669  
 lattice, 669  
 lattice dislocation, 674  
 pinning, 672  
 Folded-chain structure, 327  
 Forbidden energy bands, 581  
 Forces:  
 electric, 95  
 interatomic, 203  
 magnetic, 96  
 repulsive, 204  
 van der Waals, 216  
 Formaldehyde, 324  
 Forsterite, 300  
 Forward bias, 603  
 Fourier heat conduction law, 154  
 Fractional decrease in:  
 amplitude per cycle, 81  
 stored energy per cycle, 81  
 Fracture of:  
 brittle materials, 518  
 ductile materials, 522  
 Framework structure, 300  
 Frank-Read source, 534  
 Free electrons, 213  
 Free electron gas model, 567  
 Free energy, Gibbs, 386

Frenkel defect, 270  
 Frenkel's model, 517  
 Frequency, 182  
 Fringed micelle structure, 326  
 Fuel cells, 49, 495  
   references, 54, 505  
 Fused silica, 286

## G

GaAs:  
   band gap, 594  
   charge mobility, 595  
   crystal structure, 597  
 Galloping Gertie, 83  
 Galvanic series, 490  
   of metals in salt water, 489  
 Galvanizing, 503  
 Gap energy, 581, 593  
 Gases:  
   diffusion, 405  
   ideal, 369  
   mixing, 382  
   viscosity, 376  
 Gel, 360  
 Gibbs free energy, 386  
 Ginsburg-Landau parameter, 670  
 Glass, 284, 285, 286  
   inorganic, 286  
   polymeric, 316  
   references, 295  
 Glass-reinforced plastics, (GRP), 355  
 Glass transition temperature, 285  
 Glaze, 287  
 Glide, 523  
   planes, 524  
 Glide packets, 523  
 GP zone, 542  
 Graft polymer, 319  
 Grain, 347  
   boundary, 279  
   boundary strengthening, 538  
   columnar, 352  
   equiaxed, 348, 349  
   growth, 555  
   preferred orientation of, 350  
   size, 360  
   size, ASTM, data, 350  
 Grain-oriented steel, 649  
 Graphite, 266  
 Gray cast iron, 467  
 Griffith theory, 519  
 Ground state, 183  
 Grown from solutions, 337  
 Growth spiral, 275

Guinier-Preston zone, 542  
 Gutta percha, 317

## H

Habit plane, 464  
 Hair, 331  
 Half-cell, 485  
   potential, 485  
 Hall coefficient, 103  
   anomaly, 570  
   of divalent metals, 592  
   units, 104  
 Hall effect, 103  
 Hard direction, 642  
 Hard magnetic material, 134  
 Hard rubber, 315  
 Hard superconductors, 673  
 Hardenability, 550  
 Hardened materials:  
   magnetic, 645  
   mechanical, 527  
   superconductive, 672  
 Hardening:  
   age, 541  
   dispersion, 557  
   flame, 551  
   induction, 551  
   martensite, 547  
   precipitation, 541  
   second phase, 541  
   solute, 529  
   strain, 530  
 Hardness, 64  
 Hardness:  
   Brinell, 64  
   maximum, 548  
   Rockwell, 64  
   Vickers, 64  
 Harmonic motion, 78  
 Harmonic oscillator:  
   classical mechanical, 392  
   quantum mechanical, 393  
 Heat capacity:  
   at constant pressure, 160  
   at constant volume, 159  
 Heat flow:  
   steady-state, 155  
   time-dependent, 154  
 Heat of:  
   fusion (melting), 161  
     data, 161  
   sublimation, 161  
   vaporization, 161  
     data, 161

Heat treatment, 168  
 of steel, 168  
 Helical chain, 313  
 Henry, 99  
 Heterogeneous nucleation, 421  
 Hexamethylenediamine, 320  
 High current-carrying superconductors,  
 673  
 Hindered rotation, 313  
 Hole, 586  
 Home permanent, 332  
 Homogeneous nucleation, 421  
 Homogenization, 452  
 Homopolar, 203  
 Honeycomb, 359  
 Hooke's law, 36  
 Housing, 51  
 Hund's rule, 635  
 Hybridized orbitals, 210  
 Hydrogen atom:  
 Bohr radius, 185  
 energy levels, 194  
 quantum numbers, 195  
 Hydrogen bond, 217  
 Hydrogen bonding, 217  
 in nylon, 321  
 Hydrogen-like atom, 196  
 energy levels, 196  
 wave functions, 197  
 Hydrogen molecule, 209  
 Hysteresis curves, 126  
 examples, 173  
 Hysteresis loss, 129

## I

Ice, 218  
 Ideal gas, 369  
 law, 373  
 temperature scale, 373  
 Impact toughness, 67  
 Imperfections, 267  
 references, 294  
 Impressed potential, 503  
 Impurity atmospheres, 530  
 Indices, Miller, 243  
 Indifferent point, 440  
 Induced currents, 132  
 Induction effect, 216  
 Induction hardening, 551  
 Induction, remanent, 126  
 Induction, saturation, 126  
 Injection efficiency, 610  
 Insulator, 109  
 Insulators, electrical, 102

Interatomic distances, 212, 253, 254  
 Interfacial angle, 233  
 Interfacial energy, 299, 347, 422, 447  
 Intergranular corrosion, 498  
 Internal damping, 80  
 Internal energy, 159, 380  
 Internal field, 632  
 Internal friction, 80  
 Internal resistance, 495  
 Internal stresses due to quenching, 465  
 Interplanar spacings, 245, 300, 301  
 Interstitial compounds, 260  
 examples of, 260  
 Interstitial impurity, 254  
 Interstitial solid solution, 268  
 Intrinsic, 411  
 Intrinsic semiconductor, 107, 593  
 Invariant points, 446  
 Inversion center, 263  
 Inversion operation, 263  
 Inversion point, 446  
 Ionic, 204  
 bond, 204  
 conductivity, 412  
 diffusion, 411  
 radii, 206, 256  
 radii, data, 257  
 Ionization energies for solutes in semi-  
 conductors:  
 data, 598  
 theory, 597  
 Ionization potential, 183  
 data, 201  
 Iron:  
 carbide, 459  
 crystal structure, 239, 241, 254, 459  
 ferromagnetic domains, 26, 342  
 ferromagnetic properties, 128, 130,  
 133, 135, 635  
 in cast iron, 467  
 in steel, 460  
 polycrystalline, 26  
 solution with carbon, 268, 459  
 Island structure, 300  
 Isotactic, 311  
 Isotope effect, 660  
 Isotropic, elastically, 41

## J

Jogs, 409  
 Jominy test, 550  
 Joule, 99  
 Junction transistor, 608

## K

Kelvin equation, 420  
 Kinetic behavior, 380  
 Kinetics, 170

## L

Lamellar structure, 353, 447  
 Laminates, 359  
 Langevin function, 627  
 Large-angle grain boundaries, 279  
 Large-scale integration, 608  
 Laser, 612  
 Laser, ruby, 613  
 Lattice, 235  
   coordinates, 239  
   parameters, 236  
     data, 241  
     vector, 236  
 Laue method, 291  
 Level, energy, 185, 613  
 Lever rule, 439  
 LiBr-LiCl phase diagram, 440  
 Light waves, 182  
 Limit properties, examples, 173  
 Line defects, 267  
 Line tension, 541  
 Linear behavior, 36  
 Linear conservative properties, 172  
 Linear dissipative properties, 173  
 Linear polymers, 304  
 Linear relationship, 36  
 Linear thermal expansion coefficient, 152  
 Liquidus, 436  
 Local equilibrium, 428, 429  
 Lodestone,  $\text{Fe}_3\text{O}_4$ , 224, 637  
 Lodex, 646  
 Long-range interaction, 208  
 Loop, hysteresis, 129, 173  
 Lorentz force equation, 96  
 Loss angle, 80  
 Loss angle, relation to:  
   fractional decrease in amplitude per  
     cycle, 81  
   fractional decrease in stored energy  
     per cycle, 81  
 Q-factor, 83  
   relaxation time, 60  
   resonance amplification, 82  
   resonance peak width, 83  
 Losses:  
   dielectrics, 112  
   magnetic hysteresis, 129  
   mechanical, 80

Losses (*Contd*)

ohmic, 101  
 Lucite, 316

## M

Machining, role of plastic deformation,  
   63  
 Macroscopic, 30  
 Macrostructure, 341  
 Madelung constant, 207, 228, 229  
 Magnesium oxide:  
   crystal structure, 206  
   dislocation in, 543  
   melting temperature, 164  
   polycrystalline, 27  
   refractory, 164  
   with nickel oxide, 435  
 Magnetic bubbles, 651  
   motion of, 653  
   reference, 654  
 Magnetic dipole moment, 222  
 Magnetic induction, 96  
   generated by magnetic dipole, 629  
 Magnetic materials, references, 143  
 Magnetic oxides, 133, 633, 650  
 Magnetic quantum number, 195  
 Magnetic saturation, 127, 224, 628  
 Magnetic susceptibilities:  
   diamagnetic, 623  
     data, 623  
     paramagnetic, 628  
   Magnetic susceptibility, 124  
 Magnetism:  
   antiferro-, 636  
   dia-, 621  
   ferri-, 636  
   ferro-, 632  
   para-, 624  
 Magnetization, 127, 223  
 Magnetocrystalline anisotropy, 642  
 Magnetocrystalline energy, 642  
 Magnetostatic energy, 639  
 Magnetostriction, 133, 640  
 Magnets:  
   hard, origin, 645  
   soft, origin, 648  
 Majority carriers, 600  
 Martensite, 462  
   finishes temperature, 463  
   lattice parameter, data, 462  
   starts temperature, 462  
   tempered, 465  
   transformation, 464  
     examples, 465

- Masking**, 418  
**Materials balance**, 439, 470  
**Materials science**, 4  
   outline of, 52  
**Matrix**, 545  
**Maximum energy product**, 134  
   data, 135  
**Maximum hardness**, 548  
**Mean free path**, 376  
   gas molecules, data, 377  
**Mechanical properties**:  
   data references, 86  
   references, 86  
**Meissner effect**, 138  
**Melting temperature**, 163  
   data, 164  
   fraction of, 163  
   of interstitial compounds, 260  
   of polymers, 307  
**Membrane, semipermeable**, 309  
**Mer**, 303  
**Metallic bonding**, 213  
**Metallography**, 342  
   references, 365  
**Metals**, 101  
**Metastable**, 347  
   structure, 171  
**Metastable structures**:  
   age precipitation hardened solids, 456  
   cold worked solids, 65, 554  
   copper, in air, 170  
   cored structures, 452  
   diamonds, 170  
   eutectic structure, 447  
   eutectoid structure, 460  
   grain boundaries, 347, 555  
   iron carbide, Fe<sub>3</sub>C, 458  
   martensite, 461  
   p-n junction, 617  
   pearlite, 460  
   supercooled solids, 454  
**Methane molecule**, 211  
**MgO-NiO phase diagram**, 435  
**Mica**, 110, 114, 259  
**Microscopic**, 30  
**Microduplex structure**, 28  
**Microelectronics**, 17, 45  
**Microelectronics technology, reference**,  
   419  
**Micrograph**, 342  
**Microscopy references**, 365  
**Microstructure**, 341  
**Microstructure, effects on**:  
   current carrying capacity of supercon-  
     ductors, 672  
   hardness of magnetic materials, 645  
   mechanical strength, 527  
**Microstructures**:  
   Alnico-V, 647  
   dislocation tangles, 537  
   domains in BaTiO<sub>3</sub>, 346  
   domains in iron, 26, 342  
   filamentary composite, 29  
   fluxoids in superconductors, 670  
   foam, 29  
   lamellar structures, 28  
   magnetic bubbles, 651  
   martensite, 464  
   microduplex structure, 28  
   polycrystalline iron, 26  
   polycrystalline MgO, 27  
   precipitates, 457  
   spherulites, 27  
   voids, 344  
**Miller indices**, 243  
**Miller-Bravais indices**, 246  
**Minimum radius ratio**, 257  
   data, 258  
**Minority carriers**, 600  
   lifetime, 600  
**Mixed state**, 667  
**Mobility**, 568  
**Modulus**:  
   origin of, 513  
   shear, 40  
   Young's, 36  
**Molality**, 483  
**Molecular**:  
   architect, 45  
   beam experiments, 372  
   diameter, data, 379  
   solids, 214  
   speeds, data, 372  
   velocity distributions, 372, 427  
   weight, 307  
**Mooney's equation**, 561  
**Mott-Nabarro force**, 541  
**Multiphase materials**, 353  
**Multiple slip**, 531
- N**
- NaF-MgF<sub>2</sub> phase diagram**, 445  
**Natural frequency**, 78  
**Natural rubber**, 318  
**Nb<sub>3</sub>Sn**, 139, 140, 673  
**Necking**, 62  
**Neoprene**, 318  
**Nernst relation**, 412  
**Network-forming ions**, 287  
**Network-modifying ions**, 287  
**Network polymers**, 325

Newton, 99  
 Newtonian fluid, 75  
 Newton's equation of viscosity, 377  
 Niobium, 137  
 Nitriding, 527  
 Noble coatings, 501  
 Nodular cast iron, 468  
 Nominal strain, 34  
 Noncentrosymmetric crystals, 263  
 Noncrystalline materials, 354  
 Nonequilibrium structures, (*see* metastable structures)  
 "Nonmagnetic"-magnetic phase diagram, 128  
 Nonstoichiometric compounds, 271  
 Normal stress, 34, 38  
 Normal-superconductive phase diagram, 137  
 Notch sensitivity, 67  
 n-p-n junction transistor, 608  
 Nucleation, 420  
   references, 424  
 Nylon 66, 320

## O

Octahedral  
   coordination, 251  
   planes, 245  
   void, 251  
 Ohm, 99  
 Ohm's law, 100  
 One-dimensional particle in a box, 191  
   1-4 addition, 315  
 Order of the reflection, 290  
 Ordered solid solutions, 269  
 Organic acids, 319  
 Orientation effect, 215  
 Orientation:  
   electric dipole, 631  
   grain, 649  
   magnetic dipole, 624  
   preferred, 350  
 Orlon, 311  
 Orthoferrites, 650  
 Osmotic pressure, 309  
 Overaging, 456, 556  
 Overvoltage, 494  
 Overvoltage, hydrogen, data, 493  
 Oxidation, 415  
   potentials, 486  
   rates, 416, 427  
   reaction, 481  
 Oxygen concentration cell, 496  
 Oxygen starvation, 497

## P

Packing in crystals, 247  
   references, 293  
 Packing imperfections, 267  
 Parabolic diffusion equation, 401  
 Parabolic growth law, 416  
 Paramagnetic, 124  
 Parameter, lattice, 236  
   data, 241  
 Particle in a box:  
   one-dimensional, 191  
   two-dimensional, 191  
   three-dimensional, 192  
 Particle in a box problem, 192  
 Particle in a box with infinite walls, 571  
 Particle strengthening, 541  
 Passivation, 502  
 Passive, 502  
 Pauli exclusion principle, 199  
 Pauling's rules, 259  
 Pb-Sn phase diagram, 442  
 Peak width, 83  
 Pearlite, 460  
   formation, 460  
   strength, 544  
 Peierls-Nabarro stress, 526  
 Peltier coefficients, 167  
 Peltier effect, 167  
 Penetration depth, 665  
 Peptide linkage, 330  
 Percent:  
   atomic, 441  
   weight, 441  
 Percent reduction in area, 63  
 Peritectic, 446  
 Peritectoid, 446  
 Permanent dipole, 215  
 Permanent magnets, references, 654  
 Permeability:  
   coefficient for fluid flow, 77  
   coefficient, magnetic, 122  
   flow in polymers, 413  
   data, 414  
   initial, 126  
   maximum, 126  
 Permittivity of vacuum, 109  
 Phase, 268, 353  
 Phase compositions, 437  
 Phase diagram, 431  
 Phase diagrams:  
   Al-Cu, 454  
   carbon-diamond, 431  
   C-Ni, 433  
   Cu-Au, 441  
   Cu-Ni, 451

- Phase diagrams (*Contd*)  
 Fe-C, 459  
 Fe-Fe<sub>3</sub>C, 459  
 LiBr-LiCl, 440  
 MgO-NiO, 435  
 NaF-MgF<sub>2</sub>, 445  
 "nonmagnetic"-magnetic, 128  
 normal-superconductive, 137  
 Pb-Sn, 442  
 references, 473  
 Phase relationships, 438  
 Phase transformation, 419  
 Phase transformations, 474, 424  
 Phenol, 324  
 Phenol-formaldehyde plastic, 325  
 Phenolic, 325  
 Photons, 182  
 Piezoelectric effect, 119, 264  
   inverse, 119  
 Piezoelectric frequency, reference, 120  
 Piezoelectric motor, 121  
 Pileup, 522  
 Pinning force, 529  
 Pitting, 497  
 Planar density, 247  
 Planck's constant, 182  
 Plane defects, 267  
 Plane lattice, 235  
 Planes:  
   crystal, 243  
   slip, 523  
 Plastic deformation, 35, 59  
 Plastic flow, 523  
 Plastic instability, 62  
 Plexiglass, 316  
 Point defects, 267  
 Poise, 75  
 Poiseuille's equation, 74  
   derivation of, 93  
 Poisson ratio, 60  
 Polar groups, 318  
 Polarization, 117, 220  
   induced, 221, 631  
   orientation, 220, 631  
   permanent, 118  
 Pole mechanism, 464  
 Polyacrylonitrile, 311  
 Polychloroprene, 318  
 Polycrystalline, 342  
 Polycrystalline aggregate, 347  
 Polyethylene, 303  
 Polygonization, 554  
 Polyisoprene, 314  
   stereoisomerism in, 317  
 Polymer molecules:  
   cellulose, 329  
   neoprene, 318  
 Polymer molecules (*Contd*)  
   nylon, 320  
   phenolics, 325  
   polyethylene, 303  
   polyisoprene, 315  
   protein, 330  
   silicones, 322  
   Teflon, 314  
   vinyl compounds, 310  
 Polymer structures:  
   folded chain crystals, 326  
   fringed micelle, 327  
   spherulite, 327  
 Polymerization:  
   addition, 303  
   condensation, 320  
   degree of, 307  
 Polymers:  
   addition, 303  
   amorphous, 306  
   branched, 304  
   condensation, 319  
   copolymers, 318  
   crystalline, 326  
   linear, 304  
   network, 324  
   references, 332  
   rubber-like, 315  
   thermoplastic, 326  
   thermosetting, 326  
   vinyl compounds, 310  
 Polymorphism, 254  
 Polypeptide chain, 330  
 Polyphase materials, 353  
 Polystyrene, 311  
 Polytetrafluoroethylene, 314  
 Polyurethane foam, 29  
 Polyvinylacetate, 311  
 Population inversion, 612  
 Porcelain, 502  
 Porosity effect on transparency, 343  
 Portland cement, 360  
 Potential:  
   electrode, 485  
   impressed, 503  
   ionization, 201  
   oxidation, 485  
 Potential gradient, 97  
 Powder metallurgy, 279  
 Powder technique, 291  
 p-n junction, 602  
   breakdown, 606  
   rectifier, 605  
   solar cell, 606  
   thermoelectric effects, 607  
   Zener diodes, 606  
 Precipitation hardening, 542

Pre-exponential diffusion factor, **402**  
 Preferred orientation, **350**  
 Prepregs, **359**  
 Pressure:  
   effect on ductility, **63**  
   effect on viscosity coefficient, **89**  
 Pressure gradient, **77**  
 Primary bonds, **203**  
 Primitive cell, **235**  
 Principal quantum number, **195**  
 Probability density, **190**  
 Property:  
   material, **32**  
   object, **32**  
 Properties:  
   chemical, **169, 479**  
   electrical, **94, 566**  
   magnetic, **122, 620**  
   mechanical, **33, 58, 510**  
   optical, **611**  
   superconductive, **656**  
   thermal, **151**  
 Protection:  
   abrasion, **362**  
   corrosion, **361, 501**  
   oxidation, **361**  
 Protein, **330**  
 PTFE, **314**  
 Pulling from the melt, **338**  
 Pyroceram, application of, **151**  
 Pyroelectric effect, **165**

## Q

Q-factor, **83**  
 Quality factor, **83**  
 Quantitative microscopy, **363**  
 Quantized electron gas, **571**  
 Quantum number, **183**  
 Quartz, **259, 265**  
   applications, **119**  
   thermal conductivity, **156, 158**  
 Quenched, **168**  
 Quenching, **454**

## R

Radial probability density, **196**  
 Radiation damage, **47, 270**  
 Radii:  
   atomic, **253**  
   ionic, **257**  
 Radius ratios for voids, **253**

Random:  
   chain configuration, **306**  
   network, **284**  
   substitutional solid solution, **268**  
   walk, **403**  
   references, **424**  
 Real strain, **60**  
   at fracture, **63**  
 Real stress, **60**  
 Recombination, **600**  
 Recovery processes, **556**  
 Recrystallization, **555**  
 Rectified, **605**  
 Reduction in area, **63**  
 Reduction reaction, **481**  
 Reflection microscope, **342**  
 Reflection planes, **263**  
 Refractory materials, **163**  
 Reinforced:  
   concrete, **361**  
   metals, **357, 545**  
   plastics, **355, 545**  
 Relative permeability, **122**  
   data, **133**  
 Relaxation time, **80, 567**  
   relation to loss angle, **80**  
 Remanent polarization, **118**  
 Repulsive potential energy, **204**  
 Residual resistivity, **588**  
 Resins:  
   thermoplastic, **326**  
   thermosetting, **326**  
 Resistance, electrical, **99**  
 Resistivity ratio, **106**  
 Resolution, size, **31**  
 Resonance amplification factor, **82**  
 Resonance frequency, **82**  
 Reverse bias, **604**  
 Rockwell hardness, **64, 550, 551, 552**  
 Root mean squared diffusion distance,  
   **403**  
 Root mean squared velocity, **371**  
 Rotation axis, **262**  
 Rotoinversion operation, **263**  
 Rubber:  
   hard, **315**  
   soft, **315**  
   synthetic natural, **315**  
 Rubber-like materials, **315**  
 Rust inhibitors, **503**

## S

Sacrificial anodes, **503**  
 Sacrificial coating, **503**

- SAP, 557
- Saturation current density, 604
- Saturation magnetization, 127
- Saturation polarization, 117
- Schmid's law, 525
- Schottky pair, 270
- Schrödinger's equation, 190
- Screw dislocation, 275
- Season cracking, 500
- Secondary bonds, 215
- Second-order transition, 659
- Second phase strengthening, 540
- Seebeck effect, 166
- Segregation:
  - at grain boundaries, 281
  - coefficient, 469
  - during solidification, 470
  - in binary alloys, 468
- Selection rules, 291, 301
- Self-diffusion, 402
- Self-inductance, 122
- Self-interstitial, 270
- Semiconductors, 102
- Semipermeable membrane, 309
- Shear:
  - modulus, 40
  - strain, 39
  - strength, Frenkel's model, 517
  - stress, 38
  - yield stress, 41
- Sheet structure, 300
- Short-range interaction, 207
- Side chains, 304
- Silica glass, 284
- Silicates, 259
  - cristobalite, 283
  - double chain structure, 300
  - framework structure, 300
  - island structure, 300
  - sheet structure, 300
  - silica glass, 284
  - single chain structure, 300
  - tridymite, 283
- Silicon:
  - band gap energy, 594
  - band structure, 590
  - charge mobilities, 595
  - crystal structure, 240, 241
  - diffusion of phosphorus, 417
  - electrical resistivity, 101
  - microcircuit technology, 5, 415
  - oxidation, 415
  - self-diffusion, 410
- Silicone plastics, 322
- Silicone rubber, 322
- Silk, 331
- Simple cubic crystal, 245
- Simple harmonic motion, 78
- Single chain silicate, 300
- Sinter, 279
- Sintered aluminum powder, 557
- Sintered carbides, 546
- SiO<sub>2</sub>, 283
- SiO<sub>4</sub><sup>4-</sup> tetrahedron, 283
- Slip, 523
  - direction, 523
  - planes, 523
  - system, 523
  - systems, in different materials, 524
- Small-angle grain boundaries, 279
- Small-angle tilt boundary, 279
- S-N curve, 71
- Snowflakes, 262
- Soda glass, 287
- Sodium chloride, 206
  - crystal structure, 254
  - structure, 206
- Soft magnetic material, 130
  - data, 130
- Solder, 354
- Solenoid, magnetic induction in, 123
- Solenoidal coil, inductance of, 122
- Solid solution:
  - interstitial, 268
  - ordered, 268
  - random, 268
  - substitutional, 268
  - supersaturated, 454
- Solid state devices, references, 615
- Solid state physics, references, 615
- Solidus, 436
- Solubility in polymers, 318
- Solubility versus temperature, 387
- Solution hardening, 529
- Solution heat treatment, 168
- Solution treating, 168, 454
- Solutionizing, 454
- Sommerfeld model of electrons in metals, 577
- sp<sup>2</sup> orbitals, 265
- sp<sup>3</sup> orbitals, 210
- Space defects, 267
- Space lattice, 235
- Spacings, interplanar, 245, 300, 301
- Spatial imperfections, 281
- Specific heat, 160
  - of solids, Einstein theory, 395
  - paradox, 570
- Specific stiffness, 72
- Specific tensile strength, 73
- Spectroscopy notation, 195
- Spherulites, 327
- Spontaneous emission, 611
- Spontaneous magnetization, 632

- Squareness ratio, 145
- Stacking sequence, 248
- Stainless steel, 466
  - austenitic, 466
  - corrosion properties, 489, 502
  - intergranular corrosion, 507
  - low temperature ductility, 69
- Stable structure, 171
- Standard oxidation electrode potentials, 485
  - data, 486
- Standard oxidation potential, data, 486
- Standard reference half-cell, 487
- State function, 374
- States of matter, 31
- Steady-state diffusion, 400
- Steel, 460
  - austenitic, 466
  - bainite formation, 461
  - Fe-Fe<sub>3</sub>C phase diagrams, 459
  - heat treatment, 168, 465
  - martensite formation, 461
  - pearlite formation, 460
  - Poisson's ratio, 61
  - shear modulus, 43
  - tensile yield stresses, 44
  - Young's modulus, 42
- Stereoisomers, 311
- Steric hindrance, 313
- Stern-Gerlach experiment, 224
- Stiffness constant:
  - cantilever beam, 32
  - coil spring, 41
  - rod in tension, 37
- Stiffness to weight ratio, 72
- Stiffness, specific, 72
- Stimulated emission, 611
- Stirling's approximation, 384
- Strain:
  - energy, elastic, 37
  - extension ratio, 33
  - hardening, 60, 531
  - hardening exponent, 62
  - hardening, origin, 535
  - nominal, 34
  - rate, 70, 558
  - real, 60
  - shear, 39
- Strength:
  - creep, 558
  - data, references, 562
  - dielectric, 114
  - fracture, 511, 518
  - high-temperature, 553
  - specific tensile, 73
  - tensile, 62, 511
  - yield, 515
- Strength (*Contd*)
  - yield, data, 44
- Strength of filaments, wires and whiskers, data, 545
- Strength versus microstructure, 527
- Strengthening concepts, 527
- Strengthening mechanisms:
  - at high temperatures, 553
  - composite, 528, 545
  - dispersed particles, 557
  - eliminate imperfections, 527
  - grain boundary, 538
  - lamellar structures, 544
  - martensite formation, 547
  - of piano wire (patented steel wire), 545, 565
  - of polymers, 559
  - of viscous matrices, 560
  - precipitates, 540
  - references, 562
  - second phase, 540
  - solute, 529
  - strain hardening, 535
- Stress:
  - critical resolved shear, 525
  - normal, 34
  - real, 60
  - shear, 38
  - shear yield, 41
  - tensile, 34
  - tensile fracture, 41
  - tensile yield, 35
  - tensile yield, data, 44
  - thermal, 151
  - units, 35
- Stress concentration, 65, 521
- Stress corrosion cracking, 499
- Structure, 22
- Structure insensitive property, 43
  - examples, 174
- Structure sensitive property, 43
  - examples, 174
- Styrene, 310
- Subcells, 537
- Substitutional solid solution, 268
- Superconducting critical field, 137
  - data, 137
- Superconducting critical temperature, 137
  - data, 137, 140
- Superconductivity, origin
  - Type I, 667
  - Type II, 667
- Superconductivity, references, 143, 674
- Superconductor, 102
  - high field, 139
  - synthetic hard, 363
  - Type I, 138

- Superconductor (*Contd*)  
 Type II, 139  
 Supercurrent, **665**  
 Supersaturated solid solution, 454  
 Supersaturation ratio, **421**  
 Surface area, 299  
 Surface coatings, 361, 501, 502, 503  
 Surface energy, **278**, 299, 420  
 Symmetry, 261  
   element, **262**  
   operations, **261**  
   references, 293  
 Syndiotactic, **311**  
 Synergism, **355**
- T**
- TD nickel, **558**  
 T-2 tanker, 67  
 Teflon, **314**  
 Temperature:  
   change, 151, 159, 165  
   field, 162  
   gradient, 154  
   scale, 373  
 Temperature, effects destroyed by, 163  
 Temperature effects on:  
   creep rate, 69  
   engine efficiency, 69  
   impact toughness, 68  
   strain hardened materials, 65  
   viscosity coefficients, 75, 76  
   yield strength, 64  
 Temperature, exponential effects, 163  
 Tempered, **168**  
   glass, 527  
   martensite, 465  
 Tempering, **465**  
 Tensile strength, **62**  
 Tensile stress, **34**  
 Tetrafluorethylene, 314  
 Tetragonal distortion, **530**  
 Tetrahedral bonds, **210**  
 Tetrahedral coordination, 251  
 Tetrahedral silica units:  
   amorphous, 285  
   chain, 300  
   double chain, 300  
   framework, 283, 284, 300  
   island, 300  
   sheet, 300  
 Tetrahedral void, **251**  
 Thermal arrest, **475**  
 Thermal conductivity coefficient, **154**  
   data, 155, 157, 158  
 Thermal diffusion time, **154**  
 Thermal diffusivity, **154**  
 Thermal efficiency, 69  
 Thermal emf's, data, 166  
 Thermal expansion coefficient:  
   data, 152  
   linear, 152  
   volume, 152  
 Thermal properties, references, 174  
 Thermal shock, 151  
 Thermal stresses, 151  
 Thermistor, **107**  
 Thermocouple, **165**  
   data, 166  
   materials, 166  
 Thermodynamics, references, 424  
 Thermoelastic effect, **165**  
 Thermoelectric generator, 167  
 Thermoelectric power, **166**  
 Thermoelectric refrigerator, 167  
 Thermometry, 373  
 Thermoplastic, **326**  
 Thermosetting, **326**  
 Thin magnetic films, **136**  
 Tie line, **438**  
 Time, relaxation, 80  
 Time-temperature-transformation curve,  
   **549**  
 Titanate, 118, 119, 345  
 Toughness, **64**  
   impact, 67  
   of infinite rods, 64  
*Trans* configuration, **317**  
 Transducers:  
   magnetostrictive, 134  
   piezoelectric, 119  
 Transformation kinetics:  
   condensation, 419  
   eutectic, 447  
   martensitic, 461  
   nucleation, 419  
   pearlitic, 460  
   precipitation, 453  
   solidification of alloy, 451  
 Transformations, 424  
   eutectic, 443  
   eutectoid, 446  
   ferromagnetic, 128  
   indifferent, 440  
   inversion, 446  
   melting, 446  
   peritectic, 446  
   peritectoid, 446  
   superconductive, 137  
 Transformer sheet, 649  
 Transistor, 608

Transmission electron:  
 micrograph, 24  
 microscopy, 31, 277  
 Transition, ductile to brittle, 68  
 Transition temperature, ductile to brittle, 68  
 Tridymite, 283  
 TTT curve, 549  
 Tunnel diode, 618

## U

Ultimate shear strength, theory, 515  
 Ultimate tensile strength, theory, 511  
 Uniaxially solidified eutectics, 450  
 Unit cell, 235  
 Universal gas constant, 373

## V

Vacancies, 269  
 Vacancy:  
 energy of formation, 386  
 data, 387  
 energy of motion, 397  
 data, 398  
 volume of formation, 386  
 Valence band, 582  
 Valence electrons, 213  
 van der Waals bonds, 217  
 van der Waals equation of state, 374  
 Velocity, drift, 568  
 Velocity of ideal gas molecules, 374  
 Vibration fatigue, 71  
 Vibrational frequencies of atoms, data, 394  
 Vibrations in solids, 395  
 Vinyl chloride, 310, 311  
 Vinyl compounds, 310  
 Viscoelastic behavior, 80  
 Viscosity coefficient, 75  
 data, 75  
 dependence on pressure, 89  
 dependence on temperature, 76  
 derivation, for gases, 377  
 units, 75  
 Viscous media, 74  
 Void per atom ratio, 252  
 Void radius ratio, 252  
 Volt, 99  
 Volume fraction rule, 545

Volume of formation of a vacancy, 386  
 Volume thermal expansion coefficient, 152  
 Vulcanization, 315

## W

Water of hydration, 360  
 Water molecule, 210  
 Waterproofing of cloth, 323  
 Wave function, 190  
 Wave vector, 579  
 Weber, 99  
 Westro, 647  
 Whiskers, 339, 358, 545  
 references, 366  
 size effect on strength, 358  
 White cast iron, 467  
 Wiedemann-Franz relationship, 175, 618  
 Wires, 545  
 Work function, 578  
 Work hardening, 60  
 Wurtzite, 256  
 Wustite, 271

## X

Xerography, 617  
 X-ray diffraction by crystals, 288  
 X-ray radiation, origin of, 226  
 X-ray small angle scattering, 456

## Y

Yield point, 59  
 Yield stress:  
 in shear, 41  
 in tension, 35  
 Young's modulus, 36

## Z

Zener diode, 606  
 Zeolite, 259  
 Zinc blende structure, 256  
 Zone leveling, 473  
 Zone refining, 472  
 references, 474