

# INDEX

- acicular 148, 230  
 acid durability 116  
 anisotropy 23, 29, 74, 230  
 annealing point 131  
 apatite formation, mechanism 155, 159  
 athermalization 301, 302  
 atomic force microscopy 247
- bandwidth 300  
 basalt 185  
 batteries (Li) 351  
 bending strength 96  
 bioactive properties 155, 162, 182  
 biocompatibility 3  
**BIOGLASS®** 155, 156, 312  
 biomaterials (*see also* dental biomaterials)  
   bioactive 155–157, 182  
   dental restorative 87, 130  
**BIOVERIT®** 138, 160–162, 193, 225, 313,  
   314–315  
 branching 70
- cabbage-head mica 141, 210  
 cathodes 351  
**CERABONE®A-W** 157, 313  
 Ceramic Matrix Composites 39  
 Ceran® 95  
**CERAVITAL®** 158–159, 314  
 Cericor® 98  
 chain silicates 6  
 chemical machining 72  
 chemical stability/durability 80, 105  
 cleavage 8, 110  
 coefficient of thermal expansion (CTE) 87,  
   130, 209, 215, 259, 272, 304–308,  
   351, 352, 353  
 color 3, 96, 248
- composite, of glass-ceramic and high-  
   strength polycrystalline ceramic  
   335–342  
 concentration quenching 285  
 configuration-coordinate diagram 287,  
   288  
 continuous cooling temperature (CCT)  
   diagram 82, 242, 243  
 cookware 97  
 Corning Incorporated 95, 98, 138, 269  
 crack deflection 110  
 crack opening displacement (COD) 249  
 Cr-doping 112  
 Crys-Cera® 190  
 crystal growth 59, 70, 71  
   activation energy 67  
   anisotropic growth 60, 62, 189  
   crystal growth rate 59, 66, 67, 234  
   crystal size 64, 172, 180  
   number of crystals 64, 172, 180  
   Ostwald ripening 172, 180, 213  
   primary growth 60  
   secondary growth 60  
   surface growth 60, 68, 126–130, 157,  
   177–179  
   volume/internal growth 75–88, 159–164,  
   175  
 crystal phases  
   acmite 186  
   agrellite 8, 148  
   akermanite 7, 151  
   Al<sub>4</sub>TiO<sub>8</sub> nuclei 133  
   albite 25, 30  
   AlPO<sub>4</sub> 34  
   amphibole 151  
   anatase 100  
   anorthite 6

- crystal phases (*cont'd*)
- apatites 32, 151, 155, 155–179, 237, 331–336, 341
  - barium silicate 8
  - beryl 5, 28
  - biological apatites 34, 155, 178
  - calcium hydroxyapatite 32, 156
  - calcium metaphosphate 36, 187, 190
  - canasite 8, 72, 145, 148, 149, 151, 230, 266
  - carnegieite 14, 207
  - celsian 30, 99, 131, 132, 134
  - chkalovite 79
  - chondrodite 136, 137, 260
  - chrysoberyl 28
  - clinoenstatite 110
  - clinopyroxene 14, 15
  - cordierite 7, 27, 28, 29, 30, 74, 105, 106, 108, 109, 208, 214, 250
  - crystalite 84, 103, 108, 154, 207, 208
  - diopside 7, 151, 164, 186
  - disphosphates 35
  - enstatite 6, 7, 105, 106, 108, 109, 110, 111, 186, 231, 232, 266
  - eucryptite 15, 305
  - fedorite 148
  - feldspar 79
  - fluoborate 137
  - fluor amphibole 7
  - fluorite 148
  - fluoroapatite 33, 159–164, 173–177
    - needlelike 165–178, 237, 331–336, 341
  - fluorocanasite 149
  - fluor mica 8, 135, 208, 250
  - fluorophlogopite 8, 159–164, 184, 219–230
  - fluorrichterite 7, 151
  - forsterite 5, 6, 105, 111, 137
  - frankamenite 150
  - fresnoite 233
  - gahnite 20, 117, 120, 209, 265, 285
  - gallate spinel 130
  - gehlenite 7, 22
  - geikielite 164
  - hexacelsian 131
  - humite 7
  - indialite 2, 106
  - kalsilite 23, 25, 26, 30, 102, 103
  - kaolinite 6
  - karrooite 106, 106, 109
  - keatite 207
  - leucite 23, 25, 30, 31, 113, 126–130, 173–179, 208, 214, 328, 329, 330, 331, 333, 335
  - LiNbO<sub>3</sub> 235
  - Li<sub>2</sub>ZrSi<sub>6</sub>O<sub>15</sub> 197
  - lithium disilicate 8, 49, 51, 75, 207, 236, 253, 267, 268, 322–342
  - lithium metasilicate 8, 49, 51, 75, 253, 322–342
  - lithium orthophosphate 36, 84
  - magnesium ferrite 184
  - magnetite 185
  - melilite 7, 353
  - merwinite 151
  - metaphosphate 36
  - mica 74, 135, 159
  - mlarite 29
  - miserite 72
  - monticellite 151
  - mullite 90, 131, 132, 134, 282, 284, 288
  - muscovite 6
  - NASICON 351
  - nepheline 9, 12, 14, 23, 24, 25, 26, 30, 99
  - nephrite jade 148
  - norbergite 7, 63, 136, 208, 260
  - olivine 185
  - orthoclase 6, 25, 30
  - orthophosphates 34
  - osumilite 27, 29, 30
  - oxyapatite 177–179
  - petalite 109
  - phlogopite 135, 136, 138, 144, 160, 208, 250, 260, 219–230
    - alkali free 141, 142
    - tetrasilicic 142, 143
  - plagioclase 185
  - pollucite 30, 31, 102, 103
  - potash feldspar 113
  - protoenstatite 110
  - pseudobrookite 208
  - pyroxene 185
  - rhenanite 166, 179–181
  - roedderite 30
  - rutile 97, 999, 106, 109, 133, 208
  - sillimanite 90
  - sinhalite 137
  - spinel 39, 118, 120, 121, 130, 144, 184, 208, 210, 265, 266, 286
  - spodumene 14
  - Sr-feldspar 131, 132

- taeniolite 152  
 thortveitite 5, 35  
 tielite 131, 132, 134, 304  
 TiO<sub>2</sub> 37  
 tohdite 133  
 tremolite 6  
 tridymite 101  
 virgilite 13  
 whitlockite 164  
 willemite 6, 7, 116, 119  
 wollastonite 7, 72, 114, 115, 116, 157, 214  
 yttrium aluminate garnet (YAG) 301  
 zincite 116, 119  
 zircon 109, 321  
 zirconia 106, 109, 116, 141, 144, 145, 148, 149  
 zirconium titanate 211  
 ZrO<sub>2</sub> 38, 336  
 ZrO<sub>2</sub>, monoclinic, baddeleyite 198  
 ZrO<sub>2</sub>, tetragonal 198, 336  
 α-quartz 107, 109, 208, 210  
 β-eucryptite 12, 19, 22, 93, 209, 301–307  
 β-quartz 92–94, 96, 97, 107, 109, 116, 118, 119, 207, 208, 209, 212, 271  
 β-spodumene 12–14, 20, 22, 74, 92–94, 97, 98, 110, 112, 207, 212, 213, 250  
 β-wollastonite 35  
 κ-alumina 133  
 crystallization 59, 91, 148, 149, 216, 230  
   oriented 234  
   surface 214, 218, 234  
   twofold 173, 178, 331  
 Cryston® 348  
  
 deformation 139  
 dendrites 109, 218  
 dendritic crystallization 70, 71, 72, 218  
 density 4, 116, 352  
 dental biomaterials, restoratives 240, 315–342  
   Ceramco® 335  
   Crys-Cera® 190  
   DICOR® 138, 143, 260, 264, 317, 327, 328  
   Ex-3 PRESS® 335  
   glass-ceramic and oxide ceramic 336, 340  
   ingot 319  
   IPS d.SIGN® 331–335  
   IPS e.max® 316–342  
   IPS Empress® 127–130, 316, 319, 320–340  
   IPS InLine® 335  
   leucite-apatite 331  
   leucite based 319–340  
   lithium disilicate 322–342  
   machinable 327–330  
   on metal framework 331  
   moldable 317  
   3G™ OPC® 324  
   veneering 331, 335–342  
 dental restoration 126–130, 319–342  
 devitrification 73  
 dielectric properties 105  
 differential scanning calorimetry (DSC) 82, 168  
 differential thermal analysis (DTA) 82, 83  
 diffusion controlled reaction 67, 233  
 dispersion toughening 149  
 displacive transformations 9  
 ductility 139  
  
 EDX-analysis 170–171, 174  
 elastic modulus 108, 266, 307, 310  
 electromelting 105  
 electro-optic switching 309  
 emission 285, 286  
 epitaxy 50, 52, 137  
 equilibrium 207  
 eutectic melting 15  
 evolved gas analysis 245  
 excited-state absorption 285, 288  
  
 fiber Bragg grating 301, 302, 308  
 flaw resistance 108  
 flexural strength 99, 100, 108, 112, 131, 143, 154, 352  
 fluorescence (=luminescence) 290, 297, 299  
 fortification by leaching 108  
 Fotoceram® 72, 78, 253–258  
 Fotoform® 78, 217, 253–258  
 Foturan® 254, 256, 259, 260  
 fracture surface energy 112  
 fracture toughness 110, 131, 144, 148, 150, 154, 231  
 framework silicates 6  
 fuel cells 352–353  
  
 gas-ceramics 196  
 Gibbs free energy 73

- glass-ceramic applications 252–353
  - consumer 252–269
  - dental (*see* dental biomaterials, restoratives)
  - medical 312, 315
  - optical 288–311
  - technical 252–269
- glass-ceramic frits 29, 81
- glass-ceramics, general
  - advantages 1
  - composition 1
  - definition 1
  - design of 4
  - processing 2
  - properties 1
- glass-ceramics, types
  - alkaline-phlogopite glass-ceramics 133–141
  - anosovite-type glass-ceramics 49
  - apatite glass-ceramics 155, 157, 158, 192–194, 326, 341
  - apatite-canasite glass-ceramics 151
  - apatite-leucite glass-ceramics 173–179, 331–336
  - apatite-magnesium titanate glass-ceramics 164, 165
  - apatite-wollastonite glass-ceramics 56, 157, 158
  - basalt glass-ceramics 185–187
  - canasite glass-ceramics 149, 150, 230
  - celsian-mullite-tielite glass-ceramics 134
  - chain silicate glass-ceramics 229
  - cordierite glass-ceramics 56, 105
  - cordierite-enstatite glass-ceramics 108
  - enstatite glass-ceramics 110, 231
  - enstatite-zircon glass-ceramics 146, 232
  - enstatite- $\beta$ -spodumene glass-ceramics 111
  - fluormica glass-ceramics 250, 260–264
  - fluorrichterite glass-ceramics 154
  - forsterite glass-ceramics 112–114, 293–297
  - gahnite glass-ceramics 288
  - lanthanum fluorite glass-ceramics 288–293
  - leucite glass-ceramics 126–130, 247, 315–342
  - lithium aluminosilicate glass-ceramics 250
  - lithium dilicate glass-ceramics 75–87, 253–259, 315–342
  - lithium metasilicate glass-ceramics 78, 329
  - lithium silicate glass-ceramics 250
  - metaphosphate glass-ceramics 187–190
  - mica glass-ceramics 53, 62, 138, 140, 220
  - mica-apatite glass-ceramics 159–164, 314
  - mica-ferrite glass-ceramics 182–185
  - mica-zirconia glass-ceramics 143–145
  - mullite glass-ceramics 91, 282, 284, 288
  - needlelike apatite glass-ceramics 165–173, 237, 341
  - oxyfluoride glass-ceramics 288–292
  - photosensitive glass-ceramics 253
  - pollucite glass-ceramics 105
  - pollucite-mullite glass-ceramics 104
  - rare-earth-doped glass-ceramics 288–293, 300
  - rhenanite glass-ceramics 179–181
  - slag sital glass-ceramics 123–126
  - spinel glass-ceramics 120–122, 130, 131, 265, 266, 299
  - tetrasilicic mica glass-ceramics 142
  - willemite glass-ceramics 119, 293
  - wollastonite glass-ceramics 114–116
  - zincite glass-ceramics 120, 311
  - Zn-stuffed  $\beta$ -quartz glass-ceramics 116–119
  - $\beta$ -eucryptite glass-ceramics 304–306
  - $\beta$ -quartz solid solution glass-ceramics 60, 93–97, 271–277
  - $\beta$ -quartz ss-spinel glass-ceramics 122
  - $\beta$ -spodumene glass-ceramics 250, 251
  - $\beta$ -spodumene solid solution glass-ceramics 60, 62, 97–99, 210
- glaze 100, 154
- grain growth
  - diffusion-controlled growth 71, 234
  - primary 73
  - secondary 73, 86
  - steady-state growth 71
- hardness 4, 107, 108, 116
- hermetic sealing 352
- high resolution scanning electron microscopy (HR-SEM), 85

- high resolution transmission electron microscopy (HR-TEM) 170–171, 212, 213
- high temperature X-ray-diffraction (HT-XRD) 82–84, 168
- human osteoblastic cells 181
- hysteresis 306
- implantology 193
- indentation 139
- integrated lens arrays 281, 282
- intergranular stress 29
- inversion 30, 31
- ion coloring 96
- ion exchange 99, 100, 101
- ionic conductivity 4, 351
- joining materials 352–353
- kinetics 45
- $K_{IC}$  (*see* toughness)
- lasers 285, 288, 297, 309
- latent heat of crystallization 70
- layered silicates 6
- light emitting diodes (LEDs) 301
- light scattering 108
- liquidus 74, 112
- Lowenstein's Rule 20, 303
- luminescence 92, 219, 282, 284–286
- machinability 137, 143, 260–264  
by CAD/CAM 130, 327, 328
- Macor® 138, 260–263
- magnetic memory disk substrates 265–268
- magnetic/ferromagnetic properties 183
- metastable phases 207
- microcracks 139, 304–307
- microstructure 1, 2, 96, 104, 136, 146, 153, 207, 209–251  
acicular 148, 230  
cabbage head 222–228  
cellular membrane 211–213  
coast-and-island 104, 214  
crystal network 235  
dendritic 216–218  
house-of-cards 137, 140, 210, 219, 220  
interlocking 108  
lamellar twinned 231, 232  
nanocrystal 237  
nanocrystalline 94, 96, 210, 212, 213  
nature as example 236  
relict 117, 118, 219, 218
- microwave absorption 101
- mirror blanks 97
- modulus of rupture (MOR) 116, 119
- morphology 1, 148, 152, 208
- multiplexing 301, 309
- Narumi® 95
- near-zero CTE 96, 98
- Neoceram® 95
- Neopariés 116
- Nippon Electric® 95
- nuclear magnetic resonance (NMR) 82, 85, 169, 172
- nucleating agents 8, 30, 86, 94, 95
- nucleation 4, 39, 94, 103, 121, 131, 136, 151, 152, 210, 212, 250, 285, 293  
chemical potential 40  
contact angle 42  
critical nucleation size 42  
epitaxy 50, 52  
Gibbs free energy 41  
heterogeneous 40, 43, 44, 77–87, 148, 149, 194, 309  
homogeneous 39, 77  
JMAK equation 45  
kinetics 39  
metal nuclei 49  
microimmiscibility 49  
microphase-separation 50  
nucleation number 47, 48  
nucleation rate 46, 48  
by phase separation 112, 117, 118, 136, 151  
steady- and nonsteady-state processes 46  
at surface between amorphous droplet and glassy matrix 84  
surface nucleation 4, 54, 77, 111, 126–130, 177–179  
twofold 173, 178, 331  
volume/internal nucleation 4, 49, 75–89, 111, 159–164, 175  
Young's equation 44
- OH<sup>-</sup>-groups 77, 155
- opacity 3
- opalescence 130
- optical connectors 310

- optical effects 288–311
  - absorption 285, 298, 299, 310, 311
  - amplification 288, 292, 294, 297, 309
  - bleaching 288
  - depolarization 289
  - dispersion 309
  - extinction 291
  - optical memory 285
  - quantum cutting 288, 293
  - upconversion 288, 289, 291
- oxide ceramics 321
- phase assemblage 4
- phase diagrams 16, 75, 90, 104, 107, 112, 113, 127, 132, 209
- phase separation, amorphous 77, 91, 97, 103, 117, 118, 119, 136, 137, 150, 151, 218, 251
- phase transformation 213
- phosphate(s) 20, 32
  - short-range structure 188
- photonics 112
- plasma displays 293
- PO<sub>4</sub>-tetrahedra, Q-groups 188
- polishability 96, 266
- polycrystalline silicon 266
- polymorphs 297
- powder compact 81, 175–179, 205, 245–247, 322, 344, 350
- processing
  - extrusion 235
  - machining
    - CAD/CAM 327
    - CEREC® 327
  - molding/pressing 240, 320, 335
  - sintering 331–335
  - veneering 331, 335–342
- properties 1, 2, 116, 132, 137, 211, 239, 240, 247, 255, 258, 259–265, 268, 271
  - biological 2, 3, 250
  - chemical 2, 80, 105, 250, 258, 273, 352
  - combinations 2
  - electrical 2, 249, 250, 258, 352
  - machinability 2, 8, 137, 220, 260, 327
  - magnetic 2, 183
  - mechanical 2, 3, 248, 307
  - optical 2, 3, 278, 285
  - thermal 2, 3, 306, 318, 332
- pump power 299
- quantum efficiency 285, 299
- radomes 109
- range-tops 97
- Rayleigh ratio 289
- recrystallization 74
- refining agents 96
- refractive index 19, 81
- refractory 91, 105
- relict spinodal 117, 118
- residual glass 1, 74, 96, 107, 134, 285
- ring silicates 4, 26
- Rietveld refinement 243
- salt bath 100
- scaffold 156
- scanning electron microscopy 85, 87, 88, 97, 115, 129, 167, 170–171
- scattering 285, 309
- Schott AG 95, 278
- second harmonic generation 209
- secondary phases 98
- self-nucleation 103, 104
- silica polymorphs 9
  - cristobalite 70
  - keatite 12, 20, 22
  - quartz 6, 15
  - short-range structure, Q-groups 188, 189
  - tridymite 9, 22, 24
  - α-cristobalite 11
  - α-quartz 9, 18
  - β-cristobalite 11, 12
  - β-quartz 9, 13, 14, 15, 17, 18, 19, 74
- silicates 4
  - cyclosilicates 4, 7
  - inosilicates 6, 7
  - nesosilicates 4
  - phyllosilicates 6, 8
  - short-range structure 77, 84, 188
  - sorosilicates 4, 7
  - tectosilicates 6, 8
- silver, colloidal 78
- simulated body fluid (SBF) 157, 180

- $\text{SiO}_4$ -tetrahedra/Q-groups 77, 84, 188  
 solar cells 92, 266, 293  
 solar concentrators 281–285  
 sol-gel 111, 156, 210  
 solid oxide fuel cell (SOFC) 352  
 solid solution 7, 12, 14, 92, 93, 94, 97,  
     107, 109, 134, 207, 209, 210,  
     212  
 solid-state reactions 207  
     parallel 169, 179  
 spherulitic crystallization 70, 72  
 spinodal intergrowth 117, 118, 119,  
     251  
 strength, flexural 3, 80, 87, 96, 107, 130,  
     157  
 stress-strain 139  
 stuffed derivative 12, 15, 19, 22–30, 96,  
     100, 115, 116, 117, 118, 119,  
     154  
 superconductivity 4  
 superlattice reflections 20  
 systems/chemical systems of glass-  
     ceramics  
      $\text{Li}_2\text{O}-\text{Fe}_2\text{O}_3-\text{P}_2\text{O}_5-\text{Nb}_2\text{O}_5$  351  
      $\text{P}_2\text{O}_5-\text{CaO}$  187  
      $\text{P}_2\text{O}_5-\text{CaO}-\text{TiO}_2$  191  
      $\text{P}_2\text{O}_5-\text{SiO}_2-\text{Li}_2\text{O}-\text{ZrO}_2$  196–199  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{CaO}$  123–126  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{CaO}-\text{Na}_2\text{O}-\text{K}_2\text{O}-\text{P}_2\text{O}_5-\text{F}$   
         165–173  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{Cs}_2\text{O}$  102–104  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{FeO}-\text{Fe}_2\text{O}_3-\text{K}_2\text{O}$  182–185  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{FeO}-\text{K}_2\text{O}$  112, 113  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{K}_2\text{O}$  218  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{K}_2\text{O}-(\text{Na}_2\text{O})$  126–130  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{K}_2\text{O}-\text{CaO}-\text{P}_2\text{O}_5-\text{F}$  218  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{Li}_2\text{O}$  13, 14, 50, 60, 61, 62,  
         63, 92  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{MgO}$  51, 110, 208  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{MgO}-\text{CaO}-\text{Na}_2\text{O}-\text{K}_2\text{O}-$   
          $\text{P}_2\text{O}_5-\text{F}$  159–164  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{MgO}-\text{CaO}-\text{ZrO}_2-\text{F}$   
         143–145  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{MgO}-\text{K}_2\text{O}$  112, 113  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{MgO}-\text{Li}_2\text{O}$  15, 16, 209  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{MgO}-\text{ZnO}$  210  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{MgO}-\text{ZnO}-\text{Li}_2\text{O}$  15, 19  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{Na}_2\text{O}-\text{K}_2\text{O}$  25, 26, 27  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{Na}_2\text{O}$  99  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{Na}_2\text{O}-\text{BaO}$  89  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{SrO}-\text{BaO}$  131  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{Y}_2\text{O}_3-\text{Gd}_2\text{O}_3$  301  
      $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{ZnO}$  116  
      $\text{SiO}_2-\text{B}_2\text{O}_3-\text{MgO}-\text{BaO}-\text{ZnO}$  352  
      $\text{SiO}_2-\text{CaO}-\text{Na}_2\text{O}-\text{P}_2\text{O}_5$  155–157  
      $\text{SiO}_2-\text{CaO}-\text{R}_2\text{O}-\text{F}$  145  
      $\text{SiO}_2-\text{CaO}-\text{SrO}-\text{ZnO}-\text{B}_2\text{O}_3-\text{TiO}_2$   
         352  
      $\text{SiO}_2-\text{Ga}_2\text{O}_3-\text{Al}_2\text{O}_3-\text{Li}_2\text{O}-\text{Na}_2\text{O}-\text{K}_2\text{O}$   
         130, 297  
      $\text{SiO}_2-\text{Li}_2\text{O}$  75  
      $\text{SiO}_2-\text{Li}_2\text{O}-\text{Al}_2\text{O}_3-\text{CaO}-\text{ZrO}_2-\text{P}_2\text{O}_5$   
         80  
      $\text{SiO}_2-\text{Li}_2\text{O}-\text{Al}_2\text{O}_3-\text{K}_2\text{O}-\text{CeO}_2$  78  
      $\text{SiO}_2-\text{Li}_2\text{O}-\text{Al}_2\text{O}_3-\text{K}_2\text{O}-\text{P}_2\text{O}_5-\text{ZnO}-\text{La}_2\text{O}_3$   
         81  
      $\text{SiO}_2-\text{Li}_2\text{O}-\text{Al}_2\text{O}_3-\text{K}_2\text{O}-\text{P}_2\text{O}_5-\text{ZrO}_2$   
         81  
      $\text{SiO}_2-\text{Li}_2\text{O}-\text{Al}_2\text{O}_3-\text{K}_2\text{O}-\text{ZnO}-\text{P}_2\text{O}_5$  80  
      $\text{SiO}_2-\text{Li}_2\text{O}-\text{ZrO}_2-\text{P}_2\text{O}_5$  52  
      $\text{SiO}_2-\text{MgO}-\text{CaO}-\text{P}_2\text{O}_5$  157  
      $\text{SiO}_2-\text{MgO}-\text{CaO}-\text{P}_2\text{O}_5-\text{F}$  179, 181  
      $\text{SiO}_2-\text{MgO}-\text{CaO}-\text{R}_2\text{O}-\text{F}$  151–155  
      $\text{SiO}_2-\text{MgO}-\text{CaO}-\text{TiO}_2-\text{P}_2\text{O}_5$  164,  
         165  
      $\text{SiO}_2-\text{MgO}-\text{Na}_2\text{O}-\text{K}_2\text{O}-\text{CaO}-\text{P}_2\text{O}_5$  157,  
         158  
      $\text{SiO}_2-\text{R}_2\text{O}_3-\text{MgO}-\text{RO}-\text{R}_2\text{O}-\text{F}$  135,  
         141  
 tableware 98  
 teeth, natural 176  
 telescope mirrors 278, 279  
 thermal conductivity 107  
 thermal expansion 4, 17, 19, 22, 74, 97, 98,  
     99, 102, 116, 134, 154, 209, 230,  
     304, 305  
 thermal stability 105  
 three dimensional displays 291  
 time-temperature-transformation (TTT)  
     diagram 57  
 tomography 301  
 toughness,  $K_{IC}$  79, 87, 130, 165, 190, 199,  
     249, 327, 329, 336  
 transformation toughening 145  
 transition metals 96  
 translucency 3, 81, 87, 130, 143, 219,  
     322–342

**414 INDEX**

transmission electron microscopy (TEM)  
114, 129, 158, 170–171, 174  
transparency 3, 120, 130, 211, 282, 283,  
299, 300  
twinning 110, 231  
    polysynthetic 129

viscosity 8, 66, 70, 105, 154, 210  
Vision® 95

waveguide fibers 295, 300  
wavelength conversion 309  
Weibull modulus 112  
woodstove windows 97

X-ray diffraction 82–86, 168

ZBLAN® 289, 292  
Zerodur® 95, 277–279