

Index

- Activation energy for flow, 45
- Andrade equation (*see* Arrhenius equation)
- Angle of repose, 318, 319
- Arrhenius equation, 45
- Associative thickeners, 82–86

- Bagley correction, 17
- Bingham plastic, 3, 252, 313
- Blake-Kozeny equation, 357
- Body forces, 8
- Boger fluids (*see* Ideal elastic liquids)
- Boltzmann superposition principle, 125–127

- Capillary number, 290
- Carreau equation, 36, 65
- Casson equation, 253
- Chain entanglements, 38
- Chain scission, 161
- Chemorheology, 332
- Cholesteric phase, 171
- Coefficient of internal friction, 318
- Consistency index, 35
- Constitutive equation, 11

- Contraction flow (*see* Converging flow)
- Converging flow, 162–163
- Coulomb equation, for powders, 321
- Cox-Merz rule, 137
 - modified, for suspensions, 253
- Crosslinking (*see* Thermosetting polymers)

- Damping function, 136
- Darcy's law, 356
- Deborah number, 98, 355
- Die swell, 94
 - first normal stress difference from, 104–107
- Dynamic mechanical properties, 117–137
 - for determination of molecular weight, 123–124
 - of polymer solutions, 131–135
 - relevance to nonlinear viscoelasticity, 135–137

- Einstein equation, 65, 226, 287
- Electrorheology, 259–261
- Elongational viscosity (*see* Viscosity, extensional)

- Emulsions, 284–300
 - coalescence in shear flow, 292–294
 - concentrated, rheology of, 294–299
 - dilute, viscosity of, 287
 - drop deformation and breakup in flow of, 288–291
 - dynamic mechanical properties of, 292
 - formulation of, 285
 - morphological hysteresis in, 294
 - normal stress differences of, 291–292
- Engineering polymers, 266
- Ergun equation, 357
- Exit pressure method, 103
- Extension thickening, 141
- Extensional flow, 7
- Fiber spinning, 155–162
 - nonisothermal, 158
- Fiber suspensions, 266–281
 - concentrated, 275–280
 - dilute, 268–271
 - extensional viscosity of, 270
 - semiconcentrated, 271–275
 - extensional viscosity of, 271
- Flow curve, 16
- Foams, 304–305, 308–314
 - viscosity of, 311–314
 - yielding of, 308–311
- FRPs, 333
- Gas-containing polymers, viscosity of, 305–308
- Gel, 332
- Gelation, 334, 344–348
- Gel strength, 347
- Glass transition temperature, 44
 - measurement of, 118–119
 - relation to degree of cure, 344
- Hagen-Poiseuille equation, 16
- Heat-deflection temperature, 266
- Herschel-Bulkley model, 252
- Hole pressure measurements, 107–108
- Huggins equation, 66
- Hydraulic diameter, 356
- Ideal elastic liquids, 102
- Instabilities in fluid flow, 375–376
- Isoelectric point, 251
- Jet thrust, 108–109
- Krieger-Dougherty equation, 229
- Laun's rule, 137
- Linear viscoelasticity (*see* Boltzmann superposition principle)
- Liquid-crystal polymer rheology, 170–194
 - extensional flow, 190–192
 - isotropic state, 175–181
 - polydomains, 192–194
- Lodge rubberlike liquid (*see* Network models)
- Loss modulus, 6, 117
- Lyotropic polymers, 170
- Mark-Houwink-Sakurada equation, 66–67
- Martin equation, 70
- Material functions, 10
- Maxwell element, 128
- Maxwell equation, 150
- Melt flow index, 58
- Melt fracture, 375–383
 - and wall slip, 379–383
- Mesophase, 170
- Nematic phase, 171
 - rheological behavior, 181–190
- Network models, 102, 150
- Normal stress coefficients, 6
- Normal stress differences, 5, 89–113
 - first:
 - from dynamic mechanical data, 90
 - low-shear-rate behavior, 96–103
 - measurement at high shear rates, 103–109
 - negative values, 174, 181
 - measurement of, 22–26
 - of polymer solutions, 99
 - second, measurement of, 109–112
- Normal stress extruder, 96

- Oldroyd model B, 155, 370
- Permeability, 357
 measurement of, 360–362
 orthotropic, 363
- Phan-Thien and Tanner model, 151
- Plasticizers, 57
- Porous media, flow through, 352–371
 capillary model, 355–357
 dimensional considerations, 354–355
 dual scale, 367
 effect of shear-thinning viscosity, 358–360
 effect of viscoelasticity, 367–371
 fibrous beds, 362–365
 periodically constricted tube model, 365–366
- Powders, 316–330
 cohesive, 320
 consolidated, 325
 rapid granular flow of, 326–329
 slip plane in, 324
 slow frictional flow of, 323–326
 viscometers for, 317–319
- Pot life, 334
- Power-law equation, 35
- Power-law index, 35
- Pressure, 4
- Pseudoplastic, 35
- Rabinowitsch correction, 16
- Recoverable shear, 97, 378
- Relaxation time, 36, 98, 129
 spectrum, 129–131
- Reptation, 40
- Rheometers (*see* Viscometers)
- Rigid-rod polymers, 170–194
 dumbbell model, 179–180
 wormlike chain, 180
- Rouse model, 71, 133
- Rutgers-Delaware correlation, 253
- Scott equation, 31
- Segre-Silberberg effect, 217
- Sharkskin, 376, 377
- Shear rate, 3
- Slip at wall, 197–199
 Mooney analysis, 211
 prevention of, 216
 relation to melt fracture, 379–383
 velocity measurement, 210–216
- Smectic phase, 171
- Stick-slip phenomenon, 197
 in melt fracture, 376
- Storage modulus, 6, 117
- Strain hardening, 141
- Stress:
 tensor, 9
 vector, 9
- Stress relaxation modulus, 127–131
- Surface forces, 8
- Surfactants, 80–82
- Suspensions, 224–262
 extensional viscosity of, 246
 first normal stress difference of, 242
 flocculated, 246–259
 extensional data, 253–257
 yield stress in, 249–253
 hard-sphere behavior, 235–239
 particle migration, 217–219
 shear thickening in, 239–241
 steric stabilization of, 248
 storage modulus of, 242
 unstable, 200–204
 viscosity of, 226–241
- Tensile stress growth coefficient, 140
- Terminal region, 121
- Thermorheological simplicity, 47
- Thermosetting polymers, 332–349
 characterization using a DSC, 336–339
 curing models, 339
 extent of reaction, 335
 TTT cure diagram, 349
 viscosity as a function of conversion, 340–344
- Thermotropic polymers, 173
- Thixotropy, in suspensions, 257–259
- Tilted trough, 112
- Time-temperature superposition (*see also* Viscosity master curves):
 of dynamic mechanical data, 121–123

Torque rheometer, 28–30

Trouton's ratio, 140

Vane method, for yield stress, 207–209

Velocity gradient, 3

Viscometers:

Brookfield, 22

capillary, 14–19

coaxial cylinder, 20–22

for settling slurries, 201

cone and plate, 22–24

constant stress mode, 24

Couette (*see* Coaxial cylinder)

falling body, 75, 239

helical screw, 202

opposed nozzle, 163

oscillating, 118

parallel plate, 24–26

eccentric rotating disk mode, 26

sliding plate, 26–28

slit, 19

spinline, 155–162

squeezing flow, 30–32, 203, 210

torsional balance, 107

Viscometric flow, 2

Viscosity, 3

apparent, 34

bead-spring theory of, 71

Bueche theory of, 70

complex, 6

dynamic, 6

extensional, 8, 140–165

apparent, 155, 157

low-stretch-rate behavior, 143–155

measurement techniques for melts,
143–145

measurement techniques for solu-
tions, 151–155

[Viscosity]

intrinsic, 65–68

master curves for molten polymers,
51–57

master curves for polymer solutions,
76–77

of polyelectrolytes, 77–80

relative, 65

shear thinning, 4

of polymer melts, 51–58

of polymer solutions, 76–77

specific, 70

zero shear rate, 35

from dynamic mechanical data,
37

effect of chain branching, 41

effect of molecular weight, 37

effect of molecular weight distribu-
tion, 41

effect of pressure, 48–51

effect of temperature, 43–48

of polymer solutions, 68–75

Vitrification, 339, 348–349

Weissenberg effect, 95

for second normal stress difference
measurement, 112

Weissenberg number, 378

White-Metzner equation, 155

WLF equation, 45

effect of pressure, 75

Yield stress, 3

and adhesion, 197

measurement of, 204–210

Zeta potential, 251

Zimm model, 133–134