

Materials Index

A

ABS 1

- Fire retardant 1
- 30% Glass fibre reinforced 2
- High heat 3
- High heat; UV stabilised 4
- High impact 5
- High impact; UV stabilised 6
- Low gloss 6
- Medium impact 7
- Plating 8
- Structural foam 9
- Transparent 10

ABS/PC Alloy 11

ABS/PSul Alloy 12

ABS/PVC Alloy 13

Acetal 14

- Copolymer 14
- Copolymer; 2% silicone lubricated 17
- Copolymer; 30% carbon fibre reinforced 15
- Copolymer; 30% glass fibre coupled 16
- Copolymer; UV stabilised 17
- Homopolymer 19
- Homopolymer; glass fibre reinforced 20
- Homopolymer; PTFE lubricated 20
- Homopolymer; UV stabilised 21

Acetal/Elastomer Alloy 18

- Super tough 18

Acrylate Styrene Acrylonitrile 30

Acrylic 22

- Cast sheet 23
- Casting 22
- General purpose 24
- High impact 25

Acrylonitrile Butadiene Styrene 1

- Fire retardant 1
- 30% Glass fibre reinforced 2
- High heat 3
- High heat; UV stabilised 4
- High impact 5
- High impact; UV stabilised 6
- Low gloss 6
- Medium impact 7

Plating 8

Structural foam 9

Transparent 10

Acrylonitrile Butadiene Styrene/Polycarbonate Alloy 11

Acrylonitrile Butadiene Styrene/Polysulphone Alloy 12

Acrylonitrile Butadiene Styrene/ Polyvinylchloride Alloy 13

Alkyd 26

- Long glass fibre reinforced; high impact 26
- Mineral & glass fibre reinforced 27
- Mineral & glass fibre reinforced; fire retardant 28
- Mineral filled 27
- Short glass fibre reinforced 29
- Short glass fibre reinforced; fire retardant 29

ASA 30

C

CA 31

CAB 32

CEE TPE 33

- TPE 40D 33
- TPE 55D 34
- TPE 72D 35

Cellulose Acetate 31

Cellulose Acetate Butyrate 32

Cellulose Propionate 35

Chlorinated Polyethylene 36

Chlorinated Polyvinyl Chloride 37

Chlorinated PVC 37

Chlorotrifluoroethylene 38

Coether Ester based Thermoplastic

Elastomer 33

- TPE 40D 33
- TPE 55D 34
- TPE 72D 35

CP 35

CPE 36

CPVC 37

Crosslinked Polyethylene 307

CTFE 38

D

DAIP 39

- Long glass fibre reinforced 39
- Mineral filled 40
- Short glass fibre reinforced 41

DAP 41

- Long glass fibre reinforced 42
- Long glass fibre reinforced; fire retardant 42
- Mineral and synthetic fibre filled 44
- Mineral filled 43
- Short glass fibre reinforced 45
- Short glass fibre reinforced; fire retardant 45

Diallyl Isophthalate 39

- Long glass fibre reinforced 39
- Mineral filled 40
- Short glass fibre reinforced 41

Diallyl Phthalate 41

- Long glass fibre reinforced 42
- Long glass fibre reinforced; fire retardant 42
- Mineral and synthetic fibre filled 44
- Mineral filled 43
- Short glass fibre reinforced 45
- Short glass fibre reinforced; fire retardant 45

E

ECTFE 46

- Glass fibre filled 47

EEATPE 48

- TPE 40D 49
- TPE 63D 49
- TPE 70A 48

Epoxies 50

- Casting; aluminium filled 57
- Casting; glass filled 58
- Casting; mineral filled 59
- Casting; silica filled 60
- Laminate; carbon fibre prepreg 51
- Laminate; glass fabric 51
- Laminate; glass prepreg 52
- Laminate; Kevlar prepreg 53
- MC; fire retardant; mineral and glass fibre reinf. 57
- MC; glass fibre reinforced 54
- MC; high heat; glass fibre reinforced 54
- MC; mineral and glass fibre reinforced 56
- MC; mineral filled 55

- Resin; flexible 61
- Resin; general purpose 61
- Resin; high heat 62

ETFE 63

- 30% Carbon fibre filled 65
- 10% Glass fibre filled 64
- 30% Glass fibre filled 65

Etherester Amide based Thermoplastic

Elastomer 48

- TPE 40D 49
- TPE 63D 49
- TPE 70A 48

Ethylene-Chlorotrifluoroethylene 49

- Glass fibre filled 47

Ethylene-Propylene Copolymer 66

Ethylene-Tetrafluoroethylene 63

- 30% Carbon fibre filled 65
- 10% Glass fibre filled 64
- 30% Glass fibre filled 65

Ethylene-Vinyl Acetate 67

- 12% VA 67
- 25% VA 68
- 33% VA 69

EVA 67

- 12% VA 67
- 25% VA 68
- 33% VA 69

F

FEP 70

- 20% glass fibre coupled 71

Fluorinated Ethylene-Propylene 70

- 20% glass fibre coupled 71

Furane 71

H

HDPE 72

- MDPE 74
- UV stabilised 73

High Density Polyethylene 72

- MDPE 74
- UV stabilised 73

High Impact Polystyrene 75

- Fire retardant 76
- UV stabilised 77

HIPS 75

- Fire retardant 76
- UV stabilised 77

I

IONOMER 78

L

LDPE 79

- UV stabilised 80

Linear Low Density Polyethylene 81

LLDPE 81

Low Density Polyethylene 79

- UV stabilised 80

M

MDPE 74

Melamine 82

Melamine Formaldehyde 82

MF 82

N

Nylon - Transparent 150

- Amorphous; 30% glass fibre reinforced 151

Nylon 11 137

- 30% Carbon fibre reinforced 138
- Fire retardant 139
- Flexible 139
- 30% Glass fibre reinforced 140
- Semi flexible 141
- UV stabilised 142

Nylon 12 143

- Fire retardant 144
- Flexible 144
- 30% Glass fibre reinforced 146
- 50% Glass bead filled 145
- Semi flexible 147
- UV Stabilised 148

Nylon 4/6 86

Nylon 6 87

- 30% Carbon fibre reinforced 88
- Casting 89
- Elastomer copolymer 90

Fire retardant 91

- 10% Glass fibre reinforced 95
- 25% Glass bead filled 92
- 30% Glass fibre reinforced 96
- 30% Glass fibre reinforced; fire retardant 97
- 50% Glass bead filled 93
- 60% Glass fibre reinforced 98
- Glass fibre and bead reinforced 94
- High impact 99
- Mineral filled 100
- Molybdenum disulphide lubricated 101
- 20% PTFE lubricated 102
- 2% Silicone lubricated 103
- Stampable sheet; glass fibre reinforced 104
- UV stabilised 105

Nylon 6/10 126

- 30% Carbon fibre reinforced 127
- Fire retardant 127
- 10% Glass fibre reinforced 128
- 30% Glass fibre reinforced 129
- 20% PTFE lubricated 130
- 2% Silicone lubricated 130

Nylon 6/12 133

- 30% Carbon fibre reinforced 132
- Fire retardant 133
- 10% Glass fibre reinforced 134
- 30% Glass fibre reinforced 135
- 20% PTFE lubricated 135
- 2% Silicone lubricated 136

Nylon 6/6 124

- 10% Carbon fibre reinforced 108
- 30% Carbon fibre reinforced 109
- Fire retardant 110
- 10% Glass fibre reinforced 112
- 33% Glass fibre reinforced 113
- 40% Glass bead filled 111
- 60% Glass fibre reinforced 114
- Glass fibre and bead reinforced 115
- High impact 116
- 40% Mineral filled 117
- Molybdenum disulphide lubricated 118
- 20% PTFE lubricated 119
- Supertough 120
- Supertough; 33% glass fibre reinforced 122
- Supertough; fire retardant 121
- UV stabilised 123

Nylon 6/6-6 124

Nylon 6/9 125
Nylon RIM 149
Nylon/ABS Alloy 152
Nyrin 149

O

OI TPE 83
TPE 65A 83
TPE 85A 84
TPE 93A 85
Olefinic based Thermoplastic Elastomer 83
TPE 65A 83
TPE 85A 84
TPE 93A 85
Olefinic TPE 83
TPE 65A 83
TPE 85A 84
TPE 93A 85

P

PA 11 137
30% Carbon fibre reinforced 138
Fire retardant 139
Flexible 139
30% Glass fibre reinforced 140
Semi flexible 141
UV stabilised 142
PA 12 143
Fire retardant 144
Flexible 144
30% Glass fibre reinforced 146
50% Glass bead filled 145
Semi flexible 147
UV Stabilised 148
PA 4/6 86
PA 6 87
30% Carbon fibre reinforced 88
Casting 89
Elastomer copolymer 90
Fire retardant 91
25% Glass bead filled 92
50% Glass bead filled 93
Glass fibre and bead reinforced 94
10% Glass fibre reinforced 95
30% Glass fibre reinforced 96
30% Glass fibre reinforced; fire retardant 97

60% Glass fibre reinforced 98
High impact 99
Mineral filled 100
Molybdenum disulphide lubricated 101
20% PTFE lubricated 102
2% Silicone lubricated 103
Stampable sheet; glass fibre reinforced 104
UV stabilised 105

PA 6/10 126
30% Carbon fibre reinforced 127
Fire retardant 127
10% Glass fibre reinforced 128
30% Glass fibre reinforced 129
20% PTFE lubricated 130
2% Silicone lubricated 130

PA 6/12 131
30% Carbon fibre reinforced 132
Fire retardant 133
10% Glass fibre reinforced 134
30% Glass fibre reinforced 135
20% PTFE lubricated 135
2% Silicone lubricated 136

PA 6/6 106
10% Carbon fibre reinforced 108
30% Carbon fibre reinforced 109
Fire retardant 110
10% Glass fibre reinforced 112
33% Glass fibre reinforced 113
40% Glass bead filled 111
60% Glass fibre reinforced 114
Glass fibre and bead reinforced 115
High impact 116
40% Mineral filled 117
Molybdenum disulphide lubricated 118
20% PTFE lubricated 119
Supertough 120
Supertough; 33% glass fibre reinforced 122
Supertough; fire retardant 121
UV stabilised 123

PA 6/6-6 124
PA 6/9 125
PA RIM 149
PA Transparent 150
Amorphous; 30% glass fibre reinforced 151
PA/ABS Alloy 152
PAI 153
Glass fibre reinforced 154

- Graphite filled 154
- PAr 155**
- PB 156**
- PBT 157**
 - 30% Carbon fibre reinforced 158
 - Fire retardant 159
 - 10% Glass fibre reinforced 160
 - 20% Glass fibre reinforced; fire retardant 161
 - 30% Glass bead filled 159
 - 30% Glass fibre reinforced 162
 - 30% Glass fibre reinforced; fire retardant 163
 - 45% Mineral and glass filled 164
 - 15% PTFE lubricated 165
 - 2% Silicone lubricated 166
 - Structural foam 166
 - UV stabilised 167
- PC 168**
 - 30% Carbon fibre reinforced 169
 - Fire retardant 170
 - 20% Glass fibre reinforced 171
 - 30% Glass fibre reinforced 172
 - High flow 173
 - 15% PTFE lubricated 174
 - Structural foam 174
 - UV stabilised 175
- PC/PBT Alloy 176**
- PE - Chlorinated 36**
- PE - Crosslinked 307**
- PE - High Density 72**
 - MDPE 74
 - UV stabilised 73
- PE - Linear Low Density 81**
- PE - Low Density 79**
 - UV stabilised 80
- PE - Ultra-High Molecular Weight 302**
- PE Foam 177**
- PEEK 178**
 - 30% Carbon fibre reinforced 179
 - 10% Glass fibre reinforced 180
 - 20% Glass fibre reinforced 180
 - 30% Glass fibre reinforced 181
- PEI 182**
 - 10% Glass fibre reinforced 183
 - 20% Glass fibre reinforced 184
 - 30% Glass fibre reinforced 184
- Perfluoroalkoxyethylene 211**
 - 20% Glass fibre reinforced 212
- PES 185**
 - 30% Carbon fibre reinforced 186
 - 30% Glass fibre reinforced 188
- PET 189**
 - Amorphous 189
 - Crystalline 190
 - Fire retardant 191
 - 15% Glass fibre reinforced; high impact 192
 - 30% Glass fibre reinforced; fire retardant 192
 - 30% Glass fibre reinforced; high impact 193
 - 35% Glass fibre reinforced; supertough 194
 - 36% Glass fibre reinforced 195
 - 45% Glass fibre reinforced 195
 - 55% Glass fibre reinforced 196
 - 35% Mica and glass fibre reinforced 197
 - 45% Mineral and glass fibre reinforced; fire ret. 198
 - Mineral filled 198
 - UV stabilised 199
- PF 200**
 - Cellulose filled; shock resistant 200
 - Chopped fabric filled; medium impact 201
 - Cotton filled; medium shock 202
 - Foam 203
 - Glass fibre reinforced; high impact 204
 - Laminate; cotton fabric 205
 - Laminate; glass fabric 205
 - Laminate; paper 206
 - Mica and glass fibre reinforced; electrical 208
 - Mica filled; electrical 207
 - Mineral filled; high heat 209
 - Natural fibre filled; general purpose 209
 - Wood filled; general purpose 210
- PFA 211**
 - 20% Glass fibre reinforced 212
- Phenol Formaldehyde 200**
 - Cellulose filled; shock resistant 200
 - Chopped fabric filled; medium impact 201
 - Cotton filled; medium shock 202
 - Foam 203
 - Glass fibre reinforced; high impact 204
 - Laminate; cotton fabric 205
 - Laminate; glass fabric 205
 - Laminate; paper 206
 - Mica and glass fibre reinforced; electrical 208
 - Mica filled; electrical 207
 - Mineral filled; high heat 209

- Natural fibre filled; general purpose 209
- Wood filled; general purpose 210
- Phenolic 200**
 - Cellulose filled; shock resistant 200
 - Chopped fabric filled; medium impact 201
 - Cotton filled; medium shock 202
 - Foam 203
 - Glass fibre reinforced; high impact 204
 - Laminate; cotton fabric 205
 - Laminate; glass fabric 205
 - Laminate; paper 206
 - Mica and glass fibre reinforced; electrical 208
 - Mica filled; electrical 207
 - Mineral filled, high heat 209
 - Natural fibre filled; general purpose 209
 - Wood filled; general purpose 210
- PI 213**
 - 40% Glass fibre reinforced 214
 - 25% Graphite lubricated 215
 - Molybdenum disulphide lubricated 215
 - PTFE lubricated 216
- Plasticised Polyvinyl Chloride 255**
 - >300% Elongation 257
 - 0 - 100% Elongation 255
 - 100 - 300% Elongation 256
- Plasticised PVC 255**
 - >300% Elongation 257
 - 0 - 100% Elongation 255
 - 100 - 300% Elongation 256
- PMMA 22**
 - Cast sheet 23
 - Casting 22
 - General purpose 24
 - High impact 25
- Polyallomer 66**
- Polyamide - Transparent 150**
 - Amorphous; 30% glass fibre reinforced 151
- Polyamide 11 137**
 - 30% Carbon fibre reinforced 138
 - Fire retardant 139
 - Flexible 139
 - 30% Glass fibre reinforced 140
 - Semi flexible 141
 - UV stabilised 142
- Polyamide 12 143**
 - Fire retardant 144
 - Flexible 144
- 30% Glass fibre reinforced 146
- 50% Glass bead filled 145
- Semi flexible 147
- UV Stabilised 148
- Polyamide 4/6 86**
- Polyamide 6 87**
 - 30% Carbon fibre reinforced 88
 - Casting 89
 - Elastomer copolymer 90
 - Fire retardant 91
 - 10% Glass fibre reinforced 95
 - 25% Glass bead filled 92
 - 30% Glass fibre reinforced 96
 - 30% Glass fibre reinforced; fire retardant 97
 - 50% Glass bead filled 93
 - 60% Glass fibre reinforced 98
 - Glass fibre and bead reinforced 94
 - High impact 99
 - Mineral filled 100
 - Molybdenum disulphide lubricated 101
 - 20% PTFE lubricated 102
 - 2% Silicone lubricated 103
 - Stampable sheet; glass fibre reinforced 104
 - UV stabilised 105
- Polyamide 6/10 126**
 - 30% Carbon fibre reinforced 127
 - Fire retardant 127
 - 10% Glass fibre reinforced 128
 - 30% Glass fibre reinforced 129
 - 20% PTFE lubricated 130
 - 2% Silicone lubricated 130
- Polyamide 6/12 133**
 - 30% Carbon fibre reinforced 132
 - Fire retardant 133
 - 10% Glass fibre reinforced 134
 - 30% Glass fibre reinforced 135
 - 20% PTFE lubricated 135
 - 2% Silicone lubricated 136
- Polyamide 6/6 124**
 - 10% Carbon fibre reinforced 108
 - 30% Carbon fibre reinforced 109
 - Fire retardant 110
 - 10% Glass fibre reinforced 112
 - 33% Glass fibre reinforced 113
 - 40% Glass bead filled 111
 - 60% Glass fibre reinforced 114
 - Glass fibre and bead reinforced 115

- High impact 116
- 40% Mineral filled 117
- Molybdenum disulphide lubricated 118
- 20% PTFE lubricated 119
- Supertough 120
- Supertough; 33% glass fibre reinforced 122
- Supertough; fire retardant 121
- UV stabilised 123
- Polyamide 6/6-6 124**
- Polyamide 6/9 125**
- Polyamide RIM 149**
- Polyamide/ABS alloy 152**
- Polyamideimide 153**
 - Glass fibre reinforced 154
 - Graphite filled 154
- Polyarylamide 217**
- Polyarylate 155**
- Polybutylene 156**
- Polybutylene Terephthalate 157**
 - 30% Carbon fibre reinforced 158
 - Fire retardant 159
 - 10% Glass fibre reinforced 160
 - 20% Glass fibre reinforced; fire retardant 161
 - 30% Glass bead filled 159
 - 30% Glass fibre reinforced 162
 - 30% Glass fibre reinforced; fire retardant 163
 - 45% Mineral and glass filled 164
 - 15% PTFE lubricated 165
 - 2% Silicone lubricated 166
 - Structural foam 166
 - UV stabilised 167
- Polycarbonate 168**
 - 30% Carbon fibre reinforced 169
 - Fire retardant 170
 - 20% Glass fibre reinforced 171
 - 30% Glass fibre reinforced 172
 - High flow 173
 - 15% PTFE lubricated 174
 - Structural foam 174
 - UV stabilised 175
- Polycarbonate/Polybutylene Terephthalate Alloy 180**
- Polyester 220**
 - Casting; flexible 219
 - Casting; rigid 220
 - DMC 220
 - DMC; electrical 221
 - DMC; fire retardant 222
 - DMC; high heat 223
 - DMC; low profile 224
 - GMC 224
 - GMC; fire retardant 225
 - GMC; high impact 226
 - GMC; mineral filled 226
 - Laminate; chopped glass filled 227
 - Laminate; woven glass roving 228
 - SMC 229
 - SMC; fire retardant 229
 - SMC; high impact 230
 - SMC; low profile 231
 - Vinyl ester 231
- Polyether Ether Ketone 178**
 - 30% Carbon fibre reinforced 179
 - 10% Glass fibre reinforced 180
 - 20% Glass fibre reinforced 180
 - 30% Glass fibre reinforced 181
- Polyetherimide 182**
 - 10% Glass fibre reinforced 183
 - 20% Glass fibre reinforced 184
 - 30% Glass fibre reinforced 184
- Polyethersulphone 185**
 - 30% Carbon fibre reinforced 186
 - 30% Glass fibre reinforced 188
- Polyethylene - Chlorinated 36**
- Polyethylene - HDPE 72**
 - MDPE 74
 - UV stabilised 73
- Polyethylene - LDPE 79**
 - UV stabilised 80
- Polyethylene - LLDPE 81**
- Polyethylene - UHMWPE 302**
- Polyethylene - XLPE 307**
- Polyethylene Foam 177**
- Polyethylene Terephthalate 189**
 - Amorphous 189
 - Crystalline 190
 - Fire retardant 191
 - 15% Glass fibre reinforced; high impact 192
 - 30% Glass fibre reinforced; fire retardant 192
 - 30% Glass fibre reinforced; high impact 193
 - 35% Glass fibre reinforced; supertough 194
 - 36% Glass fibre reinforced 195
 - 45% Glass fibre reinforced 195
 - 55% Glass fibre reinforced 196

- 35% Mica and glass fibre reinforced 197
- 45% Mineral and glass fibre reinforced: fire ret. 198
- Mineral filled 198
- UV stabilised 199
- Polyimide 213**
 - 40% Glass fibre reinforced 214
 - 25% Graphite lubricated 215
 - Molybdenum disulphide lubricated 215
 - PTFE lubricated 216
- Polymethylmethacrylate 22**
 - Cast sheet 23
 - Casting 22
 - General purpose 24
 - High impact 25
- Polymethylpentene 299**
- Polyoxymethylene 14**
 - Copolymer 14
 - Copolymer; 2% silicone lubricated 17
 - Copolymer; 30% carbon fibre reinforced 15
 - Copolymer; 30% glass fibre coupled 16
 - Copolymer; UV stabilised 17
 - Homopolymer 19
 - Homopolymer; glass fibre reinforced 20
 - Homopolymer; PTFE lubricated 20
 - Homopolymer; UV stabilised 21
- Polyphenylene Oxide - modified 245**
 - Fire retardant 246
 - 10% Glass fibre reinforced 246
 - 10% Glass fibre reinforced; fire retardant 247
 - 30% Glass fibre reinforced 248
 - 30% Glass fibre reinforced; fire retardant 249
 - Structural foam 249
- Polyphenylene Oxide/Polyamide Alloy 250**
- Polyphenylene Sulphide 251**
 - 30% Carbon fibre reinforced 251
 - 40% Glass fibre reinforced 252
 - Glass fibre and bead reinforced 253
 - 20% PTFE lubricated 254
- Polypropylene 232**
 - 20% Calcium carbonate filled 233
 - 40% Calcium carbonate filled 233
 - Copolymer 234
 - Copolymer; UV stabilised 235
 - Elastomer modified 236
 - Elastomer modified; UV stabilised 237
 - Fire retardant 237
 - 20% Glass fibre reinforced 239
 - 30% Glass fibre coupled 238
 - Homopolymer 240
 - Homopolymer; UV stabilised 241
 - Structural foam 242
 - 20% Taic filled 243
 - 40% Taic filled 244
- Polystyrene 259**
 - 30% Glass fibre reinforced 259
 - Medium impact 260
 - 2% Silicone lubricated 261
 - Structural foam 262
 - UV stabilised 263
- Polystyrene - High Impact 75**
 - Fire retardant 76
 - UV stabilised 77
- Polysulphone 264**
 - 30% Carbon fibre reinforced 265
 - 10% Glass fibre reinforced 266
 - 30% Glass fibre reinforced 266
 - 15% PTFE lubricated 267
- Polytetrafluoroethylene 268**
 - 60% Bronze filled 269
 - 15% Glass fibre filled 270
 - 25% Glass fibre filled 271
 - 15% Graphite filled 271
- Polyurethane - thermoset 272**
 - Hard cast elastomer 273
 - Hard microcellular elastomer 273
 - Reinforced microcellular elastomer 274
 - Semi-rigid foam 275
 - Soft microcellular elastomer 276
 - Structural foam 277
- Polyurethane Thermoplastic Elastomer 278**
 - TPE 70A 278
 - TPE 80A 279
 - TPE 95A 280
- Polyvinyl Chloride - Chlorinated 37**
- Polyvinyl Chloride - Plasticised 255**
 - >300% Elongation 257
 - 0 - 100% Elongation 255
 - 100 - 300% Elongation 256
- Polyvinyl Chloride - Unplasticised 304**
 - Crosslinked 304
 - High impact 306
 - Structural foam 305
 - UV stabilised 305

Polyvinyl Fluoride 282

Polyvinylidene Fluoride 281

20% Carbon fibre reinforced 282

POM 14

Copolymer 14

Copolymer; 2% silicone lubricated 17

Copolymer; 30% carbon fibre reinforced 15

Copolymer; 30% glass fibre coupled 16

Copolymer; UV stabilised 17

Homopolymer 19

Homopolymer; glass fibre reinforced 20

Homopolymer; PTFE lubricated 20

Homopolymer; UV stabilised 21

PP 232

20% Calcium carbonate filled 233

40% Calcium carbonate filled 233

Copolymer 234

Copolymer; UV stabilised 235

Elastomer modified 236

Elastomer modified; UV stabilised 237

Fire retardant 237

20% Glass fibre reinforced 239

30% Glass fibre coupled 238

Homopolymer 240

Homopolymer; UV stabilised 241

Structural foam 242

20% Talc filled 243

40% Talc filled 244

PPO 245

Fire retardant 246

10% Glass fibre reinforced 246

10% Glass fibre reinforced; fire retardant 247

30% Glass fibre reinforced 248

30% Glass fibre reinforced; fire retardant 249

Structural foam 249

PPO/Nylon Alloy 250

PPO/PA Alloy 250

PPS 251

30% Carbon fibre reinforced 251

40% Glass fibre reinforced 252

Glass fibre and bead reinforced 253

20% PTFE lubricated 254

PPVC 255

>300% Elongation 257

0 - 100% Elongation 255

100 - 300% Elongation 256

PS 258

30% Glass fibre reinforced 259

Medium impact 260

2% Silicone lubricated 261

Structural foam 262

UV stabilised 263

PS - High Impact 75

Fire retardant 76

UV stabilised 77

PSul 264

30% Carbon fibre reinforced 265

10% Glass fibre reinforced 266

30% Glass fibre reinforced 266

15% PTFE lubricated 267

PTFE 268

60% Bronze filled 269

15% Glass fibre filled 270

25% Glass fibre filled 271

15% Graphite filled 271

PU 272

Hard cast elastomer 273

Hard microcellular elastomer 273

Reinforced microcellular elastomer 274

Semi-rigid foam 275

Soft microcellular elastomer 276

Structural foam 277

PU TPE 278

TPE 70A 278

TPE 80A 279

TPE 95A 280

PVC - Chlorinated 37

PVC - Plasticised 255

>300% Elongation 257

0 - 100% Elongation 255

100 - 300% Elongation 256

PVC - Unplasticised 304

Crosslinked 304

High impact 306

Structural foam 305

UV stabilised 305

PVDF 281

20% Carbon fibre reinforced 282

PVF 282

R

RIM Nylon 149

S

SAN 283

- Fire retardant 284
- 30% Glass fibre reinforced 285
- High heat 286
- High impact 287
- UV stabilised 288

SB 289

SBS TPE 290

- TPE 35A 290
- TPE 35D 291
- TPE 80A 291

SEBS TPE 292

- TPE 45A 293
- TPE 55A 293
- TPE 95A 294

Silicones 295

- Glass fibre & mineral filled 296

SMAc 296

- 30% Glass fibre reinforced 297

SMAI 298

Styrene Acrylonitrile 283

- Fire retardant 284
- 30% Glass fibre reinforced 285
- High heat 286
- High impact 287
- UV stabilised 288

Styrene Butadiene 289

Styrene Maleic Anhydride copolymer 296

- 30% Glass fibre reinforced 297

Styrene Maleic Anhydride terpolymer 298

Styrene-Butadiene-Styrene based TPE 290

- TPE 35A 290
- TPE 35D 291
- TPE 80A 291

Styrene-Ethylene-Butylene-Styrene based TPE 292

- TPE 45A 293
- TPE 55A 293
- TPE 95A 294

T

Thermoplastic Elastomer - Coether Ester based 33

- TPE 40D 33
- TPE 55D 34

TPE 72D 35

Thermoplastic Elastomer - Etherester Amide based 48

- TPE 40D 49
- TPE 63D 49
- TPE 70A 48

Thermoplastic Elastomer - Olefinic 33

- TPE 65A 83
- TPE 85A 84
- TPE 93A 85

Thermoplastic Elastomer - Polyurethane 278

- TPE 70A 278
- TPE 80A 279
- TPE 95A 280

Thermoplastic Elastomer - Styrene-Butadiene-Styrene 290

- TPE 35A 290
- TPE 35D 291
- TPE 80A 291

Thermoplastic Elastomer - Styrene-Ethylene-Butylene-Styrene 292

- TPE 45A 293
- TPE 55A 293
- TPE 95A 294

TPX 299

Transparent Nylon 150

- Amorphous; 30% glass fibre reinforced 151

Transparent Polyamide 150

- Amorphous; 30% glass fibre reinforced 151

U

UF 300

- Cellulose filled 300
- Foam 301

UHMWPE 302

Ultra-High Molecular Weight Polyethylene 303

Unplasticised Polyvinyl Chloride 304

- Crosslinked 304
- High impact 306
- Structural foam 305
- UV stabilised 305

Unplasticised PVC 304

- Crosslinked 304
- High impact 306
- Structural foam 305
- UV stabilised 305

UPVC 304

- Crosslinked 304
- High impact 306
- Structural foam 305
- UV stabilised 305

Urea 300

- Cellulose filled 300
- Foam 301

Urea Formaldehyde

- Cellulose filled 300
- Foam 301

Urea Formaldehyde 300

V

Vinyl Ester 231

X

XLPE 307