

Subject Index

References to figures are given in *italic* type. References to tables are given in **bold** type.

- acrylamide 68
- polymer with methyl methacrylate,
 styrene 174
- acrylic acid 115, 116
- 12-acryloxy-9-octadecanoic acid 146
- activated carbon (AC) 161
- antimony trioxide 181–182
- atom transfer radical polymerization
(ATRP) 248
- 2,20-azobis(2,4-dimethylvaleronitrile)
(ADMVN) 151
- biodegradability 126, 129, 137–138
- biosensors 175, 176
- brucite 34
- butyl acrylate
 - polymer with
 - acrylic acid 115, 116
 - methyl methacrylate 216
 - styrene 16, 252, 259
- cadmium sulfide 173
- calorimetry 55, 135–138, 191–192,
 299–305
- carbon nanotubes (CNT) 154
 - functionalization 168–169
 - multi-walled 174–175
- cation-exchange capacity (CEC)
 200
- cetylpyridinium chloride (CPC) 23,
 26
- cetyltrimethylammonium bromide
(CTAB) 152–153
- characterization techniques 65
- clays 16, 65–67
 - acrylic 111–112
 - emulsion polymerization 67–71
 - exfoliation 65–66
 - γ -irradiation
 - polymerization 169–172
 - (mini)emulsion
 - polymerization 74–75, 216
 - particle loading ratio *see* loading
 - platelet encapsulation 65–66,
 71–74, 212–213
 - in pressure-sensitive adhesives
 - see* pressure-sensitive
 adhesives
 - RAFT-mediated, mechanical
 properties 248–250
 - with silicas 225, 231–239
 - structure 271–272
 - surface modification 202
 - in suspension 12
 - see also* Laponite; montmorillonite;
 smectites
 - Cloisite 70–71
 - cone calorimetry 55, 135–138,
 191–192
 - controlled polymerization 248–249
 - conversion rates 299–300
 - core-shell particles 192

- 4-cyanopentanoic acid dithiobenzoate (CAD) 249
- d*-spacing 245
- DCTBAB 216, 249
- polystyrene composites 258
- dimethyldistearylbenzylammonium chloride (DMDSA) 12
- dimethylphenylcarbonothioylthiomethylbenzylethanammonium bromide (PCDBAB) 216
- divinylbenzene 171
- drug delivery systems 126
- dynamic light scattering (DLS) 148–149
- dynamic mechanical analysis (DMA) 118–119
- emulsion polymerization 9, 42–43, 272–278
- clay composites 67–71
- epoxy-clay 10–11
- fire retardants 125–126
- layered double hydroxides 43–52
- magnesium hydroxides 185–187
- particle encapsulation 71–74, 209–214
- poly(methyl methacrylate) 10, 17–18
- precipitation and 188–189
- soap-free emulsion polymerization and 301–304
- see also* inverse emulsion polymerization; miniemulsion polymerization; soap-free emulsion polymerization
- encapsulation
- clays 65–66, 71–74, 212–213
- Laponite 283–286
- epoxy-clay nanocomposites 10–11
- ethyl acrylate 114–115
- 2-ethylhexyl acrylate 114–115
- exfoliation 17
- clays 65–66
- montmorillonite/methyl acrylate copolymers 92–96
- exfoliation-absorption, layered double hydroxides 40–41
- fault tolerance management (FTM) tests 116, 117
- fire retardants 54–56, 125–126, 191–192
- biodegradability 126, 129, 137–138
- layered double hydroxide 54–56
- LOI test 133–134
- poly(butyl acrylate)-sodium silicate 127–133
- Fourier transform infrared spectroscopy *see* infrared spectroscopy
- free radical emulsion polymerization 19–20
- γ -irradiation 168
- carbon nanotube composites 174–176
- effect on mechanical properties 171–172
- metal particle composites 172–174
- Gelwhite GP 150
- glass beads 181–182
- glycidyl methacrylate (GMA) 17
- heat balance 299–300
- heat release rate (HRR) 135–137
- hemimicelles 72, 73
- hydrotalcites *see* layered double hydroxides
- hydrothermal synthesis 184–185
- in situ* polymerization 226
- emulsion 276–278
- layered double hydroxides 41–42
- infrared spectroscopy
- poly(butyl acrylate)-sodium silicate composite 127, 130
- polymethyl methacrylate/montmorillonite composites 90–92

- intercalation 4–6, 169–170
 from solution 8
 layered double hydroxides 38–40
 melt 6–8, 39
 polystyrene-clay
 composites 170–171
 interlayer distance 245
 inverse emulsion
 polymerization 68–71, 144–148,
 155–157
 inverse emulsions, 157–162
 ionic liquids 175–176
- Laponite 17, 150, 208–209, 279–283
 calorimetry 299–305
 encapsulation 283–286
 latex armouring 279–283, 290–299
 structure 271
- latexes 23
 miniemulsion clay 217–218
 in pressure-sensitive adhesives 120
- lattice compatibility 2–3
- n*-lauryl acrylate 115
- layered double hydroxides 34, 249
 composites, thermal
 properties 53–54
 exfoliation-absorption 40–41
 fire retardant properties 54–56
 in situ polymerization 41–42
 intercalation 38–40
 modification 36
 optical properties 56
 properties 35
 in situ polymerization 41–42
 structure 34–35
 surface modification 36, 51–52,
 153–154
 synthesis 36
- limited oxygen index (LOI) 54,
 133–134
- magnesium aluminides 44, 191
- magnesium hydroxides 181
 crystal structure 182–183
 emulsion polymerization 185–187,
 188–189
- polypropylene composites 193
 surface-initiated *in situ*
 polymerization 189–190
 synthesis 184–185
 thermal properties 183, 190–192
- mechanical properties
 exfoliated montmorillonite/
 poly(methyl acrylate-*co*-methyl
 methacrylates) 92–96, 100–105
 fire retardants 132–133
 γ -irradiated composites 171–172
 loading ratio and 19
 PMMA/montmorillonite
 composites 96–102
 pressure-sensitive
 adhesives 113–114, 116–120
 RAFT-mediated
 composites 253–257, 255–256
 silica/clay composites 234–239
 soap-free emulsified
 Laponites 298–299
- melt intercalation 6–8, 39
- metal particle
 nanocomposites 172–174
- methyl acrylate 88–102
 methyl diphenyl isocyanate
 (H-MDI) 12
- methyl methacrylate
 polymer with
 acrylamide, styrene 174
 butyl acrylate 216
 methyl acrylate 88–102
 mechanical properties 92–94
- mica 3–4, 5
- micelle formation 9, 17–18
- microspheres 23, 147, 161, 162, 174
- miniemulsion polymerization 74–75,
 144–148, 198–199, 245
- clay composites
 kinetics 214–215
 surface modification 199–203
- particle/droplet
 morphology 203–207
 see also Pickering emulsions;
 reversible addition-
 fragmentation chain transfer

- montmorillonite (MMT) 11–12, 21–22, 79–80, 82
charge properties 200
emulsion polymerized 272–278
intercalation 6
inverse emulsion suspension polymerization 160
poly(methyl methacrylate) composites 88–89, 169–170
exfoliated 82–87
mechanical properties 96–102
soap-free emulsion polymerization 78–96
structure 2, 271
surface modification 2–4, 25–28, 145–146, 249–250, 276, 277
unmodified 273–278
see also saponite
- nanoconfinement 99–100
nitroxide-mediated polymerization (NMP) 248
- octyldimethylmethoxysilane 11
optical properties, layered double hydroxides 56
- particle loading 16–17, 19, 119, 218, 274–276
mechanical properties and 19
PCDBAB 216, 249
penta(methylethylene glycol) phosphate methacrylate (PMGPMA) 153–154
phenyldimethyloxysilane 11
Pickering emulsions 67, 144, 154, 208–209, 287–289
platelet encapsulation 65–66, 71–74, 212–213
miniemulsion polymerization 74–75
platinum nanoparticles 176
polyacrylamide (PAAm) 68–69, 148–149
see also acrylamide
- polyacrylonitrile (PAN) 173
silica/clay nanocomposites 229
mechanical properties 235–238
synthesis 229–230
thermal properties 231–234
- polyaniline (PANI) 173
poly(butyl acrylate) 115, 171
sodium silicate composite 127–133
see also butyl acrylate
- poly(ethyl acrylate) 226–230
- poly(ethylene glycol) methyl ether methacrylate (PEGMA) 290–293, 295–296
- poly(glycidyl acrylate) 17
- poly(lauryl acrylate) (PLA) 287
- poly(methyl methacrylate) (PMMA) 17–18, 78–80, 289
γ-ray polymerization 169–171
layered double hydroxide composites 43–44, 47–49
montmorillonite composites 10, 96–102, 169–170
exfoliated 82–87
structure and mechanical properties 88–89
silica/clay composites 226–227
soap-free emulsion polymerization 78–88
suspensions 13–14
see also methyl methacrylate
- poly(2-methyl-2-propenoic acid) 12
- polypropylene (PP) 8, 193
- polystyrene (PS) 25–28
clay composites 251
DCTBAB composites 258
Laponite-clay platelets 295
metal composites 173–174
montmorillonite composites 11–12
RAFT-mediated composites 253–265
water-expandable 156
see also styrene
- polyurethane 12–13
- poly(vinyl alcohol (PVA) 13
- poly(*N*-vinylcarbazole) 173

- poly(vinylphenyl boronic acid)
 (PVBAc) 175
 potassium persulfate 274
 precipitation 72–73
 pressure sensitive adhesives
 (PSA) 112–114
 gel phase 120
 mechanical properties 116–120
 pressure-sensitive adhesives 15–16
- radicals 292–295, 301
 radiolytic polymerization 167–177
 redox emulsion polymerization 17
 reversible addition-fragmentation
 chain transfer (RAFT) 18–19, 216,
 244–245, 247
 polymer molar masses 246
 thermal properties 257
 thermomechanical properties of
 composites 253–257
 transfer agents 246
 see also miniemulsion
 polymerization
 rheological measurements 192–193,
 257–265
 ruthenium 176
- saponite 211–213, 214
 semi-continuous monomer
 addition 304–305
 shear strength, pressure sensitive
 adhesives 116
 silica 2, 153, 225
 silica/clay composites 225
 mechanical properties 234–239
 thermal properties 231–234
 silver nanoparticles 173–174
 small-angle X-ray scattering
 (SAXS) 250, 252
 smectites 199, 272
 structure 271–272
 surface modifiers 277
 soap-free emulsion polymerization
 80–81
 calorimetric
 characterization 299–304
- clay composites 287–289
 laponite-armoured
 latexes 290–299
 layered double hydroxides 49–50
 poly(methyl methacrylate)
 composites 78–82
 sodium dodecyl sulfate (SDS) 19,
 86–87, 274
 sodium silicate
 poly(butyl acrylate)
 composite 124–127
 biodegradation 137–138
 characterization 127–128,
 130–133
 thermal properties 131,
 135–137
 poly(butyl acrylate) composites,
 mechanical properties 132–133
 solids content *see* particle loading
 starch 157
 storage modulus 235–236
 polystyrene-DCTAB
 composites 254
 styrene 11, 302
 polymer with
 acrylamide, methyl
 methacrylate 174
 butyl acrylate 16, 252, 259
 divinylbenzene 171
 4-vinylbenzenesulfonic
 acid 156–157
 surface modification 2–4
 carbon nanotubes 168–169
 layered double hydroxides 36,
 51–52, 153–154
 magnesium hydroxides 184
 mica 3–4, 5
 modifiers 277
 montmorillonite 11–12, 145–146,
 200–202, 249–250, 277
 surface treatment 145–146
 surfactants 86–87, 146–147, 150
 layered double hydroxides 48–49
 suspension polymerization 43,
 149–155
 advantages 9–10

- clay 12
inverse emulsions 157–162
methyl methacrylate 12
polyurethane 12–13
- template-guided synthesis 4
thermal properties 53–54
fire retardants 132
magnesium hydroxides 183,
190–192
- RAFT-mediated
composites 253–257, 257
silica/clay composites 231–234
- thermogravimetric analysis
(TGA) 53–54, 200–201
- titanium dioxide nanoparticles 153
- Toyota 2
- transmission electron microscopy
(TEM) 130–131
- trimethyloxysilane 11
- ultrasonic irradiation 186, 232
- vinyldimethyloxysilane 11
4-vinylphenylboronic acid 175
- water-expandable polystyrene
(WEPS) 156, 161
- water-expandable polystyrene-
activated carbon composite
(WEPSAC) 161
- X-ray diffraction spectroscopy 83–84,
115, 130, 226
magnesium hydroxide
composites 182–183
- zinc aluminide 44
- zwitterionic acids 25