

Main Index

A

Absorbency 160

Acid 137

ascorbic 137

citric 139

gallic 137

hydroxycarboxylic 137

stearic 14

Acid dimer 136

Acid number 135

Acrylonitrile-butadiene-styrene 59

Acrylonitrile/styrene/acrylate 118

Additive 146

silicone 146

Adhesion 131

Adhesives 190

Aggregate 56

Aggregation (seeds) 154

Alcohols 47, 138, 156

Aldehyde 119

Alloy 3, 137

Aluminium (see also passivation) 7, 13,
135, 137, 138, 162, 163, 204, 206, 208

absorption 206

flake 191

gas generation 135

oxide 138, 183, 199

spherical 22

toxicity 206

Alzheimer's disease 206

Amines 149

Antioxidants 12, 77

Application characteristics 69

Applications 4

agricultural film 125

architectural 174

automotive 126, 174

bags 125

bicycle components 124

coatings 145

containers 126

copy prevention 194

corrosion resistance 199

domestic 174

EMI shielding 184

enclosures (cabinets) 123

fibres 128

flame retardation 199

floor coverings 123

footwear 123

furniture 174

garden 123

hammer finish 174

heat sinks 194

household 123

laser marking 197

lubrication 196

magnetic 198

mechanical reinforcement 179

microwave heating 180

non-aesthetic 4

pipe insulation 194

plasterboard 193

radiation absorption 200

sacks 125

scratch cards 193

sheet laminate 128

solar transmission 194

- sports goods 124
- substrate 134
- textiles 128
- thermal conductivity 194
- toys 123
- tubs 128
- UV protection 196
- wear reduction 196

Approved Supply List 203

Area

- by BET method 42
- specific surface 42
- water covering 41

Aspect ratio 39, 90, 171, 187, 194, 195

Attenuation 189

B

Bags

- carrier 126
- garbage 126

Ball mill 11

Barrier 175

- gas 196
- moisture 196

Barrier coatings 199

Bearings 196

BET method 42

Binder 4

Blow moulding 84

- parison 84
- parison pleating 84

Blown film 110, 115

- pinholing 115

Bonding 169, 182

- pipes 182

Brightness 63

Bronze 7

- gold 4, 8, 12, 13, 19
- silver 4
- true 4

Building products 131

C

Carbon black 115, 126, 181, 183, 186, 191

Carcinogens 205

Carriers 138

- acrylics 59
- aldehydes 59
- coumarone-indene 59
- fatty alcohol 140
- glycol 59
- hydrocarbons 59
- ketones 59
- polypropylene glycol 138
- resins 59
- surfactant 138

CAS see Chemical Abstracts Service

Cavity

- additional 94

Cerium 137

Chemical Abstracts Service 203

Chemical resistance 43

Chemical Hazard Information & Packaging for Supply Regulations 203

CHIP '98 203

Chromium 137

Chromium oxides 136

Co-extrusion 115, 171

Coating 63, 152, 157, 161, 162, 163, 168, 187, 193

- advantages of 63
- anticorrosive 162
- applications 145
- barrier 162
- bridges 163
- chemical plant 163
- curtain 157
- dispersion 133
- EB cured 139
- fabric 162
- in-mould (see paintless film)

- incorporation 133
 - knife 157
 - leafing 133
 - leathercloth 162
 - light cluster 193
 - metal on non-metallic substrates 29
 - non-leafing 133
 - one pack 139
 - one pack UV cured 162
 - oxide 135
 - paint 145
 - plastisol 162
 - powder (see also powder coating)
167, 168
 - reflective 193
 - road markings 193
 - roof 163
 - solvent-based 134
 - sprayed 65
 - storage tanks 163
 - substrate preparation 131
 - two pack 139
 - UV cured 139, 161
 - water-based 135
 - Coating formulation 132
 - Coatings 139, 162, 167
 - Cold welding 5, 15
 - Colour 7, 44, 69
 - bleed 79
 - concentrate 59
 - depth 65
 - detachment 79
 - Fantasy 60
 - measurement 44
 - retention 115
 - saturation 76
 - shift 70
 - uniformity 64
 - Conductivity 183
 - electrical 183
 - thermal 93, 114
 - Constant 174, 199
 - Containers 180, 181
 - active 180
 - cosmetic 128
 - passive 180
 - rotatable 181
 - toiletry 128
 - Continuous milling 13
 - Copper 7, 8, 190, 203, 204, 207, 208
 - Cornflakes 38, 106, 153
 - Corona discharge 131, 146
 - Corrosion 137
 - resistance 126
 - Cost 7, 67
 - coatings 67
 - formulation 75
 - mass pigmentation 67
 - Coupling agents 191
 - Crayons 163
 - Credit cards 158
 - Curing 139, 174
 - EB 139
 - UV 139
 - Cut foil glitters 25
- D**
- Data Sheets Directive 203
 - Deformation 134
 - Degradation
 - plasticiser 78
 - resistance to 39
 - Degreasing 131
 - Delivery forms 5, 55
 - compound 60
 - dry masterbatch 59
 - dry powder 55
 - liquid masterbatch 59
 - paste 55
 - plasticiser dispersion 56
 - granules 57

Density 3, 158
Dermatitis 205, 207
Di-isodecyl phthalate 57
Di-octyl phthalate 57
Dipping 64
Dispersibility 69
Dispersion 56
 energy 133
 plasticiser 56, 113
 resin 56
Disposal
 paint residues 66
Distinctiveness of image 50
DOI see distinctiveness of image
Dosiug 60, 114
Dry milling 11
Drying 170
Ductility 3, 86
Dusting 58, 173
Dyestuffs 108

E

Effluent 207
EINECS 203
Elastomers 88, 191
Electrical conductivity 183
Electro-Magnetic Shielding see EMI
shielding
Electrostatic spraying 173
Elements
 metallic 3
Elongation 88
EMI shielding 184, 185, 187, 191
 design 185
 effectiveness 187, 191
 mass pigmentation 191
 measurement 185
 origin 185
 polymers 186
 principles 185

Emulsions 138
Encapsulation 137
Environmental hazards (see also Hazards)
158, 203
Equipment
 metering 58
Esters 47
Ethyl acetate 56
Ethylene-vinyl acetate copolymer 78
EU Scientific Committee for Toxicity,
Ecotoxicity 205
European Inventory of Existing Chemical
Substances 203
Explosion risk see Hazards
Explosive potential see Hazards
Extrusion
 biaxial stretching 110
 maudrel 84
 spider's legs 84
 twin screw 114

F

Fantasy Colour, 60
Faraday Cage 169
Fashiou 3, 126
Fastness
 heat 42
 light 42
Fibreglass 120
Fibres 3, 183
 metal 183
Films 180
 crop ripening 125
 lidding 180
 silage wrapping 125
 weed suppression 125
Fire 169
Fire extinguishing agent 214
Fire fighting 214
 aluminium 214

- gold bronze 215
 - Flakes 134, 172, 174, 196
 - aluminium 196, 199, 206
 - broken 109
 - coated 172
 - coloured surface 25
 - concentration 106
 - copper 196, 210
 - cut foil 25
 - dry 113
 - electrical charging 174
 - folded 109
 - glass 199
 - glitter 25, 52, 79, 128
 - inertia of 91
 - iron 107
 - mica 197
 - morphology 3
 - nickel 153, 184, 196, 210
 - orientation 63, 110, 174
 - rapidly solidified 23
 - silver-coated nickel 30
 - size 106
 - stainless steel 153
 - with coloured surfaces 78
 - with pre-formed colorants 28
 - zinc 175
 - Flame retardation 199
 - Flame treatment 131
 - Flammability 209
 - Flip 45
 - Flop 45, 64, 158
 - Flow line 5, 81
 - definition 81
 - origin 81
 - Fluidised bed 173
 - Foaming 156
 - Foil 4, 11
 - Food colorant 206
 - Foodstuffs 180
 - Formaldehyde 77
 - Formulations 105, 111, 132
 - flake concentration in 106
 - deep shades 108
 - low shear forces in 109
 - metallic/organic pigment combinations in 108
 - spherical pigments in 108
- G**
- Gate 89, 93
 - pin 89
 - size 93
 - strip 93
 - Gel coat 119
 - Glitter flakes 52
 - Glycol ethers 48
 - Gold 3, 10, 184
 - Gold bronze 4, 12, 13, 19, 175, 203, 204, 208, 209
 - Gold leaf 4
 - Granules 57, 113, 146
 - graphite conductive nickel-coated 190
 - handling of 75
 - nickel-coated 189
 - Greases 196
 - GRP
 - spraying of 120
- H**
- Hydrolux 136
 - Hall process 14, 22, 23
 - Handling 212
 - aluminium 213
 - Hazards
 - environmental 158, 203, 212
 - explosion 5, 12, 169, 209
 - explosion potential 209
 - fire 169

Health and safety 203, 204, 210

aluminium 205

coatings 211

copper 206

gold bronze 206

mass pigmentation 211

Hiding power 70

History 4

Household goods 123

Hydrocarbons 119

Hydrogen 135, 209

I

Inhibition 136

Injection moulding

tool design 85

Inks 154, 156, 157, 159, 160, 161

aluminium 155, 156, 157, 159, 160

bronze replacement 158

flexographic 155, 161

gold 159, 160

gold bronze 155, 157

gravure 155, 157

lithographic 154, 155

non-leafing 157

one pack UV cured 161

paste 154

petroleum distillate 154

polyolefin substrates 161

screen 162

security 157

silver 155, 157

solvent-based 154, 155, 159

water-based 156, 160

water-based leafing 156

Iron 7, 9, 204, 207, 208

Iron oxide 199, 206, 209

micaceous 199

Iron particles 198

Isoelectric point 138

J

Jetting 84

K

Ketones 119

L

LALLS 35

Laminates (see also Simulants, mineral)
180

Laser marking 197

Lead 200

Leafing 13, 47, 48, 170, 199

measurement of 48

surface tension in 48

value 48

Leathercloth 129, 162

Legislation 185

electromagnetic emissions 185

environmental 66

health and safety 210

landfill 66

pollution prevention 211

Light

exclusion 192

scattering 47

Liquid monomers 139

Localised mould heating 98

Lubricants 5, 47

M

Magix 60

Magnetism 43

Malleability 3, 7

Manufacturing 11, 168

- Marine pollutants 212
 - Mass pigmentation 63, 69, 105
 - general techniques 105
 - interrelationship 105
 - optimisation 105
 - Masterbatch 57, 59
 - dry 59
 - liquid 59
 - Maximum Exposure Standard 207
 - Measurement of
 - colour 44
 - leafing 48
 - particle size 35
 - specific gravity 41
 - Mechanical properties 71
 - Meld line 82
 - Metal fume fever 206
 - Metal pigmented coatings 131
 - Metallisation
 - vacuum 65
 - Metalure 25
 - Metasheen 25
 - Meterability 113
 - Methyl ethyl ketone 56
 - MFI 108
 - Mica 3
 - nickel-coated 189
 - Microwave
 - browning 180
 - heating 180
 - MIE see minimum explosive energy
 - Milling
 - ball 5, 11
 - continuous 13
 - dry 11
 - Mills 133
 - ball 133
 - sand 133
 - Mineral oil 57
 - Minimum explosive energy 175
 - Molybdenum 137
 - Molybdic acid 29
 - Mould tool
 - design of 92
 - gates 92
 - runners 92
 - sprues 92
 - texturing 94
 - Moulding
 - annealing 85
 - biaxial stretching 110
 - blow 115
 - blown containers 116
 - blown film 115
 - bright surface 98
 - fountain flow 90
 - in-mould decoration 99
 - induction heating of 98
 - injection 55
 - localised mould heating 98
 - moving boundary 97
 - multi-coloured 97
 - multiple live feed 95
 - paint-less film moulding (PFM) 117, 127
 - parison 84
 - parison pleating 84
 - pinholing 115
 - post finishing by punching 99
 - reversible transient flow 97
 - rotational 118
 - stratification 110
 - tool design 85, 111
 - voids in 95
 - Mylar 25
- N**
- Nickel 7, 8, 20, 187, 192, 204, 207
 - carbon fibre 192
 - carbonyl 20

- conductive flake 188
 - dendritic powder 188
 - filamentary 20, 192
 - itch 207
 - silver-coated 189, 191
 - spherical 21, 191
 - Nitro salicylic acid 136
 - Non-colouristic applications 179
 - Non-leafting 13, 47, 170
 - Non-volatile content 18
- O**
- Occupational exposure standards 204
 - Odour 134, 154
 - Oleic acid 14
 - Opacity 3, 45, 70, 192, 194
 - Orientation 71, 149, 193
 - biaxial stretching 116
 - flake 63
 - sphere 78
 - weld line 87
 - Overspray 167, 171
 - Oxidation 14
 - Oxidising agents 209
- P**
- pH see Aluminium, gas generation
 - Packaging 153, 156, 160, 181, 192
 - corrugated board 160
 - disposable 181
 - food 192
 - gift wrap 153
 - Paints 146, 147, 148, 150, 151, 152, 153, 163, 167
 - aerosol 146, 148, 152
 - automotive test system 150
 - barrier 163
 - brushing 148
 - conductive 186
 - dry 167
 - fast drying 151
 - gold-bronze 148, 152
 - hammer 146, 147
 - heat resistant 151
 - industrial 150, 151
 - industrial stoving 147
 - metal 7
 - miscellaneous 153
 - OEM 146, 147
 - refinish 146, 147
 - silver 147, 150, 151
 - solvent-based 146
 - water reducible 150
 - water-based 148
 - water-based acrylic 151
 - Parison 117
 - Particle size 35, 111, 132
 - distribution 35, 36
 - measurement 35
 - shape 38
 - Passivation 56, 135, 139
 - aluminium 135
 - cerium 139
 - gallate 139
 - gold bronze 139
 - silica 139
 - specificity 138
 - Pastes 55, 163
 - filler 163
 - Pewter 9, 153
 - Phosphorus 137
 - Picture framing 169, 171
 - Pigment 56, 128, 135, 160
 - aggregates 114
 - characteristics 35
 - colour-variable 28
 - compatibility 77
 - compounding 60
 - concentration 71, 128

- concentration in coatings 132
 - dendritic 187
 - dispersion 113
 - disposal 212
 - effect 79, 126
 - glitter flakes 52
 - handling 203, 212
 - incorporation in polymers 109
 - inorganic 3
 - loading 71
 - mica 92
 - mineral simulant 128
 - morphology 35
 - nickel-coated mica 30
 - nickel-coated carbon fibre 30
 - nickel coated graphite 30
 - orientation 71, 89
 - pearlescent 3, 38
 - pearl simulants 127
 - plasticiser dispersions 56
 - quality 110
 - separation 160
 - spherical 22, 78, 108, 194
 - storage 212
 - water-based aluminium 56
 - zinc 135
- Pipes
- plastic 182
- Plasticiser 205
- Plastisols 57, 129, 162
- Polishing 11, 22
- Polyacetal 77
- Polybutylene terephthalate 118
- Polyester-triglycidyl isocyanurate 168
- Polyethylene terephthalate 24
- Polymeric media 4
- Polymers
- ABS 73
 - cellulose acetate propionate 85
 - compatibility 77
 - decomposition 77
 - dynamic melt 94
 - EMI shielding 186
 - fibre reinforced 90
 - glass filled 87
 - glass reinforced plastic 119
 - mass pigmented 197
 - melt flow index 108
 - molecular weight 138
 - multiphase 87
 - Nylon 6 86
 - pellets 114
 - polyamide 74
 - polycarbonate 86
 - polymethyl methacrylate 86
 - polypropylene 72
 - polystyrene 73, 86
 - PP/EPDM blends 88
 - PP/HDPE/EPDM blends 88
 - pre-drying 70
 - processing 112
 - polyvinyl chloride 74, 162
 - PTFE 173
 - relaxation time 86
 - screening 75
 - shear minimisation 109
 - single stage 66
 - styrene acrylonitrile copolymer 86
 - styrene-maleic 137
 - temperature 65
 - thermosetting 120
 - transparency 107
 - virgin 113
 - viscosity 107
- Pot life 140
- Powder coating 167, 168, 171, 173, 175
- application 173
 - bonding 169
 - dry blend 169
 - encapsulation 172

- formulation 168, 173
 - handling 175
 - manufacture 168
 - metals 173
 - safety 175
 - Printing 153
 - gravure 132
 - screen 132
 - Processing 70
 - air entrapment 85, 86
 - chemical modification 26
 - co-extrusion 117, 118
 - coloration in situ 27
 - conversion 113
 - double cone blender 69
 - extrusion 117
 - gas phase 137
 - Hall 14, 15, 22, 23
 - in-mould decoration 118
 - injection moulding 114, 118
 - laser marking 197
 - melt spinning 195
 - milling 75
 - multi stage 66
 - rapid solidification 23
 - rotational moulding 118
 - spinning disc 23
 - stamping 11
 - thermoforming 118
 - vacuum deposition 24
 - vacuum forming 118
 - Properties 126, 132
 - adhesion 145
 - barrier 117, 175
 - brightness 44
 - colour 44
 - corrosion resistance 126
 - distinctiveness of image 50
 - gassing 135
 - impact strength 71
 - interrelationships 76
 - mechanical 4, 71
 - physical 41
 - sparkle 50
 - tensile strength 71
 - thermal expansion 89
 - visual 43
 - weight saving 126
 - Propyl acetate 56
 - Protective equipment 208
 - PTFE 173
 - Poly vinyl chloride see Polymers
- R**
- Radiation absorpion 200
 - Radiation sources 185
 - Rapidly solidified flakes 23
 - Receptors 180
 - Recycling 66, 117, 212
 - Reflection
 - heat 193
 - light 193
 - Resins 138, 154
 - acrylic 134
 - aldehyde 134, 154
 - alkyd 138
 - epoxy 138
 - film formers 154
 - ketone 134, 154
 - phenolic 138
 - polyester 138
 - Resinous media 4
 - Resistance 168
 - abrasion 168, 174
 - chemical 43, 174, 175
 - corrosion 7, 168, 187
 - degradation 171
 - heat 151
 - humidity 168

- impact 168
- stone chip 174
- water 136
- weather 174
- Risk phrases 203
- Runner
 - hot 93
 - size and location 93
- Rusting 9, 213

- S**
- Safety 207
 - aluminium 208
 - gold bronze 209
- Safety Phrases 203
- SCOREX 97
- SCORIM 95, 96, 97, 98
- SCORTEC 94
 - venting 97
- Scratch cards 192, 193
- Screening 4, 5, 17
- Seed 132
- Sheet 161
 - leathercloth 161
- Shelf life 18
- Shielding see EMI shielding
- Silanes 146
- Silica
 - fumed 170
- Silicon 137
- Silver 3, 7, 10, 19, 184
- Silver dollars 18, 38, 106
- SHVET® 57, 109
- Simulants
 - mineral 128
 - pearl 127
- Sink marks 95
- Smart car 127
- Solvents 133, 154
 - acetate 133, 154
 - alcohols 133, 154
 - aliphatic 134
 - aromatic 134
 - ketone 133
 - polar 133
 - release 152
 - toluene 133
 - xylene 133
- Sparkle 17, 50
- Specific gravity 7, 41
- Specific surface area 42
- Spheres
 - aluminium, 22
 - silver-coated nickel 30
- Spraying 167, 173
 - electrostatic 167, 173
- Stabiliser
 - lead 77
 - tin 77
- Stainless steel 7, 9, 21, 43, 162, 163, 186
 - austenitic 9, 43
 - powders 196
 - UNS-S 31603 9, 22, 153
- Stamping 4, 11
- Standards
 - ASTM C-177 195
 - ASTM D480-88 48
 - DIN 53196 36
 - DIN 53217 41
 - DIN 55923 48
- Star-Brite 25
- Stearic acid 14
- Stoneware 128
- Storage 213
- Strength
 - tensile 88
- Substances Directive 203
- Surface uniformity 41
- Susceptor 180

T

Teletronics 131, 145
Test methods
 particle size 36
Thermal conductivity 194
Thermal expansion 75
Time Weighted Average 207
Tin 10
Tint strength 70
Titanates 146
Titanium 10, 137
Toiletries 126
Toluene 47
Toxicity 204
Travel 45
Tribo 169, 171, 174
Tufflakes 19

U

UN Recommendations on the Transport
of Dangerous Goods 208
Urethane acrylates 161
UV protection 199

V

Vacuum deposition 24, 153
Vacuum metallisation 65
Visual properties 43
VOC see volatile organic compounds
Volatile organic compounds 139, 161,
167, 211

W

Water covering area 41
Weight saving 179
Weld line 5, 81, 82, 86
 crack propagation 88

 definition 81
 origin 81
 strength 87, 88
 vanishing angle 87
 vanishing point 86
 wall slip 81
Wetting 71, 79
Wetting agents 47
White spirit 56

X

X-rays 200

Z

Zinc 7, 9, 22, 139, 162, 175, 186, 199,
204, 207, 208
Zirconates 146