

Index

- α -peak, 349, 386
- α -process, 348
- α -relaxation, 346, 350, 385, 398
- α -relaxation time, 391, 393, 394
- α -scale universality, 380, 393
- β -correlator, 382, 400, 401, 415, 511
- β -process, 349, 386, 415
- β -relaxation, 346, 350, 384, 388, 390, 398
- β -relaxation regime, 381, 382, 401
- χ_4 , 477, 479

- ab initio* molecular dynamics, 146
- acoustic phonons, 3, 61, 202–205, 220, 225, 228, 292
- activation energy, 150, 291, 297, 342, 395–397, 504
- Adam-Gibbs equation, 437
- Adam-Gibbs theory, 353, 433, 434, 455
- adsorbed mono-layers, 303
- aging, 29, 235, 276, 339, 357, 358, 376, 384, 513
- Alexander-Orbach conjecture, 201
- aluminium (Al), 152, 155, 156
- Al₂O₃, 151, 156, 157
- Al₂O₃(2SiO₂), 157
- amorphous halo, 43, 184
- amorphous semiconductors, 135, 139–141, 211
- amorphous solids, 2, 18, 35–37, 42, 46, 51, 142, 211, 215, 218, 223, 231, 360

- Anderson localization, 9, 227
- Angell-plot, 342, 397, 398, 414
- anisotropic scaling, 119
- anisotropy energy, 245
- annealed average, 18, 19, 247, 298
- annealed disorder, 17, 302
- annealed random fields, 300
- annealing, 358
- anomalous diffusion, 178, 179, 184, 200
- ant in the labyrinth, 198, 202
- antiferromagnets, 233, 302, 307
- argon (Ar), 38, 48, 71, 291, 298
- Ar_{1-x}(N₂)_x, 297
- Arrhenius law, 10, 29, 150, 206, 239, 245, 289, 291, 297, 341, 342, 451, 504
- As, 136, 139, 141
- As₂S₃, 136
- As₂Se₃, 136
- AT line, *see* de Almeida-Thouless line
- attractive glass, 416
- autocorrelation function, 183, 275, 282, 291, 296

- B₂O₃, 157
- Bässler-law, 344, 457
- ballistic deposition model, 125
- ballistic regime, 183, 346, 387
- barriers in phase space, 257
- bead-spring model, 94, 96, 174, 183

- Bethe lattice, 112–115, 117, 118,
 186–188
 BKS potential, 141, 145, 147, 149,
 220, 223, 408
 Bloch equations, 216
 bond angle potentials, 117
 bond disorder, 242, 244
 bond fluctuation model, 97, 182
 bond orientational order, 51, 56, 60,
 83, 138
 bond orientational susceptibility, 59
 bond percolation, 98, 99, 107, 112,
 114, 115, 117, 186
 bond switching moves, 144
 bootstrap percolation, 454, 461
 boson peak, 218, 220, 224, 228, 346,
 347, 350
 branched polymers, 93, 186, 190, 206,
 208
 bridging oxygen, 44, 137, 191, 389
 Brillouin zone, 3, 224
 broken ergodicity, 26
 broken symmetry, 254
 Brownian motion, 75, 119, 174, 186
 Brownian particles, 76, 88
 bulk modulus, 190
 Burgers vectors, 53, 54

 $\text{Ca}_2\text{K}_3(\text{NO}_3)_7$, 219
 $\text{CaAl}_2\text{Si}_2\text{O}_8$, 158
 cage effect, 183, 346, 380, 388–391,
 418
 canted ferromagnetic phase, 295
 Cayley tree, *see* Bethe lattice
 cellular structures, 159
 chemical conversion, 493
 cluster size distribution, 108, 109,
 111, 245
 clustering property, 260, 318
 clusters, 98–100, 104, 106–108, 110,
 112, 114, 118, 122, 193, 199, 208,
 209, 232, 289
 co-dimension, 119
 coarsening dynamics, 457
 coherent intermediate scattering
 function, 68, 237, 345, 368, 372,
 375, 404, 405, 479
 colloids, 6–8, 46, 47, 401, 404, 405,
 417, 501, 504
 patchy, 502
 communal entropy, 443
 complexity, 25, 26, 285–287, 318, 354,
 447
 compressibility, 45, 343, 474
 computer simulations, 1, 58, 59, 94,
 122, 130, 143, 156, 180, 228, 259,
 270, 348, 354, 359, 395, 398, 406,
 413, 415, 473, 502
 conductivity (*see also* thermal
 conductivity *and* electrical
 conductivity), 114, 121, 190, 196,
 197, 199, 203, 206, 209, 210, 212,
 343
 configurational degrees of freedom,
 436
 configurational entropy, 27, 29, 286,
 287, 437, 446, 455, 489
 confined systems, 483
 conformal field theory, 114
 connectedness function, 110
 connectivity percolation, 115, 117
 constraint counting, 116
 continuous random networks, 2, 3, 44,
 135, 138, 142, 144, 152, 190
 continuum percolation, 96
 $(\text{CoO})_{0.4}(\text{Al}_2\text{O}_3)_{0.1}(\text{SiO}_2)_{0.5}$, 233, 240
 cooling experiment, 356
 cooling history, 17, 23
 cooling rate, 28, 140, 141, 143,
 146–148, 356–358
 cooperatively rearranging regions,
 434, 436
 cooperativity, 448, 450
 coordination number, 40, 49, 51, 56,
 57, 112, 136, 139, 141, 145, 149,
 153, 155, 157
 correction to scaling, 119
 correlated percolation, 98
 correlation factor, 442
 correlation hole, 91
 correlation length, 60, 103–105, 110,
 241, 294, 295, 308, 343

- correlator, *see* time correlation function
- Coulomb interactions, 145, 297
- critical amplitude, 100, 381
- critical decay, 383, 401
- critical dimension, 288
- critical exponents, 98, 100, 102–105, 110, 117, 265, 266, 310, 409
- critical fluctuations, 478
- critical isotherm, 102
- critical packing fraction, 381, 404
- critical slowing down, 125, 194, 206, 311, 464
- critical temperature, 11, 43, 102, 283, 287, 304, 309, 377, 379, 397, 406
- CRN, *see* continuous random networks
- cross section, 66, 69
- crosslinks, 136, 186, 189, 191, 206, 207
- crossover exponent, 209
- crossover frequency, 227
- crystal, 2, 3, 19, 27, 35, 39, 41, 51, 82, 141, 211, 223, 287, 303, 339, 346, 350–352, 360, 378
- growth, 2, 124
- crystallization, 29, 55, 174, 211, 345, 353, 372
- cubic anisotropy, 293
- CuMn, 235–237, 239, 245, 271
- Curie law, 234
- Curie temperature, 23, 194
- damped harmonic oscillator, 228
- dangling bonds, 136, 139, 144, 150, 151, 153, 154
- de Almeida-Thouless line, 240, 254, 256
- Debye energy, 213
- Debye frequency, 222
- Debye function, 93
- Debye law, 203
- Debye model, 217
- Debye temperature, 219, 222, 229
- Debye-Waller factor, 42, 378
- defect, 451
- defect-mediated melting, 56
- defects, 134, 150, 151
- deformation potential, 215
- Delaunay construction, 135
- Delaunay network, 136
- density of states, 3, 5, 7, 203, 220, 228, 230
- depletion interaction, 499
- detailed balance principle, 69, 143
- dielectric crystals, 233
- dielectric relaxation, 343
- dielectric spectroscopy, 66, 403, 438, 479
- diffusion, 67, 70, 203, 212
- constant, 73, 76, 152
- constants, 207
- diffusion constant, 70, 178, 206, 207, 209, 343, 380, 394, 396, 441, 460
- diffusion equation, 70, 71
- diffusion-limited aggregation, 6, 47, 118, 122
- dilute solution, 95
- diluted antiferromagnets, 10, 277, 292, 301, 302, 304, 310
- diluted ferromagnets, 11, 97, 101, 104, 105, 246, 310
- diluted Ising model, 9
- diluted molecular crystals, 291
- dipolar glasses, 12, 233
- dipolar interactions, 233
- dipole-dipole interactions, 100
- direct correlation function, 369
- disclination, 53, 55, 134, 141
- disclination pair unbinding transition, 56
- disconnected susceptibility, 313
- dislocation, 53, 54
- dislocation pair unbinding transition, 56
- dispersion relation, 3, 5, 196, 202, 204, 224, 225
- DLA, *see* diffusion-limited aggregation
- domain wall, 206, 305, 306
- domains, 11, 305, 309
- Doolittle equation, 442

- double-well potential, 5, 213, 216
 - asymmetric, 213, 218
- droplet model, 274, 309
- duality transformations, 98
- Dulong-Petit law, 229
- dynamic critical phenomena, 124
- dynamic exponent, 125, 180, 206, 208, 241, 263
- dynamic scaling, 124, 180, 195, 206, 241, 263
- dynamic structure factor, 66, 68, 71, 180, 195, 378
- dynamic susceptibility, 66, 238, 240, 245, 259, 349, 350
- dynamical correlation length, 477, 478
- dynamical heterogeneities, 344, 347, 348, 394, 452, 461, 463, 470, 480, 488
- dynamical heterogeneity, 466
- dynamical length scales, 439
- dynamical matrix, 227
- dynamical transition, 20, 21, 282, 284, 285, 287
- East model, 455
- Edwards-Anderson model, 15, 237, 241, 244, 277
- Edwards-Anderson order parameter, 243, 248, 267, 283, 296, 298, 299, 303
- Edwards-Anderson spin glass, 243, 267
- effective medium approximation, 193, 222, 228
- effective medium theory, 196
- effective temperature, 359, 515
- Einstein relation, 71, 73, 178, 184, 199, 469
- elastic constants, 63, 142, 292, 299, 300
- elastic model, 518
- elastic phase transition, 292
- elastic scattering, 37
- elasticity, 186, 202, 210
 - of networks, 207
 - of gels, 189, 190, 211
 - of networks, 97
 - rubber, 140, 191
 - scalar, 189, 205
 - theory, 63, 134
- electrical conductivity, 9, 74, 115, 187, 193, 211
- electrodeposition, 123
- elementary excitations, 3
- end-to-end distance, 84, 86–88, 389, 390
- entropic droplet, 490
- entropy, 21, 25–28, 30, 254, 277, 280, 281, 285–287, 351, 436
- entropy theory, *see* Adam-Gibbs theory *and* Gibbs-Di Marzio theory
- ergodic components, 23, 25, 26, 256, 285, 447
- ergodic-to nonergodic transition, 493
- ergodic-to-nonergodic transition (*see also* dynamical transition), 20, 22, 29, 282, 283, 285–287, 290
- ergodicity breaking, 20, 22
- ergodicity hypothesis, 64
- $\text{Eu}_x\text{Sr}_{1-x}\text{S}$, 11, 12, 271
- $\text{Eu}_x\text{Sr}_{1-x}\text{Se}$, 233
- $\text{Eu}_x\text{Sr}_{1-x}\text{Te}$, 233
- Euler-Poincaré constant, 133
- Euler-Poincaré formula, 131, 137
- EuS , 11, 232, 233
- EuSe , 233
- Ewald summation, 297
- exact enumerations, 88, 89, 113
- exchange interactions, 9, 10, 100
- excitations, 451
- excluded volume, 83, 86, 89–91, 95, 179, 210
- exponent parameter, 382, 383, 392
- F_2 -model, 375
- F_{12} -model, 375
- facilitated kinetic Ising models, 449
- facilitated spin models (*see also* Fredrickson Andersen model), 433
- factorization property, 381, 384, 401, 403, 415, 510

- fast β -process, 349
fast sound, 225
FDT-violation factor, 514
 $(\text{Fe}_x\text{Mn}_{1-x})_{75}\text{P}_{16}\text{B}_6\text{Al}_3$, 233
Fermi wave-vector, 231
ferromagnets, 231, 233, 234, 244, 251, 255, 291, 301, 305, 309
Fick's law, 70, 71
fictive temperature, 358-360, 516
finite size effects, 108, 146, 261, 282, 283, 291, 461, 464
finite size rounding, 306
finite size scaling, 106, 117, 187, 195, 270, 283, 284, 480
first sharp diffraction peak, 43, 148, 184
floppy modes, 116, 118
Flory-Stockmayer theory, 198
fluctuating force, 363, 365
fluctuating hydrodynamics, 373
fluctuation-dissipation theorem, 76, 175, 260, 263, 264, 276, 359, 363, 376, 399, 513
 generalization of, 359
foam, 159
 dry, 160
 solid, 159
 wet, 160
four-point correlation function, 476
fractal, 7, 46-48, 96, 98, 121
fractal dimension, 6, 7, 47, 92, 93, 95, 106, 110, 111, 113, 114, 117, 118, 120, 121, 180, 191, 202, 204, 208
fractional Brownian motion, 119, 120
fractons, 7, 201-203, 205
fragile glass-formers, 219, 229, 342, 344, 351, 352, 438
fragility, 342
Frank-Kasper phases, 134
Fredrickson-Andersen model, 284, 449, 481
free draining limit, 179
free volume, 440, 448
 theory, 433, 439
freezing temperature, 238, 267, 270
freezing transition, 20, 24, 231, 271
frequency matrix, 362, 365
friction coefficient, 75, 77, 175, 181
frozen-in disorder, 2, 8, 14, 55, 103
frustrated plaquettes, 16, 134
frustration, 15, 134, 231, 232, 245
frustration limited domain model, 518
functionality, 186
gauche configuration, 82
gauge invariance, 142
gauge transformations, 142, 243, 245
gauge-invariant disorder, 245
 $\text{Gd}_{0.37}\text{Al}_{0.63}$, 267
 $\text{Ge}_x\text{Se}_{1-x}$, 115
gel, 186, 189, 190, 315, 389, 416, 493, 503
 elasticity, 190, 211
 fraction, 186, 207
 phase, 186, 187
 phase separation, 496
 structure factor, 497
 transition, 186, 190, 206, 207
 chemical, 493
 reversible, 495
germanium (Ge), 130, 135, 137, 139
ghost field, 103, 110
Gibbs-DiMarzio theory, 434, 445
Gibbs-Thomson equation, 122
Ginzburg criterion, 265, 266
Ginzburg-Landau-Wilson
 Hamiltonian, 309
glass
 chemical rules, 140, 141
 correlations, 294, 295
 ideal, 353
 order parameter, 20, 21
 susceptibility, 295
 transition, 1, 10, 13, 16, 25, 28-30, 35, 67, 71, 97, 147, 150, 151, 183, 185, 212, 218, 229, 231, 277, 282, 284, 290, 294, 300, 339
 first order, 20
 transition temperature, 43, 341, 357
 cooling rate dependence, 357

- glass transition
 static, 490
 Glauber kinetic Ising model, 206
 glycerol, 219, 373, 479
 grain boundaries, 53, 54
 granular superconductors, 97
 Green-Kubo relations, 72, 73
 Griffiths singularity, 270
 ground state, 9, 15, 39, 61, 100, 277
 ground state entropy, 16, 28
 growth length scales, 463, 464, 480
 gyration radius, 93, 95, 178, 185, 208, 390
- Hamming distance, 318
 hard core potentials, 126
 hard disks, 58, 60, 126, 516
 hard spheres, 75, 126, 130, 380, 381, 395, 404, 409, 411, 414
 harmonic approximation, 61, 138, 229, 230
 harmonic chain, 62
 harmonic crystal, 202
 harmonic solid, 189
 heating experiment, 356
 Heisenberg model, 24, 206, 233, 241
 Heisenberg spin glasses, 271
 hexatic phase, 56, 59
 $\text{Hg}_{3-x}\text{AsF}_6$, 62
 high temperature series expansions, 310
 homogeneity assumption, 108
 homopolymer, 81
 hopping processes, 395, 396, 403, 405, 414, 415
 hopping terms, 374, 378, 379, 384, 410, 412, 413
 Hubbard-Stratonovich identity, 250, 252
 hydrodynamic interactions, 179, 209
 hydrodynamic slowing down, 70
 hydrogen, 13, 68, 84, 95
 hyper-Raman scattering, 221
 hyper-scaling relation, 110, 113, 266, 310
 hysteresis, 235
- ideal glass, 28, 139, 355, 374
 ideal glass transition, 371
 ideal networks, 140
 importance sampling Monte Carlo, 89
 impurities, 139, 301–303
 Imry-Ma argument, 304, 309
 incipient percolating cluster, 104, 106, 114
 incoherent intermediate scattering
 function, 67, 69, 71, 345, 368, 372, 375, 380, 390, 391, 395, 399, 400, 402, 507
 incoherent scattering, 181, 184
 indirect exchange interaction, 231
 inelastic scattering, 212, 221
 inherent structures, 354
 interface, 55, 122, 124, 125, 144, 276
 interfacial roughening, 306
 interfacial width, 124
 intermediate range order, 140, 146
 intermittent dynamics, 515
 interstitials, 55
 intravalley variance, 286
 Ioffe-Regel crossover, 227
 irreversible growth, 122
 Ising antiferromagnet, 16, 303
 Ising ferromagnet, 23, 24, 303
 Ising model, 14, 100, 105, 206, 234, 241, 262, 304–307
 Ising spin glass, 134, 246, 267, 270, 274, 275, 279, 300
 infinite range, 255, 256, 264
 isotropic orientational glasses, 296
 isotropic quadrupolar glasses, 299
 isotropic spin glasses, 294, 296
- jamming, 128
 Johari-Goldstein β -process, 349
- Kac model, 492
 Kauzmann paradox, 25, 27, 353
 Kauzmann temperature, 28, 30, 280, 281, 287, 352, 355, 376, 414, 436, 437, 439, 447
 KBr, 291
 $\text{KBr}_{1-x}(\text{KCN})_x$, 297

- KCN, 291
kinetic Ising model, 23, 262
kinetically constrained models, 448
Kohlrausch exponent, 178, 296, 299, 347
Kohlrausch-Williams-Watts function, 178–181, 183, 210, 296, 347, 385, 391, 392, 412
Kosterlitz-Thouless transition, 58
KTHNY scenario, 58
Kuhn segment, 175
KWW, *see*
 Kohlrausch-Williams-Watts function
KWW exponent, *see* Kohlrausch exponent
- lack of self-averaging, 261
lacunarity, 121
landscape, 25, 120, 212, 254, 376, 436, 448, 470, 489, 491
Langevin equation, 75, 125, 175, 262, 363
Laplace equation, 122
Laplace transform, 65, 364
Laplacian growth, 122
lattice animals, 93, 111
lattice gas, 284, 303, 448, 459, 496
Lennard-Jones mixture, 387, 388, 390, 393, 399, 400, 403, 406, 407, 409, 474, 482, 484, 488, 507, 514
Lennard-Jones potential, 38, 44, 96, 127, 143, 180, 181, 185, 297
librational motions, 298
light scattering, 47, 48, 345, 404, 405, 409
Liouville equation, 64
Liouville operator, 64, 362
liquid crystals, 134
living polymers, 136
local temperature, 350
localization length, 205, 504
localized excitations, 221, 227
long range order, 35, 291, 304, 305, 309
long time tails, 361
- lower critical dimension, 63, 112, 266, 275, 304, 307–309
- m -vector model, 244, 265
 m -vector spin glass, 266
macromolecules, 44, 140, 175, 186, 191
magnetic scattering, 195
magnetization, 10, 23, 24, 100, 102, 194, 248, 250, 261, 309
marginal dimensionality, 91, 92, 113, 310
Markov process, 76
master equation, 198, 262
Mattis model, 243, 244
Mattis spin glass, 258
MC, *see* Monte Carlo
MCT, *see* mode coupling theory
MD, *see* molecular dynamics
mean field, 20, 24, 26, 29, 92, 116, 248, 273, 287, 289
mean field spin glass, 282
mean field theory, 186, 246, 253, 261, 265, 266, 279, 299, 300
mean squared displacement, 61, 178–180, 183–185, 198–200, 348, 380, 387, 388, 390, 395
melting in two dimensions, 55
memory function, 77, 363, 365, 369
 regular part, 369
metallic glasses, 130, 134, 159, 211, 233
metallic spin glasses, 232, 245
microphase separation, 156
microscopic dynamics, 398, 399, 404
microscopic peak, 386
miscibility gap, 156
mixed crystals, 8, 10, 13, 100, 233
mobility, 474, 476
mobility edge, 227
mode coupling approximations, 366, 368
mode coupling equations, 370
 generic features, 375, 377, 410, 415
 ideal, 371, 374
 universal features, 375

- mode coupling theory, 29, 30, 43, 182, 208, 224, 228, 282, 287, 345, 360, 367, 368, 434, 447, 476, 488, 494, 504
 asymptotic predictions, 379, 401, 403
 critical temperature, 377, 406, 409
 extended, 374, 379
 generalized, 374
 growing length scales, 476
 hopping terms, 374, 378, 379, 384, 396, 403, 405, 410, 412, 413, 415
 ideal version, 396, 410
 memory function, 366
 non-equilibrium, 507
 non-linear feedback mechanism, 370, 371
 of the glass transition, 368
 schematic model, 375, 489
 slow variables, 373
 molecular crystals, 233, 291, 316
 molecular dynamics, 44, 50, 69, 140, 141, 143–146, 148, 156–158, 183, 223, 225, 226, 230, 297, 407, 408
 molecular field, 304
 molecular liquids, 401, 405
 monomers, 81, 83, 86, 90, 91, 94–96, 173, 175, 183, 185, 186, 207, 389
 Monte Carlo, 8, 58, 60, 108, 112–114, 143, 144, 180, 183, 244, 261, 267, 270
 mosaic picture, 311
 mosaic state, 490
 mosaic theory, 490
 moving boundary problem, 123
 MSD, *see* mean squared displacement
 Mullins-Sekerka instability, 123
 multi-valley structure, 258, 260, 273
 multicritical point, 104
 multifractality, 122

 Na₂O, 151, 157
 Na₂O-SiO₂ mixtures, 151–153, 158
 network glasses, 44, 115, 130, 140, 395
 network modifier, 151

 neutron scattering, 43, 44, 47, 50, 66, 69, 95, 96, 221, 224, 226, 345, 403
 lengths, 51, 66, 156
 neutron spin echo technique, 237
 Ni, 129
 NiZr, 159
 Ni₇₆P₂₄, 129
 nitrogen (N₂), 13, 291, 297, 298
 N₂-Ar, 297
 NH₄H₂PO₄, 233
 NMR experiments, 155, 300, 472, 479
 nonergodicity, 22
 nonergodicity parameter, 282, 378, 380, 381, 406–409, 413, 415
 critical, 379
 nonlinear susceptibility, 241, 253, 254
 North-East model, 455
 NP complete, 317
 nucleation, 491

 observation time, 259, 267
 open network structure, 44, 115, 135, 389, 407, 409
 optical absorption, 211
 order parameter, 238, 248, 250, 255, 256, 265, 299, 300, 302
 order parameter function, 255, 278
 orientational degrees of freedom, 403, 417
 orientational glasses, 13, 29, 277, 292, 295–297, 300, 316
 order parameter, 292, 300
 orientational order, 58
 Ornstein-Zernike relation, 475
 ortho-hydrogen, 14, 291, 292
 ortho-parahydrogen mixtures, 13, 234
 ortho-terphenyl, 345, 373, 403, 409, 468, 470, 472
 overlap, 260, 274, 278, 514
 overlap between observables, 380
 oxygen, 137, 147, 152, 153

p-spin interactions, 277, 280, 282, 286, 287
p-state Potts glass, 277
 packing

- hard disks, 126–128
- hard spheres, 6, 126–128, 130, 158, 381, 404
- pair connectedness function, 104
- pair distribution functions, 35, 37, 74
- para-hydrogen, 291
- Parisi function, 261
- partial charges, 297
- partial pair distribution function, 49
- partial radial distribution function, 50
- partial structure factor, 50, 148, 149, 154–156
- participation ratio, 227
- patchy colloids, 502
- percolating cluster, 200, 205, 206
- percolating network, 99, 104, 113, 193, 199, 205
- percolation, 7, 9, 12, 14, 93, 95–97, 103–105, 108, 111, 112, 186, 191, 193–198, 200, 208, 210, 232, 246, 265, 310, 493, 502
 - cluster, 98, 208
 - conductivity, 186, 187, 190, 198, 202
 - correlated, 495
 - probability, 99, 100, 103, 104, 106, 107, 112, 186, 187
 - susceptibility, 102
 - threshold, 98, 106, 107, 115, 117, 118, 186, 188
 - transient, 495
- perimeter, 111, 120
- periodically frustrated models, 16
- persistence length, 83
- phantom chains, 174
- phantom network, 210
- phase separation, 157, 174, 315, 496
- phonons, 3, 58, 61, 63, 67, 202, 218, 220, 221, 223
- phosphorus (P), 129
- photobleaching experiments, 472
- plastic crystal, 292, 297, 300, 417
- plasticizer, 445
- Plateau borders, 160
- point to set correlation, 343
- polybutadiene, 43, 158
- polycarbonate, 81
- polydispersity, 81
- polyethylene, 82–84, 158
- polymer foams, 499
- polymer networks, 186
- polymer solution, 173, 208
- polymers, 43, 48, 81, 86, 88, 90, 91, 94–96, 136, 158, 177, 202, 209, 355, 373, 389, 390, 393, 403, 416, 445
 - coarse-graining of the chain, 175
 - telechelic, 506
- polystyrene, 46, 81, 82
- Porod's-law, 47, 48
- porous medium, 315
- porous rocks, 97
- Potts ferromagnet, 316
- Potts glass, 21, 26, 29, 279, 281, 282, 284, 286–288, 290, 293, 299, 300, 447, 490
 - permutation, 290
- Potts model, 293, 300, 316
- pressure, 445
- primary order parameter, 244
- projection operator, 362, 365
- pulse-echo experiments, 223
- quadrupolar glasses, 13, 14, 277, 291, 292, 294, 298, 300
- quadrupole moments, 291, 293, 296
- quantum effects, 143, 297
- quasicrystals, 64
- quenched average, 18, 246
- quenched disorder, 2, 9, 11, 15, 24, 29, 276, 282, 301, 310, 316
- quenched free energy, 20
- quenched random fields, 300, 301
- radial distribution function, 37, 39, 42, 48, 129, 131, 138, 139, 153
- random axis model, 317
- random bonds, 297, 299, 316
- random close packing, 126–128, 142, 158
- random energy models, 277, 278, 280, 514
- random exchange, 241, 243

- random field Ising model, 10, 15, 277, 301, 303, 305, 308, 309
 random fields, 233, 244, 257, 292, 297, 300, 301, 303–306, 308, 309, 316
 random first order theory, 344, 464
 random first order transition, 439, 490
 random forces, 75, 77, 174, 175, 177
 random growth, 119, 124
 random interfaces, 124
 random network, 136
 random quenched disorder, 246
 random resistor networks, 114, 187, 188, 209, 210
 random satisfiability problem, 317
 random staggered field, 244, 302
 random surfaces, 118
 random uniaxial anisotropy, 317
 random walks, 7, 44, 82, 86–88, 92, 94, 95, 118, 119, 122, 143, 179, 201
 randomly canted ferromagnetic phase, 280
 Rayleigh scattering, 205, 227
 $\text{Rb}_2\text{Co}_{0.85}\text{Mg}_{0.15}\text{F}_4$, 304, 307
 $\text{Rb}_{1-x}(\text{NH}_4)_x\text{H}_2\text{PO}_4$, 233
 RbH_2PO_4 , 233
 RCP, *see* random close packing
 RDF, *see* radial distribution function
 real replicas, 257, 274
 reentrant spin glass, 255
 reflectivity, 211
 refractive index, 211
 registered superstructures, 303
 regular fractal, 119
 relaxation, 244
 relaxation functions, 296
 relaxation time, 10, 21, 29, 30, 67, 70, 71, 125, 144, 148, 239, 263, 267, 284, 289, 291, 296, 299, 437
 renormalization group theory, 89, 108, 113, 206, 266, 310
 replica, 247, 376, 489
 index, 247
 method, 246, 254, 261, 264, 265
 symmetric solution, 252–254, 265, 281
 symmetry breaking, 248, 254, 258, 264, 265, 273, 274, 276, 278, 280, 281, 308, 514
 reptation, 174
 repulsive glasses, 416
 response function, 21, 194, 258, 275, 359, 513
 RFIM, *see* random field Ising model
 RFOT, *see* random first order transition
 rigid cluster, 116
 rigidity percolation, 115, 117
 ring polymers, 81
 ring size distribution, 140
 ring statistics, 141, 146–148, 154, 156, 158
 RKKY exchange interaction, 232
 rotation-translation coupling, 229, 292, 299–301
 rotation-translation-coupling, 469
 rotational isomeric state model, 86
 roughening of interfaces, 307
 Rouse model, 177, 180–182, 184, 185, 202, 208, 209
 Rouse modes, 176, 177, 179, 181–185, 187
 Rouse time, 178, 179
 rubber, 136
 elasticity, 140, 191
 RW, *see* random walks

 salol, 397, 398, 438
 SAW, *see* self-avoiding walks
 scaling, 179, 236, 242, 397
 function, 108, 109, 111, 124, 180, 195, 196, 200, 241, 263, 284
 relation, 113, 126, 187, 209
 schematic model, 375, 410, 413, 489
 hopping terms, 375, 411
 Schottky anomaly, 216
 Schottky-like peak, 289
 SD, *see* stochastic dynamics
 secondary order parameter, 244
 selenium (Se), 4, 48, 135, 140
 self-affine, 119
 self-averaging, 17, 261, 313

- self-avoiding walks, 7, 86, 88, 89, 92, 94, 95, 114, 115, 118, 121
- self-dynamic structure factor, 66, 71
- self-similar fractal, 123
- self-similarity, 95, 120
- shear banding, 509
- shear modulus, 187, 190, 207, 210
- shear stress, 510
- shear thinning, 507
- shear viscosity, 73, 76, 506
- Sherrington-Kirkpatrick model, 249, 254, 255, 261, 277
- short range order, 35, 36, 137, 275
- Sierpinski gasket, 118
- silica, 4, 6, 44, 48, 130, 137–141, 145–147, 149–151, 154–156, 158, 190, 219–223, 226, 227, 229, 230, 345, 395, 396, 398, 402, 404, 408, 413
- aerogels, 204
 - gel, 190, 191, 210
 - hydrogel, 190
- silicate glasses, 49, 50, 135, 154, 156
- silicon (Si), 48, 130, 135, 137, 144, 147–149, 152, 153, 157
- simplex polyhedra, 135
- simplex representation, 282, 316
- simplicial graph, 135
- single molecule spectroscopy, 471
- single molecule spectroscopy experiments, 473
- SiO₂, *see* silica, 389, 395
- site disorder, 242
- site percolation, 10, 98, 99, 186, 495
- Sjögren-model, 375
- SK-model, *see* Sherrington-Kirkpatrick model
- sodium (Na), 152, 154
- sodium silicate melts, 50, 154, 156
- sodium-rich channels, 151, 154
- soft glassy rheology, 507
- soft magnons, 194
- soft potential model, 218, 230
- soft spheres, 159, 399, 401, 404
- sol phase, 186
- sol-gel transition, 190, 206, 207, 209
- sound velocity, 202, 204, 205, 217, 225, 226
- sound waves, 205, 216
- space-filling structures, 127, 131
- space-time thermodynamics, 487
- specific heat, 123, 203, 212, 216, 217, 219, 221, 224, 229, 230, 235, 237, 244, 253, 254, 343, 350, 351, 436, 437
- configurational part of, 350
 - cooling rate dependence, 358
 - frequency dependent, 351
- spectral dimension, 7, 180, 201, 202
- spectral function, 65
- spin diffusion, 194
- spin facilitated models, 284, 486
- spin glass, 11–13, 15, 17, 20–22, 24, 26, 29, 60, 230–317, 343, 353, 376, 379
- order parameter, 244, 253, 278, 281, 282
 - susceptibility, 243, 244, 261, 281, 285, 288, 289, 477
 - transition, 253, 263, 270
- spin glass susceptibility, 489
- spin pair correlation, 103, 104, 294
- spin wave stiffness, 193, 195, 206
- spin waves, 193, 194, 203
- spinodal, 497
- spinodal temperature, 281
- spontaneous magnetization, 244, 252
- SrS, 232
- staggered magnetization, 302
- star-polymers, 81
- static structure factor, 35, 42, 44, 46, 49, 52, 62, 63, 68, 96, 134, 148, 154, 156, 343
- statistical fractals, 118, 119, 123
- Stefan problem, 122, 123
- stick boundary condition, 76
- stochastic dynamics, 394, 399, 400
- Stokes-Einstein relation, 76, 380, 461, 466
- fractional, 471
- Stokes-Einstein-Debye relation, 466, 467

- strain tensor, 215
stress tensor, 508
stretched exponential, *see*
Kohlrausch-Williams-Watts
function
stretching exponent, *see* Kohlrausch
exponent
strong glass-formers, 219, 229, 342,
344, 352, 396, 451
structural disorder, 233
structural glasses, 13, 25, 26, 29, 30,
135, 157, 231, 240, 282, 309, 343,
353, 359, 376, 379
structure factor, *see* static structure
factor
super-exchange, 232
super-paramagnet, 100
super-paramagnetic clusters, 245
superconducting films, 188
supercooled liquids, 10, 17, 27, 67,
122, 134, 144, 173, 231, 287, 296,
339, 346, 368, 380, 397
diverging length in, 343
surface diffusion, 125
surface tension, 122
susceptibility, 101, 102, 124, 235, 237,
239, 242, 244, 245, 251, 253, 254,
261, 382, 386, 477
frequency-dependent, 245, 259,
349, 350, 382, 386
symmetry breaking, 20, 23

tagged particle, 70, 74, 368, 372, 387
thermal conductivity, 74, 212,
217–219, 224
thermal diffusion coefficient, 123
thermal disorder, 42, 103
thermal expansion, 42, 142, 147, 155,
295
thermal expansion coefficient
cooling rate dependence, 358
thermoset resins, 494
Theta solvents, 91
thin films, 483
three-point correlation function, 406,
408, 409

time averages, 64, 258, 259
time correlation function, 21, 29, 65,
181, 289, 346, 347, 349, 350, 364,
367, 370, 387, 397, 416
logarithmic time dependence, 417
time translation invariance, 65, 73,
275
time-dependent order parameter, 257
time-temperature superposition
principle, 385, 391, 392
topological defects, 53, 54, 142
topological disorder, 51, 52, 57, 63,
141, 142
torsional potential, 82, 83, 87
trans state configuration, 82
transfer matrix methods, 86, 268,
304, 306
transition probability, 262
translation-rotation coupling, 469
translational degrees of freedom, 298,
300
translational invariance, 42
transport coefficients, 35, 66, 73
transverse glass order, 295
trap model, 357, 433
triclusters, 151, 152, 155, 156
tricritical point, 304, 316
TTSP, *see* time-temperature
superposition principle
tube model, 174
tunneling, 5, 212, 218
two-level systems, 5, 212, 215, 218,
230, 234, 245
two-step relaxation, 283
type A transition, 379
type B transition, 379, 380

ultrametric symmetry, 255
ultrametric topology, 276
ultrasound absorption, 216, 217
uniaxial molecule, 294
universality class, 105, 115, 117, 211
universality hypothesis, 303
upper critical dimensionality, 265, 373

vacancies, 55

- valence alternation pairs, 140
- valley, 22–26, 254, 256–258, 278, 285, 286, 489
 - free energy, 23, 286
- van der Waals interactions, 44
- van Hove function, 66, 68, 71
- vector spin glasses, 271
- velocity autocorrelation function, 73, 74, 77
- vertex, 367, 369, 409
- vibrational degrees of freedom, 436
- vibrational entropy, 27, 287
- viscosity, 10, 30, 97, 179, 207, 208, 341, 342, 344, 397, 414, 437
- viscous damping, 228
- viscous fingering, 123
- Vogel temperature, 182, 344, 438
- Vogel-Fulcher-Tammann law, 10, 240, 311, 344, 437, 438, 445, 491
- von Schweidler exponent, 392
- von Schweidler-law, 383, 385, 509
- Voronoi construction, 52, 57, 131, 135
- Voronoi networks, 133
- Voronoi polyhedra, 131
- vulcanization transition, 191
- waiting time, 472
- wandering exponent, 307
- water, 225, 403, 404
- Weissenberg number, 507
- Wigner-Seitz cell, 52
- X-ray scattering, 96
- XY model, 241, 303
- XY spin glasses, 293
- Yang-Mills gauge theory, 142
- yield stress, 508, 510
- $z = 8 - n$ -rule, 139
- Zeeman energy, 306
- zero point entropy, 212
- zero-field cooling, 236
- Zimm model, 179, 180, 187, 209
- Zwanzig-Mori projection operator
 - formalism, 77, 349, 351, 361, 368
 - slow variables, 361, 366