

- Abbe's theory of image formation, 549
- Above-Barrier ionization, 68
- Abrasive erosion
in surface cleaning, 288–292
- Abrasive sliding, 305–307
fine feather-like particle
generation, 306
particle generation in, 306
plastic deformation in, 306
ploughing, 306
wedge generation, 306
- Abrasives
abrasive media
for microabrasive processing
application, 928–931
quality, 932–933
selection, 931–932
hardness, 932
particle shape, 931
particle size, 932
type of, 927–933
aluminum oxide, 928
crushed glass, 929
cubic boron nitride, 928
diamond, 928
dolomite, 931
glass bead, 930
plastic bead, 929
silicon carbide, 928
sodium bicarbonate, 930
walnut shell, 929
- AC ionizer, 515–517
- Acid contaminants, 352, 384
- Adhesion/Adhesive transfer, 475–498
of atoms, in contact and
separation, 302–303
commercial importance of, 477
crack initiation by, 304
during aerosol jet cleaning,
955–956
factors affecting, 492–493
failure, 595
of flake-like particles, 303–305
Fowlkes and Robinson model,
483
impact on public health, 476
importance, 476
interactions giving rise to,
478–487. *see also* Interactions
measuring methods, 493–497
mechanics of, 487–492
propagation by, 304
- Adsorption, 17–18
adsorption energies and residence
times of molecules, 17
of organic contamination, 712–713
- Aerosol jet cleaning of surfaces, 952,
see also Argon/nitrogen cryogenic
aerosols
- Carbon dioxide, 952
- mechanisms, 953–958
adhesion and hydrodynamic
forces, 955–956
energy transfer to
contaminants, 954
hydrodynamic shear, 954–955
particle collision, 956–958
reduced adhesion forces, 954
thermophoresis, 954
vapor burst, 954
particle motion during, 954
- Aerosol particles
aerosol particle sizes
coarse mode, 4
fine aerosol, 4
intermediate accumulation
mode aerosol, 4
molecular size aerosol, 4
nanosize aerosol, 4
nucleation mode, 4
spectrum of, 3–5
ultrafine aerosol, 4
very, very small aerosol, 4
transport and deposition of,
189–264

- Aerosol particles (*continued*)
drift velocity, 201–205, *see also individual entry*
Eulerian formulation, 205–209, *see also individual entry*
forces dominating, 221
in a parallel plate reactor, 209–241, *see also Parallel plate reactor*
inertia-enhanced deposition, 242–261
inertial effects in, 199–201
Lagrangian equation, 191–199, *see also individual entry*
noncontinuum considerations, 190–191
- AFM (atomic force microscope), 300
- AGION[®], 1036
- Air analysis, of AMCs, 352–367
acids, 352–353
bases, 353–354
ammonia (NH₃) and amines, 353–356
condensables, 354–357, 359–362
dopants, 365–367
ester phthalates, 358–364
IC analysis, 355–356
organic compounds analysis, 354
siloxanes, 357–358
- Air cleanliness technology
application, 452–454
endocrine disrupters, 452
sick house syndrome, 452
chemical filter for, 436–441
- Air filters, 1051
- Air ionization
applications, 521–526
discharge in process tools, 524–525
flow benches, 525–526
in ISO Class 3 cleanroom, 523
overhead blower ionizer, 525
work surfaces, 525–526
for static charge control, 514–521
- Air jet removal
apparatus and parameters, 890–894
condition of the environment, 903–906
fundamentals, 890–906
new removal methods using, 906–914
pre-charging method, 906–909
vibrating air jet method, 909–913
- Air treatment, 933–935
air drying, 933–935
desiccant dryers, 934
integrated dryer/filter, 934
membrane dryers, 934
oil contamination, 935
- Airborne molecular contamination (AMCs), 329–456, *see also Semiconductors*
absorption-to-solution sampling system, 354
air analysis, 352–367, *see also individual entry*
AMC-induced problems
in manufacturing process, 336–337
nature of, 337–339
analysis methods, 344–382
chemical filter for, 338
chemistry of, 403–432
monolayer and sub-monolayer contamination, 403–407
classification of, 339–344
cleanliness technology for, 449
data analysis, 432
definition, 333–336
degrading underlying surface, 335
deleterious effects induced by, 337
from gaseous contaminant sources, 335
ammonia, 335
cyclsiloxanes, 335
hydrochloric acid, 335
phosphorus oxide, 335
future directions, 449–455

- analyst/chemist role, 454–455
 - analytical methods, advances
 - in, 449–451
 - in air
 - determination limit for, 373–375
 - low AMCs level (DOP 0.1 ng/m³)
 - achieving cleanroom cleanliness at, 448–449
 - monitoring systems, 443–444
 - nature and effects of, 382–432
 - on Si wafer surface
 - determination limit for, 372
 - organic conceptual diagram for, 426–432
 - outgassing evaluation method
 - for construction materials, 367–382, *see also* Outgassing evaluation method
 - properties of, investigation, 382–401
 - acids, 384
 - bases, 384–386
 - condensables, 386–401
 - dopants, 395–401
 - effects of rinsing the outdoor air, 382–384
 - ester phosphates, 393–395
 - ester phthalates, 392–393
 - organic compounds in outdoor air, 387
 - recent developments in, 444–449
 - sampling and analysis methods
 - for, 353
 - standardization trends, 445–447
 - study in Japan, 330–331
 - substrate surface analysis of, 345–352,
 - see also* Substrate surface
 - target contaminant
 - changes in, 332–333
- Aldehydes, 787
- Algae, 1016
- Alpha ionization method, 520–521
 - advantage, 520
 - disadvantage, 520
- Amino alcohol, 386
- Ammonia (NH₃) contaminants, 384
 - AMCs from, 335
 - effects of, 402
- Ammosov–Delone–Krainov (ADK) theory, 78
- Analytical techniques for ionic contamination, 660
 - water break tests, 660
 - water drop test, 660
 - white glove tests, 660
- Anthracene fluorescence, 105
- Antifouling paints
 - for biological contamination prevention, 1045–1047
 - self-polishing antifouling paint, 1046
- Antimicrobial drugs, 1019
- Antimicrobial surfaces
 - contact activating, 1038–1044
 - chemical action, 1039–1041
 - with multiple action, 1047
- Antiviral coatings, 1047–1048
- Aqueous cleaning techniques, 810, 840, 855, 858, 864, 936
- Argon/nitrogen cryogenic aerosols
 - applications, 981–983
 - cleaning kinetics, 970–974
 - cleaning performance, 974–983
 - cleaning using, 951–984
 - cost, 969
 - effectiveness and applications, 970–983
 - equipment requirements, 961–963
 - cleaning systems, 965–969
 - operating conditions, 964–965
 - process parameters monitoring, 963
 - vacuum chamber, 962- particulate contaminants removal, 976
- production, 958–969

Arrhenius equation, 751

Atomic composition, in cleaning process, 840–851

Atomic force microscope (AFM), 736–737

- Atomic resolution lattice imaging
dynamic theory and image
simulation, 552–555
image formation, 550–551
image interpretation of very thin
samples, 551–552
phase contrast imaging, 548–550
physics for, 548–555
- Atoms
concepts and dimensions, 5–8
hydrogen atom, 6
in strong fields, dynamics, 67–85
above-barrier ionization, 68
high-order harmonic
generation, 75–85
multiphoton ionization, 68
Perturbative regime, 69–71
tunnel ionization, 68
- Attosecond pulse
generation and characterization,
85–100
- Auger electron spectroscopy (AES),
545, 586–601, 666
background, 586
basic principles of, 586–593
chamber of, 593–594
instrumentation, 593–594
recent developments and future
directions of, 600–601
for surface contaminants
characterization, 594–600
- Autocorrelated SSHG technique,
153
- Avogadro's number, 9
- Bacillus anthrax, 1015
- Backscattered electron imaging
(BSEs), 536–540
- Back splash, 1071, 1073
- Bacteria, 1015
- Base contaminants, 384–386
amino alcohol, 386
hexamethyldisilazane (HMDS),
385
NH₃, 384
- Batch processors, 875
- Biocides, 1019
- Biodegradable systems, 1037–1038
- Biofouling processes, 1014
- Bioglass, 1051
- Biological contaminants, xli
agents against, 1019–1020
algae, 1016
Bacteria, 1015
fungi, 1015
means of, 1016
microbes, 1015
prevention, coatings for,
1013–1053, *see also* Coatings
yeast, 1015
- Biological release systems, 1038
- Biomedical applications, of
coatings, 1049–1052
catheters, 1049
cutlery, 1050
dental brushes, 1050
denture, 1050
ship hulls, 1050
surgical grafts, 1050
surgical sutures, 1050
titanium implants, 1050
wound dressing, 1050
wound dressings, 1049
- Body contact hazard
in solvent-cleaning process, 810
inhalation, 811–812
routes of entry, 810–811
strategies to contain, 822
- Boltzmann constant, 274
- Bond-breaking in single molecules,
115–120
- Booster biocides, 1046
- Born–Oppenheimer approximation,
107–108, 128
- Boron contaminants, 365, 395–401
boron generation, sources, 395–401
- Borophosphosilicate glass (BPSG),
395
- Bragg relation, 542–543
- Broadband-IR SSFG (bIR-SSFG)
spectroscopy, 159–160
- Brownian diffusion, 280

- Brownian dynamics simulations (BDS), 226
- Brownian motion, 14–15, 191, 217, 222
- Brush, pad, and roll coating, 1020
- Cable, 1051
- Candida albicans*, 1024
- Capillary ion electrophoresis (CIE), 671
- Capillary length, 1125
- Capillary number, 1187
- Carbon dioxide (CO₂) snow
 - cleaning, 790, 987–1011
 - applications, 1003–1010
 - cleaning mechanisms, 989–992
 - equipment, 994–1000
 - input pressure control, 999–1000
 - moisture control, 997–998
 - nozzles, 995–997
 - static control, 998–999
 - hard drive disk assemblies and components, 1008
 - liquid CO₂, 987
 - macroscopic dry ice pellets, 987
 - materials, 1004–1007
 - optics, 1007–1008
 - organic removal, 990–991
 - particle removal, 990
 - process parameters, 1000–1003
 - recontamination sources, 1001–1003
 - redeposition, 1000–1001
 - proof of process, 992–994
 - snow cleaning, 987
 - supercritical CO₂, 987
 - thermodynamic properties, 988–989
 - vacuum technologies, 1008
- Carbon dioxide, in precision cleaning, 952
- Carbon tetrachloride, 762, 765
- Carbonization phenomenon, 424–426
- Carcinogenicity danger, in solvent-cleaning process, 814–815
- Carrier-envelope-phase (CEP), 48–54
- Cascade stimulated Raman scattering (CSRS), 87
- Cassette-to-cassette wafer cleaning system, 966–969
- Catheters, 1049
- Centrifugation technique, 494–495
 - advantage, 495
- Ceramics, 1051
- Cetyl trimethyl ammonium chloride (CTAC), 1028
- CFCs (chlorofluorocarbons), 762
- Charge coupled device (CCD), 676, 683
- Chemical adsorption (chemisorption), 695
- Chemical cleaning, 873–886
 - batch processors, 875
 - particle/surface interactions, 876–881
 - electrostatic force, 878–879
 - Hydrodynamic force, 880–881
 - van der Waals force, 876–878
 - process applications and chemistries, 881–886
 - dHF clean, 882–883
 - particle challenge wafer preparation, 881–882
 - SC-1 Clean, 883–885
 - SC-2 clean, 886
 - single-step clean, 886
 - spray processors, 875
- Chemical etching, 595
- Chemical filter
 - for air cleaning, 436–441
 - effect of, 439
- Chemical mechanical planarization (CMP), 977
- Chemical mechanical polishing (CMP), 656
- Chemical reactions controlling, by ultrafast pulses, 120–128
- Chemical structure, in cleaning process, 840–851

- Chemical vapor deposition, 1022
- Chirped pulse amplification (CPA), 31–39
 - hollow-fiber chirped-mirror high-energy pulse compressor, 44
- Chirping, 125
 - wave-packet and, 111–115
- Chlorhexidine, 1028
- Chlorine in ozone-depleting, 762
- Chlorofluorocarbons (CFCs), 765
- Chromerge cleaning, 716–717
- Ciprofloxacin, 1028
- Clausius-Clapeyron relation, 408–411
- Cleaning solvents and cleaning processes, *see also* Solvent-cleaning process
 - choice of, 839–857
 - chemical structure and atomic composition, 840–851
 - technical data, 851
 - using UV photoelectron with catalyst, 441–442
- Cleaning/rinsing/drying processes, 851–857
 - design features
 - for environmental control, 854–855
 - selection of, 856–857
 - multiple-stage processes, 855–856
 - solvent cleaning processes, 852
- Cleanliness of surfaces
 - wettability techniques for, 693–721, *see also* Wettability techniques
- Cleanroom
 - cleanroom electrostatic management, 511–514
 - contamination hazard, 513
 - dissipative-to-dissipative discharge, 512
 - metal-to-metal discharge, 513
 - static dissipative materials, 513
 - contaminant sources in, investigation, 432–435
 - ionic contamination of, 658–659
 - particle contamination in
 - electrostatic discharge controls, 503–527, *see also* Electrostatic discharge (ESD) controls
- Closed-cycle cryogenic refrigeration, 961
- Clusters
 - molecular clusters, nanoparticles as, 18–19
 - random formation process of, 18
- Coagulation, 15
- Coarse mode aerosol, 4
- Coatings
 - antimicrobial activity of
 - laboratory tests, 1017–1019
 - antiviral coatings, 1047–1048
 - applications, 1049–1053
 - biomedical applications, 1049–1052, *see also separate entry*
 - for biological contamination prevention, 1013–1053
 - for daily life products, 1052–1053
 - for food protection, 1052
 - killing microbes on contact, 1040–1041
 - methods, 1020–1022
 - brush, pad, and roll coating, 1020
 - chemical vapor deposition, 1022
 - dip and flow coatings, 1020
 - electroless plating, 1021
 - electroplating, 1021
 - physical vapor deposition, 1022
 - spin coating, 1020
 - spray application, 1020–1021
 - sputtering, 1021–1022
 - surface modification, 1022
 - microbe killing or growth inhibiting coatings, 1027–1044
 - microbe-killing coating effectiveness, 1018

- non-adhesive coatings, 1022–1027,
see also individual entry
- self-cleaning coatings
 - antifouling paints, 1045–1047
 - antimicrobial surfaces with
multiple action, 1047
 - general requirements, 1016–1017
 - metal coatings, 1044–1045
 - surface cleaning by, 1048
 - for textiles, 1052
- Coherence length, harmonic, 84
 - factors influencing, 84
- Cold cleaning, 852
- Color factor, 681
- Colorimetric interferometry
 - for thin surface film
 - contaminants, 675–690
 - in lubrication, 684
- Colorimetry, 680–684, *see also*
Colorimetric interferometry
 - colorimetric encoding, 681–682
 - detectors, 683–684
- Combustion, in solvent-cleaning
process, 802–807
 - flammability, 802
- Composition-sensitive imaging,
568–569
- Condensable contaminants,
386–401
 - organic compounds, 386–401
 - phosphates, 386–401
 - phthalates, 386–401
 - siloxanes, 386–401
- Conductive materials, 510
- Conductors, insulators versus,
510–511
- Conformal coatings, removal,
938–939
- Construction materials
 - outgassing evaluation method for,
367–382
 - selection, 435–436
- Construction, 1051
- Contact angle, 697
 - contact angle goniometer,
701–702
 - dynamic contact angle analyzers
(DCAs), 703
 - measurements, 701
 - with Wilhelmy plate, 703
- Contact-active antimicrobial
coatings, 1042
- Contaminants
 - characterization, xxxviii–xl
 - electrostatically driven, 503–527,
see also Electrostatic discharge
(ESD) controls
 - fundamental aspects, xxxvi–xxxvii
 - identification
 - surface analysis methods for,
585–646, *see also* Surface
analysis methods
 - impact of, xxxiii–xxxiv
 - on optical surfaces, xxxiv
 - removal, xl–xlii
- Continuum regime limit, in
fluid–particle drag force, 196,
198
- Convective removal, 1068, 1129
- Corona ionization, 515–519
 - AC ionizer, 515–517
 - DC ionizer, 517–519
- Corrosion, 656
- Coulomb’s law, 285, 481
- Coupled transport, in aerosol
particles transport and
deposition, 249–261
- Critical stokes numbers, 250–252
 - asymptotic limit of, 247–249
- Cross-correlation technique, 89, 92
- Cryogenic cleaning, 982, *see also*
Argon/nitrogen cryogenic
aerosols
- Cubo-octahedral nanocrystals, 556
- Cunningham factor, 193
- Cutlery, 1050
- Cutting, 595, 1051
- Cyclohexadiene (CHD), 141
- Cyclosiloxanes, AMCs from, 335
- Daily life products protection,
coatings for, 1052–1053

- Data storage products, ionic contamination for, 658
- Davies equation, 734
- DC ionizers, 517–519
 - in ISO Class 3 cleanroom applications, 518
 - pulsed DC ionizers, 518
- Debye interactions, 484
- Decahedron, of nanocrystals, 559–561
- Decorative engraving, 945
- Delamination, film removal by, 922
- Demarking, 942–944
- Dental Brushes, 1050
- Dental components coatings, removal, 940
- Denture, 1050
- Derjaguin approximation, 740
- Desiccant dryers, 934
- DHF clean, 882–883
- DHS-GC/MS (dynamic headspace–gas chromatography/mass spectrometry), 347
- Di-(2-ethylhexyl) phthalates (DOP), 358, 363
- Diatomic molecule and laser-molecule interaction, 108–109
- Dibutyl phthalates (DBP), 358
- Dielectrophoresis, in surface cleaning, 286–288
- Diethyl phthalates (DEP), 358
- Diffusion coefficient, particle, 206–208
- Diffusion of contaminants, two-phase exponential model, 411–414
- Diffusion-enhanced deposition from traps, 224–230
 - problem definition, 225–226
- Dilute HF (dHF) mixtures, 882–883
- Dimensional results
 - for particle transport and deposition
 - mass flow rate effects, 237–238
 - in parallel plate reactor, 233–239
 - pressure effects, 235–237
 - thermophoresis effect, 238–239
 - trap height effects, 234–235
- Dip and flow coatings, 1020
- Discharge in process tools, 524–525
- Disjoining pressure, 1074–1075
- Dispersion forces, 828
- Dissipative materials, 510
- DLVO theory, 736, 742–743, 876
- Dopant contaminants, 395–401
 - analysis, 365–367
- Double-cylinder chamber test method, 434
- Dow suspension test, 1018
- Drift velocity
 - in aerosol particles transport and deposition, 201–205
 - electric drift velocity, 205
 - gravitational drift velocity, 202–203
 - thermophoretic drift velocity, 203–205
- Dry cleaning techniques, xli, 620
- Dry deposition, particle transport relevance in, 273–280
 - factors influencing, 275–276
- Drying processes, 853–854, *see also* Marangoni based drying; Semiconductor wafer drying
 - in semiconductor manufacturing, 1070–1073
 - isopropyl alcohol (IPA) vapor dryers, 1070
 - spin drying, 1070–1071
 - surface tension gradient (Marangoni) based drying, 1071
 - tensioactive (surface active) vapor assisted (TAV), 1070
- Dual-nozzle process, 967
- Dulong-Petit law, 405
- Dust collection, 935
- Dynamic contact angle analyzers (DCAs), 703–704

- Dynamic headspace
 engineering test method, 379
 screening test method, 379
- Eckman spirals, 1085
- Economic hazards, of solvent-cleaning process, 821–822
- Electric drift velocity, in aerosol particles transport and deposition, 205
- Electroless plating, 1021
- Electron energy-loss spectroscopy of nanoparticles, 547, 576–581
 ELNES and bonding in transition metal oxides, 578–581
 quantitative nanoanalysis, 577–578
- Electron microscopy techniques for nanoparticles imaging and analysis, 531–583
 electron energy-loss spectroscopy, 576–581
 energy dispersive x-ray microanalysis (EDS), 581–582
 high-resolution transmission electron microscopy, 545–555, *see also separate entry*
 in-situ TEM and nanomeasurements, 570–576
 scanning electron microscopy, 531–545, *see also separate entry*
 scanning transmission electron microscopy, 564–570, *see also separate entry*
- Electron Spectroscopy for Chemical Analysis (ESCA), 588
- Electronics manufacturing
 ionic contamination in sources and effects of, 654–656
- Electrophotographic process, 477, 495
- Electroplating, 1021
- Electrostatic discharge (ESD) controls
 cleanroom electrostatic management, 511–514
 insulators versus conductors, 510–511
 conductive materials, 510
 dissipative materials, 510
 insulative materials, 510
- particle contamination in cleanroom environments and, 503–527
 air ionization for static charge control, 514–521
 air ionizer applications, 521–526
 corona ionization, 515–519, *see also individual entry*
 HEPA filtration, 505–507
 photoelectric ionization, 519–520
 radioisotope ionization, 520–521
 static charge generation, 508–509
- Electrostatic film cleaner, 272
- Electrostatic force, 878–879
 aerosol particles transport and deposition and, 198–199
 in aerosol particles transport and deposition, 221
 in surface cleaning, 285–286
- Energy dispersive x-ray spectroscopy (EDS/EDX), 581–582, 590, 662–663
- Energy-loss near edge structure (ELNES), 578–581
- Engineering test method, for construction materials, 371–376
- Engraving, 945
- Environmental and regulatory issues, solvent-cleaning process, 760–796
- Environmental control, 854–855
- Environmental regulations, in solvent cleaning, 865–866
- Environmental scanning electron microscope (ESEM), 535–536
- Escherichia coli*, 1015, 1024
- Ester phosphates, 393–395
- Ester phthalate contaminants, 392–393
 analysis, 358–364

- Etching, 656, 945
 etched surface cleaning, 979
- 2-Ethyl hexanol (2-EH), 358
- Eulerian approach/formulation,
 210, 240
 in aerosol particles transport and
 deposition, 205–209
 particle diffusion coefficient,
 206–208
 nondimensional formulation,
 208–209
 efficiency for, 222–223
- Eulerian particle transport
 equation
 solution of, 226–228
- Evaporation
 evaporated film thickness,
 1104–1109, 1112–1115
 evaporative deposition, 1069
- Everhart–Thornley detector, 539
- External force limit
 in aerosol particle transport and
 deposition
 in parallel plate reactor, 219,
 223–224
- Faraday cage, 539
- Fatigue cracking, 595
- Femtochemistry
 birth of, 101–106
 of surfaces
 pump-probe SSFG and
 SSHG probing, 157–162
- Few-optical-cycle laser pulse, 39–48
 principle, 41
- Films
 film adherence method, 1018
 removal of, 922–924
- Fine aerosol, 4
- Fine feather-like particles
 in abrasive sliding
 micro-cutting and generation
 of, 305–307
- Flake-like particles
 generation by repeated contact,
 309–310
 in sliding contact, adhesive
 transfer, 303–305
- Flammability issues, in solvent-
 cleaning process, 797
 flammability limits vs. flash point,
 805
 strategies to contain, 822
 test equipment, 805
- Flash point, 797–802
 flash point vs., 805
 flash point data, 802
 regulatory requirements related
 to, 800–801
 test equipment, 799–800
- Flow field in showerhead holes,
 212–213
- Fluid transport equations
 for aerosol particle transport and
 deposition
 flow field in the showerhead
 holes, 212–213
 in parallel plate reactor,
 211–217
- Fluid–particle drag force,
 192–197
 assumptions and practical
 considerations, 194–197
 continuum regime limit, 196
 free molecule regime limit,
 196–197
- Fluorescent emission, 102–103
- Fluxes, 655–656
- Focused ion beam (FIB) source,
 596
- Food packaging, 1051
- Food preservation, 1051
- Food protection, coatings for,
 1052
- Four surface analytical methods,
 properties for, 587
- Fowlkes and Robinson model, of
 adhesion, 483
 limitations, 483
- Franck–Condon excitation,
 111–112, 123–124
- Freon cleaning, xl

- Frequency Resolved Optical Gating,
see FROG
- FROG (Frequency Resolved
Optical Gating), 50, 55,
59–60
- PG-FROG, 61
- SHG-FROG measurements,
61–62
- collinear type-II SHG FROG
measurements, 63
- noncollinear SHG-FROG
measurements, 62
- THG-FROG measurements,
61–62
- Front opening unified pod (FOUP),
509
- Frosting, 945
- Fruit-basket phenomenon, 403,
422–424
- Fungi, 1015
- Gas
- classical model of gas, 9
- gas molecules by wear, 323
- gas molecules, 10–15
- model, 8–10
- Gibbs equation, 695, 731
- Glass, 1051
- Global warming, 789–795
- Carbon dioxide (CO₂), 790
- Global Warming Potential
(GWP), 789–792
- solvent characteristics,
795–796
- solvent cleaning regulation,
789–792
- Gouÿ, phase term, 84
- Graphite furnace atomic absorption
(GFAA), 663–664
- Grating based stretcher/compressor,
37
- Gravitational drift velocity, in
aerosol particles transport and
deposition, 202–203
- Gravitational force, aerosol particles
transport and deposition and, 197
- Greenhouse effect, 789, *see also*
Global warming
- Group delay dispersion (GDD), 30
- Halons, 765
- Hamaker constant, 270, 484, 735,
740, 876–877, 955
- Hamiltonian operator, 107
- Hansen Solubility Parameters
(HSP), 822, 829–831
- for polymeric soils, 831
- solvent selection with, 835–838
- solvent substitution with, 830–831
- data and calculations, 833–839
- HSP data, 830–831
- Hard drive disk assemblies and
components, in CO₂ snow
cleaning, 1008
- Harmonic generation
- autocorrelator, 56–57
- Hazard Communication
(HAZCOM) training, 820
- Health consequences of solvent-
cleaning process, 796–822
- body contact, 810
- carcinogenicity, 814–815
- combustion, 802–807
- flammability issues, 797
- flash point, 797–802, *see also*
separate entry
- ingestion, 812
- procedures recommended to
avoid fires, 809–810
- protection from hazards, 815–820
- becoming informed, 815–818
- communication of information,
819–820
- economic hazards, 821–822
- legal or regulatory hazards, 821
- MSDS, 816–818
- taking action, 820–821
- skin contact, 812–814
- static discharge, 807–809
- HEPA (high efficiency particulate
air), 514
- Hertz equation, 488

- Hertzian theory, 687
- Hexafluoroethane, 618
- Hexamethyldisilazane (HMDS), 336, 337, 385
- HFCs hydrofluorocarbons, 762
- High efficiency particulate air (HEPA), 330
- High-energy surfaces, 699
- High-order harmonic generation (HHG), 75–85
experimental setup of, 77
- High-resolution transmission electron microscopy (HRTEM), 545–555
atomic resolution lattice imaging, 548–555, *see also individual entry*
bright field (BF) image, 547
dark field (DF) image, 547
main components, 546–547
- High-speed impinging jet, cleaning using, 889–916
air jet removal, 890–906, *see also individual entry*
pulsed air jet, 913
removal efficiency, 894–895, *see also individual entry*
- Hildebrand Solubility Parameter, 822, 825–829
molecular forces, 827–829
one-dimensional solubility parameter, 826–827
- Homogeneous nucleation, 15–16
- Hue saturation lightness (HSL), 682
- Hydration shell, 1081
- Hydrobromofluorocarbons (HBFCs), 765
- Hydrocarbon contaminants, xxxiii
- Hydrochloric acid, AMCs from, 335
- Hydrochlorofluorocarbons (HCFCs), 766, 791–792
HCFC cleaning solvents, bans associated with, 793
- Hydrodynamic force, 880–881
during aerosol jet cleaning, 955–956
- Hydrodynamic shear, 954–955
- Hydrogels, coatings with, 1023–1026
- Hydrogen bonding, 695, 828
- Hydrolyzing labile bonds, 1036–1037
- Hydrophilic polymers, coatings with, 1023–1026
- Hyperbolic-secant pulse-envelope, 113
- Icosahedron, of nanocrystals, 559–561
- IEST method, 412
- IEST WG 031 document, 370–376
engineering test method, 371–376
screening test method, 370–371
- Impregnation
coating after, 1035–1036
impinging angle, 897–903
- Induction, 509
- Inductively coupled plasma/mass spectrometry (ICP/MS), 664–665
- Inertia-enhanced deposition
in aerosol particles transport and deposition, 242–261
asymptotic limit of critical Stokes number, 247–249
coupled transport, 249–261
external forces, 254–255
grand design curves, 252–254
parabolic profile, 255–257
particle transport in
showerhead holes, 242–245
- Inertial effects, in aerosol particles transport and deposition, 199–201
nondimensionalization, 199–201
- Ingestion hazard, in solvent-cleaning process, 812
- Inhalation hazard, in solvent-cleaning process, 811–812
solvent inhalation, 811–812
- Innovation, in solvent cleaning, 866–868
business innovation, 866
regulatory innovation, 867–868
technical innovation, 866–867

- In-situ TEM and nanomeasurements, 570–576
- Insulators versus conductors, 510–511
- Integrated dryer/filter, 934
- Interactions, particle, 15–18, *see also* van der Waals interactions
 - adhesion due to
 - covalent interactions, 480
 - electrostatic interactions, 480
 - gravitational interactions, 478
 - ionic interactions, 480
 - Lewis acid–base interactions, 480
 - magnetic interactions, 479
 - metallic interactions, 480
 - strong interactions, weak interactions, electromagnetic interactions, 478–479
 - triboelectric interactions, 480
- adsorption, 17–18
- coagulation, 15
- homogeneous nucleation, 15–16
- model for nanometer-sized particles, 19–21
- of very small particles, 25–163
- Interfacial forces, and particle removal, 734–753
- Interferometry, 676–680, *see also* Colorimetric interferometry
 - constraints, 678
 - elementary phenomena, 676–679
 - white light interferometry, 679–680
- Intermediate accumulation mode aerosol, 4
- International Technology Roadmap for Semiconductors (ITRS), 334, 339
- ITRS 1999, 343–344
- ITRS roadmap defect prevention and elimination technology requirements, 340
- ITRS roadmap starting materials technology requirements, 341
- ITRS roadmap surface preparation technology requirements, 342
- Intracavity dispersion control techniques, 30
- Ion beam milling, 595
- Ion chromatography (IC), 667–671
- Ion exchange model, 1079–1080
- Ion mobility spectrometry (IMS), 350
- Ionic contamination, 653–672, *see also* Corrosion
 - analytical techniques for, 660
 - of cleanroom and packaging materials, 658–659
 - of data storage products, 658
 - in electronics manufacturing sources and effects of, 654–656
 - instrumentation selection, 661–671
 - AES, 666
 - CIE, 671
 - EDS/EDX, 662–663
 - GFAA, 663–664
 - ion chromatography (IC), 667–671
 - OSEE, 665
 - phase imaging, 661–662
 - SIMS, 665–666
 - TXRF, 667
 - ultraviolet photoelectric emission, 661
 - XPS/ESCA, 666–667
 - for semiconductor and MEMS manufacturing, 656–658
 - selection criteria, 660–661
 - sources of, 653
- Ions
 - corrosive ions, 654
 - description, 653
- Iso-angle, 1099
- Isopropyl alcohol (IPA), 1070
- JACA 34-1999 outgassing systems, 376–382
 - dynamic headspace, 379
 - for microchamber, 377

- JACA 34-1999 outgassing systems
(continued)
 onsite measuring method,
 380–382
 for a one-sided surface, 378
 static headspace method, 379
 for small chamber, 377
 for substrate surface
 adsorption/thermal
 desorption method, 378
 thermal desorption test method,
 379–380
- JACA methods, 412
- Japan Air Cleaning Association
 (JACA), 330
- JKR theory, 487–490, 493
- Joule–Thomson cooling effect,
 958, 960
- Kauri Butanol (Kb) test, 822,
 823–825
 solvents ranking by, 824
- Kb test, *see* Kauri Butanol (Kb) test
- Keesom interactions, 484
- Keldysh parameter, 70, 71
- Kerr nonlinearity, 31
- Kerr-lens mode locking (KLM),
 31–32
- Kinetic energy resolved TOF mass-
 spectrometry (KETOF), 128–133
 experimental set-up, 131
 multiphoton ionization by a
 single-color ultrafast pulse in,
 132
- KLM (Kerr-lens mode locking),
 31–33
- Knudsen number, 13, 190–192, 198,
 280–281
- Lagrangian approach/formulation,
 210, 218–219,
 245, 731, 751
 efficiency for, 222
 Lagrangian particle equation of
 motion, 191–199
 electrostatic force and, 198–199
 fluid–particle drag force,
 192–197, *see also individual*
entry
 gravitational force and, 197
 thermophoretic force, 197–198
- Langmuir Blodgett film
 compression tests, 138,
 405–407, 751
- Laplace's equation, 702
- Laser Induced Fluorescence (LIF)
 technique, 115–116
 for NaI molecule, 118–119
- Laser-assisted photoionization,
 94–95
- Legal or regulatory hazards, of
 solvent-cleaning process, 821
- Lewenstein theory to nonadiabatic
 case, 77
- Lewis acids, 696
- Lifshitz theory, 740
- Liquid dispensation during drying,
 1114–1115
- Lithography process, 657
- Local-field-induced enhancement
 of SSHG on metal surfaces,
 150–151
 metal nanoparticles, 151–157
- London or dispersion forces,
 484–485
- Lorentz force, 74, 533
- Lotus effect, 1026
- Low energy ion scattering (LEIS),
 xxxix
- Low energy surfaces, 699
- Low-energy ion scattering (LEIS),
 635–646
 applications of, 641–645
 background of, 635
 basic principles of, 635–640
 instrumentation, 640–641
 recent developments and future
 directions of, 645–646
 in surface cleaning methods
 evaluation, 642
- Lowest-order perturbative theory
 (LOPT), 81

- Low-voltage imaging, 541
 - Lubrication, colorimetric interferometry in, 684
 - Magnetic resonance spectroscopy, xxxix
 - Manufacturing process, AMC-induced problems in, 336–337
 - Mapping, by XPS, 612
 - Marangoni based drying, 854, 1071, 1123–1128
 - batch Marangoni-based dryer, 1095
 - drying speed, 1126
 - of horizontally rotating wafer, 1073
 - of horizontally rotating wafer, 1097–1098
 - limitations, 1090–1091
 - mean surface tension gradient for, 1124–1125
 - on a rotating wafer, 1114–1120
 - adsorption investigation, 1118–1120
 - liquid dispensation during drying, 1114–1115
 - liquid surface tension, effect of, 1117–1118
 - nozzle speed effect, 1115–1117
 - single wafer Marangoni-based dryer, 1095–1097
 - vertical Marangoni-based drying of silicon wafers, 1072–1073, 1086–1088, 1095–1097, 1110–1114
 - Mathematical modeling, of enhanced-particle removal using surfactants, 750–753
 - Maxwell–Boltzmann distribution, 9
 - Maxwellian velocity, 9
 - Mechanical erosion, film removal by, 923–924
 - Mechanical removal, 595
 - Membrane dryers, 934
 - MEMS manufacturing, ionic contamination for, 656–658
 - Metal coatings
 - for biological contamination prevention, 1044–1045
 - silver, 1045
 - Metal nanoparticles (MNPs), 27
 - Metatricsyl phosphate (TCP), 312
 - Method of images, 481
 - Methyl bromide, 765
 - Methyl chloroform, 765
 - Michelson interferometer, 55
 - Microabrasive precision cleaning and processing technology, 919–947
 - advantages, 946–947
 - air treatment, 933–935
 - applications, 938–946
 - conformal coatings, removal, 938–939
 - cutting brittle materials, 940–941
 - Decorative engraving, 945
 - demarking, 942–944
 - dental components coatings, removal, 940
 - etching, 945
 - frosting, 945
 - precision deburring of metal components, 941–942
 - Thin film removal, 939
 - costs, 938
 - disadvantages, 947
 - dust collection, 935
 - fundamental considerations, 921–925
 - recycling and secondary waste, 935–936
 - removal of films, 922–924
 - by delamination, 922
 - by mechanical erosion, 923–924
 - removal of particles, 924–925
 - scalability, 937–938
 - static charging, 936–937
 - system description, 925–938
 - abrasives, *see separate entry*
 - nozzle materials and design, 926–927
- Microban[®], 1052

- Microbe killing (growth inhibiting coatings), 1027–1044
additives, 1036
biodegradable systems, 1037–1038
biological release systems, 1038
coating after impregnation, 1035–1036
coating material, loading, 1034–1035
complexes, 1036
contact active antimicrobial surfaces, 1038–1044
physicochemical action, 1042–1044
release systems, 1028–1038
sparingly soluble drugs use in, 1035
- Microbes, 1015
- Microbial adhesion, surface net charge influence on, 1026–1027
- Microbiocidal coatings killing microbes on contact, 1040–1041
- Microbiocides, 1019
- Microbiostatics, 1019
- Microchannel plate (MCP), 88
- Micro-cutting
of fine feather-like particles in abrasive sliding, 305–307
mechanism, 305
- Micromachining of three-dimensional structures, 944–945
- Micro-site for wear particles generation, 299–302
- Mine Safety Health Administration (MSHA), 820
- Mirror-dispersion-controlled (MDC) KLM, 34–46
KLM/MDC Ti:Sa oscillators, 34, 46
- Mode locking, 27–31
mode-locked harmonics, 88
passive mode-locking, 29
- Molecular forces, 827–829
intermolecular forces, 828
dispersion forces, 828
hydrogen bonding forces, 828
polar interactions, 828
- Molecular populations controlling by ultrafast pulses, 120–128
molecular excitation in solution, controlling, 127
- Molecular size aerosol, 4
- Molecules
bond-breaking in single molecules, 115–120
concepts and dimensions, 5–8
H₂O molecule, 8
in strong fields, dynamics, 100–109
diatomic molecule and laser-molecule interaction, 108–109
polyatomic molecules, 128–130
- Monolayer contamination, 403–407
- Monte Carlo methods, 18
- Montreal protocol control measures, 765
- Multi Photon Ionization (MPI), 115
- Multimode gas-filled hollow fiber technique, 47
- Multiphoton ionization, 68
in KETOF experiments, 132
- Multiple twinned particles (MTP), 559–561
- Multiple-stage processes, in solvent cleaning, 855–856
- Musical seat games phenomenon, 422
- Nanocrystals
shapes of, 555–561
cubo-octahedral nanocrystals, 556
decahedron, 559–561
icosahedron, 559–561
multiple twinned particles (MTP), 559–561
polyhedral shapes, 555–558

- thermodynamic properties of, 570–576
- twinning structure and stacking faults, 558–559
- Nanodiffraction, 562–564
 - experimental procedure for, 563–564
 - optics for, 562–563
- Nanometer-sized particles, interaction model for, 19–21
- Nanoparticles
 - as molecular clusters, 18–19
 - imaging and analysis
 - electron microscopy techniques for, 531–583, *see also* Electron microscopy techniques
 - metal nanoparticles
 - local-field-induced enhancement of SSHG on, 151–157
- Nanoscale microanalysis, 569–570
- Nanosize aerosol, 4
- National Aeronautics and Space Administration (NASA), 763
- Navier–Stokes equations, 190, 214
- Near-atomic scale resolution, xxxix
- Newton root-finding technique, 243
- Newton's color scale, 679
- Non-adhesive coatings, 1022–1027
 - with hydrophilic polymers and hydrogels, 1023–1026
 - proteins, 1027
 - surface net charge influence, 1026–1027
 - ultrahydrophobic coatings, 1026
- Nonadiabatic processes, 128–130
 - TRPES in, 134
- Noncontinuum considerations, in aerosol particles transport and deposition, 190–191
- Nondimensional formulation, 208–209
 - for particle transport and deposition
 - in parallel plate reactor, 230–233
- Nondimensionalization, in aerosol particles transport and deposition, 199–201
- Nonlinear optical techniques for surface probing, 142–162
 - theoretical considerations, 145–150
- Non-volatile liquid model, 1082–1083
- Nonvolatile residue (NVR), xxxiv
- Nozzles, in CO₂ snow cleaning, 995–997
 - concepts, 996
 - converging diverging nozzle, 995
 - design, 996
 - vortex nozzle, 996
- Nucleation
 - homogeneous, 15–16
 - nucleation mode aerosol, 4
- Oil contamination, air treatment for, 935
- Onsite measuring method, 380–382
- Optical field ionization (OFI), 72
- Optical pulse compression, principle, 41
- Optically stimulated electron emission (OSEE), 665
- Organic compound contamination, 386–401
 - as adsorption phenomenon, 712
 - concentration change with time, 436–437
 - conceptual diagram, contamination investigation based on, 426–432
- Organic removal, using CO₂ snow cleaning, 990–991
- Orthopaedic implants, surface contamination in, 598
 - XPS for, 616

- Outgassing evaluation method
for construction materials,
367–382
IEST WG 031 document,
370–376, *see also individual
entry*
JACA 34-1999 document,
376–382
- Overhead blower ionizer, 525
- Oxide particles
tribo-oxidation and generation
by repeated contacts in air and
water, 311–312
- Ozone-depleting chemicals (ODCs),
761–772
class I ozone-depleting
substances, 767–769
class II ozone-depleting
substances, 770–771
in stratosphere, reactions of,
772–776
regulation of, 762–772
- Ozone-last surfaces, 1101
- Packaging materials, ionic
contamination of, 658–659
- Parabolic profile, in aerosol
particles transport and
deposition, 255–257
- Parallel plate reactor
particle transport and deposition
in, 209–241
diffusion-enhanced deposition
from traps, 224–230
dimensional results, 233–239
Eulerian approach, 210–211
external force limit, 219
fluid transport equations,
211–217
Lagrangian approach, 210–211
nondimensional results, 230–233
particle collection efficiency, 217
particle collection efficiency, 229
particle flux, 229–230
particle traps/in situ nucleation,
220–224
particles entering through
showerhead, 218–220
transport between parallel
plates, 213–216
particle transport between,
245–249
- Particles, *see also* Aerosol particles;
Fine feather-like particles;
Flake-like particles; Oxide
particles; Wear particles
adhesion and removal of,
475–498, *see also individual
entry*
collision, during aerosol jet
cleaning, 956–958
entering through showerhead,
218–220
and gas molecules, 10–15
Lagrangian particle equation of
motion, 191–199
motion during aerosol jet
cleaning, 954
particle challenge wafer
preparation, 881–882
particle collection efficiency
in aerosol particle transport
and deposition in parallel
plate reactor, 217
particle traps/in situ nucleation,
220–224
particle/surface interactions,
876–881
interactions, 15–18, *see also
Interactions*
nanoparticles as molecular
clusters, 18–19
very, very small particles, *see
individual entry*
- removal
by chemical cleaning, 873–886,
see also Chemical cleaning
removal of, 924–925
removal
removal forces, 739
using CO₂ snow cleaning, 990
size range of, xxxiv–xxxvi

- transport and deposition
 - between parallel plates, 245–249
 - in a parallel plate reactor, 209–241
 - in showerhead holes, 242–245
- transport, in surface deposition and cleaning, 267–293
 - abrasive erosion in, 288–292
 - adhesion force due to a liquid film, 270
 - dielectrophoresis in, 286–288
 - dry deposition, 273–280
 - electrostatic film cleaner, 272
 - electrostatic force in, 285–286
 - particle–solid surface interactions, 268–273
 - thermophoresis in, 280–285
- tribological implication of, 299–325, *see also* Tribological implication
- Passive mode-locking, 29
- Peclet numbers, 208, 240–241
 - intermediate, 230–233
- Peroxide, 787
- Peroxyacetyl nitrates (PANs), 785, 787
- Perturbative regime, 69–71
 - atoms and ultrashort laser field interactions, 68
 - lowest-order perturbative theory (LOPT), 81
- PH effect, 1080
- Phase contrast imaging, 548–550
- Phase imaging, 661–662
- Phase object approximation (POA), 549
- Phase-locked pulses, for chemical reaction control, 123–124
- Phosphate contaminants, 365, 386–401
 - ester phosphates, 393–395
 - phosphate-buffered saline (PBS), 1018
 - phosphorus generation, sources of, 401
 - phosphorus oxide, AMCs from, 335
- Photoelectric ionization, 519–520
- Photoelectron emission, 602
- Photoionization
 - laser-assisted, 94–95
 - two-color X-ray photoionization, 98
- Photolithography, 656
- Photon-counting regime, 144
- Photonic band gap (PBG), 39
- Photonic crystal (PC), 39
- Phthalate contaminants, 386–401
- Physical adsorption (physisorption), 695
- Physical vapor deposition, 1022
- Physicochemical action, in microbe killing, 1042–1044
- Planck's constant, 70
- Plasma etching, 598
- Plastic flow, surface plastic flow by repeated contacts, 307–309
- Plating, 656
- Ploughing, 290
- Poisson ratio, 488
- Polar interactions, 828
- Polishing, 595
- Poly (ethylene imine) (PEI), 1043
- Poly(3-hexylthiophene) (P3HT), 644
- Poly(dimethylsiloxane) (PDMS), 614, 632, 644
- Poly(ethylene terephthalate) (PET), 605–607
- Polyatomic molecules, 128–130
- Polyhedral shapes, of nanocrystals, 555–558
- Polymer cleaning, 1005
- Polymer light emitting diode (PLED), 645
- Polystyrene latex surface particles, 972
- Ponderomotive potential, 72, 82
- Post-cleaning surfactant removal, 749
- Prandtl number, 282
- Pre-charging method, 906–909

- Precision cleaning, 919–947, 970, *see also* Microabrasive precision cleaning
- Precision deburring of metal components, 941–942
- Pristine, 855
- Pseudomonas aeruginosa*, 1015
- Pulsed air jet method, 913
- Pulsed DC ionizers, 518
- Pump-probe SSFG and SSHG, 157–162
- 'Pythagorean Theorem' of solubility parameters, 829
- Quality control in solvent cleaning, 858–861
- Quantitative analysis, of AMCs, 345–352
 solvent washing method, 345–347
 surface (instrumental) analysis, 350
 WTD-GC/MS, 347–352
- Quantitative nanoanalysis, 577–578
- Quasi-1-D stagnation point flow, 214, 216
- Radioisotope ionization, 520–521
- Raman effect, 87
- Random formation process, of clusters, 18
- RCA cleaning method, 620
- Recontamination
 cleaning technique, 1002–1003
 CO₂ impurities, 1001–1002
 moisture condensation, 1002
 sources, 1001–1003
 static charge, 1002
- Recycling and secondary waste, 935–936
- Release systems, in microbe killing, 1028–1038
 chemical or physico-chemical surface modification, 1033–1034
 diffusion systems, 1029–1038
 release by hydrolyzing labile bonds, 1036–1037
- Removal, particles, 475–498, 924–925, *see also under* Particles
 of films, 922–924
 removal efficiency
 definition, 894–895
 impinging angle, 897–903
 operating conditions effect on, 896–903
 pressure drop and distance, 896–903
- Reynolds number, 192, 195, 212–214, 216, 228, 234, 245, 282, 880, 1085
- Rhodamine 6G (Rh6G) emitting, 30
- Rinsing processes, 853
- Rotational coherence spectroscopy, 104
- Runge-Kutta technique, 230
 fourth-order, 240
- Salt tracer tests, 1091–1094
 available literature data, 1093–1094
 histogram of, 1110–1111
 interpretation, 1091–1093
 IPA flow rate, effect of, 111–1112
 limits to, 1123
 procedure for, 1102–1103
 Marangoni-based drying on a rotating wafer, 1103
 spin drying, 1102
 vertical Marangoni-based drying, 1102–1103
 spin drying, 1093
 withdrawal speed, effect of, 1113–1114
- SC-1 clean (ammonia/peroxide mixture) process, 883, 883–885
- SC-2 (hydrochloric/peroxide mixture or HPM) process, 886
- Scalability, 937–938
- Scanning electron microscope (SEM), 1018
 Auger electrons, 545
 depth of field in, 534

- environmental scanning electron microscope, 535–536
 - imaging, 536–541
 - backscattered electron imaging and secondary electron imaging, 536–540
 - in beam–specimen interaction, 537
 - low-voltage imaging, 541
 - for nanoparticles imaging and analysis, 531–545
 - composition analysis, 541–545
 - x-rays, 541–545
 - signals produced by, 536–545
 - Scanning transmission electron microscopy (STEM), 564–570
 - composition-sensitive imaging, 568–569
 - imaging modes, 566–568
 - instrumentation, 564–566
 - nanoscale microanalysis, 569–570
 - TEM versus, 565
 - Scherzer defocus, 552
 - Schottky field-emission electronsources, 600
 - Schrödinger equation, 76–77, 107
 - Screening test method, for
 - construction materials, 370–371
 - Second Harmonic Generation by Surfaces (SSHG), 27
 - Secondary electron imaging, 536–540
 - Secondary ion mass spectroscopy (SIMS), 665–666
 - Secondary waste, 935–936
 - Second-order nonlinear optical susceptibility, 145
 - Self-Assembled Monolayers (SAMs), 699
 - Self-cleaning, 1014, 1016–1017
 - Self-phase modulation (SPM), 30
 - Self-polishing antifouling paint, 1046
 - SEMATECH Technology, 336
 - SEMATECH technology transfer report No. 95052812A-TR, 343
 - Semiconductor manufacturing, ionic contamination for, 656–658
 - Semiconductor saturable absorber (SESAM), 38
 - Semiconductor wafer drying, 1067–1129
 - analytical techniques, 1098–1101
 - metal surface concentration by TXRF, 1098–1100
 - experimental details, 1094–1103
 - ions adsorption on silica surfaces, 1077–1081
 - ion exchange model, 1079–1080
 - maximum surface concentration, 1080–1081
 - metal cations and silica surface, interaction, 1079–1081
 - pH effect, 1080
 - silica–water interface, 1078–1079
 - literature models describing, 1081–1091
 - materials and products, characterization, 1101–1102
 - salt tracer tests, 1091–1094, *see also separate entry*
 - techniques, 1070–1073, *see also*
 - Drying techniques
 - theoretical background, 1074–1094
 - wetting films on silica, stability, 1074–1077
 - disjoining pressure, 1074–1075
 - short range repulsive interactions, 1075–1077
 - surface forces, 1074
- Semiconductors, *see also individual entries*
 - integration, changes in, 332
 - substrates and environment contamination in, 329–456
- Sherwood number, 228, 274, 277
- SHG-FROG measurements, 61–64
- Ship hulls, 1050
- Short-range repulsive (SRR) forces, 1074–1077
 - importance, 1075–1077
 - alcohol films, 1077

- Short-range repulsive (SRR) forces
(*continued*)
aqueous films, 1075–1077
- Showerhead holes
flow field in, 212–213
particle transport in, 218–220,
242–245
- SHS-GC/MS (static headspace–gas
chromatography/mass
spectrometry), 347
cleanliness requirements for,
444–445
air, 445
analysis, 444–445
cleanliness, 444
required cleanliness, 445
- Sick house syndrome, 452
- SIGMAK program, 578
- Silicon wafers, hydrocarbon
removal from, 993
- Siloxane contaminants, 386–401
concentration change in
cleanroom air, 437–439
effects of, 403
- Siloxanes, analysis, 357–358
- Silver coatings, for biological
contamination prevention, 1045
- Silver sulfadiazine, 1028
- Skin contact hazard, in
solvent-cleaning process, 812–814
- Sliding
abrasive sliding, 305–307
flake-like particles in sliding
contact
adhesive transfer, 303–305
macroscopic, 303
- Slip correction factor, 193
- Slip-corrected Stokes drag law, 193
- Smog formation
reactions leading to, 782–785
from VOCs, 785–789
- Snow cleaning. *See* Carbon dioxide
(CO₂) snow cleaning
- Software features, of AES, 600
- Solder flux, 654
- Solid wear particles, 322–323
- Solubility parameter, one-
dimensional, 826–827
- Solvent cleaning regulation,
because of global warming,
789–792
- Solvent substitution, 831–839
multiple components, 831–833
- Solvent washing method,
345–347
- Solvent-cleaning process, 759
cleaning solvents and cleaning
processes, choice of, 839–851,
see also individual entry
cleaning/rinsing/drying processes,
851–857
control in, 858–861
avoiding common mistakes,
862–863
design features of, 852–853
drying processes, 853–854
environmental and regulatory
issues, 760–796
future of, 863–868
customer preferences, 864–865
environmental regulations,
865–866
innovation, 866–868
global warming, 789–795, *see also
separate entry*
health consequences of, 796–822,
see also individual entry
Montreal protocol control
measures, 765–766
ozone-depleting chemicals
(ODCs), 761–772
quality
regulations affecting, 792–795
rinsing processes, 853
solvent selection via solubility
parameter, 822–839
Hansen Solubility Parameters
(HSP), 822, 829–831, *see also
individual entry*
Hildebrand Solubility
Parameter, 822, 825–829,
see also individual entry

- Kauri Butanol (Kb) test, 822, 823–825, *see also individual entry*
- solvent substitution, 831–839, *see also individual entry*
- standards and metrics for, 859–861
- volatile organic compounds (VOCs), 776–789
- SPIDER measurement (spectral phase interferometry for direct electric-field reconstruction), 47–51, 55, 64
- experimental setup, 65–66
- Spin coating, 1020
- Spin drying, 1070–1071, 1081–1086, 1103–1110, 1120–1123
- adsorption investigation, 1108–1110
- film uniformity, 1085–1086
- high rotation speeds, effect of, 1121–1122
- non-volatile liquid model, 1082–1083
- rotation speed effect on evaporation, 1106–1108
- spin-off vs. evaporation, 1103–1105, 1120–1121
- uniformity of evaporated film, 1105–1106
- vertical Marangoni-based wafer drying, 1086–1088
- volatile liquid model, 1083–1085
- wafer topography and surface heterogeneity, 1122–1123
- Spray processors, 875, 1020–1021
- Sputtering, 665, 1021–1022
- Stacking faults, of nanocrystals, 558–559
- Standardization trends, in AMCs, 445–447
- representation of cleanliness, 445–447
- Staphylococcus aureus*, 1015, 1024
- Staphylococcus epidermidis*, 1015, 1024
- Stark shift, 77, 92
- Static charge control, air ionization for, 514–521
- Static charge generation, 508–509
- by induction, 509
- Static charging, 936–937
- Static discharge, in solvent-cleaning process, 807–809
- Static headspace method, 379
- Staying tendency, 422
- Sticking coefficient, 417–422
- Sticking probability, 414–417
- Stokes drag law, 196
- Stokes flow equations, 214
- Stokes law
- non-Stokesian correction for fluid inertial effects, 192
- non-Stokesian effects, 196
- slip-corrected Stokes drag law, 193
- Stokes number, 200–201, 245, *see also Critical Stokes number*
- Stokes–Einstein particle diffusion, 26, 206, 226
- Stratosphere, ozone depletion reactions in, 772–776
- Streptococcus mutans*, 1026
- Strong field approximation (SFA), 77
- Strong field regime, atoms and molecules in, 67–115, *see also Atoms; Attosecond pulse; molecules*
- Sub-100-fs pulses, 31–39
- Sub-monolayer contamination, 403–407
- Substrate adhesion, measuring methods, 493–497
- Substrate surface
- absorption, 379–380
- analysis, of AMCs, 345–352
- quantitative analysis, 345–352, *see also individual entry*
- removal from, 441–443
- Sum-Frequency Generation from Surfaces (SSFG), 27

- Super Light Weight Tank (SLWT), 597
- Surface (instrumental) analysis, of AMCs, 350
- Surface analysis methods for contaminant identification, 585–646
- Auger electron spectroscopy (AES), 586–601, *see also separate entry*
- low-energy ion scattering (LEIS), 635–646, *see also separate entry*
- time-of-flight secondary ion mass spectrometry (TOF-SIMS), 622–635, *see also separate entry*
- x-ray photoelectron spectroscopy (XPS), 601–622, *see also separate entry*
- Surface cleaning by coating, 1048
- Surface contaminants
characterization, AES for, 594–600
- Surface deposition and cleaning
particle transport relevance in, 267–293, *see also Particle transport relevance*
- Surface forces
measurement, 736–738
modification using surfactants, 739–744
surface force apparatus (SFA), 736–737
- Surface metal calibration standards, 633
- Surface modification, 1022
prior to impregnation
chemical or physico-chemical, 1033–1034
- Surface particle removal, surfactants for, 727–753, *see also Surfactants*
- Surface probing, nonlinear optical techniques for, 142–162
femtochemistry of surfaces
probed by pump-probe SSFG and SSHG, 157–162
- Surface second-harmonic generation (SSHG), 142–162
autocorrelated SSHG technique, 153
femtochemistry of surfaces
probed by pump-probe SSHG, 157–162
limitation of, 145
local-field-induced enhancement on metal surfaces, 150–151
on microscopic properties of thin layer, 149
time-resolved SSHG, 158
- Surface sum frequency generation (SSFG), 142–162
femtochemistry of surfaces
probed by pump-probe SSFG, 157–162
femtosecond pump-probe SSFG, 158
limitation of, 145
time-resolved SSFG, 158
- Surface tension gradient (Marangoni) based drying, 1071
vertical Marangoni-based drying of silicon wafers, 1072–1073
- Surface tension, 729–730
- Surfaces
classification, 699
high-energy surfaces, 699
low energy surfaces, 699
- Surfactants
behavior in solution, 728–734
for surface particle removal, 727–753
adhesion, 738
enhanced-particle removal, 745–750
historical perspective, 728
industrial perspective, 727
interfacial forces, 734–753
mathematical modeling, 750–753
measurement, 744–745
particle removal forces, 739
post-cleaning surfactant removal, 749
selection, 750

- surface forces measurement, 736–738
 - surface forces modification using, 739–744
- Surgical grafts, 1050
- Surgical Sutures, 1050
- Synchrotron Orbital Ray (SOR), 350
- Synchrotron radiation total reflection X-ray fluorescence (SRTXRF), 350
- Tannor–Kosloff–Rice scheme, 121
- Target contaminant, changes in, 332–333
- Textile fibers, 1050
- Textiles protection, coatings for, 1052
- Thermal desorption spectrometry/atmospheric pressure ionization mass spectrometry (TDS-API-MS), 350
- Thermal desorption test method, 379–380
- Thermodynamic properties of nanocrystals, 570–576
- Thermophoresis, 954
 - for particle transport and deposition
 - in parallel plate reactor, 238–239
 - in surface cleaning, 280–285
 - thermophoretic drift velocity
 - in aerosol particles transport and deposition, 203–205
 - thermophoretic force
 - aerosol particles transport and deposition and, 197–198
- THG-FROG measurements, 61–64
- Thin film removal, 939
- Thin filmy wear particle generation by repeated contacts, 307–309
- Thin surface film contaminants
 - colorimetric interferometry for, 675–690, *see also individual entry*
- Time Resolved Photoelectron Spectroscopy (TRPES), 115
- Time-of-flight secondary ion mass spectrometry (TOF-SIMS), 622–635
 - applications, 630–634
 - instrumentation, 628–629
 - principles of, 622–627
 - quest in, 626
 - recent developments and future directions of, 634–635
- Time-of-flight spectrometer (TOF), 90
- Time-resolved photo-electron spectroscopy (TRPES), 128–134, 137–142
 - drawback, 134
 - in nonadiabatic transitions, 134
 - of semiconductor crystals, 141
- Titanium implants, 1050
- Total reflection X-ray fluorescence (TRXRF), 350, 667, 1098, 1107
 - metal surface concentration by, 1098–1100
 - sources of error, 1099–1100
 - technique, 1098–1099
- Transfer
 - adhesive transfer
 - of atoms, 302–303
 - cleaning efficacy of semiconductor wafer, measurement, 668
 - system configuration, 669
- Transition state
 - classical concept, 104
 - probing, 101–106
- Triboelectric charging, 508
 - humidity and, 509
 - principle of, 508
- Triboemission, 323–325
- Tribological implication of particles, 299–325
 - micro-site for wear particles, 299–302, *see also* Wear particles
- Tribo-oxidation, 311–312, 1028
- Tributyltin (TBT), 1045–1046

- Trichromatic colorimetry, 681
- Triclosan, 1028
 triclosan-releasing plastics, 1052
- Trimethylsilane (TMS), 618
- Tunnel ionization, 68
- Twining structure, of nanocrystals, 558–559
- Type-I phase-matching, 56
- Type-II phase-matching, 56
- Ultra low penetration air (ULPA), 330, 514
- Ultrafast crystallography, recent results in, 137–142
- Ultrafast pulses
 molecular populations and chemical reactions controlling by, 120–128
- Ultrafast science, 25–163, *see also* Very small particles
- Ultrafine aerosol, 4
- Ultra-high vacuum (UHV)
 chamber, 611
- Ultrahydrophobic coatings, 1026
- Ultrashort pulses
 early generations of, 27–31
 generation, techniques for, 27–67
 carrier-envelope-phase (CEP), 48–54
 few-optical-cycle regime, 39–48
 mode locking, 27–31
 sub-100-fs pulses and chirped pulse amplification, 31–39
 measurements
 techniques for, 54–67
- Ultraviolet photoelectric emission, 661
- United Nations Environment Programme (UNEP), 763
- UV photoelectron with catalyst
 cleaning technology using, 441–442
- Vacuum technologies, 1008
- Vacuum ultraviolet radiation (VUV)
 for chemical reactions controlling, 121
- van der Waals forces, 270, 484, 735, 827, 876–878
 Debye interactions, 484
 Keesom interactions, 484
 London or dispersion forces, 484
- Vapor degreasing, 852, 854
- Vapor phase decomposition (VPD), 350
- Vaporization of contaminants,
 two-phase exponential model, 411–414
- Very small particles, fundamental interactions of, 25–163
- Very, very small aerosol, 4
- Very, very small particles
 particle interactions, 15–18
 physical nature of, 3–23,
see also Aerosol particle sizes
- Vibrating air jet method, 909–913
- ‘Vidrid’ phenomenon, 398
- Viscous ion drag force, in aerosol particles transport and deposition, 221
- Volatile liquid model, 1083–1085
- Volatile organic compounds (VOCs), 776–789
 definition, 776–780
 in European countries, 779
 in U.S., 778
 smog formation, reactions leading to, 782–785
 smog formed from, 785–789
 solvent characteristics, 795–796
- VOC exempt
 compounds exempt in U.S., 781–782
 definition of, 780–782
 status applied to chemicals, 783–785
- Wafer drying, 1081–1091, *see also* Semiconductor wafer drying

- setups for, 1094–1098
 - manual spinner, 1094–1095
 - semi-automated spinner, 1095
 - spin drying, 1094–1095
- spin drying, 1081–1086
- vertical Marangoni-based drying, 1095–1097, *see also* Marangoni based drying
- Wafer thermal desorption—gas chromatography/mass spectrometry, *see* WTD-GC/MS
- Wafer topography, 1122–1123
 - and surface heterogeneity, 1126–1127
- Wall paper, 1051
- Water break tests, 660
- Water contact angles, 712–713
- Water drop test, 660
- Wave-packet, 104
 - Gaussian wavepacket, 112
 - generation and influence of chirping, 111–115
 - simple properties of, 111–115
 - trajectory of, 111
- Weak scattering object approximation (WPOA), 551
- Wear particles
 - adhesive transfer
 - crack initiation and propagation, 309–310
 - fine feather-like particles, micro-cutting and generation of, 305–307
 - of atoms, 302–303
 - of flake-like particles, 303–305
 - surface plastic flow and thin filmy wear particle generation, 307–309
 - chemical composition, 315
 - gas molecules by wear, 323
 - generation by micro-site, 299–302
 - generation
 - in boundary lubrication, 314
 - in sliding of steels, 312–315
 - modes, 302–315
 - size distribution of, 318–322
 - mean size, 321
 - probability density, 322
 - solid wear particles, 322–323
- Weld failure, 595
- Wet chemical cleaning methods, by XPS, 620
- Wettability techniques
 - for surface cleanliness monitoring, 693–721
 - applications, 705–716
 - fundamentals, 694–696
 - future directions, 718–721
 - instrumentation, 700–705
 - recent developments, 716–718
 - theoretical and experimental investigations, 696–700
 - wetting hysteresis, 699
- White glove tests, 660
- White light interferometry, 679–680
- Wilhelmy plate technique, 702, 1100–1101
- Witness plate method, 347
- Wood protection, 1051
- Wound dressings, 1049–1050
- WTD-GC/MS, 347–352
 - dynamic headspace, 347
 - setup for, 349
 - static headspace, 347
- X-ray micro-analysis (XMA), 350
- X-ray photoelectron spectroscopy (XPS), xxxix, 601–622, 993
 - applications of, 613–620
 - for inorganic compound analysis, 614
 - instrumentation, 611–613
 - mapping, 612
 - for organic compound analysis, 610
 - principles of, 602–611
 - recent developments and future directions of, 620–622
 - wet chemical cleaning methods by, 620

X-ray photoelectron spectroscopy/
electron spectroscopy for
chemical analysis (XPS/ESCA),
666–667

X-rays, 541–545

Yeast, 1015

Young's equation, 488, 697–698

ZAF correction, 544

Zinc dialkyl-dithiophosphate
(ZDDP), 312