

Index

Page numbers in *italics* refer to figures; page numbers in **bold** refer to tables.

- acenes 437–8
 computational studies 448, 449
 spin density magnetization **449**, 449–50
 synthesis 447, 449
- addition reactions
see also cycloaddition
 addend arrangement on fullerenes 132, 262–3
 bis-adducts 133, 133–4
 control of addition point 263–5
 ribbon arrangement 144, 145–7, 147
 tetrakis-adducts 134, 135
- amidation 474, 474–5
- dichlorophenyl radicals, and EMFs 272–4, 273
- nanotube sidewall functionalization 109, 334–6, 335
- radical derivatization of CNOs 476–8, 477, 478
- for water-soluble TNT-EMF derivatives 250–2
- amines
 1-octadecylamine (ODA), in CNO amidation 474, 474
 peapod dispersion 368
 separation of nanotubes by electronic type 26–7, **373**, 373–4, 376–7
 dispersion efficiency 366–7, **367**, 376
 TMPD, supramolecular electron transfer with EMFs 276, 276–7
- annealing
 acetylene carbon blacks 472
 diamond 429, 465–6
- antiferromagnetic (AFM) state, graphene nanoribbons 438–9
- arc discharge method
 endohedral metallofullerene production 239–40, 272
 SWNT production 375–7
 underwater, carbon nano onions production 470–1, 471
- armchair-edged nanographenes
 nanoribbons (AGNRs) 443–4, 444
 properties 437, 456
- azobenzene chromophores 349
- BET gas surface adsorption 471
- bile salts (biological surfactants) 6, 6, 7, 304, 304
- binding affinity
 bond dissociation energy (BDE) **441**, 441–2
 components of interaction 190–1, 207–8
 Gibbs activation energies 206, **206**
 increasing, by molecular design 189–90, 193
 open fullerenes, insertion and release kinetics 219–20
- Bingel/retro-Bingel chiral separation 150, 153–6
- Bingel–Hirsch reaction 74, 131–2, 475, 475
- C₇₀ additions
 crown ether–malonates 134–5, 136, 137
 Tröger base tethered malonates 135, 137, 138
 untethered malonates 132–4, 133, 135
- site of EMF nucleophilic attack 263–5, 264, 265
- TNT-EMF additions 250–1
- biosensors, nanotube-based
 electrochemical 354–6, 355
 field-effect transistors 352–4, 353

- bucky metallocenes
 bucky ruthenocenes 176
 buckyferrocene 176, 179
 lunar lander pentapods 181–2, 182
 multimetal (double-decker)
 complexes 177–8, 178
 polyanion dimers 179–80, 180
 buckydiamond 417
 see also nanodiamonds
 buckypaper 386, 387
- C₆₀ (buckminsterfullerene) 129
 cooperative binding
 comparative contributions of interaction
 types 190–1, 208
 exTTF receptors 56–61, 61, 62, 204, 205
 fullerodendrons and benzylammonium
 guests 82, 86, 86–7
 solvent-sensitive 98–9
 derivatives
 ammonium–crown ether complexes 52–6,
 55, 82, 84, 86
 chromophore dyads 94–6, 95
 covalent multichromophore systems 96,
 97, 100
 penta(organo) structures 174–6, 179–82,
 196, 197
 poly(aryl ether) dendrimers 74–7,
 75, 76
 porphyrin supramolecular
 complexes 50–2, 52, 98, 98
 pyrrolidine OPV dendrimers 77–9, 79
 TTF dyads 50, 51, 96, 98, 98
 endohedral
 cage opening 216, 216–19
 chemical functionalization 222–4, 223
 closure 220–2, 221
 encapsulation 216, 219–20, 220
 solubility in organic solvents 74, 80, 189,
 192, 398–9
 C₇₀ (fullerene)
 achiral addition, with chiral addends 152
 endohedral
 chemical reactivity 231–2, 232
 encapsulation of hydrogen 227–31
 inherently chiral covalent addition 139,
 139–40
 Bingel additions 132–9
 butylperoxyradical derivatives 148, 148
 halogenation 142, 142–3, 143
 hydrogenation 140, 140–2, 141
 perfluoroalkylation 143–7, 144, 147
 noninherently chiral addition 148–52, 149
 Bingel/retro-Bingel enantiomer
 separation 150
 mixed and enantiopure products
 149–50, 151
 cage isomers 153, 155–62, 243, 244
 calixarenes 194, 194
 dimers 197, 197–8, 198
 with electron-rich appendants 195,
 195–6, 196
 naphthalene derivatives 194–5, 195
 carbohydrates
 glycosylated nanotubes, biocompatibility 63
 nanotube solubilization 22–3
 carbon nano onions (CNOs)
 applications 478–9, 479, 480
 chemical reactions
 [2+1] cycloadditions 475, 475–6, 476
 amide derivatives 474, 474–5
 free radical additions 476–8, 477, 478
 pyrrolidine derivatives 473–4, 474
 discovery 464
 physical properties
 density 470
 electrical resistivity 468–9, 469
 electron paramagnetic resonance
 spectra 469–70, 470
 Raman spectra 466–7, 467, 471–2
 X-ray diffraction pattern 467–8, 468
 presence in interstellar dust 470–1
 structure 464, 464
 effect of formation temperature 465, 465–6
 growth mechanisms 466, 466, 471, 472
 sizes 470, 473
 synthesis techniques 464–5
 annealing 465–6, 472
 arc discharge 470–1, 471
 chemical vapor deposition 473
 electron irradiation 472
 laser ablation 472–3
 carbon nanotubes
 see also multi-walled nanotubes (MWNTs);
 peapods; single-walled nanotubes
 (SWNTs)
 applications 1–2, 19, 25
 biological, with DNA/NT hybrids 317, 319
 biosensors 294–7, 351–6
 field-effect transistors 63–4, 346, 346–51

- honeycomb film structures 320–3
- nanoimprinted resin composites 317–18, 318
- NIR-sensitive polymer gels 318–20
- photoelectrochemical cells 338, 339, 345, 345–6
- substrate for TEM molecular imaging 405–12
- characterization techniques
 - imaging, microscopic 303
 - thermal gravimetric analysis 375
- cup-stacked (CSCNTs) 116–17
- dispersion and exfoliation 3, 302, 302
 - aqueous 3–11, 295, 303–9
 - fullerene-assisted 368–71
 - organic solvents 11–17, 371–2
 - polymer dispersion agents 17–26, 309–17
- functionalization
 - aims and methods 2, 2–3, 4
 - covalent 108–13, 334–6, 335, 336–40
 - defect transformation 295, 295
 - endohedral 385–6
 - noncovalent 26, 61–7, 113–15, 305, 340–6
- properties 1–2, 61–2, 301, **302**
 - chemical reactivity 442, 442
 - density 33
 - dielectric constants 32
 - electronic 26–7, 107, 346
 - NIR photothermal conversion 319
 - spectroscopic 5, 7, 13, 18, 107–8
- purification and separation 3, 26–35, 373–7
- structure 302, 365
 - aspect ratio 1, 106
 - chirality 27–30, 106, 305, 346
 - diameter 27, 29, 33
- synthesis 333–4
 - assembly of arrays 32
 - control of product properties 26, 365–6
 - double-walled (DWNTs) 386
 - oxidative cutting 349
- carboranes
 - motion in carbon nanotubes 408, 408
 - structure and molecular imaging 406, 407
- carboxylic groups
 - absence, on nanodiamonds 422
 - oxidized nanotubes, functionalization 108, 334, 349
- catalysts
 - cationic metallofullerenes 177
 - use of CNOs 478, 479
- charge transfer *see* electron donor/acceptor interactions
- chemical vapor deposition (CVD)
 - carbon nano onions 473
 - graphene films 434, 434
 - polycrystalline diamond films 426, 429
 - SWNT production 374–5
- chirality
 - carbon nanotubes
 - chiral vector and electronic properties 106, 346
 - selective supramolecular interactions 27–30, 305
 - fullerenes 130–2
- chitosan, as nanotube dispersant 23
- chromatography
 - nanotube separation 30–1, 31, 317
 - separation of chiral fullerenes 153, 155
 - separation of endohedral from empty fullerenes 222, 231
- CIP (Cahn, Ingold, Prelog) rules 130
- circular dichroism (CD) spectroscopy 134, 152, 154–5
- circumacenes
 - size, effect on electronic structure 450–2, **451**, 451
 - stability and synthesis 451–2, 452
 - structure 450, 450
- cisplatin (CDDP)
 - nanohorn incorporation 396–7, 398
 - release rate 400
- Clar's sextet rules 437, 444, 451
- 'click chemistry' 338, 339
- Composition B explosive 413
- conductivity
 - carbon nanoribbons 439–41
 - nanotube **302**
 - covalent gap-bridging 349–51, 350
 - electron percolation threshold 303, 318
 - metallic CNTs 107, 346, 354, 378–80
 - selective enrichment 26–7, 29, 376–7
 - semiconductor CNTs, in FETs 346–54
 - surface resistivity, honeycomb films 322
 - resistivity of annealed nanodiamond 468–9, 469
- constant potential electrolysis (CPE) 154, 154, 156
- contrast agents *see* magnetic resonance imaging (MRI)

- copper–nanocarbon complexes
 - fullerene, in photovoltaic cells 104
 - nanotubes, sol-gel dispersion in
 - chloroform 15, 16
- corannulenes 203–4, 204
- coronene (1-CA) 450, 451
- Cotton effects (CD spectra) 134, 152
- Coulombic interfacial interactions 421
- covalent functionalization
 - see also* addition reactions
 - carbon nano onions, experimental
 - evidence 473–8
 - effects on properties 2, 35, 338, 340, 346–7
 - electron donor linkage 94–6, 108–13, 336–40, 337
 - fullerene-rich dendrimers 79–82, 81
 - nanotube sidewalls, types 334–6, 335
- CPPAs (cyclic paraphenyleneacetylenes) 204, 205, 206
- ring-in-ring complexes 207, 207, 207
- crown ethers
 - azacrown ether hosts 191, 192
 - complexes with EMFs 276
 - fullerene tethered malonates 134–5, 136, 137
 - fullerene–nanotube assemblies 64, 65, 115
 - role in fullerene–exTTF complexation 52–6, 54, 55
- cup-stacked carbon nanotubes (CSCNTs) 116–17
- cyclacenes 452–5, 453
 - Hückel and Möbius forms 454, 454–5
- cycloaddition 108, 334, 336
 - 1,3-dipolar
 - Huisgen 74, 109, 338, 473–4, 474
 - Prato reaction (azomethine ylide) 247, 249–50
 - [2+1] type
 - Bingel–Hirsch cyclopropanation 74, 131–2, 132–9, 475, 475
 - nitrene cycloaddition 476, 476
 - Diels–Alder 246–7
 - fluorinated olefins, on metallic NTs 346
 - fullerene [5,6] and [6,6] bond reactivity 139, 246–8, 267
 - regioselective effects in TNT-EMFs 249, 249–50
 - racemic product mixtures 149–50
- cyclodextrins, fullerene complexes 191, 192
- cyclotrimeratrilenes (CTV) 194, 194, 195–6
- defects, structural
 - nanotube cutting, use for endohedral loading 295, 295
 - Raman spectral evidence, CNO surface 467, 472, 475
- dendrimers
 - attached to carbon nanotubes 63, 63, 113, 338–40, 339
 - core shielding effects
 - optical limiting efficiency 77
 - solvent polarity shielding 80, 82
 - triplet excited state lifetimes 74, 76, 76–7
- fullerodendrons 368, 368–9
 - oligophenylenevinylene (OPV)
 - cored 80–2, 81
 - silicon-phthalocyanine (SiPc) cored 82, 83
 - supramolecular self-assembled 82, 84, 86–7, 88
 - using host–guest exTTF receptors 60–1, 61, 62
- as hosts, for fullerene guests 195, 196, 200, 201
- light-harvesting fullerodendrimers 77–9
- potential of dendritic architecture 73
- stability and size of dendrites 86, 87
- density functional theory (DFT) modelling 15, 373, 373, 377
- graphene nanoribbons 438, 439
 - generalized-gradient approximation (GGA) 440–1, 448, 454
 - local density approximation (LDA) 440, 443
- theoretical cyclacene properties 452–3, 453
- tight binding, self-consistent charges (SCC-DFTB) 417, 419, 420
- density gradient ultracentrifugation (DGU) 33–5, 34, 305
- detonation nanodiamond (DN) 413–14
- diamond *see* nanodiamonds
- diazonium, nanotube addition 334, 347
- dielectrophoresis (alternating current) 32–3
- Diels–Alder reaction 336
 - C₇₀ and higher fullerene addition 139, 157, 158
- cyclacene synthesis attempt 452
- effect of C₇₀ endohedral
 - encapsulation 231–2, 232, 232
- structure of TNT-EMF cycloadduct 246–7
- use in TNT-EMF purification process 240

- discrete Fourier transform (DFT)
 calculations 143, 145
- dispersibility
 nanotubes in organic solvents
 concentration dependence 13–14
 mixed solvents and electronic
 tuning 371–2, 372
 spectroscopic assessment 366, 366–7, **367**
 stability and aggregation 12–13
 reversal by NIR laser 319, 320
 stabilization agents
 fullerene derivatives 368–71
 natural polymers 17–19, 20–3, 315–17
 polycyclic aromatic compounds 8–11, 9,
 11, 14–17, 305–9
 surfactants 3–8, 33–4, 303–5
 synthetic polymers 19–20, 23–6, 309,
 313–15
 zeta potential, aqueous nanotubes 8
- DNA, helical nanotube complexes 17–19, 18,
 30, 315–17
- drug delivery
 potential of nanodiamond gels 426
 use of SWNHox 396–7, 400–1
- dynamic light scattering (DLS) analysis 293,
 296, 414, 417
- electrochemical deposition 102, 104–5
- electron donor/acceptor interactions (charge
 transfer)
 charge separation stability
 fullerodendrons 82, 85, 87
 metallofullerenes 180–1, 276–7
 covalent coupling 94–6, 108–9, 110,
 336–40, 337
 hybrid approach 109, 111–12, 112, 340, 341
 multistep 96, 100
 photoinduced (PET) 57–8, 58, 64–5, 77–9,
 94–9
 supramolecular (noncovalent)
 contact complexes 191, 191
 donor–fullerene systems 96–9
 in nanotube systems 113–15, 340,
 342–6, 344
 stabilized by hydrogen bonds 50–6
- electron paramagnetic resonance (EPR)
 spectroscopy 253–4, 469–70, 470, 476, 477
- electronic devices
 potential graphene use 434, 456
 spintronic 440–1
- electrophoresis
 alternating current (ac)
 dielectrophoresis 32–3
 direct current (dc) 31–2
 for nanocarbon deposition on electrodes 102,
 105, 116
- electrostatic fields
 on fullerene surface 192, 192–3
 Mulliken charge density calculations
 263, 264
 on nanodiamond facets 419–20, 420
- endohedral structures
see also metallofullerenes; peapods
 carbon nanotubes 385–6
 gadolinium sequestration, for MRI 294–7
 molecular movement inside tubes 407,
 408, 408–9, 409
- fullerenes 130
 chemical reactions 222–4, 231–2, 246–54,
 262–71
 intramolecular electronic interactions 220,
 222, 226–7, 231, 232
 motion of atoms in cage 229–30, 246,
 265–7, 268
 NMR signal 224–6, 231, 244–6, 262
 synthesis 215–22, 227–31, 239–40, 261
 supramolecular, with helical
 wrapping 198–9, 199
 synthesis 386
- enzymes
 activity, adsorbed on nanotubes 21
 glucose oxidase (GOx) activity sensors 354,
 355, 356
- ferrocene
 on light-harvesting dendritic antennas 79, 80
 nanotube attachment 108, 337, 338
 used in glucose sensor 356
 supramolecular fullerene complexes 98,
 98–9
 buckyferrocene 176, 179
 double-decker (di)ferrocene 177–8, 178
 used in photoelectrochemical cells
 183–5, 184
- field-effect transistors
 biosensor applications 352–4, 353
 use of functionalized CNTs 346, 346–51
 chemical sensors 347–8, 348
 light detection 348–9, 349
 photosensors 63–4

- field flow fractionation (FFF) 30, 33
- flavin mononucleotide, chiral nanotube
interaction 28, 28
- fluorination
carbon nano onions 478, 478
fullerenes 142, 142
C₇₄ 157–8, 158
C₇₆ 158–9
C₇₈ 159
nanotube sidewalls 336
olefins, selective NT cycloaddition 346
- Fréchet dendrons 77, 78, 195, 196, 201
- friction coefficient
carbon nano onions 478–9, 480
nanodiamond lubricants 427, 427–8
- Friedel–Crafts reaction 139
- Fujita edge (graphene) 436
- fullerenes
see also C₆₀; C₇₀; metallofullerenes; peapods
applications 173, 215, 290–4
charge separation properties 94, 173–4
chirality
classification 131
separation approaches 153–6, 163, 202
dendrimer linked
as dendrimer core 74–9
in dendritic branches 79–88
derivatives, 3D structure and motion 406,
408–10, 409
dispersion interactions with
nanotubes 368–71
incorporation in SWNHox 397, 399
isomerism, in higher homologues 129–30,
152–3, 244
C₇₈ cage isomers 155, 155–6, 156
C₇₆ enantiomers 154, 154–5
C₈₄ enantiomers 156, 157
reactivity and stability
control of product formation 146
effect of aromatic substituents 141–2
effect of endohedral inclusion 223–4, 227,
231–2
electronic explanation 157, 203, 261–2
regioselective effects 131–2, 224
trifluoromethylated derivatives 162
self-assembled donor-fullerene
monolayers 99–102, 100, 182–3, 183
stereodescriptor systems 130–1, 132
Newman-type projection 133, 133
Schlegel diagrams 141, 143, 143
- supramolecular complexes
chromophore assemblies 96–9, 98,
200–3
concave recognition units 56–61, 193–7,
203–4
host-guest structural types 189–90, 190
hydrogen bonded 50–6, 106, 198, 200
macrocycle complexes 191, 192, 274,
274–6
metal coordination compounds 174–8, 175
with organic electron donors 276, 276–7
penta-addend columns and vesicles 179,
179, 196, 197
- functionalization
carbon nano onions 473–8
carbon nanotubes 2–3, 61–7, 333–6, 340–6
for dispersion and separation 26, 305
for electrochemical uses 108–13, 113–15,
336–40, 347
cup-stacked nanocarbons 116, 117
fullerenes 74–9, 130–1, 173–4
- gadolinium
biocompatibility improvement 288–9
advantages of nanocarbon
structures 289–90, 292
compounds
for locating nanohorn adsorption
sites 398
as SWNHox plugs 400, 401
qualities, as MRI contrast agent 288
TEM images 295, 406, 407
toxicity of free Gd³⁺ ion 290
- gas sensors, use of CNT-FETs 347–8, 348
- GBL (γ -butyrolactone) 13–14
- gel permeation chromatography (GPC) 30
- gels
nanodiamond (SNBD) 424
NIR-responsive polymer/NT
composite 318–20
sol-gel silica glasses, fullerene-doped 77
- graphene
see also nanographenes; nanoribbons,
graphene
density of states, compared with CNTs
442, 443
highly oriented pyrolytic graphite
(HOPG) 466, 471
interlayer distance, in graphite 393
production methods 434, 456

- properties 433–4
- sheet edge structures 435, 435–8
- shell structure, nanodiamond surface 417–19, 418, 421–2
- zipper growth mechanism, in CNOs 466, 466

- halogenation, fullerene 142, 142–3, 143
 - higher fullerenes 157–60, 159, 160
- helium, fullerene encapsulation 219–20, 220, 231
- high-speed vibration milling
 - fullerene dimerization 223, 223
 - in molecular surgery 216, 217
- highly oriented pyrolytic graphite (HOPG) 466, 471
- Hill coefficient 57
- honeycomb composite films 320–3, 322, 323
- host-guest structures *see* supramolecular complexes
- Hückel molecular orbital calculations 455–6
- Huisgen (1,3-dipolar) cycloaddition 109, 338
- hydration, nanodiamond 416, 422–4, 423
- hydrogen bonding
 - assembly of cage host subunits 198–9
 - binding energies 50, 51
 - supramolecular aggregation in solution 200
 - supramolecular dispersion of nanotubes 15
 - time/motion TEM study 411
- hydrogenation
 - endohedral encapsulation 219, 227–31
 - of fullerenes 140, 140–2, 141
 - of graphenes and nanotubes 441, 442, 442, 458
- imaging techniques 303
 - magnetic resonance imaging (MRI)
 - biomedical application 287–9
 - sensitivity improvement by contrast agents 288, 289–97
 - particle size distribution 414
 - resolution limits and development 405–6, 411
 - transmission electron microscopy (TEM)
 - clarity of crystal shape (nanodiamond) 416, 416–17
 - 3D structural information 409, 409–10
 - observation of molecular motion 408, 408–9, 411–12
 - operating temperature 408, 409
 - sample integrity under observation 406–7, 411
- indium tin oxide (ITO) electrodes 101
 - functionalization with buckyferrocene SAMs 182–3, 183
 - semiconducting 102, 103
- infrared (IR) spectroscopy, nanodiamond 422
- ion exchange chromatography (IEC) 30–1
- isolated pentagon rule (IPR) 129, 131
 - exceptions, in endohedral fullerenes 242–3, 244, 251, 262
- Langmuir Blodgett films 99
- lanthanum (La) endometallofullerenes
 - bis-silylation 266, 266–7
 - carbene reaction 263, 263, 264
 - dimetallic, position of caged metal atoms 267–8, 268
 - cycloaddition reactions 267, 267, 268
 - ‘missing’ (La@C₇₂ and La@C₇₄) 271–4
 - nucleophilic reactions 263–5, 265
- Larmor frequency 287–8, 292
- laser ablation 394, 472–3
- layer-by-layer deposition 102, 103
- lipids
 - nanotube binding and solubilization 23, 24
 - SWNT conjugate (ion-complex 1) 321, 321–2
- liquid crystalline materials
 - fullerene-based metallomesogens 179, 179, 196, 197
 - single-walled nanotube 13, 13
- lubricants
 - carbon nano onions 478–9, 480
 - nanodiamond, action mechanism 426–8, 427, 428, 428
- ‘lunar lander’ metallofullerenes 181–3, 182, 183
- magnetic resonance imaging (MRI)
 - contrast agents (CAs)
 - characteristics and requirements 288–9
 - gadofullerenes 251, 289, 290–1
 - gadonanotubes 289, 294–7, 295
 - relaxation mechanisms 288, 291–4
 - NM relaxation dispersion (NMRD) profile 291, 292, 295–6, 296
 - uses and principle of technique 287–8
 - mechanical properties, carbon nanotubes 1, 314

- metallofullerenes
 - endohedral (EMFs)
 - aggregation in aqueous solution 292–4
 - dimetallic 265–9
 - exohedral functionalization 263, 272–3, 290, 291
 - insoluble species in soot 271–4
 - monometallic 262–5
 - preparation and purification 239–40, 262, 275, 275, 290
 - structural characterization 240–6, 262, 263, 264
 - supramolecular complexes 274–7
 - trimetallic 246–54, 269–71
 - penta-organo derivatives
 - leg attachment 181–2, 182
 - polyanions 179–80, 180
 - self-assembled electrode
 - monolayers 182–3, 183
 - supramolecular assembly 179, 179
 - photoelectric current generation
 - cell action mechanisms 183–5, 184
 - charge separation 180–1, 181
 - synthesis
 - derivatives 176–7, 177
 - multimetal complexes 177–8, 178
 - single transition metal complexes 174, 174–6, 175
- metallomesogens 179, 179
- micelle encapsulation 3–4, 4, 8, 303, 314–15
- microscopy *see* imaging techniques
- Möbius cyclacene ribbons 454, 454–5
- modulus of elasticity *see* Young's modulus
- molecular switches 348, 349, 351
- multi-walled nanotubes (MWNTs) 106
 - in electrochemical sensor devices 354
 - formation in underwater graphite arcing 471, 472
 - imaging of supramolecular complexes 65–6, 66
 - properties, compared with SWNTs 64, 67, 115, 378
 - protein adsorption 20–1, 21
- nano-1 (artificial peptide) 19–20, 20
- nanodiamonds
 - agglutination 414, 421, 424
 - annealing 429, 464, 465–6
 - history of discovery and synthesis 413–16, 415, 428–9
 - detonation nanodiamond (DN) 413–14
 - shock synthesis 413, 414
 - ultra-dispersed diamond (UDD) 414, 416
- single-nano buckydiamond (SNBD)
 - appearance and forms 416, 416–17
 - applications 425–8, 429–30
 - bleaching 419
 - colloidal gels 424
 - electronic structure 419–22, 421
 - geometrical structure 417–19, 418, 419
 - physical properties and size 416, 417, 424, 425, 429
 - tight hydration 422–4, 423
- nanographenes (PAHs)
 - see also* nanoribbons, graphene
 - circumacenes and periacenes 450, 450–2, 451, 451, 452
 - cyclacenes 452–3, 453, 454
 - Möbius ribbons 454, 454–5
 - rectangular PAHs
 - acenes 447–50, 449, 449
 - electronic properties related to size 445, 445–7, 447, 448
 - spin density distribution 445, 446
 - structure and properties 436–7, 437
 - stability and electronic structure 437
 - critical size 445, 446, 450–1, 455
 - shape varieties 445–6
- nanohorns *see* single-walled nanohorns (SWNHs)
- nanoparticles
 - colloidal stability (diamond) 424
 - density and particle numbers 424, 425, 428
 - functionalization of CNT-FETs for gas
 - detection 347–8, 348
 - growth, with dendrimer/NT
 - templates 339–40
 - health and safety issues 430
 - nanocomposite uses 426, 429
- nanoribbons, graphene
 - armchair-edged (AGNRs) 443–4, 444
 - zigzag-edged (ZGNRs) 435–6, 436, 438–42
- nanowires 354, 426
- naphthalene diimides (NDI) 198–9, 199
- near-infrared (NIR) absorption
 - by nanotubes, applications 318–20
 - spectroscopy 303
- nitrene derivatives
 - addition to nanotube sidewalls 334
 - cycloaddition to CNOs 476, 476

- NMP (*N*-methyl-2-pyrrolidone) 13, 15
- NMR (nuclear magnetic resonance)
 spectroscopy 220
see also magnetic resonance imaging (MRI)
- characteristics of TNT-EMFs 244–6, 245
- evidence for two H₂ molecules in C₇₀ 229, 229–30
- evidence of endohedral motion 266–7
- in fullerene aromaticity studies 224–6, 225
- upfield spectrum shift, for endohedral encapsulation 222, 229, 229
- noncovalent interactions
 charge transfer 9–10, 191, 309
 charge separation lifetime and quantum yield 94–9, 113–15, 344
 electrostatic, interparticle 420–1
 hydrogen bonding 15, 56, 198, 200, 411
 hydrophobic 4, 8, 191
 π -stacking 9, 15, 25, 192–3, 305
 solvatochromic effects 16, 190–1, 191, 276
 van der Waals 2, 393, 398, 471
- nucleus independent chemical shifts (NICS) 224–5
- ODCB (*o*-dichlorobenzene) 12–13, 216, 371–2
- OEP (octaethylporphyrin dianion) 241, 244, 254
- optical devices 319
 gated memory mechanism 351, 352
 nonlinear optical limiting 478
- OPV (oligophenylenevinylene)
 as fullerene-rich dendrimer core 80–2, 81
 in light-harvesting dendrite subunits 77–9, 79, 80
- p*-orbital axis vector (POAV) analysis 263, 264
- π -stacking interactions
 concave receptors with convex fullerene 53–6, 58–60, 59, 194–7, 203–7
 hosts of fullerenes
 hydrocarbons 192–3
 porphyrins 199–203
 nanotube dispersion agents 9, 15, 23, 25, 305
 nanotube photoactive complexes 115, 343–6, 344
- PAHs (polycyclic aromatic hydrocarbons) *see* nanographenes
- PBI (polybenzimidazole) 314, 314
- peapods
 amine-assisted dispersion 368
 electronic structure, with encapsulated C₆₀
 exciton effects 393, 393
 optical band gap 388–93, 391–2
 p -state coupling 391–2
 photoluminescence behavior 387–8, 389–90
 threshold filling diameter, with fullerenes 388, 393
- PEGylation reactions 251, 474
- pentapod metallofullerenes, synthesis 181–2, 182
- peptides
 artificial, design criteria 20
 in nanotube diameter sorting 27
 nanotube dispersion 19–20
 solar cell charge separation efficiency control 105
 use of H-bonding for heterodimer construction 56, 56
- periacenes
 size, effect on electronic structure 450–1, 451
 stability and Clar's sextets 451, 452
 structure 450, 450
- perylene (1-PA) 450
- perylene bisimides 10, 17
- PET (poly(ethylene terephthalate)) 321–2
 metallic SWNT conducting films 378–80, 379
- PFO (poly(9,9-dioctylfluorenyl-2,7-diyl)) 313
 nanotube chiral selectivity 27, 313–14
 PFO-BT (thiadazole derivative) 313
- phenalenyl radical 455
- photoinduced electron transfer (PET)
 anodic and cathodic photocurrent 183–5, 184
 energy level relaxation pathways 94–5, 95, 96
 excitonic lifetime 107
 quantum yield 96, 98, 100
- photoluminescence (PL) spectroscopy 303
 fullerene peapods 387–8
 effect of chiral angle 392, 393
 effect of diameter and strain 390–3, 391
 emission energy (E_{11}) 389
 excitation (PLE) contour plots 388, 390
 excitation energy (E_{22}) 390
 nanotubes, effect of diameter 388, 389
 SWNT dispersions 5, 303, 314, 315
 with fullerenes 370, 371
- photosynthesis, artificial 49, 56, 89, 93–4
 multistep electron transfer mimics 96, 97

- photovoltaic devices
 carbon nanotube functionalization for 67, 336–45, 339
 cell construction 116, 116, 342, 345, 345–6
 electrodes, molecular scale
 fabrication 99–106, 101, 181–3, 183
 internal photoconversion efficiency (IPCE) 102, 105, 116–17, 340, 345
 nanotube-doped organic polymers 25
 optimal performance criteria 99
 photocurrent generation 101, 102, 104, 337, 340
 molecular orientation 183–5, 184
 supporting reagents 179–80
- phthalocyanines
 as fullerene-rich dendrimer core 82, 83
 nanotube functionalization 109, 110, 337–8, 338, 339
- polyelectrolytes (humic acid, tannic acid etc) 23
- polyimides 25, 314, 314, 319
- polymers, interaction with nanocarbons
 carbohydrates 22–3
 DNA 17–19, 18, 30, 315–17
 lipids 23, 24, 321–2
 peptides 19–20, 27
 polyelectrolytes 23
 proteins 20–2, 352–4
 synthetic
 block copolymers 25–6, 314–15, 316, 321
 condensation (nanotube-reinforced matrix) 23, 314
 conducting 25, 313–14, 322, 342–3
 fluorine-based 27
 in hybrid chromophore attachment 109, 111–12, 112–13, 340, 341
 smart gels 320
 thermo/photosetting 317–18
 vinyl 309, 313, 313, 319, 319
- porphyrins
see also zinc porphyrins
 chiral, as nanotweezers 29, 29, 309, 312
 covalent tethering, to SWNTs 109, 110
 derivatives, as nanotube dispersants 10–11, 14–15, 309, 310–12
 fullerene complexes 50–2, 52, 87, 88, 199–203
 cocrystallization 199, 241, 244, 254
 liquid crystal properties 200
 in organic solar cells 104, 104–5, 105
 specificity, with higher fullerenes 202, 202
- functionalization of dendrimers 201, 201, 338–9, 339
 'Jaws' dimers 200, 200
 nanotube conjugates, photophysical properties 112–13, 336, 337, 340, 348
 polymers, nanotube hybrids 113, 114
 with pyrene NT electrostatic anchors 64, 64–5, 113–15, 343, 343–5
- PPVs (*p*-phenylenevinylenes) 25, 313, 351
see also OPV
- production techniques 333–4
 annealing 465–6, 472
 CAPTEAR method 240
 chemical vapor deposition (CVD) 374–5, 426, 429, 473
 diameter control, nanotube 26, 388
 electric arc discharge 239–40, 272, 375–7, 470–1, 471
 laser ablation 394, 472–3
 layer-by-layer (LBL) assembly 102, 345
 molecular surgery 215–16
 aza-aromatics, thermal refluxing 216, 217, 217–18, 228, 228
 challenges of metal insertion 233
 high-speed vibration milling 216, 217
 opening enlargement 218, 218–19, 228
 product purification 222, 231
 self-restoration 219
 suture (closure) techniques 220–2, 221, 230, 230–1
- proteins
 nanotube solubilization 20–2
 selective CNT-FET detectors 352–4, 353
- purification processes
 evaluation of purity 35, 375
 impurity removal
 oxidative purification 108, 334, 375, 377
 in peapod synthesis 386
- separation
 centrifugation in organic solvents 374
 chromatography 30–1, 31, 240, 317
 density gradient ultracentrifugation 33–5, 34, 305
 electrophoresis 31–3
 HPLC 153, 155, 222, 231
 selective interactions 26–30, 28, 29
 'stir and filter' selective reactivity 240, 275
- pyrene derivatives 9–10
 fullerene amide, structural imaging 406, 409, 409–10

- as π -stacked nanocarbon tethers 64, 65, 305–9, **306–8**
 - electron transfer efficiency 66–7, 67
 - with FETs/molecular switches 63–4, 349
 - functionalized with biomolecules 63, 63
 - photoactive NT hybrids 108–9, 113–15, 343, 343–5, 344
 - polymer pendants 313, 313
- pyrrolidine derivatives
 - of CNOs 473–4, 474
 - of fullerenes 98, 98
 - of fullerenes (OPV dendrimers) 77–9, 79
 - of TNT-EMFs 247–8, 248, 249–50
- quartz crystal microbalance (QCM)
 - analysis 352, 353, 356
- radicals, reaction with nanocarbons
 - addition to carbon nano onions 476–8, 477, 478
 - carbon nanoribbons **441**, 441–2
 - endohedral fullerenes 227, 250–2
 - fullerenes 132, 143, 148
 - nanotubes 334
- Raman spectroscopy
 - characteristics of SWNT films 369–70, 370, 372, 373
 - effect of heating nanodiamond 466–7, 467
 - evidence for C₆₀ incorporation in SWNHox 397
 - radial breathing mode (RBM) shift 107–8, 305, 374–5
 - SWNT doping response 12–13
- reactivity, chemical
 - carbon nano onions 473–8
 - carbon nanoribbons 441–2, 444
 - carbon nanotubes 442, 442
 - endohedral fullerenes 227, 240, 254, 277
 - cage symmetry and electronic structure 252–3
 - fullerenes 80, 131–2
 - nanodiamonds 429–30
- regioselectivity 131–2, 224
- relaxivity of paramagnetic materials
 - 288, 290
 - effect of salt/buffered saline concentration **293**, 293–4
 - pH sensitivity 292–3, 293, 296–7, 297
 - temperature dependence 292, 297
- values
 - gadofullerenes 290–1, **291**
 - gadonanotubes 295, **295**
- resins, nanotube composites 317–18, 318
- resistivity *see* conductivity
- ruthenium, C₆₀ complexes 176–7, 177, 181, 181
- sapphyrins 115
- scandium (Sc) trimetallic
 - endometallofullerenes 269–71, 270, 271
- Schlegel diagrams 141, 143, 143, 147
- self-assembly
 - honeycomb plastic/NT films 321–3, 322
 - monolayers (SAMs) 99–102, 182–3
 - supramolecular (noncovalent)
 - dendrimers 82, **86**, 86–7
- self-polarization, nanoparticle 421, 421–2
- shuttlecock molecules 179, 179, 196, 197
- single-nano buckydiamond (SNBD) *see* nanodiamonds
- single-walled nanohorns (SWNHs) 394–401
 - covalent molecular attachment, exterior 410, 410
 - hole-opened (SWNHox)
 - adsorption sites 397–8
 - liquid phase incorporation 395–7
 - measurement by m-xylene adsorption 395, 396
 - oxidative hole opening 394–5, 395
 - release control, active 400, 401
 - release of materials 398–400, 399
 - polymer gel phase transition, with NIR 320
 - preparation and structure 394, 394
- single-walled nanotubes (SWNTs)
 - characterization by spectrofluorimetry 5, 7, 303
 - electronic behavior, effect of fullerene insertion 387–93
 - exfoliation from bundles 365–6
 - fluorescence signature 107, 367, 367, 370, 371
 - pH sensitivity, with adsorbed polymers 22, 23
 - thermodynamic stability 14, 313
 - unzipping, ultrasonication with surfactant 5, 5
- gel-sol transition, in polymer composites 320, 320

- single-walled nanotubes (SWNTs) (*Continued*)
- liquid crystalline behavior 13, 13
 - metallic, preparation of conductive films 377–80
 - polymer-wrapped 17, 18, 25, 309
 - with pendant chromophores 113, 342, 342–3
 - pyrene/electron donor-acceptor hybrids 63–7, 64, 65, 108–9
 - surface film alignment
 - in cellulose derivative 22–3
 - by combing and printing 11, 12
 - tube end opening 386, 388
- size exclusion chromatography (SEC) 30
- slow combustion hole-opening (SWNHox) 395, 396
- small angle neutron scattering (SANS) 303
- sodium cholate (SC) 6, 7
 - in nanotube separation by DGU 33–4, 305
- sodium dodecyl sulfate (SDS) 6
 - nanotube dispersion 6–7
 - in surfactant mixtures 32, 33, 305
- sodium dodecylbenzene sulfonate (SDBS) 5, 6
 - nanotube dispersant qualities 6–8, 303
- solar cells
- bulk heterojunction, structure 102, 104
 - fabrication methods, electrode composite assemblies
 - electrochemical deposition 102, 104–5
 - Langmuir Blodgett films 99
 - layer-by-layer deposition 102, 103
 - self-assembled monolayers 99–102
 - spin coating deposition 105–6
 - vacuum deposition 102
 - porphyrin/CNT hybrids 309
 - potential use of TNT-EMFs 249–50
- sonication *see* ultrasonication
- spectroscopy
- characterization of CNO derivatives 474, 475, 476, 477, 478
 - endohedral fullerenes, spectral features 222, 231
 - fullerene derivative structure
 - determination 141, 142, 144
 - fullerendendrimer PET and solvent polarity 78
 - measurement of NT dispersion
 - efficiency 366, 366–7, 367, 369–70
 - nanotube characterization 5, 7, 13
 - nanotube photophysical properties 107–8
 - scanning tunneling, for graphene edge states 435, 438
 - transformation of nanodiamond to CNO 466–7, 469–70
- spin coating deposition 105–6
- spiropyrans 348
- stacked-cup carbon nanotubes (SCCNTs) 116–17
- starch (amylose) solutions, nanotube solubilization 22
- Stern–Volmer constants 196, 196
- streptavidin
 - carbon nanotube binding 21, 21, 350
 - use in CNT-field effect transistors 351, 353–4
- supramolecular complexes
- charge transfer, for optoelectronic applications 102, 103, 340–6
 - fullerene-based 57–8, 58, 96–9, 191, 274–7
 - nanotube-based 64–7, 113–15, 114
 - curable nanotube composite resins 317–18
 - host-guest structures 190
 - concave/convex 193–7, 203–4
 - dimeric hosts 197, 197–8, 198
 - nanotweezers 29, 56–60, 200–1, 204, 205
 - polymer wrapping 198–9, 199
 - ring-shaped hosts 201–3, 204–7
 - selective interactions with nanotubes 26–30, 309
 - multiple noncovalent interactions 50, 86, 190–1, 203
 - axial metallic coordination and π -stacking 64, 64
 - H-bond and electrostatic, fullerene dyads 50–2, 51, 52
 - H-bond and van der Waals, helical hosts 198–9
 - multiple hydrogen bonds 50, 51
 - π - π and van der Waals, at concave surfaces 58–60, 59, 192, 192–3, 206
 - organic solvent solubilization 15, 16
 - stability of complexes in solvents 193, 194
- surfactants
- adsorption mechanisms 4, 4, 7–8, 304–5
 - mixtures, for nanotube sorting 33–4, 305
 - types 5–6, 6, 304
 - biological 7, 22, 304
 - conventional detergents 6–7, 303
 - oligomeric thiophenes 15–16
 - use in biosensors 352–3

- tensile modulus *see* Young's modulus
- tensile strength, carbon nanotubes 1, **302**
- tetrathiafulvalenes (TTFs) 336–7, 337, 343
- applications 49–50, 56
- fullerene complexes 59
- BEDT-TTF, contact complex 191, 191
- concave host shape 204, 204
- hydrogen-bonded dyads 50, 51, 96, 98
- nanotube complexes, with pyrene 65, 65–7, 67
- π -extended analogues (exTTFs) 50
- ammonium-crown ether fullerene complexes 52–6, 55
- as concave fullerene recognition units 56–60, 57, 59, 204, 205
- crown ether triad macrocycle 52, 53
- in polymer and dendrimer construction 60–1, 61, 62
- radical ion pair state, with SWNTs 108–9
- truxene (truxTTFs) 60, 60
- thermal conductivity
- carbon nanotubes **302**
- nanodiamond 429
- thermal gravimetric analysis (TGA)
- CNO functionalization experiments 474, 475, 475, 476
- nanotube characterization 375
- SWNHox, surface area/pore volume 395, **397**
- SWNT–pyrene–TTF/exTTF hybrids 66
- thiophenes
- electrostatic nanotube hybrids 115
- oligomeric
- as fullerene dyad, in SAMs 99, 100
- as surfactants 15–16
- optical switching devices 351, 352
- in photovoltaic devices
- with fullerenes 105–6, 106
- with SWNTs 342–3, 344
- TNT-EMFs (trimetallic nitride templated endometallofullerenes)
- chemical reactivity 246, 247, 269–71, 270
- cycloaddition reactions 246–50
- free radical/nucleophilic addition 250–2
- discovery 239
- electrochemical properties **252**, 252–4, **253**
- potential applications
- MRI contrast agents 251, 290, 294
- solar cells 249–50
- preparation 239–40
- purification 240
- structural characterization
- approaches and challenges 240–1
- crystallography, with exohedral adducts 244, **245**
- NMR spectroscopy 244–6, **245**
- X-ray diffraction, with porphyrin cocrystals 241, 241–4, 242, **243**
- tribology *see* lubricants
- trifluoromethylation, fullerene 143–7, 160–2
- Tröger base derivatives 135, 137, 138
- ultra-dispersed diamond (UDD) 414, 416
- ultrasonication
- extraction of metallofullerenes 275
- nanotube cutting 32
- nanotube unzipping mechanism 5, 5
- in ODCB, nanotube dispersion stability 12–13
- vacuum deposition 102
- van der Waals interactions
- distance, in ring complexes 207
- formation of CNO crystals 470, 471
- inter-fullerene, in layer-by-layer deposition 102
- inter-nanotube 2
- nanotube-fullerene (in peapods) 393
- and release rate from nanohorns 398
- van Hove transitions 108, 303, 368, 375, 387
- voltammetry, in electronic characterization 61, 82, 222
- water
- adsorption on nanodiamond 422–4, 423
- content of colloidal gels 424
- encapsulation in endohedral fullerene 216
- permeation of fullerene bilayer vesicles 179
- proton relaxation, in MRI 287–8, 294, 296
- role in CNO arcing production 471, 472
- X-ray diffraction
- fullerene encapsulation structures 219, 220, 241–4, **243**, **245**
- nanodiamonds and CNOs 467–8, 468
- perfluoralkylated fullerene isomers 145–7
- Young's modulus 1, 62, **302**, 429

- zeta potential, nanotubes 8
- zigzag-edged graphene nanoribbons (ZGNRs)
 - 436
 - chemical reactivity **441**, 441–2
 - half-metallicity 439–41
 - localized electronic states (at edge) 435, 438
 - magnetic phases 436, 439, **439**
 - spin ordering, electronic 439, 440
 - synthesis 436, 437–8
- zinc porphyrins
 - axial coordination with nanocarbons 64, 64, 87, 88, 98
 - covalent attachment to nanotubes 109, 110
 - photodynamics, in fullerene composite 94–5, 95
 - protoporphyrin IX 309, **310**
 - stabilization of fullerene complexes 201