

Index

- absorption coefficient, 209, 210, 281
absorption edge, 281, 283, 284
absorption spectroscopy, 207, 209
absorption spectrum, 12, 29, 207 210
acrylamide, 103–105, 114, 115
action potential, 198
active center, 197, 205
AFM, 14, 119, 130, 134
Ag nanoparticle, 24, 57, 58, 60–62, 95
Ag-core/Pd-shell, 58, 68
Ag-core/Rh-shell, 58, 68
 Al_2O_3 , 222
ALA, 202
alcothermal, 249
Allyl Precursors, 161
 AlMePO , 172
 AlPO_4 , 172, 188
5-aminolevulinic acid (ALA), 202
ammonothermal, 249
amphoteric metal oxides, 265
anemia, 196, 197
angular momentum, 211
anomalous diffraction, 205
anomalous scattering, *see* anomalous diffraction
apoprotein, 200
aqueous solvents, 249
ASES, 251
asymmetry, 214
atom transfer radical polymerization (ATRP), 114–116
atomic cross section, 210
atomic force microscopy (AFM), 134
An-core/Pt-interlayer/Rh-shell
 trimetallic nanoparticle, 68, 73, 74
Au/Pt bimetallic nanoparticle, 69, 72–74
Au/Pt/Rh, 74, 76
Au/Pt/Rh trimetallic nanoparticle, 68–72, 74–77
Auger electron, 226, 239
average diameter, 7, 9, 28, 61, 63, 65 67, 74, 75, 236
back-scattering, 209
 $\text{BaFe}_{12}\text{O}_{19}$, 258
*BEA, 171, 172
batch reactor, 251, 252
 BaTiO_3 , 258
 BaZrO_3 , 258
Bijvoet mate, 206, 207
bilirubin, 202
biliverdin, 202
bimetallic, 24, 56, 58, 59, 69, 72, 74–76
bimetallic nanoparticle, 56, 57, 59, 62–69, 73, 74, 76
binding energy, 72, 73
Biological Molecular Interaction, 125
biological specific interactions, 125
biosynthesis, 200, 202
biprism, 228
bis(triethoxysilyl)methane (BTESM), 172
blood coagulation, 198
blood plasma, 197
boehmite, 271, 276
boehmite nanoparticle, 270, 271

- Bohr's magneton, 211
 Bragg's law, 206
 bridging organic group, 171
 bright-field, 221, 224, 236, 238, 239
 Brust–Schiffrin method, 6
- C_s* corrector, 221
 c-type cytochrome, 201, 202
 capping agent, 5, 26, 30, 261, 275, 277
 carbonothermal, 249
 catalytic activity, 24, 55, 56, 59, 62, 64–68, 70, 71, 74–76, 131, 134, 155, 211
 cell division, 198
 CeO_2 , 258, 265, 266, 272, 273
 CeO_2 nanoparticle, 259, 267
 ceria nanocrystals, 268, 269, 272
 ceruloplasmin, *see* CP
 channel electron, 205
 chaperone, 200
 characteristic X-ray, 224, 226
 chelating agents, 154, 261
 Chiral PMOs, 155
 chromophores, 211
¹³C NMR, 174, 185
 CO, 61, 70
 Co_3O_4 , 265, 266, 276
 Co_3O_4 nanoparticle, 269, 270
 co-condensation, 142–146, 149, 152, 154, 155, 163
 CO-FT-IR, 62, 64
 CoAl_2O_4 , 261, 265, 271–273
 cobalt spinels, 276
 cofactor, 125, 131, 136, 193, 199, 200
 CoFe_2O_4 , 258
 colloidal probe AFM, 126, 127, 131
 colloidal probe atomic force microscopy, 125, 136
 complementary nucleic acid base pairing, 126
 conduction band, 22, 95, 96
 CoO , 239, 242, 258
 coordination, 4, 10, 195, 200, 209–211, 248
 core-shell nanocrystal, 82
 Core-Shell Nanoparticles, 114
 core-shell structure, 55, 116, 219
 core-shell-type nanocrystal, 90
 coreduction, 56, 72
 coupling constant, 212
 CP, 197
 critical point, 250, 253–255, 257, 258
 crystal, 26, 41, 42, 44–46, 48, 49, 63, 64, 69, 70, 81, 84–90, 94, 148, 172, 174, 180, 182–184, 204–207, 209, 211, 220, 259, 260, 262, 265, 269, 270, 277
 crystal-like pore walls, 141, 157–163
 Crystallography, 204–207
 Cu_2O , 258
 cnbic silsesquioxanes, 4, 15, 19
 CuO , 257
 cytochrome *c* oxidase, 201
 cytochrome b5, 201
 cytochrome P450, 201
 cytochromes, 202, 203
 cytoplasm, 200
 cytosol, 198
- D-amino acid, 205
 D3R, 188
 dark-field, 223
 DELOS, 251
 deoxy, 196, 202
 Deoxyribonucleic acid, *see* DNA
 depolarization, 198
 diamagnetic, 211
 dielectric constant, 93, 98, 99, 253–255, 258, 262, 277
 difference spectroscopy, 211
 diffraction, 45, 48, 85, 95, 96, 158, 159, 161, 162, 174, 183, 204, 205, 209, 220–223, 226, 230, 238–242
 dimple grinder, 231
 dipolar dephasing pulse sequence, 185, 186
 dipole–dipole interaction, 97, 185
 Direct method, 206
 Dispersibility, 261, 263, 271, 277
 dispersibility of nanoparticle, 261, 277
 Dispersibility of Organic–Inorganic Hybrid Nanoparticle, 271
 dispersion of the nanoparticle, 55, 263
 dissociation constant, 265
 DNA, 10, 14, 125, 136, 193, 198, 203, 204, 262, 263, 277

- dosc, 205, 209
 double-probe piezodriving holder, 243
 drug design, 204
- EDS, 63, 69, 225, 226, 228, 231, 235, 236, 240
 EELS, 62, 219, 225, 226, 228, 231
 EF-TEM, 58, 62–64, 76
 elastic scattering, 224
 electric-dipole, 210
 electromagnetic wave, 206
 electron density, 56, 72, 200, 206
 Electron Energy-Loss Spectroscopy, 224
 Electron holography, 227–230, 240, 242
 Electron Paramagnetic Resonance, *see* EPR
 electron transfer, 12, 26, 68, 72, 104, 200, 202, 203, 211, 214
 electron-nuclear double resonance, *see* ENDOR
 electronic effect, 55, 59, 74
 electrostatic interaction, 14, 19, 21, 24, 25, 31, 33, 104
 Elemental Mapping, 219, 226–228
 ENDOR, 212
 energy dispersive X-ray spectroscopy, 219, 225
 energy filter, 226, 227
 ensemble effect, 55, 76
 Enzyme, 125, 130, 134–136, 197, 200, 202–205
 Enzyme–Substrate Complexes, 130
 EPR, 211, 212
 ESEM, 111, 112
 ex-situ surface modification, 263
 EXAFS, 209
 excitonic absorption (EA), 84, 87, 93
 exothermic interaction between particles, 73
 extended X-ray absorption fine structure, *see* EXAFS
 extinction, 87–89, 93, 97, 99, 104, 112, 113, 121
- $\alpha\text{-Fe}_2\text{O}_3$, 48, 51, 258
 $\alpha\text{-Fe}_2\text{O}_3$ particle, 48, 49, 51, 52
 FAU, 172
 Fe_2CoO_4 , 258
 Fe_2O_3 , 24, 52, 261, 265, 266, 274
- Fe_3O_4 , 52, 115–121, 272, 273, 276
 Fe–S, 200
 Fe–S cluster, 200, 201
 ferredoxin, 200
 ferric, 211
 ferricytochrome c, 211
 Ferrochelatase, 202
 ferrous, 202
 FIB, 219, 232, 233, 239, 240, 243
 flow reactor, 252–254, 260
 focused ion beam, 219, 230, 232, 243
 Fourier transformation, 206
 frataxin, 200
 FSM-16, 141
 FT-IR, 23, 61–64, 70, 74, 76, 116, 117, 272, 274, 277
- g*-value, 211
 Ga_2O_3 , 258
 GAS, 251
 Gel-Sol method, 44, 45, 48
 GeO_2 , 258
 geographic effect, 56
 Glomus cells, 198
 glucuronic acid, 202
 glycogen, 198
 glycothermal, 249
 Goldman-Shen pulse sequence, 187
 grafting, 11, 12, 114, 116, 141–143, 145, 146, 152
- HAADF, 219, 223, 224, 226, 228
 Hb, 194–197, 201, 203, 204
 Hc, 197, 239
 hematite particle, 271
 heme, 157, 194, 196, 201, 202, 205, 207, 210–212
 heme oxygenase, 205
 hemerythrin, *see* Hr
 hemocyanin, *see* Hc
 hemoglobin, *see* Hb
 High-Angle Annular Dark-Field, 223
 high-resolution electron microscope image, 221, 222
 high-resolution electron microscopy, 221, 224, 234
 high-resolution transmission electron microscopy, 219

- high-spin, 211
 HKF model, 255
 HmO, 205
 Horse radish peroxidase, *see* HRP
 Hr, 202
 HR-TEM, 63, 64, 69, 74, 76
 HREM, 219, 234, 237, 239
 HRP, 208, 209
 HTSSB, 251
 HTSSF, 251
 hybrid material, 41, 42, 161, 178
 hybrid metal oxide, 248, 263
 Hybrid Nanoparticle, 247, 248, 251, 262, 265, 266, 271, 274, 277
 hybrid organic-inorganic nanoparticle, 252, 255, 262, 273, 276
 hydrogen bond, 14, 19, 27, 31, 194, 265, 266, 275
 hydrogenation of methyl acrylate, 64, 65, 70, 74, 75
 hydroperoxo, 202
 hydrophilicity, 165, 264, 275
 hydrophobic interaction, 117, 201
 hydrophobicity, 163, 165, 177, 178, 262, 264, 275
 hyperfine, 212, 215
 hypoxia, 198
- π -A isotherm, 116–118
 in situ reduction, 12, 15, 82, 90, 98
 in situ surface modification, 264
 in situ surface modification of metal oxide nanoparticle, 267
 in situ surface modification of nanoparticle, 263
 In_2O_3 , 258
 inelastic scattering, 224, 225
 infrared, 48, 51, 159, 207, 211
 intelligent engineering, 250
 Ion Milling, 231, 232
 ionic bonds, 194
 ionic liquid, 28–31
 ionic species, 255, 256
 ionization potential, 59, 68, 73, 74
 iron-sulfur, 199, 212, 214
 iron-sulfur cluster, 199, 203
 IS, 213–215
 isoelectric point, 265
 isomer shift, *see* IS
- isomorphous replacement, 206, 207
 isothermal titration calorimetry (ITC), 68
 ITC, 73
 ITO, 104
- Kendrew, 204
 kinetics of supercritical hydrothermal synthesis, 257
- L-amino acid, 205
 La_2O_3 , 258
 Langmuir Blodgett (LB), 14, 103, 125, 126
 lattice, 43, 51, 70, 88, 95, 96, 158, 161, 172, 183, 204, 206, 213, 220–222, 231, 234–236
 Laue condition, 206
 layer-by-layer (LBL), 21, 103
 LB modification method, 125
 Lewis acid, 203
 Lewis base, 203
 LiCoO_2 , 258
 ligand, 5, 8–12, 21, 32, 55, 116, 142, 145, 155, 207, 210–212, 262, 263, 265, 269–271, 276, 277
 ligand effect, 76
 ligand-metal charge-transfer, 210
 ligand-stabilized gold nanoparticles, 5
 ligand-stabilized metal nanoparticles, 8
 LiMn_2O_4 , 258, 260
 LiMn_2O_4 nanoparticle, 260
 Liquid crystal, 42, 149
 localized surface plasmon (LSP), 93, 104, 121
 localized surface plasmon resonance (LSPR), 111
 LTA, 173, 174, 178, 181, 182
 luminescence, 121, 156, 259, 272
 lyothermal, 249
- M41S, 141
 macromolecule, 14, 15, 151, 193, 199, 204
 magnetic, 13, 32, 41, 52, 55, 114, 120, 121, 157, 211, 212, 214, 219, 230, 233, 234, 236–240, 242, 247, 258, 272

- magnetic dipole moment, 211
 magnetic field, 43, 44, 211, 215, 219, 227, 243
 Magnetic Nanoparticle, 105, 114–116, 233
 Mb, 196, 201, 204, 207, 208
 Mechanism for size control, 270
 Mechanism of Formation of Organic–Inorganic Hybrid Nanoparticles, 265
 mesoporous silica, 141–146, 148, 150–152, 154–157, 163, 165, 171, 188
 Metal Complex: PMO, 154
 metal nanoparticle, 3–6, 9–16, 18, 19, 21–24, 27, 28, 30–33, 55, 56, 58, 70, 72, 77, 81, 104, 106, 107, 111, 112, 121, 233
 Metal oxide, 25, 233, 239, 248, 250, 253, 255, 257–259, 262, 264–266
 Metalloenzymes, 203, 204
 metalloprotein, 193, 202–205, 207, 209–211, 213
 MFI, 172, 174, 183
 microdiffraction, 220
 microspectrophotometer, 205, 208, 209
 γ -MnO₂, 258
 modified Co₃O₄, 276
 modified metal oxide particles, 264
 modified titania, 276
 molar extinction coefficient, 111, 112
 molecular periodicity, 157, 158, 165
 molecular recognition, 125, 126
 molecular replacement method, 206
 monofunctionalized gold
 nanoparticles, 9
 monosilylated organic precursor, 141, 143, 144, 146
 MOR, 174
 Mössbauer, 213–215
 Multifunctionalized PMOs, 152
 multiple wavelength anomalous diffraction method, 206
 muscle contraction, 198
 myofibril, 198
 myoglobin (Mb), 196
 N₂ fixation, 203
 Nanoparticle, 3–25, 27–33, 41–45, 47, 52, 55–62, 65–77, 82–99, 103, 104, 106–113, 115, 122, 157, 234–237, 247–251, 259–266, 268–273, 275–277
 neuronal, 198
 Neuronal signals, 198
 neurotransmitter, 198, 199
 Ni, 233, 272, 273
 Ni nanoparticle, 260, 261
 NiO, 258
 nitrogenase, 214
 NLO, 91, 94
 NMR, 116, 151, 174, 176, 178, 180–183, 185–187, 212, 213
 NOE, 213
 Nonlinear optical (NLO) materials, 81
 Nuclear Magnetic Resonance, 212
 Nuclear Overhauser, 212
 Nuclear Overhauser Effects, 213
 nucleation, 85, 90, 180, 182, 249, 258, 270
 OFMSs, 171, 172
 ordered benzene-bridged hybrid LCs, 158
 organic framework, 171, 180, 183, 187, 188
 organic ligand, 16, 199, 248, 261–265, 268–273, 276, 277
 organic modifier, 263, 265, 276
 organic solvents, 30, 248, 251, 253, 262, 263, 271, 273, 275, 277
 organic–inorganic hybrid LCs, 41, 42, 44, 45, 51, 52, 141, 164, 172, 188, 248, 262, 263, 271, 277
 Organic–Inorganic Hybrid Liquid Crystal, 41, 44
 Organic–Inorganic Hybrid Nanoparticle, 247, 251, 262, 263, 265, 268, 272
 Organic–Inorganic Hybrid Zeolites, 171, 188
 Organic–inorganic hybridization, 41, 44, 171
 organic–inorganic nanoparticle, 273, 275

- organic-ligand-assisted supercritical hydrothermal technology, 263
oxidation state, 207, 213, 214
- PAMAM dendimer, 15–19
paramagnetic, 211–213, 239
PBG, 202
PCA, 251
Pd-core/Ag-shell, 59, 61, 62, 64, 68
Pd-core/Au-interlayer/Ag-shell, 59
Pd-nanoparticle, 24, 57–61
Pd/Ag bimetallic nanoparticle, 59–62, 64
Pd/Ag/Rh Trimetallic Nanoparticle, 59, 63–68, 75–77
Pd/Pt/Rh, 75, 76
PDA Nanocrystal, 82–99
peroxidase, 157, 202, 209
peroxo, 202
Perutz, 204
PGSS, 251
phase, 5–7, 9, 10, 19, 27, 30, 31, 41, 43, 45–52, 55, 81, 82, 89, 116, 129, 130, 144, 147, 148, 157, 174, 175, 181, 207, 226–230, 232, 236–240, 242, 249, 250, 253–256, 261, 264, 271
phase angle, 206, 207, 209
Phase Problems, 205, 206
phasing problem, *see* phase problem
Photoactive PMOs, 156
photocatalytic reduction, 82, 94, 96–98
photoelectron, 205, 209
photon, 205, 209, 213
photopattern, 109
physical mixture method, 58, 59
plasma membrane, 198
plasmon band, 16, 22, 28, 57, 93
PMOs, 142, 146–150, 152–159, 161, 164, 165
poly(*N*-vinyl-2-pyrrolidone) (PVP), 56
Poly(histidine)-tagged (His-tag)
proteins, 127
polydiacetylene (PDA), 81
Polymer Grafted Metal Nanoparticle,
10
polymer monolayer, 103
polypeptide, 43, 193, 194
polyscale, 249
polysilylated organic precursors, 141, 146, 147
porphobilinogen, *see* PBG
porphyrin, 196, 201–203, 207, 210, 212
postsynaptic, 198, 199
presynaptic, 199
presynaptic cell, 198
prosthetic group, 196, 199, 201
protoheme, 202
protoporphyrin, 201, 202
Pt/Pd/Rh, 75
Pt/Pd/Rh trimetallic nanoparticle, 74–77
public database, 281
PVT relation of water, 253
QS, 214, 215
quadrupole splitting, *see* QS
quaternary structure, 196
radiation, 209
radiation damage, 205
reaction center, 202
recoil energy, 213
recombinant, 204
reconstructed phase image, 230, 237, 242
redox, 196, 201–203, 205, 209, 213
redox potential, 97
redshift, 112
Reprecipitation Method, 83, 85, 89
residence time, 258
resolution, 212
Resonance Raman, *see* RR
respiration, 202
respiratory chain, 201
RESS, 251
Rh nanoparticle, 59, 62, 66
ribonucleic acid, *see* RNA
RNA, 193, 203
RR, 210
*s*CH₂O, 252, 258, 262
SAA, 251
sacrificial hydrogen reduction method, 56, 62
sarcoplasmic reticulum, 198
SAS, 251

- SAS-EM, 251
 scaffold proteins, 200
 scalar couplings, 213
 scanning transmission electron microscopy (STEM), 219
 scattering factor, 207
 SCFD, 251
 SEDS, 251
 seed deposition, 82, 90, 91
 seed growth, 82
 selected area diffraction, 220, 238
 self-assembled nanoparticle structure, 248
 Self-assembly, 151, 273, 274
Self-Assembly of Hybrid Organic-Inorganic Nanoparticle, 273
 self-assembly of the organic-inorganic hybrid nanoparticle, 276
 self-assembly structures, 275
 self-organization method, 56, 62, 69
 Semi-pilot plant flow reactor, 254
 sequential electron transfer, 68
 sequential electronic charge transfer, 73
 SFEE, 251
²⁹Si-NMR, 147, 152, 174
 Si CH₂ Si linkage, 182
 signal transmission, 198
 Silane coupling agent, 262, 263
 silsesquioxane precursor, 149
 simultaneous reduction, 56
 SiO₂, 258
 site-directed mutagenesis, 204
 Size and Shape Control, 51, 268
 size distribution histogram, 69
 skeletal muscle, 198
 solid-state polymerization, 81, 84, 93
 solubility, 253, 257
 solvothermal, 249
 Soret band, 207
 space group, 205
 spherical aberration constant, 221
 spin, 207, 214
 spin diffusion, 188
 spin-lattice relaxation (T_{1c}), 184
 spin-orbit interaction, 211
 SSF, 251
 STEM, 223, 228
 structure factor, 206
 structure-directing agent, 174
 subunit, 196, 202
 succinyl-CoA, 202
 sugar, 198
 sulfuric acid, 163
 supercritical fluid technique, 250
 supercritical hydrothermal, 249
 supercritical hydrothermal flow reactor, 252
 supercritical hydrothermal synthesis, 257, 259, 274
Supercritical Hydrothermal Synthesis of Hybrid Organic-Inorganic Nauoparticles, 262
Supercritical Hydrothermal Synthesis of Metal Oxides, 258
 supercritical hydrothermal synthesis of nanoparticle, 277
Supercritical Hydrothermal Technique, 249
 supercritical water, 253
 superhyperfine, 212
 Superlattice, 276
 superlattice of the self-assembled nanoparticles, 276
 superlattice structure, 275, 277
 superparamagnetic, 120
 surface area, 66, 71
 surface chemistries, 275
 Surface Forces Measurement, 125
 surface modification, 249, 262, 263, 265
 surface modifiers, 263
 surface plasmon coupling, 112
 surface plasmon resonance (SPR), 106
 surface-catalyzed reducing agent, 92
 Surfactant, 88, 90, 92, 267, 277
 symmetry, 205
 syuzape, 198
 synaptic cleft, 198
 synchrotron, 209, 210
 T_{1c} decay, 184
 TEM, 63
 tetrathiafulvalene, 26
 thermal analysis, 272
 thermal stability, 178
 thermochemical computation, 250
 thermogravimetric, 273

- three-dimensional ordered structures or superlattice structures, 248
- three-layered core/shell structure, 59
- TiO₂, 266, 272, 273
- TiO₂ nanoparticles, 44
- Torchia's pulse sequence, 185
- torsion, 212
- Transcription Factor, 136
- transferrin, 197
- trimetallic, 58
- Trimetallic Nanoparticles, 59
- tropomyosin, 198
- troponins, 198
- two-dimensional ordered structures or super-lattice structure, 248
- Ultramicrotomy, 230, 231, 239
- uroporphyrinogen III, 202
- V₂O₅, 258
- valence band, 95
- van der Waals attraction, 194
- Vibrational Spectroscopy, 210
- Vitamin, 198
- VPI-5, 172
- X-ray, 207, 209, 212, 213, 226
- X-ray absorption, 209
- X-ray absorption fine structure, *see* XAFS
- X-ray absorption spectroscopy, *see* XAS
- XAFS, 210
- XAS, 209
- XRD, 69
- YAG:Tb nanoparticles, 259
- YAG:Tb phosphors nanoparticle, 259
- Z-contrast, 223
- zinc finger, 203
- zinc oxide, 276
- ZnAl₂O₄, 258
- ZnFe₂O₄, 258
- ZnO, 258, 263, 271
- ZOL, 174
- ZrO₂, 258