

## Index

### a

absorption spectrum 63f.  
 actin filaments 9ff.  
 adenosine triphosphate (ATP) 9ff.  
 – hydrolysis 11, 54  
 – membrane-bound protein 54  
 – synthesis 54  
 – triggered release 10  
 adhesion 49f.  
 alumina  
 – porous membranes 24, 101f., 105  
 – porous templates 101, 105  
 Alzheimer's disease (AD) 27  
 – amyloid biomarkers 165  
 antibody 46, 51  
 – antigen complex 172  
 – functionalized QD 173, 175  
 – modified magnetic particles 166  
 – receptors 114  
 antigen 46, 173f.  
 – antibody recognition process 198  
 assembly  
 – atoms 77  
 – biconjugate 74  
 – layer-by-layer (LBL) 47  
 – molecules 77  
 – supramolecular 74, 98  
 atomic force microscopy (AFM) 33, 42, 44,  
 123, 172, 195, 203ff.  
 – cantilever 55  
 – nanoelectromechanical probes 49  
 – piezo-actuator 55  
 – scanning tip 44, 49, 55  
 atoms 77  
 – artificial 21  
 – gold 4f.  
 – multi-electron 79  
 azobenzene 54f.

### b

band  
 – conduction 29, 75, 79f., 91, 179f.  
 – edge 91  
 – energy 80  
 – semiconductor energy 79  
 – structure 77  
 – valence 75, 80, 91  
 bandgap 29, 59f., 91, 93f.  
 barrier 59ff.  
 – tunnel 60  
 base 7f.  
 biocatalytic  
 – cascades 186f.  
 – ink 203ff.  
 – process 171  
 – reaction 171, 187f., 191  
 – transformations 184, 187, 191f.  
 biochemical process 51f.  
 biocompatibility 28  
 bioelectrocatalytic  
 – oxidation 141ff.  
 – reduction 184  
 biological receptor-ligand pairs 46  
 biomarker detection 171  
 biomolecule 9, 117, 139ff.  
 – catalysts 188  
 – growth of metal nanowires 196ff.  
 – multiplexed analysis 154  
 – self-assembly properties 196  
 – synthesis of nanoparticles 188ff.  
 – template 196, 198ff.  
 biorecognition complex 144ff.  
 – NP-functionalized 149  
 biorecognition events 141, 144f., 153, 155f.,  
 162f.  
 – analysis 168  
 – aptamer/protein 149

- barcodes 165
- detection 149
- electrical transduction 148
- biosensing 172f., 182, 188
- optical 156, 162, 172
- biosensor 114, 117, 184, 192, 196
- amperometric 140
- calorimetric 162f.
- detection limit 164
- LSPR-based 171
- optical 156
- photoelectrochemically based 207
- surface plasmon resonance (SPR) 156
- bond
  - hydrogen 22
  - length 17
  - van der Waals 22, 121
- Born-Oppenheimer approximation 79
- bottom up 41f., 46
  - approaches 42, 52, 64
  - limits 64f.
  - nanomotors 52
  - nanotweezers 48
  - self-assembly 46ff.
  - strategies 46
  - technique 46
- branch migration 51f.
- building block 6, 46f.
  - chemical 42
  - double-cross-over (DX) 57f.
  - electronically active molecular 121
  - functionalized 6
  - fundamental 74
  - micro- 110
  - nanotubes 110
  - nanowires 110
  - periodic 11
  - specific binding capabilities 46
  - technical 9
- bulk
  - material, *see* three-dimensional systems
  - matter 75
  - solid 75ff.
  - state 18f.
- c**
- capsule 23f.
  - polyelectrolyte 24
  - surface 24
- carbon nanotube (CNT) 53f., 76, 90, 97, 111ff.
  - alignment 123
  - DNA biosensors 117
  - functionalization 117
  - metallic 113
  - nanoscale manipulation 112
  - network 123
  - polymer-composite 113
  - semiconducting 113
  - single-walled 111ff.
- catenane 6f., 57
  - based switching device 7
  - molecule 15
- cell
  - adhesion 56f.
  - attachment 56
  - live 56
  - repel 56
- ceramic 101, 104ff.
  - nanofiber 105
  - mesostructured 106
- chain 10f.
- chaperonins 10f.
- charge carriers 76, 88, 90f., 112
  - concentration 112
  - drift velocity 120
  - free 85, 92
  - mobility 121f., 125
- charge
  - depleted region 59
  - injection 93
  - island of 59
- chemical vapor transport technique (CVT) 108
- chemoresistors 28, 30
- circuits
  - electronic 56, 60
  - integrated electronic 44
  - logical 45
  - nanoscale 45f.
  - semiconductor 44
  - three-dimensional electrical 48
- closed theories 219ff.
  - application 221
  - fitting 221, 226
  - mute complexity 224f.
  - stretching 221ff.
- cluster 48, 90
- colloids, *see* nanoparticles
- colorimetric nanoparticle approach 26
- composite
  - DNA-CNT composite 118
  - metal NP-semiconductor quantum dot nanostructures 207
  - nanorods 73, 207
  - nanowire 131
  - organic/inorganic 98
  - structure 98

- condensed-phase
  - approach 125
  - technique 129
- conductivity
  - channel 99, 124
  - heat 100
- configurations 12, 15ff.
- conformations 54f.
- contact angle 32, 34
  - solid-liquid 32
- copolymer block 48
- Coulomb
  - attraction 78, 94
  - blockage 18ff.
  - interaction 93f.
  - repulsion 6
- current
  - tunneling 44
  - voltage behavior 18
- d**
- de Broglie 76f.
  - relation 82
  - wavelength 82, 85, 87, 90, 99
- Debye-length 29
- dendrimer 23, 30
  - cavities 23, 30
  - structures 23
- density of states 84, 88ff.
  - one-dimensional 90
- deposition
  - catalytic 148, 150ff.
  - electrochemical 102ff.
  - electroless catalytic 168, 198, 202
- detection 156f., 164ff.
  - amplified electrochemical 146ff.
  - calorimetric 156, 159, 160f.
  - optical 157, 159, 165
  - scanometric 164ff.
  - sequence-specific 159
- device
  - artificial 74
  - bio/artificial hybrid machine 10
  - biofuel cells 140
  - CNT sensor 113
  - design 3
  - diffusional electron mediators 140
  - DNA actuators 52
  - DNA nanotweezers 51f.
  - DNA-templated CNT FET 199
  - electromechanical resonators 48
  - failure 74
  - field effect transistor (FET) 111f.
  - gas sensors 20, 28ff.
  - imprinting 32
  - individually contacted nanotube 114
  - integrated sensor 113
  - light-driven propeller 53
  - mechanical resonators 47f., 51
  - metal-oxide-semiconductor field effect transistors (MOSFET) 59, 128
  - nanomotors 52
  - nanotransistors 74
  - polymer light-emitting (LED) 47
  - production 3
  - quantum 49
  - refractive mirror 44
  - single-electron 18
  - single-electron tunneling (SET) 18
  - single-wire 114
- diagnostics 25ff.
- dielectrophoresis 112, 114
- dip-pen nanolithography (DPN) 203f.
- DNA (deoxyribonucleic acid) 6ff.
  - amplified detection 147ff.
  - anti-fuel strand 52
  - Au NP conjugate 144ff.
  - backbone 147
  - barcode 165f.
  - branched junctions 57
  - CNT adduct 117f.
  - complementary (c-DNA) 25f., 46, 57
  - detection 26f., 144ff.
  - directed assembly 47
  - double-cross-over (DX) 57f.
  - double helical structure 7
  - double-stranded 51f., 58, 151, 159
  - fuel strands 51f.
  - hybridization 51f., 144ff.
  - linked nanoparticle aggregates 156
  - microarray 25f.
  - nanoparticle conjugates 26
  - origami scheme 58
  - primer 147, 150
  - probe strands 26
  - properties 51f.
  - pyrene functionalization 117
  - self-assembly 57
  - sequences 23, 25f., 144, 166
  - single base-pair mismatches 156
  - single-stranded 25, 47, 51f., 159
  - strand 51f., 147
  - target 146ff.
- DNAzyme 160f.
  - assisted cleavage 161
  - controlled aggregation of Au NPs 162
  - NP sensor 160
  - system 160

- drug 21ff.
- drug delivery 21f., 24
- e**
- effective mass approximation (EMA) 80
- eigenfrequencies 48
- eigenfunction 78f.
- eigenmode coupling 48
- eigenvalue 78f.
- Einstein's relativistic energy 77
- Einstein's Special Theory of Relativity 2
- electrocatalytic
  - current 141
  - detection 149f.
- electrochemical
  - amplified analysis 144ff.
  - analysis 145ff.
  - detection 141ff.
- electron
  - beam deposition (EBD) 49ff.
  - confinement 99
  - crystal interaction 81
  - donating properties 183
  - electron interaction 81
  - free 81ff.
- electron gas 5
  - free 81f., 85, 91
  - one-dimensional (1DEG) 89
  - two-dimensional (2DEG) 59f., 85, 87f.
- electron
  - hole pairs, *see* excitons
  - paired 15
  - surface-trapped 29
- electron system
  - one-dimensional (1DES) 88
  - two-dimensional (2DES) 59
- electron transfer 140f.
  - mediator 191
  - quenching 175
- electronic
  - confinement 18
  - coupling 156, 169
  - density 44
  - energy levels 80
  - orbitals 44
  - spin situation 15
  - states 77, 79, 99
- electrophoretic 105f., 113
  - deposition 105f.
  - synthesis 105
- electrospinning 104ff.
- electrostatic 49, 59f., 114
  - depletion 59f.
  - energy 19
  - gating effect 112
  - interaction 13, 22, 168
  - positioning technique 114
  - repulsion 59, 159, 163
- energy
  - band 91f.
  - barrier 12
  - confinement 93f.
  - dispersion relation 84, 91
  - elastic 61
  - finite zero-point 91, 93
  - gap 15, 80, 92ff.
  - levels 21, 77, 91f.
  - magnetostatic 28
  - states 82
  - supplier 10f.
- enzymatic activity 23
- enzyme 140ff.
  - inhibition 191f.
  - modified electrode 141
  - redox 140ff.
- epifluorescence 11
- etching 45, 54, 101f.
  - anisotropic 114
  - heavy ion track 101f.
  - ion 50
  - mesa- 61
- excitations 88, 90
- excitons 60, 62, 80, 93f., 155, 180, 183
- f**
- Fermi 83
- fiber 104ff.
- film
  - dense 105
  - ligand-protected metal NP 29
  - macroscopic 29
  - mesoporous 105f.
  - nanoporous alumina 32
  - planar 2D 112
  - porosity 29
  - protecting glass 175
  - strained 61
  - thickness 29
- flatbed scanner 26, 169
- flavin adenine dinucleotide (FAD) cofactor 140ff.
- fluorescence
  - intensity 51
  - light 63
  - measurements 51f.
  - microscopy 27
  - peak 64

- fluorescence resonance energy transfer (FRET) 51f., 175ff.
- fluorescent analysis 173ff.
- fluorophores 26f., 52, 63
- force-extension diagram 55
- functional
- geometry 56
  - groups 63
  - nanofingers 48
  - organic molecules 52
  - subunits 42
- functionality
- peripheral 23
  - surface 116
- functionalization
- end-group 114
  - fullerene 117
- g**
- gas-phase synthetic technique 129
- gene
- chips 25, 27
  - therapy 23
- grain boundary 121
- growth 62f., 107
- branched heterostructures 131
  - catalytic 170
  - hierarchical 129ff.
  - mechanism 107
  - nanocrystal 62f.
  - process 129f.
  - sharp interface 129
  - solution 130
  - temperature 107
- h**
- Hamiltonian 78f.
- operator 78
- Hartree-Fock method 79
- Heisenberg, *see* closed theories
- heterostructure 59f.
- nanowire 125, 130
  - semiconductor 59f., 90
- high-resolution transmission electron microscopy (HRTEM) 195
- high-spin 15ff.
- hinges, *see* nanofingers
- holes 76, 91f.
- free 91f.
- Hückel theory 77
- Hund's rule 15
- hybrid systems 9, 139
- Au NP-CdS NP-acetylcholine (AChE) 187
  - Au NP-GOx 170
  - biocatalytic-NP 188, 203
  - biomolecule-NP 139ff.
  - biomolecule-semiconductor 207
  - DNA-Au NP 26
  - metal NP-enzyme 203
  - microtubule-kinesin-quantum dot 11f.
  - OD-DNA 182
- hydrogen atom's energy level 78f.
- hydrophobic
- interactions 117
  - material 31ff.
  - molecules 57
- hydrophobicity 31ff.
- hyper-Rayleigh scattering (HRS) technique 168
- hyperthermia 27f.
- i**
- immunosensing 169, 171f.
- inkjet printing 113, 127
- inorganic
- nanotubes 120
  - nanowires 120
  - semiconductor 120ff.
  - sol particles 98
  - one-dimensional structures 97ff.
- interaction
- analyte molecule-sensor 29
  - electrostatic-repulsive 159
  - streptavidin-biotin 171
  - van der Waals 117
- intercalator 182ff.
- redox-active 182
- interface 97f.
- bioelectronic 56
  - island-substrate 61
- interfacial
- contacts 98
  - tension 32
- intracellular targets 24
- Irie switch 12f.
- island 60f.
- k**
- kinesins 9ff.
- Kondo effect 60
- l**
- label
- biomolecule-nanoparticle conjugate 141
  - catalytic 141, 145ff.
  - electrochemical 141ff.
  - fluorophore 26f.
  - metallic NP 145f., 149f.

- microgravimetric 149f.
  - nucleic acid-modified CdS 154
  - optical 155
  - radioactive 26
  - weight 149ff.
  - Langmuir-Blodgett
    - techniques 111, 125
    - trough 126
  - lattice
    - constant 59, 61
    - DNA 57f.
    - functionalization 58
    - mismatch 61, 129
    - two-dimensional 56ff.
  - layer
    - -by-layer process 125, 184f.
    - Cd NP 184
    - dielectric 112
    - double 159
    - epicuticular wax crystal 31
    - gold nanoparticle self-assembled 30
    - quencher-peptide capping 176
    - sequence 59
    - space-charge 29
    - wetting 60f.
  - ligand
    - field splitting 15f.
    - shell 20
  - light-induced spin-state trapping (LIESST) 17
  - linear combination of atomic orbitals (LCAO) 77
  - lithography 32, 49f., 52, 61
    - electron beam 45, 54, 61
    - extreme ultraviolet light (EUV) 45
    - focused ion beam (FIB) 45
    - micro- 44f., 50, 52
    - optical 44ff.
    - sequence-specific biomolecular 198
    - soft 56f.
    - top-down 45
    - ultraviolet nano-imprinting technique 45
  - lotus effect 31f.
  - low-spin 15ff.
  - luminophores 80
- m**
- macroelectronics 120
  - macromolecular scale 3
  - magnetic
    - field 23, 27f.
    - susceptibility 16f.
  - magnetization direction 28
  - manipulation 3, 110ff.
    - mechanical 49
    - membranes
      - free-standing 101
      - nanoporous alumina 24
      - polyelectrolyte 24
      - polymer 103
    - memory
      - cell 45
      - single-electron 18
    - metal-oxide-semiconductor field effect transistors (MOSFET) 59, 128
      - p-channel 128
      - technique 61
    - metallic rods 103f.
      - 2D-arranged hybrid 104
    - microarray hybridization 25f.
    - microcontact 56f.
    - micro-electromechanical
      - system (MEMS) 48
      - technology 53
    - microgravimetric sensing methods 149ff.
      - QCM aptasensors 151
      - QCM (quartz crystal microbalance) 149f.
    - micromechanical engineering 52
    - micromolding in capillaries 56
    - microtubules 10ff.
      - fluorescently labeled 11
      - intracellular 10
      - surface 12
      - tracks 54
    - Mie theory 5
    - molecular beam epitaxy (MBE) 59f.
    - molecular motors 9ff.
    - molecular recognition 42, 46f., 57, 64
    - molecular switches 6, 15ff.
    - molecules 77
      - artificial 59
      - bifunctional linker 131
      - biological 48, 51, 56, 64
      - branched 23
      - chemical self-assembly 42
      - dendrimer 23, 30
      - functionalized ligand 30, 64
      - guest 23, 30, 47
      - host 23, 30, 47
      - multi-electron 79
      - organic 63
      - receptor 64
      - surfactant 63
    - momentum 77f.
      - angular 93
      - linear 82
      - wavelength relationship 77
    - Moore's law 15, 18
    - moth-eye effect 7f.

- multifunctional nanoengineered capsules 23  
 myosins 10f.
- n**
- nanocircuitry 205f.  
 nanocrystals 62ff.  
 nano-effects 4, 8, 15  
 nanoengineering 8f., 15, 17, 27  
 nanofiber 104f.  
 nanofinger 49ff.  
 nano-imprinting techniques 45ff.  
 nanomotors 52ff.  
 – bottom-up 54  
 – light-driven artificial 55  
 – top-down 52  
 nanoparticles (NPs) 28f., 139ff.  
 – absorbance 188ff.  
 – aggregation 157ff.  
 – aptamer-functionalized Au 149, 151, 153, 164  
 – Au 144ff.  
 – barcode-functionalized Au 165f.  
 – biomolecule-functionalized Au 144f., 164, 172  
 – biomolecules for synthesis 188ff.  
 – capture-strand-target 26  
 – catalytic enlargement 190ff.  
 – catalytic labels 141, 145ff.  
 – chemically-functionalized 141, 144  
 – deaggregation 157, 160, 162f.  
 – DNA-functionalized Au 166, 168  
 – dye-modified 168f., 205  
 – electrical contacting of redox proteins 140  
 – electrocatalyst-functionalized 149f.  
 – electrochemical labels 141ff.  
 – fluorescent 74  
 – growth 188ff.  
 – hybridization 157, 159ff.  
 – induced analysis of DNA 159  
 – interparticle plasmon coupling 139, 156, 161  
 – ligand-protected metal 29f.  
 – localized plasmon 155f.  
 – luminescence properties 172, 179  
 – magnetic 24, 28, 74  
 – magnetic particle-CdS 154  
 – metallic 5, 19, 139ff.  
 – microgravimetric labels 149ff.  
 – nanosized magnetic 15  
 – nucleic acid barcode-functionalized Au 167  
 – nucleic acid-functionalized 149f., 153ff.  
 – optical labels 155, 161, 172  
 – optical properties 155f.  
 – photochemical charging of Au 187  
 – photoelectrochemical applications 179  
 – photoelectrochemical functions 187  
 – photoexcitation of CdS 183f.  
 – precautionary principle 260ff.  
 – probe-functionalized Au 159  
 – resonance-enhanced absorption 164  
 – risk debate 260f.  
 – semiconductor 153ff.  
 – shape 195f.  
 – superparamagnetic iron oxide 23  
 – synthesis 188ff.  
 nanorod 103f., 106, 207  
 nanoscale 219ff.  
 – building blocks 74  
 – fitting 221  
 – intermediates 75  
 – materials 75  
 nanoscale phenomena 221ff.  
 – complex mesocosm 221  
 – fitting 221  
 – stretching 221ff.  
 nanoscience 3, 8f., 15, 17, 27, 31, 75, 217ff.  
 nanosphere lithography (NSL) technique 171  
 nanotechnology 217ff.  
 – artificial life 257f.  
 – beginning 229ff.  
 – control 253  
 – end 229ff.  
 – enhancement technologies 273ff.  
 – environmental issues 250ff.  
 – ethical aspects 248, 275ff.  
 – ethics 245ff.  
 – equity 249f.  
 – health 255ff.  
 – human enhancement 258f., 267ff.  
 – military use 254f.  
 – nature of 3ff.  
 – need for orientation 270  
 – occasions of choice 270  
 – privacy 253f.  
 nanotechnoscience, *see* technoscience  
 nanotube 49, 74, 110, 116f.  
 – bridging 116  
 – deposition 116  
 – DNA functionalization 117  
 – inorganic 120  
 – macroelectronics 120  
 – sensors 111  
 – transistors 120  
 nanotweezer 47ff.  
 – bottom-up 51  
 – mechanical manipulation 49  
 – top-down 48  
 nanowire 15, 74, 110, 103, 107, 113f., 196ff.  
 – Ag 202, 204f.  
 – Au 199, 201ff.

- biomolecule growth 196
  - branched structures 129f.
  - composite 131
  - conduction properties 198, 207
  - DNA-based 198
  - enlargement 203ff.
  - enzyme hybrids 203
  - growth 108, 111, 129, 198ff.
  - heterostructures 125, 130
  - inorganic 120
  - macroelectronics 120
  - magnetic domain walls 15
  - metallic 48, 196ff.
  - pattern transfer 115
  - peptide coating 201
  - sensors 111, 114
  - silicon 99, 113ff.
  - single-crystal 121
  - transistors 120
  - trunks 130
  - synthesis of Ag 197ff.
  - nucleation 62, 107
  - nucleic acid
    - barcode 165
    - catalytic 161
    - modified nanoparticles 153ff.
    - sequence-specific 159
    - track 157f., 159
    - waste product 140, 157ff.
- o**
- Ohm's law 19f.
  - one-dimensional confinement effect 100
  - one-dimensional structures 100ff.
  - optical proximity correction 44
  - orbital 79f.
    - highest occupied molecular (HOMO) 79
    - linear combination of atomic (LCAO) 80
    - lowest unoccupied molecular (LUMO) 80
  - organometallic chemistry 103
  - oscillation
    - collective electron 5
    - conductivity 21
- p**
- particle-in-a-box 80, 91f.
    - approach 80
    - model 85, 91f.
    - potential 88
    - situation 86
  - particle
    - nanosized 4f.
    - radii 29
    - shape 5
      - size 5
      - surface: size ratio 29
      - wave duality 76
  - pattern
    - geometric 47
    - nanostructures 44
    - relief 57
    - sequence-programmed 58
    - surface 56
    - transfer 33
  - patterning 42, 54, 56
    - tool 44
  - Pauli's exclusion principle 81
  - percolation paths 29
  - periodic boundary condition 82ff.
  - pH value 23f.
  - photobleaching 64
  - photocurrent 180ff.
  - photoelectrocatalytic activation 184, 186
  - photoelectrochemical effect, *see* photocurrent
  - photoinduction 12, 93
  - photoisomerization 12
  - photoluminescence 61
  - photon 45, 77
  - photoresist 44ff.
  - physiosorption mechanism 117
  - piezoelectric
    - effect 119f.
    - gated diodes 120
    - nanowire 119
    - quartz crystal 149f.
    - resonators 120
  - piezoelectronics 118f.
  - pitch problem 111
  - Planck's constant 82
  - plasmon absorbance
    - Au NP 188, 190, 193, 196
    - bands 139
    - interparticle coupled 156, 161
  - plasmon excitons 139, 155f., 194, 196
    - interparticle coupled 139, 156
    - size-controlled 139
  - plasmon resonance 5f., 18, 26, 169
  - platelet-derived growth factors (PDGFs) 164
    - receptors (PDGFRs) 164
  - polydimethylsiloxane (PDMS) 56f.
    - based-structures 56
    - stamping technique 114
  - polymer 101ff.
    - capsules 23
    - double-stranded 10
    - electroactive 140
    - film 102
    - foils 101f.



- matrix 23
- membrane 102f.
- microparticles 146
- network 26, 48
- photosensitive 45
- precursors 56f.
- transfer 32
- polymerase chain reaction (PCR) 165f.
- polymerization
  - PDMS 56
  - photo- 53
- poly(methyl methacrylate) (PMMA) 32ff.
  - imprinted 33
  - structured 35
  - windows 34
- polytetrafluoroethylene (PTFE) 33f.
- precursors 62
  - metal-organic 111
  - molecular 98
- probability density 82, 85
- proteins 9f., 24, 140f.
  - amplified detection 153
  - fluorescently labeled 56f.
  - maltose binding (MBP) 177
  - NP-functionalized 154
- pulsed potential deposition technique 104

**q**

- quantum confinement 77, 88, 93f.
  - effect 100
- quantum dots 58, 73ff.
  - antibody-functionalized 173, 175
  - bandgap 80, 94
  - based FISH labeling method 173f.
  - bottom-up 58
  - CdSe/ZnS 175, 177
  - colloidal 54, 58, 62f.
  - complexes 11
  - DNA-functionalized CdSe/ZnS 173, 175
  - electron transfer quenching 180
  - electron-hole recombination 179
  - energy levels 91
  - epitaxially self-assembled 61f.
  - fabrication 58ff.
  - fluorescent 173ff.
  - functionalized CdSe/ZnS 175, 177, 181
  - fundamental principles 73ff.
  - ligand bond 81
  - lithographically defined 59ff.
  - luminescence properties 172, 179
  - MBP-functionalized 177
  - monodispersity 58
  - nucleic acid-functionalized 173, 175f., 184
  - photoelectrochemical applications 179

- photoelectrochemical properties 182
- photoexcitation 179
- photophysical properties 175
- ring-shaped 61
- semiconductor 75, 172ff.
- shape 58, 63
- size 58f., 62f., 94
- size-dependent bandgap 80
- synthesis in solution 62
- top-down 58
- typologies 59
- quantum Hall effect 88
- quantum information processing 60
- quantum mechanical
  - behavior 88
  - configuration 44
  - effects 74
  - transport characteristics 47
  - tunneling 18
- quantum mechanics 75f.
- quantum numbers 78f.
- quantum point contacts 90
- quantum size
  - behavior 18
  - effect (QSE) 61, 97f., 108
- quantum theory 77
- quantum well 59
- quantum wires 88, 90, 99

**r**

- Raman dye-labeled Au NPs probes 168
- receptor-mediated endocytosis mechanisms 23
- redox
  - center 140
  - cofactor 140
  - driven molecular muscle 14
  - enzymes 140
- redox protein
  - bioelectrocatalytic 140f.
  - electrical contacting 140
- reflection 7f., 34
- relativistic effects 4ff.
- replica molding 56
- resonance
  - energy transfer 177
  - longitudinal 5
- rotaxane 13ff.

**s**

- scale
  - effect 4, 7f.
  - nanometer 42ff.
  - subnanometer 42

- scanning electron microscopy (SEM) 31, 193, 200
- scanning probe microscopy (SPM) 43f., 49
- scanning tunneling microscopy (STM) 20, 42ff.
- Schottky barrier 29
- Schrödinger equation 76ff.
  - one-dimensional 86
- Seebeck effect 100
- self-assembled monolayer (SAM) 47
- self-assembly 56f.
  - models 46
  - process 46
  - strategy 56
  - technique 47
- semiconductor 91
  - heterostructures 59f., 90
  - industry 44
  - linewidth 44
  - metal-oxide 125
  - organic crystalline 121
- semiconductor nanoparticles 153ff.
- semiconductor quantum dots 173ff.
- sensors 48f.
  - nanotube 111
  - nanowire 111
  - sensitive adsorptive 48
- silicon
  - arm 50
  - based electronics 74
  - fingers 49
  - microlithography 49
  - microstructuring 49
  - nanostructure 49
  - nanowire surround gate FET 128
  - n-channel metal oxide semiconductor 125
  - on-insulator (SOI) wafer 50
  - oxide layer 49
  - technology limits 74
  - wafer 125
  - wires 100
- single-electron
  - switch 21
  - transistor 21f.
  - tunneling (SET) 18f.
- sol-gel synthesis 105
- solid
  - infinite 82
  - one-dimensional 89
  - three-dimensional bulk 84, 87
  - two-dimensional 87f.
  - zero-dimensional 90
- solution/liquid phase into the solid state (SLS) 108, 111
- k-space 83ff.
  - scale 83
  - three-dimensional 83, 89f.
- spectrum
  - discrete energy level 77
  - emission 63f.
- speed of release 24, 29
- spin
  - coated 45, 127
  - high-(HS) 15f.
  - low-(LS) 15f.
  - orientations 81
  - states 79
- spintronics 15
- k-states 87ff.
- sticky
  - ends 57
  - fingers 48
- stimuli 6, 16
  - biological 9
  - external 6, 15
- Stranski-Krastanov regime 61
- stripping
  - electrochemical 144f., 148, 155
  - potentiometric measurements 147
  - voltammetry 144ff.
- structural arrangements, *see* confirmations
- structure
  - application 3
  - artificial 73
  - characterization 3
  - 1D 99f.
  - design 3
  - mesoscopic 106
  - physical properties 99
  - production 3
  - synthetic methods 100
- substrate
  - conductive 20
  - FET 124
  - large-area 124
  - microtubules transporting 9
  - polyimide 125
  - polymer-based 125
  - $\alpha$ -quartz 123
  - silicon 56
  - silicon-oxide 54
- subunit 3f., 6
- supercritical liquid fluid solution (SCLFS) 108
- superparamagnetism 28
- supramolecular
  - assembly 84, 98
  - binding of biomolecules 144
  - organization 98

- surface-enhanced Raman scattering (SERS) 27, 164, 168
- detection limit 168
- surface-enhanced Raman resonance (SERR) 168
- surface
  - imprinted 33
  - ligand 81
  - micro/nanostructured 31f.
  - myosin-modified 10
- surface plasmon resonance (SPR) spectroscopy 156, 164, 170f.
  - localized (LSPR) 171
  - nanoparticle enhanced 168
  - shift 170f.
- surface plasmon wave 156
- surfactant 24, 62f., 117
  - CTAB 195
  - monolayer 126
  - stabilized atom 58
- switching
  - electronic 117
  - light 51
  - photochromic 47
  - potential-induced 184
  - processes 12
  - speed 120
  - varieties 16
- Systematic Evolution of Ligands by Exponential Enrichment (SELEX) 159
- system 3
  - biological 9
  - chaperonis 10
  - drug delivery 21, 24
  - guest-host 22f.
  - magnetic data storage 15
  - magnetic recording 15
  - micro-electromechanical (MEMS) 48
  - microfluidic 56
  - molecular 15
  - one-dimensional, *see* quantum wires
  - quantum dot 59f., 64
  - storage 6, 17, 21
  - three-dimensional 81ff.
  - three-phase system 32
  - two-dimensional 85
  - two-dimensional electron (2DES) 59
  - zero-dimensional, *see* quantum dots
- t**
  - technoscience 217ff.
    - complexity 236f.
    - disciplinary questions 219ff.
    - domain 231ff.
    - epistemology 236ff.
    - methodology 226f.
    - ontology 227ff.
    - philosophy 217ff.
    - social robustness 237f.
  - template 48, 56, 99
    - approach 101, 103
    - biomolecular 196
    - block copolymer 48
    - dissolution 103
    - DNA 198f.
    - matrix 48
    - nanotubes 199
    - peptide 201f.
    - pores 104
    - porous 103f.
    - silicon 101
    - substrate 113
    - technique 101, 104
    - three-dimensional 48
    - two-dimensional 48
  - thermoelectric effect, *see* Seebeck effect
  - thin-film 121f.
    - 2D 122
    - polycrystalline 121, 127
    - poly-Si 121
    - transistors (TFTs) 121
    - ZnO 121
  - three-dimensional
    - solids 84
    - systems 81ff.
  - tight-binding approach 80
  - top down 41ff.
    - approaches 42, 46, 49, 64
    - limits 64f.
    - method 57
    - microlithography 48
    - nanomotors 52
    - nanotweezers 48
    - strategies 43
  - total internal reflection fluorescence (TIRF) 11
  - transition
    - 2D to 3D 61
    - electronic 19
    - HS-LS 16
  - transition metal 15f.
  - transmission electron microscopy (TEM) 195, 201f.
  - tweezers 48ff.
- u**
  - UV
    - illumination 63

- light 12, 45f.
- visible absorbance spectra 160
- visible absorption band 171
- visible spectra 5f.
- visible spectroscopy 24
- visible transmission spectra 35

**v**

- vapor-liquid-solid (VLS) 106ff.
  - growth 108, 113
  - mechanism 108
  - process 106f.
  - technique 108
- vapor-solid process (VS) 106

**w**

- wave equation 78
- wavefactor 82
- wavefunction 76ff.
  - distinct 76

- hydrogen 79
- infinite 77
- one-electron 79
- wavelength 5, 78, 82
  - electron 44
  - excitation 55, 171
  - extreme ultraviolet light (EUV) 45
  - laser 44
  - of particles 76
  - short optical 44
  - visible light 5, 8
- wavenumber 82ff.
- wettability 31f.

**y**

- Young equation 32

**z**

- ZnO 118ff.
  - based piezoelectric material 120

## Index

- a**
- acceptor molecules 108
  - adsorption 4f., 71
    - desorption hysteresis 5
  - aerosols 195ff.
    - absorption 200ff.
    - accumulation mode 241f.
    - aethalometer 202
    - agglomerates 239, 242
    - air particulate matter (PM) 196f., 200f., 268ff.
    - atmospheric aging 195
    - atmospheric cycling 196
    - atmospheric interaction 195f., 198
    - black carbon (BC) 199ff.
    - brown carbon 202
    - carbonaceous components 199ff.
    - climate and health effects 198, 205, 216ff.
    - cloud condensation and ice nuclei (CCN/IN) 196, 205, 211ff.
    - cloud processing 196
    - coarse mode 241f.
    - collection efficiency curves 240
    - combustion 199f., 203
    - composition 195f., 199ff.
    - Cunningham slip correction factor 238, 241
    - deliquescence relative humidity (DRH) 213, 215
    - diesel exhaust particulate matter (DPM) 211
    - dry deposition 196
    - efflorescence relative humidity (ERH) 213, 215
    - electrical mobility 241
    - elemental carbon (EC) 199ff.
    - equal settling velocity 239
    - exhaust plumes 196
      - filter 202
      - gas-particle interactions 206ff.
      - humic-like substances (HULIS) 205, 208f.
      - hygroscopic growth 206, 212ff.
      - inertia 239
      - integrating-plate techniques 202
      - integrating-sphere techniques 202
      - interaction with water vapor 212ff.
      - kinetic model framework by Pöschl, Rudich and Ammann (PRA) 207f.
      - lifetimes 196, 243
      - low-volatility organic compounds (LVOCs) 203f.
      - macromolecular fraction of water-soluble organic carbon (MWSOC) 200f.
      - mass spectrometers 256ff.
      - mechanical mobility 238, 241
      - morphology 239
      - non-volatile organic compounds (NVOCs) 203f.
      - nucleation mode 241f.
      - organic aerosol (OA) 202
      - organic air particulate matter (OPM) 202ff.
      - organic carbon (OC) 199ff.
      - particle mass concentration 197f.
      - particle size 195ff.
      - particle size distribution 241ff.
  - aerosol particle sizing instrumentation 248ff.
    - APS (aerodynamic particle sizer) 249f.
    - DMS (differential mobility spectrometer) 249ff.
    - EDB (electrical diffusion battery) 249f.
    - EEPS (engine exhaust particle sizer) 254
    - ELPI (electrical low-pressure impactor) 249f., 258, 261
    - FMPS (fast mobility particle sizer) 249f., 254f.
    - Moudi 249f.

- nano-Moudi 249f.
- nano-SMPS (nano-scanning mobility particle sizer) 249f.
- OPC (optical particle counter) 249f.
- SMPS (scanning mobility particle sizer) 244, 249ff.
- aerosol
  - phase transition 212f., 215
  - photoacoustic spectroscopy 202
  - polycyclic aromatic hydrocarbon (PAH) 209ff.
  - primary organic aerosol (POA) 202, 204
  - secondary organic aerosol (SOA) 203ff.
  - semi-volatile organic compounds (SVOCs) 203, 206, 208
  - solar radiation 206, 208
  - surface-to-volume ratio 129, 206
  - terminal settling velocity 238f.
  - total carbon (TC) 199ff.
  - transformation 195f., 198, 205ff.
  - volatile organic compounds (VOCs) 203f., 208
  - water-soluble organic carbon (WSOC) 200f.
  - wet deposition 196
  - yellow carbon 202
- Agency for Toxic Substances and Disease Registry (ATSDR) 127
- antibacterial 25f.
  - activity 39ff.
  - effect 38
  - evaluation 39
  - inactivation 41
  - surfaces 48f.
  - tiles 113
- antifungal growth 33
- antimicrobial effect 17, 40f.
- antipollution 17
- antisoiling 33
- approach
  - bottom-down 7
  - bottom-up 4, 182, 184
  - top-down 182
- automobile
  - diesel particulate filter 211
  - exhaust 128f., 132, 211, 276, 293
  - emission control 129
  - gold catalyst 129f.
  - three-way catalyst 129, 147
- auto-oxidation 25, 28f.
  
- b**
- batch slurry reactors 81f.
- biodegradation 55, 131
- Bohr radius 99
  
- Brownian motion 236f.
- building block 4
  
- c**
- CaCO<sub>3</sub> 43, 45f., 49
- carbon
  - activated 4, 113
  - microsphere (CM)-encapsulated 168
  - nanofibers 151f.
  - spherical mesocarbon microbeds (MCMB) 169f.
- carbon nanotubes (CNTs) 4f., 151ff.
  - applications 152
  - aspect ratio 151f.
  - -based composites 170f.
  - -oxide composite 6
  - catalyst supports 153ff.
  - -based composite 170
  - copolymerized 5
  - electrical conductivity 152
  - electrical resistance 4
  - functionalized 5, 153
  - multi-walled (MWNTs) 5, 152ff.
  - purification 5
  - sensors 4
  - single-wall (SWNTs) 152, 158
  - solubility 11
  - synthesis 152, 154
  - TiO<sub>2</sub> 7, 11
  - thermal conductivity 152
  - toxicity 11
  - water-soluble 6
- catalyst deposition 152
  - chemical impregnation 152
  - colloidal techniques 153
  - electrodeposition 152f.
  - electroless 152
  - microwave techniques 152f.
  - sputtering 153
- catalyst
  - electro- 149ff.
  - gold 129f.
  - nano- 3f.
  - nanoparticulate 3
- catalyst poisons
  - organosulfur compounds 154
- catalyst
  - Pt nanoparticle 150ff.
  - PtRu bimetallic nanoparticle 150f., 154
  - quaternary 151
  - ternary 151
  - three-way 129, 147
  - zeolite 132
- catalytic

- activity 2
  - converter 129
  - dechlorination 132
  - decomposition 155
  - catalytic gold nanoparticles 129f.
  - patents 129f.
  - cementitious materials 33ff.
  - burn off 33, 35
  - concrete 34
  - dye fade 34
  - Eco-cements 33, 47f.
  - fading rate 33
  - photocatalyst 33ff.
  - Rhodamine B dye 34
  - chalking 31, 34ff.
  - charge transfer rate 164
  - chemiluminescence detector system 44
  - chromophores 28
  - coagulation 10
  - coatings 3, 11, 30, 34, 43
    - automotive 25
    - carbonization 168
    - efficacy 43
    - organic 28
    - paint 43, 49
    - polymeric 28, 168
    - porous 43
    - reactive surface 128
    - surface 20
    - thickness 44
    - TiO<sub>2</sub> 26, 30f., 113ff.
  - composite 147, 153f., 165ff.
    - anode material 165f.
    - carbon nanotube-based 170
    - cathods 154
    - Si nano- 169f.
    - Nafion 153
  - contaminants
    - chemical destruction 4
    - organic 9
    - photochemical destruction 4
    - toxic 53
  - contamination monitoring, *see* nanoparticle characterization techniques
  - crop fertilization 53
- d**
- dense non-aqueous phase liquid (DNAPL) 9f.
    - contamination 10
  - Department of Energy (DOE) 53, 158
  - depollution 42ff.
  - design for the environment (DFE) 178
  - dichalkogenides
    - layered structure 98f.
    - quantum confinement 98f.
    - quantum size effect 98
  - diffusion
    - carrier 86
    - oxygen 31
  - dispersion effect 30, 40
  - DNA technique 128
  - dye
    - cementitious materials 34
    - sensitization 81ff.
- e**
- ecotoxicology 11
  - electrocatalysts 149ff.
    - Pt nanoparticles 150f., 164f.
  - electron-hole 25ff.
    - pair 27, 58, 66, 69f., 130
    - photoinduced 27
    - recombination 25, 31, 80, 86, 109, 130f.
    - separation 90, 109, 130
    - surface trapping 130
  - electron transfer (ET) 108f.
    - acceptor 109, 164
    - MoS<sub>2</sub> 108
  - electronic excitation 25
  - emission 33, 44ff.
  - energy cost 3
  - energy efficiency 3
  - environmental
    - applications 3, 10
    - contamination 53
    - engineering 1
    - health and safety (EHS) 188f.
    - monitoring 125f.
    - nanotechnological technique 9
    - pollutants 51, 54
  - environmental protection
    - agency (EPA) 52, 125, 186, 209ff.
    - regulations 52, 125
  - environmental remediation 51ff.
    - advantages 68
    - applications of photocatalysts 68ff.
    - approach 55
    - dissolved oxygen 65f.
    - economic considerations 57
    - recycling 54
    - regeneration 54
    - risk 1f., 10
  - environmental remediation techniques 55, 127ff.
    - advanced oxidation processes (AOPs) 56
    - air stripping 55
    - biological degradation 55, 131
    - carbon adsorption 55

- end-of-pipe 131
- incineration 55
- oxidation through chlorination 55f.
- oxidation through ozonation 55
- photocatalysis 131
- photocatalytic degradation 131f.
- photo-oxidation 56, 131
- sedimentation 55
- semiconductor-based photocatalysis 131
- total mineralization 132
- transfer methods 55
- ultrafiltration 55
- UV photon catalysis 131
- epidemiological study 267ff.
- Air Pollution and Health: a European Approach (APHEA) 272
- cardiovascular disease 275f.
- design 267, 269
- diseases of the Central Nervous System 279ff.
- entry routes into human body 270ff.
- environmental air pollution 268, 271ff.
- European Prospective Investigation on Cancer and Nutrition (EPIC) 278f.
- inhalation 270f.
- International Agency for Research on Cancer (IARC) 279, 282
- Long-Term studies 272f.
- metabolism 270f.
- National Mortality Morbidity Air Pollution Study (NMMAPS) 272
- Observatoire National des Asthmes Professionnels (ONAP) 284
- odds ratio (OR) 269f.
- particulate air pollution 267ff.
- particulate matter (PM) 268ff.
- relative risk (RR) 269f.
- respiratory disease 276f.
- risk factor profile deterioration 276
- Short-Term studies 272
- workplaces 281ff.
- excitonic peak 99ff.
- excitons 30f., 69f., 98f.
- bulk 100
- effective mass model (EMM) 70, 100
- hydrogen-like 100
- exhaust 128f.
- aftertreatment 211
- treatment of diesel 130, 211
- treatment of gasoline 130

## f

- Fermi level 97
- fuel cell 147ff.

- catalyst support materials 148, 151ff.
- direct methanol (DMFC) 149ff.
- durability 150f.
- electrical conductivity 151
- electro-osmosis 150
- high temperature 149
- humidification level 150
- low-temperature 148ff.
- membrane electrolyte assembly (MEA) 154
- molten carbonate 149
- nanoparticle catalysts 150f.
- operating temperature 149
- phosphoric acid 149
- polymer electrolyte membrane (PEMFC) 149ff.
- proton exchange membrane 149f.
- solid oxide 149
- fullerene 5, 11, 152
- dispersion state 5
- sorbents 5
- -type hemisphere 152

## g

- gas-phase
  - photocatalysis 113
  - photoreactors 112
- gas purification of VOC 112
- genetic engineering 128
- genetically modified (MO) crops 188
- graphite
  - -like carbon proportion 202
  - solid electrolyte interface (SEI) 171
- green
  - chemistry 3
  - design approaches 178
- groundwater
  - perchlorate-contaminated 133
  - remediation 7ff.

## h

- hazardous substances
  - chemical classes 127
  - transformation 127
- high magnetic gradient separation (HGMS) 6
- hydrocarbon (HC) 148f., 157
  - fuel 148f.
  - polycyclic aromatic (PAH) 209ff.
  - unburned 128f.
- hydrogen 157ff.
  - bio- 3
  - carbon nanomaterials 158
  - combustion 199



- fuel 148
- pyrolysis 199
- reduction 150
- storage 3, 148, 157ff.
- hydrolysis 78
- hydroxyl functionality 32
- hydroxyl groups 30

**i**

- industrial ecology (IE) 177f.
  - application to nanotechnology 178f.
- industrial ecology concepts
  - corporate social responsibility (CSR) 179, 186ff.
  - life cycle assessment (LCA) 179ff.
  - material flow analysis (MFA) 179, 184
  - substance flow analysis (SFA) 179, 184ff.
- industrial ecology framework 177f.
- inorganic compounds 26
- interception 10
- interfacial charge transfer 130
- International Council on Nanotechnology (ICON) 189
- International Organization for Standardization (ISO) 180, 187
- irradiation 34, 37, 47, 64, 80

**k**

- Kelvin equation 213
- Köhler theory 213ff.

**l**

- life cycle
  - assessment (LCA) 179ff.
  - benefits 181f., 184, 187
  - engineering (LCE) 178
  - impact assessment (LCIA) 180f.
  - implications for nanotechnology 180
  - inventory (LCI) analysis 180ff.
  - performance 184
  - product 179, 181f., 184
  - stages 179f.
  - studies 181
- lithium ion batteries 148, 165ff.
  - anode nanomaterials 165ff.
  - capacity retention 167
  - carbon nanotubes 170f.
  - discharge capacity 168ff.
  - semiconductor electrolyte interface (SEI) 166, 171
  - Si nanocomposites 169f.
  - Sn nanoparticles 166ff.
  - storage capacity 166ff.

**m**

- membranes
  - hollow monolithic cylindrical 6
  - nanofiltration (NF) 4, 6
  - nanoporous alumina 163
  - nanoporous polycarbonate 163
  - polymer electrolyte, *see* fuel cells
  - polypeptide-based 133
  - proton exchange, *see* fuel cells
  - reverse osmosis 6
  - silver nanoparticle array 4
  - ultrafiltration 6
- metals
  - depositon 80ff.
  - removal 6
- methanol reduction 151
- mineralization 82, 114, 132
  - 4-chlorophenol 82
  - total 132
- mineralizing 55f.
  - complete 56, 59
  - partial 55
- molecules 4, 125
  - bio- 4
  - building 125
  - self-assembling 125
  - toxic 125
- MoS<sub>2</sub> 54, 72f., 86ff.
  - band structures 89f.
  - bulk properties 86, 91ff.
  - catalytic hydrodesulfurization (HDS) 87, 89, 97
  - crystal structure 89, 93, 98
  - electronic properties 86f., 89ff.
  - high-temperature lubricant 87, 89
  - molybdenite 86f.
- MoS<sub>2</sub> nanocluster 86, 91ff.
  - synthesis 92ff.
- MoS<sub>2</sub>
  - n-type 89f.
  - optical properties 89f., 93ff.
  - photocatalytic properties 90ff.
  - photocorrosion 88, 90
  - quantum size effect 98f.
  - semiconductor 89f., 95
  - size 88, 91, 93, 95, 98
  - solar photoelectrochemical electrode 89
  - surface to volume ratio (S/V) 92

**n**

- nanocluster
  - crystal structure 93f., 97
  - defects 93
  - growth 92f., 97f.

- magic sized 97
- metal-sulfide 74
- metallic properties 96f.
- MoS<sub>2</sub> 92ff.
- light adsorption 77
- optical properties 73, 93ff.
- oxidation potential 77
- photostability 72, 77
- platelet 97f.
- semiconductor 68, 74, 77
- size 93ff.
- solution-based 74
- surface properties 73, 93
- nanocluster synthesis 77, 92ff.
- hydrophilic head group 92f.
- hydrophobic tail group 92f.
- inverse micelle 92f., 97
- pulsed electric arc 97
- surfactant molecules 92f.
- ultrahigh vacuum methods 96
- nanocluster
  - triangular 96f.
  - WS<sub>2</sub> 97
- nanomaterials
  - applications 147ff.
  - aspect ratio 147, 151f.
  - carbon 151ff.
  - composites 147, 153
  - graphite nanofibers 158
  - Li ion storage 166
  - nanotubes 147f., 151ff.
  - nanowires 147f., 151, 163f.
  - non-carbon-based 159
  - production 296
  - surface area 147, 158, 163
  - surface reactivity 159
  - synthesis 163f.
  - use 296
- nanoparticle
  - adsorbents 4f.
  - agglomeration 10, 230f.
  - air-borne, *see* aerosols
  - bioavailability 10
  - by-product 230
- nanoparticle characterization techniques 74ff.
  - aerosol particle sizing instrumentation, *see* aerosol
  - AFM (atomic force microscopy) 235, 258
  - AFS (atomic fluorescence spectroscopy) 142
  - ANC (Aitken nucleus counter), *see* CPC
  - catalytic surface oxidation 126
  - chemical analysis of fine particles 140
  - CNC (condensation nucleus counter), *see* CPC
  - cost effective 126
  - Coulter Counter 235f.
  - CPC (condensation particle counter) 243ff.
  - cyclone, *see* impactor
  - DLS (dynamic light scattering) 77, 236f.
  - EDX (energy-dispersive-X-ray) analysis 235, 259
  - EIS (electrochemical impedance spectroscopy) 164
  - electrometer 246, 248
  - ELR (electron spin resonance) 111
  - ESP (electrostatic precipitator) 258f.
  - filtration 235
  - flame ionization devices 126
  - GC-MS (gas chromatography-mass spectrometry) 76, 126
  - GFAAS (graphite furnace atomic adsorption spectroscopy) 142
  - HGAAS (hydride generation atomic adsorption spectroscopy) 142
  - HRTEM (high-resolution transmission electron microscopy) 93f., 202
  - ICP-AES (inductively coupled plasma atomic emission spectroscopy) 142
  - ICP-MS (inductively coupled plasma mass spectroscopy) 142
  - impactor 239ff.
  - infrared spectroscopy 126
  - off-line 235, 258
  - on-line 235, 243, 256f.
  - photoionization devices 126
  - Raman spectroscopy 202
  - Rayleigh scattering 236
  - SAD (selective area diffraction) 74, 93f.
  - SAXS (small-angle X-ray scattering) 74f.
  - SEC (size-exclusion chromatography) 75f.
  - SEM (scanning electron microscopy) 113, 235, 258f.
  - SMPS (scanning mobility particle sizer) 244, 249ff.
  - STM (scanning tunneling microscopy) 96f.
  - TEM (transmission electron microscopy) 74f., 86, 235, 258f.
  - TXRF (total reflection X-ray fluorescence) 258
  - wet chemistry methods 126
  - XPS (X-ray photoelectron spectroscopy) 74, 110
  - XRD (X-ray diffraction) 74, 202
  - XRF (X-ray fluorescence) 76, 97
- nanoparticle
  - CeO<sub>2</sub> 11

- concentration metrics 229f., 232f.
  - core-shell 164
  - nanoparticle detection, *see* nanoparticle characterization techniques
  - nanoparticle detection strategies 259ff.
  - nanoparticle diameter
    - aerodynamic 239
    - equivalent 239
    - Stokes 239
  - nanoparticle distribution 298ff.
    - ambient air 298f.
    - water 299ff.
  - nanoparticle
    - functionalized 10
    - inhalation 10
    - iron 7ff.
    - lifecycle 231
    - magnetic 4, 6
  - nanoparticle measurement techniques, *see* nanoparticle characterization techniques
  - nanoparticle
    - mobility 10, 232ff.
    - natural 230
    - non-magnetic 6
  - nanoparticle occurrence 233ff.
    - air 234
    - plant 233
    - soil 233
    - water 233
    - workplace environment 234f.
  - nanoparticle
    - persistence 10
    - pristine 10f.
    - Sn 166ff.
    - sorption capacity 2
    - sources 294f.
  - nanoparticle synthesis 73, 167f.
    - acid-catalyzed hydrolysis 73
    - base-catalyzed hydrolysis 73
    - gas-phase 73f.
    - high-temperature flame hydrolysis 73
    - manmade 230
    - MoS<sub>2</sub> 74
    - properties 229f.
    - sizes 229, 231
    - solution-based 73f.
    - TiO<sub>2</sub> 73, 78ff.
  - nanoparticle
    - toxicity 1, 3, 10f., 231, 301f.
    - ultrafine particles (UFPs) 229f., 234f., 243, 259, 273ff.
    - ZnO 11
  - nanotechnology applications
    - atomic-level synthesis 125
    - on-line sensitive sensors 125
    - nanotechnology firms 188f.
    - nanotechnology risk 188f., 292ff.
      - assessment 294ff.
      - communication 294
      - identification 292f.
      - management 292, 294
      - predicted environmental concentration (PEC) 295f.
      - predicted no-effect environmental concentration (PNEC) 295f.
    - National Science Foundation (NSF) 302
    - NO<sub>x</sub>
      - gas detection system 44
      - reduction 33, 44ff.
      - removal 42, 44f., 129
    - non-governmental organizations (NGO) 187f.
- o**
- O<sub>2</sub> reduction 151, 153
  - opacity, *see* TiO<sub>2</sub>
  - organic compounds 5
    - dechlorination rate 7
    - impurity 109
    - removal 6, 26
    - volatile, *see* VOCs
  - organometallic compounds 5
  - oxidants 113
  - ozone 209f.
    - decomposition 129
    - depletion 205
- p**
- paint
    - antibacterial 38f.
    - acrylic water-based 35
    - chalking 35f.
    - coatings 43
    - composition 35
    - degradation 45
    - depollution 43
    - durability 33, 36
    - Eco-paint films 39, 45, 47
    - fading 36
    - film 33ff.
    - gloss loss 33, 36f.
    - inorganic 36, 38
    - mass loss 33ff.
    - matrix 45
    - methylene blue-impregnated silicate 36
    - organic 35ff.
    - photoactivity 33
    - photocatalyst 39
    - photocatalytic effect 35f., 39, 43

- PVC-based alkyd 33
- shedding 36
- stability 35f.
- self-cleaning effect 33ff.
- translucency 45f., 49
- photoactivity tests
  - hydroxyl content 31ff.
  - oxygen consumption 32f.
  - 2-propanol oxidation 31f.
- photocatalysis 53f., 56ff.
  - heterogeneous 56, 60
  - light-activated 58f.
  - MoS<sub>2</sub> nanocluster 101ff.
  - pentachlorophenol (PCP) 106ff.
  - phenol 103ff.
  - TiO<sub>2</sub> 101ff.
  - WS<sub>2</sub> nanocluster 101ff.
- photocatalyst
  - application, *see* technological applications
  - CdS 107
  - charge separation 61
  - charge transfer 62
  - coupled semiconductor 109f.
  - heterogeneous
    - light intensity 66
    - material properties 71f., 77
    - metal dichalcogenides 86
    - MoS<sub>2</sub> 54, 72f., 86ff.
    - nanocluster photostability 72
    - nanomaterials 66ff.
    - pH of solution 62f.
    - photostability 83
    - preparation 54
    - presence of salts 62ff.
    - quantum confinement 68
    - semiconductor nanoclusters 68f., 74, 76f.
    - SnO<sub>2</sub> 73, 90
    - solvent 65f.
    - surface chemistry 71f.
    - surfactants 64f.
    - synthesis 54
    - Ta<sub>x</sub>N<sub>x</sub> 83ff.
    - TaON 83
    - TcS<sub>2</sub> 90
    - TiO<sub>2</sub> 7, 25ff.
    - TiO<sub>2-x</sub>N<sub>x</sub> 80, 84
    - WS<sub>2</sub> 83, 89ff.
    - WSe<sub>2</sub> 91, 98
    - ZnO 83f., 90
- photocatalytic 27f., 33
  - activity 20, 27f., 54, 62, 80, 91
  - bactericidal effect 39ff.
  - chemistry 26
    - degradation 114, 130
    - efficiency 27, 54, 61, 80
    - oxidation 57, 80
    - paints 35f., 43
    - selectivity 62
    - size effect 53
- photocatalytic surface 17ff.
  - chemistry 53
- photocatalytic water splitting 57, 59
- photochemical cancer treatment 26
- photodestruction
  - chemical waste 91
  - pentachlorophenol (PCP) 106ff.
  - phenol 103ff.
- photoelectrocatalytic generation of hydrogen 53
- photoexcitation 27, 59, 65, 70, 72, 82, 95, 98, 101
- photoionescence (PI) 109, 137
- photolysis 206, 208
  - laser 59
- photolytic degradation 28, 111
- photooxidants 210
- photo-oxidation 6, 28, 48, 56, 61ff.
  - gas-phase 113
  - pentachlorophenol (PCP) 108
  - reactions 77, 111
- photo-oxidative degradation 28
- photo-reduction 31, 63, 80f.
  - pigment 19f., 22ff.
    - Calgon milled 41
    - concentration 30, 40
    - crystallinity 42
    - dispersion 30, 40
    - effect 25
    - form 19
    - nanoparticle surface-treated rutile 25
    - porosity 41
    - rutile 19f., 25
    - surface 30f., 42
    - surface area 44, 49
    - TiO<sub>2</sub> 20, 22ff.
- platinum surface-catalyzed reaction 129
- pollutant
  - adsorption 4
  - degradation 6f.
  - elimination 125f.
  - herbicides 53, 56, 133
  - identification 126
  - inorganic 2, 26, 54
  - insecticides 132
  - organic 2, 6, 26, 54, 62, 130
  - persistent organic (POP) 132
  - pesticides 53, 55f., 131ff.

- plume 9
- quantification 126
- reduction 125
- removal 26
- secondary 55
- pollution control 129f.
- patents 130
- pollution
  - detection 1, 4
  - indoor air 127
  - prevention 1, 3
  - remediation 125
  - sensing 4, 125
  - treatment 125
- polymer 28f., 30f., 35
  - artificial protein 128
  - co- 10
  - cross-linked nanoporous 5
  - degradation 29
  - matrix 20
  - Nafion-type 149, 151, 153
  - photosensitized oxidation 29
  - polar organic 20
  - poly(ethylene)oxide (PEO) 165
- precursor 110
- protein engineering 128
- proton
  - conductor 149
  - hopping 149
- purification 4
  - air 26, 55
  - soil 55
  - water 26, 55
- q**
  - quantum confinement 68, 70, 98ff.
  - quantum dots 147
  - quantum efficiency 112
  - quantum size effect 27, 68, 71, 98ff.
    - dichalkogenides 98
    - MoS<sub>2</sub> 98f.
    - WSe<sub>2</sub> 98f.
- r**
  - radicals 28ff.
    - alkoxy 29
    - free 28
    - hydroxy 29
    - hydroxyl 6, 27f., 30, 77, 79
    - OH 113
    - oxygen 29
    - perhydroxyl 30
    - peroxy 29
    - photogenerated 41
  - reaction
    - Eley-Rideal 207
    - heterogeneous 203, 207
    - Langmuir-Hinshelwood 207, 209
    - multiphase 203, 207
    - radical-initiated polymerization 204
  - redox
    - catalyst 91
    - potentials 27, 77, 108
    - reactions 25, 91, 109, 130
  - remediation, *see* environmental remediation 51ff.
  - resins 4
  - Rydberg states 100
  - Reynolds number 241
- s**
  - self-cleanig
    - effects 33ff.
    - surfaces 33
    - tiles 115
  - semiconductor 6, 68ff.
    - coupled systems 133
    - electrolyte interface (SEI) 166, 171
    - highest occupied molecular orbital (HOMO) 69, 95ff.
    - indirect 69
    - lowest occupied molecular orbital (LUMO) 69, 95f., 98
    - MoS<sub>2</sub> 89f., 95
  - semiconductor nanocluster 68f., 74, 76f.
    - metal-sulfide 74
    - MoS<sub>2</sub> 72, 77
    - light adsorption 77
    - optical properties 73
    - oxidation potential 77
    - photostability 72, 77
    - solution-based 74
    - surface properties 73
    - synthesis 77
    - TiO<sub>2</sub> 6f., 82
    - WS<sub>2</sub> 77
  - semiconductor
    - nanosized 91
    - n-type 89f.
    - photocatalytic efficiency 130
    - surface 130
  - sensors 4, 133ff.
    - biosensors 134
    - chemical 4
    - detection of heavy metals in water 141f.
    - electrochemical 4, 134
    - flow-through Raman scattering 4
    - gas 138ff.

- mass 135ff.
- novel 140
- optical 137f.
- PEEBLE (probe encapsulated by biologically localized embedding) 137
- real-time chemical composition measurements 140
- solid-state 139
- ultrasensitive detection of pathogens 140f.
- silicon
  - amorphous 159
  - crystalline 159
  - microfabrication processes 4
  - nanocrystalline porous 137
  - polycrystalline 159
- sludge process 56
- solar cells 3, 148, 159ff.
  - application of nanomaterials 161ff.
  - counter electrodes 164f.
  - dye-sensitized (DSSCs) 148, 161ff.
  - efficiency 159ff.
  - materials 160
  - photovoltaic cells 159
  - spectral irradiance 87
  - terrestrial solar irradiance window 161
- spin-orbit splitting 100
- steady-state signal detection 46f.
- Stokes
  - law 238
  - number 241
  - particle diameter 239
- supercapacitors 148
- Superfund sites 52f.
- superhydrophilicity 26, 116
- surface
  - activity 3
  - depolluting 33
  - -normalized reaction rates 7
  - photocatalytic 17ff.
  - pigment 20
  - reactivity 5
  - self-cleaning 33
  - -to-volume ratio (S/V) 92, 129, 206
  - surface water discharge 52
- surfactants 64f., 102, 163
  
- t**
- technological applications of photocatalysts
  - gas-phase photoreactors 112
  - gas purification of VOCs 112
  - indoor air purification 113f.
  - outdoor air purification 115, 127
  - PVC 116
  - self-cleaning tiles 115
  - TiO<sub>2</sub>-coated porous filter 114
  - TiO<sub>2</sub> 7, 17ff.
    - activity 25f.
    - adsorbance 71, 81
    - agglomerates 20ff.
    - aggregates 20ff.
    - amorphous 78f.
    - anatase 17f., 24, 33, 36ff.
    - anatase-rutile phase 78f.
    - antibacterial 25f.
    - antiviral 26
    - brookite 17, 79
    - coating 30f., 82
    - colloids 78
    - conventional 22f.
    - crystal structure 17f., 79
    - dye sensitization 81ff.
    - deposition of metals 80ff.
    - doping 80
    - electronic properties 78f.
    - fungicidal 26
    - gas-to-particle conversion 23
    - films 115f.
    - flocs 20f.
    - impurities 79
    - light scattering 22, 24
    - modifications 17, 32
    - nanoparticles 22ff.
    - nanostructure 78, 163f.
    - nitrogen substitution 80, 85
    - opacity 17, 19f.
    - opalescent effect 25
    - optical behavior 24
    - particle size 20, 22ff.
    - photoactivity 25, 30ff.
    - photocatalysis 7, 25ff.
    - photocatalyst 7, 25f., 53f., 56ff.
    - photocatalytic activity 78, 80
    - photophysical 77
    - pigmentary 22ff.
    - pigments 17ff.
    - polymorphs 19
    - preparation 22f.
    - properties 17ff.
    - reflectance 20
    - refractive index 17ff.
    - rutile 17ff.
    - sulfur substitution 80
    - surface 79f.
    - surface area 23, 27, 80, 82
    - synthesis 78ff.
    - thin film 27
    - transformation 27
    - transparent 26f.

- ultrafine 22ff.
- Toxic Release Inventory (TRI) 51f., 127
- toxicity data 127
- treatment technologies, *see* environmental remediation
- transition metal
  - carbides 129
  - dichalkogenides 91, 98
  - oxycarbides 129
  - oxide catalyst system 129

**u**

- ultrasonication 6
- UV
  - absorption 19f., 25
  - efficiency 57
  - filter 25
  - ozonization 56
  - peroxidation 56
  - protection 24f.
  - radiation 20, 25, 31, 47
  - spectrum 25

**v**

- VOCs (volatile organic compounds)
  - monitoring 126f.
  - reduction 33, 47, 127
  - removal 42, 55

**w**

- waste
  - detection 125
  - heat 149
  - munitions 53
  - prevention 125
  - reduction 3
  - treatment 128
- wastewater treatment 6
- water purification 26, 62
- water splitting reaction 59
- water treatment 4, 6, 26
  - detection of heavy metals 141f.
  - drinking water production 6
  - ultrasensitive detection of pathogens 140f.
- wet-chemical process 22
- weatherometer
  - Atlas 34, 46
  - QUV 36f.

**z**

- zerovalent iron 7f.
  - bulk 7
  - corrosion 7
  - granular 7ff.
  - nanoscale (nZVI) 7ff.
  - reactive barrier 8f.
  - reactivity 7

## Index

### a

- aberration 145ff.
  - chromatic 146
  - correction 147, 197
  - lens 146
  - optimizer 146
  - spherical 146
  - theory 146
- absorber 196, 198
- acceleration 184
  - value 184
  - voltage 152, 161, 167
- activation energy 491f., 495
  - curve 491
- adatom 307f.
- adhesion 221, 321, 429
- adsorption 182, 321ff.
  - brick-wall 329
  - co- 323f.
  - optical 53, 130
  - process 318
  - properties 318
  - SAM 321
  - site-selective 321
  - sites 318
- Aharonov-Bohm
  - effect 3, 23ff.
  - oscillations 26f., 33
  - period 27
  - rings 28, 223
- AlGaAs/GaAs
  - heterostructure 10, 13, 15, 25
  - interface 9f.
  - layer system 9
  - ring structure 24, 26
  - split-gate point contact 13
- amplification 99, 101
- amplitude 243ff.
  - complex 14f.
  - constant 244
  - distance curve 246
  - fluctuation 27, 32f.
  - free 245f.
  - oscillation 25, 29
  - probability 16
  - total 15, 22
  - vibration 244
- annealing
  - correct 300
  - incorrect 300
- antibodies 277, 285, 288f.
  - antihuman secondary 289
  - libraries 289
  - molecules 288ff.
  - Ronit1 scFv phage library 290
  - secondary 293
  - soluble 289
- antiferromagnet 424ff.
  - (AF)-pinned reference structure 425
  - (AF)-pinned structure 424
  - synthetic (SAF) 424
- antiferromagnetic 56
  - exchange 60
- antiparallel
  - configuration 71f.
  - moments 66ff.
- aperture
  - plane 146
  - plate system 167f.
  - shaped 148ff.
- array quality factor (AQF) 431f., 442
- Arrhenius
  - behavior 469
  - law 307
  - plot 470
- aspect ratio 228, 284



- assembly
    - bio- 277
    - dimer-monomer 327
    - free-running 277
    - ligase 294
    - modular 276f.
    - molecular 298
    - -self 276f.
    - sequence-specific molecular 277
  - atomic force microscopy (AFM) 239ff.
    - Auto-Probe 264
    - interface 261
    - MFP-3D 246
    - multi-tip array 265
    - nanomanipulation 255, 262
    - non-contact 254
    - operation 241, 246f.
    - piezo 263
    - -SEM approach 255
    - software-compensated 263
    - tip 240f., 258, 263
    - topography 263
  - autonomous binary p-shift register 294ff.
- b**
- Back-End-Of-Line (BEOL) processing 436, 440f., 466, 504, 507
  - backscattering 12, 16
  - ballistic
    - channels 74
    - leads 7
    - regime 6
    - system 32
    - transport 3, 6, 10, 98
    - wires 7
  - band
    - amorphous 460
    - conduction 87, 89, 97, 102
    - diagram 67, 102, 460f.
    - edge smearing 81
    - gap 81
    - index 89
    - offset 367
    - paramagnetic 82
    - semiconductor conduction 89
    - structure 67, 77, 90, 459
    - tunneling 357
    - velocity 90
  - bandwidth 189, 195
  - barrier
    - amorphous oxide 80f., 84
    - composite 82
    - crested 367f.
    - effective 357, 367
    - energy 113f., 119f.
    - epitaxial 67, 84
    - epitaxial oxide 77
    - height 78, 87, 114f., 120f.
    - interface 82
    - interface potential 87
    - oxidation 402, 410
    - region 120f.
    - Schottky 87, 90
    - /spacer oxides 82
    - $\delta$ -spike 89
    - symmetric 123
    - thermionic 87
    - thickness 89
    - trapezoidal 357
    - tunnel 426ff.
    - tunnel  $\delta$ - 94
    - tunneling 77, 367f., 375
    - width 78, 84, 87, 115
  - beam
    - electron 142ff.
    - high-intensity laser 187
    - multi-electron- 167ff.
    - propagation 183
    - pulsed laser 186
    - rectangular-shaped 149f.
    - superimposed 194
    - variable-shaped (VSB) 148ff.
  - Bennet equilibrium 188
  - bias
    - source-drain 61
    - voltage 10, 41, 45f.
    - window 43ff.
  - binary 109ff.
    - digit (bit) 109
    - information-processing system 110
    - logic 112
    - state variables 111
    - states 109, 111ff.
    - transition 116, 123
  - binary switch 109ff.
    - charge-based 123, 125, 130f.
    - communicativity 111
    - controllability 111
    - distinguishability 111ff.
    - electron-based 113
    - energy barriers 113f.
    - multi-electron 122
    - optical 130f.
    - particle-based 111
    - spin-based 124ff.
  - binary transition 110f.
    - per unit area 110
    - per unit time 110

- throughput 110f.
- binding 289ff.
  - differential 289, 293
  - high-affinity selective 289
  - non-specific 290ff.
  - selective 289f., 292
  - structured 289
- bioassembly of electronic materials 276
- biomolecules
  - electronic components 276
  - electronic conductivity 275
- biotechnological tools 277
- bit
  - anomalous (SILC) 366f.
  - erratic 366f.
  - multi 372
- bit line (BL) 361ff.
  - contact 385
- Bloch waves 41
- Bohr
  - magneton 74
  - radii 38
- Boltzmann
  - constant 186
  - distribution 114
  - equation 69
  - exponent 92
  - limit 117, 119
- bonds
  - covalent 321
  - dangling 80f.
  - non-covalent 321
- bottom-up
  - approach 305
  - method 305
  - strategy 275, 305
  - technique 320
- bound state energies 41
- boundary condition 90f.
- Bragg
  - equation 195
  - reflectors 139
- buffer gas 193
- buried contact (BC) 410
  
- c**
- cantilever 243ff.
- capacitance 38, 387
  - constant 393
  - storage 384ff.
- capacitor 383ff.
  - area 385, 387, 311
  - cell 385ff.
  - 3-D structure 413ff.
  - ferroelectric 397, 401ff.
  - formation process 386
  - over bit-line (COB) structure 402, 408ff.
  - planar 413, 415
  - planar storage 385
  - poly Si 384
  - Pt/PZT/Pt 402
  - PZT 407, 412ff.
  - stacked 384ff.
  - storage 383f.
  - technologies 385
  - trench 384ff.
  - -type FRAM 398
  - under bit line (CUB) 408ff.
- carbon nanotube (CNT) 38f., 52, 56, 277, 284ff.
  - addition spectra 56
  - conducting 286
  - semiconducting 286
- carboxylategroup 326f.
- carrier
  - band velocities 78
  - majority 80
  - minority 80, 82
  - polarization of 94
  - recombination 461
- catalyst 200
  - heterogeneous chiral 321
- chalcogenide glasses 490ff.
  - AgAsS<sub>2</sub> 491
  - Ag-Ge-S 492, 507
  - Ag-Ge-Se 492, 498, 507
  - bandgap 491
  - binary 491, 506
  - conductivity 491
  - Cu-Ge-S 507
  - Ge- 491
  - ternary 491ff.
- chalcogenide material 453ff.
  - alloy 459
  - amorphous state 455f.
  - crystalline state 455f.
  - doped 455f.
  - eutectic compound 453f.
  - long-range order 455
  - pseudo-binary 453f.
  - short-range order 455
  - structure 455
  - phase transition 455f.
- channel 10ff.
  - doping 389
  - hot electron injection (CHEI), *see* flash memories
  - one-dimensional 10ff.

- charge
  - distribution 37, 42
  - drain 37
  - electron 38
  - elementary 4
  - flow 37
  - fractional 37
  - gate 37
  - image 53
  - neutrality 494
  - non-switching 398
  - quantization 37ff.
  - source 37
  - state 42
  - storage 372, 383
  - switching 398
  - total 360
  - transfer 42
  - transport measurements 53
- charge trapping 389
  - layer 372
  - multi-bit 372f.
- charging energy 38f., 42, 49, 51, 56
- checkerboard pattern 59
- chemical
  - developer 137, 153, 155, 160
  - force microscopy 342
  - chemical mechanical polishing (CMP) 413f., 416, 428
  - process 413
- chemical potential 40ff.
  - drain 49ff.
  - gate 49
  - source 49ff.
  - synthesis 277
- chemical saturation point 494
- chemical solution deposition (CSD) 406f., 412
  - PZT 407, 412
- chemical vapor deposition (CVD) 256, 306, 322, 406
  - low-pressure (LPCVD) 378
  - metalorganic (MOCVD) 405ff.
  - process 406
- circuit
  - architectures 281
  - DNA-templated 277ff.
  - near-perfect 277
- coarse-grain model 226
- coarsening 310
- coating 190ff.
  - anti-adhesive 229
  - metal 282
  - multilayer 199
  - optical 193
  - technology 192
- coercive
  - field 401, 423ff.
  - voltage 401
- coherent wave propagation 3
- collector 185, 188, 191
  - chamber 194
  - efficiency 185
  - eight-shell 192
  - manufacturers 192
  - multi-shell 191, 193
  - normal-incidence 192
  - shell 192
  - supplier 191
  - surface 193
  - Wolter-type nested shell 183, 191
- collinear moments 78
- collision time 86
- complementarity-determining region (CDR) 289f., 293
  - loops 290
- complementary metal oxide-semiconductor (CMOS) 352, 378, 402, 434f.
  - front-end-of-line (FEOL) processing 434, 436
  - technology 466
- computational elements 109f.
- computing system 111
  - optical digital 130
- conductance 12f., 79
  - bulk-to-bulk 84
  - bulk-to-surface 84
  - differential 48, 50f., 58, 60f.
  - Drude 29
  - fluctuations 27ff.
  - junction 78, 85
  - maps 54
  - pattern 28
  - quantum 46, 48
- conduction band 9
  - offset 9
  - profile 10
- conduction measurements 55
- conductivity 4, 490ff.
  - curves 491
  - Drude 16
  - mismatch 88, 96
- conductor 3f., 7f.
  - ballistic 7
  - diffuse 3, 6, 14, 17, 29
  - metallic 21
  - mixed 490
  - one-dimensional 11f.

- ring-shaped 3, 21ff.
  - superionic 490
  - conjugated
  - cores 333
  - OPEs 331
  - $\pi$ -orbitals 331
  - constriction 12f.
  - conversion
  - coefficient 101, 185
  - efficiency 188, 190
  - Coulomb
  - blockade 39, 43, 49, 61, 377
  - diamonds 51ff.
  - effects 38
  - energy 38, 50ff.
  - interaction 40f., 49, 51, 53
  - peak height 48
  - coupling
  - alkanes 321
  - antiparallel 431
  - asymmetric 55
  - constant 73, 75, 124
  - covalent 321
  - electron-phonon 58f.
  - electron-vibron 57f.
  - electronic 321
  - ferromagnetic exchange 56
  - gate 48, 50f.
  - magnetostatic 426
  - Néel 426ff.
  - non-zero 58
  - parallel 431
  - strong 42, 47
  - structural 321
  - weak 42, 44f., 50f.
  - critical
  - density 187
  - dimension (CD) 137, 139, 223f., 229
  - crosslinking
  - process 214
  - thermal-induced 214
  - crossover thickness 81
  - cross-point cell (XPC)
  - bit 433
  - structure 433
  - crystalline facets 289ff.
  - crystallization
  - perovskite phase 406
  - temperature 406
  - Curie law for paramagnetism 128
  - Curie temperature 401, 404
  - curing 214f.
  - UV 230
  - current 8f.
  - contributions 8
  - emitter 101
  - Hall 74
  - injected 66
  - in-plane-geometry (CIP) 68ff.
  - -perpendicular-to-planes (CPP) 68ff.
  - polarized 71, 94
  - pulsed 188
  - source-drain 123
  - status 189, 199
  - threshold 96
  - tunnel 66f.
  - -voltage characteristic 45f., 58f.
  - voltage curve 80, 333f.
- d**
- Daata-Das 77
  - ballistic spintronic modulator/switch 73
  - interference device 66
  - debris 185f.
  - mitigation system 185, 188, 190f., 193, 196
  - transmission 185
  - Debye
  - integral 86
  - length 120
  - decoherence 44
  - deep ultraviolet (DUV) range 185
  - defect
  - charged 493
  - density 199
  - printable 199
  - size 199
  - state 80
  - deflection 241
  - cantilever 243, 251
  - field 147
  - signals 252, 255
  - deflector 148
  - electrostatic 148
  - integrated 149
  - degeneracy points 52, 61
  - degrees of freedom 59, 99
  - nuclear 59
  - delta-function 46f.
  - demagnification 148f., 170
  - demodulation 244
  - demolding 212, 220f.
  - process 227
  - temperature 213f.
  - dendrite 497f.
  - formation 497
  - growth 497f.
  - two-dimensional 498
  - Density Functional Theory (DFT) 40

- density of states (DOS) 8, 12, 41f., 46, 48, 79ff.
  - effective 89
  - partial 68
  - polarized 81
  - spin 102
  - spin-polarized 87
  - total 68
- depletion zone 10
- deposition 193, 315, 322, 406f.
  - /dissolution process 496
  - electroless 259, 322
  - gas-phase 323
  - rate 307
  - solution 322f.
  - temperature 307
  - two-step 324
  - vapor phase 322
- depth of focus (DOF) 181f., 185
- devices
  - application-specific integrated circuits (ASIC) 158, 162
  - carbon nanotube (CNT) 284, 330f.
  - charge-trapping 370
  - chemical field effect transistor (CFET) 333f.
  - chemical force microscopy 321
  - chemical sensors 321
  - complementary metal oxide-semiconductor (CMOS) 352, 378, 402, 434f.
  - computer-aided design (CAD) 162
  - degree-of-freedom haptic 261
  - DNA-templated devices 277ff.
  - DVD-RAM optical disk 453
  - DVD-R/W optical disk 453
  - dynamic random access memory (DRAM) 351, 383ff.
  - electrical erasable programmable memory (EEPROM) 351f., 370
  - electrical programmable memory (EPROM) 351f., 370
  - electron interference semiconductor 72
  - electron spin resonance (ESR) 128
  - exoteric 76
  - faulty 277
  - ferroelectric random access memory (FRAM) 397ff.
  - ferromagnetic terminals 78, 128
  - field effect transistors (FET) 121, 162, 433ff.
  - FinFET 375
  - flash-type memories 351ff.
  - floating gate transistor 359, 370
  - functional 277
  - heterodyne detector 101
  - high density memories 349
  - interconnecting 278
    - island 42
    - lab-on-chip 219
    - liquid crystal spatial light modulators 130
    - magnetic random access memory (MRAM) 70, 128
    - magnetic tunnel junctions (MTJ) 421ff.
    - magnetoresistive (MRAM) 397, 419ff.
    - mass transport 486, 494
    - metal oxide semiconductor field effect transistor (MOSFET) 137, 162, 402
    - metal oxide silicon (MOS) 359, 377
    - micro-electromechanical systems (MEMS) 155, 168, 210, 242
    - micro fluidics 210
    - molecular 278, 331
    - molecular transistor 39
    - multifunctional 99
    - nanobiotechnology 210
    - nano-CMOS 209
    - nano-electro-mechanical systems (NEMS) 174
    - nano fluidics 210
    - nanophotonics 209
    - nanopillar 71
    - nanoscale planar double gate transistor 163
    - nanotube 41
      - non-biological 277
      - non-linear interference filter 130
      - organic nano-electronics 210
      - organic opto-electronics 210
      - OUM-PCM memory element 449f.
      - Ovonic Unified Memory (OUM) 449f.
      - phase change memory (PCM) 397, 447ff.
      - piezoelectric actuators 242
      - quantum interference 73
      - read-mostly-memory 448
      - read-only memory (ROM) 351, 404
      - resistive (RRAM) 397
      - rewritable CD 130
      - semiconductor single-wall carbon nanotube (SWNT) 284ff.
      - semiconductor memory cards (FLASH) 70
      - spin-injection 99f.
      - spin-LED 94
      - spin-orbital (SO) 73
      - spin transistor 86, 88
      - spintronic 99
      - spin-valve transistor 83
      - split-gate transistor 356
      - static random access memory (SRAM) 351, 435, 441f.
      - SWNT-FET 285
      - Teramac machine 277
      - three-terminal spin injection 86

- three-terminal spintronic 73, 86
  - three-terminal switches 37ff.
  - weakly coupled 38f.
  - dielectric 367ff.
    - capacitor 387ff.
    - constant 367, 369
    - gate 388f.
    - high-k 387ff.
    - nitride-oxide (NO) 387
    - ONO 368
    - peripheral transistor gate 389
    - permittivity 89, 120f., 387
    - reliability 389
  - diffuse regime, *see* quantum regime
  - diffusion 6, 195, 307
    - adatoms 307
    - coefficient 75
    - constant 16, 91, 200
    - length 201f., 307
    - limited aggregation (DLA) mechanism 497
    - sphere 201
    - terrace 307
    - process 200f.
  - diffusive motion 16
  - digamma function 17
  - dipole
    - -pinning effect 403
    - -pinning electrons 403
    - switching cycles 403
  - disentanglement 213
  - dislocations 4, 314f.
    - network 315
  - dissipation
    - energy 119
    - power 111, 119
  - DNA 276ff.
    - aldehyde-derivatized 286
    - -binding proteins 282
    - bridge 279f.
    - computing 277, 294, 298
    - conductivity 279
    - -DNA interaction 282
    - double-stranded (dsDNA) 278, 282, 285f.
    - hybridization 279f.
    - junctions 282
    - ion-exchanged 279
    - $\lambda$ - 279ff.
    - metallization 283f.
    - molecules 277ff.
    - network 278f.
    - non-recurring sequences 293
    - scaffold 278, 282, 286
    - segment 286
    - sequence-specific 282
    - sequences 282
    - single-starnded (ssDNA) 282, 285f.
    - skeleton 279ff.
    - synthesis 294
    - templated electronics 277ff.
    - templates 277
  - domain
    - orientation 70
    - pinning 72
  - domain wall switching
    - (pseudo)spin-torque 70
  - donut problem 165
  - doping
    - acceptor 89, 120, 460
    - donor 89, 96, 120, 460
  - DRAM (dynamic random access memory) 383ff.
    - advanced technology requirements 384f.
    - basic operation 383
    - capacitorless 393
    - cell size 385
    - high-density 384
    - high-performance embedded 394
    - integration 393
    - one-transistor (1T-1C) 383
    - 1T-1C cell 383
    - three-dimensional (3-D) structures 384
  - drift 247, 252
    - compensator 263
    - -diffusion expression 75, 91
    - thermal 248
    - velocity 4, 247
  - Dresselhaus effect 19, 21, 66
  - Drude
    - conductivity 4
    - model 4
  - D'yakonov-Perel mechanism 19
- e**
- edge
    - roughness 184
    - spin accumulation 74
  - Einstein relation 75, 96
  - elastic
    - relaxation 312
    - scattering time 5
    - strain 311
    - strain energy 312
    - stress 311
    - theory 310
  - electric
    - activity 210
    - field 4f.
  - electrical discharge 186, 188

- pulsed 186
- electrochemical cell 494
  - mass transport 494
- electrochemical potential 9, 11f., 43, 69, 88
- electrochemistry 485, 494, 497
  - deposition 486
  - solid-state 486
- electrode
  - gate 388f.
  - metal gate 389
- electrodeposit 494ff.
  - charge 501ff.
  - formation 500
  - growth 497, 499, 501
  - growth rate 500
  - height 499
  - mass 501ff.
  - morphology 497
  - resistance 501ff.
  - stability 494
  - surface 498
  - volume 501ff.
- electrodeposition 485, 494ff.
  - process 496
  - surface 498
  - voltage 506, 508
- electrolyte 485, 490ff.
  - alkali metal ion 489
  - bcc structure 490
  - chalcogenides 489
  - coordinated motion 496
  - depleted 494
  - device 506ff.
  - electron-supplying cathode 494, 496
  - layer 497
  - liquid 485
  - oxidizable anode 494, 496
  - saturated 509
  - sublattice 490
  - ternary 492
- electromigration 439
  - issues 439f.
  - performance 440
  - reliability 440
  - resistance 439
- electron
  - addition energy 52f.
  - affinity 96
  - beam lithography 9
  - charge flux 74
  - concentration 4, 32
  - density distribution 94
  - density of state 85
  - discreteness 38
    - drift-diffusive 68
    - effective mass 78, 84, 90, 101
    - energy 4, 151
    - gas 5
    - hot 82f.
    - lenses 143
    - mass 4, 38
    - mobility 4, 9, 75
    - momentum 4, 72
    - -nucleus interaction 40
  - electron optical
    - aberration 145
    - columns 145ff.
    - elements 146f.
    - non-ideal elements 145f.
  - electron optics 142f., 146
  - electron scattering
    - -back 151ff.
    - forward 151ff.
    - modes 151
  - electron
    - sources 141f., 148
    - spin-polarized 65, 101
    - spin projection 66
    - transfer theory 45
    - transmission 332ff.
    - transport 4
    - unpaired 60
    - velocity 8
    - -vibron coupling constant 57
    - waves 20, 24, 32
    - wavelength 3
- electronic transport 7
- electroplating 485
- electrostatic
  - energy 49
  - potential 40, 43
  - repulsion 40
- elementary quantum mechanics 3
- Elliot-Yafet mechanism 19
- ellipsometry 223
- embossed structures 227
- emission
  - efficiency 233
  - laser-induced 187
  - spectrum 186f.
  - spontaneous 233
- emitter 190
  - non-thermal 186
  - thermal 186
- enantiomeric form 328f.
- energy
  - activation 307
  - barrier framework 116

- binding 307
  - correlation 32f.
  - diagram 122f.
  - diffusion 307
  - discrete 41
  - dispersion 11
  - eigenvalues 11
  - electrostatic 37
  - excitation 53
  - level 38, 44
  - relaxation 313
  - separation 11
  - transfer 5
  - Engineering Test Stand (ETS) 196
  - projection optics system 196
  - epitaxial growth 306f., 318, 334
  - semiconductor 306
  - techniques 306
  - equilibrium
  - configuration 309
  - process 309
  - spin polarization 75
  - error
  - buttering 147, 150
  - classical 114, 116f.
  - correction 298
  - elongation 299
  - phase 199
  - probability 116
  - quantum 114, 116f.
  - rate 299f.
  - soft 438
  - suppression codes 277, 298, 300
  - suppression scheme 277
  - synthesis 300
  - etching 158, 160, 411f.
  - beam-assisted 176
  - conditions 411f.
  - dry 212
  - isotropic wet 228
  - reactive ion 223
  - exchange splitting 77, 82
  - excitation 55f., 210
  - charge-neutral 55
  - electronic 55, 57
  - gapless 66
  - lines 53
  - subtle 53
  - vibrational 57, 59
  - excited state (ES) 54ff.
  - expansion coefficient 247
  - exposure process 161f.
  - extreme ultraviolet (EUV)
  - radiation 182, 185f.
  - radiator 185
  - range 182
  - scanner 182f.
- f**
- fatigue 402f.
  - behavior 403
  - non- 402
  - properties 403f.
  - feedback
  - circuitry 246
  - control 247
  - electro-bio 277
  - loop 254, 277
  - off 251f.
  - on 252
  - system 245
  - Fermi
  - distribution 13, 32
  - energy 3f., 11, 29, 32, 41, 45ff.
  - factors 80
  - functions 40, 47
  - level 60, 68, 78, 82, 461
  - potential 360
  - principle 56
  - surface 68
  - velocity 5, 38, 68
  - wavelength 6, 10, 26, 28
  - wavenumber 29
  - Fermi-Dirac
  - distribution 45, 47, 78
  - function 43
  - Fermi's golden rule 58, 67f.
  - ferrite core memory 420
  - ferroelectric oxides 401ff.
  - Bi-layer structured 401, 403
  - BLT 401ff.
  - BTO 401
  - perovskite-structured 401
  - PZT 401f.
  - reliability 403
  - SBT 401ff.
  - ferroelectric random access memory (FRAM) 397ff.
  - capacitor-type 398ff.
  - cell operation 399f.
  - cell size 410f.
  - cell structure 408
  - 3-D structure 413ff.
  - degradation 412
  - high-density 402, 410ff.
  - non-volatile 397
  - one-transistor-one-capacitor (1T1C) -type 398ff.



- sense amplifier types 400
- sensing scheme 399f.
- two-transistor-two-capacitor (2T2C) - type 398ff.
- ferromagnet-insulator-ferromagnet (FM-I-FM) structures 65, 67, 77
- ferromagnet-semiconductor
  - boundary 90
  - contacts 95
  - heterostructure 87, 97
  - n<sup>+</sup>-n'-p heterostructure 101f.
  - interface 88f., 92, 95
  - junction 87ff.
- ferromagnetic 56
  - cladding 440
  - electrodes 67
  - liner field 440
  - materials 66
  - shell 100
- Feynman path 30
- field emission 141f.
- film
  - adhesion 441
  - BLT 404
  - chalcogenide 493
  - delamination 441
  - enhanced permeability dielectric (EPD) encapsulating 442
  - fatigue-free 403
  - ferroelectric 404, 406, 408, 420
  - planar 406
  - PZT 403, 406, 412ff.
  - PZT crystallinity 406
  - SBT 403f.
  - structure reversible 448
- flash memories 351ff.
  - cell concepts 355
  - charge-trapping 370
  - erase mechanisms 353ff.
  - floating gate 359ff.
  - hot carrier injection mode 353ff.
  - NAND 447
  - NOR 447
  - programming 353ff.
  - reliability aspects 365, 367
  - scaling 366f.
  - thickness 366
  - tunneling mode 353, 355
- flip-chip bonder 216
- floating body cell (FBC) 393ff.
  - depleted 393
- fluid bed 226
- focal point 183, 191
- fogging effect 160ff.
- foil
  - manipulation 248
  - trap concept 193
- force
  - displacement curve 225
  - gradient 246
  - interaction 245
  - interatomic 241
  - long-range electrostatic 241
  - setpoint 243
  - surface adhesion 252
  - tip-sample 246
  - van der Waals 256
- forward-biased 94f., 102
- Frank-Condon factor 59
- frequency
  - conversion 9
  - cyclotron frequency 75
  - high 97, 99, 101
  - multiplier 99, 101
  - operating 99
- Front-End-Of-Line (FEOL) processing 434, 436, 466
- full-width half maximum (FWHM) 48, 61, 195
- functional
  - electronics 279
  - film 222
- functionality
  - electronic 278
  - non-biological 278
- g**
- gate 390ff.
  - controllability 392
  - dual 476
  - electrodes 10, 26, 43, 392
  - field 42
  - fingers 9f.
  - length 137, 390ff.
  - sidewall 390f.
  - splitting 476
  - TIS structure 390f.
  - voltage 10ff.
- Gaussian
  - beam strategy 162
  - beam writing 159f.
  - electron beam 147
  - intensity distribution 159
- glass-transition temperature 211, 213, 456, 491
- gracing incidence angle 191, 194
- ground-state (GS) 56ff.
  - configuration 53

growth 306ff.  
   – chamber 306  
   – CVD 306  
   – gases 306  
   – grain 406  
   – heteroepitaxial 311f.  
   – homoepitaxial 310  
   – kinetics 307f., 313  
   – kinetically limited 307  
   – MBE 306  
   – rate 307f.  
   – self-assembled 307, 314  
   – self-organized 317  
   – step-flow 315ff.  
   – Stranski-Krastanov 312f.  
 gyromagnetic  
   – factors 77, 124  
   – ratio 99, 101

**h**

half-metallic  
   – behavior 82f.  
   –  $\text{CrO}_2/\text{RuO}_2$  82  
   –  $\text{CrO}_2/\text{TiO}_2$  82  
   – ferromagnet 82  
   – ferromagnetic junctions 82  
   – gap 82  
   – Heussler 83  
   – multilayer 83  
 Hall  
   – effect 75f.  
   – measurements 4  
 Hamilton  
   – formalism 145  
   – operator 10f.  
 Hamiltonian 40, 44, 52, 57  
   – electron 72  
   – one-electron 40  
 Hamilton-Jacobi theory 145  
 Hanle effect 74, 76  
 harmonic spectrum 58  
 Hartree 38  
 Hartree-Fock (HF) theory 40  
 Heisenberg  
   – distinguishability length 115ff.  
   – uncertainty principle 60, 115  
 hemispherical grains 387f.  
 heteroepitaxy 310f.  
 hierarchical assembly 259  
 holes 101  
   – heavy 73  
 homoepitaxy 307  
 HOMO-LUMO 332  
   – gap 52f.

hopping  
   – electron 44  
   – inelastic 81  
   – ion 488, 491  
 hybrid methods 317  
 hybridization  
   – gap 82f.  
   – state 83  
 hysteresis 249, 423ff.  
   – curve 399, 423f.  
   – effects 249  
   – loop 424f.

**i**

IBM 109f.  
 illuminator 183, 191  
 imaging  
   – full-field 184  
   – errors 197  
   – specifications 197  
   – system 196  
 imprint  
   – single-step 233  
 impurity 4f., 19, 27, 74, 80ff.  
   – -assisted conductance 80f.  
   – -assisted tunneling 81, 86  
   – channels 81  
   – collisions 30  
   – configuration 27f.  
   – effective 80  
   – level 81  
   – magnetic 60  
   – scattering 74, 77  
   – states 82  
   – suppression 80f.  
 inband  
   – emission 185  
   – radiation 185  
 inelastic  
   – effects 84  
   – processes 84, 86  
 information  
   – carrier 109, 113  
   – -defining particle 113f.  
 information-processing  
   – applications 126f.  
   – element 109  
   – systems 109ff.  
 information  
   – processor 110  
   – throughput 111  
 injection molding 210  
 integrated circuit 137, 139  
   – fabrication 173f.

- interactions
  - atom 241
  - dipole-dipole 325
  - electron-electron 44
  - electron-phonon 44, 85
  - electron-photon 44
  - electrostatic 325
  - exchange 56
  - fluid-solid 226
  - intermolecular 318, 321, 327
  - metal-ligand 321, 329
  - non-covalent 321
  - van der Waals 325
- interface
  - conductances 88
  - functional 293
  - metal-oxide 84
  - metal-semiconductor 84
  - oxide 83
  - roughness 426
  - silicon/insulator 360
  - silicon-molybdenum 196
  - stamp/polymer 227
  - user 260f.
- interfacial
  - adhesion 227
  - energy 220f.
  - separation 227
- interference 3, 20, 23
  - constructive 15, 17, 20, 26
  - effects 13
  - electron 3, 20, 23
  - pattern 25, 26
- interlayer dielectric (ILD) 229
  - UV 229
- International Technology Roadmap for Semiconductors (ITRS) 139f., 166, 199, 508
- intramolecular confirmation changes 325
- intrinsic
  - angular momentum 124
  - carrier concentration 120
- inversion
  - asymmetry effect 74
  - symmetry 19, 75
  - time 75
- ion
  - beam focused (FIB) 173, 176
  - conduction 491
  - conductors 493
  - current 494
  - flux density 500
  - 10-fold ionized 186
  - mobility 493f.
    - milling 174
    - optics 173
    - projection direct structuring (IPDS) 174f.
    - sources 173
    - transport 485, 491
- ionization
  - avalanche impact 461f.
  - levels 186
- island 41f., 44, 46, 49, 54ff.
  - chemical potential 309f.
  - coarsening 310
  - coupled 42
  - density 307f.
  - Kranski-Krastanov 312
  - mode 312
  - morphology 312f.
  - nucleation 307f.
  - size distribution 309
  - sizes 308f.
  - thermodynamically stable 309, 311
  - three-dimensional (3-D) 311ff.
  - two-dimensional (2-D) 307ff.
- k**
  - Kalman
    - equation 263
    - filtering 263
  - Kane Hamiltonian 73
  - kinetic
    - energy 113f.
    - equation 97
  - Kondo
    - effect 59ff.
    - peaks 61
    - physics 60
    - resonance 60f.
    - temperature 61
  - kp method 72
- l**
  - Lagrangian function 15f.
  - Lance-like structure 449
  - Landau-Lifshitz (LL) equation 72
  - Landauer-Büttiker formalism 3, 7, 12, 28f.
  - Landauer
    - expression 71
    - formula 47f.
  - Landé gyromagnetic factor 124
  - laser
    - frequency 187
    - high-power pulsed 188
    - intensity 187
    - power 188
    - pulse 190

- pulsed CO<sub>2</sub> 188
- solid state diode pumped 188
- triggered vacuum arc 189f.
- lattice 4
  - constants 310ff.
  - mismatch 311, 315f.
  - regular triangular 319
  - vibrations 5
- layer
  - AlGaAs spacer 9
  - anti-adhesive 221
  - antiferromagnet-pinned reference 424
  - antiferromagnetic oxide 72
  - bi- 426
  - boundary 194
  - BOX 393f.
  - cap 429
  - charge-storage 354, 359
  - charge-trapping 354, 372, 376
  - dead 429
  - dielectric 102
  - diffuse 495
  - $\delta$ -doped 97, 101ff.
  - double 495
  - drain 70
  - ferromagnetic 68, 99f.
  - free 423f., 426ff.
  - GST 449f.
  - Helmholtz 495
  - insulating 100, 137f.
  - interconnect 229f.
  - magnetic 72, 99
  - multiple 426
  - n-semiconductor 96, 98
  - n-type  $\delta$ -doped 9f., 88f.
  - oxide-nitride-oxide (ONO) 366, 373, 376
  - oxidizable 494
  - permalloy free 72
  - pinned 423ff.
  - protective 198
  - reference 427
  - residual 222, 224, 229
  - seed 428, 432
  - semiconductor 88, 97
  - SOI 393f.
  - space 68
  - spacer 432
  - strained 2-D 313
  - storage 354, 357, 359
  - thickness 100, 224
  - trapping 370f.
- leads 7f., 41ff.
- lens
  - condenser 148
  - electromagnetic 139
  - electron 143
  - electrostatic 143, 170
  - magnetic 144
  - non-rotational-symmetric 145f.
  - optical 137ff.
  - real 146
  - rotational-symmetric 146
- level
  - discrete 44
  - separation 39
  - spacing 39
  - spectroscopy 56
  - splitting 56
- lifetime 189ff.
  - collector 192
  - electrode 190
- line edge roughness (LER) 199f., 201f.
- lithography 137ff.
  - atom 210
  - bio-inspired 210
  - charged particle 137, 139ff.
  - chromeless phase (CPL) 159f.
  - commercial 155
  - deep ultraviolet (DUVL) 138f., 156, 158ff.
  - direct-write 151
  - electron beam (EBL) 140ff.
  - electron beam direct-write (EBDWL) 158, 162ff.
  - electron projection (EPL) 139, 164f.
  - extended ultraviolet (EUVL) 139, 158, 182ff.
  - extreme ultraviolet 181f.
  - Gaussian beam 147, 159
  - gray-scale 228
  - hybrid 158
  - ion beam (IBL) 140, 172f.
  - ion direct-structuring (IDS) 174
  - ion projection (IPL) 139
  - low-energy electron beam proximity (LEEPL) 165f.
  - maskless (ML2) 139, 164, 170
  - mix-and match 158, 172
  - mold-assisted 211
  - molecular 282f.
  - multiple-electron-beam 139
  - nanoimprint (NIL) 139f., 158, 170, 209ff.
  - non-optical 209f.
  - optical 137, 170, 222
  - photoactive nanoimprint (PNIL) 170
  - process 139
  - projection electron beam (PEL) 164f.
  - projection maskless (PML2) 167ff.
  - proof-of (POL) 169
  - proximity electron (PEL) 139

- proximity maskless 169, 170
  - reversed contact UV-NIL (RUVNIL) 228f.
  - reversed nanoimprint (RNIL) 228
  - thermal nanoimprint 211
  - SCattering with Angular Limitation PEL (SCALPEL) 164
  - sequence-specific molecular 281ff.
  - shaped beam 148
  - single-step NIL 215
  - soft 210
  - step-and-flash imprint (SSIL) 216f., 223
  - step-and-stamp imprint (SFIL) 216ff.
  - technique 139
  - thermal nanoimprint (NIL) 212ff.
  - ultraviolet nanoimprint (UV-NIL) 211f., 222
  - LMR (Laboratory of Molecular Robotics) 250ff.
  - nanomanipulation 250
  - software 260
  - loading effect 161f.
  - localization 16f.
  - weak 13ff.
  - Lorentzian 47
  - density 46
  - peaks 42
- m**
- macromolecular network 214
  - macromolecule 214
  - magnetic 419ff.
  - configuration 67
  - field 4, 12, 16ff.
  - field constant 188
  - film stack deposition 437
  - flux 14, 19, 22, 24f., 425
  - flux quantum 17, 24f.
  - memory 70
  - moments 67, 70, 78
  - multilayers 65, 67
  - nanopillars 66
  - permeability 128
  - relaxation time 17f.
  - semiconductor electrode 86
  - sensing 99
  - storage 420
  - transition metals 70
  - magnetic tunnel junction (MTJ) 66, 421ff.
  - encapsulation 438
  - magnetization 420ff.
  - anti-parallel 422f.
  - ferromagnet 420
  - moment 66
  - parallel 422f.
  - magneto-conductivity 21
  - magnetoresistance (MR) 19, 23, 25f., 65, 77ff.
  - disorder suppresses 82
  - Dyakonov's 74, 76
  - giant (GMR) 66ff.
  - negative 81f.
  - positive 74
  - ratio 421
  - tunnel (TMR) 66ff.
  - magnetoresistive random access memory (MRAM) 419ff.
  - back-end-of-line (BEOL) processing 436, 440f.
  - basic 420
  - cell structure 429
  - circuit design 429ff.
  - future 441f.
  - hinges 436
  - integration 436
  - magnetic tunnel junction MTJ-MRAM 421ff.
  - process steps 437ff.
  - processing technology 436
  - reference cell defects 436
  - reliability 438
  - resistance 423
  - structure 421, 423
  - toggle 431f.
  - toggle-mode 432
  - magnetostatic demagnetization 426
  - magnification 146, 183, 191, 196
  - magnon 84ff.
  - density of state 85
  - emission 86
  - frequency 85
  - manipulation 257ff.
  - distance 253
  - DNA 282
  - enzymatic 278
  - interactive 260
  - LMR 257
  - of nanoparticles 253
  - operation 251
  - mask 183, 198f.
  - blank 198f.
  - hard 411, 429, 437f.
  - hybrid 228
  - length 199
  - reflective 139
  - soft photoresist 429
  - stencil 164
  - transmission 164, 174
  - material

- cap 429
- ferroelectric 397, 401ff.
- magnetic 397
- phase-change 397
- resistive switching 397
- matrix-isolation
  - 2-D 331
  - method 324
- maximum binary throughput (BIT) 110
- mean free path
  - elastic 4f., 9f., 14, 19, 68
  - inelastic 4f.
- memory cell 352f., 358f.
  - AND 358
  - array architecture 358
  - charge-trapping flash 370, 375f.
  - disturbs 361f.
  - embedded 420
  - EPROM tunnel oxide (ETOX) 361ff.
  - ferroelectric random access memory (FRAM) 397ff.
  - flash 447
  - floating gate memory 361
  - magnetoresistive (MRAM) 397
  - multi-bit 370f., 377
  - multi-bit charge trapping 372ff.
  - NAND string 370
  - NAND-type 358f., 363ff.
  - non-volatile 351f.
  - NOR-type 358f., 361ff.
  - phase change (PCM) 397, 448ff.
  - resistive (RRAM) 397
  - silicon nanocrystal flash 377
  - SONOS 370f., 375, 377
  - stacked gate 361
  - TANOS 372
  - three-dimensional stacking 370
  - virtual ground NOR 358
- metal
  - lift-off step 223, 227f.
  - ligand 2-D network 329
- metal nanoparticle 334ff.
  - assembly 337
  - one-dimensional assembly 341f.
  - preparation 334ff.
  - self-assembly 334ff.
  - three-dimensional assembly 337f.
  - two-dimensional assembly 339ff.
- metal
  - organothiols 325
  - spacer 68
  - strap 434f.
- metallic
  - dots 51
  - ferromagnetic electrode 86
  - ferromagnetic nanowire 99
  - half 79
  - heterostructures 65, 69
  - island 39
  - nanostructures 33
  - nanotube 38
  - quantum dot 51, 56
  - spacer 72
  - spin valves 72
- metallization 278, 281ff.
  - biomolecules 281
  - DNA 283ff.
  - gap 283f.
  - gold 283f.
  - PZT 407
- metalorganic chemical vapor deposition (MOCVD) 405ff.
  - PZT 407, 412
- metrology 233
  - non-destructive 223
- microfluidics 214, 230
- mirror 195ff.
  - diameter 197
  - real 194
  - multilayer 185, 194f.
  - reflecting multilayer 182, 196, 198
  - spherical multilayer 183
- misfit dislocation network 313
- mode
  - AC 244
  - contact 243, 250, 255
  - dynamic 243f., 246, 251
  - intermitting-contact 244
  - magnetic AC (MAC) 244
  - magnon 84f.
  - non-contact 244
  - oscillatory 244
  - phonon 84f.
  - tapping 244
- model
  - capacitance 49
  - constant interaction 49f.
  - defect chemistry 403
  - effective circuit 70
  - energy barrier 123
  - equivalent circuit 69
  - honeycomb-chain-trimer 319
  - independent particle 40
  - Kane's 72
  - kp 73
  - Luttinger-Kohn's 72
  - microscopic 77
  - Mott's two-fluid 66, 69

- throughput 185
  - modulation transfer function (MTF) 200f.
  - molecular
    - beam epitaxy (MBE) 306, 313
    - biology 275
    - building blocks 320
    - electronics 278
    - hexagonal network 319
    - island 59
    - layers 318
    - mobility 214
    - monolayer 322
    - recognition 276
    - -scale building blocks 275
    - -scale electronics 275, 277
    - self-assembly 320
    - shift-registers 293
    - systems 57
    - weight 213
  - molecule
    - chiral organic 327
    - information-carrying 278
    - non-recurring sequences 293
    - oligophenylene ethynylenes (OPE) 331f.
    - periodic 293
    - reorganization 318
    - self-assembly (SAM) 306
    - symmetrical 332
  - monolayer 320
    - high surface steps 315
    - thick wires 315
  - Monte-Carlo-based simulation 152
  - MOSFET's 77
  - Mott and Davis's picture 460
  - multilayer
    - coated components 196, 198
    - optics 194
    - systems 194f.
  - multi-pass
    - gray writing 160
    - writing 150
  - multispin system 66
- n**
- nanoelectronic systems 4f.
  - nanofabrication 209ff.
    - bottom-up approaches 209
    - emerging approaches 209
    - methods 305
    - top-down approaches 209
  - nanoimprint 210, 217
    - process 210, 212
    - roll-to-roll 217, 222
    - stamp 217
  - thermal 212
  - nanoionics 485f.
  - nanoislands 313f.
    - lateral positioning 314
    - semiconductors 313
  - nanomagnets 70
  - nanomanipulation 239, 247, 256
    - LMR 250
  - nanoparticle 257, 264, 334ff.
    - linking 259f.
    - metal 334
    - optical properties 334
    - pattern 257
  - nanopatterning 209f., 257
    - bottom-up emerging 210
  - nanostructure
    - fabrication 306
    - formation 305, 311
    - functional 305
    - growth 306
    - inorganic 318
    - self-assembled 306
    - semiconductor 311
    - supramolecular 327
    - templates 318
    - thermodynamically stable 309
  - nanowire 99f., 257f., 315ff.
    - conductive 100
    - semiconductors 313
    - silicide 315
  - narrow-gap
    - n'-region 102
    - semiconductor 103
  - Navier-Stokes equation 224
  - near-Gaussian intensity 147f.
  - Newtonian fluid
  - noise
    - environment 400
    - immunity 400
  - non-equilibrium
    - electrons 92, 99
    - Fermi levels 89
    - spin polarization 86
  - non-recurring sequences 293
  - non-relativistic action 14
  - non-volatile memory (NVM)
    - market 447
    - technologies 447
  - nucleation 314, 406
    - ordered 315
    - process 406
    - regime 308
  - nucleoprotein filament 283, 285ff.
  - nucleus

- critical 307
- subcritical 307
- numerical aperture (NA) 137ff.
- Nyquist contribution 5
- Nyquist-Johnson noise 117

**o**

- oligonucleotide 278f.
  - 12-base 279
  - sequence 279
  - single-stranded 279
  - solution 280
  - synthetic 294
- one-dimensional
  - density 8
  - electron gases (1DEGs) 19
  - leads 7f.
  - structure 4
  - system 3
  - wire 8
- Onsager relation 75
- operation
  - CHANGE “0-1” mode 112f., 122
  - continuous 189
  - elementary switching 112
  - pick-and-place 255
  - READ 111
  - short-term 189
  - STORE “0” mode 112f.
  - STORE “1” mode 112f.
  - switch 118
  - TALK 111
  - WRITE 111
- optical
  - imaging 224
  - lens 137ff.
  - reflection 223
  - system 196ff.
- orbitals 42, 52f.
  - electronic 53, 58
  - energies 50
  - one-particle 43
  - single-electron 40
- oscillation
  - Al’tshuler-Aronov-Spivak 21f., 24ff.
  - cycle 246
  - magnetic vortex 72
  - pattern 26
  - resistance 21f.
- oscillator 11, 57ff.
- Ostwald ripening 309f., 323
- overpotential concentration 495
- Ovshinsky’s picture 460
- oxygen vacancies 403

**p**

- parallel
  - configuration 71f.
  - moments 66ff.
- pattern transfer 215, 230
  - technology 233
- patterning 151, 153, 173, 317, 429
  - ability 228
  - 3-D 227f.
  - double 181
  - electron beam 153
  - information 282
  - ion-beam-induced 175
  - metallization 283
  - multiple ion beam projection maskless (PMLP) 175
  - process 233
  - tunnel junction 437
- Pauli’s
  - matrices 77
  - principle 39, 42, 45
- penetration depth 182, 199f.
- permanent magnetic momentum 124
- permittivity of free space 187
- perovskite
  - capacitor 407
  - crystal structure 407
  - oxide electrode 407f.
- phase 290ff.
  - helper 292
- phase
  - accumulation 5, 14, 16
  - breaking 5, 17
  - -breaking time 6, 16
- phase change memory (PCM) 397, 447ff.
  - amorphization processes 458f.
  - back-end-of-line (BEOL) processing 436, 440f.
  - bipolar p-n-p select device 465
  - cell components 464
  - cell formation 466
  - cell optimization 467
  - cell size scaling 476f.
  - cell structures 464f., 467f.
  - chalcogenide 453ff.
  - crystallization processes 458f.
  - cycling 470
  - design optimization 458f.
  - dissipated power 473f.
  - failure modes 470
  - figure of merit 478
  - integration 464ff.
  - Joule heating 467, 474
  - material 397, 453, 458ff.



- material parameter 457
- material phase transitions 458
- modelling 458
- optimization direction 457
- physics 458f.
- programming characteristics 452
- properties 457
- read and program disturbs 472
- recovery 463
- reliability 469
- reset current 473ff.
- RESET state 450ff.
- retention 469f.
- scaling 472f., 475f.
- SET resistance 478
- SET state 450, 452, 458f., 469f.
- switching 397, 458f.
- thermal resistance 467
- thermal stability 469
- thickness 468
- 1T1R cell structure 465
- technology 469, 474
- temperature profile distributions 472
- transient behavior 463f.
- voltage scaling 474f.
- phase-coherence length 4ff.
- phase-coherent pieces 31
- phase-coherent transport 3, 5, 13, 34
- phase
  - change 448, 450
  - factor 17
  - memory 4, 14
  - separation 492f.
  - shift 5, 14f., 17, 26f.
  - transformation 448f., 455
- PHINES (programming by hot-hole injection nitride electron storage) 374
- phonon 84ff.
  - blockade 58
- photodetector 241
- photodissolution 493
- photolithography 137ff.
  - immersion 138f.
  - process 137f.
- photomask 158ff.
  - binary 159f.
  - blank 158, 170
  - chromeless phase lithography (CPL) 159f.
  - fabrication 170ff.
  - high-resolution 159
  - patterning 159
  - phase-shift (PSM) 159f.
  - transmission 137ff.
- photon 203
  - based solution 182
  - statistics 201, 203
  - wavelength 137ff.
- photonic
  - applications 230
  - crystals 227f., 233
- photoresist 137, 153ff.
  - bi-layer process (BLR) 158
  - chemically amplified (CA) 156ff.
  - diazonaphthoquinone (DNQ) 155f.
  - hydrogen silsesquioxane (HSQ) 157f.
- photosensitive components 233
- physical vapor deposition (PVD) 192, 322
- physiosorbed 53
- pinned 423ff.
  - antiferromagnet- 424f.
  - ferromagnet 426
  - layer 423ff.
- pinning 423ff.
  - strength 426, 429
- pitch
  - bitline (BL) 361, 363
  - wordline (WL) 361ff.
- pixel values 243
- Planck's
  - constant 186
  - law of radiation 186
  - limit 186
- plasma
  - column 188
  - cylinder 188
  - discharge-produced 186ff.
  - EUV-emitting 185
  - EUV-emitting pinch 193
  - focus 189
  - frequency 187
  - gas-discharge 188f.
  - hollow-cathode-triggered pinch 189
  - hot 186, 188
  - ignition 188
  - laser-induced 186f., 189
  - lithium-based 182
  - pressure 188
  - source 182
  - state 186
- plasmonics 233
- point contact opening 13
  - geometrical shape 13
- Poisson equation 120
- polarity state
  - opposite- 404
  - stored 404
- polarization 65f., 68, 399f., 411
  - backswitching 404

- behavior 402
  - degradation 411
  - effective 78
  - field 404
  - reduction 403
  - remanent 401f.
  - retention 403
  - reversals 402
  - tunnel 68
  - tunnel current 78
  - polarized
    - light 66
    - radiation 101
    - radiation recombination 103
  - polycyclic aromatics compounds 319
  - polymer 211ff.
    - amorphous 225
    - biocompatible 230
    - chain 213
    - conducting 218, 230
    - crosslinked 214, 228
    - film 211f., 220, 229
    - flow 211f.
    - layer 212, 222, 227
    - light-emitting 230
    - loaded with nanoparticles 230
    - molding 210
    - nanoimprinted 223
    - optics 214
    - overflow 229
    - pattern 228
    - pre- 214
    - surface structured method 211
    - technology 210
    - thermoplastic 212f., 228
    - thermosetting 212
    - UV-curable 229
    - viscosity 213
  - polymerization 214, 283
    - RecA 285
  - polymethyl methacrylate (PMMA) 155, 202f., 225
  - polymorph 489
  - Poole-Frenkel mechanisms 462
  - positioning paths 264f.
  - potential
    - barrier 92
    - 2-D profile 11
    - electrochemical 43, 88
    - external 49ff.
    - parabolic 11
    - profile 10f., 19
    - saddle-shaped 11
    - vector 16, 25
    - well 10f.
  - power
    - consumption 127
    - spectral density (PSD) function 197
  - printing 211ff.
    - cycle 211
    - direct- 230
    - micro-contact 210, 331
    - nano-contact 331
    - pressure 213
    - roll-to-roll 217
    - techniques 217, 230
    - temperature 212ff.
  - Probe Control Software (PCS) 252
  - process flow 137f.
  - projection optics 137ff.
    - mirror 139
  - projection
    - Exposure with Variable Axis Immersion Lenses (PREVAIL) 164
    - performance 152
    - space charge effects 166
    - system 145
  - proof-of-concept (POC) tool 168f.
  - propagation 8
    - electron 9f., 14
    - free 10, 15
  - protein machine 276
  - proximity
    - correction 153f., 159
    - effect 152f., 160
    - function 153
  - pushing
    - interactive 253
    - nanoparticle 253
    - operating 252, 254
    - paths 264
    - perfect 253
- q**
- quantization axis 66, 70f., 77
  - quantum channels 29
  - quantum chemical calculations 59
  - quantum computing 77
  - Quantum-Confined Stark Effect 131
  - quantum confinement 49, 53
  - quantum dot 4, 50, 59f.
    - nanotube 38f., 60f.
    - self-assembled 39
    - semiconducting 38f., 60f., 233
    - single molecule 39, 60f.
    - spin-polarized 76
    - systems 39
    - well 65, 131

- quantum
  - confinement 377
  - effects 6
  - energy 38, 50
  - level splitting 39
- quantum mechanical
  - behavior 37
  - correction 21
  - wave function 37
- quantum
  - mechanics 37
  - point contact 3, 9, 13
  - quantization 39
  - regime 6
  - splitting 53
  - states 41
  - well 9, 20, 21, 66, 102
- quantum wire 27f.
  - networks 22
- quasi steady-state solution 224
  
- r*
- radiation
  - background 113
  - blackbody 186
  - EUV 194, 199, 203
  - polarization 103f.
  - power 189
  - recombination 103
- Radical Innovation MAnless NAnolithogrophy (RIMANA) 169
- Rashba effect 20, 21
- raster scanning 147
- RecA 282ff.
  - monomer 283
  - nucleoprotein filament 284ff.
  - protein 282, 285f.
  - servings 285
- recognition 288f.
  - facet 289
  - process 293
  - sequence-specific 282
- recombination 278
  - homologous genetic 282f., 285
  - reaction 282
- reflection 7, 30, 130
  - back- 30
  - index 195
  - probability 8f., 29f.
- reflectionless contacts 47
- reflectivity 191f., 193ff.
  - angular-dependent 191
  - EUV 198
  - finite 191
  - grazing incidence 192
  - incidence 182
  - mirror 182
- refraction
  - electron-optical 143
  - index 130, 181, 192, 194, 215
- regime
  - ballistic 6
  - diffuse 6
  - quantum 6
- n'-region 101ff.
- n'-region 101
- p-region 101ff.
- remanence 423
- repetition rate 189
- replication 219, 278
- reservoir 7f., 11f., 40ff.
  - drain 41
  - source 41
- resist 153ff.
  - amplified 201ff.
  - bi-layer process (BLR) 158, 167
  - chemically amplified (CA) 156ff.
  - commercial 155
  - dispenser 217
  - electron 139f., 147, 151, 153ff.
  - exposure 153
  - hydrogen silsesquioxane (HSQ) 157f.
  - inorganic 228
  - liquid 214
  - monomer 170
  - negative 154f.
  - plane 137f.
  - positive 153ff.
  - processing 140
  - sensitivity 184f., 199, 201, 203
  - sequence-specific 283, 286
  - single-layer 167
  - thickness 199ff.
- resistance 4, 7, 9, 13ff.
  - corrosion 321
  - fluctuations 27, 31
  - four terminal 8
  - macroscopic 7
  - modulations 25
  - off-state 508ff.
  - on-state 508ff.
  - oxidation 410
- resolution 138, 149, 154, 181, 199f.
  - capability 155
  - enhancement technique (RET) 138, 159
  - high 141
  - near-atomic scale 199
  - optical 151

- resonance 44, 48
  - energy 45
  - frequency 243f.
  - line width 48
- resonant
  - conductance 80
  - energy 45
  - quantum 48
  - state 45
  - transmission 81
  - tunnel diode-type 83
  - tunneling 81f.
- retention 365ff.
  - characteristics 366
  - data 385
- retention failure
  - mechanism 405
  - problem 405
- retention
  - loss 365, 367, 404
  - opposite-state 404, 407
  - properties 365, 371, 407
  - pulse sequence 405
  - result 406
  - same-state 404
- return probability 16
  - total 16
- reversed-biased 93
- rheology 211f., 224
- Richardson's factor 90
- root mean square (RMS) figure error 197ff.
- rotation matrix 20
  
- s**
- scan
  - line 243
  - slow 243
- scanner
  - DUV 183
  - EUVL 195f.
  - response 249
- scanning electron microscopy (SEM) 141, 163, 215, 223, 255
  - field emission 260
- scanning probe microscopy (SPM) 239, 324
  - imaging 240
  - nanolithographic 240
  - tip 239
- scanning tunneling microscopy (STM) 239, 316, 324
  - tip 239f.
- scattering
  - center 4, 14, 16, 19f., 27
  - diffuse boundary 19
    - elastic 4ff.
    - electron 5
    - electron-electron 5
    - electron-photon 5
    - event 4
    - inelastic 3ff.
    - intersubband 12
    - ionized impurity 9
    - length 5
    - Mott skew 74
    - small angle 199
    - small-energy-transfer electron-electron 5
    - spin 20, 22
    - spin-flip 5
    - target 5
- scatterometry 223
  - spectrum 224
- scFv 289ff.
  - antibody 291
  - fragments 289ff.
  - molecule 292
- Schottky
  - barrier 74, 77, 87ff.
  - contact 87, 92, 97
  - $\delta$ -doped barrier 88ff.
  - junctions 66, 78, 87ff.
- Schrödinger equation 77
- second-order process 44, 59
- seeding 405
- self-assembled monolayer (SAM) 321ff.
  - adsorption of nanocomponents 330
  - applications 330
  - densely packed 322
  - head group 325
  - highly ordered 326
  - mixed 323
  - preparation 322f.
  - spacer 325
  - substrate 325
  - surface modification 330
  - terminal functional group 325
- self-assembly 276, 283, 287, 305
  - complex 276
  - epitaxial growth 306
  - formation of nanostructures by 306
  - of atoms 305
  - of molecules 306
  - process 326
- self-organization 317, 320
- semiconductor 94ff.
  - conductivity 96
  - degenerate 66, 93
  - heterostructures 65, 96
  - high-resistance 96

- interface 96
- layers 9, 97ff.
- nanostructures 33
- narrower gap 101
- non-degenerate 91, 96
- non-magnetic (NS) 86, 94f.
- n-type 96f., 99ff.
- n<sup>+</sup>-type 96
- parameter 96
- quantum dot 51, 56f.
- ring structures 25
- structures 18, 32
- SET/RESET programming cycles 469ff.
- shallow trench isolation (STI) 361
- shear stress 225
- shift registers (SRs) 277
- Shockley-Hall-Read (SHR)
  - recombination 461
- short-chain segments 213
- shot noise 201ff.
- silicon
  - band-gap 354
  - hydrogen-passivated 240
  - surface 240
- single-electron effects 37, 40
- single-particle
  - energy level 41f., 49f.
  - orbitals 41
  - Schrödinger equation 49
- singlet states 57
- Slater determinat 40
- solid electrolytes 485ff.
  - alkali metal ion 489
  - chalcogenides 489
  - device application 489
  - device layout 504, 506
  - future directions 511f.
  - inorganic 488
  - lithium batteries 488
  - mass transport 485f.
  - memory devices 504f.
  - operation 504
  - surface 486
  - technological challenges 511f.
  - ternary 497
- solid metal electrodeposits 488
- solid-state memory technology 449
  - source
    - collector module 183
    - concept 189
    - high power 192
    - incoherent plasma 182, 185
    - plasma 183
    - power specifications 185, 189
    - spatially extended plasma 183
    - synchrotron radiation 186
    - thermal 192
    - tin-based gas discharge 193
  - spacer 194
    - materials 194
    - oxides 82
  - spatial frequency range
    - high (HSFR) 198
    - mid (MSFR) 198f.
    - roughness 198
  - spatial uncertainties 247f., 252
  - spectroscopic tool 53
  - spin
    - accumulation 69ff.
    - angular moment 70
    - angular momentum transfer rate 72
    - -coated film 211, 228
    - coefficient 90
    - -coherence time 96
    - conductances 71
    - current 73
    - factor 90
    - filter 422
    - -flip 56, 68, 71
    - density 66
  - spin-diffusion 88
    - depth 93
    - length 91, 101
  - spin
    - down states 19, 66f., 71
    - drift 88
    - -drift length 91
    - -effects 19
    - ensemble-based quantum computing 66
    - extraction 86ff.
    - factor 90
    - field effect transistor 21
    - -flip scattering length 427
    - -Hall effect (SHE) 66, 73f., 75f.
    - injection 77, 86ff.
    - injection/accumulation 86
    - injection efficiency 65f., 68, 87f., 90f., 94f.
    - injection-extraction processes 65f., 86
    - LED 66
    - logic circuits 76
    - logic devices 66
    - majority 78, 80, 82, 102
    - minority 70, 78, 80, 82, 102
    - -mixing 86
    - momentum 70f.
    - non-equilibrium 66
    - -orbit coupling 3, 19, 21, 66

- orbital (SO) coupling 72ff.
- orbital (SO) interaction 74f.
- orientation 19f., 76
- penetration depth 91, 93
- penetration length 95
- polarization 65f., 71, 88, 93ff.
- polarization flux 75
- polarization vector 75
- polarizer 422
- precession 3, 19ff.
- precession frequency 75
- precession wave vector 73
- projection 67, 70, 80
- relaxation 69
- relaxation time 65, 75, 86, 96
- rotation angle 99ff.
- selective properties 88, 101
- state 19f.
- subband 78
- torque (ST) measurements 71
- torque (ST) switching 66
- transport 65f., 88
- tunneling 66, 89
- unpaired 60
- up states 19, 66f., 71
- valve 72, 421
- valve effect 97
- wave function 71
- spintronic
  - devices 65, 421f.
  - effects 65, 67
  - mechanism 99
- split-gate 9ff.
  - electrodes 9ff.
  - point 3, 7
  - quantum point contact 9ff.
- spring constant 244ff.
- sputtering 193
- stability
  - diagram 52ff.
  - mechanical 226
- stamp 211ff.
  - anisotropy 226
  - cavities 213, 224ff.
  - design 213, 225
  - deterioration 223
  - imprint 222
  - quartz 221
  - removal 227
  - roll-to-roll 223
  - silicon 220
  - three-dimensional 230
  - transparent 211
  - two-dimensional 221
  - UV-transparent 221
- standard spin algebra 80
- statistical mechanics 42
- Stefan equation 224
- step edge 315f.
  - energy 310f.
- Stokes equation 226
- Stoner spin-splitting 82
- storage
  - data 397
  - element 397
  - -node 387
  - -node contact 385f.
- subbands 11f.
  - 1-D 11
- substrate 138, 211f., 428f.
  - deformation 224
  - inorganic 318
  - planar 322
  - preparation 322
  - SAM
  - semiconductor 292f.
  - single-crystal metal 322
  - support 212
  - surface 318f.
  - p-type 287
  - ultra-smooth 428
- superexchange process 45
- superlattice unit cell 326
- superposition 28, 77
- superstructure 325f.
- supramolecular 320ff.
  - assembly 330
  - binding 327
  - chemistry 321, 327
  - 2-D honeycomb network 328
  - nanostructures 321
  - structure 320, 328f.
  - systems 321
- surface 319
  - effects 77
  - energies 221, 312f.
  - flat 255
  - imperfect 84
  - inorganic 293
  - lattice 320
  - metal layer 223
  - model 322
  - nanostructured 222
  - non-oxidizing 321
  - reconstruction 293, 308, 311, 319
  - roughness 192, 195, 197, 322
  - semiconductor 321
  - silicon 320

- specifications 197
- state 84
- states assisted TMR 84
- stress domain 310
- states assisted tunneling 86
- topology 197, 211
- switching 430ff.
  - bidirectional 439
  - bipolar 511
  - characteristics 430, 433, 449
  - critical threshold 451
  - energy 130f.
  - field 440, 451
  - memory 448
  - modelling of RESET 462f.
  - modelling of SET 462f.
  - Stoner-Wohlfarth (S-W) 430ff.
  - threshold 448, 451
- symmetry
  - points 72
  - translational 41
- t**
- Tamm states 84
- template 259f.
  - affinity 331
  - fabrication 176
  - imprint 170, 176
  - stripping 322
- thermal
  - activated process 225
  - evaporation 322
  - expansion 198
  - expansion coefficient (CTE) 198
  - fluctuations 57
  - stability 195f., 214f.
  - temporal 215
  - velocity 90
- third-order perturbation theory 73
- thouless energy 32
- time-dependend
  - dielectric breakdown (TDDB) 440
  - resistance drift (TDRD) 440
- time-depending perturbation theory 44
- time-energy uncertainty 45
- top-down
  - approach 305
  - method 305
  - strategy 275, 305
- topography 243
  - non-null 250
  - signal 250ff.
- trajectory 27f.
  - closed 19f.
  - electron 23, 28
  - electron propagation 14
  - equation 145
  - paraxial 144
  - time-reversed 22
- transimpedance 509
- transistor 383ff.
  - array 383ff.
  - array field-effect transistor (FET) 390
  - fin-array-FET 390ff.
  - formation process 385
  - performance 384f., 390
  - peripheral 392
  - recess-channel array (RCAT) 389f.
  - silicon-on-insulator (SOI) 390
  - surrounding gate (SGT) 391ff.
  - trench isolated (TIS) 390ff.
  - vertical 391
- transit time 98f.
- transition 44, 186f.
  - classic 114ff.
  - 2D to 3D 313
  - direct 44
  - final state 44
  - initial state 44
  - intermediate state 44
  - over-barrier 116f.
  - quantum 114ff.
  - spontaneous, *see* error
  - thermal 117
  - through-barrier tunneling 116f.
- transmission 7, 47
  - amplitudes 71
  - coefficient 71, 79
  - electron microscopy (TEM) 194, 255
  - ideal 12
  - mask 139, 164
  - optical 193
  - probability 9, 12, 28, 30f., 71, 78f.
- transport 42f.
  - ballistic 6f.
  - classical 6
  - coherent-incoherent 43
  - diffuse 7
  - elastic-inelastic 44
  - linear 52
  - non-linear 54
  - non-phase coherent 15
  - phase coherent 15
  - phenomena 6
  - properties 9, 27
  - quantum ballistic 6
  - regimes 6
  - resonant 43, 45, 48

- resonant-off-resonant 44
- triplet states 57
- tunnel
  - barrier 42, 67, 94
  - barrier dielectrics 440
  - current density 78
  - exchange vertex 85
  - Hamiltonian 84f.
  - junctions 49, 66, 79, 82
  - magnetoresistance (MR) 65
  - spin junctions 65
  - width 80
- tunneling 59ff.
  - band-to-band 373
  - co- 44, 59ff.
  - condition 115
  - conductance 84
  - contact resistance 96
  - direct 45, 358
  - elastic 44, 59f., 85
  - elastic coherent 89
  - electron 65
  - final 67
  - Fowler-Nordheim (FN) 357f., 361ff.
  - inelastic 59, 61f., 85
  - initial 67
  - matrix element 67
  - out 55
  - probability 115f.
  - process 42, 62
  - quantum mechanical 114
  - sequential 44, 59
  - spectroscopy 61
  - surface-to-surface 84
  - thermoemission current 92
  - transparency 87
  - velocity 78
- two-dimensional
  - electron gases (2DEGs) 5, 9f., 12f., 15f., 18f., 73
  - structure 4

**u**

- UHV 240f.
  - methods 322
  - system 323

**v**

- vacuum condition 183
- Vasko-Rashba
  - coupling constant 73
  - effects 66
  - Hamiltonian 73f.
  - spin splitting 73f.

- term 73
- vector
  - multi-pass strategy 161
  - scan exposure strategy 149
  - scanning 137f.
  - -shaped beam 137, 150
  - single-pass strategy 161
  - strategy 137
- vibrational
  - frequencies 59
  - modes 57ff.
  - molecular states 57, 59
- vibrons 57
- viscosity 212, 214, 224f.
  - inherent shear-rate-dependent 225
- voltage
  - operation 412
  - scaling 412
- Volmer-Weber 3-D island growth mechanism 497

**w**

- wafer 140, 155, 162f., 166, 169, 181
  - full-patterned 216
  - silicon 137, 215, 322
  - throughput 182, 184, 199
- wavefunction 40, 78
  - transverse 41
- wavelength 181f.
  - centroid 199
  - De Broglie 210
  - laser 187
- wavevektor 32
- weak
  - antilocation 19ff.
  - coupling 42, 45, 49
  - localization effect 3, 15f., 18ff.
- welding 258, 260
- Wenzel-Kramers-Brillouin (WKB) approximation 115
- Wetting control 321
- Wien's law 186
- wire
  - boundaries 19
  - fluctuations 31
  - InGaAs/InP 21
  - structures 19
- wordline (WL) 361ff.

**z**

- Zeeman
  - effect 57
  - splitting 77, 125
- zero-dimensional structure 4



## Index

- a**
- activation energies 39, 126
  - active-matrix liquid crystal displays (AMLCDs) 134, 144, 147
  - action potential 252f.
  - AFM (atomic force microscopy) 13, 15, 56, 170f., 181f.
    - MWNT tip 171
    - SWNT tip 170f.
  - ALD (atomic layer deposition) 36
  - anti-ferroelectric 113f.
    - ordering 331f.
  - Arrhenius plot 39
  - artificial intelligence 251, 257f.
    - biological computations 275f.
    - canonical system 259
    - cellular neural networks (CNN) 266ff.
    - cerebral cortex 275
    - CMOL (Cmos/MOLecular hybrid) 278ff.
    - CMOL Nano-Cortex 279f.
    - Connected Network of Adapted Processors (CNAPs) chip 268ff.
    - contextual analysis techniques 260
    - cortical column analysis 280f.
    - cortical networks 276
    - digital neural network chip 265f.
    - digital signal processing (DSP) 258ff.
    - digital SIMD parallel processing 268ff.
    - flexibility trade-offs 260ff.
    - front-end operations 258ff.
    - Hidden Markov Model (HMM) 260
    - instruction level parallelism (ILP) 274
    - intelligent signal processing (ISP) 259, 263
    - latching switch 278
    - Markov Model 260
    - media chips 258
    - nanogrid 278f.
    - neuro-inspired silicon 263, 265
    - off-the-shelf 258
    - performance overkill 273
    - processor node (PN) array 269ff.
    - self-organizing structures 274f.
    - SIMD (Single Instruction, Multiple Data) architecture 267ff.
    - SYNAPSE-1 processor 272f.
    - The Broadcast Hierarchy (TBH) 278
  - biologically inspired models 280
  - block current 38
  - Bohr magneton 107
  - Boltzmann
    - constant 140, 344, 363
    - statistics 106, 113
- b**
- back bias effect 24
  - back-etched 14, 30ff.
  - background charge problem 53
  - ballistic transport 34
  - barrier
    - drain-induced 24
    - electrostatic potential 11f., 19, 37, 111, 332f.
    - energy 126
    - InAsP 37ff.
    - injection 200
    - tunneling 19, 191f., 195
  - barrier tunneling
    - asymmetric 192
  - Bayesian networks 256ff.
  - BCB (benzocyclobutane) 32
  - biological-inspired hardware 257ff.
    - Amdahl's law 258, 260ff.
    - analog/mixed signal design 267f.
    - analog neural network chip 265f.
    - aVLSI (analog Very-Large-Scale-Integration) technology 257, 263ff.
    - back-end operations 258ff.

- Boolean logic 69f., 214, 219, 368
  - functions 70, 75, 189, 205
  - operations 69f., 189
  - variables 197f., 219
- Broglie wavelength 49
- building blocks 53f., 220f., 263ff.
  - aVLSI (analog Very-Large-Scale-Integration) 263ff.
  - fault-tolerant full adder 221
  - fault-tolerant half adder 223
  - full adder 220f., 224ff.
  - half adder 220f., 224ff.
  - integrate and fire neuron 264
  - molecular wires 190f.
- c**
- carbon nanofibers (CNFs) 159
  - multi-walled (MWCNFs)
  - PECVD 159f., 169
  - vertical array 169
- carbon nanotubes (CNTs) 51f., 155ff.
  - chiral 156
  - CVD (chemical-vapor deposition) 157ff.
  - device physics 166f.
  - fabrication 163ff.
  - FETs 161ff.
  - growth 157ff.
  - interconnects 167f.
  - memory devices 167ff.
  - multi-walled (MWNTs) 155ff.
  - nanoelectronics 160ff.
  - nanoporous template 162f.
  - nanotube-on-insulator (NOI) 162
  - probes in metrology 170
  - properties 155ff.
  - single-electron transistor (SET) 52
  - single-walled (SWNTs) 155ff.
  - structure 155ff.
  - thermal interface material (TIM) 169
  - vertical aligned 163, 168
- CBE (chemical beam epitaxy) 30f., 37
- CCD (charge-coupled-device) 115
- channel
  - doping 11f., 16, 22
  - InAs 39f.
- charge carrier mobility
  - channel direction 6f.
  - conjugated polymers 125f., 130, 132f.
  - crystal orientation 6f.
  - enhancement 5ff.
  - gate-voltage dependent 126f.
  - molecular ordering 126f.
  - multiple trapping and release (MTR) model 126f.
  - room-temperature 30, 125ff.
  - SiGe heterostructures 5f.
  - single transport model 126
  - temperature-dependent 126f.
  - uni-axial strain techniques 6
  - variable-range hopping (VRH) model 126f.
- CMOS (Complementary Metal-Oxide-Semiconductor) 3ff.
  - active-matrix liquid crystal displays (AMLCDs) 134, 144
  - circuits 45, 54, 62f., 65, 203
  - CMOL, *see* biological-inspired hardware
  - 3D-DRAM array devices 3, 22f.
  - domino-type logic 58
  - double-gate device 12ff.
  - FinFET 13, 16ff.
  - Floating-Gate Flash 3, 20
  - gate all-around device 13, 15f.
  - high-*k* gate dielectrics 4, 7f.
  - inverter 99
  - logic 54, 63f.
  - metal gate 4, 7f.
  - midgap-like materials 8, 11
  - MOSFETs (Metal-Oxide-Semiconductor Field-Effect Transistor) 3ff.
  - multi-bridge 16
  - multi-gate devices 5, 8, 12ff.
  - multi-gate flash cell 19ff.
  - NAND 20f.
  - nano-size 3
  - n-type (NMOS) 6, 9
  - planar double-gate 13, 15
  - poly-silicon gate 8
  - p-type (PMOS) 5f.
  - recessed channel array transistor (RCAT) 22
  - silicon-on insulator, *see* SOI
  - SONOS SOI FinFET 4
  - tri-gate device 16f., 20
  - ultra-thin silicon-on insulator, *see* SOI
  - wafer-bonded planar double-gate 13ff.
- CMP (chemical mechanical polishing) 13f., 168
- conduction band 8f., 30
  - barrier 37
  - offset 8
- conjugation, *see* organic semiconductor
- Coulomb
  - coupled quantum dashes 113
  - diamond 48, 54, 199
  - interaction 113f., 343, 360
  - island 46ff.
  - potential 342

Coulomb blockade 46, 48f., 53f., 58, 351  
 – oscillation 48, 50f., 53, 62  
 – state 47f.  
 Cranck-Nickolson algorithm 347  
 cryptography, *see* quantum information  
 current  
 – modulation 97  
 – on/off ratio 40, 41f., 65, 97  
 – peak-to-valley ratio 63  
 CVD (chemical-vapor deposition) 14, 157ff.  
 – epitaxy 14  
 – plasma-enhanced (PECVD) 134, 157, 172  
 – TEOS (tetraethyl orthosilicate)

**d**

Damascene technique 23  
 Deutsch-Jozsca class of problems 120f.  
 dielectric layer 7f.  
 dielectrics high- $k$  8, 30, 37  
 dissipation  
 – energy 93f., 116, 363, 367  
 – power 97, 104, 116, 141  
 doping fluctuations 34  
 drift-and-diffusion mechanism 34

**e**

electromigration 167f., 183, 186f.  
 – single-molecule device 186f.  
 electron spin, *see* spin 69, 93  
 electroplating 31  
 electrostatic potential map 126  
 Elliott-Yafet  
 – mode 98  
 – spin relaxation mechanism 98  
 energy-delay-product (EDP) 40, 41  
 energy dispersion relation 97f.  
 entropy 366  
 etching 14, 16, 22  
 – aspect ratio 168  
 – wet 31f.  
 evaporation 131f., 185  
 – metal 32, 36  
 – thermal 131f.

**f**

FBI (focused ion beam) milling  
 72f., 77, 79ff.  
 Fermi-Dirac statistics 113  
 Fermi energy 101, 113, 218  
 Fermi-level 190, 344  
 – pinning 30  
 Fermi velocity 99  
 ferroelectric 114  
 ferromagnetic 69, 95, 106

– drain contact 95, 97, 99  
 – layer thickness 100  
 – materials 69, 72ff.  
 – NOT-gate, *see* magnetic domain wall logic devices  
 – source contact 95, 97, 99  
 Field-Effect Transistor (FET) 29  
 film  
 – amorphous semiconductor 125f., 128  
 – disordered polythiylenevinylene (PTV) 127  
 – iridium thin 170  
 – Langmuir-Blodgett 201  
 – poly(3-hexylthiophene) (P3HT) thin 128ff.  
 – SAM, *see* self-assembled monolayer  
 – semicrystalline 126, 131f.  
 – small-molecule polycrystalline 127ff.  
 – spun-cast 130  
 – vacuum-grown 131f.  
 fluorescence 222, 224f., 227ff.  
 Fourier transform operations 214  
 Fowler-Nordheim tunneling currents 7, 20  
 frequency 222  
 – cut-off 140, 143  
 – dump pulse of 230  
 – Larmor 96  
 – photons 222, 227, 229  
 – stokes pulse of 230  
 fuzzy logic 257f.

**g**

gate  
 – AND-gate 82ff.  
 – bottom 13ff.  
 – capacitance 18, 47, 58  
 – chemical logic 215  
 – Cr wrap 36f.  
 – defined quantum dot 113  
 – delay 39, 41f.  
 – dielectric growth 23  
 – dielectric tunneling 4, 20  
 – electrochemical 186f.  
 – fully silicided NiSi 9  
 – double- 12f., 16, 29  
 – Hadamard 374  
 – induced drain current 3  
 – leakage current 3, 7  
 – length 3f., 10f., 13  
 – material 9, 14, 16, 19f.  
 – metal 7f., 13ff.  
 – multi- 12ff.  
 – n+ poly-silicon gate 8, 10, 13, 15  
 – NOT-gate 75ff.  
 – oxidation step 51

- p+ poly-silicon gate 8f., 13, 15
- quantum logic 214, 367f., 374
- single Mid-Gap 9
- top 13ff.
- triple- 16, 29
- voting 335
- wrap-around 29, 36
- Green's function 342

**h**

- Hadamard
  - gate 374
  - matrix 374
- Hamiltonian 213f., 218
  - Hubbard-like, *see* quantum cellular automata (QCA)
- Hartree-Fock approximation 347
- Heisenberg uncertainty principle 49
- heterostructure nanowire transistor 36ff.
  - benchmarking 39ff.
  - design 30, 37, 40
  - InAs 29ff.
  - InAsP 37ff.
  - segments 37
  - WIGFETs 36ff.
- hot electron injection 20
- hybrid spintronics 93
  - spin bipolar junction transistors, *see* SBJTs
  - spin field effect transistors, *see* SPINFETs

**i**

- IETS (inelastic electron tunneling spectroscopy) 202f.
- impact ionization processes 33, 37
- International Technology Roadmap for Semiconductors (ITRS) 3f., 7, 62, 167, 175
- information theory 366ff.
- ionization
  - intensity 222
  - two-photon 223
  - potential 129
- island
  - capacitance 62
  - Coulomb 46ff.
  - metal 49
  - semiconductor 49
  - SET 55, 57
  - size 49f., 61f.
  - style designs 311

**j**

- junction
  - capacitance 3

- leakage 3f.
- nanowire 72
- resistance 62

**l**

- Lande *g*-factor 107
- Landauer-Shannon limit 94, 116
- Larmor frequency 96
- lattice matching 29
- leakage current 22, 38, 97, 99
  - quantum 62
  - trap-assisted tunneling 22
- lithography 50, 136, 158
  - electron-beam 3, 10, 13, 16, 184
  - Extreme Ultra-Violet 25
  - interferometric 171
  - top-down 291
  - 22nm 288
- local density functional approximation (LDA) 341
- logic devices
  - chemical logic gates 215
  - concatenation 217, 226f., 243
  - finite-state machines by electrical addressing 236ff.
  - finite-state machines by optical addressing 217f., 228ff.
  - inter-molecular-level 213ff.
  - intra-molecular-level 213ff.
  - molecular-based computing 214
  - molecular combinational circuits 216, 219ff.
  - molecular logic implementation by photophysics 219, 221f., 224ff.
  - multi-valued logic 219
  - quantum cellular automata, *see* QCA
  - quantum computing 213f., 363ff.
  - quasiclassical computing 214
  - set-reset machine 237ff.
  - Stimulated Raman Adiabatic Passage (STIRAP) pump-probe control scheme 229ff.
- long channel transistors 30f., 33ff.
  - InAs nanowire transistor 34
  - MISFET model 34f.
  - planar Metal-Insulator-Semiconductor Field-Effect Transistor (MISFET) 33
- low-operating-power (LOP) 69
  - applications 62
  - arithmetic units 64
  - circuits 65
- LSI (large-scale integrated circuits) 45
  - CMOS 62
  - SET-based 45

**m**

- magnetic
  - cellular automata 115
  - flux density 107
- magnetic domain wall 70ff.
  - de-pinning 80
  - injection pad 81, 84
  - nucleation 74, 80f.
  - pinning 80f.
  - propagation 72, 74ff.
  - shift register 84
  - structure 72
  - velocity 74
- magnetic domain wall logic 69ff.
  - data erasing 84ff.
  - data processing 75ff.
  - data writing 84ff.
  - field-programmable gate arrays (FPGAs) 70
  - magnetic/non-magnetic/magnetic tri-layer structures, *see* MTJs
  - material 72ff.
  - nanowire 74f., 84
- magnetic domain wall logic devices 71, 75ff.
  - AND-gate 82ff.
  - NOT-gate 75ff.
  - stub 76
- magnetic field 73f., 76ff.
  - phase diagram 81, 84
  - pseudo- 96f., 99
- magnetic random access memory (MRAM) 70
- magnetic solitons 70, 72
- magnetization
  - configuration 70, 76
  - dynamics 82
  - hysteresis 73, 77
  - nanowire 75f.
  - reversal 73f., 76, 80
  - stable orientations 72
  - stub 76
- magnetostatic interactions 70
- magnons 105
- Markov Model 260
- MOKE (magneto-optical Kerr effect) magnetometer 73f., 77ff.
  - analysis 79
  - trace 78, 80
- monolithic spintronics, *see* SSL
- MOSFETs (Metal-Oxide-Semiconductor Field-Effect Transistor), *see* CMOS
- Monte Carlo simulation 346, 351
- MTJs (magnetic tunnel junctions) 70

**n**

- nanotubes, *see* carbon nanotubes

## nanowire

- doping profile 289
  - field effect controllable 289
  - growth 30
  - heterostructure WIGFETs 36ff.
  - imperfections 72, 292f., 303
  - InAs/InAsP Wrapped-Insulator-Gate Field-Effect Transistor (WIGFET) 36ff.
  - InAs Wrapped-Insulator-Gate Field-Effect Transistor (WIGFET) 29ff.
  - Indium Arsenide (InAs) 30ff.
  - junctions 72
  - length 292, 303
  - lithographic-scale 311
  - materials 30ff.
  - matrix 30f., 33
  - planar Permalloy 72
  - processing 30ff.
  - seed catalyst 289
  - Si 30
  - vertical 29
  - wrap-gate array 37
- nanowire-based programmable architectures 287ff.
- alternate approaches 322f.
  - area 319f.
  - bootstrap testing 317ff.
  - building blocks 287, 293f., 303
    - assembly 290, 292
    - bottom-up synthesis techniques 287
    - crossbar arrays 287f.
    - crosspoint arrays 294ff.
    - decoders 296ff.
    - field-programmable gate arrays (FPGAs) 288, 290, 309
    - inversion 298, 304, 309
    - memory core 294, 302
    - multiplexer operation 297ff.
    - nanowire buffer 299f.
    - nanowire coding 296f.
    - nanowire inverter 299f.
    - non-programmable crosspoint defect 292f., 303
    - post-fabrication configuration 288, 296
    - programmable crossbar interconnect arrays 295, 304
    - programmable diode crosspoints 302ff.
    - programmable wired-OR plane 294f.
    - restoration 298, 300ff.
    - stochastic assembly 288, 302
  - defect tolerance 313ff.
  - delay 320
  - energy 320f.

- logic architecture 303ff.
    - basic clocking 305f.
    - CMOS IO 311f.
    - construction 304
    - DeMorgan's laws 304
    - Error-Correcting-Codes (ECC) 303
    - interconnect 307, 309ff.
    - Island-style designs 311
    - logic circuit 305
    - nanoPLA block 304f., 307f.
    - precharge evaluation 306f.
    - programming 305
    - registers and sequential logics 305f.
  - memory array 302f.
  - net area density 321f.
  - technology 289ff.
    - assembly 290, 292
    - crosspoints 290
    - nanowires 289, 292f., 303
  - neuro-inspired hardware, *see* biological-inspired hardware
  - neuro-inspired models, *see* biologically inspired models
  - neuroscience 252ff.
    - artificial neural networks (ANNs) 257f., 265, 273
    - attractor model 257
    - auto-associative network 256f.
    - back-propagation (BP) algorithm 255, 257, 266
    - excitatory postsynaptic potential (EPSP) 253
    - functions 263
    - hardware, *see* biological-inspired hardware
    - Heaviside step function 256
    - Hebb's law 253
    - Hopfield net 256
    - inhibitory postsynaptic potential (IPSP) 253
    - integrate and fire neuron 264
    - inter-neuron communication 253
    - leaky integrator 253
    - long-term depression 253
    - long-term potentiation (LTP) 253
    - neural circuits 252
    - neural model, *see* perceptron
    - neuromorphic engineering 264f.
    - neurons 252ff.
    - neurotransmitter 253
    - Palm associative network 256, 279
    - winner-take-all function 253
  - non-volatile data storage 69
  - Nuclear Magnetic Resonance (NMR) Spectroscopy 214, 376
- O**
- ONO (oxide-nitride-oxide) dielectric 20ff.
  - organic semiconductors 128ff.
    - conjugated polymers 125ff.
    - conjugated small-molecule 127f., 131ff.
    - $\pi$ -conjugation 128ff.
    - copper phthalocyanine (F16CuP) 131f., 134, 141f.
    - device structures 134ff.
    - fullerene 131, 134
    - MISFETs (metal-insulator-semiconductor field-effect transistors) 125ff.
    - n-channel transistors 134, 138, 141f.
    - oligothiophenes 132
    - p-channel transistors 133, 138f., 141f.
    - pentacene 131ff.
    - poly(3-hexylthiophene) (P3HT) thin film 128ff.
    - polythiophene 128
    - sexithiophene 131
    - thin-film transistor (TFT), *see* organic TFT
    - triethylsilyl (TES) anthradithiophene 133
    - triisopropylsilyl (TIPS) pentacene 133
  - organic TFT
    - active-matrix electronic ink displays (AMEIDs) 145f.
    - active-matrix organic light-emitting diode (AMOLED) pixel 145ff.
    - active-matrix polymer-dispersed liquid-crystal displays (PDLCDs) 145ff.
    - active-matrix twisted-nematic liquid crystal displays (TN-LCDs) 145f.
  - ambipolar 138
  - applications 143ff.
  - electrical characteristics 138ff.
  - extended graphics array (XGA) display 145
  - flexible roll-up 145
  - liquid crystal cell 144
  - low-voltage 137f.
  - manufacturing 126, 134ff.
  - structures 135ff.
- organic transistors, *see* organic semiconductors
- organic vapor-phase deposition 131
- oxide 12f., 16f.
  - buried 13, 16f.
  - $\text{Al}_2\text{O}_3$  8, 162
  - Hf-oxides 8, 36
  - $\text{La}_2\text{O}_3$  8
  - $\text{SiO}_2$  8, 16, 36, 163, 168
  - $\text{SiO}_x$ -spacer layer 37
  - $\text{ZrO}_2$  8

**P**

- Pauli spin matrix 107, 374
- PECVD (plasma-enhanced chemical-vapor deposition) 157ff.
- perceptron 253ff.
  - delta rule 254
  - multi-layer (MLP) 255
  - neural network algorithms 254f., 265
  - single-layer 254
- Permalloy 72
  - films 72
  - wire 73f.
- phonon 99, 105
  - bath 113
- photoresist 30ff.
- Planck constant 49, 177, 342
- Poisson equation 342
- polymer
  - conjugated, *see* organic semiconductors
  - film 32, 127, 185
  - layer 36
  - semiconducting 125, 130
  - solution-processed 132

**Q**

- quantum algorithm 364, 364f., 373
  - execution 373
  - factorization 120, 365
  - Grover's 120, 365
  - initialization 373
  - Shor's 120, 365f., 375
  - termination 373
- quantum cellular automata (QCA) 114, 215, 329ff.
  - action 336, 339, 343
  - basic effect 356f.
  - cell 333ff.
  - cell polarization 338
  - circuits 338, 343f., 346ff.
  - clocked architecture 336ff.
  - configuration-interaction 341ff.
  - fabrication 349f.
  - Hubbard-like Hamiltonian 339f.
  - implementation with metallic junctions 354f.
  - implementation with semiconductors 355ff.
  - logic 334, 338
  - modeling 339ff.
  - molecular 357f.
  - nanomagnetic 358f.
  - Notre Dame architecture 333ff.
  - operating speed 350f.
  - operating temperature 348f.

- operation 333, 338, 343, 349, 358
- power dissipation 353f.
- simulated annealing 346
- simulators 347f.
- split-current 359
- technology 348ff.
- voting gate 335
- quantum communication 366
- quantum computing 118f., 213f., 363ff.
  - class of complexity 364f.
  - computer 120f., 364f.
  - cryptography 366, 369
  - Dirac notation 369
  - information carriers 368
  - information theory 367ff.
  - irreversible computation 367f.
  - Kane quantum computer 377
  - logic devices 213ff.
  - Neumann-type architecture 363
  - operation scheme 372f.
  - qubits, *see* qubits
  - reversible computation 367f.
  - spin-based 118, 121
  - Turing machine 363f.
- quantum-coupled architecture 116
- quantum dashes 330ff.
- quantum decoherence 374f.
- quantum dot 47, 49, 108, 116, 213, 215ff.
  - AlGaAs 348, 355f.
  - antipodal 360
  - Au 241f.
  - CdS 241f.
  - dashes 113f.
  - exchange-coupled 121
  - GaAs 108, 345, 348, 355f.
  - gate-defined 113
  - InP 108
  - silicon 348f.
  - Si/SiO<sub>2</sub> 355
  - stability map 239
  - tunneling 336f.
- quantum error correction 374f., 377
- quantum information 214, 367ff.
- quantum inverter 121
- quantum leakage current 62
- quantum logic gates 214, 367f., 374
  - Hadamard 374
  - Toffoli 374
  - universal 374
- quantum-mechanical
  - 3-D simulations 19
  - tunneling 46f., 370
  - wave function 370
- quantum mechanics 368ff.

- entanglement of states 119, 369, 371
- Hilbert space 369, 371
- parallelism 119f., 371
- quantization of states 369
- superposition of states 369ff.
- quantum of conductance, *see* single-molecule devices
- quantum
  - point contacts (QPC) 356
  - resistance 49, 62
  - simulations 229ff.
  - size effect 49
  - Turing machine 119, 228, 363f.
  - wire 95, 116
- qubit 118f., 364, 366, 368ff.
  - Bloch sphere 369f.
  - candidates 375ff.
  - charge 379
  - Cooper pair box (CPB) 379
  - entanglement 371
  - flux 379ff.
  - fractional flux 380f.
  - Hamiltonian operator 371ff.
  - Josephson junctions 378ff.
  - no-cloning theorem 372
  - Nuclear Magnetic Resonance (NMR)-based 376
  - physical realization 121
  - quiet 380
  - register 371, 373
  - requirements 375
  - Solid-State-based 376f.
  - states 214, 229, 370ff.
  - superconducting 378ff.
- r**
- Raman transition 219
- s**
- Sallow Trench Isolation 23
- SBJTs 106f.
- Schrödinger equation 341, 347
- self-assembled monolayer (SAM) 132, 138, 181ff.
  - gate dielectric 139
  - low-energy surfaces 132
- SFM (scanning electron microscopy) 22ff.
- short channel transistors 29f., 32, 35f.
- SiGe layer 5f., 14f.
  - etch technique 16
- silicon
  - epitaxy 10, 16
  - layer 6, 9f., 12f., 50
  - neuro-inspired 263, 265
  - on-nothing (SON) 13ff.
  - thermal oxidation 51
  - wafers 6, 14, 50
- silicidation 9
- Si<sub>3</sub>N<sub>3</sub> capping layer 16f.
- Si<sub>3</sub>N<sub>x</sub> 30f., 33, 36
  - gate-dielectric layer 30, 32f.
- single-charge-transfer devices 49
  - single-electron pump 49, 54
  - single-electron turnstile 49
  - single-electron inverter 54, 56
- single-electron logic 54ff.
  - basic SET logic 54ff.
  - binary-decision-diagram logic 58, 64
  - charge-state logic 54, 62
  - domino-type logic 58
  - multiple-gate SET 56ff.
  - multiple-valued logic 59f., 64
  - pass-transistor logic 56, 58
  - SET-MOSFET configurations 59f., 63f.
  - voltage-state logic 54
- single-electron quantizer 60f.
- single-electron transfer 49
- single-electron transistor (SET) 45ff.
  - Al 50
  - carbon nanotubes (CNTs) 52
  - fabrication 49ff.
  - GaAs/AlGaAs heterostructures 53
  - logic application 54ff.
  - material 50
  - operation principle 46ff.
  - PADOX (pattern-dependent oxidation) 51ff.
  - room-temperature operating 51ff.
  - Si 50f., 53f.
  - XOR gate 54, 56f., 63
- single-electron tunneling 46, 54, 62
- state 47f.
- single-molecule device
  - artifacts 201f.
  - highest occupied molecular orbital (HOMO) 177f., 190, 192, 200
  - lowest unoccupied molecular orbital (LUMO) 176, 178, 190, 192, 200
  - programmable logic arrays (PLA) 189
  - quantum of conductance 178
  - set-up 176ff.
  - single molecule single-electron transistor 199f.
  - strong coupling limit 177f.
  - strong coupling regime 177
  - transmission coefficient 177
  - weak coupling limit 177
  - weak coupling regime 178



- single-molecule device building logical circuits 203ff.
- crossbars 204ff.
- hybrid molecular/CMOS circuits 205
- NanoCell 206f.
- programmable logic arrays 204f.
- self-organization process 203f., 206
- single-molecule device functions 189f.
- Aviram-Ratner mechanism 191f.
- crossbar latch 189, 197f., 203
- diode-diode logic 193f., 203
- hysteretic switches 189, 196f., 205f.
- inverting logic 195ff.
- molecular diodes 190ff.
- molecular latch 189
- molecular wire 189f.
- negative differential resistance (NDR) 189, 194ff.
- programmable logic arrays (PLA) 189, 196, 204ff.
- resonant tunneling diode 194f.
- signal restoration 189, 196ff.
- rectification 192f.
- single-molecule device realization 179ff.
- crossbar structure 184f., 189, 205f.
- crossed wire 183
- electromigration 183, 186f.
- electrochemical gate 186f.
- mechanically controlled break junctions 179ff.
- nanogaps 183f., 187, 199
- nanoparticle array 188
- scanning probe methods (SPM) 179, 181ff.
- three-terminal devices 185, 199
- Slater determinant 341f.
- SOI (silicon-on insulator) transistor 3ff.
- bulk 10f.
- fully depleted (FD) 5, 8ff.
- n-channel 10
- partially depleted 10
- single-gate 11f.
- substrate 50
- ultra-thin 9ff.
- source/drain (S/D) 4, 9ff.
- spacer layer
- lower- $k$  36
- $\text{SiO}_x$  37
- spin 93ff.
- based quantum computing 118ff.
- coated 30ff.
- flip time 108
- detection efficiency 105
- downspin state 93, 109
- Dresselhaus spin-orbit interaction 99ff.
- D'yakonov-Perel' mode 98
- Elliott-Yafet spin relaxation mechanism 98
- injection 95f., 104
- spin injection efficiency 104ff.
- spin
- interactions 94, 99
- majority 95f., 104, 106
- minority 96, 104, 106
- phonon coupling 106
- polarization 69, 93, 96ff.
- polarized half-metals 105
- precession 96f.
- pseudo-vector 118
- quantization axis 97, 108f.
- Rashba spin-orbit interaction 96f., 99f.
- relaxation 98f., 108
- selective barriers 105
- split band 97, 106
- splitting energy 106
- upspin state 93, 109
- wire 111
- SPINFETs 93ff.
- device performance 101f.
- Dresselhaus-type 100f.
- ideal 94ff.
- non-ballistic 102ff.
- non-idealities 97, 99
- n-type 99
- one-dimensional (1-D) channel 95, 98f.
- Rashba-type 100f.
- Spin-Lifetime Transistor 102, 104f.
- switching speed 107
- transfer characteristics 95
- spintronic
- devices 69, 93ff.
- technologies 69
- SSL (Single Spin Logic) 94, 107ff.
- bistable spin polarization 107f.
- bit error probability 111, 113, 117
- charge-based paradigms 113f.
- clocking 115f., 118
- code converters 112
- energy dissipation 116f.
- NAND gate 109ff.
- operating temperature 117
- power dissipation 116
- read spin bits 108f.
- realization 111f.
- 3-spin array 109f.
- stability of spin polarization 108
- unidirectionality 114f.
- write spin bits 108f.
- STM (scanning tunneling microscopy) 14, 182f.

subthreshold slope 11ff.  
 – inverse (subthreshold swing) 36, 39, 140  
 switching 196ff.  
 – adiabatic 94, 336  
 – device 48  
 – hysteretic 196f.  
 – intrinsic 62  
 – MTJ 70  
 – speed 10, 62f., 107  
 – time 18

**t**

TEOS (tetraethyl orthosilicate) 14, 16f., 168  
 TEM (transmission electron microscopy) 3ff.  
 thermionic  
 – current 20  
 – emission 19  
 transconductance 33, 36, 38, 99, 140  
 amplifier 264  
 transfer characteristics 35, 38, 40  
 transition  
 dump 229  
 stokes 229  
 truth table 220f., 223, 226, 234ff.  
 tunable workfunction, *see* gate material  
 tunnel  
 – capacitor 47

– junction 47, 49ff.  
 tunneling 20, 46  
 – quantum dot 336f.  
 – resistance 351f.  
 – resonant 194f.  
 – structure 359f.  
 turn-off characteristics 11, 22  
 two-dimensional electron gas (2DEG) 355

**v**

van der Waals interactions 125  
 variable range hopping (VRH) 126  
 VLSI (Very-Large-Scale-Integration)  
 technology  
 – analog (aVLSI) 257, 263f.  
 – conventional 290, 306

**w**

wafer bonding 13ff.  
 wavevector 97ff.  
 WIGFET (Wrapped-Insulator-Gate Field-Effect Transistor), *see* nanowire

**z**

Zeemann  
 – effect 106  
 – splitting 111, 113, 116