

# Index

## A

- Absolute pulmonary surface area, 208
- Accidental release, 70
- Activated sludge, 160
  - in wastewater treatment, 162–163
- Active nanostructures, in second-generation products, 41
- Active transport, 196
- Activity, 193
- Acute exposure, 171
- Adsorption, 156, 188
  - and changes in particle size, 129
  - and nanomaterials in suspension, 188
  - as self-purifying mechanism, 190
- Adverse cardiovascular effects, 220
- Adverse environmental effects
  - determining potential for, 133
  - vs. physical effects, 172
- Aerosol
  - inhalation of ultrafine, 201
  - predicting concentration of nanomaterials in, 127
- Aerosol diffusion chargers, 102
  - for surface area analysis, 110
- Aerosol time-of-flight mass spectrometers (ATOFMS), 108
- Aerosolization risks, 86–87
- Affinity properties, prediction of environmental fate, 124
- Age, and susceptibility to toxicity, 173
- Agglomerated spheres, 15
- Agglomeration, 128, 133, 156, 188
  - in carbon black, 27
  - and changes in particle size, 129, 229
  - degree of nanomaterial, 23
  - electrostatic hindrance to, 147
  - as limiting factor in exposure, 259
  - and limits to suspension, 178
  - of nZVI, 230
  - projected probability of, 138
  - role in limiting exposure, 177
- Agglomeration efficiency, 144
- Agglomeration rate, 133, 229
- Agglomeration reaction, free energy of, 143
- Aggregate formation rate, 137
- Aggregation efficiency, 143
- Agricultural applications, 3
- Air, dispersion in, 140
- Air flow velocity, 202
- Air quality standards, for particulates, 67–69
- Airborne nanomaterials, inhalation of, 85
- Alternative energy supplies, 2
- Alveoli, 204, 207
  - transport of nanomaterials into, 175, 179
- Ambient air monitoring
  - with aerosol diffusion charger, 110
  - EAD use in, 113
  - with ELPI, 111
- American Society for Testing and Materials (ASTM), 115
- Anatomical dead space, 208
- Animal activity, effects on terrestrial ecosystems, 170–171
- Antibacterial properties
  - of nanomaterials, 179–180
  - of silver, 26
- Antimicrobials, nanotechnology and, 66–67
- APEC nanometer measurement interlaboratory comparison studies, 119
- Apparent solubility, 127, 129
  - vs. particle size and density, 128
- Appliances
  - nanomaterials in, 24
  - silver in, 26
- Aquatic ecosystems
  - anticipated hazards to, 180, 188–190
  - exposure, effects, and risk principles in, 170–171
  - relative ease of characterizing toxicity in, 188
- Aquatic organisms, effects of nanomaterials by species, 181–187
- Aqueous stability, of multi-walled carbon nanotubes, 146
- Aqueous systems, nanoparticle behavior in, 145
- Area sampling, 87
- Artificial bone, 3
- Asbestosis, 172
- Asia-Pacific region, nanotechnology measurement research goals, 118–119
- Assessment endpoints, 171–172
  - in aquatic systems, 188
- ASTM International, 12
- Atherosclerosis, accelerated development of, 220
- Atmospheric studies, mass spectrometric analyses of, 108
- Atomic force microscopy (AFM), 107
  - promise for environmental applications, 106
- Attachment efficiency, 148, 164
- Auger electron microscopy (AEM), 104

Auger electron spectroscopy (AES), 104

## B

Backscattered electrons, 104

Bacteria, disturbance of multiplication by silver, 26

Ball mill iron fillings, 227

Battery manufacturing, advances through nanotechnology, 2

Beavers, effects on terrestrial ecosystems, 170–171

Behavior prediction

of nanomaterials in environmental context, 133–134

projected reaction probabilities based on stochastic kinetics, 138

temporal reaction rates, 134–139, 139–140

Bench-scale tests, 242, 243

Benthic faunal invertebrates, 189

Benzene, use in C60 fullerene manufacture, 258

Bergeson, Lynn L., ix

BET method, 102. *See also* Brunauer Emmett Teller (BET) method

Bimetallic nanoscale particles (BNPs), 227

effectiveness in degrading chlorinated hydrocarbons, 150

treatment technologies, 238

Bimetallic palladium catalysts, 241

Bioaccessibility, 173, 174

Bioavailability

decrease through weathering, 173

limitations with agglomeration, 178

Bioconcentration factor (BCF), 173

Biological systems, interactions of nanoscale materials with, 81–82

Biological treatment processes, 160

Biomagnification, 171, 175

Black lung, 201

Blood-brain barrier, 232

Boltzmann constant, 202

Bonding strength, during manufacturing, 45

Bottom-up synthesis, 42

British Royal Society, reservations about nanoparticles in pollution control, 225

Bronchioles, 207

depositional kinetics of nanomaterials in, 204

Brownian diffusion, 164

Brownian motion, 178

and dynamic light scattering, 111

and settling velocity, 126

and worker exposure, 41

Brunauer Emmett Teller (BET) method, 102, 109

Buckyballs

manufacturing processes, 45

STM images, 107

Bulk analyses, limitations for nanoparticle monitoring, 100

Buoyancy, 124, 125

## C

C60 fullerenes, 30, 43, 188

behavior in sewage treatment, 163

manufacturing processes, 45

manufacturing risks, 258

removal by activated sludge, 162

Cadmium

development of tolerance to, 171

toxicity to reproductive and nervous systems, 172

Calcium enrichment, in wastewater treatment, 163

California Air Research Board (ARB), 101

Cambridge, Massachusetts ordinance, 91

Canada, 51

regulatory initiatives, 95–96

Canadian Environmental Protection Act (CEPA), 95

Carbon-based nanomaterials, binding to soil, 177

Carbon black, 13, 27–28, 31, 43

biological inertness of, 172

manufacturing processes, 45

toxicity of, 180

Carbon monoxide, as criteria pollutant, 68

Carbon nanotubes (CNTs), 13, 28–29, 31, 43,

188. *See also* Multiwalled carbon

nanotubes; Nanotubes; Single-walled carbon nanotubes

inhalation case study, 205–206

manufacturing processes, 45

removal by activated sludge, 162

semiconductor functions, 17

toxicity of, 180

treatment by separation technologies, 239

Carp, nanomaterial effects on, 181

Cascade impactors

for environmental analysis, 103

size distribution analysis by, 110–111

Case studies

CNT inhalation, 205–206

CNT XL insurance framework case study, 257

fullerenes XL insurance framework, 261

nano TiO<sub>2</sub> XL insurance framework, 259

nanosilver socks, 159–160

Naval Air Engineering Station, 235–236

Nease Chemical Site, 233, 235

nZVI XL insurance framework, 256–257

SilverCare washing machine, 157–159

SWCNT XL insurance framework case study, 260

zero-valent iron, 233, 234, 235–236

- Casting
    - and number of parts, 39
    - as phase change process, 37
  - Catalyst particles, 43
  - Cautionary tales, 1–2
  - C57BL6 mice, nanomaterial/nanoparticle effects, 216
  - Central compartment, transport of nanoparticles to, 200
  - Chain interactions, 134–139
  - Characteristic hazardous wastes, 74, 75–76
  - Characterization methods
    - for nanomaterials, 19–20
    - for workplace air monitoring, 112–113
  - Charge density, 161
  - Chemical forces
    - electrostatic or Coulomb force, 130–131
    - on nanomaterials, 128–130
    - solvency force, 132
    - van der Waals forces, 131–132
  - Chemical properties
    - mass spectrometric analysis of, 108
    - of nanoscale materials, 17, 22–23
  - Chemical reaction kinetics, 134
  - Chemical vapor deposition (CVD), 37
  - Chemistry applications, of CNTs, 29
  - Chen, Julie, x
  - Chlorinated hydrocarbons
    - effectiveness of nanoscale bimetallic particles in degrading, 150
    - treatment with nZVI, 226
  - Chromium, in groundwater, 226
  - Chronic exposure, 171, 180
  - Chronic inflammation, and fibrosis, 208
  - City of Berkeley ordinance, 90–91
  - Clara cell carcinomas, 201
  - Class I/II devices, nanomaterials-containing, 84
  - Clean Air Act (CAA), 67
    - fuel additives and, 71
    - hazardous air pollutant standards in, 69–71
    - national air quality standards for particulates, 67–69
    - statutory and regulatory background, 67
  - Clean Water Act (CWA), 71, 100
    - National Pollutant Discharge Elimination System (NPDES) program, 72–73
    - pretreatment standards, 73
    - statutory and regulatory background, 71–72
  - Clothing products
    - nanomaterials in, 24
    - silver in, 26
  - Clothing standards, 88
  - Clough, Stephen R., x
  - Coagulation, 160, 165
    - in wastewater treatment, 161–162
  - Coatings, nanomaterials in, 24
  - Collaboration, EPA calls for, 62
  - Collision kinetics, 134
    - for agglomeration reaction, 137
  - Colloids, 15, 23
    - as carriers for radionuclide migration, 114
    - destabilization by flocculation, 161
    - generalized force field summation for, 130
    - in SilverCare washing machine, 157
  - Combustibility, 23, 86
    - of nanoscale aluminum, 75
  - Commercial products, with free nanoparticles, 15
  - Complexation, as self-purifying mechanism, 190
  - Composite bisorbent, 241
  - Compositional analysis, 108
    - and ecological hazard, 175
    - by particle-induced x-ray emission, 109
    - by single particle mass spectrometer, 108
  - Computer chips, nanoscale transistors in, 15
  - Computers, nanomaterials in, 24
  - Concentration, depositional kinetics based on, 204
  - Concentration gradient, 196, 198
    - in endocytosis, 200
  - Condensation particle counter, 113
    - for environmental analysis, 103
  - Confidential Inventory, TSCA, 52
  - Consolidation processes, 38
  - Consumer Product Safety Commission (CPSC), 89–90
  - Controlled-size droplets/aerosols, 43
  - Copepod, nanomaterial effects on, 183
  - Cosmetics, nanomaterials in, 23–24
  - Coulomb forces, 130–131, 194
    - nanoparticle affinity and, 140
  - Counting measurements, in work exposure environments, 113
  - Crane Co., Polyflon division, 228
  - Criteria pollutants, 67, 68
  - Critical rate of exposure, 205
  - Cross-section geometries, 38
  - Curl, Dr. Robert, 30
- ## D
- Debye force, 131, 140
  - Decision logic, TSCA PMN, 63
  - Decomposition products, potential toxic effects, 188
  - Deformation processes, 38
  - Degradation treatment, 237–239
  - Dendrimers, 14
  - Dendritic nanoscale chelating agents, 239
  - Department of Transportation (DOT)
    - regulations, 77
  - Deposition, as self-purifying mechanism, 190
  - Depositional kinetics, in human bronchioles, 204
  - Derived-from rules, RCRA, 76–77
  - Dermal exposure, 43, 196

- exposure and effects through, 200–201
    - as least probable exposure pathway, 178
    - to lipophilic substances, 172
    - in porcine model, 180
  - Dermal penetration, 200, 201
  - Design for the Environment (D/E) Program, 79
  - Devices, distinguishing from pesticides, 66
  - Diesel fuel, 15
  - Dietary ingredients, modification with nanoscale materials, 84
  - Differential mobility analyzer (DMA), 110
  - Differential mobility particle sizer (DMPS), 110
  - Differential settling, 125
  - Diffusion
    - into alveoli, 204
    - ingestion and, 196–199
  - Diffusion distance, 197
  - Diffusion equilibrium, time course of, 199
  - Diffusion rate, 197
  - Diffusional capture, 178
  - Dilution, extent of, 156
  - Dimensional measurements, prototype atomic ruler for calibrating, 118
  - Dimensional tolerance, 39
  - Direct contact, and worker exposure, 43
  - Direct dischargers, 73
  - Direct push installation, 230
  - Directed assembly, 43
    - example, 46
  - Disequilibrium dynamics, 194
  - Disinfection, 160
    - in wastewater treatment, 165
  - Dispersion, 133
    - in water and air, 140
  - Disposal facility requirements, RCRA, 78
  - Disposal risks, 249
  - Dissolution, and changes in particle size, 129
  - Dissolved organic matter (DOM), effects on coagulation and flocculation, 162
  - Distribution, 195
  - Dose
    - exposure and, 178–179
    - relevance to toxicity, 189
    - unrealistic, in toxicity studies, 176
    - vs. exposure, 173
  - Dose/response curves, 173
  - Double-walled carbon nanotubes (DWCNTs), 188
    - composition and fate, 175
  - Downstream users (DUs), in EU standards, 94
  - Drugs, nanoparticle-containing, 15
  - DuPont Corporation, 251
    - studies of nZVI risks, 232
  - Duration of exposure, 171
  - Dynamic light scattering (DLS), 111–112
  - Dynamic prediction, 133
- E**
- Ecological exposure, underlying principles, 170–174
  - Ecological receptors, 170
  - Ecological risk, 171. *See also* Potential ecological hazards
    - as misnomer, 171
  - Effective particle radius, 144
  - Effectiveness testing, scope of FDA authority, 83–84
  - Effects
    - through derman absorption, 200–201
    - through ingestion, 196–200
    - through inhalation, 201
    - underlying principles, 170–174
  - Effects criteria, 171–172
  - Effluent monitoring, 72
  - Elastically scattered electron, 104
  - Electrical aerosol detector (EAD), 113
    - for environmental analysis, 103
  - Electrical impactors, for environmental analysis, 103
  - Electrical low pressure impactor (ELPI), for size distribution analysis, 111
  - Electricity, conduction by nanomaterials, 17
  - Electron microscopy, 101, 102, 104–106, 163
  - Electron stripping, Coulomb forces from, 130
  - Electronics
    - CNTs in, 29
    - nanomaterials in, 24
  - Electrophilic affinities, 130
  - Electrostatic classifiers
    - for environmental analysis, 103
    - for size distribution analysis, 110
  - Electrostatic force, 130–131
  - Electrostatic repulsive forces, 130, 164
  - Emission, as exposure source, 177
  - Emphysema, 201, 207
  - Emulsified nZVI, 238
  - Encapsulated ZVI, treatment by degradation, 237
  - Endocytosis, ingestion and, 199–200
  - Endohedral fullerenes, 30
  - Energy dispersive x-ray (EDX), 104
  - Energy dispersive x-ray spectroscopy (EDS), 104
  - Energy savings, 2
  - Energy uses, of CNTs, 29
  - Engineered nanomaterials
    - impact of, 42–43
    - microbial impacts of, 231
    - outpacing of ability to monitor, 100
    - paucity of detection studies, 101
    - use in environmental remediation, 225
  - Engineering controls, 88
  - Environmental analyses
    - by aerosol diffusion charger, 110
    - analytical methods, 101–112, 102–103

- Asia-Pacific measurement research initiatives, 118–119
- by Brunauer Emmett Teller (BET) method, 109
- by cascade impactors, 110–111
- compositional analysis, 108–109
- by condensation particle counter, 113
- by dynamic light scattering (DLS), 111–112
- by electrical low pressure impactor (ELPI), 111
- by electron microscopy, 101, 104–106
- by electrostatic classifiers, 110
- by epiphaniometer, 109
- of nanoparticles, 99–101
- nanotechnology measurement research, 115
- NIOSH research initiatives, 115–117
- NIST research initiatives, 117–118
- by particle-induced X-ray emission, 109
- product characterization and air monitoring, 109–110
- by real-time inertial impactors, 110–111
- by scanning probe microscopy, 106–108
- by single particle mass spectrometer, 108
- of size, shape, chemical composition, 101–108
- size distribution, 110–112
- surface area, 109
- surface area and total worker exposure, 113
- U.S. government-supported research on measurements, 117
- water and soil analysis, 114–115
- workplace air monitoring, 112–113
- Environmental applications research, EPA call for, 61
- Environmental fate
  - and amelioration of toxicity, 177
  - apparent solubility coefficient, 128
  - and chemical forces, 128–132
  - difficulty of quantifying, 156
  - at end of useful product life, 165
  - estimating particle affinities, 139–140
  - in exposure studies, 173
  - formation of mobile suspensions, 125–128
  - groundwater research results, 148–150
  - and implications of polymorphism, 132–133
  - list of symbols, 151–152
  - of nanomaterials, 20
  - nanoparticle affinity and inter-particle force fields, 140–143
  - and nature of nanomaterials in environmental context, 125–133
  - particle size distribution, 125–128
  - physical manifestations, 125–128
  - predicting in environmental context, 124, 133–145
  - primary forces determining, 124
  - and probability of product formation, 143–144
  - research results, 145–150
  - sedimentation rate for TiO<sub>2</sub> spheres, 126
  - surface water and sediment research, 146–148
  - and Tabor Winterton approximation, 143
  - and transport, 123–125
  - and wastewater treatment research, 166
- Environmental hazards, historical cautionary tales, 1–2
- Environmental protection, through nanotechnology, 2–3
- Environmental regulations
  - Cambridge, Massachusetts ordinance, 91
  - Canadian initiatives, 95–96
  - City of Berkeley ordinance, 90–91
  - Clean Air Act, 67–71
  - Clean Water Act (CWA), 71–73
  - Consumer Product Safety Commission (CPSC), 89–90
  - emerging state and local regulations, 90–91
  - EU Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH), 92–94
  - Federal Food, Drug, and Cosmetic Act (FEDCA), 80–85
  - Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), 63–67
  - international developments, 92–96
  - nanotechnology-related, 49–51
  - National Institute for Occupational Safety and Health (NIOSH), 85–89
  - OECD initiatives, 95
  - Pollution Prevention Act (PPA), 79–80
  - private nanotechnology stewardship initiatives, 91–92
  - Resource Conservation and Recovery Act (RCRA), 73–78
  - Toxic Substances Control Act (TSCA), 51–64
- Environmental remediation, 225
- Environmentally benign materials, 34
- EPA Office of Pesticide Programs (OPP)
  - nanotechnology initiatives, 64–67
  - nanotechnology workgroup, 65–66
- EPA Office of Pollution Prevention and Toxics (OPPT), nanotechnology initiatives, 54
- EPA White Paper, 64–65
- Epiphaniometry, 102, 109
- Equilibrium concentration, 127
- Estuarine sedimentary systems, behavior of carbon nanotubes in, 148
- European Chemicals Agency (ECHA), 93
- European Union, 51
  - nanotechnology measurement research initiatives, 118
  - REACH initiatives, 92–94

- Existing chemical substances, TSCA regulation
  - of, 52
- Explosivity, 23
- Exposure
  - and dose, 178–179
  - duration of, 171
  - factors limiting, 176
  - limiting by fate and transport processes, 190
  - to nanomaterials, 177
  - rate of, 205
  - source and routes of, 177
  - through dermal absorption, 200–201
  - through ingestion, 195–200
  - through inhalation, 201
  - underlying concepts, 173–174
  - vs. dose, 173
- Exposure assessment
  - and material stability, 123
  - NIOSH, 87
- Exposure pathway, 173
- Exposure rate, 193
- Extrusion, 38
- Eye irritation, from nZVI exposure, 231

## F

- F list hazardous wastes, 74
- Fate. *See* Environmental fate
- Fathead minnow, nanomaterial effects on, 185
- Federal Food, Drug, and Cosmetic Act (FEDCA), 80–81
  - identification of nanoscale material products, 83
  - nanomaterials-biological systems interactions issues, 81–82
  - NEPA issue, 85
  - permissible and mandatory labeling issues, 84
  - regulatory policy issues, 82–85
  - science issues, 81
  - scope of authority regarding safety and effectiveness evaluations, 83–84
  - testing methodologies issues, 82
- Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), 63, 100
  - EPA OPP nanotechnology initiatives, 64–67
  - EPA White Paper and, 64–65
  - nanotechnology and antimicrobials issues, 66–67
  - OPP Nanotechnology Workgroup and, 65–66
  - statutory and regulatory background, 63–64
- Ferragels, 240
- Ferric chloride process, 227
- Fick's law of diffusion, 201
- Field-flow fractionation, for environmental analysis, 103
- Field studies, vs. lab studies of toxicity, 176

- Filled polymers, 39
- Films, 15
- Filtration, fate and transport of nanomaterials
  - in, 148
- Filtration and ventilation regulations, 42
- Fine particulates, characterization by SEM and TEM, 105
- Fire and explosion risk, 86
- First-generation nanoproducts, 41
- Fixed nanoparticles, 15–16
- Flash point, 23
- Flexibility, of CNTs, 28
- Flocculation, in wastewater treatment, 161–162
- Flow field fractionation, 114
- Flux dynamics, 202
- Food chain, limited nanomaterial distribution
  - in, 175
- Food products
  - nanoparticle-containing, 15, 24
  - silver in, 26
- Food Quality Protection Act (FQPA), 64
- Fourth-generation nanoproducts, 41
- Free energy of solvation, 132, 139
- Free nanoparticles, 15–16
  - environmental fate and transport, 124
- Fuel additives, 2
  - in CAA regulations, 71
- Fuller, R. Buckminster, 29
- Fullerenes, 13, 29–30, 31, 43
  - antibacterial activity, 179
  - functionalized, 200
  - Manufacturing processes, 45
  - projected concentration, 146
  - release simulation into flowing creek, 146
  - toxicity of, 180
  - van der Waals forces between two molecules, 142
  - XL insurance framework case study, 261
- Functionalized layered silicates, 239

## G

- Gas phase processes, 86
  - risk of aerosol release, 86
- Gaseous matter, 172
- Gaslights, environmental hazards, 1–2
- Gastrointestinal tract, nanomaterial impacts on, 200
- Generalized force field summation, for colloidal systems, 130
- Generally recognized as safe (GRAS), 82
- Geometry
  - complex three-dimensional, 37
  - complex vs. simple, 38–39
  - manufacturing process control over, 34
- German governmental agencies
  - nanotechnology research strategies, 118

resistance to SilverCare washing machine, 158

Gold, nanoscale optical properties, 17

Good work practices, 87, 88

Granuloma formation, 206, 209

Gravitational sedimentation, nanoparticle immobilization by, 164

Green Chemistry Program, 79

Green Engineering Program, 79

Groundwater remediation  
 research results, 148–150  
 with zero-valent iron, 25–26, 145, 149  
 zero-valent iron in, 140

Guinea pigs, nanomaterial/nanoparticle effects, 215

## H

Hair follicles, penetration by titanium dioxide, 200

Half-life, of lipophilic vs. hydrophilic substances, 172

Hamaker constant, 141

Hamblen, Jane, xi

Handling, reducing through directed assembly, 43

Hazardous air pollutant standards  
 and accidental release, 70  
 CAA, 69–71

Hazardous wastes  
 characteristic, 75–76  
 exemptions form, 76  
 listed, 74–75

Hazards, 171. *See also* Potential ecological hazards  
 to aquatic ecosystems, 180, 188–190  
 from inhalation of nanoparticles, 257–258  
 limitation by fate and transport processes, 190  
 limitations of evaluation methods, 188–189  
 methods for evaluating, 188–189  
 to terrestrial ecosystems, 179–180

Health hazards. *See* Human health hazards

Heat iron pentacarbonyl process, 227

Heavy metals, Trojan-horse mechanism of toxicity, 176

Henry, Kim, xi

Heterofullerenes, 30

Heterogeneous molecular nanosystems, in fourth-generation products, 41

Hoyt, Marilyn, x

Human health hazards, of nanomaterials, 20–21

Humans, nanomaterial/nanoparticle effects, 211, 212, 214, 216, 218, 219

Humic acid, 147  
 coagulation and flocculation of, 161

Humidity, effects on particulate penetration, 200

Hydrated iron oxide nanoparticles, 241

Hydrodynamic diameter, 112

Hydrophilic substances, relative toxicity of, 172

Hydrosol, predicting concentration of nanomaterials in, 127

## I

Immunity, and development of toxicity, 195

Impurities, effects on toxicity, 175

Incarfullerenes, 30

Incident risk, 255

Indoor air monitoring, with ELPI, 111

Inelastically scattered electrons, 104

Inertness, at micro- vs. nanoscale, 169, 172, 174

Inflammation, and development of toxicity, 195

Inflammatory reactions, 194  
 to SWCNTs, 206

Influx rate, 198

Information Collection Request (ICR), 60

Ingestion  
 diffusion and, 196–199  
 endocytosis and, 199–200  
 exposure and effects through, 196  
 of lipophilic substances, 172

Inhalation, 196  
 of airborne nanomaterials, 85, 257–258  
 CNT case study, 205–206  
 exposure and effects through, 201  
 of lipophilic substances, 172  
 mechanisms for adsorption and removal, 201–205  
 as most significant exposure pathway, 180  
 of nanoparticles, 35  
 risk assessment, 207–209  
 risks of, 86

Inhalation toxicology, 172

Injection molding, 34  
 as phase change process, 37

Inkjet printing, as mass change process, 37

Inter-particle force fields, 140–143

Interactions rate, 133

International Carbon Black Association, 27

International regulations, 92  
 Canadian initiatives, 95–96  
 EU-based, 93–94  
 OECD initiatives, 95

Intrapopulation variability, 195

Intratracheal instillation, 205, 206, 207

Inverse stability, 143

Ion/dipole distribution, 131

Ion implantation, as structure-change process, 38

Ionic strength, 164  
 and stability of nano-C60 in solution, 162

Iron oxide nanoparticle catalysts, 227, 238, 239

Iron sulfide nanoparticles, 238

**J**

Japanese Medaka, nanomaterial effects on, 187

**K**

K list hazardous wastes, 74

Keesom force, 131

Kroto, Dr. Harold, 30

**L**

Lab studies, vs. field studies, 176

Largemouth bass, nanomaterial effects on, 184

Laser machining, as mass change process, 36

Latent contamination, 255

Launch Complex 34, case study, 234

LD50, 172

Lead, as criteria pollutant, 68

Leonard-Jones relation, 141

Lethal dose, defined for toxicity studies, 172

Life Cycle Analysis (LCA), 8, 249–250

nano risk framework differences from, 251

Life cycle hazards, 252

Life cycle properties, 252

Light scattering, for environmental analysis, 103

Lipid bilayer, role in ingestion, 196

Lipophilic substances, relative toxicity of, 172

Liquid nanomaterials, risk of skin exposure, 86

Listed hazardous wastes, 74–75

Loal exhaust ventilation systems, 88

Local regulation, of nanomaterials, 90–91

London dispersion force, 131

Lung fibrosis, RES and development of, 175

Lung tumors, from nanomaterial inhalation, 85

**M**

Machining

and aerosolization risks, 87

as mass change process, 37

Mackay, Charles, ix

Magic sand, 226

Maintenance processes, nanomaterials release risks, 87

Mammalian species

airway heterogeneity in, 203

effects of nanomaterials/nanoparticles on, 210–219

Mandatory labeling, 84

Manufacturing processes, 33

basics of, 35–39

for carbon black, 45

for carbon nanotubes, 45

and complex vs. simple geometry, 38–39

consolidation processes, 38

and control over geometry, 34

deformation processes, 38

dimensional tolerance in, 39

environmental issues, 40

for four generations of nanoprodukt, 40–42

for fullerenes, 45

history of, 34–35

impacts of engineered nanomaterials, 42–43

integration of nanoparticles into

nanoproducts, 43–46

manufacturing form and function, 33–34

mass change processes, 37

materials decisions, 39

micro-structure change processes, 38

number of parts decisions, 39

for nZVI, 227

phase change processes, 37–38

for silver, 44

surface finish in, 39

for titanium dioxide, 44

worker exposure issues, 40

for zero-valent iron, 44

Manufacturing risks, 249, 255

with XL insurance database protocol, 262

Mass balance

nanosilver socks case study, 159–160

SilverCare washing machine case study, 157–159

and wastewater treatment, 156–157

Mass change processes, 37, 42

inkjet printing, 37

laser machining and waterjet cutting

examples, 36

Mass measurements, in worker exposure

environments, 113

Mass production, 34

Material properties, alterations in nano-sized chemicals, 1

Material removal, 36

exposure and entry into waste stream during, 41

Material Safety Data Sheets (MSDS), for nZVI, 231–232

Materials characterization, in XL insurance database framework, 253

Materials processing, 34, 39

Measurement endpoints, 171–172

Measurement research, 115

APEC nanometer measurement

interlaboratory comparison studies, 119

Asia-Pacific initiatives, 118–119

EU-based, 118

NIOSH initiatives, 115–117

NIST initiatives, 117–118

U.S.-based, 115–118



- U.S. government-supported, 117
  - Media reactivity, and prediction of environmental fate, 124
  - Medical breakthroughs, through nanotechnology, 3
  - Medical probes, 3
  - Medicine, use of CNTs in, 29
  - Membrane-based nanostructured metals, 241
  - Membrane separation, 160
    - applicability relative to nanoparticle size, 166
    - in wastewater treatment, 165
  - Membrane thickness, 197
  - Metabolism, of nanoparticles, 195–196
  - Metal coagulants, 162
  - Metal fume fever, 201
  - Metal-oxide, removal by activated sludge, 162
  - Methyl-tertiary-butyl ether (MTBE),
    - environmental hazards, 2
  - Mice, nanomaterial/nanoparticle effects, 211, 212, 213, 215, 217
  - Microbial impacts, of engineered nanoparticles, 231
  - Microbially produced palladium nanocatalyst, 238
  - Microfiltration, 165
  - Micronized products, 4
  - Microstructure change processes, 38
  - Mixture rules, under RCRA, 76–77
  - Mobile suspensions
    - formation of, 125–128
    - in groundwater, 148–149
  - Molar refractivity, 144
  - Molecular identity, and particle size, 60
  - Molecular permeability, determining from zero-volume permeability, 197
  - Multiscale architectures, in third-generation products, 41
  - Multiwalled carbon nanotubes (MWCNTs)
    - aqueous stability, 146
    - ED and DuPont joint testing of, 92
    - production of, 42
  - Multiwalled fullerenes, 30
  - Mystery, in ecological hazard assessment, 169
- N**
- NAES Lakehurst, 235–236
    - case study, 234
  - Nano-C60, 147
    - attachment to porous medium, 150
    - ionic strength and stability in solution, 162
  - Nano risk framework, 250, 251–253
  - Nano-Risk Framework, 17–18
  - Nano-sized chemicals
    - altered material properties of, 1
    - increased relative surface area of, 1
  - Nano zero-valent iron (nZVI), 226. *See also* Zero-valent iron (nZVI)
    - agglomeration potential, 232
    - fate and transport, 230
    - fire hazard, 232
    - injected, 233
    - limiting passivation, 229
    - manufacturing processes, 227
    - Material Safety Data Sheets for, 231
    - modification to limit agglomeration, 229
    - potential effects on human cells, 232
    - reactivity and particle size, 229
    - slurry form, 229, 230, 232
    - unclear fate after spill, 233
    - XL insurance framework case study, 256–257
  - Nanobiosensors, 26
  - Nanocrystalline diamond, 241
  - Nanocrystals, 13, 15
    - as catalysts, 239
  - Nanodifferential mobility analyzer (NDMA), 110
  - Nanofiltration, 165
  - Nanohorns, 15
  - Nanomanufacturing. *See also* Manufacturing processes
    - environmental issues, 40–46
    - worker exposure issues, 40
  - Nanomaterials
    - antibacterial properties, 179
    - biological activity of inert, 169
    - chemical forces acting on, 128–132
    - depositional kinetics in human bronchioles, 204
    - effects of steric hindrance, 194–195
    - effects on aquatic organism species, 181–187
    - effects on mammalian species, 210–219
    - emerging state and local regulation, 90–91
    - in environmental context, 125–133
    - factors affecting toxicology, 174–179
    - factors governing concentration in wastewater, 156
    - fundamentally toxicity of selected, 176
    - gas-like transport of, 175
    - human health implications, 209
    - industry standards for mass production, 190
    - known toxicity of, 209, 220
    - potential ecological hazard, 169–170
    - predicting behavior in environmental context, 133–145
    - and quantum vs. Newtonian physics, 169–170
    - questionable purity in aquatic bioassays, 188
    - and risk assessment, 194–196
    - toxicology of, 174–176
    - uncertain discharge and fate, 155
  - Nanoparticle affinity
    - and Coulomb energy, 140
    - and inter-particle force fields, 140
    - and van der Waals energy, 141–142

- Nanoparticle imaging, by electron microscopy, 101, 104–106
- Nanoparticle mobility, within porous medium, 164
- Nanoparticles, 13, 14  
 characteristics, 19  
 effects on mammalian species, 210–219  
 environmental analyses, 99–119  
 free v. fixed, 15–16  
 integrating into nanoproducts, 43–46  
 low escaping tendency, 202  
 in pollution control, 225–226  
 preventing inhalation of, 35  
 types and uses, 14  
 wastewater treatment of, 155–156  
 water and soil analysis, 114–115
- Nanorods, 13, 15
- Nanoscale aluminum, combustibility of, 75
- Nanoscale biopolymers, 240
- Nanoscale materials, 11. *See also* Properties  
 carbon black, 27–28  
 carbon nanotubes, 28–29  
 classification, 13–16  
 composition and structure, 13, 15  
 critical physical and chemical properties, 17, 18–22, 22–23  
 definitions, 12–13  
 free v. fixed nanoparticles, 15–16  
 fullerenes, 29–30  
 nanoparticle types and uses, 14  
 naturally occurring, 13  
 nomenclature, 18  
 origin, 13  
 properties, 15–23  
 quantum effects on, 16–17  
 silver (Ag), 26–27  
 surface area, 16  
 titanium dioxide, 25  
 types and applications, 23–30  
 zero-valent iron, 25–26
- Nanoscale materials stewardship program, 54–55  
 basic program participation, 55–56  
 in-depth program participation, 56–61  
 program elements, 55  
 program scope, 55
- Nanosensors, real-time pathogen detection via, 63–64
- Nanosilver socks, case study, 159–160
- Nanospheres, 15
- Nanostructured chitosan membranes, 242
- Nanostructured platinum-based catalysts, 238
- Nanostructured powders, 87
- Nanotechnology  
 and antimicrobials, 66–67  
 articles on, 5  
 demystification of, 8  
 environmental regulations for, 49–51  
 functionality, 12  
 incomplete knowledge of, 3–4  
 intentional manufacture, 12  
 possible risks, 3–5  
 potential environmental benefits, 61  
 potential rewards, 2–3  
 public concerns, 6–8  
 public ignorance about, 4  
 research needs, 61  
 share of future global manufacturing economy, 1  
 size, 12
- Nanotechnology Consumer Products Inventory, 11, 23
- Nanotechnology Research Center (NTRC), 115
- Nanotechnology White Paper, 61–63
- Nanotubes, 13, 14, 15
- Nanowires, 12, 13, 14, 15
- NAS Jacksonville, case study, 234
- National air quality standards, for particulates, 67–69
- National Cancer Institute, Assay Cascade Protocol, 22
- National Center for Environmental Research (NCER), 147–148
- National Environmental Policy Act (NEPA), 85
- National Institute for Occupational Safety and Health (NIOSH), 85–87  
 categories of nanomaterial structure, 15  
 exposure assessment and characterization, 87  
 goals for nanoparticle measurement, 116  
 measurement research initiatives, 115–117  
 Nanotechnology Research Center (NTRC), 115  
 occupational health surveillance guidelines, 88–89  
 precautionary measures, 87–88  
 research agenda, 116
- National Institute of Standards and Technology (NIST), nanoparticle measurement research goals, 117–118
- National Nanotechnology Initiative (NNI), 41, 63
- National Pollutant Discharge Elimination System (NPDES) program, 72–73
- National Pollution Prevention and Toxics Advisory Committee (NPPTAC), 54  
*Overview Document on Nanoscale Materials*, 55
- Natural defenses, 177
- Natural materials, return to, 34
- Nease Chemical Site, 234  
 case study, 233, 235
- Nested fullerenes, 30
- Net free energy difference, 132
- Neurodegeneration, 220
- New chemical substances, TSCA regulation of, 52

- Newtonian physics, inapplicability to nanomaterials, 170
- Nitrogen oxide, as criteria pollutant, 68
- Normal operations risk, 255
- Norwegian rat, internalization of silver nanoparticles in, 159
- Nucleophilic affinities, 130
- O**
- Occupational health surveillance, NIOSH guidelines, 88–89
- Office of Air and Radiation (OAR), 67
- Office of Pesticide Programs (OPP), 64
- Office of Prevention, Pesticides, and Toxic Substances (OPPTS), 57
- Office of Solid Waste and Emergency Response (OSWER), 75
- Ohm's Law, 17
- Optical properties, of nanoscale gold, 17
- Oral exposure, low probability of, 178
- Organic matter
- adsorption of nanomaterials to, 125, 188
  - aqueous stability of MWCN in presence of, 146–147
  - behavior of nanoparticles in presence of, 145
  - as stabilizing agent, 147
- Organization for Economic Cooperation and Development (OECD), 51
- regulatory initiatives, 95
- Over-the-counter (OTC) drug products, nanomaterial-containing, 83
- Oxidative stress response, 220
- in CNS cells exposed to nZVI, 230
- Ozone, as criteria pollutant, 68
- P**
- Paracelsus, on toxicology, 171
- PARS Environmental, 227
- Particle affinities, and prediction of temporal reaction rates, 139–140
- Particle composition, electron microscopy imaging for, 101, 104–106
- Particle-induced x-ray emission (PIXE), 102
- compositional analysis by, 109
- Particle interactions, with biological systems, 81
- Particle shape, 22
- electron microscopy imaging for, 101–104–106
  - and exposure pathway, 174, 175
- Particle size, 22
- and apparent solubility coefficient, 128
  - effects in nZVI, 229
  - electron microscopy imaging of, 101–104–106
  - and exposure pathway, 174
  - and kinetics of suspension, 128
  - mass spectrometric analysis of, 108
  - and membrane separation processes, 166
  - and molecular identity issues, 60
  - of nZVI, 227
  - process changes resulting in altered, 129
- Particle size distribution, 125–128
- and polymorphism, 132
- Particulate matter, 172
- as criteria pollutant, 68
- Particulate number, depositional kinetics based on, 204
- Particulates, national air quality standards for, 67–69
- Partition gradient, 196
- Partition-independent penetration, 194
- Partitioning, 173
- Parts, number of, 39
- Passive nanostructures, in first-generation products, 41
- Passive transport, 196
- Pathogen detection, nanosensor-based, 63–64
- Permeability, 197, 198
- Permissible labeling, 84
- Persistent, bioaccumulative, and/or toxic substances (PBTs), 171
- requirement of long-term resident in aquatic systems, 175
- Personal protective equipment, 88
- Personal sampling, 87
- Pesticides
- decrease with smart treatment delivery systems, 64
  - nanoscale materials as inert ingredients in, 66
  - vs. devices, 66
- pH, 164
- effect on agglomeration and transport of titanium dioxide, 149
  - effects on particulate penetration, 200
  - optimum for removing nanoscale silica, 161
- Phagocytosis, in airway, 204
- Pharmacokinetics, and fate/transport considerations, 193
- Phase change processes, 37–38, 42
- Phase-in substances, 93
- Phase properties, and prediction of environmental fate, 124
- Photochemical degradation, protecting with titanium dioxide, 25
- Photolithography, 33
- Photon correlation spectroscopy (PLS), 112
- Physical effects, vs. direct toxic effects, 172
- Physical properties, of nanoscale materials, 17, 22–23
- Physical treatment processes, 160
- Physical vapor deposition (PVD), 37

- Physiological barriers, 194–195. *See also* Steric hindrance
- Physiological variability, 173
- Physiosorption, 125
- Pilot tests, 243
- Planck's constant, 142
- Pneumonicosis, 172
- Point of collision, 14
- Point source discharge permits, 72
- Pollution control
  - miscellaneous technologies, 236, 243
  - nanoparticle use in, 225–226
  - nanotechnology treatment technologies, 237–242
    - treatment by degradation, 237–239, 240–241
    - treatment by separation, 239–240, 241
    - zero-valent iron in, 226–236
- Pollution prevention, 67, 225
  - EPA calls for, 62
- Pollution Prevention Act (PPA), 79–80
- Polyelectrolytes, 165
- Polyethylene glycol modified urethane acrylate (PMUA), 240
- Polymer fibers, 34, 165
- Polymetallix Nanoscale Iron, 231
- Polymetallix nZVI, 228
- Polymorphism
  - implications of, 132–133
  - single-component, 132
- Porous media, nanoparticle behavior in, 145
- Potential ecological hazards, 169–170
  - anticipated hazards to terrestrial ecosystems, 179–180
    - exposure concepts, 173–174
    - and factors affecting toxicology, 174–179
    - recommendations for managing future risks, 190
    - risk and hazard concepts, 171
    - routes and sources of exposure, 177
    - in terrestrial vs. aquatic ecosystems, 170–171
    - toxicity concepts, 171–173
    - underlying principles, 170–174
- Potential environmental releases, 63
- Potential rewards, of nanotechnology, 2–3
- Pre-market authorization, 84
- Precautionary measures, 87–88
- Precipitation, as self-purifying mechanism, 190
- Princeton Nanotech, LLC, 231
- Private nanotechnology stewardship initiatives, 91–92
- Probability distribution function, 137
- Process identification, in XL insurance database framework, 253
- Processes, and potential surface area of exposure, 203
- Product formation
  - per collision event, 139
  - probability of, 143–144
  - variability in, 138
- Product formation rate, 139
- Product identification issues, 83
- Production process, 19
- Properties
  - characterization methods, 19–20
  - effects of increased surface area, 16
  - environmental fate and transport, 20
  - general, 18
  - human health hazards, 20–21
  - influence of quantum effects, 16–17
  - of nanoscale materials, 16
  - particle characteristics, 19
  - physical and chemical, 17, 22–23
  - production process, 19
  - purity of commercial product, 18
  - risk management practices, 21–22
  - safety hazards, 20
  - surface characteristics, 19
- Protozoa, nanomaterial effects on, 182, 183
- Public Inventory, TSCA, 52
- Public perceptions, of nanotechnology, 6–8
- Publicly owned treatment works (POTWs), 73
- Pulmonary fibrosis, 206, 207
- Pulmonary inflammation, 195
  - due to nanomaterial inhalation, 85
- Pulmonary mucosa, 203
- Pulmonary toxicology, with SWCNT inhalation, 205–206
- Pultrusion, 38
- Purity, 18
- ## Q
- Quantum dots, 15, 180
  - penetration of porcine skin by, 180
  - removal by activated sludge, 162
  - Trojan-horse mechanism of toxicity, 176
- Quantum effects
  - effects on nanoscale materials, 16–17
  - on nZVI, 229
- Quantum physics, applicability to nanomaterials, 170
- Quasi-elastic light scattering (QELS), 112
- ## R
- Rainbow trout, nanomaterial effects on, 184
- Rate of particle deposition, 164
- Rats, nanomaterial/nanoparticle effects, 210, 213, 214, 216, 217
- Raw materials, efficient use through nanotechnologies, 2
- Reaction probabilities, 136, 188
  - examples based on stochastic kinetics, 138

- Reactive oxygen species, 179  
production of, 147
- Reactivity  
increased with increased surface area, 16, 22  
of nZVI, 230
- Real-time inertial impactors, 110–111
- Redox reactions, nZVI participation in, 226
- Reductive dehalogenation, 226
- Registered pesticides  
ion generating washing machine issue, 66  
nanotechnology issues, 65
- Registration, Evaluation, Authorization, and  
Restriction of Chemicals (REACH),  
92–94
- Regulations, lack of specific, 100
- Relative risk, 255
- Representativeness, for nonhomogeneous  
samples, 105
- Reproducibility, of toxicity study results, 189
- Residual risk emissions standards, 70
- Resource Conservation and Recovery Act  
(RCRA), 73, 100  
and characteristic hazardous wastes, 75–76  
and listed hazardous wastes, 74–75  
mixture and derived-from rules, 76–77  
statutory and regulatory background, 73–74  
transporter requirements, 77–78  
treatment, storage, and disposal facility  
requirements, 78
- Respirators, 88
- Respiratory conveyer, 203
- Respiratory inflammation, role of ambient  
nanoparticles in, 67
- Respiratory system, as most vulnerable target  
organ, 178–179
- Response, 194, 207  
to exposure, 193  
variations in, 195
- Reticulo-endothelial system (RES), 174  
and development of lung fibrosis, 175
- Reverse osmosis, 165
- Risk  
exposure as precondition of, 173  
of nZVI, 230–233  
relative, 255
- Risk assessment, 193–194, 251  
exposure and effects through ingestion,  
195–200  
exposure and effects through inhalation,  
201–209  
inhalation case study, 207–209  
list of symbols, 220–221  
in nano risk framework, 252  
and nanomaterials, 194–196  
steric hindrance and, 194–195
- Risk assessment research, EPA calls for, 62
- Risk management practices  
for nanomaterials, 21  
NMSP guidelines, 58, 59
- Risk-rewards balancing, 249  
adaptations to nanotechnology, 250–257  
CNT XL insurance framework case study,  
257  
fullerene XL insurance framework case  
study, 261  
and Life Cycle Analysis, 249–250  
nano risk framework, 251–253  
nano zero-valent iron case study, 256–257  
screening approach, 250–251  
SWCNT XL insurance framework case study,  
260  
titanium dioxide case study, 254–255, 259  
XL insurance database protocol, 253, 255
- Routes of exposure, 63, 178  
variation of response with, 196
- Rubber products, use of carbon black, 15, 27
- ## S
- Safety evaluations, scope of FDA authority,  
83–84
- Safety hazards, of nanomaterials, 20
- Safety testing issues, 82
- Samsung Electronics, silver ion generating  
washing machine, 66, 73, 157–159
- Sand filters, 160  
in wastewater treatment, 164–165
- Scanning electron microscopy (SEM), 102, 104
- Scanning mobility particle sizer (SMPS), 110
- Scanning probe microscopy (SPM), 102,  
106–108
- Scanning transmission microscopy, buckyball  
images, 107
- Scenario analysis, 251
- Screening approach, 250–251
- Second-generation nanoproductions, 41
- Secondary electrons, 104
- Sedimentation processes, 160, 188  
in wastewater treatment, 160–161
- Sedimentation rate  
in surface water, 146–148  
for TiO<sub>2</sub> spheres in water and air, 126
- Self-assembled monolayers, on mesoporous  
supports (SAMMS), 242
- Self-assembly, 43. *See also* Directed assembly
- Self-ignition temperature, 23
- Self-purification, 190  
in aquatic systems, 176
- Sellers, Kathleen, ix
- Semiconductors  
CNTs as, 28  
manufacturing process advances, 34  
nanotubes functioning as, 17
- Sensitivity, 194

- variations in populations, 173
- SERS nanoprobes, 27
- Settling rates
  - differences based on aerodynamic diameters, 111
  - and transport potential, 126
- Settling velocity, 126
- Shape memory alloys, 34
- Shrinkage, reducing with filled polymers, 39
- Silicosis, 172
- Silver (Ag), 13, 26–27, 31, 188
  - acute ambient water quality criterion for, 158
  - as antibacterial agent, 26
  - antimicrobial properties of, 158, 163
  - manufacturing processes, 44
  - toxicity of nanoparticles, 159, 180
- Silver ion generating washing machines, 66, 73
  - antibacterial actions of, 157
- Single-component polymorphism, 132
- Single-particle mass spectrometry (SPMS), 102
  - compositional analysis by, 108
- Single-walled carbon nanotubes (SWCNTs), 188
  - composition and fate, 175
  - ED and DuPont joint testing of, 92
  - inhalation of, 205
  - mobilities in groundwater, 149
  - production of, 42
  - XL insurance framework case study, 260
- Size distribution analysis, 110
  - by cascade impactors, 110–111
  - by dynamic light scattering (DLS), 111–112
  - by electrical low pressure impactors, 111
  - by electrostatic classifiers, 110
- Skin exposure
  - to nZVI, 231
  - risk with liquid media, 86
  - unknown sensitivity to nZVI, 233
- Smalley, Dr. Richard, 30
- Smart field systems, 3, 64
- Sodium borohydride process, 227
- Soil, binding of carbon-based nanomaterials to, 177
- Soil analysis, 114–115
  - field flow fractionation in, 115
- Soil concentration, as emission source, 177
- Soil grain size, 145
- Solar cells, decreased cost through nanotechnology, 2
- Solid-state lighting, 2
- Solid wastes, 74
  - exemptions from, 76
- Solute concentration, 199
- Solute flux, rate of, 199
- Solution, and changes in particle size, 129
- Solvency force, 130, 132, 164
- Source enclosure, 88
- Source reduction, as pollution prevention principle, 79
- Sporting goods
  - CNTs in, 29
  - nanomaterials used in, 25
  - nanotubes in, 15
- Stability
  - and potential for distribution and exposure, 123
  - requirements for, 129–130
- State regulation, of nanomaterials, 90–91
- Steric hindrance, 22
  - and diffusion rate, 197
  - effects on nanomaterials, 194–195
- Stern layer, 23, 131
- Stewardship initiatives, private, 91–92
- Stochastic kinetics, 135
  - projected reaction probabilities based on, 138
- Stokes-Einstein equation, 202
- Storage and handling, 41
  - RCRA requirements, 78
- Stratum corneum, rate limiting penetration of, 201
- Strength, of CNTs, 28
- Structure change processes, 38
- Structure-property-processing interrelationship, 39, 40, 42
- Subchronic exposure, 171
- Sulfur dioxide, as criteria pollutant, 68
- Sunscreens, 25
  - nanoparticle-containing, 15
  - in wastewater, 155
- Superfund sites, 233
- Surface affinity, 139
- Surface area, 22
  - aerosol, 110
  - of aerosol particles, 109
  - effect on activity in biological tissues, 113
  - effects of increased on properties, 16
  - increased in nanochemicals, 1
  - of nZVI nanoparticles, 228
  - total exposure measurements, 113
- Surface area analysis, 109
  - by aerosol diffusion charger, 110
  - by BET method, 109
  - by epiphaniometer, 109
- Surface behavior, difficulty of predicting, 130
- Surface characteristics, 19
- Surface charge, 23
- Surface coatings, effects on nanoparticle mobility, 165
- Surface-enhanced Raman spectroscopy (SERS), 27
- Surface finish, 39
- Surface-to-volume ratio, in nanomaterials, 174
- Surface water, and sediment research results, 146–148

- Surfactants, 165
- Sustainable agriculture, with nanotechnologies, 67
- Syrian hamster, nanomaterial/nanoparticle effects, 210
- T**
- Tabor Winterton approximation, 141, 143
- Taipei, Industrial Technology Research Institute (ITRI), 118
- TCE dechlorination, 226, 227
- Temporal reaction rates  
and particle affinities, 139–140  
predicting, 134–139, 139–140
- Terminal velocity, 126
- Terrestrial ecosystems  
anticipated hazards, 179–180  
effects of animal activity on, 170–171  
exposure, effects, and risk principles in, 170–171  
relative difficulty of toxicity studies in, 188
- Test data, NMSP guidelines, 58, 60
- Tetrachloroethylene, 226, 233
- Tetrahydrofuran (THF), 188
- Third-generation nanoproducts, 41
- Three-dimensional nanosystems, in third-generation products, 41
- Tidal volume, 208
- Time-of-flight instruments, mass spectrometers as, 108
- Time-to-event considerations, 133
- Titanium dioxide (TiO<sub>2</sub>), 13, 25, 31, 43, 188  
on activated fiber carbon cloth, 241  
antibacterial activity, 179  
catalysts, 240  
dermal penetration by microscale, 200  
ED and DuPont joint testing of, 92  
effect of pH on agglomeration and transport, 149  
film on supporting substrates, 241  
functionalized nanoparticles, 239  
inertness at microscale, 174  
manufacturing processes, 44  
in paints and window coatings, 241  
sedimentation rate in water and air, 126  
in sunscreens, 155  
toxicity of, 180  
XL insurance framework case study, 254–255
- Toda Americas, Inc., 231
- Toda Kogyo Corporation, RNIP-10DS product, 228
- Tolerance, to toxic materials, development of, 171
- Top-down synthesis, 42
- Total exposure measurements, 113
- Total lung volume, 208
- Total suspended nanoparticulate concentration, 127
- Toxic Substances Control Act (TSCA), 51, 100  
*bona fide* intent requests, 52  
decision logic, 63  
EPA OPPT nanotechnology initiatives, 54–63  
low release and low exposure (LoREX) exemption, 53, 54  
low volume exemption (LVE), 53, 54  
Nanoscale Materials Stewardship Program, 54–61  
Nanotechnology White Paper, 61–63  
polymer exemption, 53  
research and development (R&D) exemption, 53  
role of technology qualified individuals (TQIs), 53  
self-executing exemptions, 53  
statutory and regulatory background, 51–54
- Toxicity, 156. *See also* Risk assessment  
assessment, 251  
to bacteria, 163  
in C60 fullerene manufacture, 258  
critical variables, 195–196  
and dermal absorption, 200–201  
due to metal byproduct impurities, 189  
and endocytosis, 199–200  
and impurities/byproducts, 175–176  
increase with surface area per unit mass, 220  
inflammatory/immune-based mechanisms, 195  
known, of nanomaterials, 209, 220  
of lipophilic vs. hydrophilic substances, 172  
list of symbols, 220–221  
and nanomaterial properties, 86  
of nZVI, 230  
predicting with DLS, 112  
underlying concepts, 171–173
- Toxicity Characteristic Leaching Procedure (TCLP), 75
- Toxicity Characteristic (TC), 75
- Toxicology, 193–194  
and exposure, 177–179  
list of symbols, 220–221  
of nanomaterials, 174–176
- Tracheobronchial mucus, 203
- Training, EPA calls for nanotechnology-based, 63
- Transition metal carbide nanoparticles, as environmental nanocatalysts, 238
- Transmembrane diffusion, 199
- Transmission electron microscopy (TEM), 102, 104, 105
- Transmitted electrons, 104
- Transport. *See also* Environmental fate  
active vs. passive, 196  
and amelioration of toxicity, 177

- difficulty of quantifying, 156
- in exposure studies, 173
- of nanomaterials, 20
- primary forces determining, 124
- and settling rates, 126
- via endocytosis, 199–200

- Transport kinetics, cellular, 198
- Transporter requirements, RCRA, 77–78
- Treatment requirements, under RCRA, 78
- Trenton Switchyard, case study, 234
- Trichloroethylene (TCE), 226, 233
- Trojan-horse mechanisms, 176

## U

- U list hazardous wastes, 75
- Ultrafiltration, 165
- Ultrafine particles, 42
  - characterization by SEM and TEM, 105
  - contact dermatitis from, 200
  - impact on GI tract, 200
  - inhalation of, 201
- Unintended consequences, 2
- U.S. Environmental Protection Agency, 12, 50
  - Ad Hoc Work Group on Nanoscale materials, 54
  - Nanoscale Materials Stewardship Program (NMSP), 17
  - Nanotechnology Research Framework, 61
  - National Center for environmental Research (NCER), 147–148
  - National Pollution Prevention and Toxics Advisory Committee (NPPTAC), 54
  - Office of Air and Radiation (OAR), 67
  - Office of Solid Waste and Emergency Response (OSWER), 75
  - research on nZVI, 232
- U.S. Food and Drug Administration (FDA)
  - Nanotechnology Interest Group (NTIG), 80
  - Nanotechnology Task Force, 80

## V

- Valence stability, 130
- Van der Waals forces, 16, 17, 124, 130, 131–132, 132, 143, 164
- and degree of agglomeration, 23
  - between fullerene molecules, 142
  - manufacturing considerations, 45
  - nanoparticle affinity and, 141–142
- and physisorption, 125
- Vapor, 172
- Vapor-to-solid processes, 37
- Vascular thrombosis, 220
- Vehicle emissions
  - ELPI monitoring of, 111

- mass spectrometric analysis of, 108
- Ventilation rate, 209
- Volatile organic compounds (VOCs), nZVI use in decontaminating, 233
- Voluntary Reporting Scheme, 17, 61

## W

- Waste stream, nanomaterials entry into, 41
  - Wastewater discharges, as source of exposure, 177
  - Wastewater treatment
    - activated sludge, 162–163
    - coagulation and flocculation processes, 161–162
    - Coulomb forces and, 131
    - disinfection processes, 165
    - fate and transport of nanomaterials in, 148
    - mass balance considerations, 156–160
    - membrane separation processes, 165
    - nanoparticles in, 155–156, 225
    - sand filters in, 164–165
    - sedimentation process, 160–161
    - treatment processes, 160–165
  - Water
    - dispersion in, 140
    - insolubility of CNTs in, 28
    - self-purification mechanisms, 176
  - Water and soil analysis, 114–115
  - Water flea, nanomaterial effects on, 181, 183, 185
  - Waterjet cutting, as mass change process, 36
  - Weathering, decreased exposure due to, 173
  - Woodrow Wilson Institute, 11, 23
    - Project on Emerging Nanotechnologies, 117
  - Worker exposure issues, 35, 40, 42, 112–113
    - direct contact and, 43
    - and good work practices, 87, 88
  - Working Party on Manufactured Nanomaterials (WPMN), 95
  - Workplace air monitoring, 112–113
    - by condensation particle counter, 113
    - of surface area for total exposure, 113
  - Wound care products, silver nanoparticles in, 26
- ## X
- X-ray energy dispersive spectroscopy (XEDS), 104
  - Xenobiotics, characterizing toxicity of, 188
  - XL insurance database protocol, 250, 253, 255
    - CNT cast study, 257
    - fullerenes case study, 261
    - manufacturing risks calculated using, 262
    - nano titanium dioxide case study, 259
    - nZVI case study, 256–257



schematic and formulation of risk scores, 258  
titanium dioxide case study, 254–255

## Z

Zebrafish, nanomaterial effects on, 182, 183, 184, 185, 186

Zero point charge, 150

Zero-valent iron (nZVI), 13, 25–26, 31, 43, 188, 225

case studies, 233–236

ED and DuPont joint testing of, 92

forms of, 227–228

manufacturing processes, 44

mobility in aquifer systems, 149

NAES case study, 235–236

particle characteristics, 228

particle size effects, 229

in pollution control, 226–227

potential risks, 230–233

projected proportional suspension, 129

rapid agglomeration into micrometer-sized particles, 149

*in situ* remediation uses, 229–230

toxicity of, 180

treatment by degradation, 237

use in groundwater remediation, 140

Zero-volume permeability, determining

molecular permeability from, 197

Zeta potential, 131

Zinc oxide, transparency at nanoscale, 17