

Index

- A**
- Abandonment time, market, 14
- Abrupt compression, 67–70
- Absorption, 478
- Absorption of light by water, 454
- Absorptive, heat, 237
- Accelerating interelectrode potential, 225
- Accelerator, thermionic diodes, 229
- Acceptance angle, solar collectors, 535
- Acceptance, charge, 374
- Acceptor, 651
- Accessories, automotive engines, 110
- Acetaldehyde, 598
- Acetogenesis, 602
- Acetylenes, 571
- Acid electrolytes fuel cell reactions, 297
- Acid hydrolysis, 582
- Acid, strong, 380
- Acidogenesis, 602
- Actinides, 33
- Activated complexes, 361
- Activated intermediate species, 452
- Activation barrier, 360 energy, 360–362 hydride, 478, 488 voltage, 353
- Addition reaction, 477
- Adiabatic entropy change, 81 processes, 66–73 turbine, 142
- Adsorption, cesium, 243–245
- Adsorption storage, hydrogen, 473–474
- Advantages, thermionic devices, 220
- AFC, alkaline fuel cells, 293
- Açuadoura, 805
- Aiming angle, 538
- Air circulation, 532
- Air pressure, 739, 750
- Air/fuel ratio, 109
- Airfoil, 748–751 asymmetric, 748 reference plane, 748 symmetric, 748
- Akasaki, I., 641
- Alayne, F., 615
- Albedo, 5
- Alcohol, 114, 572 anhydrous, 597 dissociated, 600–601 hydrated, 597 thermal decomposition, 422, 423
- Aldehydes, 572
- Aldohexoses, 583
- Alfonso, P., 6
- Alga for hydrogen production, 456
- Algae for oil, 581
- Algae in sewage treatment, 607
- AlInGaAs, aluminum indium gallium arsenide, 641
- Aliphatic, 570, 584
- Alkali metal thermal electric converter, 263
- Alkaline batteries, 382 cells, 293 electrolytes, fuel cell, 296, 297 electrolytes, fuel cell reactions, 297–300 fuel cells, 293
- Alkanes, 571, 584
- Alkenes, 571, 584
- Alkynes, 571, 584
- Allowable loading rate, 605
- Alloys binary, 477 quaternary, 477 ternary, 477
- Alpha phase, hydrides, 480
- Alpha sticking, 39
- Alpha-carbon, 574, 575
- Alpha-Stirling engine, 117–120
- Alumina, 420, 421
- Alumina, beta', 263
- Aluminum -air cells, 325
- AlInGaAs, 641
- gallium alloy, 421
- indium gallium arsenide, 693
- passivation, 420
- Power, Inc. (aluminum-air cells), 325
- water hydrogen production, 420–422
- water hydrogen, energy efficiency, 421
- Alvarez, L. W., 38
- Amalgamation, 383
- American Public Power Association (fuel cells), 304
- Ammonia tolerance, fuel cell, 303, 320
- Amorphous thin film photovoltaic materials, 630
- AMTEC conduction losses, 274 efficiency, 272–274 electrode efficiency, 273 parasitic losses, 273 radiation losses, 273–274 specific resistivity, 271 thermodynamics, 274–277
- Anaerobic digestion, 601–608
- Anchoring, marine converters, 813
- Ancillary devices, automotive engines, 110
- Anemometer, 731
- Angle of attack, 748
- Anhydrous alcohol, 597
- Anhydrous proton conductivity, 324
- Anion, 296, 298, 315, 364
- Anion-exchange membranes, 318
- Anode, 289
- Anode, definition, 219
- Anode reaction, 290
- Anomalistic year, 551, 552

- Anomaly, mean, 555, 556
 Anomaly, true, 547, 548
 Anthracene, 388
 Antiknock, 111
 Apastron, 548
 Aphelion, 548
 Apopsis, 548
 Apocenter, 548
 Apofocus, 548
 Apogee, 548
 Applications of OTEC
 technology, 149
 AquaBuOY, 804
 Aquifer storage, 470
 Arable land, 9
 Arata, Y., 43
 Archaea, 602, 602n, 603
 Archimedes Waveswing, 804
 Architecture, batteries of
 thermocouples, 188
 Area, active fuel cell, 320
 Area, blade, 761
 Argument of perihelion, 551
 Aristotle, 807
 Aromatic, 570, 584
 Aromaticity, 387
 Arrhenius equation, 362
 Ascending node, 551
 Aspect ratio, 754–756
 Aspect ratio, Gyromil, 771
 Assumptions, market
 penetration,
 14, 16
 Aswan, 435
 Atmospheric pressure, 92–93
 Atomic orbitals, 587
 ATR, autothermal reaction,
 422
Atriplex rosea, 612–615
Atriplex triangularis,
 613–615
 Attitude and orbital control,
 SPS, 696–697
 Augustus (Octavian), 544
 Automotive power plants,
 fuel cell, 327–328
 Autothermal reaction, ATR,
 422
 Autumnal equinox, 551
 Availability of wind energy,
 735–736
 Available
 noise power, 279
 power density, wind, 731,
 735
 power, wind turbine,
 741–748
 Average-to-peak ratio,
 photovoltaics, 626
 Avogadro's number, 63, 93
 Avoided cost, 626
 AWS Ocean Energy, 804
 Axial compressor, 105
 Azimuth of the sun, 525
 Azimuth, solar, 526
- B**
- Back emission, 245
 Back reaction, 452
 Bacteria, fermentative, 602,
 603
 Baker, R. T. K., 474
 Ballard Power Systems, fuel
 cells, 307, 314–316,
 318–321, 352, 371,
 378
 Balmer series, 685
 Band-gap energy, 631, 635
 Band structure, 683–687
 Bare work function, 243
 BASE, 263–265
 Batch digester, 604, 605
 Batteries, 373–393
 alkaline, 382–383
 chemistry, 379–393
 lead–acid, 383–384
 lithium–ion, 386–393
 nickel–cadmium, NiCd,
 384–385
 nickel–iron, NiFe, 384
 nickel–metal hydride
 batteries, NiMH,
 385–386
 primary, 379–383
 secondary, 383–393
 Battery architecture,
 thermocouples, 188
 Battery, Edison, 373, 384
 Beam from space, SPS,
 692–693
 Beam splitting, spectrally
 selective, 640–645
 Benzene ring, 584
 Bergen, 807
 Berry, J., 612, 613, 615
 Beta (ion-richness
 parameter), 249
 Beta' alumina, 263
 Beta phase, hydrides, 480
 Beta prime phase, hydrides,
 480
 Beta Stirling engine,
 120–121
 Betz limit, 741–743
 Binary alloys, 477
 Binding energy
 exciton, 688
 nuclear, 29
 Biodiesel, 570, 579, 580
 Biogas, 569, 602, 604, 606
 Biological filter, 606
 Biomass, 569–616
 as fuel, 592–608
 composition, 569–570
 efficiency, 569
 Bipolar, 301
 Bipolar electrolyzer, 435
 Bipolar fuel cells, 301
 Bird wings, 755, 756
 Björkman, O., 610, 612,
 613, 615
 Black body, 523
 Black body spectrum
 efficiency, 638
 Blade area, 761
 number, wind turbines,
 746, 748, 756
 setup angle, 758, 762,
 763, 767
 Blending octane value, 114
 Bohr, N., 683
 Boltzmann line, 235
 Boltzmann's constant, 62
 Boltzmann's law, 92–93,
 247, 356
- Bonds
 covalent, 589–590
 hydrogen, 590–591
 ionic, 589
 metallic, 589
 Borden, P., 675
 Bounce space, 123
 Branched hydrocarbons,
 111–114
 Brayton cycle, 104, 105
 Brayton engine, 105, 106
 Brown Boveri, 435
 Brush, C., 723
 Building-integrated
 photovoltaic systems,
 627
 Bulk heterojunction, 690
 Butanol, 572, 592, 600
 Butler–Volmer equation,
 357, 363–367
- C**
- C3 and C4 plants, 614, 615
 Calendar, 543–545
 Calendar, proleptic, 545
 Calvin–Benson cycle, 613,
 615
 CANDU reactor, 31
 Canisters, 469
 Capacity, 374, 375
 Cape Canaveral, 471
 CARB, 115
 Carbohydrates, 570,
 582–583, 592, 593,
 608, 613–615
 Carbon
 in the atmosphere, 27
 nanotube hydrogen
 storage, 474
 stored on Earth, 26

- Carbon dioxide disposal
 biological, 26
 in the atmosphere,
 592-593
 mineral, 26
 subterranean, 26
 undersea, 27
- Carbon/nitrogen ratio, 606
- Carbon/phosphorus, 606
- Carbon-steam reaction, 423
- Carboxyl, 572
- Carboxylic acid, 573
- Carnot efficiency, 102-103
 of heat pumps, 181
 OTEC, 145
- Carrier, 167, 651
- Carrier (thermal)
 conductivity, 169-170
- Carrier multiplication,
 semiconductor,
 639-640
- Cascade cells, 640-644
- Casson, L., 6
- Catalyst
 fuel cells, 291, 294, 295,
 302, 303, 307-321,
 362-363
 supported, 321
 testing, parallel, 322
- Catenary, 730
- Cathode, 289
- Cathode, definition, 219
- Cathode reaction, 290
- Cation, 293, 296, 298, 364
- Cations and anions
 (creating ions), 689,
 690
- Cavitation, 813-814
- Celanese, 295, 295n
- Celestial equator, 551
- Cell potential, 291-293,
 364-365
- Cell potential, standard, 293
- Cells
 electrochemical, 287-289,
 291
 primary, 288
 secondary, 288
- Cellulose, 570
- Centrifugal force, Gyromill,
 772-773
- Ceramic
 electrolytes, fuel cell
 reactions, 298
 fuel cells (SOFC),
 305-322
 proton-conducting, 306
- Cesium adsorption, 243-245
- Cesium vapor pressure, 243
- Cetane, 577
- Chain reaction, 31
- Changes in entropy, 80-82
- Characteristics of fuel cells,
 349-358
- Charge acceptance, 374
- Charging Li-ion batteries,
 391, 392
- Charles, J., 419
- Chemical
 dissociation of water,
 449-451
 nature of electrolyte, 296
 nature of electrolyte, fuel
 cells, 296
 potential, 90, 91
 production of hydrogen,
 419-434
- Chemisorption, 362
- Chemistry of batteries,
 379-393
- Child-Langmuir law, 225,
 227-231
- Chlamydomonas*
reinhardtii, 456
- Chlorophyll, 613, 614
- Chloroplast, 609, 615
- Chord length, 755, 761, 771
- Chord, wind turbine blade,
 756, 757
- Chromium, 308
- Circuit model, fuel cell, 351
- Circulation, air, 532
- cis-trans, 577
- Clarke, A. C., 690
- Clathrate, 19-20
- Clean fusion reactions, 37
- Close-cycle engines, 104
- Closed systems, 76
- Cloud point, 5
- CO
 poisoning, 294, 295, 325
 removal, 427-428
 tolerance, fuel cell, 303,
 316
- CO₂
 concentration, 24
 disposal, 25-27
 hydrogenation, 477
 increase, 24
 removal, 426-427
- Coal hydrogenation, 426
- Coal liquefaction, 425
- Coanda effect, 751
- Coanda, H.-M., 751n
- Cobalt sulfate filter, 644
- Cobequid Bay, 810, 810n
- Coefficient
 conversion, 3
 performance, maximum,
 thermoelectric, 182
 of performance, 181
 of performance, hydride
 heat pumps, 497-499
 of viscosity, 752
- Cogeneration (hybrid)
 SOFC, 294, 304, 307,
 327
- Cold fusion, 37-44
- Collector (thermionic),
 definition, 220
- Collectors, solar, flat, 534
- Colliding beam fusion
 reactor, 37
- Collision
 elastic, 61
 frequency, 754
 ionization, 242
- Combustion, stratified, 109
- Cominco, 435
- Composition, biomass,
 569-570
- Compound parabolic
 concentrators, 537
- Compression ratio, 107
- Compression ratio, critical,
 CRC, 112
- Compressor
 axial, 105
 hydrogen (hydride),
 492-497
 radial, 105
- Concentration
 cell voltage, 263
 -differential cell, 263, 264
 -differential electrolyzers,
 440-442
 intrinsic carrier, 652, 654,
 668
 of particles, 92
 solar collectors, 535
- Concentrators
 compound parabolic, 537
 conical, 537, 538
 solar, 535-538
- Condensation polymer, 582
- Conductance
 heat, 153
 stomatal, 609, 612, 615
- Conducting electrodes,
 680-681
- Conduction losses, AMTEC,
 274
- Conductivity
 electric, 167
 thermal, 167
 thermal, in
 semiconductors,
 169-170
- Configurations
 fuel cells, 300-326
 wind machines, 727-731
- Conical concentrator, 537,
 538
- Conjugated polymers, 683,
 683n
- Conservation of energy, 4
- Constants, fundamental, 2

Contact ionization, 246-247
 Contact potential, 363, 364, 652n, 653-656, 704
 Continuous digester, 604-606
 Conversion coefficients, 3
 Conversion hydrocarbon-to-alcohol, 101-102
 Coolant, breeder reactor, 31-32
 Corundum, 420
 Cost per watt, photovoltaics, 626
 Cost, avoided, 626
 Coulombic efficiency, 374
 Covalent bonds, 590
 Coverage, degree of, 243-244
 Crossover, fuel, 323, 348, 358
 Cryogenic engines, 125, 128
 Cryogenic hydrogen, 471-473
 Crystalline photovoltaic materials, 630
 Cubic wind velocity, 731
 Culmination (of the sun), 546
 Cumulative Rayleigh function, 733
 Current from a fuel cell, 347
 Current, ocean turbines, 811-815
 Currents (ocean), energy from, 810-815
 Cutoff ratio, 109
 Cuzco, 435
 Cycloalkanes, 571

D

Daimler-Benz, 315
 Daniell cell, 381
 Darrieus wind turbine, 730
 Dauenhauer, P. L., 592
 Declination, 551
 Declination, solar, 526
 Decompression ratio, 75
 Degree of (cesium) coverage, 243-244
 Degrees of freedom, 61, 78-79
 Delocalized electrons, 387, 589, 591, 682, 682n
 Demag, 435
 Demonstration (KOH) fuel cell, 300-301
 Density of states, 90-91
 Departure from ideal, mechanical heat engines, 109-111
 Depleted region, 480
 Depleted uranium as fuel, 33

Depolarizer, 381
 Depolymerization, 582
 Desiccation of MEA, 321
 Desorption, 478
 Desulfurization, 426
 Detailed balance efficiency photocell, 637, 638
 Detonation, 111-115
 Deuterium abundance, 34
 Deuterium-muon-tritium fusion, 39
 Deuteron/deuteron reaction, 37-39, 42
 Devon, 812
 Diamond, thermal conductivity, 170
 Diaphragms, electrolyzer, 436
 Diene, 571
 Diesel engine, 109
 Diffusers, gas compressors, 105
 Diffusion constant, 668
 Diffusion length of an exciton, 689
 Digester batch, 604, 605 continuous, 605, 606 power density of, 605
 Digestion anaerobic, 601-608 of glucose, 601
 Diglycerides, 576
 Dillon, W. P., 18
 Dimethyl Furan (DMF), 591
 Diol, 572
 Direct hydrogenation of coal, 426
 Direct methanol fuel cell (DMFC), 293, 322-323, 325, 348, 358
 Direct reduction loan, 44
 Directions and signs, thermocouples, 199-201
 Disadvantages of PWR, 32
 Disadvantages of the T/D reaction, 35
 Discharge, rated time of, 374
 Dispersive, ocean waves, 800
 Dispersive system, 800
 Displacer, Stirling, 117, 120
 Dissociated alcohols, 600-601
 District heating, 22-23
 Donor, 651
 Dopants, 641n, 651
 Dormancy, 468
 Dow ion-exchange membrane, 319

Drag, 748 coefficient, 740, 749, 758 induced, 755 parasitic, 755 pressure, 755 skin-friction, 755 -type wind turbines, 727-729
 Drift velocity, 167
 Drive train, 110
 DSSC efficiency, 670
 DSSC, dye-sensitized solar cells, 675-681
 Duration, wind, 801
 Dyes, sensitizing, 676
 Dye-sensitized solar cells, DSSC, 675-681
 Dynamic equilibrium, 289, 293, 363 forces, 752 positioning, OTEC, 149 pressure, 739 viscosity, 577

E

Eccentricity, orbital, 556-558
 Ecliptic, 551
 Ecliptic longitude, 551
 Ecology, 24-25
 Economy of scales, wind turbines, 726
 Edison battery, 384
 Edison, T., 373, 384
 Effective heat emissivity, 237 mass, carrieres, 653 octane number, 113
 Efficiency AMTEC, 272-274 biomass, 569 Coulombic, 374 dependence on band gap, 636, 637, 638 DSSC, 670 ideal, photodiode, 638 in thermoelectrics, 175 light sources, 23 maximum of a thermocouple, 163 of practical fuel cells, 347-349 photocell, 632 photodiode light power dependence, 662-664 load match dependence, 670-671 reverse saturation current dependence, 664-667

- Efficiency (*continued*)
 temperature
 dependence, 667-670
 photosynthesis, 569
 practical, *p-n* photodiode, 674-675
 practical, photodiode, 674
 reversible fuel cells, 335-336
 vacuum thermionic generators, 235-239
 wind turbine, 744, 771
 Egg beater wind turbine, 730
 Eglinton, G., 615
 Ehleringer, J., 610
Eichhornia crassipes, 608, 616, 619
 Einstein's relation, 264
 Elastic collision, 61
 Electric conductivity, 167
 Electric Power Research Institute (EPRI), 304
 Electric Vehicle (EV), 115
 Electrochemical cells, 287, 288, 289
 Electrode efficiency, AMTEC, 273-274
 Electrode potential, 293
 Electrodes, 289
 electrolyzers, 435
 Electrodialysis, reverse, RED, 816
 Electrolytes, 294
 chemical nature, 296
 electrolyzers, 435-437
 managing unit (zinc-air cells), 325
 state, 295
 Electrolytic cells, 287
 Electrolytic hydrogen, 434-443
 Electrolyzer, 287, 296, 334
 diaphragms, 436
 efficiency, 437-440
 reversible, 334
 Electron
 affinity, 690
 crystal/phonon glass, 173
 delocalization, 682, 683
 energy, excess, 239-240
 -phonon interaction, 639n
 -rich condition, 243, 249
 transport, 224-226
 Elementary reaction, 358-359
 Emission
 constant, apparent, 223
 constant, theoretical, 222
 field, 224
 limited current, 225
 non-black body, 648
 of electrons, mechanisms, 224
 photoelectric, 224
 secondary, 224
 thermionic, 222-224
 Emissivity, heat, 236-238
 Emissivity, spectral, heat, 236
 Emitter (thermionic), definition, 220
 Emitter, virtual, 229
 Emitters, thermionic, properties, 223
 End use load, 111
 Energy
 balance, planetary, 5
 concentration, 523
 conservation, 4-5
 converters, wave, 802-808
 converters, wave, offshore, 802-806
 density, 325, 329, 377, 378, 379, 382, 391, 392
 density, ocean waves, 801-802
 efficiency of
 aluminum-water hydrogen reaction, 421
 flux, 521
 flux, solar, 521
 levels in Grätzel cells, 679
 ocean waves, 802
 partition, neutron/alpha, 34-35
 Research Corporation (fuel cells), 304
 resources, planetary, 16-20
 usage, worldwide, 139
 use, residential, 22-23
 users, 22
 utilization, 20-24
 utilization rate, history, 5-9
 utilization rate, world, 9-10
 Engine types, 103-106
 Englehard, 301-302
 Enrichment of syngas, 423
 Enrichment, uranium, 31
 Enthalpy, 76-77, 330
 of formation, 338
 (reaction) dependence on pressure, 328
 (reaction) dependence on temperature, 336-337
 Entropy, 4, 79-82
 change, adiabatic, 82
 change, isobaric, 82
 change, isometric, 82
 change, isothermal, 82
 Enzymatic hydrolysis, 582
 Enzymes as catalyst for fuel cells, 321
 Eolergometry, 731
 EOT, equation of time, 525, 553-557, 567
 Epheris hour, 542
 Epidermis (on a plant leaf), 609
 EQE, external quantum efficiency, 677n
 Equation of center, 556
 Equation of time, EOT, 525, 553-557, 567
 Equilibrium constant, 446, 448
 Equinoctial line, 551
 Equipartition of energy, 61
 Equivalent weight, ion-exchange membrane, 318-319
 Ester hydrolysis, 581
 Esterification, 576
 Esters, 576-581
 Ethanol from glycerin, 580
 Ethanol production, 594-597
 European Marine Centre, 804
 Eutectic, 33, 244, 540n
 Eutrophication, 607
 Evacuated tubes solar collectors, 531, 535
 Excess electron energy, 239-240
 Exchange currents, 293, 363-364, 367, 370
 Exciton, 639, 687
 Exciton binding energy, 688
 Exciton diffusion length, 689
 Exothermic reaction, 330
 Expendable batteries, 288
 External combustion engines, 104
 External quantum efficiency, EQE, 677
 Extinguished mode, 256
- F**
 Facultative anaerobes, 602
 Faraday constant, 332
 Faraday, M., 373
 Farms, marine turbine, 814-815
 Faroe, 808
 Fast breeder, heavy-metal, 32
 Fast breeder reactor, 29, 32
 Fast nuclear reactor, 103n
 Fats, 581
 Fatty acid profile, 577
 Fatty acids, 574

834 Index

- Faure, C., 384
Fermentation, 597-599
Fermi level, 90
Fermi-Dirac distribution, 90-91
Fermi-Dirac heat capacity, 195
Fertile materials, 30
Fertilizers, nitrogen, 10
Fetch (ocean waves), 799, 801
FFA, free fatty acids, 579, 581
Field emission, 220
Figueira da Foz, 804
Figure of merit, Z, 164
 conducting electrode, 680-681
 of a material, 164-166
Fill factor, 660, 662
Filled skutterudite, 173
Filter press electrolyzer, 435
Filtered cells, 644
Filtered photocells, 644
Filters, nonporous, 427
Financing, 44-46
Finavera, 804
Finegold, J., 601
First law of thermodynamics, 64-65
First-generation fuel cells, 303
Fischer-Tropsch, 425
Fisher, J. C., 11
Fisher-Pry, 9-16
Fissile elements, 29
Fission, uranium, 30
Fissionables, reserve, 18
Fixation of CO₂, 612
Fixed solids, 605
Flat solar collectors, 531, 534
Flattened SOFC, 312
Fleishmann, M., 40
Flex-fuel engines, 115
Flexure bearing, 123
Flux, 738
Flux of particles, 62
Forces, dynamic, 752
Forces, viscous, 752
Formic acid, 433-434
Formic acid hydrogen storage, 477, 478
Fossil fuel reserves, 18
Fourier effect, 154
Fractional degrees of freedom, 78
Fraenkel, P. L., 810
Free energy, 331-335
 (reaction) dependence on pressure, 343-344
 dependence on temperature, 338-343
Free fatty acids, FFA, 579, 581
Free-piston Stirling, 117
Free-piston engine, 123-125
Freezing point, 577
Frequency factor, 362
Fresnel lens, 536
Friction, 84
Froude, W., 742, 743-745
Fructose, 583
Fuel cell(s), 288
 active area, 351
 advantages, 326-327
 alkaline, 293
 ammonia tolerance, 303, 320
 applications, 326-329
 bipolar, 301
 catalysts, 319-321
 ceramic, 305-310
 characteristics, 349-350
 chemical nature of electrolyte, 296
 circuit model, 351
 classification, 293-294
 CO tolerance, 303, 316
 configurations, 306-326
 construction (SPFC), 316-318
 current, 297
 demonstration, (KOH), 300-301
 direct methanol (DMFC), 322-323
 efficiency (reversible), 335-336
 empirical, 350-351
 Energy, Inc., 304
 heat dissipation by, 370-372
 heat rejection, 370
 heat removal from, 372-373
 internal resistance, 372
 Joule loss, 372
 kinetics, 294, 302, 319, 336, 348, 349, 353, 358-363, 369, 370
 molten carbonate, 303-305
 operating temperature, 294-295
 phosphoric acid, 301-303
 practical, efficiency, 348-349
 reactions, 297-300
 acid electrolyte, 297
 alkaline electrolyte, 297
 ceramic, 298
 methanol, 298
 molten carbonate electrolyte, 298
 scaling, 352-353
 side reactions, 358
 solid oxide, 305-314
 solid polymer, 314-322
 specific resistance, 351, 352
 state of electrolyte, 295
 stationary power plants, 326-327
 sulfur tolerance, 320
 thermodynamic heat power, 370
 type of fuel, 295-296
 V-I characteristics, 349-350
Fuel crossover, 323, 348, 358
Fuel processor, 320
 compact, 429-433
 efficiency, 422
 room temperature, 433
Full-wave rectifier, 281
Functional groups, 573
Functions of state, 76
Fundy Bay, 810
Furan, 591
Fusion
 cold, 37-44
 muon catalyzed, 38-39
 piezonuclear, 40
 reaction, 34-37
 reactions, clean, 36
- ## G
- Gallium-aluminum alloy, 421
Galvanic cells, 287n
Gamma, 66
Gamma phase, hydrides, 480
Gamma Stirling, 117
Gammas for hydrogen, oxygen, and water vapor, 341
Garbage dumps, 606, 607
Gas
 constant, 63
 flow plate, 317, 318
 spring, 123
Gasifiers, wood, 594
Gasohol, 114
Gasoline, 111
 heat of combustion, 111
 leaded, 113
General Electric, 442
General Electric fuel cells, 315
Generator, thermoelectric, 160-164
Geocentric system, 525
Glazer, P., 692
Glenjford, 434

- Global Thermoelectric Corp. (fuel cells), 305
- Glucose, 583
- Glucose digestion, 601
- Glyceraldehyde, 598
- Glyceric acid, 598
- Glycerin, 572, 576, 579, 602
- Glycerol, 572, 580, 581
- Glycyl alcohol, 572
- GMT, Greenwich mean time, 543
- Göttingen, 749, 750, 754
- Gonzalez, R., 580
- Grätzel cells, 675-680
- Gradual compression, 70-71
- Graphene, 387-389
- Graphite, 387-389
- Gravimetric concentration, 468, 469, 474, 511
- energy concentration target, 469
- energy density, 376-379, 391
- power density, 315, 377-379
- storage capacity, 474
- Gray body, 236
- Greenwich mean time, GMT, 543
- Gregorian calendar, 544, 545
- Group velocity, ocean waves, 800
- Groves, S. W., 288
- Growian, F., 726
- Gruman, 731
- Gulf Stream, 739
- Gyromill, 730, 771, 773
- Hahn, O., 31
- Half-cell potential, 365
- Half-cell reaction, 289
- Half-reaction, 289
- Half-wave rectifier, 281
- Hammerfest Stroem, 811
- Harber-Bosch, 434
- Harkness, D. D., 615
- Harvesting efficiency, light, 677
- Head, hydroelectric, 145-146
- Heat absorptivity, 237
- capacity, Fermi-Dirac, 195
- capacity of hydrides, 486, 488, 496
- conductance, 153
- conduction, 190
- content, 77
- dissipation in fuel cells, 370-373
- emissivity, 236-238
- emissivity, effective, 238
- emissivity of some materials, 282
- emissivity, total, 238
- engine, solar, 538-540
- exchangers, OTEC, 148
- flow measurement, 158
- of combustion, 100
- of combustion, gasoline, 111
- of combustion, higher, 100, 330
- of combustion, lower, 99, 330
- of vaporization, 331
- pump, hydride, 497-499
- pumps, thermoelectric, 180-188
- radiation, 236-238
- regeneration, 117, 121
- removal from fuel cells, 372-373
- sink, thermocouple, 155
- source, thermocouple, 155
- storing wall, 532
- transfer across, temperature differences, 84
- Heaving buoy converters, 803-804
- Heavy hydrogen, 39
- Heavy-metal fast breeder, 29
- Heavy-metal nuclear reactor, 29, 103
- Hebrides, 808n
- Height, ocean waves, 801
- Heliocentric system, 525
- Heliostat, 539
- Helmholtz layer, 365
- Hemicellulose, 570, 583, 597, 620
- Hero of Alexandria, 6
- Heterocycles, 584-592
- Heterojunction, 687
- Hexose, 583
- High-temperature ceramic fuel cells, 310-312
- Higher heat of combustion, 99-100, 330
- Highest occupied molecular orbital, HOMO, 687
- Highly mismatched alloys, 642
- High-pressure diodes (thermionic), 242
- thermionic generators, 257
- Hindenburg*, 418
- Hinged Contour Converters (ocean), 804-805
- Hologram efficiency, 644, 645
- Holographic concentrators, 644
- Holographic solar collectors, 536
- HOMO, highest occupied molecular orbital, 687
- Homojunction, 687
- Horizontal axis turbine, 756-762
- forces, marine turbines, 812-813
- surface, insolation, 530-531
- Hourangle, solar, 525
- Huang, Y., 615
- Hybrid automotive engines, 115-116
- bonds, 584
- orbitals, 587
- Hydrated alcohol, 597
- Hydrated methane, 18
- Hydraulic turbines, OTEC, 139-142
- Hydrazine, 296
- Hydride, 41
- heat pump, 497-499
- hydrogen compressor, 492-497
- hydrogen storage, 386, 490-492
- metal, 468
- systems thermodynamics, 490-492
- Hydrocarbons, oxidation states, 571-576
- Hydroelectric head, 145-146
- Hydrogen adsorption, 468
- adsorption storage, 473-474
- advantages, 417-418
- bonds, 590, 591
- carriers, 475-476
- chemical production of, 419-426
- compression, 468, 494
- compressor, hydride, 492-497
- cryogenic, 471-473
- electrolytic, 434-440
- extraction, 427-428
- gas stations, 435, 492
- heavy, 39
- liquefaction, 468
- only systems, 468
- permeation rate, 428
- production history, 419-420
- production processes, 419
- production sequence, 429
- production, aluminum-water, 420
- production, large-scale, 422-426

- Hydrogen (*continued*)
 production, metal-water, 420-422
 purification, 426-429
 safety, 418
 storage, formic acid, 477, 478
 transfer rate, 428
 underground storage, 470
 uses, 417
- Hydrogen/metal ratio, 479
- Hydrogenase, 321, 456
- Hydrogenation of coal, 426
- Hydrogenation, CO₂, 477
- Hydrolysis, 581, 582, 596, 602, 620
 acid, 582
 enzymatic, 582
 of esters, 581
- Hydronium, 297, 321, 380
- Hyperthermophiles, 602n
- Hysteresis, sorption, 480, 484
- I**
- ICV, 115
- IdaTech fuel processors, 320, 427, 429, 430, 433
- Ideal diode efficiency, 663
p-n photodiode, 636, 639, 640, 666
- Ideal efficiency of photocell, black body, 637, 648, 664
- Ignited mode, 219, 256
- Impact ionization, semiconductor, 639-640
- Implementation, Stirling engine, 122-123
- Incident photon conversion efficiency, IPCE, 677n
- Independent Natural Resources, Inc., 804
- Indium gallium nitride, InGaN, 641
- Indium tin oxide, ITO, 680
- Induced drag, 755-756
- Induced velocity, 763
- InGaN, indium gallium nitride, 641
- Insolation, 524
 at different American cities, 530
 average, 527-528, 530, 626
 horizontal surface, 530-531
 stationary surface, 527-530
 suntracking surface, 527
- Insulation, building, 531
- Intercalation compounds, 387-389
- Interelectrode potentials, 231-233
- Internal combustion engines, 115, 124
- Internal energy, 63, 64
- Internal resistance
 fuel cell, 372
 losses, *p-n* photodiode, 651, 659, 661
 photocells, 651
- International Fuel Cell Corp, 323
- Intrinsic carrier concentration, 652, 654, 668
- Inverter, utility-intertie, 626
- Iodine value, 579
- Ion emission, thermionic, 247-248
- Ion exchange membranes, 436, 440
- Ionic bonds, 589
- Ionization, contact, 242, 246-247
- Ionization potential, 246, 292, 690
- Ion-rich condition, 243, 249
- Ion-richness parameter, beta, 249
- IPCE, incident photon conversion efficiency, 677n
- Iron/water reaction, 420n
- Irreversibilities, 84
- Irreversible process, 67, 82-83
- Isentropic efficiency, 145
 processes, 71, 143-144
 turbine, 144-145
- Islay, 808
- Isobaric, entropy change, 81
- Isometric, entropy change, 81
- Isooctane, 112-113
- Isothermal
 compression, 344
 entropy change, 81
 processes, 74-76
- Isotherms, hydrides, 478-479, 484-490
- Isotopes, uranium, 30
- ITO, indium tin oxide, 680
- J**
- Jet Propulsion Lab., JPL (DMFC), 322
- Johnson Matthey
 fuel cell components, 317, 320
- Jojoba, 581
- Jones, S. E., 38, 39, 40
- Joule
 effect, 154
 loss, fuel cell, 372
 losses, 181, 190
- Julian calendar, 545
- Julian day number, 545
- Julius Caesar, 544
- K**
- Kassakian, J., 648
- Kelvin's relations, 195-199
- Ketohexoses, 583
- Ketone, 572, 573, 583
- Khelifa, L. B., 615
- Kilomoles, 63
- Kinematic Stirling engines, 117-123
- Kinematic viscosity, 577, 753
- Kinetics, fuel cell, 294, 298, 319, 336, 348, 349, 358-363
- Kirchhoff's thermodynamic law, 237
- Klass, D. L., 603
- Klimov, V. I., 639
- Knocking, 109, 111-115
- Knudsen condition, 268
- Kyoto Treaty, 25
- L**
- Lactic acid, 593, 597, 599
- Lactose, 583
- Langley, 524
- Langmuir assumption, 270
- Large-scale hydrogen production, 422-426
- LAST, 172
- Latent heat of condensation, 331
- Latent heat of phase change, 81
- Latent heat of vaporization, 331
- Lattice (thermal)
 conductivity, 169-170
- Lavoisier, 288
- Lead arsenide, PbSe, 639
- Lead resistance losses, 241
- Lead resistance, thermionic diodes, 241
- Lead-acid batteries, 373, 375, 383-384
- Leaded gasoline, 113
- Leclanché cell, 381

- Lifetime of minority carriers, 638, 665, 668, 672, 673, 675
- Lift, 748-751
- Lift coefficient, 749, 750
- Lift-type wind turbines, 729-730
- Light absorption by water, 454
- Light absorption, semiconductors, 631 emitting mantle, 649 harvesting efficiency, 677 sources, efficiency, 23
- Lignin, 570, 582, 597, 602
- Li-ion batteries, 386-393
- LIMPET, 808
- Liquefaction, coal, 425
- Liquid-fed AMTEC, 274
- Lithium cobalt oxide, 391
- Lithium-ion batteries, 386-393
- Load mismatch, photocells, 651
- Loading rates, digesters, 604-605
- Loan, direct reduction, 44
- Loferski, J. J., 638
- Logistics function, 11
- London, A. L., 145
- Longitude of perihelion, 551
- Longitude, ecliptic, 551, 554, 555
- Lorenz number, 168-169
- Loss mechanisms in photocells, 650
- Losses in SPFC summary, 370 in thermionic generators, 236-241 in vacuum diodes, 235-241 wing tip, 748
- Louis XVI, 419
- Low-temperature ceramic fuel cells, 312-314
- Lower heat of combustion, 99, 330
- Lowest temperature, thermoelectric, 182
- Lowest unoccupied molecular orbital (LUMO), 687
- Low-pressure diodes (thermionic), 242
- LSGM, lanthanum gallate, 295
- Lubricity, 577
- LUMO, lowest unoccupied molecular orbital, 687
- Lunation, 811
- Luque, A., 642
- Lurgi, 435, 436, 442
- Lyman series, 685
- ## M
- Mach number, 473
- Maelstrom, 815
- Magnus effect, 730, 776-777
- Magnus effect wind machines, 730
- Makah Bay, 804
- Malthus, T. R., 10
- Maltose, 583
- Manatee, 608
- Manzanara, 540
- Marchetti, C., 14
- Mariculture, 149
- Marine Current Turbine, 811-815
- Marine turbine farms, 814
- Market penetration, 11
- Market penetration function, 10-16
- Marquis d'Arlandes, F. L., 419
- Martí, A., 642
- Mass action law, 359 exchanger, 816 of nucleons, 29
- Maximum heat pumping, thermoelectric, 181
- Maximum power output, thermionic diodes, 234-235
- Maxwellian distribution, 61, 87-89
- MCFC, molten carbonate fuel cells, 294, 303-305
- McKinnon, T., 601
- MEA (membrane/electrode assembly), 316-317
- Mean anomaly, 555, 556 cubic wind velocity, 731 free path, 174, 280, 282 free path of sodium ions, 269 solar hour, 542, 546 sun, 525
- Melis, A., 456
- Membrane, proton conducting, 318
- Membrane/electrode assembly (MEA), 316-317
- Mensis intercalaris, 544
- Mercedonius, 544
- Mesophilic, 606
- Mesoscopic layer, 677
- Metal hydrides, 477
- Metallic bonds, 589
- Metallic Power, Inc. (zinc-air cells), 325
- Metal-water hydrogen production, 420-422
- Methanation, 424-425
- Methane clathrate, 19-20 molecule, 587-588 yield, 605
- Methanogenesis, 602
- Methanol, 425
- Methanol fuel cell reactions, 298
- Methoxide, 580
- Methyl vs. ethyl esters, 579
- Microwave generation, SPS, 694-695
- MIT photovoltaic effort, 648-649
- Mixture (Otto cycle), 106
- Moderators, nuclear, 31
- Molecular orbitals, 587-590, 682
- Molten carbonate electrolytes, fuel cell reactions, 298
- Molten carbonate fuel cell (MCFC), 303-305
- Momentum space, 88
- Monoglycerides, 576
- Monosaccharides, 582
- Monounsaturated, 574
- Montgolfier, 419
- Morrison, O., 650
- Morveau, 288
- Multiband semiconductors, 642-643
- Multiple stream tubes, 679
- Multivariate market share competition, 14
- Muon catalyzed fusion, 38-39
- Muon production, 39
- Muonic atoms, 38
- ## N
- n-Octane, 112, 113
- NACA, 749
- NACA 4412 data, 759
- Nafion, 295n, 319, 322
- Nakamura, S., 641
- Nanoparticle thermoelectric material, 174
- Naphthalene, 387
- Negative entropy, 86
- Negentropy, 86
- Nernst equation, 344-345
- Net₃, triethylamine, 434
- Neutron absorption cross-section, 31

- Neutron/alpha energy partition, 34
- NiCd, nickel-cadmium batteries, 384-385
- Nickel-cadmium batteries, NiCd, 384-385
- Nickel-iron batteries, NiFe, 384
- Nickel-metal hydride batteries, NiMH, 385-386
- NiFe, nickel-iron batteries, 384
- Niter, 540n
- Nitrogen fertilizers, 10
- Noise in thermoelectrics, 175
- Noise, available power, 279
- Non-black body emission, 648
- Nonexpendable cells, 288
- Nonimaging solar concentrators, 535-536
- Nonpolarizable electrode, 365
- Nonporous filters, 427
- Normalized time variable, 13
- Norsk Hydro, 434
- Norwave, 806-807
- n-region, 363, 651, 656
- Nuclear batteries, 329
- binding energy, 29
- energy, 27-44
- energy, installed capacity, 28
- energy, utilization factor, 28
- reactor, fast, 29, 32
- reactor, heavy metal, 29, 32
- waste, 29, 33
- Nucleon, mass, 29
- O**
- Obligate anaerobes, 602
- Obliquity, 551
- orbital, 558
- Ocean current energy, 810-815
- current turbines, 811-815
- Power Delivery, Ltd., 804
- temperature profile, 139
- wave energy, 802
- wave velocity, 800
- waves, height, 801
- Octane, 112-113
- Octane rating, 112
- Octane value, blending, 114
- Octavian (Augustus), 544
- Off-grid electric systems, 626
- Offshore wave energy converters, 802-806
- Oils, 570
- Olago, 615
- Olefins, 571
- Omega-carbon, 575
- OPEC, 6, 7
- Open systems, 76
- Open-circuit voltage
- AMTEC, 264
- fuel cells, 358
- in thermionic diode, 233-234
- p-n* photodiode, 660
- Open-cycle engines, 104
- Operating temperature, fuel cell, 294-295
- Orbit, 685
- Orbital eccentricity, 556
- Orbital obliquity, 558
- Orbitals, 586-591, 685
- atomic, 587
- hybrid, 587
- molecular, 587-590
- Organic photocells, 681-690
- Organic polymers, photovoltaic materials, 630
- Orkney, 804, 805
- Ortho-hydrogen, 471
- Oscillating water column converters, 803, 806
- Osmosis, pressure-retarded, PRO, 816
- Osmotic engine, 820-822
- engine, PRO, 816
- pressure, 816, 820
- OTEC configurations, 139-142
- dependence on ΔT , 145
- design, 146-148
- dynamic positioning, 148
- efficiency, 145-146
- heat exchangers, 148
- hydraulic turbines, 140-141
- siting, 148-149
- vapor turbines, 141-142
- water volume, 146
- Otto cycle, 106-111
- Otto engine, 106-111
- Overall reaction, 291
- Overtopping converters, wave, 805-806
- Overvoltage, 438
- Ovshinsky, S., 385
- Oxidant, 292
- Oxidation, 288
- Oxidation states, hydrocarbons, 571
- Oxidizing agent, 292
- Ozone, 521
- P**
- p-n* junction, 651-654
- PAFC, phosphoric acid fuel cells, 294, 301-303
- Palladium filter, 427-428
- Palladium hydrogen filter, 320
- Paraffins, 571
- Para-hydrogen, 471
- Parallel hybrid vehicles, 115
- Parallel testing of catalysts, 322
- Parasitic drag, 755
- Parasitic losses, AMTEC, 273
- Partial oxidation, POX, 422
- Paschen series, 683
- Passivation, aluminum, 420
- Pauli exclusion principle, 90
- PbSe, lead arsenide, 639
- PEDOT, 688
- Pelamis, 804-805
- Pelamis Wave Power, 804
- Peltier coefficient, 156
- Peltier effect, 156, 190, 193
- Pembrokeshire, 806
- Pentose, 582
- Perfect-gas law, 62
- Performance calculation, vertical axis turbine, 773-775
- Performance factor, 469
- Performance of thermoelectric materials, 171-175
- Periapopsis, 548n
- Periastron, 548n
- Pericenter, 548n
- Perifocus, 548n
- Perigee, 548n
- Perihelion, 548n
- Period, ocean waves, 799
- Permeability, 816
- Permeation rate, hydrogen, 428
- Permian extinction, 20
- Perovskite, 309
- Persian wind turbine, 727
- Perveance, 229
- Peterka, V., 14, 16
- Peukert number, 375
- Peukert's law, 375-376
- Phase change, latent heat, 81
- Phase velocity, ocean waves, 799-800
- Phonon/carrier drag, Seebeck effect boost, 175

- Phonon-electron interaction, 192
- Phonons, 192
- Phospho-enol-pyruvate (PEP), 614
- Phosphoglyceric acid (PGA), 614
- Phosphoric acid fuel cells (PAFC), 294, 301-303
- Photobiological hydrogen production, 456
- Photocell, 631
- Photocell efficiency, 632
- Photocells, theoretical efficiency, 631-638
- Photodiode, 631, 651
- Photodiode model, 658
- Photoelectric emission, 224
- Photoelectron losses in Grätzel cells, 678-679
- Photolytic hydrogen, 453-456
- Photonic crystal, 647
- Photonics, 646-647
- Photorespiration, 456n, 615
- Photosynthesis, 608-616
- Photosynthetic efficiency, 611, 612
- Photovoltaic cell, 631
- Photovoltaic materials
amorphous thin film, 630
building-integrated, 627
crystalline photovoltaic materials, 630
organic polymers, 630
plant, utility-scale, 629-630
- Physics of thermoelectricity, 190-199
- Pi-bonds, 584, 585, 589, 682-683
- Piezonuclear fusion, 40
- Piltre de Rozier, J.-F., 419
- Planck's equation, 632
- Planetary energy balance, 5
- Planetary energy resources, 16-20
- Plant utilization factor, 21
- Planté cell, 384
- Planté, G., 373, 383
- Plasma drop, 236, 255, 256
- Plateau, 480
- Platinum sponge, 362
- Plug-in hybrid, 116
- Plutonium, 116
- Plutonium production, 32
- Point absorbers (ocean), 804
- Polarization, 380, 381
- Polybenzimidazole, 295
- Polycyclic compounds, 388
- Polyene, 571n
- Polyisoprenes, 570
- Polymer solar cell, PSC, 687-690
- Polyol, 572
- Polytropic law, 71, 72-73
- Polyunsaturated, 574
- Pons, S., 40, 41, 42
- Population growth, 9-10
- p-orbitals, 586, 587, 589
- Porphyrins, 677
- Power
delivered, wind turbine, 731
density, 305, 308, 313, 314, 327, 377
density in the wind, 731
density, available, wind, 729
density, digester, 605, 606
density, ocean currents, 810
density, ocean waves, 801
density, solar, 522
piston, Stirling, 117, 120
ocean waves, 802
-to-photon flux ratio, black body, 634
- POX (partial oxidation), 422
- Practical efficiency, *p-n* photodiode, 657
- Practical fuel cells, efficiency, 347-349
- Pre-exponential factor, 362
- Prefixes and symbols, SI, 2
- p-region, 651
- Pressure
air, 739
drop in sodium column, 267
of a gas, 62
retarded osmosis, PRO, 816
swing adsorption, PSA, 426
-volume work, 65
- Pressurized water reactor (PWR), 32
- Primary alcohol, 572
- Primary batteries, 379-383
- Primer, semiconductor, 699-705
- Prince, M. B., 637
- Principal value, 526
- PRO osmotic engine, 816
- PRO, pressure retarded osmosis, 816
- Processes in heat engines, 103-106
- Proleptic calendar, 545
- Propane alcohols, 573
- Propanetriol, 572-573
- Propeller-type wind turbine analysis, 756-762
- Proton-conducting ceramic, 306
- Proton-conducting membrane, 318
- Proton conductivity, anhydrous, 324
- Proved reserves, 18
- Pry, R. H., 11
- PSA, pressure swing adsorption, 426
- PSC, polymer solar cell, 687-690
- Psychrophillic, 606
- P-Tr extinction, 20
- Pumping friction, 110
- Purification of hydrogen, 426-428
- PWR, disadvantages, 32
- PWR, pressurized water reactor, 32
- Pyrolysis, 425
- Pyruvic acid, 598
- Q**
- Quantum efficiency, 677, 679
- Quaternary alloys, 477
- R**
- Radial compressor, 105
- Radiation
losses, 279
losses in thermionic generators, 236-239
losses, AMTEC, 273-274
of heat, 236-239
system, SPS, 695-696
- Radio noise, 279
- Radioactive decay, 27
- Radioactive emissions, coal plants, 25
- Radioisotope Thermal Generator, RTG, 27, 116, 176
- Radionuclides in thermoelectrics, 176
- Radon, 532
- Ragone plot, 376-379
- Rance River, 810
- Rankine cycle, 103, 104, 105
- Rankine engine, 103
- Rankine-Froude theorem, 742, 743-745
- Rated time of discharge, 375
- Rayleigh distribution, wind, 732-734
- Rayleigh function, cumulative, 733

- Reaction
 anode, 289
 cathode, 289
 constant, 359
 order, 359
 overall, 191
 rates, 358–360, 610
 Reactions, fuel cell, 297–300
 acid electrolyte, 297, 299
 alkaline electrolyte, 297, 299
 ceramic electrolyte, 298, 299
 methanol, 298
 molten carbonate electrolyte, 298, 299
 Reactor, nuclear, 103
 Real vacuum diodes, 241–242
 Receiving array, SPS, 696
 Rechargeable batteries, 288
 Rectification (alcohol), 596, 597
 Rectifier, full-wave, 281
 Rectifier, half-wave, 281
 Recuperators, 533
 RED, reverse electro dialysis, 816
 Redox reaction, 288
 Reducing agent, 292
 Reductant, 292
 Reduction, 288
 oxidation, 288
 potential, 292
 Reference electrode, 365
 Reference plane, airfoils, 748
 Reference temperature and pressure (RTP), 330, 739
 Reformate, 295
 Refrigerators, thermoelectric, 180–188
 Refuelable cells, 288
 Refuelable devices, 288
 Refueling rate, 469
 Regeneration, heat, 117, 121
 Regenerator, Stirling, 120, 121
 Reliability in thermoelectrics, 175
 Reserve growth, fuel, 18
 Reserves
 fissionables, 18
 fossil fuels, 18
 proved, 18
 undiscovered, 18
 Residential energy use, 20, 24
 Retarded flow, 816
 Retarding interelectrode potential, 225
 Reverse saturation current, 658–659, 662, 665, 671
 Reversibility, 82–84
 Reversible
 adiabatic process, 70
 electrolyzer, 334
 fuel cells, efficiency, 335–336
 voltage (fuel cell), 332
 Reynolds number, 751–754
 Ribbed SOFC, 312–313
 Ribulose (RuDP), 614
 Richardson's equation, 222
 Right ascension, 551
 Ringbom Stirling, 117
 Robert brothers, 419
 Room temperature fuel processor, 433
 Rose Street Labs, 643
 Rotor loading, 737, 757
 RTG, Radioisotope Thermal Generator, 27, 116, 176
 RTP, 330–331, 739
 Rubbing friction, 110
 $\text{RuCl}_2(\text{PPh})_3$, 434
 R-values, 553

S
 Sabatier and Sedersens, 425
 Saccharomyces cerevisiae, 596, 597, 599
 SAFC, solid acid fuel cells, 324–325
 Safety, hydrogen, 418
 Saha–Langmuir equation, 248
 Saint Malo, 810
 Salination energy, 816–820
 Saltpeter, 540
 Samarium-doped ceria, SDC, 294, 295, 313, 314
 Saponification, 581
 Saturated, 571, 574
 Saturated region, 480
 Saturated thermionic diode, 225
 Savonius wind turbine, 729
 Scale factor, Weibull, 734
 Scaling fuel cells, 352
 Schaller, R. D., 639
 Schiaparelli, G., 806
 Schmidt, L. D., 592
 SDC, samarium-doped ceria, 294, 295, 313, 314
 Seadog, 804
 Sea flow, 811
 Second law of thermodynamics, 80
 Secondary alcohol, 572
 Secondary batteries, 288, 383–393
 Secondary emission, 224
 Seebeck coefficient, 157
 coefficient of metals, 171
 coefficient of semiconductors, 171
 coefficient, mean, 157, 199
 effect, 189–193
 effect boost, phonon/carrier drag, 175
 voltage, 191
 Semiconductors, multiband, 642–644
 Sensitizing dyes, 678
 Series hybrid vehicles, 115
 Setup angle, Gyromill, 762, 763
 Setup angle, wind turbine blade, 758, 763, 767
 Sewage treatment, 607–608
 Shape factor, Weibull, 734
 SHE, standard hydrogen electrode, 291, 365
 Sheet resistance, 680
 Shift reaction, 296, 424
 Shirakawa, 681
 Shockley and Queiser (SQ), 637, 638
 Shoreline wave converters, 806–808
 SI, Système International, 1
 Side-reactions in fuel cells, 358
 Sidereal time, 546
 Siemens Westinghouse fuel cells, 310
 Sigma-bonds, 584, 589, 682–683
 Silicon in Lithium-ion batteries, 392
 Silicon nanowire thermoelectrics, 174
 Silver-silver chloride electrode, 365
 Simple alcohol, 572
 Single chamber fuel cells, 312–313
 Single streamtube, 769
 Size of wind turbines, optimal, 725–726
 Skin-friction drag, 755
 Skutterudite, 173
 Slope parameter, 484
 Smith–Putnam, 723
 Sodium as coolant in reactors, 33
 Sodium column, pressure drop, 267

- Sodium ions, mean free path, 269
- Sodium, vapor pressure, 255-267
- SOFC, solid oxide fuel cells, 294, 305-314
- Solar
- architecture, 531-534
 - azimuth, 526, 527
 - collectors, 531-535
 - collectors, evacuated tubes, 535
 - collectors, flat, 534
 - collectors, holographic, 536
 - concentrators, 535-538
 - concentrators, nonimaging, 537
 - constant, 521, 524
 - constant, surface, 524
 - day, 546
 - declination, 526
 - energy conversion, SPS, 693-694
 - energy flux, 521
 - heat engine, 538-540
 - hour angle, 525
 - hour, mean, 542
 - One, 539
 - photolysis, 453-456
 - ponds, 148-149, 541
 - power density, 521
 - power density table, 522
 - power satellite (SPS), 690-697
 - radiation, 5
 - spectral power density, 521
 - spectral power density spectrum, 523
 - spectrum, 453
 - tower, 540
 - Two, 539
- Solid
- acid fuel cells, SAFC, 324-325
 - polymer electrolyte fuel cells, 314-316
 - polymer electrolyzer (SPE), 436, 439, 442
 - polymer fuel cells, 294, 314-322
- Solidity, 762, 766 (SPFC), 314-322
- Solvent extraction, syncrude, 426
- s-orbitals, 587
- Sorption, 478
- Sorption hysteresis, 480, 484
- SOS, state of charge, 376
- Sources of energy, 20
- sp hybrids, 589
- sp², 682
- sp² hybrids, 588
- sp³, 682
- sp³ hybrids, 588
- Space
- charge-limited current, 225
 - charge neutralization, 231, 248-249
 - construction, SPS, 697
 - plane, 471
 - transportation, SPS, 697
- Specific heat at constant pressure, 65
- Specific heat at constant volume, 63
- Specific heat ratio, "gamma", 66
- Specific heats at constant pressure
- H₂, O₂, H₂O, 341-342
 - rated capacity, wind turbine, 737
 - resistance, fuel cell, 352-353
 - resistivity, AMTEC, 272
- Spectral
- distribution of heat radiation, 649
 - heat emissivity, 236
 - power density spectrum, solar, 523
 - power density, solar, 521
- Spectrum efficiency, ideal, 650
- Spermaceti, 581
- SPFC, solid-polymer fuel cells, 294, 314-322
- SPS
- attitude and orbital control, 693-697
 - beam from space, 692-693
 - microwave generation, 694-695
 - radiation system, 695-696
 - receiving array, 696
 - solar energy conversion, 693-694
 - solar power satellite, 690-697
 - space construction, 697
 - space transportation, 697
- SQ, Shockley and Queiser, 637, 642
- SRG, Stirling radioisotope generator, 177
- Stagnation point, 473
- Stagnation temperature, 472-473
- Stall, airfoil, 751
- Standard
- cell potential, 293
 - enthalpy of formation, 330
 - hydrogen electrode, 291, 365
 - hydrogen electrode, SHE, 291
 - time, 543
- Standard Temperature and Pressure (STP), 331n
- Starch, 582
- of electrolyte, 295
 - of electrolyte, fuel cells, 295
- Stationary power plants, fuel cell, 326-327
- Stationary surface, insolation, 527, 530
- Statistic, how to plot, 86-87
- Steam reforming, 295, 422-423
- Stefan-Boltzmann constant, 236
- Stefan-Boltzmann law, 236, 633
- Steric factor, 362
- Stirling
- engine, 104, 116-125
 - engine, alpha, 117-120
 - engine, free-piston, 123-125
 - engine, implementation, 122-123
 - engines, kinematic, 117-123
 - Radioisotope Generator, SRG, 177
- Stoichiometric index, 479
- Stoma, 609
- Stomatal conductance, 609, 612, 615
- Storm waves, 801
- STP, Standard temperature and pressure, 331n, 739n
- Straight vegetable oil (SVO), 577, 580
- Stratified combustion, 109
- Street-Perrott, F., 615
- Sucrose, 583
- Sugars, 582, 583
- Sulfur tolerance, fuel cell, 320
- Sun, temperature, 523
- Sunnalsø, 816
- Suntracking surface, insolation, 527
- Supercapacitor, 379
- Superionic conductor, 324
- Superlattice, 174
- Superprotonic conductor, 324
- Supported catalyst, 321
- Surface reflectance photocells, 650

842 Index

- Surface solar constant, 524
Swanson, R., 646
Swept area, 731
Symbology, in
 thermodynamics, 329
Symbology, thermionic
 diodes, 245
Syncrude, 425-426
Syncrude, solvent
 extraction, 425-426
Syngas, 295
- ### T
- ²³²Th production, 32
Tert alcohol, 572
Tafel equation, 355
TAGS,
 Tellurium-antimony
 gesmanium-
 silver, 172
Takahashi, Akito, 43
Takeover time interval, 11,
 12
Tank electrolyzer, 435
Tapchan, 806-807
Tapered channel converters,
 806-807
Tapetum, 689
T-D reaction,
 disadvantages, 35
Teledyne, 442
Temperature, 61
Temperature dependence
 dependence, c_p and γ , 78
 of emitters, preferred, 223
 of operation, fuel cells,
 294-295
 of the sun, 523
 of thermocouples, 184-189
 profile, ocean, 139
 swing adsorption, TSA,
 426
Temperature swing
 adsorption (TSA),
 426
Ternary alloys, 477
Terpenes, 570
Tertiary alcohol, 572
Tetraethyl lead, 112, 113
Tetrol, 572
Theoretical efficiency,
 photocells, 631-638
Thermal
 conductivity, 166
 conductivity (carrier),
 169-170
 conductivity (lattice),
 169-170
 conductivity in solids,
 169-170
 conductivity, diamond,
 169
 conductivity,
 semiconductors,
 169-170
 decomposition of alcohols,
 423
 energy, 64
 velocity of carriers, 167
Thermalization of excitons,
 639
Thermionic devices,
 advantages, 221
Thermionic efficiency
 radiation losses only,
 238-241
Thermionic emission,
 222-224
Thermionic emitters,
 properties, 223
Thermionic generators
 losses, 236-241
 radiation losses, 236-240
Thermionic ion emission,
 247-248
Thermocouple, 155
 alloys, commercial names,
 159
 calibration, 160
 database, 160
 directions and signs,
 199-201
 efficiency, 160-162
 materials, characteristics,
 159
 maximum efficiency, 163
 optimizing, 163
 pairs, standardized, 159
Thermodynamic heat
 power, fuel cell, 372
Thermodynamic of fuel
 cells, 329-247
Thermodynamics
 AMTEC, 274-277
 first law, 64
 of hydride systems,
 490-492
Thermoelectric
 generator, 160
 generator design, 177-180
 generators, applications,
 175
 heat pumping, maximum,
 182
 lowest temperature, 182
Thermoelectricity physics,
 190-199
Thermolytic hydrogen,
 443-451
Thermometers,
 thermoelectric,
 158-159
Thermophilic, 606
Thermophotovoltaic cell,
 645-650
Thickness of semiconductor,
 photocells, 650
Thomson coefficient, 194
Thomson effect, 158, 190,
 194-195
Thorium, 32
Threshold energy, impact
 ionization, 639
Tidal energy, 808-810
Tilt angle, 551
Time of discharge, rated,
 375
Time offset, 525, 543, 556
Time zones, 542-543
Tip speed ratio, 747, 758
Titration of oil, 580
Toftestallen, 807
Tokyo Electric Power Co.,
 303
Topocentric system, 525
Topping cycle, 177
Toshiba fuel cells, 303
Total emissivity, heat, 236
Total thermal conductivity,
 169-170
Trail, B.C., 435
Trans, *cis*, 575, 576
Transesterification, 579, 580
Transfer coefficient, 368, 370
Transport losses, 369-371
Transport, electron, 224-231
Triene, 571
Triethylamine, NEt_3 , 434
Triglycerides, 576
Trimethylpentane, 113
Triol, 572
Triple alpha reaction, 37
 cold fusion, 42
Triple contact, 306, 349
Tritium production, 36
Tritium/deuterium reaction,
 34
Tropical year, 546, 551
Troposkein, 730
True anomaly, 547
TSA, temperature swing
 adsorption, 426
Tsunamis, 801
Tunneling, 246
Turbine farms, marine, 814
Turbines, 142-143
Turbines, ocean current,
 811-815
Turnaround efficiency, 468,
 475
Two-bucket wind turbine,
 728
Type of fuel, fuel cells,
 295-296

U

U.S. Army Research
Laboratory, DMFC
catalyst, 323

Ucluelet, 804

Ultimate efficiency,
photocell, 637, 638

Underground storage,
hydrogen, 469, 470

Unignited mode, 256

Unipolar electrolyzer, 435,
436

Units, 1

Universal time, UT, 543

University of Washington,
superionic
conductors, 324

Unrestrained compression or
expansion, 84

Unsaturated, 571, 574

Unsaturated thermionic
diode, 225

Unsaturation in biodiesel,
579

Upper cutoff frequency, 279,
280

Uptake, carbon dioxide, 611,
612, 613, 614

Uranium enrichment, 31

Uranium fission, 30

Uranium isotopes, 30

Users of energy, 21

UTC fuel cells, 303

Utility
(of energy), 2-4
-scale photovoltaic plants,
629-630
-scale photovoltaic
systems, 628
-tie electric systems, 626

Utilization factor, 21

Utilization of energy, 20-24

V

V-I characteristic
AMTEC, 269-272
semiconductor diode,
658-660, 663

V-J characteristics
forward-biased thermionic
diodes, 229-230
vacuum thermionic
generator, 233
vapor thermionic
generator, 249-255
vacuum-state devices, 220

Vapor
diodes (thermionic),
242-246
pressure, cesium, 243
pressure, sodium, 259, 260
pressure, water, 817

Variable-density wind
tunnel, 754

Variable-speed wind
machines, 738

Vascular aquatic plants,
608, 616

Vehicle Research Institute,
650

Velocity
induced, 763
ocean waves, 800
space, 88

Verhulst equation, 10

Verhulst, P. F., 10

Vertical axis turbine
analysis, 762-776

Vinasse, 596

Virtual emitter, thermionic,
229

Viscosity, 577
coefficient, 752
dynamic, 577
kinematic, 577

Viscous forces, 752

Visible region of the solar
spectrum, 521

Vitruvius, 6

Voith Siemens, 808

Volatile solids, 605

Volta, A., 380

Voltage dependence on
temperature, 345-347

Voltaic cells, 287, 288

Volta's cell, 381

Volumetric concentration,
468, 482

Volumetric energy density,
325, 377
power density, 377
storage capacity, 474

von Siemens, W., 374

Vortex-type wind machines,
731

W

Wake rotation, 746-747

Walukiewicz, W., 641, 642

Waste vegetable oil (WVO),
580, 581

Water
dissociation, 443-451
hyacinth, 608, 616
management, SPFC, 320
molecule, 590
vapor pressure, 817

Wave
Dragon, 805-806
energy (ocean), 799
energy converters,
802-808
energy converters,
offshore, 802-806
energy converters,
shoreline, 806-808
length, ocean wave, 799,
800
operated pump, 803
Wavegen system, 808
Waves, ocean, height, 801
Waves, ocean, velocity, 800
Waxes, 581
Weibull distribution,
734-735
Wells turbine, 808
Western Washington
University, 650
Whale oil, 581
Whirlpools, 815
White (radio) noise, 279
Wiedemann-Franz-Lorenz
law, 166-169
Wien's displacement law,
634
Wijs method, 579

Wind
duration, 799
energy, availability,
735-736
farms, 724
fetch, 729
machine configurations,
727-731
machine Magnus effect,
730
machines, vortex, 731
power classes, 736
power density, 738
power, available, 738
pressure, 740
tunnel, variable density,
754
turbine
analysis (propeller),
756-762
available power,
741-745
characteristics, 736-738
configurations, 727-731
Darrieus, 730
efficiency, 731, 745-748
egg beater, 730
Persian, 727
Savonius, 729
two-bucket, 728
turbines, drag-type,
727-729
turbines, lift type,
729-730
turbines, optimal size,
725-726
velocity, mean cubic, 731

Wing tip losses, 748
Wolverton, B. C., 608

844 Index

Wood, 570
 composition, 570
 gasifiers, 594
Wood's metal, 33
Work
 function, 220
 function, bare, 244
 in adiabatic expansion, 73
 in an isothermal process,
 74
Working electrode, 365
Working fluids, heat
 engines, 103

X

Xylose, 583

Y

Yazdani, S. S., 580
Yount, J. L., 608
YSZ, yttria stabilized
 zirconia, 306
Yttria stabilized zirconia,
 YSZ, 306
Yu, K. M., 642

Z

Z, figure of merit, 162
Zenith angle, 525
ZEV, zero emission vehicle,
 115
Zinc, 383
Zinc regeneration/refueling
 system, 326
Zinc-air cells, 288, 325-326
Zincate ion, 325
Ziock, H.-J., 26
ZT product, 171-174