

INDEX

- Abbreviated superstructure, 785, 786
 Accident prevention, 1100
 Actuator, Woodward, 901
 Admixtures, 373
 for concrete, 373
 A-frame timber dam, 459
 Aggregate, coarse, 373
 concrete, 373
 fine, 373
 Air-entrainment coefficient, 141
 in chutes, 141
 Air inlets, for head gates, 558, 603, 604
 for intakes, 558
 Air masses, 11
 and cold fronts, 11
 Air valves, 609
 Coffin type, 610
 freezing, 612
 pipelines, 609
 Simplex type, 610
 Algae in conduits, 117
 Alin, A. L., spillways, 530
 Allievi, L., water hammer, 710, 713, 727
 Alternating-current generator specifications, 962, 963, 964
 Alternative sites, 86
 Aluminum Co. of America, 453
 American Institute of Steel Construction, 644
 American Society for Testing Materials, on welding, 645
 American Society of Mechanical Engineers, power test code, 128, 130
 American Society of Welding, 645
 American Welding Society, 644, 645
 Anchor ice, 548
 Aneroid barometers, 85
 Angus, R. W., water hammer, 727
 Annual depreciation, 283
 Annual payments, depreciation reserve, 213
 Annual peak load, 247
 Annual total cost of hydro, 239
 Apalachia development, steel pipe, 650
- Apparatus, efficiency of, 156
 Approach, velocity of, 99
 Approximate performance equations, transmission lines, 1043, 1044, 1045
 Apron, downstream, 399, 487
 sloping, 490
 upstream, 485
 Arch dam, example, 386, 387, 388, 389
 Arch dams, 318, 379
 abutment conditions, example, 389, 390, 391
 abutments for, 388
 bibliography, 393
 central-angle, 383
 cylinder method of design, 380, 383
 earthquake at, 392
 example of design, 386
 lubricated joints for, 381
 minimum thickness of, 384
 model tests for, 383
 overhang of, 385
 spillways for, 381
 stresses, allowed for, 381
 trial-load method of design, 381, 383
 Arched gravity dams, 379
 Architecture, powerhouse, 788
 Armature reaction, 954
 Armco Drainage and Metal Products, 637
 Armstrong, R. W., tunnels, 698, 700
 Arrangement of report, 300
 Arrow Rock Dam, 359
 Ash Fork Dam, 463, 464, 466, 467, 468
 A.S.M.E., power test code, 128, 130
 Assumption on loads, 256
 Austin plant, Terry propeller, 824
 Automatic control systems, 913
 Auxiliaries for turbines, 875
 Auxiliary power, 988
 distribution, 1023, 1024
 equipment, 921
 supply, 1022

- Backwater curves, 143
 Bacticle, E., arch dams, 393
 Baffles for dams, 489
 Bagnell development, 201
 powerhouse, 786, 799
 cross section of, 799
 Bailey, S. M., floods, 77, 82
 Bainbridge, F. H., 466, 468
 Baker River development, 862, 863
 powerhouse, 785
 Bakhmeteff, B. A., hydraulics, 135, 137, 149
 Balch impulse wheel development, 772
 Balch powerhouse, 772
 Bald Eagle Creek, 25
 Balney, F., evaporation, 21
 Barge for removal of flashboards, 506
 Barnes, G. E., hydraulics, 144, 150
 Base-load hydro plants, 191
 Batching and mixing concrete, 374
 Bazin's weir experiments, 126
 Bear Creek Dam, 497
 Bearings, guide, 886, 887, 888
 oil, 888
 thrust, 888
 Bear-trap crests, 504, 512, 528
 Bear-trap gates, 512
 Beauharnois development, 195
 Beaver Park Dam, 447
 Beaver type of dam, 460
 Beij, H. H., hydraulics, 103, 148
 Bell-mouth entrance, 98
 Bend coefficients, 104
 Bends, conduit, losses at, 102
 Bennetts Bridge development, 769
 Bergeron, L., water hammer, 727
 Berlin plant, surge tank, 745
 Berms, 444
 Bernard, Merrill, floods, 83
 Bernoulli's theorem, 129, 130, 131, 147
 Betts, C. A., spillways, 530
 Bibliography, arch dams, 393
 auxiliary power, 1030
 buttressed concrete dams, 403, 404
 canals, 631
 capacity of the development of hydro, 281
 concrete pipe, 689
 conduits, 618
 cost of hydro power, 243
 cost of steam power, 221
 earth dams, details, of, 445
 general principles of design of, 421
 economic advisability of hydro, 281
 electrical design, 941, 942
 Bibliography, estimating stream flow, 59
 evaporation, 21, 22
 exciters, 986, 987
 factors affecting runoff, 31
 flood flows, 83
 flumes, 638
 foundations for dams, preparation and protection of, 493
 generators, 986, 987
 headwater control, 530
 hydraulic turbines, 873, 874
 parts and auxiliaries for, 926
 hydraulics, 149, 150
 intakes, 605
 investigation of sites, 94
 lighting, 1030
 load studies, 260
 market requirements, 260
 operation of hydroelectric plants, 1125, 1126
 pondage, 190
 powerhouse substructure, 783
 rainfall, 11, 12
 reports, 313
 river gaging, 50
 rock-fill dams, 457
 solid gravity concrete dams, 378
 spillways, 530
 stability of earth dams, 432
 steel dams, 468
 steel pipe, 658, 659
 storage, 190
 surge tanks, 753
 switching, 1030
 timber dams, 468
 transformers, 986, 987
 transmission lines, 1074
 tunnels, 706, 707
 types of hydro plants, 206
 water hammer, 727
 wiring, 1030
 wood-stave pipe, 689
 Big Creek San Joaquin system, 170
 Big Creek 2A, impulse wheel, 868
 Black River plant, regulating district, 168
 Blaisdell, F. W., hydraulics, 137, 149, 487, 489
 Blankets, upstream, 419
 Blasting, 697
 Bligh line of creep, 477, 482
 Blow-off valves, 617
 Boardman, H. C., steel pipe, 639

- Boissonnault, F. L., gates, 524, 525, 528, 530
- Bonding to foundation, 433
- Bonneville Dam, 524
 hydro development, 196
 Kaplan runner, 823
 powerhouse, 759
 substructure, 764, 765, 766
- Booms, 535, 536, 537
- Bore, hydraulic, 137, 138, 139
- Bore, with friction, 139
 without friction, 138
- Boring data, 91
- Borings, 85
 wash, 89
- Bort diamond bit, 91
- Boulder Canyon development, impulse wheels, 771
 powerhouse, 771
- Boulder Dam, 359
 spillway, 530
- Bovey, hydraulics, 96
- Brandywine Creek, 53
- Brick exterior design, 800
- Brick lining, 111
- Bridge for stream discharge measurement, 33
- Bridgeport hydro plant, economics of, 275, 277
 cost of hydro plant, 228
 setup, 277
 total cost of power, 241
- Broad-crested weir, 125, 126, 127
- Broome gates, 572
- Brown's Falls, surge tank, 734, 746
- Bubbler system, for dam crests, 511, 520, 552
 Grand Coulee, 553, 555
 Rocky River development, 553
 surge tanks, 745
- Bucket for spillways, 365
 radius of, 364, 365
 upturned, 490
- Bull Run Dam, 359
- Burnette, F. H., 562
- Butterfly valves, 574, 576, 577, 614
 on pipelines, 614
- Buttressed concrete dams, 394
 bibliography, 403, 404
 buttresses of, 399
 unfortunate experiences with, 394
- Buttresses, cutoff, 421
- Cable gaging station, 35
- Cable hoists, 524
- Cain, W., arches, 381, 393
- Calame and Gaden, water hammer, 728, 753
- Calderwood, arch dam, 392, 491
- Canal embankments, design of, 624
- Canal sections, 619
- Canal side slopes, 621
- Canals, 607, 608, 619
 bibliography, 631
 choice between lined and unlined, 621
 concrete linings, damage to, 628
 slopes for, 628
 desilting basins, 629
 desilting works, 631
 erosion velocities, 623
 excavated in rock, 110
 flow through, 109
 ice in, 624
 joints in concrete lining, 626
 linings, 625
 economics of, 628
 gunite, 627
 materials for, 628
 reinforced concrete, 627
 location of, 86
 sand traps, 629, 630
 seepage, 624
 losses, 622
 settling basins, 631
 side slopes, 621
 side-stream tributaries, 629
 spillways for, 628
 velocities, 622
 maximum, 623
- Capacity, 163
 development, 262, 263
 economic advisability of hydro, 261
 efficiency of hoists, 588
 value, 266
- Capacity factor, effect on hydro energy, 267
 hydro constant, 269
 hydro plants, advisability of, 261
 considerations in determining, 262, 263
 possible, 230
 steam and hydro compared, 215
 steam plants, 214, 215, 267
 actual, 214
 annual, effect of age, 216
 decline in, 214, 267
- Capillary action, 21
- Capital cost, hydroelectric plants, 222
- Carman and Carr's equation, 604

- Carpenter, J. S., surge tanks, 753
 Casagrande, A., dams, 478
 Cast-iron pipe, coefficient, 115
 losses, 115
 Catawba River system, 170
 Caterpillar gates, 505, 516, 571
 Cauchy's number, 144
 Cavitation, 829
 Cedar Rapids, 556
 powerhouse, 797
 Cement, dams, 372
 rubble surface, 112
 Central-angle arch dams, 383
 Channels, flow, 110
 natural, flow through, 110
 Chapman Valve Mfg. Co., 617
 Characteristic curves, 953
 Check list for reports, 303-312
 Cherry-picker car changer, 699
 Chézy's equation, 108
 Chickamauga powerhouse, 761
 substructure, 761, 762
 Churn drilling, 89
 Chute blocks, 489
 log, 528
 Chutes, steep flow in, 141
 Circuit-breakers, air, 992
 oil, 993, 994, 995
 Circuit constants, 932, 933, 1051
 Clark, A. W., dams, 378
 Clark, C. O., floods, 83
 Clay, unconsolidated foundation, 409
 Clayey silt, coarse sand, 408
 impervious foundation, 408
 materials for, 408
 suitable design for, 409
 Claytor Dam, 536
 development, 551
 plant, 551
 Clearing and stripping, 433
 Climatological sections, 5
 Closed conduits, 115
 Coal cost, equivalent, 220
 Cobble Mountain, surge tank, 746
 Cochiti Dam, 485
 Coefficient, air-entrainment, 141
 cast-iron pipe, 115
 curved dam, 124
 discharge, 97
 end contraction, 119
 friction n , 109, 110
 ice effect, 118
 piers, 119, 120
 pipe, Scobey, 116
 small smooth pipe, 115
 Coefficient, spillway intake, 125
 standard dam crests, 121
 straight dams, 122
 submerged crest, 128
 unlined rock tunnels, 115
 wood, 117
 Coffin air-inlet valve, 610
 Colby, B. R., floods, 83
 Cold fronts, 11
 Colorado River aqueduct, 608
 tunnel, 692
 Columbia River, 539
 Combined systems, storage in, 189
 Complex algebra, 935, 936
 Component parts of value of hydro,
 265
 Composite type rock-fill dam, 452
 Compressive stresses, rule for, 341-344
 Conchas Dam, 87, 359, 496, 497
 Concrete, admixtures, 373
 baffles, 535
 batching and placing, 374
 curing and protecting, 376
 dams, 372, 378
 facing, thickness of, 451
 forms, 375, 376
 heights of lifts, 376
 joints, 377
 linings, 110, 443
 coefficients, flow through, 110
 mixtures, 374
 monolithic, 443
 pipe, 607, 686, 687
 bibliography, 689
 precast reinforced, 688
 pours, 375
 spiral casing, 855
 square blocks, 443
 strength of, 342, 403
 temperature control to eliminate
 cracking, 377
 transportation and placing, 374
 waterproofing, 377, 378
 weight of, 330
 Conductor loading data, 1060-1062
 Conductor sag, 1062, 1063
 Conductor size and material, 1058, 1059
 Conduit bends, losses at, 102
 Conduit intakes, losses at, 101
 Conduit losses, 106
 at entrances, 100
 Conduit valves, 612
 Conduits, 606
 advantages of, 607
 bibliography, 618

- Conduits, economic design of, 608
 eddy losses, 100
 entrance losses, 100
 flow through, 100, 109, 115
 high-line, 606, 609
 location of, 607
 losses through, 100
 skin-friction losses, 108
 through earth dams, 444
 types, 606
- Cone valves, 617
- Connections for transformers, 986
- Conowingo hydro development, 195,
 767, 768
 concrete exterior, 790
 interior, of plant, 568
 of powerhouse, 754, 790
 of turbine hall, 791
- Consolidation grouting, 741
- Constant-angle arch dams, 379, 384, 385
- Constant-radius arch dams, 379, 384
- Constants, 328
- Continental Divide tunnel, 693
- Continuous slab deck, 397
- Contractions, losses in, 107
 sudden, 106, 107
- Control room, 794, 998
 section, 32
 wiring, 1005
- Conveyance losses in canals, 30
- Conway mucking machine, 698
- Cooling of transformers, 980, 981, 982
- Core walls, 418
- Cores, desirability of narrow, 439
- Corona, 1035, 1036, 1037
- Cost, Bridgeport hydro, delivered en-
 ergy, 242
 example, 228, 241
 constituent part of hydro develop-
 ments, 224, 225
 hydro and steam, compared, 268
 low pressures, 270, 271
 hydro plants, 222
 hydro power, bibliography, 243
 capital cost, 222
 depreciation, 233
 fixed charges, 238
 increment cost, 226
 insurance, 236
 money, 237
 operating, 238
 taxes, 236
 to government, 209
 total, 239
 annual, 274
- Cost, hydro power, transmission, 229
 installation as affected by increment
 cost, 227
 money, 208, 209, 210
 operation and maintenance, per kilo-
 watt per year, 340
 production, 208
 steam plant operation, 217
 capital, 217
 fixed, 217
 variable, 217
 steam power, 207
 bibliography, 221
 with varying costs of fuel, 220
 transmission, 229
 transmission lines, 231
- Cost estimates, 287
 equations, 1039
- Crane for intake, 561
 meters, 48
 operating head gates, Conowingo,
 600
 powerhouse, 804, 805
- Cranes at Chickamauga, 601
- Creager, W. P., dams, 362, 378, 478, 483,
 493, 504
 floods, 61, 71, 82
 hydraulics, 149
 spillways, 530
- Creep, line of, 477, 482
 ratio, 482
- Creosoting flumes, 635
- Crest, submerged, coefficients of, 128
- Crest control, 506
- Crest gates, 504, 514
 discharge through partly open, 127
 operation of, 519
- Crib dams, 459
- Criddle, D., evaporation, 21
- Criterion of firm capacity, 264
- Critical density, 406
- Critical depth, 133
- Critical gradient, 132, 133
- Crosby, I. B., 87
- Cross Cut dam, 487
- Cummings, H. W., evaporation, 22
- Current meter, 42, 43
 equipment, 44, 45
 measurements, 42
 ratings of, 46
 records, 46
 winter, 49
- Curtain grouting, 471
- Curved dams, coefficient of, 124

- Cutoff, buttresses, 421
 for dams, 324, 397, 471, 485, 487
 partial, 419
 steel sheet piling, 419
 walls, 418, 419
- Cylinder gates, 518, 519
 hoists for, 524
- Cylinder method, in arch dams, 380,
 383
- Daily and monthly flow duration
 curves, 180
- Daily discharge, 49
- Dam crests, coefficients, 121
- Dams, arch, 318
 buttressed, 317, 394
 bibliography, 403
 causes of failure, 337
 construction of, 345
 materials, 84
 method of, 433
 earth, 317
 flow over, 118
 gravity, design of, 345
 hollow, 317, 394
 rock-fill, 317, 446
 solid gravity, 317, 394
 bibliography, 378
 examples, 347, 359, 368
 nomenclature, 318
 quantities in, 358, 372
 spillway, contents, 371
 spillways, crest gates, flow through,
 127
 crests, standard, 120
 flow over, 118, 122
 stability requirements, 336
 timber, 317
 weight of, 330
- Davis, A., hydraulics, 149
- Davis, Albion, operation, 1075
- Davis, C. V., hydraulics, 150
- Davis Bridge, 563
 flashboards, 511
 plant, 610
 spillway, 511, 530
 tunnel, 692
- Deep seepage, 23, 24
- Deforestation, effect of, 27
- Degrading tailrace, 782
- Delaware Aqueduct tunnel, 693
- Depreciation, accrued, 284
 and obsolescence, 211
 annual, 283
 payments to, 284
- Depreciation, of hydro, 233, 234, 235
 of hydro plants, 233
 rates, 283, 284
 for hydro, 236
- Depth of tunnel, 694
- Derrick for handling equipment, 802
- Design, and construction, 345
 general procedure, 345, 346
 of earth dams to suit available ma-
 terials, 407
 with a sand gravel and clayey silt
 material for a highly pervious
 foundation, 409
 with a sand gravel material, 407
 with clayey silt and coarse sand for
 an impervious foundation, 408
 with clayey silt and coarse sand
 materials, 408
 progress in, 811, 812
- Desilting basins for canals, 629
- Dewatering scroll and draft tubes, 774
- Diameter, of impulse wheels, 837, 838
 of reaction turbines, 836, 837
 short-cut determination of, 828
- Diamond bit, bort, 91
- Diamond drilling, 91
- Dillman, O., hydraulics, 149
- Dimensions and volume, substructure,
 775, 776
- Direct jump, 134
- Discharge, 32
 cable measurements of, 39
 measurement of, 39
 over dams, 118
 river, 32
 standard crest, 121, 122, 123
 stream measurement, 32
 through sluice gate orifices and tubes,
 97
- Dispatching, 1084
- Distribution systems, comparison of,
 930, 931
- Diversity load, 253
- Dix River Dam, 451
- Dixon plant, propeller turbine of, 854
- Dnieprostroi, Francis runners, 816
- Don Martin Dam, 401
- Doors and windows, powerhouse, 794
- Dow E. A., hydraulics, 105
 valves, 511
- Dow valves, 573
- Downstream apron, for buttressed
 dams, 399
- Draft tubes, 770, 864, 865, 866, 867
 dimensions, 865, 867

- Draft tubes, types of, 865, 867
 Drainage, for powerhouse, 803
 in dams, 324, 471, 473, 486
 in earth dams, 414, 415
 Drains, position of, 418
 Dredged earth canals, 110
 Dressed ashlar surfaces, 111
 Drill hole placing, tunneling, 697
 Drill holes, large, 92
 Drilling, blasting, 696
 churn, 89
 diamond, 91
 rotary, 90
 Drum gates, 505, 512, 513, 528
 weight of, 524, 525
 Drum hoist, 591, 597
 type of, 595
 Dry excavated earth canal, 109
 Drying out generators, 958
 Dry years, average frequency of, 8
 Duration curve, 180, 181
 daily, computation of, 182
 stream flow, 51
- Earth, angle of friction, 327**
Earth and silt pressure, 327, 328
Earth-core type of rock-fill dam, 455
Earth dams, 317
 advantages and limitations of, 405
 clayey silt, 409
 core walls, 418
 cutoff, 418, 419
 walls of, 418, 419
 details, 433
 drainage in, 414, 415
 filters, 416, 417
 and drains, 418
 general principles of design, bibliog-
 raphy, 421
 partial cutoff, 419
 pipe drains, 416
 quantities in, 440
 quicksand, 419
 rock toe, 417
 safety of, 410
 sand gravel, 409
 seepage, 413
 settlement of, 439
 shear, 422, 423, 424
 safety against, 425, 426
 stresses in foundation, 428, 429
 stability of, 422
 on impervious foundation, 426, 427
Earth pressure, 325, 327
- Earthquake forces, 330**
 increased water pressure caused by,
 331, 332
 intensity of, 330
 on dams, 331
Earth tunnels, 704
Economic advisability of hydro, 261
 bibliography, 280, 281
**Economic analysis of a typical hydro
 project, 272**
Economic design,
 of flumes, 633
 of steel pipe, 643
Economic hydro ratio, 261
Economics, of conduits, 608
 of hydro, 261
 of hydro plant, 1115
 operation, 1103
Eddy losses in conduits, 100
**Edison Electric Institute, on steel pipe,
 644, 650**
Effect of ice, coefficients for, 118
 on losses, 118
Effective head in hydro plants, 152
Efficiency, 151
 average, 160
 effect of number of units, 158, 159
 of apparatus, 156, 157
 of generators, 951, 952
 of hoists, 588
 of single gears with bearings, 590
 of tests, 871
 of three-unit hydroelectric develop-
 ment, 158
 of typical single-unit hydroelectric
 development, 158
**Elastic arch method for arch dams, 381,
 383**
Elasticity, effect of, on dams, 333
Electrical connections, design of, 927
 main, 988, 989
**Electrical design, general bibliography,
 941, 942**
Electrical resistivity, 88
Electric conduits, 770
Elephant Butte dam, 359
Emergency spillways, 503
End contractions, 119
 coefficient of, 119
 effect of, 119
Energy, 152, 153
 gradients, 131, 137
 output estimates, 51
 value, 266

- Enger, M. L., 604
 Enlargements, losses in, 106
 sudden, 107
 Entrance loss, at conduit, 100
 Equations, homologous, 834, 835, 836
 Erosion below dams, 487
 Estimates, bibliography, 59
 of cost, 287
 of flood-control capacity, 51
 of stream flow, 51, 53-57
 Estimating form for hydro develop-
 ments, 288-299
 Etcheverry, B. A., hydraulics, 106
 Evaporation, 3, 13, 15, 19, 23
 bibliography, 21, 22
 chart of, in U.S.A., 15
 decrease with elevation, 28
 differences in, 18
 effect of rainfall on, 19
 from lakes and water surface, 14, 15
 from land surfaces, 19
 from reservoir, 85
 varies with elevation, 28
 Evaporation opportunity, 19
 Evaporation table, 16
 Ewing, A., evaporation, 21
 Exact performance equations, 1046-
 1049
 Excitation, 967
 Exciters, 970
 Expansion joint in steel pipe, 653
 Exploration of subsurface, 88
 Extension of stream gaging, 53, 55

 Facing plates, 882
 Facings, for rock-fill dams, 450
 rock-fill, 446
 steel, 449
 timber, 449
 Factor of safety, of earth dam, against
 shear, 425
 Factors affecting cost of hydro develop-
 ment, 222, 223
 Factors affecting runoff, bibliography,
 31
 Failure, causes of, in dams, 337
 of flashboard pins, 506
 Fair return, 209
 Faults, geologic, 333, 472, 473
 movement on, 333
 Federal Pipe and Tank Co., 635
 Fiber conduits, 1015
 Field rheostats, 971
 Filler gates, 567

 Filters, 415
 drains, 486
 position of, 418
 for earth dams, 416, 417
 position of, 418
 Final investigation, 85
 Fine uniform sands, 406
 Fire protection, 957, 958, 1100
 Firm capacity, 188, 261
 of hydro, 261
 Fish locks, 592
 Fishways, 529
 Fittings, pipe, losses in, 105
 Fixed charges on hydro plants, 238
 Fixed-blade runners, 817
 Flashboard pins, 506
 diagram of, 509
 failure of, 506
 Flashboards, 505, 511
 barge for removal of, 506
 permanent, 511
 temporary, 506
 Flemish bond brickwork, 796
 Float control, 914
 unit of Lihue Plantation Co., 915
 Flood measurements, 42
 Flood flows, 60
 bibliography, 82
 frequency of, 71
 hydrograph of, 79
 peak flows of, 61
 routing, 79, 80, 81, 82
 stream rainfall, 76
 volume in, 78
 Flood studies, 63
 Floods, 60
 artificial storage, effect of, 70
 basic-stage method, 72
 bibliography, 82
 effect of dense underbrush on, 70
 effect of watershed on, 69
 frequency of, 60, 71
 frequency studies of, 73
 frozen ground, effect of, on, 70
 future frequency of, 74
 geographical characteristic, effect of,
 on, 70
 hydrograph of, 60, 78
 indications of past, 75
 inflow-storage-discharge of, 81
 land coverage of, 70
 meteorological influences on, 60
 natural storage, 70
 physical indications of, 75

- Floods, plotting of, 71
 probability, 71
 plotting of, 72
 probable future, 73
 rainfall, effect of, on floods, 77
 records, 63, 69
 of peaks, 61
 routing, 79, 1103
 shape of hydrographs, 80
 storage, effect of, on, 70
 storm runoff of, 78
 sudden release of, 70
 unusual peaks, 64, 69
 valley storage, 70
 yearly storage method, 72
- Floor blocks, 489
- Floors, 796
 substructure, 773,
- Florence Lake Dam, 398
 multiple-arch, 398
- Flotation gradient, 419
- Flow, in conduits, equations, 108, 113, 115
 of streams, 32
 over dams, 118
 end contractions, 119
 formulas, 118
 standard crest, 121
 velocity head, 120
 regulated, 188
- Flow demand, 165, 174, 176, 185
- Flow duration curve, 180
 daily and monthly, 182
- Flow net, 147, 475
- Flows, unusual, 62
- Fluid pressure arrangement, governor for, 902
- Flumes, 617, 633
 bibliography, 638
 economic design, 633
 flow through, 112
 Lennon type, 637
 metal, 636
 reinforced concrete, 636
 steel, 112
 velocity, 850
 wooden, 634
 wooden box, 112
 wood-stave, 112
- Flumes and pipes, excavation of benches for, 617
- Flyballs, 896, 897, 898-900
- Flywheel effect, 955
- Follansbee, Robert, evaporation, 21
- Fontana Dam, 360, between 596-597
 development of hoist for, between 596-597
- Force, to operate caterpillar gates, 586
 to operate gates, 519
 to operate rack-and-pinion hoist, 586
- Forces acting on dams, 319
- Forebay, 535
- Forepoling method, 696
- Forms for concrete dams, 375
- Fort London, control room, 794
 powerhouse, 794
- Fort Peck Dam, piling, 486
- Foster, H. A., hydraulics, 150
- Foundations, 406
 for dams, 469
 bibliography, 493
 for earth dams, 421, 445
 grouting, 471
 leakage, 471
 piles, 474
 piling in, 480
 preparation of, 469
 pressures in, 333
 rock, 469
 strength of, 342, 343, 474
- Foundation, for rock-fill dams, 446
 safety against shear in, 429
 shearing stresses in, 428, 429
 stability of, 426
 unconsolidated, 409
 vertical reaction of, 333
 weight of, 330
- Fowler, F. H., arches, 382, 393
- Framework of powerhouse, 789
- Francis runners, 814, 815, 816
- Frazil ice, 548
- Freezing in dams, 394
- Frequency, of circuit, 928, 929
 of floods, studies of, 60, 71
- Friction, angle of, in earth, 327
 coefficient, n , 109, 110
 coefficients of, in wood-stave pipe, 116
 flow coefficient, 96, 108
 in dams, 339
- Froude's number, 144, 145
 significance of, 145, 146
- Fuel cost, effect of, on cost of steam power, 219
 of oil, equivalent, 220
- Full automatic control, 913
- Full-face method of tunneling, 696, 697
- Fuller, M. G., concrete, 404
- Fuller, W. E., floods, 61, 82

- Function of storage in combined systems, 187
- Fundamental and derived constants, of transmission lines, 1040-1042
- Fuses, 990, 991
- Future change in load factor, effect of, 265
- Future development value, 286
- Future return, values for, 286
- Gaden and Calame, water hammer, 728, 753
- Gage recording equipment, 35
for stream gaging, 34
sites of, 34
station operation of, 33, 47
- Gages, manufacturers of, 47
river, 32, 37-39
- Gaging, by current meter, 42
by floats, 42
- Gaging stations, 33
establishment of, 33
- Gallery grouting, 472
- Gandolfo, J. H., powerhouse superstructure, 784
- Gates, bear-trap, 512
broome, 566
butterfly valves for, 565
caterpillar, 505, 516, 565, 571
weight of, 527
Chickamauga seal, 584
crest, 514
flow through, 127, 504, 514, 519
operation of, 519
cylinder, 518, 565, 579
Dix River, 451
Davis Bridge, butterfly, 581
discharge through partly-open, 127
drum, 505, 512, 528
weight of, 525
filler, 567
force required to operate, 519, 585, 596
Howell-Bunger, 524
ice troubles at, 519
intake, 563
lift, 505, 514
needle valve, 522
operation of, 519
plain slide, 514
rolling, 506, 516
weights of, 527
seals for, 579, 583
at Chickamauga hydro plant, 584
sector, see Taintor
- Gates, setting, 558
sliding, 525, 563, 565
lift, 525
sluice, 100, 520, 521
Stickney, 513
stoney, 505, 514, 565, 569, 572
taintor, 505, 514, 565, 572
at Wissota intake, 578
weight of, 526
tilting, 505, 512
timber, 559
wheeled, 505, 515
at Camden, N. J., 564
at Tionesta Dam, between 564-565, 569
weight of, 526
- Gearing, spur, 591
hoists for, 591
- Generator charging transmission line, 966
- Generator torque, 773
- Generators, 943
care of, 1090
construction, 944-950
exciters and transformers, 943
heating, 1110
voltage wiring, 1000-1002
- Geographical features, effect on runoff, 27
- Geological characteristics, watershed, 24
- Geologic investigations, 87
of sections, 88
preliminary, 85
studies of, 84
- George, G. C., steel pipe, 647
- Georgia Power Co., 168
peak load plant, 201
- Gerdes, H. G., gates, 524
- Gibbs thrust bearing, 889
- Gibson, A. H., hydraulics, 96, 134, 149
- Gibson, N. R., water hammer, 710, 727
- Gisiger, P. E., ice, 530
- Glazed brickwork, 111
- Glenville Dam, 453
impulse wheel, 867
- Goff, L., heating, 744
- Golden-Anderson Valve Co., 617
- Goodall, G. E., on arch dams, 384, 393
- Government return, 209
- Governor actuator, 896
- Governors, 895, 905
capacity of, 905, 906
care of, 1091, 1097
operation, diagram, 897

- Governors, plants without, 917
 pump for isolated unit, 904
 turbine, time of, 417, 425
- Gradients, critical, 132-134
 energy, 131
- Grand Coulee Dam, 359, 491, 539, 551, 553
 heating, 551
 hydro development, 200
- Granite Reef Dam, 478, 484
- Gravity, acceleration of, 95, 330
- Gravity concrete dams, bibliography, 378
- Great Falls Dam, 515
- Green Island propeller plant, 820
- Grounding, 1020, 1021
- Ground storage, 23, 24
- Ground-water stages, 24
- Grouting foundations, consolidation, 471
 curtain, 471
 gallery, 472
- Growdon, J. P., 453
- Growth, algae in conduits, 117
- Guide bearings, 886, 887, 888
- Guide vanes, 879
- Gunitite linings, flow past, 110
- Guntersville development, 569
- Hall, L. S., hydraulics, 141, 149
- Halmos, E. E., hydraulics, 149
 water hammer, 728
- Handling gates, 569
- Harriman powerhouse, 789
- Harris, F. S., evaporation, 21
- Harza, L. F., flow net, 481
 uplift, 493
- Hathaway, G. A., floods, 82
- Hauser Lake Dam, 458, 464, 466
- Hays, J. B., foundations, 493
- Hazen, A., floods, 83
 formula for runoff, 28
 hydraulics, 149
- Hazen and Williams' equation, 108, 113
- Head, by Bernoulli's theorem, 129-131
 gross, 130, 131, 151
 hydraulic, 129
 loss at conduits, 100
 net, 151
 power and efficiency, 811
 turbines, 129
 velocity, 129, 130, 131
- Heading-and-bench method of tunneling, 700
- Headwater control, choice of, 504, 505
 pressure, stability against, 422
- Heaters for dam crests, 511, 520
- Heating, 806
 of surge tanks, 744
 of trash racks, 550
- Height of waves, 328
- Hengstey plant, Germany, 203, 204
 pumped storage plant on the Ruhr, 204
- Henny, D. C., dams, 378
- Heslop, P. L., gates, 524
- Hickox, G. H., dams, 530
 evaporation, 21
- High head, examples of selections of runner for, 843, 844, 845
- High-line conduits, 609
- High-pressure intakes, 563
- High-water marks, 85
- Hinds, Julian, arch dams, 393
 conduits, 608
 dams, 278, 393, 493, 504
 floods, 82
 hydraulics, 128, 148, 149
 spillways, 497, 530
- Hiwassee Dam, 359
- Hiwassee River, 168
- Hoists, 515
 capacity of, 588
 choice of, 592
 drum, 597
 gate, 524, 588, 589, 590
 cable, 524
 cylinder, 524
 gearing, 591
 stem, 524
 hydraulic, 597
 rack-and-pinion, 594
 screw, 597
 traveling, 600
- Hollow dams, 394
- Holtwood plant, 550, 556
- Hoover Dam, penstocks, 195, 198, 199, 359, 645
 powerhouse, 861
 power plant, speed ring, 877
 pressure regulator, 918
 unit, 882
- Hoover, M. D., evaporation, 21
- Horizontal shear in downstream portion of dam, 422, 423
- Horsepower, 154, 155
- Horton, R. E., evaporation, 7, 21
 hydraulics, 124, 126, 128, 149

- Houk, I. E., arch dams, 393
dams, 378
evaporation, 21
- Hovey, 466
- Howell-Bunger valve, 524, 617
- Hoyt, W. G., floods, 82
- Hydraulic bore, open channels, 137, 138, 139
with friction, 139
without friction, 139
- Hydraulic efficiency of intake, 535
- Hydraulic equipment, guide for purchasers of, 921-925
- Hydraulic fill construction, 437
materials suitable for, 438
of dams, 436
stability of, 431
- Hydraulic gradient, 131
- Hydraulic hoists, 597
Vernon plant, 599
- Hydraulic jump, direct jump, 132, 133, 134, 135, 136, 137, 487, 489, 492
examples, 137
length of, 137
under gate, 136
undular jump, 134, 492
- Hydraulic models, 144, 150
- Hydraulic similitude, 144
- Hydraulics, bibliography, 95, 148, 149, 150
intakes, 538
- Hydro, economic advisability of, bibliography, 261, 280
firm capacity of, 261
increment cost of, 268
power cost of, bibliography, 222, 243
total cost of, compared with steam, 268
- Hydro capacity, factors of, 215
limitations on, as reserve, 258
- Hydro developments, annual cost of, 239
- Hydrograph, flood, 60, 78, 172-176
for storm, 78
shape of, 78
- Hydrological studies, 85
- Hydro plants, as an exclusive source of energy, 265
base-load, 191
peak-load, to supersede old steam, 278
run-of-river, with pondage, 191
types of, 191
- Hydro project, analysis of a typical, 272
- Hydro units as reserve capacity, 256-257
- Ice, anchor, 548
at flashboards, 511
controlled crests for, 372
effect on conduit flow, 618
frazil, 548
inertia of, 333
pressure of, 324, 326, 372, 392
sheet, 548
- Ice sluice, 552, 561
- Ice troubles, at crest gates, 519
at intakes, 548, 556
in canals, 624
prevention of, 549
at intakes, 548
on spillways, 530
- Imperial Dam, 475, 483, 484
- Impervious foundation, stability of, 426
upstream facing, 449
- Impulse wheels, 843
Big Creek 2A, 868
pumping set driven by, 905
settings of, 867
substructure for, 770
vertical-shaft, 869
- Inclosed switches, 991
- Increased water pressure, 331
- Increasing installation, effect of, on total capital cost, 227
- Increment cost of hydro, 226, 227, 268
importance of, 268
- Inertia, of ice, 333
of masonry, 331
- Infiltration, facilities for, 13, 14, 20, 70
- Installation, of generator, 958
of transformer, 986
size of, 256
- Instrument transformers, 999
- Insufficient spillway, 411
- Insulators, 1033-1035
- Insurance, 210
on hydro, 236
- Intake, at Chickamauga, wheeled and slide gates, 563
at Grand Coulee, 534, 539
hydraulic efficiency of, 538
hydraulics of, 538
ice troubles at, 548
racks at, 540-542
sluice, 562
transition at, 539
- Intake crane, 561

- Intake gates, 563
 velocity through, 557
 Intake structures, 557
 design of, 557
 Intakes, 533
 air inlets in, 558
 bibliography, 605
 conduit, flow in, 101
 contents of, 562
 head losses at, 101
 high-pressure, 563
 housing, 561
 losses at, 101, 102
 low-pressure, 558
 velocities through, 547
 Intensity of earthquake forces, 330
 Interconnection, 253, 265
 effect of, 252
 on feasibility, 265
 Internal loading, in tunnels, 690
 Investigation, extent of, 84
 final, 85
 geological, 87
 of sites, 84
 bibliography, 94
 preliminary, 85
 reconnaissance, 84
 Ippen, A. T., hydraulics, 150
 Iron conduit and fittings, 1014
 Irrigation water, 21
 Isohyetal lines, 77
 Isohyetal map, 6
- Jacobs, J., dams, 493
 Jakobsen, B. F., arches, 383
 dams, 404
 surge tanks, 753
 Jarvis, C. S., floods, 61, 83
 Jetting, 419
 Jobses, J. G., hydraulics, 150
 Johnson, R. D., hydraulics, 149
 surge tanks, 734, 740, 748, 750, 753
 Joints in concrete canal linings, 626
 Jones, B. M., dams, 490
 Jones, P. A., grouting, 493
 Jorgensen, L. R., arch dams, 383, 393
 Joukovsky, water hammer, 710, 727
 Jump, direct, 134
 hydraulic, 132-137, 487, 489, 492
 undular, 134
 Justin, J. D., dams, 378, 493, 504
 economics, 1082
 floods, 82
 formulas for runoffs, 58
 hydraulics, 149
- Justin, J. D., spillways, 530
 runoff formulas, 58
- Kaplan runners, 818, 819, 820, 821, 822, 823
 Kaplan turbines, 818, 819, 820, 821, 822, 823, 876
 Karlsson, K. I., steel pipe, 646
 Karpov, A. V., arch dams, 393
 Keener, K. B., dams, 378
 Keihin dent yoke, 866
 Kennison, K. R., hydraulics, 138, 149
 Kentucky power plant, 786, 793
 Keokuk Dam, discharge, 120, 128
 powerhouse, 759
 Keokuk development, substructure, 759
 Kerr, S. L., water hammer, 727
 Key, fitting, 885
 Kilowatts, 154, 155
 Kindswatter, C. E., hydraulics, 149
 King, H. W., hydraulics, 97, 126, 148
 Kingsbury, thrust bearing, 888, 889, 890
 Kingsley Dam, 478, 486
 Kinne, E., hydraulics, 149
 Kinnison, H. B., floods, 83
 Knapp, R. T., hydraulics, 150
 Knife switches, 990
 Kurtz, F., spillways, 530
 Kutter's diagram, equation, 76, 108, 114
 explanation, 114
 n, 109, 110
 opposite, 114
 Kva rating, 951
- Lake Cheesman Dam, 359
 Lake Loveland arch dam, 392
 Lakes and swamps, 25
 discharge from, 25
 Lakey, A. B., thrust bearings, 888
 Land surfaces, evaporation from, 19
 Lane, E. W., hydraulics, 147, 150, 482, 483, 493
 Larner Engineering Co., hydraulics, 106
 Larner-Johnson Valve, 614
 La Turque development, 550
 Layers, building in, 434
 Leakage, in dams, 397, 477
 in timber dams, 458
 Lee, C. H., evaporation, 21
 Legal requirements, 285
 Lennon flume, 637
 Leonard mechanical rake, 546
 Life, of elements in hydro plant, 234
 of hydro development, 233

- Life expectancy of steam plant parts, 212
- Lift gates, 505, 514
- Lifts for concrete in dams, 376
- Lighting, 988-1030
- Lightning, protection against, 1016-1018
- Lightning arresters, 1019, 1020
- Limestone, effect of, on discharge, 25
water yield comparison, 25
- Limitation of earth dams, 405
- Lincoln Electric Co., welding, 645
- Linde Air Products Co., welding, 645
- Lined canals, 621
- Liner plate method of tunneling, 695
- Liners for draft tubes, 867
- Lining of canals, 625
- Little Swatara, 53
- Little Tennessee River, 168
- Livingston, B. E., evaporation, 22
- Load, classes of, 248
- Load curves, 245-249, 251
- Load duration curve, 254
- Load factor, 244, 265
increase in, 189
- Load-frequency control, 962
- Loading in tunnels, 690
- Load prediction, 258-259
- Load studies, 244
bibliography, 260
- Load tests, 964
- Loads of three systems on peak day
in peak month, 253
- Location, choice of, 86
- Log chutes, 528
- Long Lake Dam, rolling gate, 517
spillway, 517
- Losses, at bends, 102-104
at conduit bends, 102
at conduits, 100
at head gates, 102
at intakes, 101
at valves, 105, 106
due to enlargement, 106
eddy, 100
effect of ice, 118
for cast-iron pipe, 115
for concrete-lined pipe, 117
for continuous-interior pipe, 116
for girth-riveted pipe, 116
for riveted pipe, 116
from Deer Flat Reservoir, 29
from seepage and other causes, 29
from watershed, 24
miscellaneous, in conduits, 106
- Losses, of head, 100
skin-friction, 108, 110
small pipe, 115
unlined tunnel, 115
- Louisville, propeller runner setting, 763
- Low-pressure intakes, 558
- Lower Bonnington plant, 849
- Lubricated joints, arch dams, 381
- Mahoning Dam, 359
- Main shaft, 883
- Maintenance cost of hydro plants, 239
- Manholes in pipelines, 612
- Manning's equation, 108
- Mapping, topographic, 84, 87
- Market requirements and load studies, 244
bibliography, 260
- Marmet plant, 818
- Masonry linings, coefficient for flow, 111
flow past, 110
- Mass curve, 177, 178, 179
- Materials of construction, 406
for earth dams, 406
for runners, 817
suitability for dams, 93
- Mathis Dike buttress dam, 400, 474, 475
- Matzke, A. E., hydraulics, 137, 149
- McConaughy, D. C., spillways, 530
- McLeod, A. M., fishways, 530
- Mead, D. W., evaporation, 21
- Mean annual rainfall, 5
- Measurements, by current meter, 42
by float, 42
of discharge, 39
of stream discharge, 33
- Measuring insulation resistance, 959, 960
- Measuring weirs, 128
- Meeker, R. I., evaporation, 22
- Menenyi, Paul, fishways, 530
- Mervine, W. G., economics, 1082
- Mesnager, E., arch dams, 393
- Metal spiral case settings, 768
- Meter ratings, 43
- Methods of construction, 433
- Meyer, A. F., evaporation, 16
- Miami runoff, 55
- Middle Third, law of, 336
- Miller, E. B., gates, 524
- Minear, V. L., grouting, 493
- Minimum thickness of arch dam, 384
- Mixing and placing concrete, 374

- Model tests of arch dams, 383
 Models, hydraulic, 144, 150
 Modulus of elasticity of concrete, 380, 384
 Mohawk Dam, 497
 Mokelumme River system, 170
 Molitor, D. A., waves, 328, 378
 Money, cost of, 209
 for hydro plant, 237
 required for hydro, 234
 Monthly peak loads, 248
 Monthly peaks, 247
 Montreal Island plant propeller, 822
 Morin, V., evaporation, 21
 Morning-glory spillway (see Shaft spillway)
 Morris Dam, 359
 Motive power, 599
 Motors and controllers, 1025
 Motors for gate hoists, 599
 Movement on faults, 333
 Mucking of tunnels, 698
 Multiple-arch dams, 394, 397
 deck of, 397
 Multiple-step design of gravity dams, 345, 347
 Myer maximum, modified floods, 62

 Nagler, F. A., hydraulics, 148, 149
 Nantahala Dam, 452-456
 plant, 893
 powerhouse, 754, 790, 801
 steel pipe, 650
 Nappe for sharp-excuted weir, 122
 Narrows Dam, 497
 National Electric Light Association, on surge tanks, 753
 on turbine tests, 1109
 Natural channels, 112
 Naylor, A. H., spillways, 530
 Needle valves, 522, 524, 614
 in pipe lines, 614
 interior differential type, 615
 Larner-Johnson type, 614
 Needles, 506, 518
 Net head, 151
 Network analyzer, 940, 941
 Networks, 1050, 1051
 New England Power Co., 598
 Newport News mechanical rake, 544, 545
 Newport News Shipbuilding and Drydock Co., 541, 547
 Niagara Falls, Francis runners, 816
 plant, 192, 193, 194

 Niagara Falls, powerhouse, 793
 units of, 857
 Nieberhof, A. E., gates, 528
 Niederwartha pumped storage plant, near Dresden, 204
 Noetzli, F. A., dams, 404
 Nomenclature, 318, 319
 Non-overflow solid gravity dams, 347-351, 358, 359
 200-foot, 352-357
 350-foot, 357, 358
 Norfolk powerhouse, 792
 Norinan plant, 819
 Norris Dam, 359, 490
 paneling in powerhouse, 795
 Norwood powerhouse, 756, 786
 Number and arrangement of circuits, 1032
 Number, of phases, 929
 of units, effect of, on plant efficiency, 159

 Oak Grove plant, 864
 Obsolescence, 211
 Ocoee No. 2 flume, 634
 Ohio Falls powerhouse, 763
 Ohio River Dam No. 6, 512
 Oil, for governor, 903
 for transformers, 982
 Oil pressure, absence of, for governor, 905
 Open channel flow, hydraulic bore and suction wave in, 108, 109, 137, 138, 139
 varied flow, 140
 Open conduit, 114
 Open flume settings, 757
 Openings, flow through, 126
 restricted, 126
 Open system for governor, 905
 Operating costs, method of dividing, 218
 of hydro plant, 238
 of steam plants, 216
 Operating force for gates, 584
 Operation, accident prevention, 1075, 1100
 bibliography, 1125
 communication, 1077
 cost of, 1082, 1119
 dispatching, 1084, 1116, 1117, 1119, 1120, 1121
 duties of operators, 1083, 1101
 economics of, 1103, 1115
 equipment ratings, 1078

- Operation, fire prevention, 1100
 flood routing, 1103
 forecasting, 1112
 generators, care of, 1090
 governors, care of, 1091, 1097
 hydrographic data, 1080
 loading schedules, 1086
 maintenance, 1092, 1123
 of storage for power, 188
 organization, 1075
 pondage, 1111
 records and reports, 1081, 1092, 1108, 1124
 reserve capacity, 1118, 1124
 river-level control, 1101
 runner pitting, 1095
 spillway operation, 1102
 storage, 1122
 structure maintenance, 1099
 transmission, 1120
 trash-rack maintenance, 1098
 turbine efficiency, preservation of, 1107
 turbine leakage, 1106
 turbine operation, 1104, 1105, 1106
 turbine tests, 1109
 turbines, care of, 1087, 1093
 with steam, 1116
 Operation and maintenance, cost of, in hydro plants, 238
 Orifices, flow through, 95
 Outdoor station structures, 1074
 Outline of report, 302, 303
 Output, 166
 Overbreak and pay-line in tunnels, 701-703
 Overburden, 85
 Overhang of arch dams, 385
 Overturning of dams, 337, 338

 Painted flumes, 113
 Painting of steel pipe, 655
 Paneling on concrete surface, 795
 Parallel operation of transformers, 962, 977
 Pardee Dam, 359
 Partial cutoff, 419
 Parts for turbines, 875
 Parts of hydro development costs, 224
 Path of percolation, 477
 Paul, C. H., on dams, 493
 Peak flow of floods, 61
 Fuller's equation, 61
 Myer's maximum 100%, 63
 unusual, 64

 Peak flows, 61, 69
 Peak-load hydro plants, economics of, 278
 for systems with sharp peaks, 205
 functions of, 200, 204, 205
 to supersede old steam plants, 278
 Peak-load plants, Georgia Power Company, 201
 Peak loads, 247
 Peak percentage curves, 250, 255
 Peak week load curve, 251, 252
 Pee Dee River powerhouse, 798
 Pelton wheels, 813, 814
 Penrose-Rosemont Dam, 449
 Pensacola hollow buttress dam, 401
 Penstocks, 607-609
 air valves in, 609
 velocities in, 608
 water hammer in, 708, 725
 Percolation, path of, 21, 477
 Perkiomen Creek, 173
 Permanent earth dams, 405
 Permanent flashboards, 511
 Permeability, coefficient of, 479
 coefficient of, 479
 horizontal, 414
 vertical, 414
 Phasing out and synchronizing, 960, 961
 Philips & Davies gates, 516, 566
 Philips, E. B., 586, 590
 Pickwick Landing development, 570
 Piers, coefficient of, 119, 120
 contraction at, 119
 Piling under dams, 343, 344, 485
 Pin hoist, 594
 Pinnacles development, 617
 Pins for progressive failure, 510
 Pipe, coefficient of discharge, 115, 116
 concrete, 117
 flow through, 115
 steel, 116, 639 (see also Penstocks)
 anchorages, 650
 bibliography, 658
 buried pipe, 656, 657
 design, 646
 economic design of, 643
 expansion and contraction of, 655
 expansion joints in, 653
 loading of, 639
 painting of, 655
 physical properties of, 641
 piers for, 648
 protection against freezing of, 657
 ring girders for, 646
 riveted, 643

- Pipe, steel, stress in, 640
 supports for, 648
 temperature changes in, 655
 types of, 639
 weights of, 647
 welded, 644
 working stresses in, 643, 644
 wood-stave, 116
- Pipe drains, in earth dams, 416
- Pipe galleries, 770
- Pipeline, air valves in, 608, 609
 bench for, 617
 butterfly valves in, 614
 concrete, 607
 conduit valves in, 612
 cone valves in, 617
 gate valves in, 616
 manholes in, 612
 needle valves in, 614
 steel, 607
 valves in, 613
 wood-stave, 607
- Pipes, through earth dams, 444
 water hammer in, 708
- Piping, 420, 480
 Poisson's ratio of concrete, 381
- Pit River No. 5 plant, 870
- Plain slide gates, 514
- Plant capacity, effect of pondage on, 162
 equal to peak demand, 162
 less than plant demand, 162
- Plant efficiency, average over-all, 160
- Plant factor, decline with age for steam, 216
- Plant factors, of hydro, 215
 of steam, 215
- Plants without governors, 913
- Plastic clay, 406
 in silty clay foundation, 409
- Plate-steel runners, 817
- Plate-steel spiral casing, 858, 859
- Pondage, 59, 162, 166
 and storage, bibliography, 190
 use of, 1111
- Populated district, spillway in, 60
- Position of drains, 418
- Possible energy output, 230
- Possum Kingdom Dam, 402
- Power, average, 151, 153-155, 928
- Power circle equation, 1056
- Power factor, 934
- Powerhouse drainage, 803
- Powerhouse substructure, see Substructure, powerhouse
- Powerhouse superstructure, see Superstructure, powerhouse
- Powerhouse walks, cutoff buttresses, 421
- Power supply, total annual cost of, 275
- Power system stability, 941
- Power test code, A.S.M.E., 128, 130, 131
- Precipitation, 3
- Prediction loads, 258, 259
- Preliminary investigation, 85
- Pressure regulator, 916
 for Hoover Dam unit, 918
 water-saving, 917
- Pressure-regulator discharge, absorption of energy from, 919
- Pressure rise and speed rise chart, 912
- Price, W. H., hydraulics, 147, 150
- Probable deviation of stream flow, 51
- Probable frequency, 10
- Probability curve of rainfall, 10
- Probability floods, 72, 74
- Production costs at ten typical steam plants, 218
- Propeller runners, 817
- Prospecting by electrical resistivity, 88
- Public utilities, 85
- Puddling, 434
- Pull-up curves, 1066, 1077
- Puls, L. G., hydraulics, 149
- Pump arrangement, governor for, 902, 903
- Pumped storage, net return for, 278-280
- Pumped storage hydro plants, economics of, 202, 278
- Pumped storage plants, 200, 203, 204
- Purpose of report, 282
- Qualification of reports, 301
- Quantities for substructure, 776-781
- Queenston-Chippewa development, 766
 plant, 193
- Quicksand, 419
- Rack-and-pinion hoists, 594
 velocity at, 101, 102
- Rack heater units, 550, 551
- Rack heating, Grand Coulee Dam, 551
- Racks, construction of, 541
 heating of, 550
 inclination of, 540
 losses at, 101, 102
 velocities through, 547

- Racks, welded, 543
- Rainfall, and runoff, Miami, 56
 average frequency of dry years, 3, 8,
 13, 19
 bibliography, 10, 11, 12
 definition, 3
 effect on evaporation, 19
 effect on floods, 70, 77
 mean annual, 5
 percentage of maximum, 77
 rate of, 3
 storm, 77
 weighted method of determining, 6, 7
- Rainfall probability curve, 10
- Rainfall records, accuracy of, 5
- Rainfall stations, location of, 5
- Rainfall year, 8
- Rake, mechanical, 544-546
- Raking platform, 558
- Raking racks, 544
- Ramser, C. E., hydraulics, 149
- Rankine's formula, 327
- Ransome, F. L., dams, 378
- Rate of return, 286
- Rating, of current meter, 46
 of transformers, 976-977
- Rawhouser, C., concrete, 378
- Reactive factor, 934
- Reconnaissance for investigation, 84
- Records and check list for reports, 303,
 310
- Records of stage, 46
- Recorder, water-stage, 36
- Rectangular orifice with low head, 99
- Rectangular tubes, 99
- Redridge Dam, 463, 464, 466, 467
- Regrading tailrace, 783
- Regulated flow, 188
- Regulating connections, 883
- Regulating cylinders, 900
- Regulation, 952
 and power diagrams, 1052-1055
 of transformers, 978, 979, 980
- Rehbock's weir formula, 128
- Reid, L., dams, 363, 378
 hydraulics, 149
- Relief valves, 725
- Remote-control stations, 914
- Reports, arrangement of, 282, 300
 bibliography, 312, 313
 check list for, 303
 extent of, 283
 outline of, 302
 purpose of, 282
 qualifications of, 301
- Reports, records for, 303-312
 subject matter of, 301
 wording of, 300
- Representative hydroelectric develop-
 ments, 223
- Reserve, for hydro plants, 1118
 hydro units for, 256
- Reserve capacity, 256
- Reservoir evaporation, 85
- Reservoir plants, 195
- Resistance, reactance, and impedance,
 977, 978
- Resistance coil, 957
- Restoring mechanism, governor for, 901
- Restricted openings, 126
- Resultant, location of, rule 1, 338
- Retgression of streams, 492
- Revolutions per minute, diagram, be-
 tween 828-829
- Reynolds' number, 144, 145
- Rheostats, energy-dissipating, 964, 965
 water, 965, 966
- Richelieu River, 173
- Ring girders for steel pipes, 646
- Ripley, T. M., hydraulics, 128
- Riprap, 441, 442
- River discharge, bibliography, 32, 50
 computations of daily discharge, 49
- River gaging, bibliography, 16, 32
 current-meter, 42
 float measurements, 42
 slope measurements, 41
 velocity-area method of, 41
 weir method of, 40
- Rivers, in *Water Supply Papers*, 52
- Riveted pipe, 643
 steel, 116
- Roberts, K. C., gates, 530
- Robinson, J. S., evaporation, 22
- Rock, Elmer, spillways, 530
- Rock-fill dams, bibliography, 317, 446,
 456
 Salt Springs, 446, 448, 451
- Rock hoist, 594
- Rock Island, Nagler propeller runner,
 822
 powerhouse, 787
- Rock toe, 417
- Rocks, 540, 541, 542
- Rocky River, bubbler system, 553, 745
 pumped storage plant, 202, 204
- Rogers, F. C., dams, 403
- Rohwer, Carl, evaporation, 21
- Rolling embankment, 435
- Rolling gates, 506, 516, 517

- Roofing under dams, 482
 Roofs, 797, 798
 details of, 803
 Rose, E., ice pressure, 326, 378
 Rotary drilling through overburden, 90
 Roto valves, 617
 Rough methods, of determination, 92, 93
 of stability analysis, 429
 Roughness in models, coefficient of, 146
 Round-head buttress dam, 397
 Rouse, H., dams, 363, 378
 hydraulics, 149
 Routing floods, 79
 Rubble backing of face of rock-fill dams, 449
 Rules for dam design, 338
 Runaway speed of turbines, 844, 846
 Run-of-river hydro plants with pondage, 191
 Runners, turbine, pitting of, 1095
 Runoff, 13, 20
 equations for, 57
 errors, 51
 factors affecting, 23
 Justin formula, 58
 storm, 78
 surface, 20
 Runoff relation curve, 53
 Runoff relations, 53, 54
 Russell, G. C., hydraulics, 150
- Sabrina Dam, 449
 Saddle spillways, 497
 Safe Harbor development, 553, 556, 856
 powerhouse, 800
 Safety, in dams, 344
 margin of, 344, 345
 of earth dams, requirements, 410, 411
 Sag tension curve, 1065, 1066
 Saguenay development, 576
 Salt Springs Dam, 446, 448, 451
 Saluda Dam, 497
 Sampling overburden, 90
 San Gabriel Dams Nos. 1 and 2, 452
 Sand gravel, suitable design for, 409
 Sand gravel and clayey silt, for a highly impervious foundation, 408
 for a highly pervious foundation, 409
 Sand traps for canals, 629
 Schamberger, S. O., operation, 1105
 Scheman, C. H., steel pipe, 639
 Schidenhelm, F. W., dams, 470
 Schmidt, L. A., Jr., leakage, 493
 Schneider, G. R., floods, 77, 82
 Schnyder, O., water hammer, 727
 Schoellkopf plant, 192
 Schoellkopf powerhouse, 793
 Schrontz, C. C., dams, 378
 Scobey, coefficients for steel pipe, 116
 flow equation, 113, 116
 Scobey, F. C., hydraulics, 107, 108, 149
 Screw-stem hoist, 589, 597
 for gate hoist, 593
 Scroll cases, cast-iron, 850
 cast-steel, 860, 862, 863, 864, 866
 plate-steel, 860
 Shasta, 860
 velocity in, 850, 851
 Seals for gates, 579, 580, 581
 Section, tunnel, shape of, 691
 Sections, climatological, 5
 Sector gate, see Taintor gate
 Seely, F. B., 604
 Seepage, effect of drainage on, 415
 from buttressed dams, 29, 397, 411
 in canals, 624
 in dams, 397, 477
 in tunnels, 706
 quantity of, 413
 Seepage line, 411, 412
 position of, 411
 Seepage loss, 29
 in canals, 622
 Seepage of rainfall, 20
 through capillary action, 21
 through percolation, 21
 Seiches, 329
 Seismic subsurface methods, 88
 Semihydraulic fill dam, 436
 Sensitiveness of stage-discharge relation, 33
 Servomotor, 8, 896, 897, 900
 Setting, diagram of, 850
 dimensions of, 852, 853
 examples of heights of, 842
 height of, 830
 impulse-wheel, 867
 Settings, metal spiral-case, 768
 vertical concrete, 757
 Settlement, of rock-fill dams, 451
 Settling basins for canals, 631
 Setups, 329
 in reservoirs, 329
 Sewall's Island powerhouse, 757
 setting for propeller runners, 758
 Shaft, main, 883
 spillways, 500
 Shafts and adits, 705
 Shape of crest, 360, 362, 363

- Shasta Dam, 359
 gates, 505, 515,
 scroll cases, 860
 welded steel-plate spiral casing, 859
 Shawenegan Falls, 550
 Shear, factor of safety against, 425, 426
 in downstream portion of dam, 422, 423
 in foundation, factor of safety against, 429
 in upstream part of dam, 423, 424
 Shearing stresses in foundation, 428, 429
 Sheet ice, 548
 Shield method, 695
 Shifting ring, 883
 Shooting for tunnels, 697
 Shorer, H., dams, 404
 Short-circuit analysis, 936-940
 Short tubes, 95
 Shrinkage in dams, 403
 Side-channel spillways, 496
 Silt, affecting dam tightness, 325
 deposits of, in reservoirs, 167
 inertia of, 333
 pressure of, 327, 328
 Silty clay with unconsolidated foundation, 409
 Similitude, hydraulic, 144
 Simin, O., water hammer, 727
 Simple slab deck, 397
 Simplex Valve & Meter Co., valve, 610
 Single-runner vertical open-flume setting, 848
 Single-step design, 349-352
 for dams, 347, 349, 367
 Single-unit plant, 157
 efficiency of, 158
 Sinking-fund method, 285
 Sipes' Subway Black paint, 656
 Siphon spillways, 501
 Site for stream-discharge measurement, 33
 Skaguay Dam, 449
 Skin-friction conduit losses, 108
 Slab, 397
 Sliding, of dams, 337, 338
 resistance to, Rule 2, 338-341
 Sliding gate, 525, 565
 Slope measurements of gaging, 41
 Slope protection for earth dams, 440, 441
 Sluice gates, discharge through, 100
 flow through, 100, 520, 521
 Sluices, 520
 Sluicing in rock-fill dams, 451
 Small smooth pipe, 115
 Smith, S. Morgan, Co., 523
 Smith-Kaplan runner, 821
 Soil moisture, recapture of, 20
 Solid gravity concrete dams, choice of, 317
 Solid gravity non-overflow dams, 347-351
 contents of, 361
 spillway dams, 359
 contents of, 371
 Solution on installation, 256
 Source region of air masses, 11
 South Lake Dam, 449
 Spare parts, 920
 Speed, of impulse wheels, 837, 838
 of reaction turbines, 836, 837
 recommended, 827
 short-cut determination of, 828
 specific, 825
 synchronous, 839, 840, 841
 Speed drop, governor, 902
 Speed regulation, 906-910
 problems of, 910, 911
 Speed rings, 876, 877
 for Hoover plant, 877
 stay-bolt type of, 878
 Spherical thrust bearing, 891, 893
 Spillways, bibliography, 494
 capacity estimates for, 51
 chute, 498
 crest gates of, 504
 crests for, standard, 460
 cutoff buttresses on, 421
 dam, 20-foot, 370
 single-step design for, 349-352, 365-370
 discharge, 117, 128
 economic, 494, 495
 emergency, 503
 flat-crested, 125
 for canals, 628
 for rock-fill dams, 452
 gates, crest, 504
 sluice for, 520
 gravity dams, intakes for, 125
 quantities in, 372
 walls of, 421
 headwater control, bibliography, 530
 in populated districts, 60
 length of crest, 499
 saddle, 497
 shaft, 500
 morning-glory, 500

- Spillways, siphon, 501
 model tests, 502
 Spiral case settings, for horizontal
 units, 768
 for small units, 878
 Spiral casing, cast-iron, 859
 Spring Creek, 24, 25
 Spring thrust bearing, 890
 Spur-gear hand-operated gate hoist,
 593
 St. Anthony Falls, stilling basin, 487
 Stability, of earth dams, 422
 against headwater pressure, 422
 on impervious foundation, 426, 427
 of hydraulic fill dams, 431
 requirements for, 336
 Stability analysis, rough method of, 429
 Stadia survey, 85
 Stage-discharge curve, 32
 Stage-discharge relation, 32
 sensitiveness of, 33
 Stairs and railings, 799, 800
 Standard crest flow, 120
 Standard dam crest, 121, 122, 123
 Stanley, C. M., 468
 Starting generator, 960
 Static friction, coefficient of, 585
 Station equipment of stream-gaging
 station, 35
 Steam and hydro energy the same
 value, 266
 Steam operating costs, method of di-
 viding, 218
 Steam plant capacity factors, 215, 267
 Steam plants, actual annual cost of,
 207, 218
 capital cost of, 207
 depreciation of, 211
 effect of annual capacity factor on,
 217
 effect of fuel cost on, 219
 fixed charges on, 208
 and variable cost of operating, 217
 improvements in, 207
 obsolescence, 211
 operating cost of, 216
 operating with hydro, 1116
 production costs in ten typical plants,
 219
 Steam power, effect of fuel cost, 219
 Steam power cost, bibliography, 207,
 221
 Steam versus hydro costs, 269
 Steel chutes, varied flow in, 141
 Steel dams, 462
 Steel facing of rock-fill dams, 449
 Steel flumes, flow in, 112
 Steel linings, flow through, 112
 Steel pipe, 607, 608, 639
 flow in, 116
 physical properties for, 641
 Scobey's coefficients for, 116
 Steel sheet piling for cutoff, 419
 Steele, B. W., concrete, 372, 378
 Steep chutes, flow in, 141
 Stem hoists, 524
 Stevens, J. C., scour, 493
 Stevenson's formula for waves, 328
 Stewart, C. B., hydraulics, 148
 Stewart's coefficient of discharge, 98
 Stickney drum gate, 513
 Stilling dams, 487, 496
 Stoney gates, 505, 515, 572
 Stoney River Dam, 470, 475
 Stoplogs, 506, 518, 528, 601
 steel wood, 603
 Storage, at the plant, 186
 benefits of, 162, 166, 167
 bibliography, 162, 166, 190
 due to freezing, 28
 effect of, on firm hydro capacity, 189
 on floods, 70
 in combined systems, 187, 188, 189
 operation of, 1122
 possibilities of, 188
 power, operation of, 188
 remote from plant, 186
 requirements, 174
 valley, 71
 Storage and pondage, 59
 Storage studies, analytical method ap-
 plied to, 183
 Storm rainfall, 70, 77
 Storm runoff, 78
 Straight dams, coefficient of discharge
 for, 123
 Straight-line method, 285
 Stream discharge, 32
 Stream flow, based on gaging, 51
 estimating, 51
 records of, 171
 absence of, 23
 tabulating, 172
 Stream gaging at site, 52, 53
 Stream measuring by weir method, 40
 Stress, compressive, in arch dams, 381
 in dams, 341, 403
 shearing, in dams, 339
 Stress deflective curves, 1063, 1064
 Stresses in buttressed dams, 403

- Stringing curves, 1068
- Strowger, E. B., operation, 746, 1105
surge tanks, 746,
water hammer, 708, 727, 728
- Structural features of transmission line, 1058
- Structural stability of intakes, 533
- Structures for transmission lines, 1068, 1069
- Studies involving pondage, storage, and output, 166
- Sturgeon Pool Dam, 521
- Subatmospheric effects, 322
- Subject matter of report, 301
- Submerged crest, coefficient of, 128
- Submerged hydraulics, 96
- Submerged spillways, 126, 128
- Submergence, effect of, 96
- Substructure of powerhouse, bibliography, 783
dewatering, 774
dimensions and volume, 775
draft tubes, 770
exciters, 756
floors, 773
for impulse wheels, 770
galleries, 770
metal spiral-case settings, 767
quantities in, 776
streamlining, 765
tailrace, 782
transformers, 755
types of, 756, 757
ventilation of, 773
working bay, 755
- Subsurface exploration, 84, 85, 88
- Subsurface investigation, churn drilling, 88, 90
diamond drilling, 91
electrical resistivity, 88
rotary drilling, 90
seismic prospecting, 88
undisturbed samples, 90
- Successful pumped storage plants, 204
- Suction wave, 137, 139, 140
in open channels, 137-139
- Sudden contraction, 106
- Suitable design of earth dams with sand gravel, 407
- Sump, 774
- Superstructure of powerhouse, 784
abbreviated type, 785, 786, 793, 798
architectural effect, 788
crane, 804
doors, 794
- Superstructure of powerhouse, drainage, 803
enclosed type, 788
floors, 796
framework, 789
maintenance of, 1099
railings, 799
roofs, 797
seating, 806
stairs, 799
telephone, 806
ventilation, 794
walls, 790
water supply, 801
windows, 794
- Support for tunnels, erecting, 699
- Surface runoff, 20
- Surge tanks, 729, 753
arithmetic integration, 746, 748, 750
bibliography, 753
bubbler systems, 745
critical velocity, 739
design of, 734
differential, 732, 748
economics of, 609
heating, 744
incipient stability, 739, 742
Johnson design method, 732, 748
restricted-orifice tank, 751
simple tank, 730
- Svirstroy Dam, 484, 485, 486
- Swamps, discharge, 25
- Switchboards, 996, 997
- Switches, magnetic, 992
- Switching, equipment, 988, 989, 990
- Synchronizing, 961
- Synchronous reactance, 954, 955
- Tabulating stream flow, 172
- Tailrace, 782
gates, 775
piers, 775
stoplogs, 775
- Taintor gates, 505, 514, 573
hoist, 515, 519
U. S. Engineer Department manual, 530
- Tallulah Falls, steel pipe, 649
- Tappan Dam, 497
- Taps and internal connections, 977
- Taxes, 210, 237
and insurance, 210
as percent of revenue, 210
on hydro, 236
other, 237

- Telephone and connections, 806
Temperature, effect on runoff, 28
 effect on yield, 28
Temperature detectors, 956
Temperature stresses, at abutments, 385
 in arch dams, 384
Templin, R. L., arch dams, 393
Tennessee River development, floods,
 73, 168, 169
 power and storage, 169
Tension in dams, 338, 344
 on interior planes, 344
Terry propeller turbine, 822
Terzaghi, K., walls, 378
Tests for efficiency, 871
Thawing, in dams, 394
Thermal expansion of concrete, 380, 384
Thermocouple, 957
Thickness of concrete facing, rock-fill
 dams, 451
Thoma, D. T., surge tanks, 753
Thomas, H. A., hydraulics, 487
Three-unit development, efficiency of,
 159
Thrust, 888, 889
Thrust bearings, 888
Thrust loads, chart for, 892
Tides, 329
Tilting gates, 505, 512
Timber crib dams, 459
Timber dams, 317, 458
 leakage of, 458
 maintenance of, 450, 458
Timber head gate, 559
Timber upstream facing, rock-fill dams,
 449
Time, total governor, 906
Tionesta Dam, 499
 wheeled gate, 569
Top-heading method of tunneling, 700,
 701
Topographic maps, 87
Total annual cost of hydro, 274
Tower design, 1070, 1071, 1072
Tower spacing, 1059
Transformers, construction of, 973, 974,
 975
 provision for, in substructure, 755,
 756
 specifications, 983
 standard connections, 984, 985
Transition section of intakes, areas of,
 539
Transmission, operation of, 1120
Transmission costs, 229
Transmission liability, 272
 against hydro, 232
Transmission lines, 1031
 cost of, 231
 fundamental and derived constants
 of, 1040-1042
Transmission-voltage wiring, 1003, 1004
Transpiration, 3, 13, 19
Transportation and placing concrete,
 374
Trash racks, 541
 maintenance of, 1098
Traveling hoists, 600
Trial load method for arch dams, 381,
 383
Trimming roof and cleaning invert
 tunnels, 699
Tripp, J. G., dams, 378
True output, 154
Tubes, short, flow in, 95
Tunnel grouting, 705
Tunneling, in earth, 694, 695
 in rock, 696
Tunnels, bibliography, 706
 blasting, 697
 depth of, 694
 earth, 694
 flow through, 115, 117, 607
 forepoling method, 696
 full-faced method, 696
 geology of, 690
 grouting, 705
 heading-and-bench method, 700, 701
 liner plate method, 695
 lining, 704, 705
 loading, 690
 overbreak, 701, 702
 pay-line, 701, 702
 rate of progress, 701
 rods, 696
 roof, 691
 sections of, 692, 693
 seepage in, 706
 shape, 691
 size, 691
 steel-shield method, 695
 supports, 694, 699
 unlined, 691
 ventilation, 706
Turbines, 811
 care of, 1087, 1093
 efficiency, preservation of, 1107
 efficiency of, 831, 832, 833
 governor time, 717, 725

- Turbines, leakage, 1106
 operation of, 1104, 1105, 1106
 pitting, 1095
 representative hydraulic, 812
 tests of, 1109
 types of, 813
 venting of, 895, 1105
 Turnbull, W. J., dams, 478
 Tygart Dam, 359
 Tyler, I. L., concrete, 378
 Types of hydro plants, bibliography,
 191, 206
 Typical daily and monthly discharge,
 170, 171
 Typical distribution of load, 164
 Typical hydro plant, economic analysis
 of, 273, 274, 275
 Typical individual taintor gate hoists,
 596

 Undisturbed sampling of overburden,
 90
 Undular jump, 134
 Unlined canals, 621
 Unlined tunnels, coefficients of, 115
 Unpainted surfaces, 113
 Unusual flood peaks, 64, 69
 Uplift, in buttress dams, 323, 324, 397
 in dams, 322, 397, 480
 Uplift and foundation reaction, 335
 Upstream blankets, 419
 Upstream deck of buttressed dams,
 395, 396, 397, 398
 Usable flows, computation of average,
 184, 185
 Use curves, 184
 Useful life of hydro developments, 233
 U. S. Geological Survey, *Water Supply
 Papers*, 52

 Vacuum, at flashboards, 510
 at spillways, 322
 Values for future return, 286
 Valves, air-inlet, 609, 612, 920
 air-outlet, 611
 blowoff, 617
 butterfly, 614
 cone, 617
 erosion in head, 105
 gate, 616
 Howell-Bunger, 106, 523, 524, 617
 losses in, 105
 needle, 521, 522, 524, 614
 roto, 617

 Varied flow, in steep chutes, 141
 open channel, 140, 142, 143
 Vector representation, 934, 935
 Vegetation, effect in yield, 26
 influence on runoff, 26
 Velocity, erosion in canals, 623
 in flumes and scroll cases, 850
 in intakes, 549
 minimum, in canals, 622, 623
 of approach, 99, 119
 through intake gates, 556
 through trash racks, 547
 Velocity-area method of gaging, 41
 Velocity head, 129, 130, 131
 Velocity head correction, 120
 Vena contracts, 96
 Ventilation, 698, 773
 of generator, 956
 Venting of turbines, 895
 Vermeule's runoff equation, 57
 Vernon, 597
 Vertical concrete spiral setting, 757
 Vertical velocity curve, 44
 Voltage, adjustment, 951
 and conductor size, 1036, 1037
 rating, 951
 regulators, 971, 972, 973
 Volume of earth dams, 440
 of flood, 78

 Wailes-Dore-Hermiston Co., on paint,
 656
 Warner, J. H., arch dams, 393
 Warren, M. M., surge tanks, 753
 Wash borings, 89
 Water for concrete, 373
 Water hammer, Allievi's charts, 713
 arithmetic integration, 719
 as affected by relief valves, 725
 bibliography, 708, 727, 728
 classification, 708
 critical governor time, 725
 graphical method, 721
 turbine governor time, 717, 725
 Water power, Bernoulli's theorem, 130,
 131
 Water pressure, 319, 320, 321, 33
 Watershed, effect of floods on, 69
 geological characteristics of, 24
 Water-stage recorder, 36, 46
 Water supply, 801
 Water-supply divisions, 52
Water Supply Papers of U. S. G. S., 52
 Water surfaces, evaporation, 15

- Waves, height of, 328
 suction, 137
- Wearing rings, 882
- Weather Bureau, 52
- Weaver, dams, 481, 493
- Weber's number, 144
- Weekly load curves, 249, 251, 252
 application of, to load studies, 250
- Wegmann, E., dams, 378
- Weight, computing submerged, 328
 of concrete, 330
 of gates, 524
 caterpillar, 527
 rolling, 527
 sliding lift, 525
 stoney, 526
 taintor, 526
 wheeled, 526
- Weight constants, 328
- Weighted methods for determining
 rainfall, 7
- Weir measurements, of gaging, 40
- Weirs, broad-crested, flow over, 126,
 127
 measuring, 128
- Weiss, Andrew, dams, 404
- Welch, P. S., dams, 378
- Welded pipe, 644
- Wellons, C. M., gates, 504
- Welman, Seaver, Morgan Co., hydraulics, 106
- Westergaard, H. M., earthquakes, 331,
 378
- Wetted perimeter, 114
- Wetting embankment, 435
- Wheeled gates, 505, 515, 564, 571
 hoists for, 587
- Wheeler Dam, 547
 powerhouse, 760
 substructure, 760
- Wicket gates, leakage in, 879, 880
- Wiley, A. J., dams, 378
- Williams and Hazen's coefficients, 115
- Williams and Hazen's equation, 108
 for closed conduits, 113
- Williams, C. P., dams, 404
- Williams, G. S., hydraulics, 149
- Wilson Dam, Muscle Shoals, flow over,
 120, 128
 Francis runner, 815
- Wilson, W. T., floods, 83
- Winfield plant, 191
- Winooski Gorge plant, 802
 powerhouse, 802
- Winter records, 49
- Wires and cables, 1005-1013
- Wire-weight gage, 36
- Wiring, 988
- Wisconsin intake, 578
- Wood flumes, flow in, 112
- Wood linings, flow through, 112
- Wood-stave flumes, 112
- Wood-stave pipe, accessories, 607, 660,
 682
 bands, 669
 diameter of, 671
 shoes for, 674
 spacing of, 671
 steel for, 670
 bibliography, 689
 butt joints, 673
 coefficients, 116
 compression of wood, 674
 connections, 683, 684
 continuous, 660, 661, 662, 663
 cradles, 669
 creosoting, 677
 flow in, 116
 freezing, 681
 life of, 678
 machine-banded, 660
 painting, 677, 680
 pipe supports, 676
 radius, minimum, 676
 spans and thickness, 677
 staves, 666-669
 bearing on, 672
 swelling of, 674
 tongues, 673
- Wooden box flumes, 112
- Wooden flumes, 634
- Woodward actuator, 901
- Wording of report, 300
- Work, 153, 154
- Working bay, powerhouse substructure,
 754, 755
- Worm-gear hoist, 589
- Wright, C. A., spillways, 530
- Yadkin Falls development, 567, 572,
 582
- Yarnell, D. L., hydraulics, 148
- Yield, effect of deforestation, 27
 effect of vegetation, 26
 temperature, 28
- Young, A. A., evaporation, 21
- Zuider Zee, setup formula, 329