

Index

- Abbot, C. G., 44
 Abdel-Khalik, S. I., 308, 402, 403, 531, 532, 533
 Absorbed energy
 Absorbed radiation
 CPC, 347
 monthly average, 224
 Absorber, 325
 Absorptance, 208
 broadband, 183
 directional, 175
 effective cavity, 198
 monochromatic directional, 175, 182
 monochromatic hemispherical, 176
 solar, 197 204
 Absorption, 61
 Absorption by glazing, 208
 Absorption cooling
 ammonia-water, 581
 continuous, 580
 controls, 585
 COP, 584
 intermittent, 580, 581
 lithium bromide-water, 580
 theory, 582
 Acceptance angle, 340
 ACPS, 566
 Actinometer, 44
 Active collection, passive store, 566, 739
 AEIC-EEI Heat Pump Committee, 526
 Afeef, M., 642
 Agee, M. H., 450
 Agnihotri, O. P., 175
 Ahmad, J. M., 759
 AIA, 549, 572
 Air mass, 10
 Ajami, F., 401
 Akbarzadeh, A., 562
 Akyurt, M., 651
 ALCC, *see* Economics
 ALCS, *see* Economics
 Alexander, G., 626, 627, 628
 Allen, R. W., 585, 669
 Alsema, E. A., 233
 Alton, B. M., 6, 9
 Anand, D. K., 669
 Anderson, B., 550
 Anderson, E. E., 30
 Anderson, H. E., 668
 Anderson, J. V., 691, 692, 694
 Anderson, L. B., 544
 Anderson, R., 575
 Andrassy, S., 507
 Angle of incidence, 13, 14
 Angles for tracking surfaces, 20
 Ångström compensation pyrheliometer, 45
 Ångström's turbidity, 60
 Annualized life cycle savings (cost), *see* Economics
 ANSI, 330
 Aperture, 325, 355
 Armstrong, P. R., 389, 517, 520, 521, 603
 Arnold, J. N., 155, 156
 Army, M. D., 413
 ASHRAE, 330, 333, 335, 338, 341, 342, 345, 415,
 418, 421, 526, 550, 580, 590, 691, 717, 731
 Aspliden, C. I., 781
 Atmospheric
 absorption, 60
 scattering, 60
 Attwater, C. R., 534
 Aung, W., 160
 Auxiliary energy, 485, 490

 Bacon, F. T., 405
 Baer, S., 531
 Balakrishnan, A. R., 166
 Balance temperature, 415

- Balcomb, J. D., 327, 395, 416, 453, 562, 565, 575, 673, 716, 718, 719, 720, 721, 722, 723, 725
- Bankston, C. A., 397, 399, 534, 537
- Bannerot, R. B., 101
- Bannister, J. W., 77
- Barakat, S. A., 420
- Baranov, V. K., 340
- Barber, R. E., 601
- Barker, G. M., 321
- Barley, C. D., 453, 673, 716
- Basin, *see* Distillation
- Battery storage, 770
- Batty, J. C., 641
- Bauerle, G. D., 404
- Baum, V. A., 598, 632
- Beadwall, 551
- Beam radiation, 10, 23
- Bechtel, T. M., 603
- Bechtel, T. N., 389, 517, 520, 521
- Beckman, W. A., 75, 76, 92, 93, 106, 125, 147, 188, 198, 214, 233, 244, 288, 298, 302, 313, 343, 349, 331, 336, 338, 349, 387, 416, 421, 428, 429, 452, 471, 474, 477, 491, 500, 521, 529, 538, 581, 585, 587, 599, 658, 667, 668, 672, 674, 678, 681, 683, 691, 694, 696, 704, 705, 709, 712, 713, 724, 727, 728, 731, 732, 736, 739, 755, 765, 767, 770, 773
- Bed void fraction, 390
- Beckman, D. M., 601
- Bell, R., 193, 194
- Belton, G., 401
- Bendt, P., 73, 74, 364
- Benford, F., 12
- Bennett, I., 68
- Benning, A. C., 193
- Benseman, R. F., 81
- Berdahl, P., 149
- Betz turbine, 790
- Bevans, J. T., 187
- Biancardi, R., 601
- Blackbody, 140
 - emissive power, 147
 - sky temperature, 149
 - spectral distribution, 143
- Blair, N. J., 331, 336
- Blinn, J. C., 585, 588
- Bliss, R. W., 149, 305, 510, 526, 604
- Bloch, M. R., 650, 651
- Blytas, G. C., 581
- Bock, J. E., 12
- Bode, H., 405
- Boer, K., 531
- Boes, E. C., 77, 668
- Boiling, 487, 488
- Bond conductance, 272
- Bond, J. A., 601
- Bonds, L. P., 618, 619
- Bowen ratio, 651
- Boyson, W. E., 233, 234, 749, 760
- Brandemuehl, M. J., 214, 349, 471, 474, 477
- Braun, J. E., 398, 495, 535, 536
- Bressman, J., 596
- Bridgers, F. H., 526
- Brinkworth, B., 427
- Brisbane, T. E., 516, 519, 593
- Brunstrom, C., 398
- Brunt, D., 149
- Bryant, H. C., 642
- Bubble pump, 582
- Buchberg, H., 155, 658
- Buck, R., 633, 637
- Buckles, W. E., 492, 687
- Buehl, W. M., 307
- Buhrman, R. A., 193
- Building
 - hypothetical
 - energy dumped, 727, 733
 - infinite storage, 726, 733
 - zero storage, 726, 733
 - thermal capacitance, 420
- Bullock, K. J., 657
- Busch, D. F., 626, 627, 628
- Butso, K. D., 416
- Butz, L. W., 585, 658
- Cabanot, M., 395, 396, 397, 562, 570
- Campbell-Stokes sunshine recorder, 53
- Canada, J. R., 450
- Carlsson, B., 401
- Carvalho, M. J., 494
- Casamajor, A. B., 622
- Case, K. E., 450
- Cathro, K. J., 339
- Catton, I., 155, 156
- CEC, 570, 572
- Cell temperature, *see* Photovoltaic
- Central receiver concentrators, *see* Power
- Chant, R. E., 77, 133
- Chapman, G. A., 6, 9

- Charters, W. W. S., 155, 162, 165, 395, 562
 Chiam, H. F., 101
 Chinnappa, J. C. V., 581, 582
 Chiou, J. P., 313, 510
 Cho, S. H., 641, 642
 Choda, A., 615
 Choi, H., 161
 Choudhury, N. K. D., 77
 Chow, S. P., 339
 Christensen, C. B., 321
 Chung, D., 404
 Chung, R., 580, 581
 Circumsolar diffuse, 86
 Clark, D. R., 125, 767, 770
 Clinton, J. R., 551, 562
 Close, D. J., 193, 194, 363, 392, 432, 485, 487, 495,
 496, 510, 603, 615, 657
 Cohen, G., 632
 Colbeck, I., 642
 Cole-Appel, B. E., 435
 Collares-Pereira, M., 73, 74, 77, 79, 82, 116, 494,
 696, 700
 Collector
 air heating design, 313
 characterization, 327
 concentrating, 324
 concentrating, linear, 326
 concentrator, circular, 326
 detailed model, 368
 efficiency, 242, 332
 flow distribution, 360
 flow factor, 281
 heat capacity, 298
 heat exchanger factor, 427
 heat removal factor, 280
 modified, 427
 in situ performance, 362
 liquid designs, 305
 mean fluid temperature, 288
 mean plate temperature, 288
 measurements, 326
 serpentine, 310
 temperature distribution, 242
 test data, 345
 test data conversion, 348
 thermal performance test, 331
 time constant, 343
 top loss coefficient, 257
 transpired, 321
 useful energy, 240, 281
 Collector array
 orientation, 438
 partially shaded, 436
 series connection, 434
 Collector heat exchanger, 513
 Collector storage wall, 549, 561
 vented or unvented, 562
 Collier, R. K., 596
 Compound parabolic concentrator, 340
 Concentration gradient, *see* Ponds
 Concentration ratio, 324, 327, 342
 area, 327
 flux, 327
 maximum, 328
 Concentrator
 central receiver, 371
 circular, 328
 image, imperfect, 362
 images, 357
 linear, 328
 linear imaging, 353
 nonimaging, 340
 performance, 329
 paraboloidal, 370
 practical considerations, 372
 Connelly, M., 673
 Controls, 336, 432
 Convection suppression, 155
 Converse, A. O., 526, 529
 Cook, F. W., 81
 Cooling loads, 579
 Cooper, P. I., 13, 338, 495, 615, 650
 Coulson, K. L., 9, 44, 45, 48, 51, 52, 85, 92
 CPC, 340
 acceptance angle, 348
 performance of, 352
 Crawford, M. E., 160, 162, 164
 Critical radiation level, 697, 700, 769
 dumping, 740
 CSIRO, 497
 Cummings, N. W., 651
 Cunha, F. M., 494
 Cuomo, J. J., 194
 Czapek, E. L., 550
 Czarnecki, J. T., 115, 501

 Dalenbäck, J-O., 494, 535, 537
 Daniels, F., 581
 Davey, E. T., 360

- Davidson, J. H., 490, 500
 Davies, J. A., 91
 Davis, M. W., 233, 234, 760
 Dawson, A. G., 334, 336
 Day length, 17
 De Garmo, E. P., 450
 Declination, 13
 Degelman, L. O., 669
 Degree-day estimation, 416
 deJong, B., 57
 Delyannis, E., 645
 Desiccant, 596
 Design methods, 672
 photovoltaic, 766
 DeSoto, W., 233, 755
 deWinter, F., 427
 DeWitt, D. P., 154, 160
 DHW, *see* Domestic hot water
 Dickenson, W. W., 622
 Dief, I. N., 669
 Dietz, A. G. H., 204, 218, 296, 550
 Diffuse radiation, 10
 Diffuse surfaces, 147
 Diode reverse saturation current, *see* Photovoltaic
 Direct crop drying, 651
 Direct gain, 549, 556
 Discounting, *see* Economics
 Dispersion angle, 362
 DiStefano, T. W., 194
 Distillation, 644
 basin type, 645
 efficiency, 648
 energy flows, 645
 performance, 649
 salt from sea water, 650
 theory, 645
 Domestic hot water, 413, 414, 483, 489, 491, 499,
 501, 673, 675, 687
 Doron, B., 193
 Dougherty, B. P., 233, 234
 Dougherty, B. P., 760
 Drain-back, 488
 Drain-out, 488
 Drummond, A. J., 6, 51
 Ducts and pipes, 429
 Duff, W. S., 517
 Duffie, J. A., 54, 56, 57, 66, 68, 75, 76, 77, 78, 80,
 92, 93, 106, 188, 195, 198, 244, 288, 298, 302,
 313, 349, 329, 368, 428, 452, 491, 494, 521,
 538, 580, 581, 585, 587, 615, 652, 657, 658,
 669, 672, 674, 678, 681, 683, 690, 745
 Dumped energy, 770
 Duncan, C. H., 6
 Dunham, C., 414
 Dunkle, R. V., 143, 167, 187, 193, 338, 360, 510,
 596, 597, 603, 645, 647
 Dunn, J. R., 397
 Dust and shading, 296
 Ebersole, T. E., 401
 Eckhard, S. E., 601
 Eckhard, L., 632
 Eckstein, J. H., 405, 749, 763, 767
 Economics
 area dependent costs, 451
 design variables, 453
 discounting, 457
 effective tax rate, 452
 figures of merit
 annualized life cycle cost (savings), 456
 least cost solar energy, 454
 life cycle cost, 455
 life cycle savings, 455
 net present worth, 455
 payback time, 456
 PITI, 455
 fuel expense, 452
 income tax, 451
 income tax savings, 452
 inflation, 457
 investment, 450
 life cycle cost, 457
 maintenance and insurance, 452
 mortgage, 452
 operating costs, 451
 present worth, 458
 property taxes, 452
 solar equipment, 451
 solar processes, 450
 solar savings fraction, 478
 uncertainties, 475
 Edwards, D. K., 155, 156, 191, 193, 196, 211
 EES, 245, 797
 Effective tax rate, *see* Economics
 Effectiveness-NTU, 169
 Eibling, J. A., 645, 646, 649, 650
 Eldridge, F. R., 776, 777
 Electric auxiliary, off peak, 538

- Electromagnetic spectrum, 139
- Elliot, D. L., 781
- Ellul, W. H. J., 167
- Elsherbiny, S. M., 159
- El-Wakil, M. M., 154, 155, 156, 157, 313, 510, 776, 792
- Emissive power, 11
- Emittance
 - broadband, 183
 - calculation of, 184
 - directional, 175
 - hemispherical, 176
 - infrared, 192
 - monochromatic directional, 182
 - monochromatic hemispherical, 176
- Energy lost from ducts and pipes, 429
- Energy storage, 376, 378
 - buildings, 575
- Energy-10, 715
- Engbretson, C. D., 510
- Engine model, *see* Power
- Engineering Equation Solver, *see* EES
- Eppley black-and-white pyranometer, 48
- Eppley NIP, 46, 47
- Eppley precision pyranometer, 50
- Eppley pyranometer, 48
- Equation of time, 14
- Equilibrium temperature, 363, 488
- Erbs, D. G., 75, 76, 77, 78, 80, 416, 421
- Ersay, O., 651
- Ervin, G., 404
- Etter, D. E., 643
- European Solar Radiation Atlas, 54, 55
- European Union, 330
- Evans, B. L., 569, 739, 741, 742, 745
- Evans, D. L., 116, 358, 767, 770
- Evaporation, 650
 - shallow pan, 650
 - water surface, 651
 - processes, *see* Ponds
- Exchange factor, 148
- Extraterrestrial radiation, 9, 37

- F*, 271
- F'*, 273, 330, 354
- Facinelli, W. A., 767, 770
- Fanger, P. O., 550
- Fanney, A. H., 233, 234, 689, 690, 760
- Farber, E. A., 71

- Farkas, L., 650, 651
- f*-chart, 672, 673, 696
 - air flow correction, 684
 - air system, 683
 - compare to experiments, 689
 - compare to simulation, 689
 - liquid system, 673, 677
 - load HX size, 681
 - parameter range, 674
 - pebble bed correction, 685
 - service hot water, 687
 - solar heat pump, 691
 - storage correction, 680
- Fender, D. A., 397
- Fenster, D. A., 368
- Fester, D. A., 581
- Fin efficiency, 271
- Fischer, R. D., 626, 627, 628
- Flat-plate collectors, 238
- Flow rate corrections, 354
- Flowers, J. M., 622
- Focal length, 355
- Foex, M., 195
- Foskett, L. W., 54
- Foster sunshine switch, 54
- Foster, N. B., 54
- F_R , 279, 354, 329
- Francey, J. L., 422
- Francis, L., 490
- Freeman, T. L., 529
- Freeze protection, 487, 488
- Freris, L. L., 782, 798
- Fresnel reflector, 326
- Fresnel's laws, 204
- Friedlander, S., 629
- Fritz, S., 61, 62
- Frohlich, C., 6, 9
- Fuel expense, *see* Economics
- Fujii, I., 404
- Funaro, G., 570
- Furbo, S., 485

- Garg, H. P., 10, 296, 495, 657
- Gari, H. N., 382, 383
- Gartling, D., 155
- Gaul, H., 364, 365
- Gee, R., 632
- Geological Survey, 650
- Giellis, R., 673

- Gier, J. T., 187, 191, 193
 Gillett, W. B., 333, 345, 747
 Gilon, Y., 629, 630
 Glauber's salt, 400, 531
 Glazing, 204
 Golding, P., 422, 640, 641
 Gordon, J. M., 497, 765
 Govaer, D., 506
 Graham, B. J., 618, 620
 Grassie, S. L., 101
 Gray, R., 101
 Green, M. A., 747
 Greenhouse, 565
 Griffin, F. J., 6, 9
 Griffin, F. P., 401
 Grimmer, C. P., 194
 Grimmer, D. P., 101
 Gross, J. S., 220
 Groumpos, P., 761
 Grunfest, I., 401
 Guertin, T., 86, 92
 Guinn, G. R., 612, 613, 622
 Gulachenski, E. M., 767
 Gulkis, S., 6, 9
 Guon, J., 404
 Gupta, B. K., 175
 Gupta, C. L., 495, 657, 658
 Gutierrez, G., 491
 GZ, 640, 642
- Hail damage, 366
 Haines, R. W., 526
 Hall, B. R., 622
 Hall, I. J., 668
 Hamid, Y. H., 313
 Hamilton, D. C., 99
 Hamming, R. W., 444
 Hannourae, A. A., 167
 Harats, Y., 194, 372, 629, 630
 Harding, G. L., 194, 339
 Harris, J., 193
 Harrison, D., 551
 Harrison, R. G., 6
 Hatch, W. L., 416
 Hatheway, F. M., 529
 Hawley, R. W., 167
 Hay, H. R., 564, 604
 Hay, J. E., 86, 91
 HDKR model, 223
- Heat exchanger, 169
 penalty, 427
 Heat pump with solar system, 525
 Heaton, H. S., 160, 163
 Hedstrom, J. C., 327, 395, 673
 Henderson, J. B., 63
 Herr, K. C., 101, 194
 Herzog, M. E., 74, 110
 Hickey, J. R., 6, 9
 Hickox, C., 155
 Hildebrandt, A. F., 371
 Hill, D., 575
 Hill, J. E., 330, 334, 336, 344
 Hincapie, F., 491
 Hinterberger, H., 340, 346
 Hitchcock, J. E., 163
 Hodgins, J. W., 401
 Hoffman, T. W., 401
 Hohraum, 187
 Hollands, K. G. T., 74, 75, 76, 101, 151, 153, 154,
 155, 158, 159, 166, 195, 196, 313, 326, 494,
 495
 Hollingsworth, F. N., 550
 Honeywell, 200
 Hooper, F. C., 534
 Horizon brightening, 86
 Horizontal concentric cylinders, 154
 Hot water, *see* Solar heating
 Hottel, H. C., 25, 68, 69, 70, 81, 90, 116, 147, 193,
 207, 211, 242, 260, 296, 305, 326, 544, 626,
 696
 Hour angle, 13
 Howell, J. R., 101, 143, 147, 177, 181, 204, 208,
 211
 Hudson, H. S., 6, 9
 Huget, R. G., 74
 Hughes, P. J., 390, 392, 538
 Hull, D. E., 433
 Hull, J. R., 639, 640, 641, 642
 Huxtable, D. D., 405
 Hybrid system, 739, 745
- IAM, 224
 Ibele, W. C., 625
 ICS systems, 498
 Icyball, 580
 Ideality factor, *see* Photovoltaic
 IEA, 348, 349, 363, 338, 371
 IGY, 50

- Incidence angle modifier, 224, 233, 234, 340, 337, 364
 biaxial, 343
 coefficient, 341
- Income tax (savings), *see* Economics
- Incropera, F. P., 154, 160
- Industrial process heat, 483, *see* Process heat
- Ineichen, P., 92, 94
- Infinite NTU model, 392
- Infrared radiation, 158
 heat transfer, 147
- Insolation, 10
- Installed costs, *see* Economics
- Integral collector storage systems, 498
- Intercept factor, 336
- International Pyrheliometric Scale 1956, 46
- Inverters, 765
- Investment, *see* Economics
- Iqbal, M., 6, 7, 9, 11, 14, 44, 60, 61, 62, 63, 81
- Irradiance or irradiation, 10
- Isotropic, 86
- Isotropic diffuse, 90
- Jacobowitz, H., 6, 9
- Jaffe, D. S., 629
- James, S. R., 345
- Janssen, E., 193
- Janssen, M., 6, 9
- Jeffreson, C. P., 392
- Jenkins, J. P., 330, 344, 345
- Jensen, C., 629
- Jenson, G., 673
- Jeys, T. H., 47
- Jilar, T., 535
- Johnson, F. S., 6
- Johnson, T. E., 400, 531
- Jones, D. E., 315, 330, 344, 345, 435
- Jones, G. G., 562, 575
- Jones, R. D., 416
- Jones, R. E., 35, 551
- Jones, R. W., 565, 716, 718, 719
- Jordan, R. C., 70, 77, 81, 82, 83, 84, 90, 103, 116, 117, 118, 123, 124, 133, 526, 625, 696, 697
- Jurinak, J. J., 403, 532, 599, 600
- Kakabaef, A., 598
- Kakaç, S., 160
- Kamal, J., 642
- Karaki, S., 389, 519, 520, 521, 593, 603
- Karman, V. D., 529
- Kasza, K. E., 641, 642
- Kauffman, K., 401
- Kays, W. M., 160, 162, 163, 164, 169, 427
- Kearney, D., 194, 372, 629, 630, 632
- Kendall, J. M., 6
- Kenna, J. P., 673, 747
- Kennard, E. H., 141
- Khandurdyev, A., 598
- Khouzam, K., 761
- Khouzam, L., 761
- King, D. L., 233, 234, 749, 760
- Kipp & Zonen actinometer, 46
- Kirchhoff's law, 177
- Kirkpatrick, A., 575
- Kirpich, A., 764
- Klein, S. A., 14, 75, 76, 77, 78, 80, 103, 105, 106, 116, 125, 128, 133, 198, 216, 217, 225, 226, 229, 233, 260, 288, 298, 302, 349, 387, 392, 416, 421, 428, 452, 492, 494, 500, 521, 551, 553, 556, 562, 569, 579, 660, 668, 669, 672, 674, 678, 681, 683, 687, 689, 696, 700, 704, 705, 709, 712, 713, 724, 727, 728, 731, 732, 736, 739, 741, 742, 745, 755, 765, 767, 770
- Kleinbach, E. M., 387
- Klucher, T. M., 92, 93
- Klychiaeva, O., 598
- Knight, K. M., 75, 669
- Knudsen, S., 485
- Koehler, L. P., 767, 770
- Kondratyev, K. Y., 10, 44, 62, 63, 85
- Konicek, L., 151
- Kooi, C. F., 641, 643
- Kosiewicz, C. E., 716, 719
- Kovarik, M., 433
- Kramer Junction, 628
- Kratochvil, J. E., 233, 234, 749, 760
- KT method, 225, 229
- Kuharich, R. R., 526
- Kuhn, J. K., 385, 387, 390
- Kulaki, F. A., 500
- Kumar, S., 75
- Kunz, S., 669
- Kusuda, T., 330
- Kutscher, C. F., 168, 321, 325, 326
- Lamb, J. A., 194
- Lampert, C. M., 175, 193, 195
- Landis, F., 401

- Lane, R., 619
 Langenbacher, F., 551, 562
 Lappin, T. A., 195
 Larsson, M., 398
 Laszlo, T. S., 324
 Latimer, J. R., 53
 Latitude, 13
 Lavan, Z., 308, 385
 Lazarus, G. S., 716, 719
 LCR (load collector ratio), 718
 LCZ, 640, 641, 642
 Lebens, R. M., 550, 716
 Lederer, C., 422
 Lee, T. K., 639
 Lehmann, D., 360
 Leonard, J. A., 366
 LePhat Vinh, M., 195
 Leslie, D. A., 562
 Lesse, P. F., 433
 LI-COR LI-200SA pyranometer, 50
 Life cycle cost, *see* Economics
 Life cycle savings
 maximum, 473
 method, 462
 Light current, *see* Photovoltaic
 Lightstone, M. F., 494
 Lin, R. J. H., 191, 195, 196, 220
 Linke-Feussner actinometer, 46
 Littler, J., 566, 567
 Liu, B. Y. H., 70, 77, 81, 82, 83, 84, 90, 103, 116,
 117, 118, 123, 124, 133, 696
 Liu, K. V., 642
 Liu, W., 500
 Liu, X., 414
 Lloyd, J. R., 165
 Load
 building cooling, 420
 building loss coefficient, 418
 degree-day method, 415
 domestic hot water, 413, 414
 load heat exchanger, 513
 solar process, 412
 space heating, 415
 swimming pool, 421
 time dependent, 413
 Lodwig, E., 596
 Loehrke, R. I., 382, 383
 Löf, G. O. G., 54, 56, 57, 66, 68, 167, 366, 329,
 368, 495, 506, 510, 516, 517, 519, 540, 580,
 581, 585, 593, 596, 645, 646, 649, 650, 652,
 658
 Löf, L. G. A., 506
 Loferski, J. J., 759
 London, A. L., 169, 427
 Long-wave radiation, 43
 Lorsch, J. G., 544
 Low flow system, 492, 494
 Lowndes, D. H., 101
 Lutz, D. J., 414
 Luz system, 354
 Lyckebo system, 398

 MacDonald, T. H., 48
 Mahone, D., 575
 Mahoney, R., 632
 Maintenance and insurance, *see* Economics
 Mandelstam, D. R., 495
 Mantel heat exchanger, 485
 Manwell, J. F., 779, 781, 782, 784, 788, 790, 798
 Mar, H. Y. B., 196, 220
 Marcus, R. J., 405
 Marlatt, W. P., 612
 Marshall, K. N., 158
 Martin, D. C., 193, 194
 Martin, M., 149
 Marvin, W. C., 390, 529, 530
 Maschhoff, R. H., 6, 9
 Mass, E. A., 164
 Masters, L. W., 365
 Mather, G. R. Jr., 339
 Mathew, H., 101
 Mattox, D. M., 193, 197
 Matz, R., 639
 Maximum power point, 755
 Maximum power point tracker, 765
 Maycock, P. D., 747
 Mazria, E., 30, 550, 716
 McAdams, W. H., 160, 165
 McCarthy, S., 766
 McCorquodale, J. A., 167
 McCreary, W. V., 194
 McDaniels, D. K., 101
 McDenney, C. B., 194
 McDonald, G. E., 193
 McFarland, R. D., 395, 416, 565, 716, 718, 719
 McGowan, J. G., 779, 781, 782, 784, 788, 790, 798
 McGrue, Q. T., 414
 McIntire, W. R., 343

- McKay, D. C., 86
 McKenzie, D. L., 194
 McMahan, J. E., 414
 McMordie, R., 673
 Meader, M., 601
 Mehta, J. M., 641, 642
 Meinel, A. B., 194
 Meinel, C. B., 194
 Melnikov, G. K., 340
 Menicucci, D., 92, 772
 Mercer, W. E., 163
 Messenger, R. A., 747, 754, 764
 Meteorological data, 667
 synthesize, 669
 Method 5000, 716
 Meyer, B. A., 155, 156, 157
 Michalsky, J., 92, 94
 Michelson pyrheliometer, 46
 Microflow system, *see* Low flow system
 Mirror radius, 355
 Mitchell, J. C., 348
 Mitchell, J. W., 154, 155, 156, 157, 165, 331, 336,
 412, 415, 418, 421, 529, 562, 584, 595, 599,
 667, 668, 690, 691, 694
 Moll-Gorczyński pyranometer, 49
 Moll-Gorczyński pyrheliometer, 46
 Monsen, W. A., 724, 727, 728, 731, 732, 736, 739
 Moon, J. E., 345
 Moon, P. J., 60
 Moore, S. W., 193, 327
 Moran, W. P., 165
 Morgan, W. R., 99
 Morrison, C. A., 71
 Morrison, D. J., 402, 403, 531, 533
 Morrison, G. L., 495, 497
 Morse, R. N., 115, 585, 649
 Mortgage interest payment
 present worth, 461
 Mortgage payment, 460, *see* Economics
 Movable insulation, 550, 557
 MPPT, 765
 Mullett, L. B., 642
 Mumma, S. A., 390, 529, 530
 Murray, W. D., 401
 Murthy, M. S., 404
 Murty, M. V. R. K., 364
 Mutch, J. J., 413, 492
 Myer, A., 716

 NASA, 6

 Nassar, M. S., 167
 Natural circulation solar water heater, 495
 Natural convection, 150
 Neeper, D. A., 313
 Nelson, J., 747
 Nelson, J. S., 599
 Nelson, K. E., 191, 193, 196
 Nielsen, C. E., 640, 641, 642
 Niles, P. W. B., 565
 Niyogi, B., 544
 NOCT (nominal operating cell temperature), 760
 Noll, S., 716
 No-load temperature, 488
 Norris, D. J., 50, 53, 68
 Norton, B., 495
 NSRDB, 54
 NTU, 392
 Numerical experiments, *see* Simulation
 Nusselt number, 150, 152
 internal flow, 160
 parallel plates, 151
 wind, 164

 Oberndorfer, G., 387
 O'Brian, B., 764
 Offenhartz, P. O., 404
 O'Gallagher, J. J., 346, 353
 Ohanessian, P., 395
 Olgyay, V., 550
 Olseth, J. A., 92
 Olson, T. J., 601, 602, 626
 One-pass solar water heater, 497
 Oonk, R., 435
 Oonk, R. L., 585, 587, 658
 Operating costs, *see* Economics
 Optical properties, 336
 Optical system, 325
 Orgill, J. F., 75, 76
 Ortabasi, U., 307
 Overhangs, 551
 Overheating, 489

 P_1 , P_2 method, 470, 472
 Pacheco, J. E., 633, 637
 Packed bed, 166
 Page, J. K., 65, 79, 110
 Paltridge, G. W., 68
 Panahi, Z., 641
 Pandey, A., 759

- Paraffin wax, 401
- Park, K. C., 193
- Parsons, R. E., 622
- PASOLE, 716
- Passive cooling, *see* Solar cooling
- Passive Cooling Handbook, 605
- Passive design, 715, *see also* Unutilizability; Solar load ratio
 - approachs, 715
- Passive heating, 376, 548, 549
 - economics, 575
- Passive Solar Conference, 549
- Passive water heating, 483, 495
- Pawelski, M. J., 667, 668
- Paxton, D. D., 526
- Payback period, 467
- Pearce, W. M., 163
- Pelligrino, P., 6, 9
- Perers, B., 340
- Perez, R., 44, 49, 53, 86, 92, 94
- Perry, J., 716
- Peterson, L. J., 155
- Peterson, R. E., 196, 220
- Pettit, R. B., 193, 197
- Phase change
 - subcooling and superheating, 531
 - phase change energy storage, 531
- $\bar{\phi}$, 700
- $\bar{\phi}$, *f*-chart, 696, 708
 - compare to TRNSYS, 712
 - curves, 704
 - method, 703
- ϕ curves, 698, 700
- Photon, 748
 - energy of, 748
- Photovoltaic
 - applications, 761, 766
 - cell temperature, 757
 - controls, 764
 - current-voltage, 750
 - current-voltage model, 749
 - design method, 767
 - diode reverse saturation current, 751
 - effect of solar, 753
 - high flux, 773
 - ideality factor, 751
 - light current, 751
 - loads, 761
 - materials, 748
 - maximum power, 755
 - module, 750
 - operating temperature, 759
 - power, 750
 - power model, 753
 - Sandia model, 749
 - series and parallel connections, 749
 - series resistance, 751
 - series shunt resistance, 751
 - systems, 747
 - temperature coefficient
 - current, 754
 - voltage, 753
 - temperature effect, 753
 - tracking, 773
 - TRNSYS, 771
- PITI, *see* Economics
- Planck's law, 141
- Polar axis, 327
- Polarized radiation, 204
- Ponds, 639, 640, 641, 642, 643, 644, 650, 651, 652
 - applications, 643
 - cleaniness, 641
 - concentration gradient, 640
 - gradient zone, 640
 - heat removal, 641
 - lower convecting zone, 640
 - salinity gradient, 640
 - salt, 639
 - salt gradient, 639
 - surface waves, 641
 - theory, 641
 - upper convecting zone, 640
- Poole, D. R., 405
- Power, 625
 - Brayton, 633
 - central receiver, 632
 - Luz, 628
 - collectors, 630
 - performance, 628
 - pumping, 626
 - Rankine, 633
 - SEGS, 628
 - Stirling, 633
- Power tower, *see* Power
- Prairie, R. R., 668
- Prandtl number, 150
- Present worth, 458
- Present worth factor, 459
- Price, H., 629, 632
- Prigmore, D. R., 601

- Probert, S. D., 495
 Proc. of Solar Industrial Process Heat Symposium, 608
 Proc. of the DOE conf. on central solar thermal electric systems, 633
 Proc. of the ERDA workshop on optical analysis, 633
 Process heat, 608
 drying, 615
 economics, 610
 industrial water heating, 618
 integration, 608, 609
 open circuit air, 611
 recirculating air, 614
 shallow pond, 621
 Process load, 376
 Proctor, D., 68, 165, 340, 344, 345, 650, 672
 Property taxes, *see* Economics
 PURPA, 629
 PV, *see* Photovoltaic
 PWF, 459
 Pyranometer, 44
 Pyranometer shading ring, 52
 Pyrheliometer, 44
 Pyrheliometric scale, 46

 R, 87
 Rabl, A., 73, 74, 77, 79, 82, 116, 327, 328, 339, 340, 342, 343, 344, 346, 352, 353, 360, 364, 365, 370, 642, 696, 700
 Radiation
 characteristics of surfaces, 174
 critical level, 287
 properties, 188
 Radiation flux, 146
 Radiation heat transfer coefficient, 149
 Radiation intensity, 145
 Radiation properties
 measurements, 184
 Radiosity, 11
 Radosevich, L. G., 371, 372, 634, 636
 Raithby, G. D., 151, 153, 154, 159
 Rakhmanov, A., 598
 Ramsey, J. W., 164
 Randall, K. R., 154, 156, 159
 Rankine air conditioning, *see* Solar cooling
 Ratzel, A., 155
 Rauschenbach, H. S., 747, 749, 755
 Rayleigh distribution, 786
 Rayleigh number, 150, 152
 Rayleigh scattering, 61
 Raymond, E., 510, 531
 Ray-tracing, 364
 R_b , 23, 88
 Read, K. A., 343
 Read, W. R. W., 501, 615, 649
 Receiver, 325
 perfect, 328
 Recirculation cycle, 598
 Reddy, T. A., 75
 Reed, K. A., 364
 Reflectance, 208
 biangular, 178
 diffuse, 178
 hemispherical, 181
 monochromatic, 179
 monochromatic angular-hemispherical, 182
 solar, 204
 specular, 178, 199
 properties, 200
 Reflection
 normal incidence, 205
 average number, 344
 Reindl, D. T., 75, 76, 92, 93, 579, 669
 Remund, J., 669
 Return on investment, 457
 Reynolds, J., 101
 Reynolds, W. C., 160, 163
 Richmond, D. A., 495
 Richter, A., 360
 Richtmyer, F. K., 141
 Riggs, J. L., 450
 Riley, J. P., 641
 Robert, J. F., 395, 396, 397, 562, 570
 Robeson, K. A., 510, 603
 Robinson, N., 5, 10, 44, 45, 62
 Robitzsch pyranometer, 50
 Roddick, R. D., 191, 193, 196
 Rogers, A. L., 779, 781, 782, 784, 788, 790, 798
 Rohsenow, W. M., 161
 ROI, 457
 Romero, M., 633, 637
 Rosenfeld, A. H., 422
 Roulet, J. R., 658
 Rule, T. T., 116
 Ruth, D. W., 77, 133

 Safwat, H. H., 341

- Salinity gradient, *see* Ponds
 Saluja, G., 273
 Sander, D. M., 420
 Sandia, 766, 767, 773
 Santala, T., 194
 Sapsford, C. M., 497
 Sargent, S. L., 143, 581, 601
 Sarlas, M., 618, 620
 Sarofim, A. F., 147
 Saunier, G. Y., 75
 Scattering, 60
 Schmidt, R. N., 193
 Schmitt, D., 669
 Schoenau, G., 716
 Schöffer, P., 773
 Schroder, D. K., 749
 Schumann model, 390, 392
 Schumann, T. E. W., 389
 Schwedler, M. C. A., 565, 566
 Scranton, A. B., 641, 642
 Seals, R., 86, 92, 94
 Seasonal storage, 534
 Sebald, A. V., 551, 562
 See, D. S., 650, 651
 SEGS, *see* Power
 Selcuk, K., 313
 Selcuk, M. K., 326, 651
 Selective surface, 189
 directional, 195
 mechanism, 193
 optimum properties, 197
 properties, 196
 Seraphin, B. O., 194
 Series resistance, *see* Photovoltaic
 Sesolis, B., 395, 396, 397, 562, 570
 Sha, W. T., 642
 Shading, 29, 551
 Shah, L. J., 485
 Shah, R. K., 160
 Shaw, L. L., 517
 Shepard, C. M., 405
 Shepard, N., 764
 Sheridan, N. R., 101, 580, 581, 657
 Shewen, E. C., 166, 313
 Shikakura, Y., 404
 Short-wave radiation, 43
 Shown, L. J., 414
 Shunt resistance, *see* Photovoltaic
 Shurcliff, W. A., 543, 550
 Siegel, M. D., 767
 Siegel, R., 143, 147, 177, 181, 204, 208, 211
 Sigworth, H. Jr., 422
 Simmons, J. A., 404
 Simon, F. F., 333
 Simpson, W. T., 615, 616
 Simulation, 425, 657, 660, 672, *see also* TRNSYS
 and experiments, 667
 component models, 660
 information from, 659
 limitation, 670
 method, 657
 parametric study, 658
 programs, 657
 solving equations, 663
 utility of, 658
 Sिरer, P. D., 618, 620
 Sjerps-Koomen, E. A., 233
 Skartveit, A., 92
 Skinrod, A. C., 371, 372, 634, 636
 Skoda, L. F., 365
 Sky
 radition, 148
 temperature, 148
 Slope, 13
 SLR, *see* Solar load ratio
 Smith, C. C., 517, 612
 Smith, C. O., 54, 56, 57, 66, 68
 Smith, E. A., 6, 9
 Smith, R. N., 401
 Smith, W. A., 626, 627, 628
 Snell's law, 205
 Sokolov, M., 500
 Solar air conditioning, *see* Solar cooling
 Solar altitude angle, 13, 19, 20
 Solar azimuth angle, 13, 15, 20
 Solar cell, *see* Photovoltaic
 Solar Constant Reference Scale, 46
 Solar cooling, 579
 applications, 595
 desiccant, 596, 598
 heat pumps, 605
 mechanical, 600
 night chilling, 603
 operating experience, 593
 passive, 605
 radiation to sky, 603
 simulation study, 589
 Solar distillation, *see* Ponds
 Solar drying, 651
 Solar electric generating systems, *see* Power

- Solar energy
 - absorbed, 221
- Solar Energy Factor, 502
- Solar evaporation, *see* Evaporation
- Solar fraction, 447
 - building monthly, 728
- Solar heating, 543
 - active, 509
 - air system, 512
 - comfort, 550
 - economics, 540
 - modes of operation, 514
 - overheating, 539
 - parametric study, 521
 - passive applications, 569
 - system, 511
 - typical parameters, 514
 - water system, 513
- Solar heating and cooling, 587
- Solar load ratio
 - gross reference load, 717
 - load collector area, 718
 - method, 716
 - net glazing area, 717
 - net load coefficient, 717
 - net reference load, 717
 - projected glazing area, 717
 - solar aperture, 717
 - solar savings fraction, 717
 - solar wall, 717
 - total load coefficient, 717
- Solar One, 372, 634
- Solar ponds, *see* Ponds
- Solar position plot, 30
- Solar process heat, *see* Process heat
- Solar profile angle, 17, 18
- Solar radiation
 - anisotropic sky, 91
 - beam component, 75, 77, 79
 - Bendt et al. equations, 73
 - circumsolar, 86
 - clear sky, 68
 - cloud cover, 68
 - diffuse component, 75, 77, 79
 - distribution of days, 72
 - horizon brightening, 86
 - hourly from daily, 81
 - inclined surface
 - Hay and Davies method, 91
 - Liu and Jordan method, 90
 - HDKR method, 93
 - Perea et al. method, 94
 - isotropic, 86
 - isotropic diffuse, 90
 - moving surfaces, 101
 - sloped surfaces, 85
 - sunshine hours, 67
 - estimation, 64
- Solar radiation-average
 - effects of orientation, 113
 - inclined surfaces
 - KT method, 105
 - Liu and Jordan method, 103
- Solar Rating and Certification Committee, 502
- Solar refrigeration, 579
- Solar savings, 452
- Solar savings fraction, 447, 478
- Solar still, *see* Distillation
- Solar system model, 444
- Solar thermal power, *see* Power
- Solar time, 11
- Solar to mechanical, *see* Power
- Solar transmittance, *see* Transmittance
- Solar Two, 372, 637
- Solar water heating
 - domestic hot water, 483
 - economics, 503
 - institutional hot water, 483
 - retrofit, 500
 - subsystem, 501
 - testing, 501
- Solar zenith angle, 13
- Solarimeter, 44
- SOLMET, 56
- SOLRAD, 56
- Souka, A. F., 341
- Sowell, R. P., 193, 197
- Sparrow, E. M., 163, 164
- Spectral distribution of sun, 6
- Spectral distribution of terrestrial, 64
- Spectrolab pyranometer, 48
- Spencer, D. W., 49, 53
- Spencer, J. W., 9, 11, 14
- Spencer, W., 44
- Speyer, E., 534
- Spiegler, K. S., 650, 651
- Springer, T., 404
- SRCC, 346, 502
- Stagnation temperature, 363
- Stanhill, G., 77

- Stefanakos, E., 645
 Stefan-Boltzmann equation, 142
 Steinmann, D. E., 618
 Stewart, R., 44, 49, 53, 86, 92, 94
 Stirewalt, E. N., 747
 Stokes, K., 575
 Storage, 770
 aquifer, 399
 battery, 405
 borehole, 399
 building wall, 395
 chemical energy, 404
 energy balance, 380, 396
 media, 378
 multinode, 382
 packed (pebble) bed, 387
 phase change, 399
 plug flow, 382
 seasonal, 397
 water, 379
 Stratification, 383, 494
 Streed, E. R., 330, 334, 336
 Stuetzle, T., 331, 336
 Stymne, H., 401
 Suhr, H. B., 650
 Sullivan, H. F., 166
 Summers, D. N., 321
 Sun, 3
 chromosphere, 5
 convective zone, 4
 corona, 5
 radius, 4
 solar constant, 5
 spectral distribution, 6
 Sun, Y. T., 552
 Sunrise (sunset) hour angle, 17
 Sunspace, 549, 565
 Surface azimuth angle, 13
 Swaminathan, C., 582
 Swartman, R. K., 582
 Swearingen, J. S., 581
 Swimming pools, 506
 Swinbank, W. C., 149
 Szokolay, S. V., 543, 550
- Tabor, H., 151, 152, 193, 194, 196, 264, 327, 497,
 639, 640
 Talbert, S. B., 645, 646, 649, 650
 Talwalkar, A. T., 652
- Tan, H. M., 162
 Tanishita, I., 498
 Taylor, K. J., 652
 Teagan, W. P., 601
 Telkes, M., 400, 510, 531
 Temps, R. C., 92
 Terrell, R. E., 526
 Tesfamichael, T., 342
 Theilacker, J. C., 105
 Thekaekara, M. P., 6, 9, 61
 Thermal performance, 425
 Thermosyphon, 483
 Theunissen, P-H., 343, 338
 Thom, H. C. S., 416
 Thomas, J. P. S., 382, 494
 Thomas, R. N., 5
 Thomas, W. C., 334, 336
 Thompson, T., 385
 Thomsen, S. M., 220
 Thornton, J. A., 194
 Threlkeld, J. L., 526
 Time constant, *see* Collector
 TMY, 56, 668
 TMY2, 56
 Top loss coefficient, *see* Collector
 Total solar radiation, 10
 Touloukian, Y. S., 189
 Townsend, T. U., 749, 763
 Transmittance, 208, 231
 angular dependence, 213
 effect of surface layers, 219
 solar, 204
 spectral dependence, 216
 Transmittance-absorptance product, 215, 225, 228,
 290
 angular dependence, 216
 average, 224
 Transparent Insulation Technology, 419
 Transpired collector, *see* Collector
 Traut, T. A., 622
 Trewartha, G. T., 67
 Trickett-Norris pyranometer, 48
 TRNSYS, 328, 385, 387, 395, 396, 405, 495, 566,
 657, 658, 660, 661, 662, 664, 665, 670, 671,
 767, 770
 Trombe, F., 195, 395, 396, 397, 562, 570
 Truncated CPC, 342
 Tschernitz, J. L., 615, 616
 Tsuchiya, K., 404
 Tuller, S. E., 77

- Turbidity, 60
 Turkemburg, W. C., 233
 Tybout, R. A., 540, 658
 Typical meteorological year, 668
- U.S. Department of Energy, 623
 U.S. Home Finance Agency, 151
 UCZ, 640, 642
 Unger, T. A., 193
 United Nations, 650
 University of Houston-Sandia, 371
 University of Minnesota, 200
 Unny, T. R., 151, 153, 154
 Unutilizability
 collector-storage wall, 731
 design method, 724
 direct gain, 724
 Utilizability, 116, 119, 127, 286, 672, 697, 769
 daily, 700
 design method, 696
 hourly, 696, 697
 monthly average, 727
 Utzinger, M. D., 397, 551, 553, 554, 555, 556, 562, 563, 578
 UU method, *see* Unutilizability
- Van Koppen, C. W. J., 382, 494
 Vant-Hull, L. L., 47, 371
 Vapor lift pump, 582
 Vaxman, B., 500
 Vee-corrugated, 159
 Vejen, N. K., 485
 Veltkamp, W. B., 382, 494
 Ventilation cycle, 598
 Ventre, J., 747, 754, 764
 Vernon, R. W., 333
 Vindum, J. O., 618, 619
 Vitorino, C., 494
 Von Fuchs, G. F., 385, 387, 390
 Vonder Haar, T. H., 6, 9
- Wäckelgård, E., 342
 Wang, Y., 490
 Ward, D. S., 517, 585
 Ward, J. C., 673
 Warren, A. W., 385, 387, 390
 Washburn, J., 193, 195
 Water heating systems, 483
 Watmuff, J. H., 165
 Weather data, 667
 Wedel, R. K., 158
 Wei, J., 422
 Weibull distribution, 785
 scale factor, 786
 shape factor, 786
 standard deviation, 786
 Weinberger, H., 193, 639
 Weinberger, Z., 640
 Weir, A. D., 652
 Weiss, W., 414, 511, 539, 540, 543
 Weitbrecht, V. D., 360
 Welford, W. T., 340, 344, 364
 Wendell, L. L., 781
 Wettermark, G., 401
 Whillier, A., 17, 25, 72, 75, 81, 116, 117, 118, 119, 211, 219, 242, 267, 273, 305, 544, 696, 697
 White, J. A., 450
 Whitlow, E. P., 581
 Wiebelt, J. A., 63
 Wien's displacement law, 141
 Wijesundera, N. E., 298
 Wilkie, D. A., 596
 Wilkins, E. S., 639
 Williams, D. A., 195, 581
 Willson, R. C., 6, 9
 Wilson, B. W., 651
 Wind, 164
 axial induction factor, 789
 Betz turbine, 790
 distribution, 785
 duration curve, 783
 energy, 776
 energy pattern factor, 787
 height variation, 784
 history, 776
 kinetic energy, average, 787
 power, 783, 787
 prediction of, 781
 probability distribution, 787
 resource, 780
 turbine, 776
 estimating power, 793
 model, 788
 power coefficient, 790
 thrust, 789
 thrust coefficient, 790
 Wind machines, *see* Wind, turbine
 Window, B., 194, 339

- Wingwalls, 551
Winn, C. B., 433, 434, 673
Winston, R., 340, 344, 346, 353, 364
Wirsum, M. C., 328, 614, 615
Wittenberg, L. J., 643
WMO, 44
Woertz, B. B., 25, 90, 193, 207, 211, 260, 296, 326
Wohlers, H. C., 405
Wolf, M., 747
Wood, B. D., 101, 116, 334, 336
Woodall, J. M., 194
World Radiation Center, 6
World Radiometric Reference, 46
Wray, W. O., 416, 565, 716, 718
Wrixon, G. T., 766
Wu, P. S., 155, 156
Wuestling, M. D., 494
Yamaguchi, K., 562, 575
Yanagimachi, M., 526, 604
Yang, K. C., 617
Yanishevskiy pyranometer, 48
Yanishevskiy pyrheliometer, 46
Yellott solarimeter, 50
Yellott, J. I., 44, 564, 604
Yusoff, M. B., 363, 432

Zarmi, Y., 497, 506
Zarza, E., 632
Zhang, H-F., 308
Zimmer, P. B., 196, 220
Zinn, K. G., 101
Zob, A. P., 385, 387, 390
Zollner, A., 500